

Sole

RECEIVED

JUL 252019

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF LAND QUALITY

July 22, 2019

Mr. Jake Dunam
Indiana Department of Environmental Management
Office of Land Quality
LUST Section
100 N. Senate Ave., Room 1101
Indianapolis, Indiana 46204-2251

Re: No Further Action Request

Circle K #72
2610 N. High School Road
Indianapolis, Indiana 46224
Facility ID #25
IDEM Incident Number 201704508
American Environmental Project 371066

Dear Mr. Dunam:

American Environmental Corporation on behalf of Mac's Convenience Stores, LLC is pleased to provide you with the No Further Action (NFA) request with lines of evidence supporting unconditional closure for the above referenced facility, as requested in the Indiana Department of Environmental Management (IDEM) letter dated May 23, 2019.

The lines of evidence for closure are as follows:

- The contaminants of concern are confined to the property boundaries.
- The groundwater benzene concentrations are below the IDEM Tapwater screening levels.
- The area of exposure control is covered with concrete and asphalt.
- The water table being monitored is not used for drinking water purposes.
- The site and surrounding areas are provided with drinking water by public utilities.
- There are no complete exposure pathways at the site.
- The site soils consist primarily of silty clay.
- Vapor Intrusion was evaluated and the site screens out.
- The property will remain commercial for the foreseeable future.

Closure Strategy and No Further Action Request

Circle K #72

Indianapolis, Indiana IDEM Incident Number: 201704508

IDEM Facility I.D. 25

American Environmental Project 371066

Page 2

Based on the above lines of evidence, Mac's Convenience Stores, LLC respectfully requests a no further action status for the site.

We trust this submittal meets your requirements. If you have any questions regarding this transmittal, please contact us at (317) 871-4090.

Sincerely,

AMERICAN ENVIRONMENTAL CORPORATION

James E. Madding Project Manager Audrey Smith Kortz, L.P.G., C.H.M.M. Vice President, Technical Services

Awly XII



NO FURTHER ACTION REQUEST COVER SHEET AND REPORT FORMAT

Solve

State Form 56088 (6-16) 329 IAC 9-5 Indiana Department of Environmental Management Office of Land Quality ENVIRONMENTAL MANAGEMENT
Attention: Leaking UST Section
Office of Land Quality
100 N. Senate Ave., MC 67-18, IGCN 1101
Indianapolis, IN 46204-2251

INDIANA DEPARTMENT OF

Indianapolis, IN 46204-2251 Phone number: (317) 232-8900

INSTRUCTIONS:

1. This form is intended to assist with the organization of No Further Action (NFA) Requests.

The Cover Sheet should be attached as cover to your NFA report submittel. The directions for the required NFA format are not required to be attached.

 Depending on the nature of the project, some of the following sections or appendices may not be applicable. If this is the case, do not leave the section blank, omit, or reorder. Instead, enter "Not Applicable" or provide an explanation to indicate that the section does not apply or that information is not available, and why.

	A. FACILITY	INF	ORMATION			
Facility Name: Circle K #72		FA	CILITY IDENTIFICA	TION NUMBER	: 25	
			LUST Incident Num	nber(s): 201704	508	
Street Address (number and street): 2610 N	l. High School Ro	ad				
City: Indianapolis	County: Marion				ZIP Code: 46	224
	B.SITE IN	FO	RMATION			
Is the site currently an operational UST fa	acility?			YES	V] NO
Have all USTs been removed or properly	closed in-place?			☑ YES] NO
Is there more than one incident being ad-	dressed in this NFA	Re	quest Report?	YES	∠] NO
Is the site located within a Well Head Pro	tection Area (WHP	A)?		☑ YES] NO
Are you requesting an Unconditional Clo	sure?			☑ YES] NO
Is soil contamination present off site about	ve screening levels	?		YES		NO
Is groundwater contamination present of	site above screeni	ng l	evels?	☐ YES		NO [
Is there an existing Environmental Restri	ctive Covenant (ER	C) c	on the deed?	☐ YES	V] NO
Are there exposure pathways that need t	o be controlled by u	usin	g an ERC?	YES	V	ON
Is a draft ERC attached?				YES	V] NO
Is full QA/QC submitted in Appendix C f	or closure purposes	?		YES	∀] NO
Under what guidance are you requesting	closure?			RCG		
	C. TANK(S) OW	NEF	RINFORMATION			
Owner Name: Mac's Convenience St	ores					
Street Address (number and street): 4080 J	onathan Moore P	ike				
City: Columbus	State: IN				ZIP Code: 47	201
Contact Person: Matt Jordan			Telephone Numbe	r: 812-379-922	7	
E-Mail Address: mjordan@circlek.com	1					

RECEIVED

JUL 25 2019

DEPARTMENT OF ENVIRONMENTAL MANAGEMENT OFFICE OF LAND QUALITY

	D. TANK(S) OPERATO		
Company Name: Mac's Conveni	ence Stores		
Street Address (number and street): 2	1080 Jonathan Moore Pike		
City: Columbus	State: IN		ZIP Code: 47201
Contact Person: Matt Jordan		Telephone Number: 812-379-9227	7
E-mail Address: mjordan@circle	k.com		
	E. UST PROPERTY OW	NER INFORMATION	
Company Name: Mac's Conveni	ence Stores		
Street Address (number and street): 4	1080 Jonathan Moore Pike		
City: Columbus	State: IN		ZIP Code: 47201
Contact Person: Matt Jordan	'	Telephone Number: 812-379-9227	7
E-mail Address: mjordan@circle	k.com		
,	F. REPORT PREPARE	ER INFORMATION	
Company Name: American Envi	ronmental Corporation		
Street Address (number and street): {	3500 Georgetown Road		
City: Indianapolis	State: IN		ZIP Code: 46268
Contact Person: James E. Made	ding	Telephone Number: 317-871-4090)
E-mail Address: madding@aecii	ndv.com		
statements in this document an			O O E 7/0/4\/\$\$\
certify that the report was subm	itted to IDEM Leaking Unde	ccurate, and completed per 329 IA rground Storage Tank Section on t le Party identified within.	
certify that the report was subm on behalf of and with the approv	itted to IDEM Leaking Unde	rground Storage Tank Section on t	
	itted to IDEM Leaking Unde val of the Owner/Responsibl	rground Storage Tank Section on t le Party identified within.	he date listed below
certify that the report was submon behalf of and with the approximate Name Audrey Smith Kortz Environmental Professional Cree	val of the Owner/Responsible Position VP/Technical Services	rground Storage Tank Section on to le Party identified within. Company	Date (month, day, year) 7/22/19
Certify that the report was submon behalf of and with the approximate Name Audrey Smith Kortz Environmental Professional Cre Signature: Please note, per 329 IAC 9, this do	position VP/Technical Services dentials ocument must be signed by a	rground Storage Tank Section on to le Party identified within. Company American Environmental Corp.	Date (month, day, year) 7/22/19 Licensed Professional
Certify that the report was submon behalf of and with the approximate Name Audrey Smith Kortz Environmental Professional Cressional	priate or desired)	rground Storage Tank Section on to le Party identified within. Company American Environmental Corp. Date (month, day, year): Registered Professional Engineer, a	Date (month, day, year) 7/22/19 Licensed Professional cifically certified in the
Certify that the report was submon behalf of and with the approximate Name Audrey Smith Kortz Environmental Professional Cre Signature: Please note, per 329 IAC 9, this do Geologist, a Certified Hazardous Matter of Indiana. Additional Signatures (as approximately submoderate to the submoderate submoder	priate or desired)	rground Storage Tank Section on to le Party identified within. Company American Environmental Corp. Date (month, day, year): Registered Professional Engineer, a ssional Soil Scientist. All must be specified (month, day, year): Date (month, day, year):	Date (month, day, year) 7/22/19 Licensed Professional ecifically certified in the
Certify that the report was submon behalf of and with the approximate Name Audrey Smith Kortz Environmental Professional Cressional	priate or desired)	rground Storage Tank Section on to le Party identified within. Company American Environmental Corp. Date (month, day, year): Registered Professional Engineer, a ssional Soil Scientist. All must be specified (month, day, year): Date (month, day, year):	Date (month, day, year) 7/22/19 Licensed Professional ecifically certified in the

