

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:
Major:

INRM02599
No

Permittee:
Permittee Address:

Norfolk Southern Railway Company Burns Harbor Yard
6852 US Hwy 12
Portage, IN 46368

Facility:
Facility Location:

NORFOLK SOUTHERN RAILWAY COMPANY BURNS HARBOR YARD
6852 US HWY 12
PORTAGE, IN 46368

Permitted Feature:

001
External Outfall

Discharge:

001-RA
Drains to Samuelson Ditch towards the East Arm Little Calumet River

Report Dates & Status

Monitoring Period:

From 04/29/23 to 04/28/24

DMR Due Date:

05/28/24

Status:

NetDMR Validated

Considerations for Form Completion

STORM WATER GENERAL PORTER COUNTY

Principal Executive Officer

First Name:
Last Name:

Bryan
Naranjo

Title:

Director Environmental Operations

Telephone:

404-582-3595

No Data Indicator (NODI)

FormNODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00400	pH	1 - Effluent Gross	0	--	Sample										=	7.0	12 - SU	0	01/YR - Annual	GR - GRAB
					Permit Req.											Req Mon MAXIMUM	12 - SU		01/YR - Annual	GR - GRAB
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample										=	18.0	19 - mg/L	0	01/YR - Annual	GR - GRAB
					Permit Req.											Req Mon MAXIMUM	19 - mg/L		01/YR - Annual	GR - GRAB
					Value NODI															
00552	Oil and grease, hexane extr method	1 - Effluent Gross	0	--	Sample										=	1.4	19 - mg/L	0	01/YR - Annual	GR - GRAB
					Permit Req.											Req Mon MAXIMUM	19 - mg/L		01/YR - Annual	GR - GRAB
					Value NODI															
00625	Nitrogen, Kjeldahl, total [as N]	1 - Effluent Gross	0	--	Sample										=	0.62	19 - mg/L	0	01/YR - Annual	GR - GRAB
					Permit Req.											Req Mon MAXIMUM	19 - mg/L		01/YR - Annual	GR - GRAB
					Value NODI															
00630	Nitrite + Nitrate total [as N]	1 - Effluent Gross	0	--	Sample										=	1.07	19 - mg/L	0	01/YR - Annual	GR - GRAB
					Permit Req.											Req Mon MAXIMUM	19 - mg/L		01/YR - Annual	GR - GRAB
					Value NODI															
00665	Phosphorus, total [as P]	1 - Effluent Gross	0	--	Sample										=	0.11	19 - mg/L	0	01/YR - Annual	GR - GRAB
					Permit Req.											Req Mon MAXIMUM	19 - mg/L		01/YR - Annual	GR - GRAB
					Value NODI															
80082	BOD, carbonaceous [5 day, 20 C]	1 - Effluent Gross	0	--	Sample										<	2.0	19 - mg/L	0	01/YR - Annual	GR - GRAB
					Permit Req.											Req Mon MAXIMUM	19 - mg/L		01/YR - Annual	GR - GRAB
					Value NODI															
81017	Chemical Oxygen Demand [COD]	1 - Effluent Gross	0	--	Sample										=	33.0	19 - mg/L	0	01/YR - Annual	GR - GRAB
					Permit Req.											Req Mon MAXIMUM	19 - mg/L		01/YR - Annual	GR - GRAB
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
INRM02599_001_Labs_2024_003.pdf	pdf	919777.0

Report Last Saved By

Norfolk Southern Railway Company Burns Harbor Yard

User: Robert.Scoble@NSCorp.com

Name: Robert Scoble

E-Mail: robert.scoble@nscorp.com

Date/Time: 2024-05-20 08:48 (Time Zone: -04:00)

Report Last Signed By

User: bryan.naranjo@nscorp.com

Name: Bryan Naranjo

E-Mail: bryan.naranjo@nscorp.com

Date/Time: 2024-05-20 13:24 (Time Zone: -04:00)

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Josh Lindley
Specialized Professional Services, Inc.
312 Bank Street
Lodi, Ohio 44254

Generated 4/1/2024 7:23:02 AM

JOB DESCRIPTION

Indiana Inspections

JOB NUMBER

500-247666-1

Eurofins Chicago

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Chicago Project Manager.

Authorization




Generated
4/1/2024 7:23:02 AM

Authorized for release by
Michael DeMonico, Project Manager I
Michael.DeMonico@et.eurofinsus.com
(330)497-9396

Table of Contents

Cover Page	1
Table of Contents	3
Case Narrative	4
Detection Summary	5
Method Summary	6
Sample Summary	7
Client Sample Results	8
Definitions	9
QC Association	10
QC Sample Results	12
Chronicle	15
Certification Summary	16
Chain of Custody	17
Receipt Checklists	18



Case Narrative

Client: Specialized Professional Services, Inc.
Project: Indiana Inspections

Job ID: 500-247666-1

Job ID: 500-247666-1

Eurofins Chicago

Job Narrative 500-247666-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 3/18/2024 4:55 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.8°C.

Receipt Exceptions

General Chemistry

Method 4500_P_E: The method blank for preparation batch 500-759335 and analytical batch 500-759573 contained Phosphorus as P above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 5210B: One or more of the glucose-glutamic acid standards (LCS) replicates for BOD recovered outside the recovery limits specified in the method in batch 759666; however, the average recovery is within control limits. The method requirement is for the average recovery of the LCS replicates to meet criteria; therefore, no further action is required. Data has been flagged to indicate individual LCS recoveries that did not meet criteria.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Chicago

A□□JTBdISI | 6et c p p 6i

□ □ □ □ □ **M** □ □ □ □ □ □ □ □ □

) mJ.b) L00LJm00000E0D00H0L0 0L000y 0 L00J 000 L000L00b

HHOU GTT JHXXXXXXXXXJ XXXL XXXZet i cJ XXXXJ XXXXXZ_XXXXXXXXXNL XXXZThp i t at ZOHhJcl a-Snt 6Sel i

Not JTWMI | Get cpp6

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99

Q Q	M Q Q	Q	Q	Q	Q
SI l 6et c p p p 6	9 Q l	E Q.	Q	nl l 1	
B j .SI l 6: Saznp Q	B Q j Q	E Q.	Q	nl l 1	
M m SI l 6: Saznp Q	M J Q j m Q	E Q.	Q	nl l 1	

Q Q	M Q Q	Q	Q	Q	Q
SI I 6et c p p p 6	9 Q I	E Q.	Q	i p p t j	
B j .SI I 6c Sz ni I C S 6	B Q j Q	E Q.	Q	i p p t j	
B j .SI I 6c Sz ni I C 6	B Q j Q	E Q.	Q	i p p t j	
M m SI I 6c Sz ni I C 6	M j Q Q j m Q Q	E Q.	Q	i p p t j	

□□□□Q□□□ □□□□Q□	M□□□□Q□□□ □□□□Q□	□□□□Q□□□	□ □□□□□	□ □□□□□□	□□□□□□□□
SI I 6et c p p p 6	9 □□□□□ I	E□□□□□.	□ □□□□	i p p t j	c S z n i
B j . S i I 6 c S z n i I 6 S 6	B □□□□□ J □□□□	E□□□□□.	□ □□□□	i p p t j	c S z n i
B j . S i I 6 c S z n i I 6 6	B □□□□□ J □□□□	E□□□□□.	□ □□□□	i p p t j	c S z n i
M m S i I 6 c S z n i I 6 6	M □ J □□□□□ J m □□ □□	E□□□□□.	□ □□□□	i p p t j	c S z n i

Q Q	M Q Q	Q	Q	Q
SI 1 6et c p p p 6	9	E	-	m B J S I J h J
B j J S I 1 6: Sz n n S C 6	B	E	-	m B J S I J h J
M m S I 1 6: Sz n n S C 6	M J	E	-	m B J S I J h J

Q	Q	M	Q	Q	Q	Q	Q
Si I 6et cppp6	9	Si I 6et cppp6	9	Si I 6et cppp6	9	Si I 6et cppp6	9
B j .Si I 6: Sz St I 6	B	B j .Si I 6: Sz St I 6	B	B j .Si I 6: Sz St I 6	B	B j .Si I 6: Sz St I 6	B
M mSi I 6: Sz St I 6	M	M mSi I 6: Sz St I 6	M	M mSi I 6: Sz St I 6	M	M mSi I 6: Sz St I 6	M
Si I 6et cppp6 .Bm	9	Si I 6et cppp6 .Bm	9	Si I 6et cppp6 .Bm	9	Si I 6et cppp6 .Bm	9
Si I 6et cppp6 .BmW	9	Si I 6et cppp6 .BmW	9	Si I 6et cppp6 .BmW	9	Si I 6et cppp6 .BmW	9

$\frac{Q}{\sigma}$	M	$\frac{Q}{\sigma}$	$\frac{Q}{\sigma}$	$\frac{Q}{\sigma}$	$\frac{Q}{\sigma}$
Sil6etcppp6	9	E	-	mB.JSeel /	cSzSt
Bj.Sil6cSzStlC6	B	E	-	mB.JSeel /	cSzSt
MmSil6cSzStl@6	MJ	E	-	mB.JSeel /	cSzSt
Sil6etcppp6.Bm	9	E	-	mB.JSeel /	cSzSt
Sil6etcppp6.BmW	9	E	-	mB.JSeel /	cSzSt

□□□□Q□□ □□Q□	M□□□□Q□□ □□Q□	□□□□Q□□□	□ □□□□□	□ □□□□□□	□□□□□Q□□□□
Sl l 6et c p p p 6	9 □□□□□ l	E□□□□□.	— □□□□	mB J t Sl l J h J 3	cSznn
B j JSl l 6cSznnS@6	B □□□□□J □□□□	E□□□□□.	— □□□□	mB J t Sl l J h J 3	cSznn
M mSl l 6cSznnS@6	M□J □□□□□Jm□□ □□□	E□□□□□.	— □□□□	mB J t Sl l J h J 3	cSznn

Q Q	M Q Q	Q	Q	Q
Si I 6et c p p 6	9 I	E	—	mB JeSt I W
B j .Si I 6: Sz San C	B J	E	—	mB JeSt I W
M mSi I 6: Sz San @	M J	E	—	mB JeSt I W

Not a JTWdSI | Get cpp6

[illegible]

P □ □ □ □ □ Q □ □ □ □ 35: 9777

Q Q	M Q	Q	Q	Q	Q	Q
Si I 6et cppp6	9			E		mB .Sel I j
g mj .Si I 6: Szppp@	B			E		mB .Sel I j
M mSi I 6: Szppp@I	M	J		E		mB .Sel I j
M mSi I 6: Szppp@I	M	J		E		mB .Sel I j
M mSi I 6: Szppp@	M	J		E		mB .Sel I j

□ □ □ □ **Q** □ □ □ □ **397 Ge81**

□□□□Q□□ □□□□Q	M□□□□Q□□ □□□□Q	□□□□Q□□□	□ □□□□□	□ □□□□□	□□□□□□□□
Si l 6et cppp6	9 □□□□J l	E□□□□□.	□ □□□□	nSi h□h□□□	
B j .Si l 6:pl i ae@6	B □□□□□J □□□□	E□□□□□.	□ □□□□	nSi h□h□□□	
M mSi l 6:pl i ae@6	M□□J □□□□□□□□□□□□	E□□□□□.	□ □□□□	nSi h□h□□□	

P □ □ □ □ □ □ □ □ □ □ Q □ □ □ □ 357G5I I

□□□□Q□□ □□Q□	M□□□□Q□□ □□Q□	□□□□Q□□□	□ □□□□□	□ □□□□□	□□□□□□□□
Si 6et cppp6	9 □□□□J	E□□□□□.	□ □□□□	nSi 1	cpl i ae
Bj Si 6:cpl i aeQ6	B □□□□□J □□□□	E□□□□□.	□ □□□□	nSi 1	cpl i ae

P □ □ □ □ □ Q □ □ □ □ 357G5I h

$\text{Q} \cdot \text{Q}$	M	$\text{Q} \cdot \text{Q}$	Q	Q	α
M mSi i 6: p l i ae @6	MmJ	Jm	E	nSi 1	cpl i ae

P...Q ... 07 Q 5 QaddME6: da EM

y ...Q ... F...Q...Q...Nb

b ...G ...B6: - F...G ...B6: d

	y5 y5							
b	U	z	UP	y 7P %	7	F	b	7 G
g J(WH&U-	i h	h	S1	i h G	-	In@ EtJ ad a	In@ EtJ adc	i

P Q 0 5 dMBn6: da N

y Q

b G Bn6: -

0 Q G G G G G
F Q G dN
F G Bn6: d

	y5	y5								
b	U	z	UP	y7P	%	7	F	b	7G	
g J J H&U-	i h	h	S1	i h	G		I n@ @t J ad a	I n@ @t J adc	i	

P f b P f b P f b P f b
y F dNb
b Bn6: -
f P0f P0f mU
b U z % 7 mU P
g J(H&U- t l i nnl i G an ca g i l i t

[illegible][illegible]

P 0 y 5 dMH- d: E1dHb

y F Nb

b G dH11

F Nb

F G d: E1

y5 y5

b U z UP y7P % 7 F b 7G

m l en h i t i l en G l n e z e t J z d a l n e z e t J i d a i

P0f d: E1d Nb
y
b dH16

f P0f P0f mU
b U z % 7 mU P
m el l el a al 6l el

/ 0000d9 0000000000L 000000000009 000000007E01
L 00000000 00dE 00000000E 00000000000

M00J0dSI l 6et c p p p 6

y 000000 0 y QB4d7 00 000000tQ 0000 0 0000000000 02 f f R

P00Q 00 00 07 0 5 0ddMBnBE6a

0 000000 00 00 07 0 000000 0 000000 0 000000

y 000000Q 0000

F 000Q 0000 000000Nb

b 00000000 0 0000 00BnBE6

	y5	y5		UP	y 7P	%00	7	F 000000	b 000000	7 0Q 00
b 000000	U 000000	z 000000		S1	i z	00G			I n 0e 0t J ndht	i
K 00000000 00000000 000000	i z	h								

P00Q 00 00 07 00 f 0ddMBnBE6of

0 000000 00 00 07 00 000000 0 000000 0 00 0000

y 000000Q 0000

F 000Q 0000 000000Nb

b 00000000 0 0000 00BnBE6

	f 0000	P0f	P0f					mU 00		
b 000000	b 0000	U 000000	z 000000	%00	7	mU 00	P 00 00			
K 00000000 00000000 000000	el l	el l		00G		l l l	al 6i el			

y 000000 0 y QBdd0 0 00 0000000000

P00Q 00 00 07 0 5 0ddMBn66Ba Nb

0 000000 00 00 07 0 000000 0 000000 0 000000

y 000000Q 0000

F 000Q 0000 000000Nb

b 00000000 0 0000 00BnBH6

F 000G 0000 00Bn66B

	y5	y5		UP	y 7P	%00	7	F 000000	b 000000	7 0Q 00
b 000000	U 000000	z 000000		S1	i l et	00G			I n 0e 0t J zdSp	i
L 00000000J 00L	l l ecl	M							I n 0e 0t J l d l	

P00Q 00 00 07 00 f 0ddMBn66Bof Nb

0 000000 00 00 07 00 000000 0 000000 0 00 0000

y 000000Q 0000

F 000Q 0000 000000Nb

b 00000000 0 0000 00BnBH6

F 000G 0000 00Bn66B

	f 0000	P0f	P0f					mU 00		
b 000000	b 0000	U 000000	z 000000	%00	7	mU 00	P 00 00			
L 00000000J 00L	l l Si l	l l t pt		00G		z n	aa 6i en			

y 000000 0 y 0B1: d5 00 c 7 t0M 00

P00Q 00 00 07 00 f 5 0ddMBn- -- d

0 000000 00 00 07 0 000000 0 000000 0 000000

y 000000Q 0000

F 000Q 0000 000000Nb

b 00000000 0 0000 00Bn- --

	%5	%5		UP	y 7P	%00	7	F 000000	b 000000	7 0Q 00
b 000000	U 000000	z 000000		e1	e1	00G			I n 0z 0t J ed a	i
/ 000000000000 000000 0000 000000J	e1	h								

O 000 000

y 000000 0 y 0B11d0 00 c 7

P00Q 00 00 07 0 5 0ddMBnB4da Nb

0 000000 00 00 07 0 000000 0 000000 0 000000

y 000000Q 0000

F 000Q 0000 000000Nb

b 00000000 0 0000 00BnBHd

F 000G 0000 00BnB4d

	y5	y5		UP	y 7P	%00	7	F 000000	b 000000	7 0Q 00
b 000000	U 000000	z 000000		l l	p1	00G			I n 0e 0t J zd l	i
/ 000 0000 00000000 000 0000	p1	h							I n 0e 0t J SdSt	

P00Q 00 00 07 00 f 0ddMBnB4dof Nb

0 000000 00 00 07 00 000000 0 000000 0 00 0000

y 000000Q 0000

F 000Q 0000 000000Nb

b 00000000 0 0000 00BnBHd

F 000G 0000 00BnB4d

	f 0000	P0f	P0f					mU 00		
b 000000	b 0000	U 000000	z 000000	%00	7	mU 00	P 00 00			
/ 000 0000 00000000 000 0000	Sl 1	Sn1n		00G		l l c	aS6i l S			

& 00000000J 000000

M□□JEDdSI | 6et c ppp6

y □□□□ y 11d0 c 7 □□□□□□R

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040

F Q C N

F G Bn B4d

0

F Q Q Q Q Nk

F 000 G 0000 G 0000 B4d

&□□□□□J □□□□□

Address _____

Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other

TAL-8210

[illegible]

