

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(j). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	IN0002810	Permittee:	DUKE ENERGY INDIANA LLC FORMER WABASH RIVER STATION
Major:	No	Permittee Address:	450 BOLTON RD 450 BOLTON ROAD WEST TERRE HAUTE, IN 47885
Permitted Feature:	002 External Outfall	Discharge:	002-A PSI ASH POND EFFLUENT
Facility:		Facility Location:	DUKE ENERGY INDIANA LLC FORMER WABASH RIVER STATION 450 BOLTON RD WEST TERRE HAUTE, IN 47885

Report Dates & Status			
Monitoring Period:	From 06/01/24 to 06/30/24	DMR Due Date:	07/28/24
Status:	NetDMR Validated		

Considerations for Form Completion
INDUSTRIAL MAJOR VIGO COUNTY

Principal Executive Officer			
First Name:	Mike	Title:	GM CCP Midwest OM and Plant Retirement
Last Name:	Wertz	Telephone:	812-249-0446

No Data Indicator (NODI)
Form NODI: -

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00400	pH	1 - Effluent Gross	0	--	Sample					=	8.34			=	8.34	12 - SU	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.					>=	8.0 DAILYMN			<=	9.0 DAILYMX	12 - SU		02/30 - Twice Per Month	GR - GRAB
					Value NODI														
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	9.7			=	10.0	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.						<=	30.0 MO AVG		<=	70.0 DAILYMX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI														
00552	Oil and grease, hexane extr method	1 - Effluent Gross	0	--	Sample					=	1.4			=	1.4	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.						<=	10.0 MO AVG		<=	15.0 DAILYMX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI														
01104	Aluminum, total recoverable	1 - Effluent Gross	0	--	Sample					=	0.903			=	0.903	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.							Req Mon MO AVG			Req Mon DAILYMX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI														
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.046	=	0.3694	03 - MGD							0	01/01 - Daily	TM - TOTALZ
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD								01/01 - Daily	TM - TOTALZ
					Value NODI														
82220	Flow, total	1 - Effluent Gross	0	--	Sample			=	1.3794	80 - Mgal/mo							0	01/30 - Monthly	RT - ROOTOT
					Permit Req.				Req Mon MO TOTAL	80 - Mgal/mo								01/30 - Monthly	RT - ROOTOT
					Value NODI														

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

Name	Type	Size
IN0002810_002_MMR_2024_08.pdf	pdf	273590.0

Report Last Saved By

DUKE ENERGY INDIANA LLC FORMER WABASH RIVER STATION

User: jpadgett@doxycy.com
Name: Jac Padgett
E-Mail: jpadgett@doxycy.com
Date/Time: 2024-07-02 08:06 (Time Zone: -04:00)

Report Last Signed By

User: michael.wertz@duke-energy.com
Name: Michael Wertz
E-Mail: michael.wertz@duke-energy.com
Date/Time: 2024-07-08 09:23 (Time Zone: -04:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(j). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	IN0002810	Permittee:	DUKE ENERGY INDIANA LLC FORMER WABASH RIVER STATION
Major:	No	Permittee Address:	450 BOLTON RD 450 BOLTON ROAD WEST TERRE HAUTE, IN 47885
Permitted Feature:	002 External Outfall	Discharge:	002-AQ PSI ASH POND EFFLUENT QUARTERLY PARAMETERS
Facility:	DUKE ENERGY INDIANA LLC FORMER WABASH RIVER STATION		
Facility Location:	450 BOLTON RD WEST TERRE HAUTE, IN 47885		

Report Dates & Status			
Monitoring Period:	From 04/01/24 to 06/30/24	DMR Due Date:	07/28/24
Status:	Net DMR Validated		

Considerations for Form Completion
INDUSTRIAL MAJOR VIGO COUNTY

Principal Executive Officer			
First Name:	Mike	Title:	GM CCP Midwest OM and Plant Retirement
Last Name:	Wertz	Telephone:	812-249-0446

No Data Indicator (NODI)
Form NODI: -

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00978	Arsenic, total recoverable	1 - Effluent Gross	0	--	Sample						=	0.0301	=	0.0301	19 - mg/L	01/90 - Quarterly	GR - GRAB		
					Permit Req.							Req Mon MO AVG		Req Mon DAILYMX	19 - mg/L			01/90 - Quarterly	GR - GRAB
					Value NODI														
71901	Mercury, total recoverable	1 - Effluent Gross	0	--	Sample						=	2.7	=	2.7	3M - ng/L	01/90 - Quarterly	GR - GRAB		
					Permit Req.							Req Mon MO AVG		Req Mon DAILYMX	3M - ng/L			01/90 - Quarterly	GR - GRAB
					Value NODI														

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

Name	Type	Size
IN0002810_002_MMR_2024_04.pdf	pdf	2740720

Report Last Saved By
DUKE ENERGY INDIANA LLC FORMER WABASH RIVER STATION

User:	jpadgett@doxycy.com
Name:	Jac Padgett
E-Mail:	jpadgett@doxycy.com
Date/Time:	2024-05-03 13:38 (Time Zone: -04:00)

Report Last Signed By

User:	michael.wertz@duke-energy.com
Name:	Michael Wertz
E-Mail:	michael.wertz@duke-energy.com
Date/Time:	2024-05-16 14:35 (Time Zone: -04:00)



EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(j). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	IN0002810	Permittee:	DUKE ENERGY INDIANA LLC FORMER WABASH RIVER STATION
Major:	No	Permittee Address:	450 BOLTON RD 450 BOLTON ROAD WEST TERRE HAUTE, IN 47885
Permitted Feature:	010 External Outfall	Discharge:	010-SM MONTHLY STORM WATER
Facility: DUKE ENERGY INDIANA LLC FORMER WABASH RIVER STATION			
Facility Location: 450 BOLTON RD WEST TERRE HAUTE, IN 47885			
Report Dates & Status			
Monitoring Period:	From 06/01/24 to 06/30/24	DMR Due Date:	07/28/24
		Status:	NetDMR Validated
Considerations for Form Completion			
INDUSTRIAL MAJOR VIGO COUNTY			
Principal Executive Officer			
First Name:	Mike	Title:	GM CCP Midwest OM and Plant Retirement
Last Name:	Wertz	Telephone:	812-249-0446

No Data Indicator (NODI)
Form NODI: -

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00400	pH	1 - Effluent Gross	0	--	Sample														
					Permit Req.						>=	6.0 DAILY MN			<=	9.0 DAILY MX	12 - SU	01/30 - Monthly	GR - GRAB
					Value NODI							N - Not Constructed				N - Not Constructed			
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed			N - Not Constructed			
00552	Oil and grease, hexane extr method	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed			N - Not Constructed			
00810	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed			N - Not Constructed			
00825	Nitrogen, Kjeldahl, total [as N]	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed			N - Not Constructed			
00830	Nitrite + Nitrate total [as N]	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed			N - Not Constructed			
00865	Phosphorus, total [as P]	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed			N - Not Constructed			
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed			N - Not Constructed			
01119	Copper, total recoverable	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed			N - Not Constructed			

80082	BOD, carbonaceous [5 day, 20 C]	1 - Effluent Gross	0	--	Permit Req.									Req Mon MO AVG	Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI									N - Not Constructed	N - Not Constructed			
81017	Chemical Oxygen Demand [COD]	1 - Effluent Gross	0	--	Sample									Req Mon MO AVG	Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.									N - Not Constructed	N - Not Constructed			
81395	Storm water flow	1 - Effluent Gross	0	--	Sample									Req Mon MO AVG	Req Mon DAILY MX	03 - MGD	01/30 - Monthly	ES - ESTIMA
					Permit Req.									N - Not Constructed	N - Not Constructed			
					Value NODI													

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

Name	Type	Size
IN0002810_010_MMR_2024_06.pdf	pdf	358615.0

Report Last Saved By

DUKE ENERGY INDIANA LLC FORMER WABASH RIVER STATION

User: jpadgett@doxycy.com
 Name: Jac Padgett
 E-Mail: jpadgett@doxycy.com
 Date/Time: 2024-07-02 08:08 (Time Zone: -04:00)

Report Last Signed By

User: michael.wertz@duke-energy.com
 Name: Michael Wertz
 E-Mail: michael.wertz@duke-energy.com
 Date/Time: 2024-07-08 09:23 (Time Zone: -04:00)

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(j). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit			
Permit #:	IN0002810	Permittee:	DUKE ENERGY INDIANA LLC FORMER WABASH RIVER STATION
Major:	No	Permittee Address:	450 BOLTON RD 450 BOLTON ROAD WEST TERRE HAUTE, IN 47885
Permitted Feature:	011 External Outfall	Discharge:	011-SM MONTHLY STORM WATER
Facility: DUKE ENERGY INDIANA LLC FORMER WABASH RIVER STATION			
Facility Location: 450 BOLTON RD WEST TERRE HAUTE, IN 47885			
Report Dates & Status			
Monitoring Period:	From 06/01/24 to 06/30/24	DMR Due Date:	07/28/24
		Status:	NetDMR Validated
Considerations for Form Completion			
INDUSTRIAL MAJOR VIGO COUNTY			
Principal Executive Officer			
First Name:	Mike	Title:	GM CCP Midwest OM and Plant Retirement
Last Name:	Wertz	Telephone:	812-249-0446
No Data Indicator (NODI)			
Form NODI:	-		

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00400	pH	1 - Effluent Gross	0	--	Sample														
					Permit Req.						>=	6.0 DAILY MN		<=	9.0 DAILY MX	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI							N - Not Constructed			N - Not Constructed				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed		N - Not Constructed				
00552	Oil and grease, hexane extr method	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed		N - Not Constructed				
00810	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed		N - Not Constructed				
00825	Nitrogen, Kjeldahl, total [as N]	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed		N - Not Constructed				
00830	Nitrite + Nitrate total [as N]	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed		N - Not Constructed				
00865	Phosphorus, total [as P]	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed		N - Not Constructed				
00980	Iron, total recoverable	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed		N - Not Constructed				
01119	Copper, total recoverable	1 - Effluent Gross	0	--	Sample														
					Permit Req.								Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI								N - Not Constructed		N - Not Constructed				

80082	BOD, carbonaceous [5 day, 20 C]	1 - Effluent Gross	0	--	Permit Req.									Req Mon MO AVG	Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI									N - Not Constructed	N - Not Constructed			
81017	Chemical Oxygen Demand [COD]	1 - Effluent Gross	0	--	Sample									Req Mon MO AVG	Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.									N - Not Constructed	N - Not Constructed			
81395	Storm water flow	1 - Effluent Gross	0	--	Sample									Req Mon MO AVG	Req Mon DAILY MX	03 - MGD	01/30 - Monthly	ES - ESTIMA
					Permit Req.									N - Not Constructed	N - Not Constructed			
					Value NODI													

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

No Discharge

Attachments

Name	Type	Size
IN0002810_011_MMR_2024_06.pdf	pdf	358539.0

Report Last Saved By

DUKE ENERGY INDIANA LLC FORMER WABASH RIVER STATION

User: jpadgett@doxycy.com
 Name: Jac Padgett
 E-Mail: jpadgett@doxycy.com
 Date/Time: 2024-07-02 08:10 (Time Zone: -04:00)

Report Last Signed By

User: michael.wertz@duke-energy.com
 Name: Michael Wertz
 E-Mail: michael.wertz@duke-energy.com
 Date/Time: 2024-07-08 09:23 (Time Zone: -04:00)



MONTHLY MONITORING REPORT (MMR) FOR INDUSTRIAL DISCHARGE PERMITS

Indiana Discharge Monitoring Report

State Form 30530 (R6 / 4-23)

FACILITY NAME AND ADDRESS:

Duke Energy Indiana Wabash River Generating Station
 450 Bolton Road
 West Terre Haute, IN 47885-9583

PLEASE COMPLETE ONE COPY FOR EACH MONTH PER OUTFALL. ONCE COMPLETED, THIS FORM SHOULD BE CONVERTED TO A PDF DOCUMENT, NAMED APPROPRIATELY (PERMITID_OUTFALLID_MMR_YYYY_MM.pdf, i.e., IN0012345_001A_MMR_2019_01.pdf), AND ATTACHED TO THE CORRESPONDING NETDMR FORM FOR SUBMITTAL.

E-mail address: jpadgett@doxycy.com

PERMIT NUMBER: 1 0 0 0 2 8 1 0

OUTFALL NO.: 0 0 0 2

MO.: 0 6 YR.: 2 4

** < column: Can enter "<" if measurement value is less than limit of detection. This is a revised submittal. No Discharge

EFFLUENT CHARACTERISTICS	FLOW	pH	Solids, TSS		Oil & Grease		Aluminum, Total		
			MGD	HI	LOW	LB/DAY	M/G/L	LB/DAY	M/G/L
EFFLUENT PARAMETER NUMBER	Q00050	C00400	Q00530	C00530	Q00552	C00552	Q01104	C01104	
SAMPLE TYPE	Permit Condition	TOTALZ	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	
	Monitored	TOTALZ	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	
FREQUENCY	Permit Condition	Daily	02/30	02/30	02/30	02/30	01/30	01/30	
	Monitored	01/01	02/30	02/30	02/30	02/30	01/30	01/30	
EFFLUENT LIMITATIONS	Permit Minimum	6.0							
	Permit Average	Report		30		10		Report	
	Permit Maximum	Report	9.0		70		15	Report	
UNITS =	MGD	HI	LOW	LB/DAY	M/G/L	LB/DAY	M/G/L	LB/DAY	M/G/L
Sat	1	0.0000							
Sun	2	0.0000							
Mon	3	0.0000							
Tue	4	0.0000							
Wed	5	0.0000							
Thu	6	0.0000							
Fri	7	0.0000							
Sat	8	0.0000							
Sun	9	0.0000							
Mon	10	0.2283	8.34		10.0	<	1.4		0.903
Tue	11	0.2487							
Wed	12	0.3894							
Thu	13	0.0000							
Fri	14	0.0000							
Sat	15	0.0000							
Sun	16	0.0000							
Mon	17	0.2807	8.34		9.3		1.4		
Tue	18	0.2543							
Wed	19	0.0000							
Thu	20	0.0000							
Fri	21	0.0000							
Sat	22	0.0000							
Sun	23	0.0000							
Mon	24	0.0000							
Tue	25	0.0000							
Wed	26	0.0000							
Thu	27	0.0000							
Fri	28	0.0000							
Sat	29	0.0000							
Sun	30	0.0000							
MONTHLY AVERAGE		0.0460					1.4		0.903
HIGHEST VALUE		0.3894	8.34		10.0		1.4		0.903
LOWEST VALUE		0.0000	8.34		9.3		1.4		0.903
NO. OF TIMES WEEKLY, DAILY, MONTHLY EFFL. LIMITATIONS EXCEEDED			0		0		0		NA

TOTAL FLOW: 1.3794

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Prepared by or under the direction of (Certified Operator): Jac Padgett Date (month, day, year) 7/1/2024

Preparer's telephone number: 812-208-1438 Operator's certification number: WW 021037

Signature of principal executive officer or authorized agent (or attested by NetDMR subscriber agreement): Michael Wertz Date (month, day, year) 7/1/2024



MONTHLY MONITORING REPORT (MMR) FOR INDUSTRIAL DISCHARGE PERMITS

Indiana Discharge Monitoring Report

State Form 30530 (R6 / 4-23)

FACILITY NAME AND ADDRESS:

Duke Energy Indiana Wabash River Generating Station
450 Bolton Road
West Terre Haute, IN 47885-9563

PLEASE COMPLETE ONE COPY FOR EACH MONTH PER OUTFALL.
ONCE COMPLETED, THIS FORM SHOULD BE CONVERTED TO A
PDF DOCUMENT, NAMED APPROPRIATELY
(PERMIT ID_OUTFALLID_MMR_YYYY_MM.pdf, i.e.,
IN0012345_001A_MMR_2019_01.pdf),
AND ATTACHED TO THE CORRESPONDING NETDMR FORM
FOR SUBMITTAL.

1	N	0	0	0	2	8	1	0
PERMIT NUMBER								

0	0	0	2
OUTFALL NO.			

0	6	2	4
MO.		YR.	

No Discharge

** < column: Can enter "<" if measurement value is less than limit of detection

This is a revised submittal.

EFFLUENT CHARACTERISTICS		Arsenic, Total		Mercury							
EFFLUENT PARAMETER NUMBER		Q00978	C00978	Q 71901	C71901	Q	C	Q	C		
SAMPLE TYPE	Permit Condition	GRAB	GRAB	GRAB	GRAB						
	Monitored	GRAB	GRAB	GRAB	GRAB						
FREQUENCY	Permit Condition	01/90	01/90	01/90	01/90						
	Monitored	01/90	01/90	01/90	01/90						
EFFLUENT LIMITATIONS	Permit Minimum										
	Permit Average	Report	Report	Report	Report						
	Permit Maximum	Report	Report	Report	Report						
UNITS=		LB/DAY	** M/G/L	LB/DAY	** NG/L	LB/DAY	** M/G/L	LB/DAY	** M/G/L		
Sat	1										
Sun	2										
Mon	3										
Tue	4										
Wed	5										
Thu	6										
Fri	7										
Sat	8										
Sun	9										
Mon	10										
Tue	11										
Wed	12										
Thu	13										
Fri	14										
Sat	15										
Sun	16										
Mon	17										
Tue	18										
Wed	19										
Thu	20										
Fri	21										
Sat	22										
Sun	23										
Mon	24										
Tue	25										
Wed	26										
Thu	27										
Fri	28										
Sat	29										
Sun	30										
MONTHLY AVERAGE											
HIGHEST VALUE											
LOWEST VALUE											
NO. OF TIMES WEEKLY, DAILY, MONTHLY											
EFFL. LIMITATIONS EXCEEDED			NA		NA						

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Prepared by or under the direction of (Certified Operator): Jac Padgett		Date (month, day, year) 7/1/2024
Preparer's telephone number 812-208-1438	Operator's certification number WW021037	
Signature of principal executive officer or authorized agent (or attested by NetDMR subscriber agreement) Michael Wertz		Date (month, day, year) 7/1/2024



MONTHLY MONITORING REPORT (MMR) FOR INDUSTRIAL DISCHARGE PERMITS

Indiana Discharge Monitoring Report

State Form 30530 (R6 / 4-23)

FACILITY NAME AND ADDRESS:

Duke Energy Indiana Wabash River Generating Station
 450 Bolton Road
 West Terre Haute, IN 47885-9583

PLEASE COMPLETE ONE COPY FOR EACH MONTH PER OUTFALL. ONCE COMPLETED, THIS FORM SHOULD BE CONVERTED TO A PDF DOCUMENT, NAMED APPROPRIATELY (PERMITID_OUTFALLID_MMR_YYYY_MM.pdf, i.e., IN0012345_001A_MMR_2019_01.pdf), AND ATTACHED TO THE CORRESPONDING NETDMR FORM FOR SUBMITTAL.

E-mail address: jpadgett@doxycy.com

PERMIT NUMBER: 1 0 0 0 2 8 1 0

OUTFALL NO.: 0 0 0 2

MO.: 0 4 YR.: 2 4

** < column: Can enter "<" if measurement value is less than limit of detection. This is a revised submittal. No Discharge

EFFLUENT CHARACTERISTICS		FLOW	pH		Solids, TSS		Oil & Grease		Aluminum, Total	
EFFLUENT PARAMETER NUMBER	Q00050	Q00400	Q00530	Q00530	Q00530	Q00530	Q00532	Q00532	Q01104	Q01104
SAMPLE TYPE	Permit Condition	TOTALZ	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB
FREQUENCY	Monitored	TOTALZ	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB
EFFLUENT LIMITATIONS	Permit Condition	Daily	02/30	02/30	02/30	02/30	02/30	02/30	01/30	01/30
	Monitored	01/01	02/30	02/30	02/30	02/30	02/30	02/30	01/30	01/30
	Permit Minimum		6.0							
	Permit Average	Report			30		10			Report
	Permit Maximum	Report	9.0		70		15			Report
UNITS =	MGD	HI	LOW	LB/DAY	MG/L	LB/DAY	MG/L	LB/DAY	MG/L	
Mon 1	0.0000									
Tue 2	0.0000									
Wed 3	0.5495									
Thu 4	0.9440		7.96			5.1	<	5		0.807
Fri 5	0.5288									
Sat 6	0.0000									
Sun 7	0.0000									
Mon 8	0.8014		8.11			5.3	<	1.4		
Tue 9	0.9276									
Wed 10	0.9392									
Thu 11	0.8088									
Fri 12	0.7941									
Sat 13	0.8859									
Sun 14	0.7990									
Mon 15	0.8821									
Tue 16	0.8441									
Wed 17	0.7806									
Thu 18	0.7992									
Fri 19	0.2537									
Sat 20	0.0000									
Sun 21	0.0000									
Mon 22	0.0000									
Tue 23	0.0000									
Wed 24	0.0000									
Thu 25	0.0000									
Fri 26	0.0000									
Sat 27	0.0000									
Sun 28	0.0000									
Fri 29	0.5320									
Tue 30	0.7260									
MONTHLY AVERAGE	0.4191					5.2		3.2		0.807
HIGHEST VALUE	0.944		8.11			5.3		5.0		0.807
LOWEST VALUE	0.0000		7.96			5.1		1.4		0.807
NO. OF TIMES WEEKLY, DAILY, MONTHLY EFFL. LIMITATIONS EXCEEDED			0			0		0		NA

TOTAL FLOW: 12.5738

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Prepared by or under the direction of (Certified Operator): Jac Padgett Date (month, day, year) 5/3/2024

Preparer's telephone number: 812-208-1438 Operator's certification number: WW 021037

Signature of principal executive officer or authorized agent (or attested by NetDMR subscriber agreement): Michael Wertz Date (month, day, year) 5/3/2024



MONTHLY MONITORING REPORT (MMR) FOR INDUSTRIAL DISCHARGE PERMITS

Indiana Discharge Monitoring Report

State Form 30530 (R6 / 4-23)

FACILITY NAME AND ADDRESS:

Duke Energy Indiana Wabash River Generating Station
450 Bolton Road
West Terre Haute, IN 47885-9563

PLEASE COMPLETE ONE COPY FOR EACH MONTH PER OUTFALL.
ONCE COMPLETED, THIS FORM SHOULD BE CONVERTED TO A
PDF DOCUMENT, NAMED APPROPRIATELY
(PERMIT ID_OUTFALLID_MMR_YYYY_MM.pdf, i.e.,
IN0012345_001A_MMR_2019_01.pdf),
AND ATTACHED TO THE CORRESPONDING NETDMR FORM
FOR SUBMITTAL.

1	N	0	0	0	2	8	1	0
PERMIT NUMBER								

0	0	0	2
OUTFALL NO.			

0	4	2	4
MO.		YR.	

No Discharge

** < column: Can enter "<" if measurement value is less than limit of detection

This is a revised submittal.

EFFLUENT CHARACTERISTICS		Arsenic, Total		Mercury							
EFFLUENT PARAMETER NUMBER		Q00978	C00978	Q 71901	C71901	Q	C	Q	C		
SAMPLE TYPE	Permit Condition	GRAB	GRAB	GRAB	GRAB						
	Monitored	GRAB	GRAB	GRAB	GRAB						
FREQUENCY	Permit Condition	01/90	01/90	01/90	01/90						
	Monitored	01/90	01/90	01/90	01/90						
EFFLUENT LIMITATIONS	Permit Minimum										
	Permit Average	Report	Report	Report	Report						
	Permit Maximum	Report	Report	Report	Report						
UNITS=		LB/DAY	** M/G/L	LB/DAY	** NG/L	LB/DAY	** M/G/L	LB/DAY	** M/G/L		
Mon	1										
Tue	2										
Wed	3										
Thu	4		0.0301		2.70						
Fri	5										
Sat	6										
Sun	7										
Mon	8										
Tue	9										
Wed	10										
Thu	11										
Fri	12										
Sat	13										
Sun	14										
Mon	15										
Tue	16										
Wed	17										
Thu	18										
Fri	19										
Sat	20										
Sun	21										
Mon	22										
Tue	23										
Wed	24										
Thu	25										
Fri	26										
Sat	27										
Sun	28										
Fri	29										
Tue	30										
MONTHLY AVERAGE			0.0301		2.70						
HIGHEST VALUE			0.0301		2.70						
LOWEST VALUE			0.0301		2.70						
NO. OF TIMES WEEKLY, DAILY, MONTHLY											
EFFL. LIMITATIONS EXCEEDED			NA		NA						

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Prepared by or under the direction of (Certified Operator): Jac Padgett		Date (month, day, year) 5/3/2024
Preparer's telephone number 812-208-1438	Operator's certification number WW021037	
Signature of principal executive officer or authorized agent (or attested by NetDMR subscriber agreement) Michael Wertz		Date (month, day, year) 5/3/2024



MONTHLY MONITORING REPORT (MMR) FOR INDUSTRIAL DISCHARGE PERMITS

Indiana Discharge Monitoring Report

State Form 30530 (R6 / 4-23)

FACILITY NAME AND ADDRESS:

Duke Energy Indiana Wabash River Generating Station
 450 Bolton Road
 West Terre Haute, IN 47885-9583

PLEASE COMPLETE ONE COPY FOR EACH MONTH PER OUTFALL. ONCE COMPLETED, THIS FORM SHOULD BE CONVERTED TO A PDF DOCUMENT, NAMED APPROPRIATELY (PERMITID_OUTFALLID_MMR_YYYY_MM.pdf, i.e., IN0012345_001A_MMR_2019_01.pdf), AND ATTACHED TO THE CORRESPONDING NETDMR FORM FOR SUBMITTAL.

E-mail address: jpadgett@doxycy.com

PERMIT NUMBER: 1 0 0 0 2 8 1 0

OUTFALL NO.: 0 0 1 0

MO.: 0 6 YR.: 2 4

** < column: Can enter "<" if measurement value is less than limit of detection No Discharge
 This is a revised submittal.

EFFLUENT CHARACTERISTICS		FLOW	pH		Solids, TSS		Oil & Grease		Nitrogen, Kjeldahl	
EFFLUENT PARAMETER NUMBER		Q00050	C00400	C00530	C00530	Q00552	C00552	Q00625	C00625	
SAMPLE TYPE	Permit Condition	ESTIMATE	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	
	Monitored	ESTIMATE	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	
FREQUENCY	Permit Condition	01/30	01/30	01/30	01/30	01/30	01/30	01/30	01/30	
	Monitored	01/30	01/30	01/30	01/30	01/30	01/30	01/30	01/30	
EFFLUENT LIMITATIONS	Permit Minimum		6.0							
	Permit Average	Report			Report		Report		Report	
	Permit Maximum	Report	9.0		Report		Report		Report	
UNITS =		MGD	HI	LOW	LB/DAY	M/G/L	LB/DAY	M/G/L	LB/DAY	M/G/L
Sat	1									
Sun	2									
Mon	3									
Tue	4									
Wed	5									
Thu	6									
Fri	7									
Sat	8									
Sun	9									
Mon	10									
Tue	11									
Wed	12									
Thu	13									
Fri	14									
Sat	15									
Sun	16									
Mon	17									
Tue	18									
Wed	19									
Thu	20									
Fri	21									
Sat	22									
Sun	23									
Mon	24									
Tue	25									
Wed	26									
Thu	27									
Fri	28									
Sat	29									
Sun	30									
MONTHLY AVERAGE										
HIGHEST VALUE										
LOWEST VALUE										
NO. OF TIMES WEEKLY, DAILY, MONTHLY EFFL. LIMITATIONS EXCEEDED			0			NA		NA		NA

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Prepared by or under the direction of (Certified Operator): Jac Padgett Date (month, day, year) 7/1/2024

Preparer's telephone number 812-208-1438 Operator's certification number WW 021037

Signature of principal executive officer or authorized agent (or attested by NetDMR subscriber agreement) Michael Wertz Date (month, day, year) 7/1/2024



MONTHLY MONITORING REPORT (MMR) FOR INDUSTRIAL DISCHARGE PERMITS

Indiana Discharge Monitoring Report

State Form 30530 (R6 / 4-23)

FACILITY NAME AND ADDRESS:

Duke Energy Indiana Wabash River Generating Station
450 Bolton Road
West Terre Haute, IN 47885-9563

PLEASE COMPLETE ONE COPY FOR EACH MONTH PER OUTFALL.
ONCE COMPLETED, THIS FORM SHOULD BE CONVERTED TO A
PDF DOCUMENT, NAMED APPROPRIATELY
(PERMIT ID_OUTFALLID_MMR_YYYY_MM.pdf, i.e.,
IN0012345_001A_MMR_2019_01.pdf),
AND ATTACHED TO THE CORRESPONDING NETDMR FORM
FOR SUBMITTAL.

1	N	0	0	0	2	8	1	0
PERMIT NUMBER								

0	0	1	0
OUTFALL NO.			

0	6	2	4
MO.		YR.	

No Discharge X

** < column: Can enter "<" if measurement value is less than limit of detection

This is a revised submittal.

EFFLUENT CHARACTERISTICS		Nitrate/Nitrite		Phosphorus, Total (as P)		CBOD5		Chemical Oxygen Demand	
EFFLUENT PARAMETER NUMBER		Q00630	C00630	Q 00665	C00665	Q80082	C80082	Q81017	C81017
SAMPLE TYPE	Permit Condition	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB
	Monitored	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB
FREQUENCY	Permit Condition	01/30	01/30	01/30	01/30	01/30	01/30	01/30	01/30
	Monitored	01/30	01/30	01/30	01/30	01/30	01/30	01/30	01/30
EFFLUENT LIMITATIONS	Permit Minimum								
	Permit Average	Report	Report	Report	Report	Report	Report	Report	Report
	Permit Maximum	Report	Report	Report	Report	Report	Report	Report	Report
UNITS=		LB/DAY	** MG/L	LB/DAY	** MG/L	LB/DAY	** MG/L	LB/DAY	** MG/L
Sat	1								
Sun	2								
Mon	3								
Tue	4								
Wed	5								
Thu	6								
Fri	7								
Sat	8								
Sun	9								
Mon	10								
Tue	11								
Wed	12								
Thu	13								
Fri	14								
Sat	15								
Sun	16								
Mon	17								
Tue	18								
Wed	19								
Thu	20								
Fri	21								
Sat	22								
Sun	23								
Mon	24								
Tue	25								
Wed	26								
Thu	27								
Fri	28								
Sat	29								
Sun	30								
MONTHLY AVERAGE									
HIGHEST VALUE									
LOWEST VALUE									
NO. OF TIMES WEEKLY, DAILY, MONTHLY									
EFFL. LIMITATIONS EXCEEDED			NA		NA		NA		NA

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Prepared by or under the direction of (Certified Operator): Jac Padgett		Date (month, day, year) 7/1/2024
Preparer's telephone number 812-208-1438	Operator's certification number WW021037	
Signature of principal executive officer or authorized agent (or attested by NetDMR subscriber agreement) Michael Wertz		Date (month, day, year) 7/1/2024



MONTHLY MONITORING REPORT (MMR) FOR INDUSTRIAL DISCHARGE PERMITS

Indiana Discharge Monitoring Report

State Form 30530 (R6 / 4-23)

FACILITY NAME AND ADDRESS:

Duke Energy Indiana Wabash River Generating Station
450 Bolton Road
West Terre Haute, IN 47885-9563

PLEASE COMPLETE ONE COPY FOR EACH MONTH PER OUTFALL.
ONCE COMPLETED, THIS FORM SHOULD BE CONVERTED TO A
PDF DOCUMENT, NAMED APPROPRIATELY
(PERMIT ID_OUTFALLID_MMR_YYYY_MM.pdf, i.e.,
IN0012345_001A_MMR_2019_01.pdf),
AND ATTACHED TO THE CORRESPONDING NETDMR FORM
FOR SUBMITTAL.

1	N	0	0	0	2	8	1	0
PERMIT NUMBER								

0	0	1	0
OUTFALL NO.			

0	6	2	4
MO.		YR.	

No Discharge

** < column: Can enter "<" if measurement value is less than limit of detection

This is a revised submittal.

EFFLUENT CHARACTERISTICS		Iron, Total		Copper, Total		Nitrogen, Ammonia Total			
EFFLUENT PARAMETER NUMBER		Q00980	C00980	Q 01119	C01119	Q00610	C00610		
SAMPLE TYPE	Permit Condition	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB		
	Monitored	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB		
FREQUENCY	Permit Condition	01/30	01/30	01/30	01/30	01/30	01/30		
	Monitored	01/30	01/30	01/30	01/30	01/30	01/30		
EFFLUENT LIMITATIONS	Permit Minimum								
	Permit Average	Report	Report	Report	Report	Report	Report		
	Permit Maximum	Report	Report	Report	Report	Report	Report		
UNITS=		LB/DAY	** MG/L	LB/DAY	** MG/L	LB/DAY	** MG/L	LB/DAY	** MG/L
Sat	1								
Sun	2								
Mon	3								
Tue	4								
Wed	5								
Thu	6								
Fri	7								
Sat	8								
Sun	9								
Mon	10								
Tue	11								
Wed	12								
Thu	13								
Fri	14								
Sat	15								
Sun	16								
Mon	17								
Tue	18								
Wed	19								
Thu	20								
Fri	21								
Sat	22								
Sun	23								
Mon	24								
Tue	25								
Wed	26								
Thu	27								
Fri	28								
Sat	29								
Sun	30								
MONTHLY AVERAGE									
HIGHEST VALUE									
LOWEST VALUE									
NO. OF TIMES WEEKLY, DAILY, MONTHLY EFFL. LIMITATIONS EXCEEDED			NA		NA		NA		

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Prepared by or under the direction of (Certified Operator): Jac Padgett		Date (month, day, year) 7/1/2024
Preparer's telephone number 812-208-1438	Operator's certification number WW021037	
Signature of principal executive officer or authorized agent (or attested by NetDMR subscriber agreement) Michael Wertz		Date (month, day, year) 7/1/2024



MONTHLY MONITORING REPORT (MMR) FOR INDUSTRIAL DISCHARGE PERMITS

Indiana Discharge Monitoring Report

State Form 30530 (R6 / 4-23)

FACILITY NAME AND ADDRESS:

Duke Energy Indiana Wabash River Generating Station
 450 Bolton Road
 West Terre Haute, IN 47885-9583

PLEASE COMPLETE ONE COPY FOR EACH MONTH PER OUTFALL. ONCE COMPLETED, THIS FORM SHOULD BE CONVERTED TO A PDF DOCUMENT, NAMED APPROPRIATELY (PERMITID_OUTFALLID_MMR_YYYY_MM.pdf, i.e., IN0012345_001A_MMR_2019_01.pdf), AND ATTACHED TO THE CORRESPONDING NETDMR FORM FOR SUBMITTAL.

E-mail address: jpadgett@doxycy.com

PERMIT NUMBER: 1 0 0 0 2 8 1 0

OUTFALL NO.: 0 0 1 1

MO.: 0 6 YR.: 2 4

** < column: Can enter "<" if measurement value is less than limit of detection No Discharge
 This is a revised submittal.

EFFLUENT CHARACTERISTICS		FLOW	pH		Solids, TSS		Oil & Grease		Nitrogen, Kjeldahl	
EFFLUENT PARAMETER NUMBER		Q00050	C00400	C00530	C00530	Q00552	C00552	Q00625	C00625	
SAMPLE TYPE	Permit Condition	ESTIMATE	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	
	Monitored	ESTIMATE	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	
FREQUENCY	Permit Condition	01/30	01/30	01/30	01/30	01/30	01/30	01/30	01/30	
	Monitored	01/30	01/30	01/30	01/30	01/30	01/30	01/30	01/30	
EFFLUENT LIMITATIONS	Permit Minimum		6.0							
	Permit Average	Report			Report		Report		Report	
	Permit Maximum	Report	9.0		Report		Report		Report	
UNITS =		MGD	HI	LOW	LB/DAY	M/G/L	LB/DAY	M/G/L	LB/DAY	M/G/L
Sat	1									
Sun	2									
Mon	3									
Tue	4									
Wed	5									
Thu	6									
Fri	7									
Sat	8									
Sun	9									
Mon	10									
Tue	11									
Wed	12									
Thu	13									
Fri	14									
Sat	15									
Sun	16									
Mon	17									
Tue	18									
Wed	19									
Thu	20									
Fri	21									
Sat	22									
Sun	23									
Mon	24									
Tue	25									
Wed	26									
Thu	27									
Fri	28									
Sat	29									
Sun	30									
MONTHLY AVERAGE										
HIGHEST VALUE										
LOWEST VALUE										
NO. OF TIMES WEEKLY, DAILY, MONTHLY EFFL. LIMITATIONS EXCEEDED			0			NA		NA		NA
TOTAL FLOW		0								

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Prepared by or under the direction of (Certified Operator): Jac Padgett Date (month, day, year) 7/1/2024

Preparer's telephone number 812-208-1438 Operator's certification number WW 021037

Signature of principal executive officer or authorized agent (or attested by NetDMR subscriber agreement) Michael Wertz Date (month, day, year) 7/1/2024



MONTHLY MONITORING REPORT (MMR) FOR INDUSTRIAL DISCHARGE PERMITS

Indiana Discharge Monitoring Report

State Form 30530 (R6 / 4-23)

FACILITY NAME AND ADDRESS:

Duke Energy Indiana Wabash River Generating Station
450 Bolton Road
West Terre Haute, IN 47885-9563

PLEASE COMPLETE ONE COPY FOR EACH MONTH PER OUTFALL.
ONCE COMPLETED, THIS FORM SHOULD BE CONVERTED TO A
PDF DOCUMENT, NAMED APPROPRIATELY
(PERMIT ID_OUTFALLID_MMR_YYYY_MM.pdf, i.e.,
IN0012345_001A_MMR_2019_01.pdf),
AND ATTACHED TO THE CORRESPONDING NETDMR FORM
FOR SUBMITTAL.

1	N	0	0	0	2	8	1	0
PERMIT NUMBER								

0	0	1	1
OUTFALL NO.			

0	6	2	4
MO.		YR.	

No Discharge X

** < column: Can enter "<" if measurement value is less than limit of detection

This is a revised submittal.

EFFLUENT CHARACTERISTICS		Nitrate/Nitrite		Phosphorus, Total (as P)		CBOD5		Chemical Oxygen Demand	
EFFLUENT PARAMETER NUMBER		Q00630	C00630	Q 00665	C00665	Q80082	C80082	Q81017	C81017
SAMPLE TYPE	Permit Condition	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB
	Monitored	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB
FREQUENCY	Permit Condition	01/30	01/30	01/30	01/30	01/30	01/30	01/30	01/30
	Monitored	01/30	01/30	01/30	01/30	01/30	01/30	01/30	01/30
EFFLUENT LIMITATIONS	Permit Minimum								
	Permit Average	Report	Report	Report	Report	Report	Report	Report	Report
	Permit Maximum	Report	Report	Report	Report	Report	Report	Report	Report
UNITS=		LB/DAY	** MG/L	LB/DAY	** MG/L	LB/DAY	** MG/L	LB/DAY	** MG/L
Sat	1								
Sun	2								
Mon	3								
Tue	4								
Wed	5								
Thu	6								
Fri	7								
Sat	8								
Sun	9								
Mon	10								
Tue	11								
Wed	12								
Thu	13								
Fri	14								
Sat	15								
Sun	16								
Mon	17								
Tue	18								
Wed	19								
Thu	20								
Fri	21								
Sat	22								
Sun	23								
Mon	24								
Tue	25								
Wed	26								
Thu	27								
Fri	28								
Sat	29								
Sun	30								
MONTHLY AVERAGE									
HIGHEST VALUE									
LOWEST VALUE									
NO. OF TIMES WEEKLY, DAILY, MONTHLY									
EFFL. LIMITATIONS EXCEEDED			NA		NA		NA		NA

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Prepared by or under the direction of (Certified Operator): Jac Padgett		Date (month, day, year) 7/1/2024
Preparer's telephone number 812-208-1438	Operator's certification number WW021037	
Signature of principal executive officer or authorized agent (or attested by NetDMR subscriber agreement) Michael Wertz		Date (month, day, year) 7/1/2024



MONTHLY MONITORING REPORT (MMR) FOR INDUSTRIAL DISCHARGE PERMITS

Indiana Discharge Monitoring Report

State Form 30530 (R6 / 4-23)

FACILITY NAME AND ADDRESS:

Duke Energy Indiana Wabash River Generating Station
450 Bolton Road
West Terre Haute, IN 47885-9563

PLEASE COMPLETE ONE COPY FOR EACH MONTH PER OUTFALL.
ONCE COMPLETED, THIS FORM SHOULD BE CONVERTED TO A
PDF DOCUMENT, NAMED APPROPRIATELY
(PERMIT ID_OUTFALLID_MMR_YYYY_MM.pdf, i.e.,
IN0012345_001A_MMR_2019_01.pdf),
AND ATTACHED TO THE CORRESPONDING NETDMR FORM
FOR SUBMITTAL.

1	N	0	0	0	2	8	1	0
PERMIT NUMBER								

0	0	1	1
OUTFALL NO.			

0	6	2	4
MO.		YR.	

No Discharge

** < column: Can enter "<" if measurement value is less than limit of detection

This is a revised submittal.

EFFLUENT CHARACTERISTICS		Iron, Total		Copper, Total		Nitrogen, Ammonia Total			
EFFLUENT PARAMETER NUMBER		Q00980	C00980	Q 01119	C01119	Q00610	C00610		
SAMPLE TYPE	Permit Condition	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB		
	Monitored	GRAB	GRAB	GRAB	GRAB	GRAB	GRAB		
FREQUENCY	Permit Condition	01/30	01/30	01/30	01/30	01/30	01/30		
	Monitored	01/30	01/30	01/30	01/30	01/30	01/30		
EFFLUENT LIMITATIONS	Permit Minimum								
	Permit Average	Report	Report	Report	Report	Report	Report		
	Permit Maximum	Report	Report	Report	Report	Report	Report		
UNITS=		LB/DAY	** M/G/L	LB/DAY	** M/G/L	LB/DAY	** M/G/L	LB/DAY	** M/G/L
Sat	1								
Sun	2								
Mon	3								
Tue	4								
Wed	5								
Thu	6								
Fri	7								
Sat	8								
Sun	9								
Mon	10								
Tue	11								
Wed	12								
Thu	13								
Fri	14								
Sat	15								
Sun	16								
Mon	17								
Tue	18								
Wed	19								
Thu	20								
Fri	21								
Sat	22								
Sun	23								
Mon	24								
Tue	25								
Wed	26								
Thu	27								
Fri	28								
Sat	29								
Sun	30								
MONTHLY AVERAGE									
HIGHEST VALUE									
LOWEST VALUE									
NO. OF TIMES WEEKLY, DAILY, MONTHLY EFFL. LIMITATIONS EXCEEDED			NA		NA		NA		

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Prepared by or under the direction of (Certified Operator): Jac Padgett		Date (month, day, year) 7/1/2024
Preparer's telephone number 812-208-1438	Operator's certification number WW021037	
Signature of principal executive officer or authorized agent (or attested by NetDMR subscriber agreement) Michael Wertz		Date (month, day, year) 7/1/2024