



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We Protect Hoosiers and Our Environment.*

100 N. Senate Avenue • Indianapolis, IN 46204

(800) 451-6027 • (317) 232-8603 • [www.idem.IN.gov](http://www.idem.IN.gov)

**Eric J. Holcomb**  
*Governor*

**Brian C. Rockensuess**  
*Commissioner*

November 1, 2024

VIA EMAIL

Mr. Tony Bailey  
EQ Industrial Services Incorporated  
2650 N Shadeland Ave  
Indianapolis, In 46219

Re: Inspection Summary Letter  
EQ Industrial Services Incorporated  
INR000125641  
Indianapolis, Marion County

Dear Mr. Bailey:

On 10/31/2024, a representative of the Indiana Department of Environmental Management, Office of Land Quality, conducted an inspection of EQ Industrial Services Incorporated, located at 2650 N Shadeland Ave, Indianapolis, IN. This inspection was conducted pursuant to IC 13-14-2-2. For your information, and in accordance with IC 13-14-5, a summary of the inspection is provided below:

Type of Inspection: Compliance Evaluation Inspection

Results of Inspection: No Violation(s) Discovered

Please direct any response to this letter and any questions to me at (219) 771-1011 or [mpetersc@idem.in.gov](mailto:mpetersc@idem.in.gov).

Sincerely,

Matthew Peterschmidt  
Hazardous Waste Compliance Section  
Compliance Branch

Enclosure

cc: Marion County Health Department



**HAZARDOUS WASTE  
INSPECTION REPORT**  
INDIANA DEPARTMENT OF  
ENVIRONMENTAL MANAGEMENT

Inspector's Name:	Matthew Peterschmidt	
Others Present	Kari Clevinger	Senior Environmental Manager
Date:	Thursday, October 31, 2024	
Time In:	9:26 AM	
Time Out:	11:25 AM	
Inspection Type	Compliance Evaluation Inspection	

General Information	
Facility Information	
Facility Name	EQ Industrial Services Incorporated
Facility Location	2650 N Shadeland Ave Indianapolis, IN 46219 Marion County
Facility Mailing Information	Same Address as Facility
Facility Contact	Same as Primary Facility Contact
Primary Facility Contact During Inspection	Tony Bailey OPS Supervisor ES (317) 247-7100 tbaily2@republicservices.com
Other Facility Contact(s) During Inspection	

Facility ID			
EPA ID Number	INR000125641	NAICS Code	562112

Facility Status			
File Status	Very Small Quantity Generator	Other Activities	Used Oil Processor Large Quantity Universal Waste Handler Transfer Facility Used Oil Transporter

Outstanding Issues	
Last Inspection Date	
Previous Violations	<input type="radio"/> Yes <input checked="" type="radio"/> No
Details	

Inspection Narrative
EQ Industrial Services Incorporated (EQIS) operates as a used oil processor, a used oil transporter, a used oil transfer facility, and as a Large Quantity Handler of Universal Waste. This site first notified as a RCRA Handler in late 2008. This site employs 23 working 1 shift Monday through Friday in this 25,000 square foot facility.  This Used Oil Processor inspection consisted of an opening conference, a tour of the used oil processing and storage area, a document review, and a closing conference.  EQIS collects and transports small containers (1 quart to 5 quart) of used oil from various retail operations (Home Depot, Lowe's, Meijer, etc.) and totes (275 -330 gallon) of used oil from Household Hazardous Waste events. They also occasionally pick up 55 gallon containers of used oil from industrial customers.

Once received, container contents are visually inspected and compared to their profiles. All containers are tested on-site with a refrigerant leak detector (Prowler LD-5000) for the presence of chlorinated compounds. If chlorinated compounds are detected, those containers are further tested with a used oil chlorine/ halogen test kit. Containers with qualitative results in excess of 1000ppm chlorine/halogens are rejected. Accepted containers are barcoded, placed in secondary containment, and scanned daily. "Processing" consists of bulking small containers into 55 gallon drums or totes at this site. Universal Environmental Services takes samples of bulk containers and performs analytical off-site. Once analytical results are obtained, Universal will come back and transfer container contents to their tank truck destined for processing at their Florence, KY facility.

All used oil containers were properly labeled. No violations were observed. No further action is required.

Regulatory Status			
<b>Observed Activity</b>	Very Small Quantity Generator	<b>Other Activities</b>	Used Oil Generator Used Oil Processor Universal Waste Handler
<b>Documents Reviewed</b>	Contingency Plan Waste Analysis Analysis Plans (PCB, Rebuttable Presumption) Container Inventory Inbound and Outbound Shipment Logs SPCC Annual Reports Arrangements with, and Documentation of Arrangements with Local Authorities		
<b>Comments</b>			

Waste Management					
Comments:					
Waste Stream(s) Information					
<b>Waste Streams</b> <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Inspected <input type="radio"/> Not Applicable					
List waste stream(s) information that varies from the most recent Annual Report (Example: additional waste streams, waste streams no longer generated, significant increase/decrease in generation rate, etc.)					
EPA Waste Codes	Description	Source	Generation Rate	Disposition	
None	Used Oil	Retail/HHWs	6000 gallons/month	Universal - Florence, KY	
<b>Exempted/Excluded</b>	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Inspected <input checked="" type="radio"/> Not Applicable				
<b>Explanation</b>					
Waste Management Areas					
<b>Container Management Area(s)</b>	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not inspected <input type="radio"/> Not applicable				
EPA Waste Codes	Location	Number	Size	Type of Container	
None (Used Oil)	Warehouse - See attached container inventory	10	275-330 gallon totes	Plastic	
None (Used Oil)	Warehouse - See attached container inventory	46	05-55 gallon containers	Plastic and Steel	
<b>Satellite Area(s)</b>	<input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not inspected <input checked="" type="radio"/> Not applicable				
<b>Tanks, Restricted Waste Sites, and Other Regulated Units</b> <input type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not inspected <input checked="" type="radio"/> Not applicable					

--

**Environmental Releases**

<b>Visible Releases/Contamination/Discharges</b>	<input type="radio"/> Yes <input checked="" type="radio"/> No Release Observed
--	--

**Compliance Assistance****P2 Information**

The following P2 suggestions could possibly save money, reduce waste and/or minimize risk. You might consider having a P2 assessment, or a voluntary technical assistance consultation from IDEM staff. Please visit the agency's P2 web site at <http://www.in.gov/idem/5298.htm> for additional information.

<b>Contact by IDEM OPPTA Requested</b>	<input type="radio"/> Yes <input type="radio"/> No
--	--

<b>P2 Suggestions</b>	
-----------------------	--

**Guidance Materials**

<b>Guidance Materials Provided to Facility</b>	
--	--

**Checklist**

(Checked box indicates a compliance concern)

**Standards**

- ☐ Hazardous Waste Determination
- ☐ Recordkeeping (SQG and LQG)
- ☐ Identifying Hazardous Waste Numbers (SQG and LQG)
- ☐ Generator Category Determination
- ☐ Notification (SQG, LQG, Transporter, TSDF)
- ☐ Release to the Environment, Disposal of Solid Waste
- ☐ Illegal Dumping
- ☐ Other Violation

**TSDF Permit Requirements**

- ☐ TSDF Permit Requirements
- ☐ Other Violation

**LQG Hazardous Waste Standards**

- ☐ Accumulate for 90 Days or Less
- ☐ Container Condition
- ☐ Compatibility of Waste with Container
- ☐ Containers Closed
- ☐ Container Handling
- ☐ Central Accumulation Area Inspection
- ☐ Ignitable or Reactive Wastes - Distance from Property Line
- ☐ Ignitable or Reactive Wastes - Sources of

**SQG Hazardous Waste Standards**

- ☐ Accumulate for 180 Days or Less
- ☐ Accumulation Limit
- ☐ Container Condition
- ☐ Compatibility of Waste with Container
- ☐ Containers Closed
- ☐ Container Handling
- ☐ Central Accumulation Area Inspections
- ☐ Conditions for Accumulation of Incompatible Wastes
- ☐ Container Labeled "Hazardous Waste"



<p>Ignition/Reaction: "No Smoking" signs</p> <p><input type="checkbox"/> Conditions for Accumulation of Incompatible Wastes</p> <p><input type="checkbox"/> Container Labeled "Hazardous Waste"</p> <p><input type="checkbox"/> Container Marked with Indication of Hazards</p> <p><input type="checkbox"/> Containers Marked with Accumulation Start Date</p> <p><input type="checkbox"/> Tank Integrity Assessment</p> <p><input type="checkbox"/> Tank Containment and Detection of Releases</p> <p><input type="checkbox"/> Tank General Operating Requirements</p> <p><input type="checkbox"/> Tank Inspections</p> <p><input type="checkbox"/> Tank Subpart BB - Monthly Pump and Valve Monitoring</p> <p><input type="checkbox"/> Tank Subpart CC - Annual Inspection/Monitoring</p> <p><input type="checkbox"/> Tank Labeled "Hazardous Waste"</p> <p><input type="checkbox"/> Tank Marked with Indication of Hazards</p> <p><input type="checkbox"/> Tank Documentation for 90-Day Accumulation</p> <p><input type="checkbox"/> Maintenance and Operation of Facility</p> <p><input type="checkbox"/> Required Equipment</p> <p><input type="checkbox"/> Testing and Maintenance of Equipment</p> <p><input type="checkbox"/> Aisle Space</p> <p><input type="checkbox"/> Arrangements with Local Authorities</p> <p><input type="checkbox"/> Arrangements with Local Authorities - Documentation</p> <p><input type="checkbox"/> Contingency Plan Developed</p> <p><input type="checkbox"/> Content of Contingency Plan</p> <p><input type="checkbox"/> Copies of Contingency Plan</p> <p><input type="checkbox"/> Contingency Plan Quick Reference Guide</p> <p><input type="checkbox"/> Emergency Coordinator</p> <p><input type="checkbox"/> Personnel Training Program</p> <p><input type="checkbox"/> Personnel Training - Complete Within Six Months</p> <p><input type="checkbox"/> Personnel Training Annual Review</p> <p><input type="checkbox"/> Personnel Training Documentation</p> <p><input type="checkbox"/> Personnel Training Record Retention</p> <p><input type="checkbox"/> Notification for Closure</p> <p><input type="checkbox"/> Land Disposal Restrictions</p> <p><input type="checkbox"/> Large Quantity Generator - Other Violations</p>	<p><input type="checkbox"/> Container Marked with Indication of Hazards</p> <p><input type="checkbox"/> Container Marked with Accumulation Start Date</p> <p><input type="checkbox"/> Tank Operating Conditions</p> <p><input type="checkbox"/> Tank Inspections</p> <p><input type="checkbox"/> Tank Labeled "Hazardous Waste"</p> <p><input type="checkbox"/> Tank Marked with Indication of Hazardous</p> <p><input type="checkbox"/> Tank Documentation for 180-Day Accumulation</p> <p><input type="checkbox"/> Land Disposal Restrictions</p> <p><input type="checkbox"/> Maintenance and Operation of Facility</p> <p><input type="checkbox"/> Required Equipment</p> <p><input type="checkbox"/> Testing and Maintenance of Equipment</p> <p><input type="checkbox"/> Access to Communications or Alarm System</p> <p><input type="checkbox"/> Aisle Space</p> <p><input type="checkbox"/> Arrangements with Local Authorities</p> <p><input type="checkbox"/> Arrangements with Local Authorities - Documentation</p> <p><input type="checkbox"/> Emergency Coordinator</p> <p><input type="checkbox"/> Emergency Information Posted</p> <p><input type="checkbox"/> Employee Training</p> <p><input type="checkbox"/> Other Small Quantity Generator Standards</p> <p><b>VSQG Standards</b></p> <p><input type="checkbox"/> Hazardous Waste Generation Limit</p> <p><input type="checkbox"/> Hazardous Waste Accumulation Limit</p> <p><input type="checkbox"/> Hazardous Waste Determination</p> <p><input type="checkbox"/> Proper Disposal</p> <p><input type="checkbox"/> Prohibited Disposal of Liquids in Landfills</p>
--	---

<p><b>Satellite Accumulation – SQG and LQG</b></p> <p><input type="checkbox"/> Quantity Limits, Point of Generation, Under Control of Operator</p>	<p><b>Manifest and Recordkeeping - LQG and SQG</b></p> <p><input type="checkbox"/> Manifest General Requirements</p>
--	--

<input type="checkbox"/> Container Condition <input type="checkbox"/> Compatibility with Container <input type="checkbox"/> Incompatible Wastes <input type="checkbox"/> Containers Closed <input type="checkbox"/> Container Labeled "Hazardous Waste" <input type="checkbox"/> Container Marked with Indication of Hazards <input type="checkbox"/> Preparedness and Prevention <input type="checkbox"/> Excess Generation	<input type="checkbox"/> Use of the Manifest
---	--

<b>Episodic Generation</b> <input type="checkbox"/> Notification <input type="checkbox"/> EPA ID Number <input type="checkbox"/> Accumulate for 60 Days or Less <input type="checkbox"/> Accumulation Prohibitions <input type="checkbox"/> Container Labeling <input type="checkbox"/> Tank Labeling and Recordkeeping <input type="checkbox"/> Recordkeeping <input type="checkbox"/> Preparedness and Prevention <input type="checkbox"/> Other Violation	<b>Hazardous Secondary Materials</b> <input type="checkbox"/> Reclaimed Under Control of the Generator <input type="checkbox"/> Contained <input type="checkbox"/> Speculative Accumulation <input type="checkbox"/> Notice <input type="checkbox"/> Documentation of Legitimacy Determination <input type="checkbox"/> Emergency Preparedness and Response <input type="checkbox"/> Emergency Procedures (Accumulates 6,000 kg or Less) <input type="checkbox"/> Emergency Procedures (Accumulates Greater than 6,000 kg) <input type="checkbox"/> Other Violation
---	--

<b>Solvent-Contaminated Wipes – Disposal</b> <input type="checkbox"/> Container Management (Non-leaking containers) <input type="checkbox"/> Closed Containers <input type="checkbox"/> Labeling <input type="checkbox"/> Accumulation Time <input type="checkbox"/> No Free Liquids <input type="checkbox"/> Free Liquids Management <input type="checkbox"/> Documentation <input type="checkbox"/> Final Disposition	<b>Solvent-Contaminated Wipes - Laundered or Dry Cleaned</b> <input type="checkbox"/> Container Management (Non-leaking containers) <input type="checkbox"/> Closed Containers <input type="checkbox"/> Labeling <input type="checkbox"/> Accumulation Time <input type="checkbox"/> No Free Liquids <input type="checkbox"/> Free Liquids Management <input type="checkbox"/> Documentation <input type="checkbox"/> Clean Water Act
---	---

<b>Universal Waste – All Facilities</b> <input type="checkbox"/> Universal Waste Labeling <input type="checkbox"/> Containers - Closed, Good Condition, No Evidence of Leaks <input type="checkbox"/> Universal Waste - Bulb Crushing Prohibition	<b>Used Oil – All Facilities</b> <input type="checkbox"/> Rebuttable Presumption Applies <input type="checkbox"/> Containers and Tanks in Good Condition <input type="checkbox"/> Containers/Tank Labeling <input type="checkbox"/> Release Clean Up and Containment <input type="checkbox"/> Burning Restrictions - Generated On-site or DIY, .5M BTU
--	---

<b>Description of Violation(s)</b>
------------------------------------

--

Inspection Documentation		
Photographs	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Map	<input type="radio"/> Maps	
GPS Location Collected	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Analytical Screening Conducted	<input type="radio"/> Yes <input checked="" type="radio"/> No	
Lab Sample	<input type="radio"/> Yes <input checked="" type="radio"/> No	

Inspection Results/Actions	
Comments:	
Inspection Results	
No Violation(s) Discovered	
Multi-Media Concerns	
No concerns noted	

Finalize Inspection		
Written Summary of Inspection		
Inspector Information	Printed/Typed Name	Matthew Peterschmidt
	Phone Number:	(219) 771-1011
	Email Address:	mpetersc@idem.in.gov
	Signature:	Obtained on the Inspection Verification/Findings Form
Facility Representative Signature	Printed/Typed Name:	Tony Bailey
	Signature:	Obtained on the Inspection Verification/Findings Form

Container Inventory

06-EQIS Indianapolis Transfer and Processing

Inventory as of October 31, 2024 9:58 AM

Receipt/Stock	Type	Manifest	Approval	Waste Code	#Cont.	Cont. Size	Bill Unit	Date Rec'd	Staging Row	Lab Status	Preassigned Location	Treatment	Days On Site
97183-3	DISP	0268309	A248002IND	NONE	3	DM55		01/24/2024	ROW6	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	281
DL-1406-073253	STOCK				1	DM55		04/09/2024	ROW5	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	205
99133-3	DISP	0268270	C248024IND	NONE	1		DM95	04/18/2024	ROW6	A	VALICORCINDAYRD / CIN-C 1308	Rused Oil-Bulk-OMI	196
DL-1406-073765	STOCK				1	DM55		04/22/2024	ROW6	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	192
101531-2	DISP	0268262	G248010IND	029L	1		DM55	07/22/2024	ROW6	A	UNIV-FLORENCEKY / USED 1308	Rused Oil-Bulk-OMI	101
DL-1406-078093	STOCK				1	DM05		08/08/2024	ROW6	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	84
DL-1406-078277	STOCK				1	DM05		08/14/2024	ROW6	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	78
102236-2	DISP	0268441	H248003IND	NONE	1		DM55	08/19/2024	ROW6	A	UNIV-FLORENCEKY / USED 1308	Rused Oil-Bulk-OMI	73
102239-12	DISP	0268368	D178011IND	HHW	1		T275	08/19/2024	ROW8	A	OIL - 178 / VES-OH-2029 - H 1308	Rused Oil-Bulk-OMI	73
102392-6	DISP	0201931	D178011IND	HHW	1		T275	08/23/2024	RR07	A	OIL - 178 / VES-OH-2029 - H 1308	Rused Oil-Bulk-OMI	69
DL-1406-078723	STOCK				1	DM05		09/03/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	58
DL-1406-078739	STOCK				1	DM05		09/03/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	58
DL-1406-078751	STOCK				1	DM05		09/03/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	58
DL-1406-078752	STOCK				1	DM05		09/03/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	58
DL-1406-078755	STOCK				1	DM05		09/03/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	58
102532-4	DISP	0201930	D178011IND	HHW	1		T275	09/03/2024	DOCK	A	OIL - 178 / VES-OH-2029 - H 1308	Rused Oil-Bulk-OMI	58
DL-1406-078664	STOCK				1	DM55		09/03/2024	ROW6		VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	58
DL-1406-078867	STOCK				1	DM30		09/04/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	57
102721-7	DISP	0268375	D178011IND	HHW	1		T330	09/09/2024	ROW6	A	OIL - 178 / VES-OH-2029 - H 1308	Rused Oil-Bulk-OMI	52
102766-2	DISP	0268447	H248013IND	NONE	1		DM55	09/10/2024	ROW6	A	UNIV-FLORENCEKY	1308 Rused Oil-Bulk-OMI	51
DL-1406-079011	STOCK				1	DM05		09/11/2024	ROW6	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	50
DL-1406-079185	STOCK				1	DM05		09/19/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	42
DL-1406-079305	STOCK				1	DM55		09/23/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	38
103013-13	DISP	0268448	D178011IND	HHW	1		T275	09/23/2024	ROW6	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	38
DL-1406-079350	STOCK				1	DM05		09/27/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	34
DL-1406-079372	STOCK				1	DM55		09/27/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	34
DL-1406-079482	STOCK				1	DM30		09/30/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	31
DL-1406-079502	STOCK				1	DM05		09/30/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	31
103244-6	DISP	0201926	D178011IND	HHW	1		T275	10/04/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	27
DL-1406-079567	STOCK				1	DM05		10/07/2024	DOCK		VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	24
DL-1406-079568	STOCK				1	DM05		10/07/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	24
DL-1406-079579	STOCK				1	DM05		10/07/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	24
103246-11	DISP	0268470	D178011IND	HHW	1		T330	10/07/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	24
DL-1406-079694	STOCK				1	DM30		10/09/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	22
103373-9	DISP	0268477	KOPE-FHR02N	021L	5		DM55	10/09/2024	DOCK	A	VALICOR MID	1308 Rused Oil-Bulk-OMI	22
DL-1406-079890	STOCK				1	DM05		10/14/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	17
DL-1406-079893	STOCK				1	DM55		10/14/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	17
103461-12	DISP	0266925	D178011IND	HHW	1		T275	10/14/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	17
DL-1406-079981	STOCK				1	DM30		10/15/2024	DOCK	A	VALICOR MID / VES-OH-202 1308	Rused Oil-Bulk-OMI	16



Container Inventory  
06-EQIS Indianapolis Transfer and Processing  
Inventory as of October 31, 2024 9:58 AM

Receipt/Stock	Type	Manifest	Approval	Waste Code	#Cont.	Cont. Size	Bill Unit	Date Rec'd	Staging Row	Lab Status	Preassigned Location	Treatment	Days On Site
DL-1406-080033	STOCK				1	DM55		10/15/2024	DOCK	A	VALICOR MID / VES-OH-202	1308 RUsed Oil-Bulk-OMI	16
DL-1406-080094	STOCK				1	DM55		10/21/2024	DOCK	A	VALICOR MID / VES-OH-202	1308 RUsed Oil-Bulk-OMI	10
103643-4	DISP	0201881	D178011IND	HHW	1		T275	10/21/2024	DOCK	A	VALICOR MID / VES-OH-202	1308 RUsed Oil-Bulk-OMI	10
DL-1406-080156	STOCK				1	DM55		10/22/2024	DOCK	A	VALICOR MID / VES-OH-202	1308 RUsed Oil-Bulk-OMI	9
DL-1406-080157	STOCK				1	DM55		10/22/2024	DOCK	A	VALICOR MID / VES-OH-202	1308 RUsed Oil-Bulk-OMI	9
DL-1406-080178	STOCK				1	DM05		10/22/2024	DOCK		VALICOR MID / VES-OH-202	1308 RUsed Oil-Bulk-OMI	9
DL-1406-080203	STOCK				1	DM05		10/24/2024	DOCK	A	VALICOR MID / VES-OH-202	1308 RUsed Oil-Bulk-OMI	7
103762-1	DISP	0267026	J248033IND	017L	1		T275	10/28/2024	DOCK	A	UNIV-FLORENCEKY / USED	1308 RUsed Oil-Bulk-OMI	3
DL-1406-080392	STOCK				1	DM30		10/29/2024	DOCK	A	VALICOR MID / VES-OH-202	1308 RUsed Oil-Bulk-OMI	2
DL-1406-080433	STOCK				1	DM05		10/29/2024	DOCK	A	VALICOR MID / VES-OH-202	1308 RUsed Oil-Bulk-OMI	2
DL-1406-080545	STOCK				1	DM05		10/30/2024	DOCK	A	VALICOR MID / VES-OH-202	1308 RUsed Oil-Bulk-OMI	1

Container Count: 56

Total Container Count: 56

Report Criteria

Company ID : 14  
Profit Center : 6  
Customer ID : 1 to 999999  
Location : ALL  
Staging Row(s) : ALL  
Treatment ID List : 1308  
Waste Type Category List : ALL  
Waste Type ID List : ALL  
Treatment Process ID List : ALL  
Disposal Service ID List : ALL



INSPECTION  
VERIFICATION/FINDINGS

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

100 N. Senate Avenue

Indianapolis, Indiana 46204-2251

Telephone: (800) 451-6027 or (317) 232-8603

Web Page: <http://www.in.gov/idem/>

On 10/31/2024 an inspection of E & INDUSTRIAL SVCS was conducted by the undersigned representative of the Indiana Department of Environmental Management (IDEM), Office of Land Quality.

Type of Inspection (may include more than one):

- ☒ Routine Compliance Evaluation  
☐ Follow Up Inspection  
☐ Compliance Assistance Inspection  
☐ Complaint  
☐ Multi-Media Screening Evaluation  
☐ Other: \_\_\_\_\_

Inspection Findings:

These findings are considered preliminary and identify specific compliance issues discovered during the above-noted inspection that the designated agent of IDEM believes may be a violation of a statute(s), rule(s) or permit(s) issued by IDEM.

- ☒ No violations were discovered with respect to the particular items observed during the inspection.  
☐ Violations were discovered but corrected during the inspection.  
☐ Violations were discovered and require a submittal from you and/or follow-up inspection by IDEM.  
☐ Violations were discovered and may subject you to an appropriate enforcement response.  
☐ Additional information/review is required to evaluate overall compliance.  
☐ Other/Comments (attachment may be included): \_\_\_\_\_

Confidential Information

In accordance with 329 IAC 6.1 (<http://www.in.gov/legislative/iac/T03290/A00061.PDF>) a person submitting information to the department for which confidential treatment is requested shall make a written claim of confidentiality at the time of submittal of the information. A person may request confidential treatment of information at the time the information is acquired through the actions of the department, such as inspections. The written claim for confidential treatment may be broad, but must be sufficiently clear to allow for accurate identification of the information claimed to be confidential. In accordance with 329 IAC 6.1-4-1(d), supporting information must be submitted to the commissioner within five (5) working days from the time the information claimed as confidential is acquired by the department. A person submitting a claim of confidentiality shall designate and segregate the information and the supporting information to which the claim applies in a manner that is sufficiently clear to allow the department to identify all confidential claim materials. Confidential information may include (but is not limited to) written or printed material, maps, charts, photographs, or samples (see definition of information at 329 IAC 6.1-2-8). The undersigned Owner/Representative has alleged information acquired during this inspection ☐ does ☒ does not (check one) contain confidential information. A check in the "does" box is not a written claim for confidential treatment of information acquired during this inspection.

Notice of Oral Report

In accordance with IC 13-14-5 an oral report of the inspection was provided to the undersigned Owner/Agent at the conclusion of the inspection. The oral report includes any specific matters discovered during the inspection that the IDEM representative believes may be a violation of a law or of a permit issued by the department. The report does not include matters not evident to the IDEM representative or any fact that indicates an intentional, a knowing, or a reckless violation.

IDEM Representative:

Matthew Peterschmidt

Printed Name

Signature

10/31/2024

Date

219-771-1011

Phone Number

mpetersc@idem.in.gov

Email

9:26A / 11:25A

Time in / Time out

Owner/Representative:

Tony Bailey

Printed Name

Signature

ops supervisor

Title

317-488-1061

Phone Number

Tbailey2@republicservices.com

Email

10-31-24

Date

IDEM prefers to email your report. Please check this box to indicate you prefer to receive a copy of the inspection report via U.S. mail: ☐