

AK Steel Corporation
ROCKPORT WORKS
6500 N. U.S. 231
ROCKPORT, INDIANA 47635

KMT
JCE
DAR
AA

January 4, 2021

Indiana Department of Environmental Management
Compliance and Enforcement Branch
Office of Air Quality
100 North Senate Avenue
MC 61-53 IGCN 100B
Indianapolis, Indiana 46204-2251
ATTN: Mr. Dave Cline

Received
State of Indiana

JAN 13 2021

Department of Environmental Management
State of Indiana

RE: Submission of Quarterly Cylinder Gas Audit Report-4th Quarter 2020
CGL Annealing Furnace CEM Unit
AK Steel Corporation, Rockport Works

Dear Mr. Cline:



AK Steel Corporation, Rockport Works (Rockport) operates an annealing furnace within its Continuous Galvanizing Line (CGL) at its facility located in Rockport, Indiana. The NGx emissions from the annealing furnace are monitored by a continuous emissions monitoring system (CEMS). In accordance with Rockport's Permit Condition D.4.7(a) and 326 IAC 3-5-5(f), the facility is required to submit a quarterly cylinder gas audit (CGA) report for those quarters where a RATA report on the CEMS is not required. To comply with these requirements, Rockport conducts the CGA on the CGL CEMS the second, third, and fourth quarters of each year. Accordingly, Rockport conducted the CGA for the fourth quarter on November 5, 2020.

The Continuous NGx Emission Monitor on the Rockport CGL furnace is a Thermo Environmental Instrument, Serial Number 118289000B. The Oxygen Analyzer is a Siemens Model Gxymat 6, Serial Number R5-14Q. The span is zero to 200 PPM NG and zero to 25% Oxygen. The certificates of analysis for each gas cylinder are enclosed with the report.

If you have any questions or require additional information, please contact Mr. Steve Steen at 812-362-6116, or Mr. Chick Gibson at 812-362-6114.

Sincerely,

A handwritten signature in blue ink, appearing to read 'C. Q. Gibson'.

Charles Q. Gibson
Environmental Affairs Manager
AK Steel - Rockport Works

Attachments

CGL Cylinder Gas Audit Report

Date: 11/5/2020

Audit Gas Cylinder ID#s	% Oxygen Certified Value	PPM NOX Certified Value	Cylinder Expiration Date
Low Oxy	6.25		8/26/2023
Mid Oxy	13.3		5/30/2027
Low Nox		49.4	6/4/2027
Mid Nox		110	6/4/2027

Audit Results

Low Range Gas Audit	% Oxygen	NOX PPM
Rep #1	6.3	48.2
Rep #2	6.3	48.4
Rep #3	6.3	48.6
Average	6.30	48.40

Mid Range Gas Audit	% Oxygen	NOX PPM
Rep #1	13.3	110.9
Rep #2	13.3	111.1
Rep #3	13.3	111.3
Average	13.30	111.10

Audit Accuracy Assessment

Low Oxygen % error	0.80	Limit = +/- 15%
Mid Oxygen % error	0.00	Limit = +/- 15%
Low NOX % error	-2.02	Limit = +/- 15%
Mid NOX % error	1.00	Limit = +/- 15%

Audit Results

Passed X Failed _____

Nox Analyzer S/N

1182890003

Oxygen Analyzer S/N

R5-140

Technicians:

Tony Baker, Samantha List, James Peck

COMPANY: AEC 5111 INCORPORATED
 LOCATION: MacArthur
 DANCE: BATHACE
 ITEM: 10: C04 Surface
 DATE/TIME AT ED: 11/05/2020 @ 09:20
 PERIOD: 11/05/2020 - 11/05/2020

DATE	MONITOR	UNITS	SP/AN	STATUS	TYPE	START TIME	END TIME	MEASURED VALUE	REFERENCE VALUE	ACTUAL DIST	ACTUAL NOISE	2X TIME	4X TIME	TO/CO STATUS	1001 CODE	CHANGER TO	SECTION	QUALITY FOR
11/05/2020	02	%	25.0	PASS	ZERO	07:51	07:55	0.0	0.0	0.0	0.0	1.0	2.0	PASS				
					SPAN	07:55	07:58	21.3	21.2	0.1	0.1	1.0	2.0	PASS				
11/05/2020	02	%	25.0	PASS	ZERO	08:08	08:11	0.0	0.0	0.0	0.0	1.0	2.0	PASS				
					SPAN	08:11	08:14	6.3	6.3	0.0	0.0	10.0	10.0	PASS				
11/05/2020	02	%	25.0	PASS	ZERO	08:19	08:21	0.0	0.0	0.0	0.0	1.0	2.0	PASS				
					SPAN	08:21	08:24	6.3	6.3	0.0	0.0	10.0	10.0	PASS				
11/05/2020	01	%	25.0	PASS	ZERO	08:29	08:32	0.0	0.0	0.0	0.0	1.0	2.0	PASS				
					SPAN	08:32	08:35	6.3	6.3	0.0	0.0	10.0	10.0	PASS				
11/05/2020	02	%	25.0	PASS	ZERO	08:41	08:44	0.0	0.0	0.0	0.0	1.0	2.0	PASS				
					SPAN	08:44	08:47	13.3	13.3	0.0	0.0	10.0	10.0	PASS				
11/05/2020	02	%	25.0	PASS	ZERO	08:51	08:54	0.0	0.0	0.0	0.0	1.0	2.0	PASS				
					SPAN	08:54	08:57	13.3	13.3	0.0	0.0	10.0	10.0	PASS				
11/05/2020	02	%	25.0	PASS	ZERO	09:01	09:04	0.0	0.0	0.0	0.0	1.0	2.0	PASS				
					SPAN	09:04	09:07	13.3	13.3	0.0	0.0	10.0	10.0	PASS				
11/05/2020	02	%	25.0	PASS	ZERO	09:15	09:18	0.0	0.0	0.0	0.0	1.0	2.0	PASS				
					SPAN	09:18	09:21	21.3	21.2	0.1	0.1	1.0	2.0	PASS				

COMPANY: AX STEEL ROCKPORT
 LOCATION: Rockport
 EMISSIONS: FURNACE
 QMS ID: 661 Furnace
 DATE CREATED: 11/05/2020 @ 09:26
 PERIOD: 11/05/2020 00:00/2020

DATE	MONITOR	UNITS	SPAN VALUE	OUT OF CONTROL STATUS	TYPE	START TIME	END TIME	MEASUREMENT VALUE	REFERENCE VALUE	ACTUAL DRIFT	ADJAC DRIFT	2X LIMIT	4X LIMIT	20/CO STATUS	LOT CODE	CYCLE NO	VENUE ID	OFF-SPEC DATE
11/05/2020	NOx	PPM	2000	PASS	ZERO	07:52	07:55	0.02	0.0	0.02	0.4	5.0	10.0	PASS				
					SPAN	07:58	08:04	16.82	1700	18	0.9	5.0	10.0	PASS				
11/05/2020	NOx	PPM	2000	PASS	ZERO	08:08	08:14	0.2	0.0	0.2	0.4	5.0	10.0	PASS				
					SPAN	08:14	08:17	482	494	12	0.6	10.0	100	PASS				
11/05/2020	NOx	PPM	2000	PASS	ZERO	08:18	08:24	0.2	0.0	0.2	0.4	5.0	10.0	PASS				
					SPAN	08:24	08:27	484	494	10	0.5	10.0	100	PASS				
11/05/2020	NOx	PPM	2000	PASS	ZERO	08:29	08:32	0.2	0.0	0.2	0.4	5.0	10.0	PASS				
					SPAN	08:35	08:38	486	494	0.8	0.4	100	100	PASS				
11/05/2020	NOx	PPM	2000	PASS	ZERO	08:44	08:44	0.2	0.0	0.2	0.4	5.0	10.0	PASS				
					SPAN	08:47	08:50	1109	1100	0.9	0.5	10.0	100	PASS				
11/05/2020	NOx	PPM	2000	PASS	ZERO	08:51	08:54	0.2	0.0	0.2	0.4	5.0	10.0	PASS				
					SPAN	08:57	09:00	1111	1100	1.1	0.6	100	10.0	PASS				
11/05/2020	NOx	PPM	2000	PASS	ZERO	09:04	09:04	0.2	0.0	0.2	0.4	5.0	10.0	PASS				
					SPAN	09:07	09:10	1113	1100	1.3	0.7	10.0	100	PASS				
11/05/2020	NOx	PPM	2000	PASS	ZERO	09:15	09:18	0.2	0.0	0.2	0.4	5.0	10.0	PASS				
					SPAN	09:24	09:24	1110	1100	1.0	0.5	50	10.0	PASS				



Doc Number: 252366



Praxair Distribution, Inc.
6055 Brent Drive
Toledo OH 43611
Tel: +1 (419) 729-7732
Fax: +1 (419) 729-7733
P.O. Box 12019

CERTIFICATE OF ANALYSIS / EPA PROTOCOL GAS

Customer & Order Information

PRAXAIR PKG MADISON IN HS
904 INDUSTRIAL DR
MADISON IN 47250

Certificate Issuance Date: 06/04/2019

Praxair Order Number: 70977608

Part Number: NINO11UE AS

Customer P.O. Number: 78960904

Fill Date: 05/16/2019

Lot Number: 700019136WE

Cyl. Inlet Style & Outlet: AS CGA 660

Cyl. Inlet Pressure and Volume: 2000psig 140.83

Certified Concentration

Expiration Date:	06/04/2027	NIST Traceable
Cylinder Number:	EB 009 4984	Expanded Uncertainty
110 ppm	Nitric oxide	± 0.4%
Balance	Nitrogen	

ProSpec EZ Cert



For Reference Only: NOx 111 ppm

Certification Information:

Certification Date: 06/04/2019

Term: 96 Months

Expiration Date: 06/04/2027

This cylinder was certified according to the 2012 EPA Traceability Protocol Document #EPA 600/R-12/531 using Procedure G1.
Do not use this Standard if Pressure is less than 100PSIG.

Analytical Data:

(R=Reference Stan; Z=Zero Gas, C=Gas Cal Gas)

1. Component

Nitric oxide

Requested Concentration: 110 ppm

Certified Concentration: 110 ppm

Instrument used: Thermo 42BS

Analytical Method: Chemiluminescence

Last Multi-point Calibration: 05/14/2019

Reference Standard:

Type / Cylinder #: GMS / CC457545

Concentration uncertainty: 254 ppm ± 0.203%

Expiration Date: 04/28/2026

Traceable to: SRM # Sample # / Cylinder #: 1687b / 41L 32 / FF10415

SRM Concentration uncertainty: 985 ± 0.023

SRM Expiration Date: 05/01/2020

First Analysis Data:				Date: 05/14/2019	
1	0	110	110	Conc:	110
2	0	110	110	Conc:	110
3	0	110	110	Conc:	110
4	0	110	110	Conc:	110
5	0	110	110	Conc:	110
6	0	110	110	Conc:	110
7	0	110	110	Conc:	110
8	0	110	110	Conc:	110
9	0	110	110	Conc:	110
10	0	110	110	Conc:	110
11	0	110	110	Conc:	110
12	0	110	110	Conc:	110
13	0	110	110	Conc:	110
14	0	110	110	Conc:	110
15	0	110	110	Conc:	110
16	0	110	110	Conc:	110
17	0	110	110	Conc:	110
18	0	110	110	Conc:	110
19	0	110	110	Conc:	110
20	0	110	110	Conc:	110
21	0	110	110	Conc:	110
22	0	110	110	Conc:	110
23	0	110	110	Conc:	110
24	0	110	110	Conc:	110
25	0	110	110	Conc:	110
26	0	110	110	Conc:	110
27	0	110	110	Conc:	110
28	0	110	110	Conc:	110
29	0	110	110	Conc:	110
30	0	110	110	Conc:	110
31	0	110	110	Conc:	110
32	0	110	110	Conc:	110
33	0	110	110	Conc:	110
34	0	110	110	Conc:	110
35	0	110	110	Conc:	110
36	0	110	110	Conc:	110
37	0	110	110	Conc:	110
38	0	110	110	Conc:	110
39	0	110	110	Conc:	110
40	0	110	110	Conc:	110
41	0	110	110	Conc:	110
42	0	110	110	Conc:	110
43	0	110	110	Conc:	110
44	0	110	110	Conc:	110
45	0	110	110	Conc:	110
46	0	110	110	Conc:	110
47	0	110	110	Conc:	110
48	0	110	110	Conc:	110
49	0	110	110	Conc:	110
50	0	110	110	Conc:	110
51	0	110	110	Conc:	110
52	0	110	110	Conc:	110
53	0	110	110	Conc:	110
54	0	110	110	Conc:	110
55	0	110	110	Conc:	110
56	0	110	110	Conc:	110
57	0	110	110	Conc:	110
58	0	110	110	Conc:	110
59	0	110	110	Conc:	110
60	0	110	110	Conc:	110
61	0	110	110	Conc:	110
62	0	110	110	Conc:	110
63	0	110	110	Conc:	110
64	0	110	110	Conc:	110
65	0	110	110	Conc:	110
66	0	110	110	Conc:	110
67	0	110	110	Conc:	110
68	0	110	110	Conc:	110
69	0	110	110	Conc:	110
70	0	110	110	Conc:	110
71	0	110	110	Conc:	110
72	0	110	110	Conc:	110
73	0	110	110	Conc:	110
74	0	110	110	Conc:	110
75	0	110	110	Conc:	110
76	0	110	110	Conc:	110
77	0	110	110	Conc:	110
78	0	110	110	Conc:	110
79	0	110	110	Conc:	110
80	0	110	110	Conc:	110
81	0	110	110	Conc:	110
82	0	110	110	Conc:	110
83	0	110	110	Conc:	110
84	0	110	110	Conc:	110
85	0	110	110	Conc:	110
86	0	110	110	Conc:	110
87	0	110	110	Conc:	110
88	0	110	110	Conc:	110
89	0	110	110	Conc:	110
90	0	110	110	Conc:	110
91	0	110	110	Conc:	110
92	0	110	110	Conc:	110
93	0	110	110	Conc:	110
94	0	110	110	Conc:	110
95	0	110	110	Conc:	110
96	0	110	110	Conc:	110
97	0	110	110	Conc:	110
98	0	110	110	Conc:	110
99	0	110	110	Conc:	110
100	0	110	110	Conc:	110

uOM: ppm

Mean Test Assay: 110 ppm

Second Analysis Data:				Date: 06/04/2019	
1	0	110	110	Conc:	110
2	0	110	110	Conc:	110
3	0	110	110	Conc:	110
4	0	110	110	Conc:	110
5	0	110	110	Conc:	110
6	0	110	110	Conc:	110
7	0	110	110	Conc:	110
8	0	110	110	Conc:	110
9	0	110	110	Conc:	110
10	0	110	110	Conc:	110
11	0	110	110	Conc:	110
12	0	110	110	Conc:	110
13	0	110	110	Conc:	110
14	0	110	110	Conc:	110
15	0	110	110	Conc:	110
16	0	110	110	Conc:	110
17	0	110	110	Conc:	110
18	0	110	110	Conc:	110
19	0	110	110	Conc:	110
20	0	110	110	Conc:	110
21	0	110	110	Conc:	110
22	0	110	110	Conc:	110
23	0	110	110	Conc:	110
24	0	110	110	Conc:	110
25	0	110	110	Conc:	110
26	0	110	110	Conc:	110
27	0	110	110	Conc:	110
28	0	110	110	Conc:	110
29	0	110	110	Conc:	110
30	0	110	110	Conc:	110
31	0	110	110	Conc:	110
32	0	110	110	Conc:	110
33	0	110	110	Conc:	110
34	0	110	110	Conc:	110
35	0	110	110	Conc:	110
36	0	110	110	Conc:	110
37	0	110	110	Conc:	110
38	0	110	110	Conc:	110
39	0	110	110	Conc:	110
40	0	110	110	Conc:	110
41	0	110	110	Conc:	110
42	0	110	110	Conc:	110
43	0	110	110	Conc:	110
44	0	110	110	Conc:	110
45	0	110	110	Conc:	110
46	0	110	110	Conc:	110
47	0	110	110	Conc:	110
48	0	110	110	Conc:	110
49	0	110	110	Conc:	110
50	0	110	110	Conc:	110
51	0	110	110	Conc:	110
52	0	110	110	Conc:	110
53	0	110	110	Conc:	110
54	0	110	110	Conc:	110
55	0	110	110	Conc:	110
56	0	110	110	Conc:	110
57	0	110	110	Conc:	110
58	0	110	110	Conc:	110
59	0	110	110	Conc:	110
60	0	110	110	Conc:	110
61	0	110	110	Conc:	110
62	0	110	110	Conc:	110
63	0	110	110	Conc:	110
64	0	110	110	Conc:	110
65	0	110	110	Conc:	110
66	0	110	110	Conc:	110
67	0	110	110	Conc:	110
68	0	110	110	Conc:	110
69	0	110	110	Conc:	110
70	0	110	110	Conc:	110
71	0	110	110	Conc:	110
72	0	110	110	Conc:	110
73	0	110	110	Conc:	110
74	0	110	110	Conc:	110
75	0	110	110	Conc:	110
76	0	110	110	Conc:	110
77	0	110	110	Conc:	110
78	0	110	110	Conc:	110
79	0	110	110	Conc:	110
80	0	110	110	Conc:	110
81	0	110	110	Conc:	110
82	0	110	110	Conc:	110
83	0	110	110	Conc:	110
84	0	110	110	Conc:	110
85	0	110	110	Conc:	110
86	0	110	110	Conc:	110
87	0	110	110	Conc:	110
88	0	110	110	Conc:	110
89	0	110	110	Conc:	110
90	0	110	110	Conc:	110
91	0	110	110	Conc:	110
92	0	110	110	Conc:	110
93	0	110	110	Conc:	110
94	0	110	110	Conc:	110
95	0	110	110	Conc:	110
96	0	110	110	Conc:	110
97	0	110	110	Conc:	110
98	0	110	110	Conc:	110
99	0	110	110	Conc:	110
100	0	110	110	Conc:	110

uOM: ppm


Mean Test Assay: 110 ppm

Analyzed By

Jesse L. Glass

Certified By

Edward J. Zucal



ccNumber: -252418



Praxair Distribution, Inc.
6055 Bren1 Drive
Toledo OH 43611
Tel: +1 (419) 729-7732
Fax: +1 (419) 729-2111
PGVP ID: FI2019

Customer & Order Information

PRAXAIR PKG MADISON IN 45
904 INDUSTRIAL DR
MADISON IN 47150

Certificate Issuance Date: 05/30/2019

Proxim OrdR Number: 70977608

Part Number: NI-0X133E-A5

Customer P.O. Number: 78960904

File Date: 05/17/2019

lot Number: 700019137F3

Cyl-ind 500 & Q100: AS

CGA 590

Cyl. ind. Pressure and Volume: 2000 psig	140 ± 3
--	---------

Certified Concentration

Expiration Date:	05/30/2027	NIST Traceable
Cylinder Number:	CC314877	Expanded Uncertainty
13.3 %	Oxygen	± 0.1 %
Balance	Nitrogen	

ProSpec EZ Cert



Certification Information:

CertificationDate:05/30/2019

Term: 96 MonTs

ExpirationDate: 05/30/2027

This cylinder was certified according to the 2012 EPA Traceability Protocol Document #EPA-600/R-12/531r using Procedure G1.

Do Not Use this Standard if Pressure is less than 100 PSIG

Analytical Data:

(R=Reference Standard, Z=Zero Gas, C=Gas CanGte)

- | | |
|---------------|--------|
| 1. Component: | Oxygen |
|---------------|--------|

Requested Concentration: 133 %

Certified Concentration	13.3%
-------------------------	-------

Instrument used: Servomex 575

Analytical method	Paramagnetic c
-------------------	----------------

Last multi-point Calibration: 05/08/2019

Reference Standard: Type I Cylinder#: GRIS / CC243760

Concentration / uncertainty: $2.25\% \pm 0.1\%$

Expiration Date: 11/17/2025

Traceable to: SRM # Sample# I Cylinder #: 2650a / 710'04 / CAL015785

SRM Concentration uncertainty: $\pm 0.7\% / \pm 0.043\%$

SRM Expiration Date: 08/23/2011

First Analysis		Date	
t	0	R: 2.13	Q: 13.3
Rt	3.3	C: 13.3	-C: 13.3
Z	0	C: 13.3	R: 13.3
Bot	%	Mean Test Assay: 13.3 %	

Second Analysis Data: Date

Z: 0	R: 0	c: 0	col: c
It: 0	Z: 0	U: 0	Cost: 0.0
Z: 0	C: 0	R: 0	Cost: 0

font % Mean Test Assay:

Analyzed By

Mike Monnetto

Certified By

Edward E. Zucca



Praxair Distribution, Inc.
6066 Breckinridge
Cincinnati, OH 45244
Tel: (419) 721-7733 Fax: (419) 721-2411
PGVty Fly 201

Doc Number: 00000034

CERTIFICATE OF ANALYSIS / EPA PROTOCOL GAS

Customer & Order Information:

PRM AIR/HSE ULMINGTON
105 PRAXAIR DRIVE
ULMINGTON OH 4610

Praxair Order Number: 32238798
Quantity / P. n. Number: 0.549 4015
Customer Reference Number:

Test Date: 8/17/2015
Print Order: 11/07/2015
Lab Order: 08/17/2015
Remittance & Order Ref: AS COA 520
Cylinder Product Number: 2000 psig 14000 0

Certified Concentration:

Expiry Date:	8/24/2015	NIST Traceability:
Cylinder Number:	SA20857	Analytical Uncertainty:
0.25 % OXYGEN		± 0.3 %
Balance NITROGEN		

Certification Information: Certification Date: 8/6/2015 Term: 96 Months Expiration Date: 8/6/2023
This Nityty was certified according to the 412 EPA Traceability Protocol, Ument #EPA- 900/R-14631, using Procedure G1.
Do Not Use this Standard if Pressure is less than 100 PSIG.

Analytical Data:

(R=Reference Standard, Z=Zero Gas, O=Gas Candidate)

Reference Standard Type: 0.549 4015
Cylinder Number: 2230
Ref Std. Traceability SRM: 2659a
SRM Sample #: 74D-04
SRM Cylinder #: 05

File #	Date:	Date:	8/25/2015
Z: 0	R: 22.33	O: 0.25	Comp: 0.25
R: 22.33	Z: 0	O: 0	Comp: 0.0
Z: 0	R: 0.25	R: 22.33	Comp: 0.25
UOM: %	Mean Test Assay: 0.25 %		

Analyze by:

Josh Jones

File #	Date:	Date:	8/25/2015
Z: 0	R: 0	O: 0	Comp: 0
R: 0	Z: 0	O: 0	Comp: 0
Z: 0	O: 0	R: 0	Comp: 0
UOM: %	Mean Test Assay: 0 %		

Certified by:

Roberta Kaywood

Information contained here is for use only by qualified experts with Praxair Distribution, Inc. While methods are used to ensure the accuracy of the analysis, Praxair makes no warranty or representation as to the accuracy of the analysis. The user assumes all liability for the use of the information and for the results of the analysis.

Information contained here is for use only by qualified experts with Praxair Distribution, Inc. While methods are used to ensure the accuracy of the analysis, Praxair makes no warranty or representation as to the accuracy of the analysis. The user assumes all liability for the use of the information and for the results of the analysis.

Z:
R:
Z:
UOM:

PRAXAIR

Making our planet more productive

06cNumber: .25233(1)



Praxair Distribution, Inc.
6055 Brent Drive
Toledo OH 43611
Tel: +1 (419) 729-7732
Fax: +1 (419) 729-2411
PGVP ID: F209

CERTIFICATE OF ANALYSIS / EPA PROTOCOL GAS

Customer & Order Information

PRAXAIR PKG MADISON IN 15
904 INDUSTRIAL DR
MADISON IN 47250

Certificate Issuance Date: 06/04/2019

Praxair Order Number: 70977608

Part Number: N1050ME-45

Customer PO Number: 78960904

FILL Date: 05/16/2019

Lot Number: 70x1936WG

Cylinder Style & Outlet: .45 CGA 660

Cylinder Pressure and Valve: 2000 psig 140 13

Certified Concentration

Expiration Date:	06/04/2027	NIST Traceable
Cylinder Number:	CC28008	Expanded Uncertainty
49.4 ppm	Nitric oxide	±0.8 %
Balance	Nitrogen	

ProSpec EZ Cert



For Reference Only:

NOx49.8.m

Certification Information:

Certification Date: 06/04/2019

Term: 96 Months

Expiration Date: 06/04/2027

This cylinder was certified according to the 2012 EPA Traceability Protocol (Document # EPA-600/R-02/53), using Procedure G.
Do Not Use this Standard if Pressure is less than 1000 PSIG.

Analytical Data:

(R=Reference Standard, Z=Zero Gas, C=Gas Candidate)

1. Component: Nitric oxide
Requested Concentration: 50 ppm
Certified Concentration: 49.4 ppm
Instrument Used: Thermo-42L5
Analytical Method: Chemiluminescence
Last Multi-point Calibration: 05/14/2019

Reference Standard: Type: Cylinder NTRM/CC35718
Concentration Uncertainty: 100.4 ppm ±0.7965%
Expiration Date: 07/10/2021
Traceability: SRM #/ Sample #/ Cylinder #: NTRM07074/NEA/ NTRM07074
SRM Concentration Uncertainty: 100.4 / ±0.7965%
SRM Expiration Date: 07/10/2021

First Analysis Data:				Date:	05/28/2019
Z:	0	R:	100.4	C:	49.4
R:	100.5	Z:	0	C:	49.4
Z:	0	C:	49.4	R:	100.4
UOM:	ppm	Mean Test Assay:		49.4	ppm

Second Analysis Data:				Date:	06/05/2019
Z:	0	R:	100.4	C:	49.4
R:	100.5	Z:	0	C:	49.4
Z:	0	C:	49.4	R:	100.4
UOM:	ppm	Mean Test Assay:		49.4	ppm

Analyzed By:

Jesse L. Glass

Certified By:

Edward E. Zucal

Information provided herein has been prepared at your request by qualified personnel with Praxair Distribution, Inc. While we believe that the information is accurate, we do not warrant or represent that the information is for any purpose. The information is provided for informational purposes only and should not be used for any other purpose. Praxair Distribution, Inc. is not responsible for any use of the information for purposes not intended by Praxair Distribution, Inc.

001

00 (2)

FedEx Express Package
US Airbill

81 1 2990 1736

0215

1-11-21

912 362-6100

Company AIR STEEL CO

Address 5500 N US HIGHWAY 231

City ROCKPORT State IN Zip 47630-4061

2 Your Internal Billing Reference 4th Quarter 2020 CGA

3 To Recipient's Name Dave Cline Phone 317 232-8443

Company IDEM

Address 100 North Santa Avenue

Address MC 67-53 IDEM 1003

City Indianapolis State IN Zip 46204-2251


0136010363



8101 2990 1736

FedEx Express Package
US Airbill

XH GSHA

WED - 13 JAN AA
STANDARD OVERNIGHTDSR
46204
IN-US
IND

F101 302873 12345678 9101 9051/1135/1632

4 Express Package Service

* To meet business

FedEx First Overnight

FedEx Priority Overnight

FedEx Standard Overnight

FedEx 2Day

FedEx 2Day AM

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

Packages up to 150 lbs.

For packages over 150 lbs, use the

FedEx Express Freight bill.

FedEx 2Day AM

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

FedEx 2Day

CARR: UPS 1 DAY AIR
TRK#: 81012990173602150
RCVD: 1/13/2021 8:44:14 AM
TO: AIR Quality
ROUTE: IDEM
MSC:

8101 2990 173602150

Environ gmt