



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

100 N. Senate Avenue • Indianapolis, IN 46204
(800) 451-6027 • (317) 232-8603 • Fax (317) 233-6647 • www.idem.IN.gov

Mike Braun
Governor

Clint Woods
Commissioner

September 10, 2025

Via Certified Mail:

7004 1160 0004 6518 2184

Massino Toso, CEO
Lone Star Industries Inc. dba Buzzi
Unicem USA Inc.
100 Brodhead Road, Suite 230
Bethlehem, PA 18017

Via Certified Mail:

7004 1160 0004 6518 2191

Corporation Service Company,
Registered Agent for:
Buzzi Unicem USA Inc.
135 North Pennsylvania Street, Suite 1610
Indianapolis, IN 46204

Dear Mr. Toso:

Re: Notice of Violation and Proposed Agreed Order
Lone Star Industries Inc. dba Buzzi Unicem USA Inc.
Case No. 2025-30745-H
EPA ID No. IND 006 419 212
Greencastle, Putnum County

Qualified offer of settlement: inadmissible per Rule 408 of the Ind. Rules of Evidence. IDEM asserts that any offer to compromise a claim or any acceptance of such offer does not bind or obligate the parties of this enforcement action in the absence of a final order of the agency.

IDEM conducted an investigation of the property located at 3301 S CR 150 W, Greencastle, IN, the site with EPA ID# IND006419212 and has made a preliminary determination that violations of environmental management rules exist. Per IC 13-30-3-3, enclosed please find a Notice of Violation that sets forth the alleged violations and a proposed Agreed Order which constitutes a qualified offer of settlement.

You may request a settlement conference to discuss the allegations and the actions necessary to correct and resolve the violations, which may include injunctive relief and the establishment of a compliance schedule. Payment of a civil penalty will also be discussed. The civil penalty amount noted in the proposed Agreed Order contains a preliminary penalty figure for settlement discussion purposes only and is based on penalty calculations associated with the alleged violations set forth in the Notice of Violation. A portion of the civil penalty may be offset by performing an approved Supplemental Environmental Project (SEP). Typical SEPs have included pollution prevention, pollution control, and environmental restoration projects. A copy of IDEM's SEP policy may be obtained from this office or at IDEM's website at www.IN.gov/idem.

Visit on.IN.gov/survey or scan the QR code to provide feedback.

We appreciate your input!




LS 006-0004 0004 6518 2184

The individual signing the enclosed Agreed Order should be fully authorized to execute the document and legally bind the parties. The timely entry into an Agreed Order, which saves you and IDEM time and resources, may lead to a reduction in the civil penalty.

IDEM is not required to extend the offer of entry into an Agreed Order for more than 60 days. You may enter into an Agreed Order without admitting that the violations occurred. Additionally, to encourage a timely agreement, IDEM may offer a one time twenty percent reduction (20%) to the Civil Penalty for 60 days after receipt of this Notice of Violation.

If an Agreed Order is not entered into, IDEM may proceed to issue a unilateral notice and order requiring compliance with the environmental laws, rules, and/or permit, including payment of a civil penalty. Please contact me at (317) 234-6951 or via email at sgonzale@idem.IN.gov if you have any questions or if you wish to request a settlement conference.

Sincerely,



Shiela Gonzales, Case Manager
Land Enforcement Section
Compliance Branch
Office of Land Quality

Enclosures

cc: Putnam County Health Department
Scott Draschil, IDEM, OLQ, Hazardous Waste Compliance Section
Paula Bansch, IDEM, OLQ, Hazardous Waste Permit Section
Miriam Press, Lone Star Industries Inc., Environmental Manager
Miriam.press@buzziunicemusa.com
IDEM Virtual File Cabinet



NOTICE OF VIOLATION

Massino Toso, CEO
Lone Star Industries Inc. dba Buzzi
Unicem USA Inc.
100 Brohead Road, Suite 230
Bethlehem, PA 18017

Corporation Service Company,
Registered Agent for:
Buzzi Unicem USA Inc.
135 North Pennsylvania Street, Suite 1610
Indianapolis, IN 46204

Case No. 2025-30745-H

Pursuant to Indiana Code (“IC”) 13-30-3-3, the Indiana Department of Environmental Management (“IDEM”) issues this Notice of Violation. Based on an investigation including an inspection conducted on February 25, 2025 by an IDEM representative, IDEM has reason to believe Lone Star Industries inc. dba Buzzi Unicem USA Inc. (“Respondent”) violated environmental rules. The violations are based on the following:

1. Respondent is Lone Star Industries Inc. dba Buzzi Unicem USA Inc. (“Respondent”), which owns/operates the facility with United States Environmental Protection Agency (“EPA”) ID No. IND006419212, located at 3301 S County Road 150 West, in Greencastle, Putnam County, Indiana (“Site”).
2. Respondent is a permitted hazardous waste treatment, storage, and disposal (“TSD”) facility. The Permit was issued July 18, 2023, and expires on July 18, 2028.
3. Respondent stores hazardous waste in tanks and containers prior to blending them to make hazardous waste-derived fuel that can be utilized in the manufacturing of Portland cement.
4. Respondent was granted a solid waste approval to use leachate collected from the non-Municipal Solid Waste Landfill (“non-MSWLF”) Cell 3 as supplemental process feed water dated January 18, 2024 (VFC #83584696). The approval was contingent that landfill’s leachate collected would test at or below 75% of the 40 CFR 261.24 Table 1 contaminant levels.
5. On September 17, 2024, Respondent sent in sampling results showing leachate collected from the 25,000-gallon holding tank and two (2) of the three (3) 20,000-gallon frac tanks sampled had Selenium levels above the TCLP level of 1 mg/L making the leachate in



these tanks a hazardous waste. Therefore, this leachate use request was not approved and these tanks are subject to applicable hazardous waste generator requirements.

6. 329 Indiana Administrative Code (“IAC”) 3.1 incorporates certain federal hazardous waste management requirements found in 40 Code of Federal Regulations (“CFR”) Parts 260 through 270 and Part 273, including those identified below.
7. Pursuant to 40 CFR 262.17(a)(2) referencing 40 CFR 265.192, a large quantity generator with a new tank system or components must ensure that the foundation, structural support, seams, connections, and pressure controls (if applicable) are adequately designed and that the tank system has sufficient structural strength, compatibility with the waste(s) to be stored or treated, and corrosion protection so that it will not collapse, rupture, or fail. The owner or operator must obtain a written assessment reviewed and certified by a qualified Professional Engineer in accordance with 40 CFR 270.11(d) attesting that the system has sufficient structural integrity and is acceptable for the storing and treating of hazardous waste.

As noted during the inspection, Respondent did not have a tank integrity assessment for the non-MSWLF leachate storage tank available onsite.

8. Pursuant to 40 CFR 262.17(a)(2) referencing 40 CFR 265.195, (a) The owner or operator must inspect, where present, at least once each operating day, data gathered from monitoring and leak detection equipment to ensure that the tank system is being operated according to its design. (b) Except as noted under paragraph (c) of this section, the owner or operator must inspect at least once each operating day: (1) Overfill/spill control equipment to ensure that it is in good working order; (2) Above ground portions of the tank system, if any, to detect corrosion or releases of waste; and (3) The construction materials and area immediately surrounding the externally accessible portion of the tank system, including the secondary containment system, to detect erosion or signs of releases of hazardous waste. (c) Owners or operators of tank systems that either use leak detection equipment to alert facility personnel to leaks or implement established workplace practices to ensure leaks are promptly identified, must inspect at least weekly those areas described in paragraphs (b)(1) through (3) of this section. Use of the alternate inspection schedule must be documented in the facility's operating record. This documentation must include a description of the established workplace practices at the facility. (e) Ancillary equipment that is not provided with secondary containment, as described in §265.193(f)(1) through (4), must be inspected at least once each operating day. (g) The owner or operator must document in the operating record of the facility an inspection of those items in paragraphs (a) and (b).

As noted during the inspection, Respondent did not have documentation of daily tank inspections on the non-MSWLF leachate storage and frac tanks (when in use).

9. Pursuant to 40 CFR 262.17(a)(5)(ii)(A), a large quantity generator accumulating hazardous waste in tanks must mark or label its tanks with the words “Hazardous Waste.”

As noted during the inspection, the non-MSWLF leachate storage tank was not labeled with the words "Hazardous Waste."

Violation was corrected after the inspection.

10. Pursuant to 40 CFR 262.17(a)(5)(ii)(B), a large quantity generator accumulating hazardous waste in tanks must mark or label its tanks with an indication of the hazards of the contents (examples include, but are not limited to, the applicable hazardous waste characteristic(s) (i.e., ignitable, corrosive, reactive, toxic); hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E (labeling) or subpart F (placarding); a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or a chemical hazard label consistent with the National Fire Protection Association code 704).

As noted during the inspection, the non-MSWLF leachate storage tank was not marked with an indication of its contents hazard.

Violation was corrected after the inspection.

In accordance with IC 13-30-3-3, the Commissioner herein provides notice that the violations may exist and offers an opportunity to enter into an Agreed Order providing for the actions required to correct the violations and, as necessary and appropriate, for the payment of a civil penalty. The Commissioner is not required to extend this offer for more than sixty (60) days.

As provided in IC 13-30-3-3, an alleged violator may enter into an Agreed Order without admitting the violations occurred. IDEM encourages settlement by Agreed Order, thereby resulting in quicker correction of the environmental violations and avoidance of extensive litigation. Timely settlement by Agreed Order may result in a reduced civil penalty. Also, settlement discussions will allow Respondent the opportunity to present any mitigating factors that may be relevant to the violations.

If an Agreed Order is not entered into within sixty (60) days of receipt of this Notice of Violation, the Commissioner may issue a Notice and Order under IC 13-30-3-4 containing the actions that must be taken to correct the violations and requiring the payment of an appropriate civil penalty. Pursuant to IC 13-30-4-1, the Commissioner may assess penalties of up to \$25,000 per day for each violation.

Please contact Shiela Gonzales at (317) 234-6951 or sgonzale@idem.IN.gov within fifteen (15) days of receipt of this Notice to discuss resolution of this matter.

Date: September 9, 2025

For the Commissioner:

Handwritten signature of Lori Freeman in cursive script.

Lori Freeman, Chief
Compliance Branch
Office of Land Quality



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

100 N. Senate Avenue • Indianapolis, IN 46204
(800) 451-8027 • (317) 232-8803 • Fax (317) 233-8847 • www.idem.IN.gov

Mike Braun
Governor

Clint Woods
Commissioner

STATE OF INDIANA)
)
 COUNTY OF MARION) SS: BEFORE THE INDIANA DEPARTMENT OF
) ENVIRONMENTAL MANAGEMENT
)
 COMMISSIONER OF THE DEPARTMENT)
 OF ENVIRONMENTAL MANAGEMENT,)
)
 Complainant,)
)
 v.) Case No. 2025-30745-H
)
 LONE STAR INDUSTRIES DBA BUZZI)
 UNICEM USA INC.,)
)
 Respondent.)

AGREED ORDER

Complainant and Respondent desire to settle and compromise this action without hearing or adjudication of any issue of fact or law, and consent to the entry of the following Findings of Fact and Order. Pursuant to Indiana Code (“IC”) 13-30-3-3, entry into the terms of this Agreed Order does not constitute an admission of any violation contained herein. Respondent’s entry into this Agreed Order shall not constitute a waiver of any defense, legal or equitable, which Respondent may have in any future administrative or judicial proceeding, except a proceeding to enforce this order.

I. FINDINGS OF FACT

1. Complainant is the Commissioner (“Complainant”) of the Indiana Department of Environmental Management (“IDEM”), a department of the State of Indiana created by IC 13-13-1-1.
2. Respondent is Lone Star Industries Inc. dba Buzzi Unicem USA Inc. (“Respondent”), which owns/operates the facility with United States Environmental Protection Agency (“EPA”) ID No. IND006419212, located at 3301 S County Road 150 West, in Greencastle, Putnam County, Indiana (“Site”).
3. IDEM has jurisdiction over the parties and the subject matter of this action.
4. Pursuant to IC 13-30-3-3, IDEM issued a Notice of Violation (“NOV”) to:

Visit on.IN.gov/survey or scan the QR code to provide feedback.

We appreciate your input!

Letterhead 8/27/16 01.0002



Massimo Toso
Lone Star Industries Inc. dba
Buzzi Unicem USA Inc.
100 Brodhead Road, Suite 230
Bethlehem, PA 18017

Corporate Service Company
Registered Agent for:
Lone Star Industries Inc. dba
Buzzi Unicem USA Inc.
135 N. Pennsylvania Street
Indianapolis, IN 46204

5. Respondent is a permitted hazardous waste treatment, storage, and disposal ("TSD") facility. The Permit was issued July 18, 2023, and expires on July 18, 2028.
6. Respondent stores hazardous waste in tanks and containers prior to blending them to make hazardous waste-derived fuel that can be utilized in the manufacturing of Portland cement.
7. Respondent converted their Type 1 Restricted Waste Site ("RWS") Cell 3 to a nonmunicipal solid waste landfill ("non-MMSWLF"). The non-MSWLF was approved for use on February 17, 2002 (VFC #83283775).
8. Respondent was granted a solid waste approval to use leachate collected from the non-MSWLF Cell 3 as supplemental process feed water dated January 18, 2024 (VFC #83584696). The approval was contingent that landfill's leachate collected would test at or below 75% of the 40 CFR 261.24 Table 1 contaminant levels.
9. On September 17, 2024, Respondent sent in sampling results showing leachate collected from the 25,000-gallon holding tank and two (2) of the three (3) 20,000-gallon frac tanks sampled had Selenium levels above the TCLP level of 1 mg/L making the leachate in these tanks a hazardous waste. Therefore, this leachate use request was not approved and these tanks are subject to applicable hazardous waste generator requirements.
10. 329 Indiana Administrative Code ("IAC") 3.1 incorporates federal hazardous waste management requirements found in 40 Code of Federal Regulations ("CFR") Parts 260 through 270 and Part 273, including those identified below.
11. During an investigation including an inspection on February 25, 2025, conducted by a representative of IDEM, the following violations were found:
 - a. Pursuant to 40 CFR 262.17(a)(2) referencing 40 CFR 265.192, a large quantity generator with a new tank system or components must ensure that the foundation, structural support, seams, connections, and pressure controls (if applicable) are adequately designed and that the tank system has sufficient structural strength, compatibility with the waste(s) to be stored or treated, and corrosion protection so that it will not collapse, rupture, or fail. The owner or operator must obtain a written assessment reviewed and certified by a qualified Professional Engineer in accordance with 40 CFR 270.11(d) attesting that the system has sufficient structural integrity and is acceptable for the storing and treating of hazardous waste.

As noted during the inspection, Respondent did not have a tank integrity assessment for the non-MSWLF leachate storage tank available onsite.

- b. Pursuant to 40 CFR 262.17(a)(2) referencing 40 CFR 265.195, (a) The owner or operator must inspect, where present, at least once each operating day, data gathered from monitoring and leak detection equipment to ensure that the tank system is being operated according to its design. (b) Except as noted under paragraph (c) of this section, the owner or operator must inspect at least once each operating day: (1) Overfill/spill control equipment to ensure that it is in good working order; (2) Above ground portions of the tank system, if any, to detect corrosion or releases of waste; and (3) The construction materials and area immediately surrounding the externally accessible portion of the tank system, including the secondary containment system, to detect erosion or signs of releases of hazardous waste. (c) Owners or operators of tank systems that either use leak detection equipment to alert facility personnel to leaks or implement established workplace practices to ensure leaks are promptly identified, must inspect at least weekly those areas described in paragraphs (b)(1) through (3) of this section. Use of the alternate inspection schedule must be documented in the facility's operating record. This documentation must include a description of the established workplace practices at the facility. (e) Ancillary equipment that is not provided with secondary containment, as described in §265.193(f)(1) through (4), must be inspected at least once each operating day. (g) The owner or operator must document in the operating record of the facility an inspection of those items in paragraphs (a) and (b).

As noted during the inspection, Respondent did not have documentation of daily tank inspections on the non-MSWLF leachate storage and frac tanks (when in use).

- c. Pursuant to 40 CFR 262.17(a)(5)(ii)(A), a large quantity generator accumulating hazardous waste in tanks must mark or label its tanks with the words "Hazardous Waste."

As noted during the inspection, the non-MSWLF leachate storage tank was not labeled with the words "Hazardous Waste."

Violation was corrected after the inspection (Virtual Cabinet #83774354)].

- d. Pursuant to 40 CFR 262.17(a)(5)(ii)(B), a large quantity generator accumulating hazardous waste in tanks must mark or label its tanks with an indication of the hazards of the contents (examples include, but are not limited to, the applicable hazardous waste characteristic(s) (i.e., ignitable, corrosive, reactive, toxic); hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E (labeling) or subpart F (placarding); a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or a

chemical hazard label consistent with the National Fire Protection Association code 704).

As noted during the inspection, the non-MSWLF leachate storage tank was not marked with an indication of its contents hazard.

Violation was corrected after the inspection (Virtual Cabinet #83774354).

12. Orders of the Commissioner are subject to administrative review by the Office of Administrative Law Proceedings under IC 4-21.5; however, in recognition of the settlement reached, Respondent acknowledges notice of this right and waives any right to administrative and judicial review of this Agreed Order.

II. ORDER

1. This Agreed Order shall be effective ("Effective Date") when it is approved by Complainant or Complainant's delegate and has been received by Respondent. This Agreed Order shall have no force or effect until the Effective Date.
2. Respondent shall comply with the rules listed in the findings of fact above.
3. Within thirty (30) days of the Effective Date, Respondent shall comply with 40 CFR 262.17(a)(2) referencing 40 CFR 265.192. Specifically, Respondent shall perform a tank integrity assessment on the 25,000-gallon non-MSWLF leachate storage tank.
4. Within forty-five (45) days of the Effective Date, Respondent shall submit to IDEM the tank integrity assessment required in Order 3 above.
5. Upon the Effective Date, Respondent shall comply with 40 CFR 262.17(a)(2) referencing 40 CFR 265.195. Specifically, Respondent shall inspect the 25,000-gallon non-MSWLF leachate storage tank and frac tanks (if in use) every operating day. Additionally, Respondent shall submit documentation to IDEM on a weekly basis showing daily inspections of the hazardous waste leachate storage tank for a period of one month after the Effective Date.
6. Upon the Effective Date, Respondent shall comply with 40 CFR 262.17(a)(5)(ii)(A)(B). Specifically, Respondent shall ensure the non-MSWLF leachate storage tanks and frac tanks, when accumulating hazardous waste, are properly labeled "Hazardous Waste" and with the indication of hazards of the contents.
7. All submittals required by this Agreed Order, unless IDEM notifies the Respondent otherwise in writing, shall be sent to:

Shiela Gonzales, Enforcement Case Manager
Office of Land Quality
Indiana Department of Environmental Management
100 North Senate Avenue
Indianapolis, IN 46204-2251

8. Pursuant to IC 13-30-4-1, Respondent is assessed and agrees to pay a civil penalty of Two Thousand Seven Hundred and Fifty Dollars (\$2,750). After this Agreed Order is adopted (signed by the Assistant Commissioner of the Office of Land Quality), Respondent shall pay by the due date printed on the Invoice that will be attached to the adopted Agreed Order.

Civil and stipulated penalties are payable to the "Indiana Department of Environmental Management" by:

Mail:

Civil penalties are payable by check to the "Indiana Department of Environmental Management." Checks shall include the Case Number of this action and shall be mailed to:

Indiana Department of Environmental Management
Accounts Receivable
P.O. Box 3295
Indianapolis, IN 46206

Online:

Accounts Receivable is accepting payments online by e-Check, Master Card, Visa, American Express, or Discover. Please visit www.IN.gov/IDEM. Under Online Services, click Online Payment options and follow the prompts. A processing fee of \$0.40 plus 2.06% will be charged for credit card payments. A processing fee of \$0.15 will be charged for e-Check payments. The Case Number is required to complete the process.

Phone:

You may also call us at 317-233-2394 and follow the instructions for Master Card, Visa, American Express, or Discover payments. A processing fee of \$0.40 plus 2.06% will be charged for credit card payments. A processing fee of \$0.15 will be charged for e-Check payments. The Case Number is required to complete the process.

9. In the event the terms and conditions of the following paragraphs are violated, Complainant may assess, and Respondent shall pay a stipulated penalty in the following amount:

<u>Paragraph</u>	<u>Stipulated Penalty</u>
Order paragraph #3	\$200 per week
Order paragraph #4	\$100 per week
Order paragraph #5	\$100 per week

- Stipulated penalties shall begin to be assessed on the date after the Effective Date and shall continue until the documentation is submitted as required by the associated paragraph.
10. Stipulated penalties shall be due and payable no later than the thirtieth day after Respondent receives written notice that Complainant has determined a stipulated penalty is due; at which time, a separate invoice will be issued. Complainant may notify Respondent at any time that a stipulated penalty is due. Failure to notify Respondent in writing in a timely manner of a stipulated penalty assessment shall not waive Complainant's right to collect such stipulated penalty or preclude Complainant from seeking additional relief against Respondent for violation of this Agreed Order. Neither assessment nor payment of stipulated penalties shall preclude Complainant from seeking additional relief against Respondent for a violation of this Agreed Order; such additional relief includes any remedies or sanctions available pursuant to Indiana law, including, but not limited to, civil penalties pursuant to IC 13-30-4.
 11. In the event that the monies due to IDEM pursuant to this Agreed Order are not paid on or before their Due Date, Respondent shall pay an additional penalty of 10 percent, payable to "Indiana Department of Environmental Management" and shall be payable to IDEM in the manner specified in Paragraph 8, above.
 12. Signatories to this Agreed Order certify that they are fully authorized to execute this Agreed Order and legally bind the party they represent.
 13. This Agreed Order shall apply to and be binding upon Respondent and all successors and assigns. Respondent shall provide a copy of this Agreed Order, if in force, to any subsequent owners, successors, or assigns before ownership rights are transferred.
 14. No change in ownership, corporate, or partnership status of Respondent shall in any way alter the Respondent's status or responsibilities under this Agreed Order.
 15. Respondent shall ensure that all contractors, firms, and other persons performing work under this Agreed Order comply with the terms of this Agreed Order.
 16. In the event that any terms of this Agreed Order are found to be invalid, the remaining terms shall remain in full force and effect and shall be construed and enforced as if this Agreed Order did not contain the invalid terms.
 17. This Agreed Order is not and shall not be interpreted to be a permit or a modification of an existing permit. This Agreed Order, and IDEM's review or approval of any submittal made by Respondent pursuant to this Agreed Order, shall not in any way relieve Respondent of the obligation to comply with the requirements of any applicable permits or any applicable Federal or State laws or regulations.
 18. Complainant does not, by its approval of this Agreed Order, warrant or aver in any manner that Respondent's compliance with any aspect of this Agreed Order will result in compliance with the provisions of any permit, order, or any applicable Federal or State

law or regulation. Additionally, IDEM or anyone acting on its behalf shall not be held liable for any costs or penalties Respondent may incur as a result of Respondent's efforts to comply with this Agreed Order.

19. Nothing in this Agreed Order shall prevent or limit IDEM's rights to obtain penalties or injunctive relief under any applicable Federal or State law or regulation, except that IDEM may not, and hereby waives its right to seek additional civil penalties for the violations specified in the NOV.
20. Nothing in this Agreed Order shall prevent IDEM or anyone acting on its behalf from communicating with the U.S. Environmental Protection Agency (U.S. EPA) or any other agency or entity about any matters relating to this enforcement action. IDEM or anyone acting on its behalf shall not be held liable for any costs or penalties Respondent may incur as a result of such communications with the U.S. EPA or any other agency or entity.
21. This Agreed Order shall remain in effect until IDEM issues a Resolution of Case letter to Respondent.

REMAINDER OF PAGE LEFT BLANK INTENTIONALLY

TECHNICAL RECOMMENDATION:
Department of Environmental Management

By: *Jennifer Reno*
Jennifer Reno, Chief
Land Enforcement Section
Compliance Branch
Office of Land Quality

Date: 8/18/2025

RESPONDENT:

By: _____
Printed: _____
Title: _____

Date: _____

COUNSEL FOR RESPONDENT:

By: _____
Printed: _____
Date: _____

APPROVED AND ADOPTED BY THE INDIANA DEPARTMENT OF ENVIRONMENTAL
MANAGEMENT THIS _____ DAY OF _____, 20____

For the Commissioner:

Brian Wolff
Assistant Commissioner
Office of Land Quality

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:
 60-02L (1833) 30745 DBATES
 CORPORATION SERVICE CO
 REGISTERED AGENT BUZZI UNICEM USA INC
 135 N PENNSYLVANIA ST STE. 1610
 INDPLS IN 46204



9590 9402 8571 3244 6171 92

2. Article Number (Transfer from service label)
 7004 1160 0004 6518 2191

COMPLETE THIS SECTION ON DELIVERY

A. Signature
Mary Cole Agent
Mary Cole Addressee

B. Received by (Printed Name) _____ G. Date of Delivery _____

D. Is delivery address different from item 1? Yes
 If YES, enter delivery address below: No

SEP 12 2025

3. Service Type

<input checked="" type="checkbox"/> Adult Signature	<input type="checkbox"/> Priority Mail Express®
<input type="checkbox"/> Adult Signature Restricted Delivery	<input type="checkbox"/> Registered Mail™
<input checked="" type="checkbox"/> Certified Mail®	<input type="checkbox"/> Registered Mail Restrict Delivery
<input type="checkbox"/> Certified Mail Restricted Delivery	<input type="checkbox"/> Signature Confirmation™
<input type="checkbox"/> Collect on Delivery	<input type="checkbox"/> Signature Confirmation Restricted Delivery
<input type="checkbox"/> Collect on Delivery Restricted Delivery	

Restricted Delivery

Tracking Number:

Remove *

70041160000465182191

Copy

Add to Informed Delivery (<https://informedelivery.usps.com/>)

Latest Update

Your item was picked up at the post office at 9:52 am on September 12, 2025 in INDIANAPOLIS, IN 46204.

Get More Out of USPS Tracking:

USPS Tracking Plus[®]

Feedback

Delivered

Delivered, Individual Picked Up at Post Office

INDIANAPOLIS, IN 46204

September 12, 2025, 9:52 am

Out for Delivery

INDIANAPOLIS, IN 46204

September 12, 2025, 9:15 am

Arrived at Post Office

INDIANAPOLIS, IN 46204

September 12, 2025, 9:04 am

Arrived at USPS Regional Origin Facility

INDIANAPOLIS IN DISTRIBUTION CENTER

September 10, 2025, 8:01 pm

Departed Post Office

INDIANAPOLIS, IN 46206

September 10, 2025, 7:16 pm

USPS picked up item

INDIANAPOLIS, IN 46206
September 10, 2025, 4:24 pm

Hide Tracking History

[What Do USPS Tracking Statuses Mean? \(https://faq.usps.com/s/article/Where-is-my-package\)](https://faq.usps.com/s/article/Where-is-my-package)

Text & Email Updates



USPS Tracking Plus®



Product Information



See Less ^

Track Another Package

Enter tracking or barcode numbers

Need More Help?

Contact USPS Tracking support for further assistance.

FAQs