



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

100 N. Senate Avenue • Indianapolis, IN 46204  
(800) 451-6027 • (317) 232-8603 • Fax (317) 233-6647 • [www.idem.in.gov](http://www.idem.in.gov)

**Mike Braun**  
Governor

**Clint Woods**  
Commissioner

November 3, 2025

## VIA ELECTRONIC MAIL

### **UST Owner**

Mr. Pritpal Kaur  
Jugaad LLC  
13150 Ditch Road  
Carmel, IN 46032  
[Jugaad1337@att.net](mailto:Jugaad1337@att.net)

### **Property Owner**

Mr. Carl Crane  
C&W Inc.  
6600 S. SR 267  
Lebanon, IN 46052

### **Operator**

Mr. Parbodh Singh  
Guru Kirpa Petroleum Inc.  
1368 Fortner Drive  
Indianapolis, IN 46231  
[005317@gmail.com](mailto:005317@gmail.com)

### **Re: Violation Letter for Failure to Submit Requested Information**

Whitestown Shell  
6378 Crane Drive  
Whitestown, IN 46075  
Boone County  
Facility ID #17535  
Incident #202505502

All:

As the Owner and/or Operator of the Whitestown Shell facility located at 6378 Crane Drive, Whitestown, Indiana, you are in violation of the following statute and/or code.

- Pursuant to 40 CFR 280.52 as incorporated, unless corrective action is initiated in accordance with Subpart F, owners and operators must immediately investigate and confirm all suspected releases of regulated substances requiring reporting under 40 CFR 280.50 within 30 days, using either a system check under 280.52(a), a site check under 280.52(b), or another procedure approved by the implementing agency.

As noted in the Information Request letter issued by IDEM on September 22, 2025 (Virtual File Cabinet #83886054), petroleum products continue to be

Visit [on.in.gov/survey](https://on.in.gov/survey) or scan the QR code to provide feedback.

*We appreciate your input!*



L:\idm\ba\4\0527\100.ppt 2025

present in the sewer line along the east side of your facility, and IDEM requested additional information to address the suspected release reported on May 2, 2025. However, the owners and operator failed to provide the requested information. The source of the petroleum within the sewer line has not been determined, and the suspected release has yet to be confirmed or deactivated.

**In order to correct the specified violation, you must submit the information previously requested by IDEM on September 22, 2025, in the Information Request letter. Specifically, you must:**

- Immediately retain a professional consulting company and have the consultant contact the Project Manager (PM) within seven (7) days of the date on this letter.
- The consultant will notify the PM whenever mobilizing to the site until this incident is resolved.
- Within thirty (30) days of receipt of this letter your consultant must collect groundwater samples from previously installed Monitoring Wells MW-1, MW-4, MW-6, MW-7, and MW-8 and have them sent to a certified laboratory for analysis of gasoline constituents in accordance with the Risk-based Closure Guide (R2);
- Within (30) days of receiving this letter your consultant must arrange for a visual inspection (camera) of the storm sewer along the east side of the property and south to the catch basin on the road (immediately southeast of the property) to determine if there are any line failures that may be allowing contamination to infiltrate; and,
- Provide a report summarizing the camera investigation and groundwater sample results, and either confirm the suspected release or provide evidence that the release is historic in nature.
- If confirming the release, you must **immediately** submit a Confirmed Release Initial Incident Report to the [LeakingUST@idem.in.gov](mailto:LeakingUST@idem.in.gov) inbox in accordance with 40 CFR 280.61.

**The above requested work must be completed and reported to IDEM on or before January 2, 2026.**

Failure to submit the requested information within the specified time frames may result in a referral to IDEM Enforcement. The significance of a formal enforcement action is the assessment of civil penalties not to exceed \$10,000 per violation per day.

For more information regarding document and data submittal guidelines, sampling and analysis requirements or technical information, visit the LUST Home Page at [www.in.gov/idem/tanks/2333.htm](http://www.in.gov/idem/tanks/2333.htm) or contact the site project manager.


IDEM requests that Petroleum Remediation Section (PRS) correspondence, reports, and related documents under 15 MB be submitted electronically to: [LeakingUST@IDEM.in.gov](mailto:LeakingUST@IDEM.in.gov). Electronic submittal will streamline document distribution

and help facilitate quicker document review times. Paper copies and CDs are no longer necessary as previously required in OLQ Document Submittal Guidelines. Please label the email and attached documents as directed below:

- Email Subject Line: REPORT NAME (ie. 1Q 2025 QMR, ISC, FSI, etc.)\_FID (insert number)\_LUST (insert number)\_DATE (yyyymmdd)
- Document/File Name: REPORT NAME (ie. 1Q 2025 QMR, ISC, FSI, etc.)\_FID (insert number)\_LUST (insert number)\_DATE (yyyymmdd)

If you have any questions, please contact Jason Murdoch at (317) 234-9561, toll free from within Indiana at (800) 451-6027, or email at: [jmurdoch@idem.IN.gov](mailto:jmurdoch@idem.IN.gov).

Sincerely,



Timothy E. Veatch, Chief  
Petroleum Branch  
Office of Land Quality  
(317) 234-0980  
[tveatch@idem.IN.gov](mailto:tveatch@idem.IN.gov)

ccopy: Jennifer Reno, IDEM Enforcement  
Ben Welvaert, IDEM PRS  
Boone County Health Department  
Mr. Roger Distler, SJC Inc ([rdistler@sjcinc.com](mailto:rdistler@sjcinc.com))

## Jordan, Sherry

---

**From:** Microsoft Outlook  
<MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@state.in.us>  
**To:** jugad1337@att.net  
**Sent:** Monday, November 3, 2025 10:11 AM  
**Subject:** Relayed: FW: PRS Correspondence

**Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:**

[jugad1337@att.net](mailto:jugad1337@att.net) ([jugad1337@att.net](mailto:jugad1337@att.net))

Subject: FW: PRS Correspondence