## Caldwell, Dwayne

From: Stackhouse, Lynn

**Sent:** Friday, June 7, 2024 9:30 AM

To: Caldwell, Dwayne

**Subject:** Re: CocoJo's RV Park - IN0041637

## Good morning,

I don't have a phone number for you, but will try to get one. I wanted to let you know that I had computer problems this morning and I'm running really late. I will be at least 20 minutes late. I am very sorry. If you get this, please let me know.

On Jun 6, 2024, at 1:48 PM, Caldwell, Dwayne <DCaldwel@idem.in.gov> wrote:

Ok sounds like we got ourselves a plan. Dwayne Caldwell OSC IDEM Emergency Response Sent from my iPhone

On Jun 6, 2024, at 1:46 PM, Stackhouse, Lynn <LStack@idem.in.gov> wrote:

I can do that. The State BOH guy also said the park manager was helpful too.

My cell is 317-691-0099 if we don't find each other in the morning.

Lynn

From: Caldwell, Dwayne < DCaldwel@idem.IN.gov>

Sent: Thursday, June 6, 2024 1:45 PM

To: Stackhouse, Lynn <LStack@idem.IN.gov> Subject: Re: CocoJo's RV Park - IN0041637

Sorry, Collin the operator.

Dwayne Caldwell OSC IDEM Emergency Response Sent from my iPhone

On Jun 6, 2024, at 1:43 PM, Stackhouse, Lynn < LStack@idem.in.gov > wrote:

I'm in a white Durango. Contact Cilliun?

Meet at the front gate?

From: Caldwell, Dwayne < DCaldwel@idem.IN.gov>

Sent: Thursday, June 6, 2024 1:42 PM

To: Stackhouse, Lynn < LStack@idem.IN.gov > Subject: Re: CocoJo's RV Park - IN0041637

That's exactly the time I would suggest! LOL I'll be in the whirlpool Durango with the light bar on top. Do you want to contact Cilliun and ask him to be there?

Dwayne Caldwell OSC IDEM Emergency Response Sent from my iPhone

On Jun 6, 2024, at 1:39 PM, Stackhouse, Lynn <<u>LStack@idem.in.gov</u>> wrote:

Would 10 am give you enough time in the aftrernoon?

From: Caldwell, Dwayne < <a href="mailto:DCaldwel@idem.IN.gov">DCaldwel@idem.IN.gov</a>>

Sent: Thursday, June 6, 2024 1:38 PM

To: Stackhouse, Lynn < LStack@idem.IN.gov > Subject: RE: CocoJo's RV Park - IN0041637

Sure do. We have dye pellets that are neon green. I have some stuff scheduled in the afternoon but morning is free.

<image001.jpg>

Dwayne S. Caldwell

On Scene Coordinator Emergency Response
(317) 308-3036 • <u>dcaldwel@idem.IN.gov</u>\_
Indiana Department of Environmental Management

Calabantin a Thinta Fina Vanna of

Celebrating Thirty-Five Years of
Protecting Hoosiers and Our Environment

```
<image002.png>
|
<image003.png>
|
<image004.png>
|
<image005.png>
|
<image006.png>
|
<www.idem.IN.gov
```

From: Stackhouse, Lynn < <a href="mailto:LStack@idem.IN.gov">LStack@idem.IN.gov</a>>

Sent: Thursday, June 6, 2024 1:36 PM

To: Caldwell, Dwayne <<u>DCaldwel@idem.IN.gov</u>>
Cc: McShane, Myra <<u>mmcshane@idem.IN.gov</u>>; Rohr,
Kimberly L <<u>KRohr@idem.IN.gov</u>>; Weingart, James
<JWEINGAR@idem.IN.gov>; Peters, Jason L

JLPeters@idem.IN.gov>

Subject: RE: CocoJo's RV Park - IN0041637

Dwayne, do you have dye to test the discharge pipe at the plant?

I have staff meeting tomorrow, but Jim may let me go here instead. I think on a Friday they would definitely have more people there and therefore; more flow.

From: Caldwell, Dwayne < <a href="mailto:DCaldwel@idem.IN.gov">DCaldwel@idem.IN.gov</a>>

Sent: Thursday, June 6, 2024 1:12 PM

To: Stackhouse, Lynn <LStack@idem.IN.gov>

**Cc:** McShane, Myra <<a href="mmcshane@idem.IN.gov">"> Rohr, Kimberly L <<a href="mmcshane@idem.IN.gov">"> Weingart, James <<a href="mmcshane@idem.IN.gov">"> Peters, Jason L</a>

<JLPeters@idem.IN.gov>

Subject: Re: CocoJo's RV Park - IN0041637

The bridle path is accessible from the road just north of the camp and leads down towards the WWTP behind the camp. Be happy to go along on an inspection if needed.

<image007.jpg>

Dwayne Caldwell OSC IDEM Emergency Response Sent from my iPhone On Jun 6, 2024, at 12:51 PM, Stackhouse, Lynn <<u>LStack@idem.in.gov</u>> wrote:

Do you know where this discharge pipe is that the State BOH referred to?

From: Caldwell, Dwayne < <a href="mailto:DCaldwel@idem.IN.gov">DCaldwel@idem.IN.gov</a>>

Sent: Thursday, June 6, 2024 12:45 PM

To: McShane, Myra

<mmcshane@idem.IN.gov>

Cc: Stackhouse, Lynn

<<u>LStack@idem.IN.gov</u>>; Rohr, Kimberly L<<u>KRohr@idem.IN.gov</u>>; Weingart, James <<u>JWEINGAR@idem.IN.gov</u>>; Peters, Jason L<<u>JLPeters@idem.IN.gov</u>>

Subject: Re: CocoJo's RV Park -

IN0041637

## Hello

I got a call about this one from a conservation officer. I went to the site and spoke to the manager and via phone to their guy Collin (260) 388-3007, who runs the plant. I didn't see any negative environmental impact while I was there, so I notified IDEM WW and IDOH about the complaint for follow up.

Dwayne Caldwell OSC IDEM Emergency Response Sent from my iPhone

> On Jun 6, 2024, at 12:37 PM, McShane, Myra <mmcshane@idem.in .gov> wrote:

Hi Lynn, OSC Caldwell is lead on this. He is copied. He did visit the site. Myra

## <image001.png> Myra McShane

Emergency Response - Section Chief
Indiana Department of Environmental Management
Shadeland Office
2525 N Shadeland Avenue
Indianapolis, IN 46219
Office: 317-308-3049
Cell: 317-691-6417
mmcshane@idem.in.gov
24-Hour Emergency Spill Line (888) 233-7745
<image002.png>
|
<image003.png>

<mage 003.png > |
<image 004.png > |
<image 005.png > |
<image 006.png > |
<mage 006

From: Stackhouse, Lynn < LStack@idem.IN.gov > Sent: Thursday, June 6, 2024 12:06 PM
To: Rohr, Kimberly L < KRohr@idem.IN.gov >; McShane, Myra < mmcshane@idem.IN.gov > ov >

Cc: Weingart, James
<JWEINGAR@idem.IN.g
ov>; Peters, Jason L
<JLPeters@idem.IN.gov
>

**Subject:** CocoJo's RV Park - IN0041637

AII,

I just received a call from Rob DeBeck, State Board of Health. He also received a complaint about this facility and went there yesterday. He said that he located a pipe down a horseman path that he thought was the discharge pipe from the WWTP into a small creek. Our permit says

it discharges into the reservoir and in the past, I was told that the discharge is subsurface. He did dye test the effluent from the plant and waited about an hour with no visible signs of the dye tracing out of the pipe, but it was a Wednesday and very few people were at the campground. He also said that the water around this pipe indicated some pretty black discharge recently.

Myra, who is assigned this one and do you know if they have visited and/or dye tested?

Thanks,

Lynn Stackhouse Wastewater Inspections Northern Regional Office

------

(317) 691-0099 | <u>Istack@idem.IN.gov</u>