

# TOWN OF VEEDERSBURG

100 S. Main St.  
Veedersburg, IN 47987-1526

Phone: 765-294-2728  
Fax: 765-294-2778

---

June 27, 2024

Pam DeVault  
Masterguard Corporation  
1200 East 8<sup>th</sup> Street  
Veedersburg, IN 47987

Dear Ms. DeVault:

This letter serves to notify you that the Town of Veedersburg has identified a violation of Masterguard's Industrial Wastewater Pretreatment Permit.

The Town of Veedersburg collected 24 hour composite samples of Masterguard's effluent June 17 to June 18, 2024. Element Lab results indicated a violation of Total Chromium. Daily Maximum for Total Chromium is 2.62 mg/L, analyses 8.99 mg/L. Element Lab results also indicated a violation of Nickel. Daily Maximum for Nickel is 2.43 mg/L, analyses 3.50 mg/L.

Within twenty (20) days of the receipt of this notice, an explanation of the violation and a plan for the satisfactory correction and prevention thereof, to include specific required actions, shall be submitted to the Town of Veedersburg.

Sincerely;



Connie Sichts  
Town of Veedersburg  
Certified Operator



Element  
Suite 100, 328 Ley Road  
Fort Wayne, Indiana  
46825, United States

T: +1 (260) 471-7000  
F: +1  
E: Info.FortWayne@element.com  
W: www.element.com

June 26, 2024

Connie Sichts  
Veedersburg Wastewater  
100 S Main St  
Veedersburg, IN 47987

RE: V-Burg WWTP

Dear Connie Sichts:

Lot Id: 190407

Element Materials Technology – Fort Wayne received 12 sample(s) on 6/19/2024 for the analyses presented in the following report.

In accordance with your instructions, a laboratory of Element Materials Technology Fort Wayne LLC either conducted or subcontracted these analyses. Subcontracted analyses will be identified in an accompanying case narrative and any associated report(s) will be attached in full. Unless otherwise noted in the case narrative, all analyses were conducted using approved methodologies. Reported results relate only to the items tested.

Estimated uncertainty is available upon request. This report shall not be reproduced, except in full, without the written approval of the laboratory.

If you have any questions regarding these test results, please feel free to call.

Sincerely,

Nicole Breauchy  
Project Manager  
Suite 100, 328 Ley Road,  
Fort Wayne, IN 46825

**Accreditation**

TNI:2016 (Florida)  
ISO 17025:2017 (A2LA)  
Indiana – Fort Wayne  
Indiana – Fort Wayne  
Indiana – Columbus  
Indiana – South Bend

**Cert #**

E871168  
6190.02  
C-02-03  
M-02-05  
M-03-02  
M-71-02

**Accreditation**

Louisiana  
Michigan  
South Dakota  
Tennessee

**Cert #**

235913  
9030  
--  
04911

## Analytical Report

Bill To: Veedersburg Wastewater 100 S Main St Veedersburg, IN, United States 47987	Project ID: V-Burg WWTP Project Name: Project Location: LSD: P.O.:	Lot ID: <b>190407</b> Control Number: Date Received: Jun 19, 2024 Date Reported: Jun 26, 2024 Report Number: 292085 Report Type: Final Report
Attn: Kristin Allen Sampled By: Company:	Proj. Acct. code:	

Reference Number		190407-1		Sample Date		2024-06-11 07:25		
Sample Description		Masterguard		Sample Matrix		Wastewater		
Analyte		Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>								
Cadmium	Total	<0.00020	mg/L		1	0.00020	Jun 21, 2024 05:34	FR
Chromium	Total	0.333	mg/L		1	0.0040	Jun 21, 2024 05:34	FR
Copper	Total	0.0148	mg/L		1	0.00020	Jun 21, 2024 05:34	FR
Lead	Total	0.00101	mg/L		1	0.00020	Jun 21, 2024 05:34	FR
Nickel	Total	0.785	mg/L		1	0.010	Jun 21, 2024 05:34	FR
Zinc	Total	0.0953	mg/L		1	0.00040	Jun 21, 2024 05:34	FR

Reference Number		190407-2		Sample Date		2024-06-11 08:00		
Sample Description		Effluent		Sample Matrix		Wastewater		
Analyte		Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>								
Cadmium	Total	<0.00020	mg/L		1	0.00020	Jun 21, 2024 05:34	FR
Chromium	Total	0.0805	mg/L		1	0.00040	Jun 21, 2024 05:34	FR
Copper	Total	0.00550	mg/L		1	0.00020	Jun 21, 2024 05:34	FR
Lead	Total	0.00040	mg/L		1	0.00020	Jun 21, 2024 05:34	FR
Nickel	Total	0.594	mg/L		1	0.010	Jun 21, 2024 05:34	FR
Zinc	Total	0.0423	mg/L		1	0.00040	Jun 21, 2024 05:34	FR

Reference Number		190407-3		Sample Date		2024-06-11 08:00		
Sample Description		Influent		Sample Matrix		Wastewater		
Analyte		Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>								
Cadmium	Total	<0.00020	mg/L		1	0.00020	Jun 21, 2024 05:34	FR
Chromium	Total	0.195	mg/L		1	0.0040	Jun 21, 2024 05:34	FR
Copper	Total	0.0273	mg/L		1	0.00020	Jun 21, 2024 05:34	FR
Lead	Total	0.00092	mg/L		1	0.00020	Jun 21, 2024 05:34	FR
Nickel	Total	0.329	mg/L		1	0.010	Jun 21, 2024 05:34	FR
Zinc	Total	0.0973	mg/L		1	0.00040	Jun 21, 2024 05:34	FR

Reference Number		190407-4		Sample Date		2024-06-12 07:15		
Sample Description		Masterguard		Sample Matrix		Wastewater		
Analyte		Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>								
Cadmium	Total	<0.00020	mg/L		1	0.00020	Jun 21, 2024 05:34	FR
Chromium	Total	0.413	mg/L		1	0.0040	Jun 21, 2024 05:34	FR
Copper	Total	0.0160	mg/L		1	0.00020	Jun 21, 2024 05:34	FR
Lead	Total	0.00067	mg/L		1	0.00020	Jun 21, 2024 05:34	FR

**Analytical Report**

Bill To: Veedersburg Wastewater 100 S Main St Veedersburg, IN, United States 47987	Project ID: V-Burg WWTP Project Name: Project Location: LSD: P.O.:	Lot ID: <b>190407</b> Control Number: Date Received: Jun 19, 2024 Date Reported: Jun 26, 2024 Report Number: 292085 Report Type: Final Report
Attn: Kristin Allen	Proj. Acct. code:	
Sampled By:		
Company:		

<b>Reference Number</b>	<b>190407-4</b>	<b>Sample Date</b>	2024-06-12 07:15					
<b>Sample Description</b>	Masterguard	<b>Sample Matrix</b>	Wastewater					
Analyte	Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS - Continued</b>								
Nickel	Total	0.795		1	0.010	Jun 21, 2024 05:34	FR	
Zinc	Total	0.0798		1	0.00040	Jun 21, 2024 05:34	FR	

<b>Reference Number</b>	<b>190407-5</b>	<b>Sample Date</b>	2024-06-13 08:00					
<b>Sample Description</b>	Masterguard	<b>Sample Matrix</b>	Wastewater					
Analyte	Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Cadmium	Total	<0.00020		1	0.00020	Jun 21, 2024 05:34	FR	
Chromium	Total	0.309		1	0.0040	Jun 21, 2024 05:34	FR	
Copper	Total	0.0122		1	0.00020	Jun 21, 2024 05:34	FR	
Lead	Total	0.00078		1	0.00020	Jun 21, 2024 05:34	FR	
Nickel	Total	0.680		1	0.010	Jun 21, 2024 05:34	FR	
Zinc	Total	0.0623		1	0.00040	Jun 21, 2024 05:34	FR	

<b>Reference Number</b>	<b>190407-6</b>	<b>Sample Date</b>	2024-06-14 08:00					
<b>Sample Description</b>	Masterguard	<b>Sample Matrix</b>	Wastewater					
Analyte	Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Cadmium	Total	<0.00020		1	0.00020	Jun 21, 2024 05:35	FR	
Chromium	Total	0.536		1	0.0040	Jun 21, 2024 05:35	FR	
Copper	Total	0.0137		1	0.00020	Jun 21, 2024 05:35	FR	
Lead	Total	0.00075		1	0.00020	Jun 21, 2024 05:35	FR	
Nickel	Total	0.761		1	0.010	Jun 21, 2024 05:35	FR	
Zinc	Total	0.0418		1	0.00040	Jun 21, 2024 05:35	FR	

<b>Reference Number</b>	<b>190407-7</b>	<b>Sample Date</b>	2024-06-18 07:55					
<b>Sample Description</b>	Masterguard	<b>Sample Matrix</b>	Wastewater					
Analyte	Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Cadmium	Total	<0.00020		1	0.00020	Jun 21, 2024 05:35	FR	
Chromium	Total	8.99		1	0.040	Jun 21, 2024 05:35	FR	
Copper	Total	0.0356		1	0.00020	Jun 21, 2024 05:35	FR	
Lead	Total	0.00141		1	0.00020	Jun 21, 2024 05:35	FR	
Nickel	Total	3.50		1	0.10	Jun 21, 2024 05:35	FR	
Zinc	Total	0.0785		1	0.00040	Jun 21, 2024 05:35	FR	

## Analytical Report

Bill To: Veedersburg Wastewater 100 S Main St Veedersburg, IN, United States 47987	Project ID: V-Burg WWTP Project Name: Project Location: LSD: P.O.:	Lot ID: <b>190407</b> Control Number: Date Received: Jun 19, 2024 Date Reported: Jun 26, 2024 Report Number: 292085 Report Type: Final Report
Attn: Kristin Allen Sampled By: Company:	Proj. Acct. code:	

Reference Number	190407-8	Sample Date	2024-06-18 08:00				
Sample Description	Effluent	Sample Matrix	Wastewater				
Analyte	Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Cadmium	Total	<0.00020	mg/L	1	0.00020	Jun 21, 2024 05:35	FR
Chromium	Total	0.0334	mg/L	1	0.00040	Jun 21, 2024 05:35	FR
Copper	Total	0.00550	mg/L	1	0.00020	Jun 21, 2024 05:35	FR
Lead	Total	0.00020	mg/L	1	0.00020	Jun 21, 2024 05:35	FR
Nickel	Total	0.544	mg/L	1	0.010	Jun 21, 2024 05:35	FR
Zinc	Total	0.0301	mg/L	1	0.00040	Jun 21, 2024 05:35	FR

Reference Number	190407-9	Sample Date	2024-06-18 08:00				
Sample Description	Influent	Sample Matrix	Wastewater				
Analyte	Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Cadmium	Total	0.00028	mg/L	1	0.00020	Jun 21, 2024 05:35	FR
Chromium	Total	1.52	mg/L	1	0.040	Jun 21, 2024 05:35	FR
Copper	Total	0.0314	mg/L	1	0.00020	Jun 21, 2024 05:35	FR
Lead	Total	0.00130	mg/L	1	0.00020	Jun 21, 2024 05:35	FR
Nickel	Total	0.67	mg/L	1	0.10	Jun 21, 2024 05:35	FR
Zinc	Total	0.142	mg/L	1	0.0040	Jun 21, 2024 05:35	FR

Reference Number	190407-10	Sample Date	2024-06-19 08:00				
Sample Description	Effluent	Sample Matrix	Wastewater				
Analyte	Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Cadmium	Total	<0.00020	mg/L	1	0.00020	Jun 21, 2024 05:35	FR
Chromium	Total	0.0378	mg/L	1	0.00040	Jun 21, 2024 05:35	FR
Copper	Total	0.00406	mg/L	1	0.00020	Jun 21, 2024 05:35	FR
Lead	Total	<0.00020	mg/L	1	0.00020	Jun 21, 2024 05:35	FR
Nickel	Total	0.595	mg/L	1	0.010	Jun 21, 2024 05:35	FR
Zinc	Total	0.0296	mg/L	1	0.00040	Jun 21, 2024 05:35	FR


Reference Number	190407-11	Sample Date	2024-06-19 08:00				
Sample Description	Influent	Sample Matrix	Wastewater				
Analyte	Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials
<b>Metals - Total in Water by ICP-MS</b>							
Cadmium	Total	<0.00020	mg/L	1	0.00020	Jun 21, 2024 05:35	FR
Chromium	Total	0.424	mg/L	1	0.0040	Jun 21, 2024 05:35	FR
Copper	Total	0.0289	mg/L	1	0.00020	Jun 21, 2024 05:35	FR
Lead	Total	0.00115	mg/L	1	0.00020	Jun 21, 2024 05:35	FR

**Analytical Report**

Bill To: Veedersburg Wastewater 100 S Main St Veedersburg, IN, United States 47987	Project ID: V-Burg WWTP Project Name: Project Location: LSD: P.O.:	Lot ID: <b>190407</b> Control Number: Date Received: Jun 19, 2024 Date Reported: Jun 26, 2024 Report Number: 292085 Report Type: Final Report
Attn: Kristin Allen Sampled By: Company:	Proj. Acct. code:	

<b>Reference Number</b>	<b>190407-11</b>	<b>Sample Date</b>	2024-06-19 08:00					
<b>Sample Description</b>	Influent	<b>Sample Matrix</b>	Wastewater					
Analyte	Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS - Continued</b>								
Nickel	Total	0.414	mg/L	1	0.010	Jun 21, 2024 05:35	FR	
Zinc	Total	0.160	mg/L	1	0.0040	Jun 21, 2024 05:35	FR	

<b>Reference Number</b>	<b>190407-12</b>	<b>Sample Date</b>	2024-06-19 07:30					
<b>Sample Description</b>	Masterguard	<b>Sample Matrix</b>	Wastewater					
Analyte	Result	Units	Qual	DF	Detection Limit	Analysis Start Date/Time	Analyst Initials	
<b>Metals - Total in Water by ICP-MS</b>								
Cadmium	Total	<0.00020	mg/L	1	0.00020	Jun 21, 2024 05:35	FR	
Chromium	Total	0.855	mg/L	1	0.0040	Jun 21, 2024 05:35	FR	
Copper	Total	0.0295	mg/L	1	0.00020	Jun 21, 2024 05:35	FR	
Lead	Total	0.00130	mg/L	1	0.00020	Jun 21, 2024 05:35	FR	
Nickel	Total	0.888	mg/L	1	0.010	Jun 21, 2024 05:35	FR	
Zinc	Total	0.0443	mg/L	1	0.00040	Jun 21, 2024 05:35	FR	

Approved by:   
 Nicole Breauchy  
 Project Manager

**Methodology and Notes**

Bill To: Veedersburg Wastewater 100 S Main St Veedersburg, IN, United States 47987	Project ID: V-Burg WWTP	Lot ID: <b>190407</b>
Attn: Kristin Allen	Project Name:	Control Number:
Sampled By:	Project Location:	Date Received: Jun 19, 2024
Company:	LSD:	Date Reported: Jun 26, 2024
	P.O.:	Report Number: 292085
	Proj. Acct. code:	Report Type: Final Report

**Method of Analysis**

Method Name	Reference	Method	Date Analysis Started	Location
Metals ICP-MS Total in water	EPA	Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8	Jun 21, 2024	Fort Wayne
Metals ICP-MS Total in water	EPA	Trace Elements in Waters and Wastes by Inductively Coupled Plasma-Mass Spectrometry, E200.8	Jun 21, 2024	Fort Wayne

**References**

EPA United States Environmental Protection Agency

Please direct any inquiries regarding this report to our Client Services group.  
Results relate only to samples as submitted.

The test report shall not be reproduced except in full, without the written approval of the laboratory.

## Report Transmission Cover Page

Bill To: Veedersburg Wastewater 100 S Main St Veedersburg, IN, United States 47987	Project ID: V-Burg WWTP Project Name: Project Location: LSD: P.O.:	Lot ID: <b>190407</b> Control Number: Date Received: Jun 19, 2024 Date Reported: Jun 26, 2024 Report Number: 292085 Report Type: Final Report
Attn: Kristin Allen Sampled By: Company:	Proj. Acct. code:	

Contact	Company	Address
Connie Sichts	Veedersburg Wastewater	100 S Main St Veedersburg, IN 47987 Phone: (765) 294-2570 Fax: Email: v-burgwwtp@att.net
<u>Delivery</u>	<u>Format</u>	<u>Deliverables</u>
Email - Merge	PDF	COC / Test Report

### Notes To Clients:

The information contained on this and all other pages transmitted, is intended for the addressee only and is considered confidential. If the reader is not the intended recipient, you are hereby notified that any use, dissemination, distribution or copy of this transmission is strictly prohibited. If you receive this transmission by error, or if this transmission is not satisfactory, please notify us by telephone.





# Sherry Laboratories - Chain of Custody Record

Laboratory Number: **190407**

Company Name: **Town of Veedersburg** Billing Information: PO Number: Project Name/Number: **V-Burg WWTP** Page 1 of 2

Contact Name: **Connie Sichts** Quote Number: Required QC Level: **Connie Sichts** Matrix Code: DW = Drinking Water, WW = Waste Water, AQ = Aqueous, OT = Other, SL = Sludge, SOL = Solid, O = Oil, SO = Soil, F = Food, SW = Swab, NG = Natural Gas, NGL = Natural Gas Liquid, PW = Produced Water, CF = Completion Fluid

Address: **100 S Main Street** City, State Zip: **Veedersburg, IN 47987** Phone Number: **765-299-5136** Ext: **765-294-2570** Fax Number: **765-294-2570** E-mail Address: **v-burgwwtp@att.net**

Which Regulations Apply:

RCRA  Drinking Water  Standard  Turn Time (Rush turn times will incur a surcharge and must be pre-approved by lab.)

POTW  Distribution  RUSH  1 Day  2 Day  Other

NPDES  Special  1 Day  2 Day  Other

USDA/PDA  State  Other

RECAP/RISC  Other

Sample ID/Description	Collection Information			Matrix	Quantity	Container Type P=Plastic, G=Glass, V=Vial	Pres. HCl, HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , NaOH, Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	Cr, Cu, Pb, Ni, Zn	Copper, Nickel	Cadmium	Cal Hardness	Mg Hardness	Chloride	Sulfate	TDS	Dissolved Nickel	Comments
	Date	Time	Grab/Composite														
Masterguard	06-11-24	7:25 am	Comp	WW	1	P	HNO <sub>3</sub>	X		X							
Effluent	06-11-24	8:00 am	Comp	WW	1	P	HNO <sub>3</sub>	X		X							
Influent	06-11-24	8:00 am	Comp	WW	1	P	HNO <sub>3</sub>	X		X							
Masterguard	06-12-24	7:15 am	Comp	WW	1	P	HNO <sub>3</sub>	X		X							
Masterguard	06-13-24	8:00 am	Comp	WW	1	P	HNO <sub>3</sub>	X		X							
Masterguard	06-14-24	8:00 am	Comp	WW	1	P	HNO <sub>3</sub>	X		X							
Masterguard	06-18-24	7:55 am	Comp	WW	1	P	HNO <sub>3</sub>	X		X							
Effluent	06-18-24	8:00 am	Comp	WW	1	P	HNO <sub>3</sub>	X		X							
Influent	06-18-24	8:00 am	Comp	WW	1	P	HNO <sub>3</sub>	X		X							

Relinquished by	Date/Time			Received by	Date/Time	Field Notes:
	Date	Time	Grab/Composite			
1 <b>Connie Sichts</b>	06-19-24	1405		<b>[Signature]</b>	06-19-24 1405	Received at lab on ice? <input type="checkbox"/> Yes <input type="checkbox"/> No Temp: <b>28°C</b>
2 <b>[Signature]</b>	06-19-24	1830		<b>[Signature]</b>	06-19-24 1830	
3						

All samples submitted to Sherry Laboratories for analysis are accepted on a custodial basis only. Sherry Laboratories reserves the right to return un-

9301 Innovation Drive, Suite 125 PO Box 569 Daleville, IN 47334-0569 Fax: 765-378-4109

629 Washington St. Suite 300 Columbus, IN 47201 Fax: 812-375-0531

2121 East Washington Boulevard Fort Wayne, IN 46803-1328 Fax: 260-471-7777

560 South Warsaw, IN 47784 Fax: 260-471-7777

2417 W. Pinhook Rd Lafayette, LA 70508 Fax: 337-235-0483

Lot: **190407** COC



SAMPLES MEET ACCEPTANCE POLICY (Y) N



# Sherry Laboratories - Chain of Custody Record

Laboratory Number: **19 0407**

<b>Client Information:</b>	<b>Billing Information:</b>	<b>PO Number:</b>	<b>Project Name/Number:</b>	<b>Page</b> 2 of 2
Company Name: <b>Town of Veedersburg</b>	Same			
Contact Name: <b>Connie Sichts</b>	Quote Number:		V-Burg WW/TP	
Address: <b>100 S Main Street</b>	Required QC Level		Sampler's Signature	
City, State Zip: <b>Veedersburg, IN 47987</b>			<i>Connie Sichts</i>	
Phone Number: <b>765-299-5136</b> Ext:			Shipping Method:	
Fax Number: <b>765-294-2570</b>			Bill Monthly <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
E-mail Address: <b>v-burgwwt@att.net</b>			UPS / FedEx / Airborne	
			DHL / Sherry / Hand / Mail	

**Matrix Code**  
 DW = Drinking Water  
 WW = Waste Water  
 GW = Ground Water  
 AQ = Aqueous  
 SL = Sludge  
 O = Oil  
 F = Food  
 NG = Natural Gas  
 NGL = Natural Gas Liquid  
 PW = Produced Water  
 CF = Completion Fluid

Sample ID/Description	Collection Information		Quantity	Container Type P=Plastic, G=Glass, V=Vial	Pres. HCl, HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , NaOH, Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>	Cr, Cu, Pb, Ni, Zn	Copper, Nickel	Cadmium	Cal Hardness	Mg Hardness	Chloride	Sulfate	TDS	Dissolved Nickel	Comments
	Date	Time													
Effluent	06-19-24	8:00 am	1	P				X							
Influent	06-19-24	8:00 am	1	P	HNO <sub>3</sub>	X		X							
Masterguard	06-19-24	7:30 am	1	P	HNO <sub>3</sub>	X		X							

**SAMPLES MEET ACCEPTANCE POLICY**  
 (Y) N

Relinquished by	Date/Time	Received by	Date/Time	Field Notes:
1 <i>Connie Sichts</i>	06-19-24	<i>[Signature]</i>	6/19/24 1405	
2 <i>[Signature]</i>	6/19/24	<i>[Signature]</i>	1830	
3				

All samples submitted to Sherry Laboratories for analysis are accepted on a custodial basis only. Ownership of the material remains with the client submitting the samples. Sherry Laboratories reserves the right to return unused sample portions.

9301 Innovation Drive, Suite 125  
 PO Box 569  
 Daleville, IN 47334-0569  
 765-378-4103  
 Fax: 765-378-4109

629 Washington St.  
 Suite 300  
 Columbus, IN 47201  
 812-375-0531  
 Fax: 812-375-0731

2121 East Washington Boulevard  
 Fort Wayne, IN 46803-1328  
 260-471-7000  
 Fax: 260-471-7777

560 South Zimmer Road  
 Warsaw, IN 46580-2368  
 574-267-3305  
 Fax: 574-269-6569

3371 Cleveland Road  
 Suite 100A  
 South Bend, IN 46628  
 574-277-0707  
 Fax: 574-273-5699

2417 W. Pinhook Rd  
 Lafayette, LA 70508  
 337-235-0483  
 Fax: 337-233-6540/106