



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

100 N. Senate Avenue • Indianapolis, IN 46204
(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Eric J. Holcomb
Governor

Brian C. Rockensuess
Commissioner

July 3, 2024

VIA EMAIL

Mr. Chet Chiles, PE
Global EHS Director
1500 South Tibbs, LLC (formerly Vertellus Integrated Pyridines, LLC)
1500 S. Tibbs Avenue
Indianapolis, IN 46241

Dear Mr. Chiles:

Re: 30-Day Extension of Generator's Hazardous
Waste Accumulation Time
1500 South Tibbs, LLC
IND000807107
Indianapolis, Marion

On July 1, 2024 you submitted an email requesting a 30-day extension for hazardous waste that will exceed the 90 days allowed for large quantity generators. The waste in question consists of four (4) waste streams from tank cleanouts at the facility in 74 containers ranging from 5000-gallon frac tanks to 55-gallon containers. The accumulation start date for the waste ranges from April 3, 2024, through April 25, 2024. The reason for the extension request is due to your logistical issues with the vendor/hauler and awaiting vendor to approve profile.

Pursuant to 40 CFR 262.17(b) as referenced by 329 IAC 3.1, an extension is granted for this waste due to your extenuating circumstances. Be advised that no further extensions can be granted under Indiana Rules.

If you have any questions concerning this matter, please contact me at (317) 234-6935 or at slowry@idem.IN.gov.

Sincerely,

Karla Devonsz
for

Susan Lowry
Section Chief
Hazardous Waste Compliance Section
Office of Land Quality

cc: [Click or tap here to enter text.](#) County Health Department

July 1, 2024

Attention: Hazwastereferrals@idem.in.gov

RE: 30-Day Extension for On-Site Accumulation of Hazardous Waste

To Whom It May Concern:

1500 South Tibbs, LLC respectfully requests a 30-day extension for the hazardous wastes listed below (i.e., that are due to be shipped offsite during the month of July 2024). Please find following the information as required per IDEM's guidance document: Extension for On-Site Accumulation of Hazardous Waste.

Facility Name: 1500 South Tibbs, LLC (formerly Vertellus Integrated Pyridines, LLC)

Facility Address and Mailing Address: 1500 S. Tibbs Avenue, Indianapolis, IN 46241-4537

Facility EPA ID Number: IND000807107

Facility Generator Status: Large Quantity Generator

Hazardous Waste Contact Information:

Name: Chet Chiles, PE

Job Title: Global EHS Director

Email: cchiles@aurorium.com

Telephone Number: (317) 903-7784

Hazardous Waste Information (for wastes in question)

Waste No.	Waste Codes	Waste Description	Quantity	How Managed	Accumulation Start Date	Reason for Extension
#1	D001, D018, D038, F003, F005	Tank Cleanout Residue – High Solids (benzene, toluene, pyridine, methanol)	62 totes @ ~ 3200 lbs each	Totes	4/3/24 - (5) 4/4/24 - (19) 4/9/24 - (4) 4/10/24 - (5) 4/11/24 - (8) 4/12/24 - (1) 4/16/24 - (7) 4/17/24 - (7) 4/18/24 - (2) 4/22/24 - (2) 4/23/24 - (2)	Company Environmental Representative left the company as well as logistical issues: slow response from waste vendor/hauler over last 30-45 days.
#2	D001, D038, U1501, U196, U220	Tank Cleanout (piperidine, cyanopyridine)	Frac Tank - 5000 gallons ~ 35,000 lbs	Frac-Tank	4/17/24	Company Environmental Representative left the company as well as logistical issues: slow response from waste vendor/hauler over last 30-45 days.
#3	D001/D003	Tank Cleanout (ruthenium catalyst)	5 Drums ~ 250/lbs each	Drums	4/10/24	Awaiting waste vendor to approve profile.
#4	D001/D038	Tank Cleanout (cyanopyridine, picoline)	5000 gal tanker trailer ~ (35000 lbs) and 5 totes ~ (2500 lbs)	Tanker Trailer and Totes	4/25/24	Company Environmental Representative left the company as well as logistical issues: slow response from waste vendor/hauler over last 30-45 days.

Thanks in advance for your time in reviewing our request. Your pending approval will greatly assist us as we work diligently to remove the waste as expeditiously as possible. Upon your approval, for each waste stream, we will annotate within our records the allowed extension time per container. This documentation will be readily available for IDEM's review. Should you have questions or require additional information, I may be reached at (317) 903-7784

Respectfully,

Chet Chiles

Chet Chiles, PE

Global EHS Director