

BrickCraft, Inc.
Center Point, Indiana
Permit Reviewer: Kristen Willoughby

Administrative Amendment No. 021-42222-00054
Amended by: Michaela Hecox

Page 44 of 61
T021-36312-00054

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH
PART 70 OPERATING PERMIT
CERTIFICATION**

Source Name: BrickCraft, Inc.
Source Address: 200 North SR 59, Center Point, Indiana 47840
Part 70 Permit No.: T021-36312-00054

This certification shall be included when submitting monitoring, testing reports/results or other documents as required by this permit.

Please check what document is being certified:

- Annual Compliance Certification Letter
- Test Result (specify)
- Report (specify) *Q4 compliance monitoring Report*
- Notification (specify)
- Affidavit (specify)
- Other (specify)

I certify that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

Signature: *Robert McIntosh*

Printed Name: *Robert McIntosh*

Title/Position: *Assis, P/T, Manager*

Phone: *812-835-2502*

Date: *1-3-24*

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH

Part 70 Quarterly Report

Source Name: BrickCraft, Inc.
Source Address: 200 North SR 59, Center Point, Indiana 47840
Part 70 Permit No.: T021-36312-00054
Facility: Dry injection fabric filter (DIFF) controlling the tunnel kiln, lime silo, and sodium bicarbonate silo
Parameter: SO₂ emissions
Limit: Not to exceed 249 tons per twelve (12) consecutive month period, with compliance determined at the end of each month

QUARTER: 4

YEAR: 2023

Month	Column 1	Column 2	Column 1 + Column 2
	This Month	Previous 11 Months	12 Month Total
Month 1	6,800	68,982	75,781
Month 2	6,642	69,094	75,736
Month 3	4,890	69,229	74,119

- No deviation occurred in this quarter.
- Deviation/s occurred in this quarter.
Deviation has been reported on:

Submitted by: Robert McWhorter
Title / Position: Asst. Plant Manager
Signature: Robert McWhorter
Date: 1-3-24
Phone: 812-835-2502

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH

Part 70 Quarterly Report

Source Name: BrickCraft, Inc.
Source Address: 200 North SR 59, Center Point, Indiana 47840
Part 70 Permit No.: T021-36312-00054
Facility: Dry injection fabric filter (DIFF) controlling the tunnel kiln, lime silo, and sodium bicarbonate silo
Parameter: HF emissions
Limit: Not be less than 10 tons per twelve (12) consecutive month period, with compliance determined at the end of each month

QUARTER: 4 YEAR: 2023

Month	Column 1	Column 2	Column 1 + Column 2
	This Month	Previous 11 Months	12 Month Total
Month 1	0.098	0.993	1.091
Month 2	0.096	0.995	1.091
Month 3	0.070	0.997	1.067

No deviation occurred in this quarter.

Deviation/s occurred in this quarter.
Deviation has been reported on:

Submitted by: Robert McIntosh
Title / Position: Assis. plant manager
Signature: Robert McIntosh
Date: 1-3-24
Phone: 812-835-2502

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
 OFFICE OF AIR QUALITY
 COMPLIANCE AND ENFORCEMENT BRANCH**

Part 70 Quarterly Report

Source Name: BrickCraft, Inc.
 Source Address: 200 North SR 59, Center Point, Indiana 47840
 Part 70 Permit No.: T021-38312-00054
 Facility: Dryinjection fabric filter (DIFF) controlling the tunnel kiln, lime silo, and sodium bicarbonate silo
 Parameter: Number of hours the DIFF may be bypassed (for routine maintenance)
 Limit: Maximum of 125 hours per twelve (12) consecutive month period, with compliance determined at the end of each month

QUARTER: 4 YEAR: 2023

Month	Column 1	Column 2	Column 1 + Column 2
	This Month	Previous 11 Months	12 Month Total
Month 1	0	0	0
Month 2	0	0	0
Month 3	0	0	0

- No deviation occurred in this quarter.
 Deviation/s occurred in this quarter.
 Deviation has been reported on:

Submitted by: Robert McIntosh
 Title / Position: Assis. Air manager
 Signature: Robert McIntosh
 Date: 1-3-24
 Phone: 812-835-2502

**INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
OFFICE OF AIR QUALITY
COMPLIANCE AND ENFORCEMENT BRANCH
PART 70 OPERATING PERMIT
QUARTERLY DEVIATION AND COMPLIANCE MONITORING REPORT**

Source Name: BrickCraft, Inc.
Source Address: 200 North SR 59, Center Point, Indiana 47840
Part 70 Permit No.: T021-36312-00054

Months: October to December Year: 2023

Page 1 of 2

<p>This report shall be submitted quarterly based on a calendar year. Proper notice submittal under Section B -Emergency Provisions satisfies the reporting requirements of paragraph (a) of Section C- General Reporting. Any deviation from the requirements of this permit, the date(s) of each deviation, the probable cause of the deviation, and the response steps taken must be reported. A deviation required to be reported pursuant to an applicable requirement that exists independent of the permit, shall be reported according to the schedule stated in the applicable requirement and does not need to be included in this report. Additional pages may be attached if necessary. If no deviations occurred, please specify in the box marked "No deviations occurred this reporting period".</p>	
<input checked="" type="checkbox"/> NO DEVIATIONS OCCURRED THIS REPORTING PERIOD.	
<input type="checkbox"/> THE FOLLOWING DEVIATIONS OCCURRED THIS REPORTING PERIOD	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	
Permit Requirement (specify permit condition #)	
Date of Deviation:	Duration of Deviation:
Number of Deviations:	
Probable Cause of Deviation:	
Response Steps Taken:	

Form Completed by: Robert McIntosh

Title / Position: Ass's, P/T, manager

Date: 1-3-2024

Phone: 812-835-2502