



5144 Utica Pike  
Jeffersonville, Indiana 47130  
Tel. (812) 280-7300  
Fax (812) 280-7049

IN0064918  
Clark Co.

June 25, 2024

Indiana Department of Environmental Management  
Office of Water Quality  
Industrial NPDES Permit Section  
OWQWWPER@idem.in.gov

Indiana Department of Environmental Management  
Office of Water Quality  
Compliance Branch  
wwReports@idem.in.gov

Re: Tanco Clark Maritime, LLC SWPPP Annual Review

Dear Sir or Madam,

Tanco Clark Maritime, LLC submits the enclosed annual review of its Stormwater Pollution Prevention Plan (SWPPP). This submittal satisfies NPDES Permit No. IN0064918 Part I Section D.5, which requires submittal of the annual review of the SWPPP control measures within twelve (12) months of the effective date of the permit.

If you have any questions, please contact me at (219) 628-1851 or by e-mail at mtaylor@wolflakeinc.com.

Sincerely,

A handwritten signature in blue ink that reads "Marrison Taylor".

Marrison Taylor  
HSSE Manager  
Wolf Lake Terminals, Inc.  
mtaylor@wolflakeinc.com  
(219) 937-4300 ext. 426 (office)  
(219) 628-1851 (cell)

Tanco Clark Maritime, LLC NPDES Permit No. IN0064918

Annual SWPPP and Site Review

Date: 06/25/2024

Person(s) conducting Review: Marrison Taylor, HSSE Manager

<b>Potential Pollution Sources</b>		<b>Additional Comments</b>
Any updates needed to list of activities, materials stored, and associated pollutants?	No	None
Any updates to outfall locations and where spills could occur?	No	None
<b>Stormwater Control Measures</b>		<b>Additional Comments</b>
Any changes to the best management practices that will be utilized to minimize exposure of pollutants to stormwater?	No	None
Any changes to good housekeeping practices?	No	None
Any changes to spill prevention/response procedures?	No	None
Any changes to where spill kits are stored on site?	No	None
Have any storage tanks/structures been altered, removed or newly installed?	No	None
If materials regulated under SPCC rules are on site, is secondary containment in place?	No	None
Are the structural and nonstructural control measures listed in Section 5 of the SWPPP effective and sufficient?	Yes	None

Other Observations, Comments, or Recommended Actions
None

Signature: Marrison Taylor

Date: 6/25/24