



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

100 N. Senate Avenue • Indianapolis, IN 46204
(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Eric J. Holcomb
Governor

Brian C. Rockensuess
Commissioner

June 28, 2024

VIA EMAIL

Mr. Jeffery Buckner
Crown Technology Incorporated
7513 E 96Th St
Indianapolis, In 46256

Re: Inspection Summary Letter
Crown Technology Incorporated
IND065539264
Indianapolis, Marion County

Dear Mr. Buckner:

On 6/27/2024, a representative of the Indiana Department of Environmental Management, Office of Land Quality, conducted an inspection of Crown Technology Incorporated, located at 7513 E 96Th St, Indianapolis, IN. This inspection was conducted pursuant to IC 13-14-2-2. For your information, and in accordance with IC 13-14-5, a summary of the inspection is provided below:

Type of Inspection: Compliance Evaluation Inspection
Referral from State Cleanup

Results of Inspection: No Violation(s) Discovered

Please direct any response to this letter and any questions to me at (317) 760-3702 or kcleveing@idem.in.gov.

Sincerely,

Kari Clevenger
Hazardous Waste Compliance Section
Compliance Branch

Enclosure

cc: Marion County Health Department



**HAZARDOUS WASTE
INSPECTION REPORT**
INDIANA DEPARTMENT OF
ENVIRONMENTAL MANAGEMENT

Inspector's Name:	Kari Clevenger	
Others Present	Jeff Wolfenbarger	Environmental Manager
Date:	Thursday, June 27, 2024	
Time In:	9:11 AM	
Time Out:	10:24 AM	
Inspection Type	Compliance Evaluation Inspection Referral from State Cleanup	

General Information

Facility Information

Facility Name	Crown Technology Incorporated
Facility Location	7513 E 96Th St Indianapolis, IN 46256 Marion County
Facility Mailing Information	Same Address as Facility
Facility Contact	Tucker Maurer 317-863-6258 tmaurer@crowntech.com
Primary Facility Contact During Inspection	Jeffery Buckner Vice President - Finance 317-845-0045 ext. 314 jbuckner@crowntech.com
Other Facility Contact(s) During Inspection	

Facility ID

EPA ID Number	IND065539264	NAICS Code	325180
---------------	--------------	------------	--------

Facility Status

File Status	Very Small Quantity Generator	Other Activities	
-------------	-------------------------------	------------------	--

Outstanding Issues

Last Inspection Date	6/21/2022
Previous Violations	<input type="radio"/> Yes <input checked="" type="radio"/> No
Details	

Inspection Narrative

IDEM staff arrived at Crown Technology Inc. on June 27, 2024, to conduct a compliance evaluation inspection (CEI) and was prompted by a referral from the Office of Land Quality State Cleanup. Crown Technology Inc. is located at 7513 East 96th Street, Indianapolis, Indiana and is notified as a Very Small Quantity Generator (VSQG). IDEM staff met with Mr. Jeffery Buckner, Vice President - Finance. IDEM staff explained the reason for the inspection and Mr. Buckner participated in the walk through of the facility.

Crown Technology, Inc. is a batch manufacturer for inhibitors and rinsates used in the steel pickling process. The facility also dries, packages, and distributes ferrous sulfate for various customers. The facility has been in operation at this location since 1983 and employs 33 people. Hours of operation are Monday through Friday, with varying shifts. The site consists of one diamond shaped building that sits on 7.2 acres and the building is approximately 85,000 square feet. Crown Technology, Inc. is a batch processor for the liquid inhibitors used in the steel pickling process. The blend may

consist of corrosive and alkaline chemicals, that are blended in tanks of various sizes on site. Raw materials and finished products are both received and sent out via bulk tanker, totes, and drums. The chemical blending manufacturing process is referred to as “aqueous blending”. In the aqueous blending process, when a batch is finished and packaged, a water rinse is performed into the empty batch tanks to clean out residual product. The facility has one quality lab on site that generates 140-175 lbs. of hazardous waste (D002) per month. The waste from the tank rinse-out was emptied into the chem pit, a 330-gallon underground polyethylene storage tank. The tank is being replaced and currently not in use. The water rinse generates an average ~5.5 pH wastewater that is treated on site in a 1,000-gallon elementary neutralization tank with caustic soda. Monthly monitoring of flow, biochemical oxygen demand (BOD), total suspended solids (TSS), and ammonia (NH3) is recorded and submitted to Citizen’s Water.

The facility purchases rinsed ferrous sulfate from customers who use an acid recovery system. The salts are heated in a gas drier at high temps until the moisture content meets specification standards. The ferrous sulfate is packaged and shipped to various food grade and tech distributors. The ferrous sulfate division does not generate hazardous waste in its processes. The facility’s forklift and machine maintenance are contracted out.

The facility has a holding pond on site that contains storm water run-off from the ferrous sulfate heptahydrate processing and the area parking lot. It has been determined the discharge from the pond requires no regulation. The water has been approved to be discharged into the sewer according to the City of Indianapolis. The rocks, vegetation, soil, and pond are visibly orange due to iron oxidation.

The inspection consisted of an opening conference, facility tour, record review, and closing conference. The lab, chemical warehouse, blending room, holding pond, ferrous sulfate storage and processing area, maintenance department, and manufacturing area were observed. Records were reviewed included monthly waste generation (see attached) and pit pH and pH adjusting from the lab.

No violations were discovered at the time of the inspection.

Regulatory Status			
Observed Activity	Very Small Quantity Generator	Other Activities	
Documents Reviewed	Manifests Land Disposal Notification		
Comments			

Waste Management				
Comments:				
Waste Stream(s) Information				
Waste Streams				
<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Inspected <input type="radio"/> Not Applicable				
List waste stream(s) information that varies from the most recent Annual Report (Example: additional waste streams, waste streams no longer generated, significant increase/decrease in generation rate, etc.)				
EPA Waste Codes	Description	Source	Generation Rate	Disposition
D002	Corrosive Liquids Acidic	Blending Room	140-175 lbs. per month	Environmental Enterprises Inc, OHD083377010
D001	Aerosols	Maintenance	100 lbs. in 2023	Environmental Enterprises Inc, OHD083377010
Non-hazardous	~3-5.5 pH Wastewater	Rise out tanks and floor in blending room	~480 gallons/month	Treated onsite in elementary neutralization tank and discharged to Marion County WWTP
Exempted/Excluded	<input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not Inspected <input type="radio"/> Not Applicable			

Explanation	Explanation			
	Elementary Neutralization Units 40 CFR 260.10			
Waste Management Areas				
Container Management Area(s) <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not inspected <input type="radio"/> Not applicable				
EPA Waste Codes	Location	Number	Size	Type of Container
D002	Hazardous Waste Storage Area	4	55-gallon	Plastic
Satellite Area(s) <input checked="" type="radio"/> Yes <input type="radio"/> No <input type="radio"/> Not inspected <input type="radio"/> Not applicable				
EPA Waste Codes	Location	Comments		
D002	QA Lab	5-gallon plastic container		
Tanks, Restricted Waste Sites, and Other Regulated Units				
<input type="radio"/> Yes <input checked="" type="radio"/> No <input type="radio"/> Not inspected <input type="radio"/> Not applicable				

Environmental Releases	
Visible Releases/Contamination/Discharges	<input type="radio"/> Yes <input checked="" type="radio"/> No Release Observed

Compliance Assistance	
P2 Information	
The following P2 suggestions could possibly save money, reduce waste and/or minimize risk. You might consider having a P2 assessment, or a voluntary technical assistance consultation from IDEM staff. Please visit the agency's P2 web site at http://www.in.gov/idem/5298.htm for additional information.	
Contact by IDEM OPPTA Requested	<input type="radio"/> Yes <input type="radio"/> No
P2 Suggestions	

Guidance Materials	
Guidance Materials Provided to Facility	

Checklist (Checked box indicates a compliance concern)	
Standards <input type="checkbox"/> Hazardous Waste Determination <input type="checkbox"/> Recordkeeping (SQG and LQG) <input type="checkbox"/> Identifying Hazardous Waste Numbers (SQG and LQG) <input type="checkbox"/> Generator Category Determination <input type="checkbox"/> Notification (SQG, LQG, Transporter, TSDF) <input type="checkbox"/> Release to the Environment, Disposal of Solid Waste <input type="checkbox"/> Illegal Dumping <input type="checkbox"/> Other Violation	TSDF Permit Requirements <input type="checkbox"/> TSDF Permit Requirements <input type="checkbox"/> Other Violation

LQG Hazardous Waste Standards

- Accumulate for 90 Days or Less
- Container Condition
- Compatibility of Waste with Container
- Containers Closed
- Container Handling
- Central Accumulation Area Inspection
- Ignitable or Reactive Wastes - Distance from Property Line
- Ignitable or Reactive Wastes - Sources of Ignition/Reaction: "No Smoking" signs
- Conditions for Accumulation of Incompatible Wastes
- Container Labeled "Hazardous Waste"
- Container Marked with Indication of Hazards
- Containers Marked with Accumulation Start Date
- Tank Integrity Assessment
- Tank Containment and Detection of Releases
- Tank General Operating Requirements
- Tank Inspections
- Tank Subpart BB - Monthly Pump and Valve Monitoring
- Tank Subpart CC - Annual Inspection/Monitoring
- Tank Labeled "Hazardous Waste"
- Tank Marked with Indication of Hazards
- Tank Documentation for 90-Day Accumulation
- Maintenance and Operation of Facility
- Required Equipment
- Testing and Maintenance of Equipment
- Aisle Space
- Arrangements with Local Authorities
- Arrangements with Local Authorities - Documentation
- Contingency Plan Developed
- Content of Contingency Plan
- Copies of Contingency Plan
- Contingency Plan Quick Reference Guide
- Emergency Coordinator
- Personnel Training Program
- Personnel Training - Complete Within Six Months
- Personnel Training Annual Review

SQG Hazardous Waste Standards

- Accumulate for 180 Days or Less
- Accumulation Limit
- Container Condition
- Compatibility of Waste with Container
- Containers Closed
- Container Handling
- Central Accumulation Area Inspections
- Conditions for Accumulation of Incompatible Wastes
- Container Labeled "Hazardous Waste"
- Container Marked with Indication of Hazards
- Container Marked with Accumulation Start Date
- Tank Operating Conditions
- Tank Inspections
- Tank Labeled "Hazardous Waste"
- Tank Marked with Indication of Hazardous
- Tank Documentation for 180-Day Accumulation
- Land Disposal Restrictions
- Maintenance and Operation of Facility
- Required Equipment
- Testing and Maintenance of Equipment
- Access to Communications or Alarm System
- Aisle Space
- Arrangements with Local Authorities
- Arrangements with Local Authorities - Documentation
- Emergency Coordinator
- Emergency Information Posted
- Employee Training
- Other Small Quantity Generator Standards

VSQG Standards

- Hazardous Waste Generation Limit
- Hazardous Waste Accumulation Limit
- Hazardous Waste Determination
- Proper Disposal
- Prohibited Disposal of Liquids in Landfills

<input type="checkbox"/> Personnel Training Documentation <input type="checkbox"/> Personnel Training Record Retention <input type="checkbox"/> Notification for Closure <input type="checkbox"/> Land Disposal Restrictions <input type="checkbox"/> Large Quantity Generator - Other Violations	
---	--

Satellite Accumulation – SQG and LQG <input type="checkbox"/> Quantity Limits, Point of Generation, Under Control of Operator <input type="checkbox"/> Container Condition <input type="checkbox"/> Compatibility with Container <input type="checkbox"/> Incompatible Wastes <input type="checkbox"/> Containers Closed <input type="checkbox"/> Container Labeled "Hazardous Waste" <input type="checkbox"/> Container Marked with Indication of Hazards <input type="checkbox"/> Preparedness and Prevention <input type="checkbox"/> Excess Generation	Manifest and Recordkeeping - LQG and SQG <input type="checkbox"/> Manifest General Requirements <input type="checkbox"/> Use of the Manifest
--	---

Episodic Generation <input type="checkbox"/> Notification <input type="checkbox"/> EPA ID Number <input type="checkbox"/> Accumulate for 60 Days or Less <input type="checkbox"/> Accumulation Prohibitions <input type="checkbox"/> Container Labeling <input type="checkbox"/> Tank Labeling and Recordkeeping <input type="checkbox"/> Recordkeeping <input type="checkbox"/> Preparedness and Prevention <input type="checkbox"/> Other Violation	Hazardous Secondary Materials <input type="checkbox"/> Reclaimed Under Control of the Generator <input type="checkbox"/> Contained <input type="checkbox"/> Speculative Accumulation <input type="checkbox"/> Notice <input type="checkbox"/> Documentation of Legitimacy Determination <input type="checkbox"/> Emergency Preparedness and Response <input type="checkbox"/> Emergency Procedures (Accumulates 6,000 kg or Less) <input type="checkbox"/> Emergency Procedures (Accumulates Greater than 6,000 kg) <input type="checkbox"/> Other Violation
---	--

Solvent-Contaminated Wipes – Disposal <input type="checkbox"/> Container Management (Non-leaking containers) <input type="checkbox"/> Closed Containers <input type="checkbox"/> Labeling <input type="checkbox"/> Accumulation Time <input type="checkbox"/> No Free Liquids <input type="checkbox"/> Free Liquids Management <input type="checkbox"/> Documentation <input type="checkbox"/> Final Disposition	Solvent-Contaminated Wipes - Laundered or Dry Cleaned <input type="checkbox"/> Container Management (Non-leaking containers) <input type="checkbox"/> Closed Containers <input type="checkbox"/> Labeling <input type="checkbox"/> Accumulation Time <input type="checkbox"/> No Free Liquids <input type="checkbox"/> Free Liquids Management <input type="checkbox"/> Documentation <input type="checkbox"/> Clean Water Act
---	---


Universal Waste – All Facilities <input type="checkbox"/> Universal Waste Labeling <input type="checkbox"/> Containers - Closed, Good Condition, No Evidence of Leaks <input type="checkbox"/> Universal Waste - Bulb Crushing Prohibition	Used Oil – All Facilities <input type="checkbox"/> Rebuttable Presumption Applies <input type="checkbox"/> Containers and Tanks in Good Condition <input type="checkbox"/> Containers/Tank Labeling <input type="checkbox"/> Release Clean Up and Containment <input type="checkbox"/> Burning Restrictions - Generated On-site or DIY, .5M BTU
--	---

Description of Violation(s)

Inspection Documentation	
Photographs	<input type="radio"/> Yes <input checked="" type="radio"/> No
Map	<input checked="" type="radio"/> Maps
GPS Location Collected	<input type="radio"/> Yes <input checked="" type="radio"/> No
Analytical Screening Conducted	<input type="radio"/> Yes <input checked="" type="radio"/> No
Lab Sample	<input type="radio"/> Yes <input checked="" type="radio"/> No

Inspection Results/Actions	
Comments:	
Inspection Results	
No Violation(s) Discovered	
Multi-Media Concerns	
No concerns noted	

Finalize Inspection	
Written Summary of Inspection	Notice of Inspection and Verbal Summary Provided
Inspector Information	Printed/Typed Name: Kari Clevenger
	Phone Number: (317) 234-6935
	Email Address: kcleveng@idem.in.gov
	Signature: Obtained on the Inspection Verification/Findings Form
Facility Representative Signature	Printed/Typed Name: Jeffery Buckner
	Signature: Obtained on the Inspection Verification/Findings Form



OIL STORAGE AREAS SHOWN IN BLUE



880 LENNOX COURT
ZIONSVILLE, INDIANA 46077

LEGEND

- ☒ TRANSFORMER
- ⊙ SPILL KIT





INSPECTION VERIFICATION/FINDINGS

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

100 N. Senate Avenue
Indianapolis, Indiana 46204-2251
Telephone: (800) 451-6027 or (317) 232-8603
Web Page: http://www.in.gov/idem/

On 6/27/2024 an inspection of Crown Technology was conducted by the undersigned representative of the Indiana Department of Environmental Management (IDEM), Office of Land Quality.

Type of Inspection (may include more than one):

- Checkboxes for Routine Compliance Evaluation, Follow Up Inspection, Compliance Assistance Inspection, Complaint, Multi-Media Screening Evaluation, and Other.

Inspection Findings:

These findings are considered preliminary and identify specific compliance issues discovered during the above-noted inspection that the designated agent of IDEM believes may be a violation of a statute(s), rule(s) or permit(s) issued by IDEM.

- Checkboxes for No violations were discovered with respect to the particular items observed during the inspection, Violations were discovered but corrected during the inspection, Violations were discovered and require a submittal from you and/or follow-up inspection by IDEM, Violations were discovered and may subject you to an appropriate enforcement response, Additional information/review is required to evaluate overall compliance, and Other/Comments.

Confidential Information

In accordance with 329 IAC 6.1 (http://www.in.gov/legislative/iac/T03290/A00061.PDF) a person submitting information to the department for which confidential treatment is requested shall make a written claim of confidentiality at the time of submittal of the information. A person may request confidential treatment of information at the time the information is acquired through the actions of the department, such as inspections. The written claim for confidential treatment may be broad, but must be sufficiently clear to allow for accurate identification of the information claimed to be confidential. In accordance with 329 IAC 6.1-4-1(d), supporting information must be submitted to the commissioner within five (5) working days from the time the information claimed as confidential is acquired by the department. A person submitting a claim of confidentiality shall designate and segregate the information and the supporting information to which the claim applies in a manner that is sufficiently clear to allow the department to identify all confidential claim materials. Confidential information may include (but is not limited to) written or printed material, maps, charts, photographs, or samples (see definition of information at 329 IAC 6.1-2-8). The undersigned Owner/Representative has alleged information acquired during this inspection [] does [X] does not (check one) contain confidential information. A check in the "does" box is not a written claim for confidential treatment of information acquired during this inspection.

Notice of Oral Report

In accordance with IC 13-14-5 an oral report of the inspection was provided to the undersigned Owner/Agent at the conclusion of the inspection. The oral report includes any specific matters discovered during the inspection that the IDEM representative believes may be a violation of a law or of a permit issued by the department. The report does not include matters not evident to the IDEM representative or any fact that indicates an intentional, a knowing, or a reckless violation.

IDEM Representative:

Signature block for Kari Clevenger, including printed name, signature, date (6/27/2024), phone number (317-760-3702), email (kcleveng@idem.in.gov), and time in/out (9:11am / 10:24am).

Owner/Representative:

Signature block for Jeffrey R. Buckner, including printed name, signature, title (VP - Finance), phone number (317-863-6251), email (jbuckner@erowntech.com), and date (6/27/24).

IDEM prefers to email your report. Please check this box to indicate you prefer to receive a copy of the inspection report via U.S. mail: []

SAMPLE DATE	pH (3.0-11.5)	CORRECTION	pH	TOTALIZER START
4/14/2023	3.44			423030
4/18/2023	4.86			424030
4/25/2023	6.99			424870
5/12/2023	5.05			425666
5/25/2023	5.34			426592
6/9/2023	5.03			427360
6/27/2023	6.54			428208
7/13/2023	4.08			429036
7/21/2023	3.01			429982
8/2/2023	5.13			430702
8/15/2023	5.13			431544
8/29/2023	6.27			432215
9/6/2023	3.14			433102
9/21/2023	4.81			433988
10/10/2023	5.03			434882
10/27/2023	5.34			435665
11/9/2023	5.74			436687
11/28/2023	7.37			437455
12/8/2023	4.57			438358
12/27/2023	3.74			439217
12/29/2023	4.9			440070
1/15/2024	7.65			440380
2/1/2024	4.85			441170
2/20/2024	5.54			442036
2/29/2024	3.19			442906
3/8/2024	6.72			443740
4/3/2024	4.9			444366
4/19/2024	5.21			445196
5/17/2024	5.24			446028
5/31/2024	5.74			446825
6/19/2024	3.73			447740

SAMPLE DATE	pH (3.0-11.5)	CORRECTION	pH
4/6/2023	9.5		
4/10/2023	6.18		
4/13/2023	6.45		
4/18/2023	7.61		
5/22/2023	4.83		
5/23/2023	6.82		
5/24/2023	6.84		
5/25/2023	6.86		
5/30/2023	6.14		
5/31/2023	8.73		
6/1/2023	No production		
6/2/2023	No production		
6/5/2023	10.66		
6/6/2023	7.07		
6/7/2023	No production		
6/8/2023	6		
6/9/2023	5.13		
6/12/2023	5.03		
6/13/2023	5.42		
6/14/2023	5.61		
6/15/2023	No production		
6/16/2023	No production		
6/19/2023	No production		
6/20/2023	5.22		
6/21/2023	No production		
6/22/2023	5.74		
6/23/2023	No production		
6/26/2023	5.06		
6/27/2023	No production		
6/28/2023	No production		
6/29/2023	No production		
6/30/2023	No production		
7/5/2023	10.55		
7/6/2023	6.16		
7/7/2023	No production		
7/10/2023	5.49		
7/11/2023	5.08		
7/12/2023	No production		
7/13/2023	4.08		
7/14/2023	No production		
7/15/2023	No production		
7/17/2023	4.39		
7/18/2023	No production		
7/19/2023	No production		
7/20/2023	3.56		
7/21/2023	No production		

7/31/2023	1.8 added 30# caustic	5.35
8/2/2023	6.51	
8/7/2023	No production	
8/8/2023	3.93	
8/9/2023	3.79	
8/14/2023	No production	
8/15/2023	No production	
8/16/2023	No production	
8/17/2023	No production	
8/18/2023	No production	
8/21/2023	5.91	
8/22/2023	6.91	
8/23/2023	No production	
8/24/2023	No production	
8/25/2023	No production	
8/28/2023	3.67	
8/29/2023	No production	
8/30/2023	No production	
8/31/2023	No production	
9/4/2023	3.76	
9/5/2023	No production	
9/6/2023	4.12	
9/7/2023	No production	
9/8/2023	3.33	
9/11/2023	No production	
9/12/2023	No production	
9/13/2023	4.15	
9/14/2023	4.02	
9/15/2023	No production	
9/18/2023	3.26	
9/19/2023	No production	
9/20/2023	4.7	
9/29/2023	8.24	
11/2/2023	5.51	
11/3/2023	5.03	
11/7/2023	6.74	
11/8/2023	8	
11/9/2023	4.97	
11/10/2023	2.2 added 60# caustic	9.3
11/27/2023	3.25	
11/28/2023	No production	
11/29/2023	No production	
11/30/2023	4.4	
12/1/2023	6.05	
12/13/2023	4.93	
12/27/2023	3.13	
1/3/2024	5.03	

1/4/2024	4.96
1/5/2024	4.57
1/8/2024	5.53
1/9/2024	3.11
1/10/2024	3.04
1/11/2024	3.17
1/12/2024	6.19
1/15/2024	7.65
1/16/2024	No pit water added
1/17/2024	No pit water added
1/18/2024	3.09
1/19/2024	3.21
1/22/2024	3.16
1/23/2024	No pit water added
1/24/2024	3.1
1/25/2024	3.31
1/26/2024	No pit water added
1/29/2024	No pit water added
1/30/2024	4.62
1/31/2024	No pit water added
2/1/2024	4.85
2/2/2024	No pit water added
2/5/2024	No pit water added
2/6/2024	4.71
2/7/2024	No pit water added
2/8/2024	4.65
2/9/2024	5.71
2/12/2024	6.32
2/13/2024	7.48
2/14/2024	9.3
2/15/2024	No pit water added
2/16/2024	No pit water added
2/19/2024	7.89
2/20/2024	5.54
2/21/2024	No pit water added
2/22/2024	No pit water added
2/23/2024	No pit water added
2/26/2024	6.78
2/27/2024	No pit water added
2/28/2024	No pit water added
2/29/2024	3.19
3/1/2024	No pit water added
3/4/2024	No pit water added
3/5/2024	3.65
3/6/2024	No pit water added
3/7/2024	3.68
3/8/2024	6.75

3/11/2024 No pit water added
3/12/2024 3.99
3/13/2024 No pit water added
3/14/2024 No pit water added
3/15/2024 4.03
3/18/2024 3.51
3/19/2024 No pit water added
3/20/2024 4.89
3/21/2024 No pit water added
3/22/2024 7.16
3/25/2024 6.94
3/26/2024 No pit water added
3/27/2024 No pit water added
3/28/2024 No pit water added
4/1/2024 3.03
4/2/2024 No pit water added
4/3/2024 4.91
4/4/2024 No pit water added
4/5/2024 5.97
4/8/2024 No pit water added
4/9/2024 6.87
4/10/2024 No pit water added
4/11/2024 6.24
4/12/2024 5.18
4/15/2024 No pit water added
4/16/2024 7.21
4/17/2024 6.07
4/18/2024 No pit water added
4/19/2024 5.21
4/22/2024 4.37
4/23/2024 No pit water added
4/24/2024 3.57
4/25/2024 3.61
4/26/2024 No pit water added
4/29/2024 No pit water added
4/30/2024 4.31
5/1/2024 No pit water added
5/2/2024 4.31
5/3/2024 4.62
5/6/2024 4.11
5/7/2024 No pit water added
5/8/2024 No pit water added
5/9/2024 4.89
5/10/2024 5.31
5/13/2024 4.72
5/14/2024 No pit water added
5/15/2024 No pit water added

5/16/2024	4.41
5/17/2024	5.11
5/20/2024	5.02
5/21/2024	4.91
5/22/2024	Chem blending room Construction/ pit not in use
5/23/2024	Chem blending room Construction/ pit not in use
5/24/2024	Chem blending room Construction/ pit not in use
5/28/2024	Chem blending room Construction/ pit not in use
5/29/2024	Chem blending room Construction/ pit not in use
5/30/2024	Chem blending room Construction/ pit not in use
5/31/2024	Chem blending room Construction/ pit not in use
6/3/2024	Chem blending room Construction/ pit not in use
6/4/2024	Chem blending room Construction/ pit not in use
6/5/2024	Chem blending room Construction/ pit not in use
6/6/2024	Chem blending room Construction/ pit not in use
6/7/2024	Chem blending room Construction/ pit not in use
6/10/2024	Chem blending room Construction/ pit not in use
6/11/2024	Chem blending room Construction/ pit not in use
6/12/2024	Chem blending room Construction/ pit not in use
6/13/2024	Chem blending room Construction/ pit not in use
6/14/2024	Chem blending room Construction/ pit not in use
6/17/2024	Chem blending room Construction/ pit not in use
6/18/2024	Chem blending room Construction/ pit not in use
6/19/2024	Chem blending room Construction/ pit not in use
6/20/2024	Chem blending room Construction/ pit not in use
6/21/2024	Chem blending room Construction/ pit not in use

DATE	ADDED	REMOVED	TOTAL	
3/21/2023		52	52	
4/28/2023		88	140	
5/31/2023		86	226	
6/30/2023		92	318	
7/31/2023		97	415	
8/23/2023		215	200	3Pro
9/1/2023	155		355	
10/2/2023	170		525	
10/4/2023		215	310	3Pro
11/1/2023	131		441	
12/1/2023	124		565	
1/2/2024	190		755	
2/1/2024	155		910	
2/6/2024		215	695	3Pro
3/1/2024	165		860	

