

### INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We Protect Hoosiers and Our Environment.

100 N. Senate Avenue • Indianapolis, IN 46204

(800) 451-6027 • (317) 232-8603 • www.idem.IN.gov

Eric J. Holcomb

Brian C. Rockensuess

Commissioner

July 2, 2024

### **VIA EMAIL**

Amy McCanlis EH&S Technician Martinrea Industries Inc. 123 Sycamore Street North Vernon, IN 47265

Dear Ms. McCanlis:

Re: Return to Compliance

Martinrea Industries Inc.

IND985104736

North Vernon, Jennings County

On June 3, 2024 an inspection was conducted at, Martinrea Industries Inc., located at 505 Industrial Drive, North Vernon, Indiana. A Violation Letter was issued to your facility on June 6, 2024 as a result of the inspection. Based upon information received on June 27, 2024, it has been determined that you have achieved compliance with the citations noted during the inspection.

Thank you for your cooperation in resolving this matter. If you have any questions concerning this matter, please contact me at (317) 418-9299 or at sdraschi@idem.in.gov.

Sincerely,

Scott Draschil

Hazardous Waste Compliance Section

Compliance Branch

Enclosure

cc: Jennings County Health Department

## MARTINREA INDUSTRIES, INC.

June 24, 2024

IDEM-Office of Land Quality
Hazardous Waste Compliance Section
Attn: Scott Draschil
100 N Senate Ave.
Indianapolis, IN
46204

RE: Response to Violation Letter
MARTINREA INDUSTRIES, INC.
IND985104736

Dear Mr. Draschil,

This letter is in response to the compliance evaluation inspection that was conducted at our facility, 505 Industrial Drive, on 6/3/2024 and subsequent violation(s) that were observed. At the time of the inspection it was noted that our "Quick Reference Guide" did not contain all of the required information. The following items were missing and have be corrected in Martinrea's QRG:

- (4) A map of the facility showing where hazardous wastes are generated, accumulated and treated and routes for accessing these wastes;
- (5) A street map of the facility in relation to surrounding businesses, schools and residential areas to understand how best to get to the facility and also evacuate citizens and workers;
- (6) The locations of water supply (e.g., fire hydrant and its flow rate);
- (7) The identification of on-site notification systems (e.g., a fire alarm that rings off site, smoke alarms)

A copy of the Quick Reference Guide (QRG) is attached to this letter and copies of the revised guide and Contingency Plan will be sent to the local emergency response agencies. Please let us know if you have any questions or concerns.

Sunshine Galliher, General Manager

cc: Ms. Amy McCanlis, EHS Manager

File

# MARTINREA INDUSTRIES –QUICK REFERENCE GUIDE HAZARDOUS WASTE CONTINGENCY PLAN

Facility Name: Martinrea Industries Inc.

**Facility Contacts:** 

Primary Emergency Coordinator:

Secondary Emergency Coordinator:

Tertiary Emergency Coordinator:

Robert Machino- (812) 767-4154

Amy McCanlis- (812) 767-6529

John Harrod (812) 767-4032

Martinrea Industries Inc. operates 3 shifts, 24/7, the order of contact during an emergency is listed above.

### **Hazardous Waste Information:**

Name of Waste	Waste Codes/Hazards	Location Accumulated	Maximum Amounts Present	Response Notes	Special Notes to Hospital/Treatment Personnel
Paint Related Wastes (Liquid)	D001, F003, F005- Ignitability, Benzene, Toluene	Dip Spin Painting Process- Cleaning	5-55 gallon drums (roughly 2,150 pounds)	If personnel come into direct contact with material, decontamination at the hospital may be required prior to treatment.	N/A
Paint Related Wastes (Solids)	D001- Flammable Solid Organic H91 Paint Filters	Dip Spin Painting Process- Cleaning	5-55 gallon drums (roughly 2,150 pounds)	If personnel come into direct contact with material, decontamination at the hospital may be required prior to treatment.	N/A



