

FURTHER SITE INVESTIGATION REPORT

**Former Harman-Becker Automotive Systems, Inc.
1201 South Ohio Street
Martinsville, Indiana 46151**

July 8, 2011

Part 2 of 2



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Thursday March 11, 2010

Report Number: L447698

Samples Received: 03/04/10

Client Project: 3872

Description: Harman Becker

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

T. Alan Harvill , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker

ESC Sample # : 1447698-01

Sample ID : B-84 4-6FT

Site ID :

Collected By : Stevenson-Taylor
Collection Date : 03/03/10 08:55

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	85.4		%	2540G	03/05/10	1
Volatile Organics						
Acetone	0.16	0.058	mg/kg	8260B	03/10/10	1
Acrylonitrile	BDL	0.012	mg/kg	8260B	03/10/10	1
Benzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
Bromobenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
Bromodichloromethane	BDL	0.0012	mg/kg	8260B	03/10/10	1
Bromoform	BDL	0.0012	mg/kg	8260B	03/10/10	1
Bromomethane	BDL	0.0058	mg/kg	8260B	03/10/10	1
n-Butylbenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
sec-Butylbenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
tert-Butylbenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
Carbon tetrachloride	BDL	0.0012	mg/kg	8260B	03/10/10	1
Chlorobenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
Chlorodibromomethane	BDL	0.0012	mg/kg	8260B	03/10/10	1
Chloroethane	BDL	0.0058	mg/kg	8260B	03/10/10	1
2-Chloroethyl vinyl ether	BDL	0.058	mg/kg	8260B	03/10/10	1
Chloroform	BDL	0.0058	mg/kg	8260B	03/10/10	1
Chloromethane	BDL	0.0012	mg/kg	8260B	03/10/10	1
2-Chlorotoluene	BDL	0.0012	mg/kg	8260B	03/10/10	1
4-Chlorotoluene	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0058	mg/kg	8260B	03/10/10	1
1,2-Dibromoethane	BDL	0.0012	mg/kg	8260B	03/10/10	1
Dibromomethane	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,2-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,3-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,4-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
Dichlorodifluoromethane	BDL	0.0058	mg/kg	8260B	03/10/10	1
1,1-Dichloroethane	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,2-Dichloroethane	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,1-Dichloroethene	BDL	0.0012	mg/kg	8260B	03/10/10	1
cis-1,2-Dichloroethene	BDL	0.0012	mg/kg	8260B	03/10/10	1
trans-1,2-Dichloroethene	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,2-Dichloropropane	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,1-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/10/10	1
cis-1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/10/10	1
trans-1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/10/10	1
2,2-Dichloropropane	BDL	0.0012	mg/kg	8260B	03/10/10	1
Di-isopropyl ether	BDL	0.0012	mg/kg	8260B	03/10/10	1
Ethylbenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
Hexachloro-1,3-butadiene	BDL	0.0012	mg/kg	8260B	03/10/10	1
Isopropylbenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : B-84 4-6FT
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 08:55

ESC Sample # : 1447698-01

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0012	mg/kg	8260B	03/10/10	1
2-Butanone (MEK)	0.013	0.012	mg/kg	8260B	03/10/10	1
Methylene Chloride	BDL	0.0058	mg/kg	8260B	03/10/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.012	mg/kg	8260B	03/10/10	1
Methyl tert-butyl ether	BDL	0.0012	mg/kg	8260B	03/10/10	1
Naphthalene	BDL	0.0058	mg/kg	8260B	03/10/10	1
n-Propylbenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
Styrene	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0012	mg/kg	8260B	03/10/10	1
Tetrachloroethene	BDL	0.0012	mg/kg	8260B	03/10/10	1
Toluene	BDL	0.0058	mg/kg	8260B	03/10/10	1
1,2,3-Trichlorobenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,2,4-Trichlorobenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,1,1-Trichloroethane	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,1,2-Trichloroethane	BDL	0.0012	mg/kg	8260B	03/10/10	1
Trichloroethene	BDL	0.0012	mg/kg	8260B	03/10/10	1
Trichlorofluoromethane	BDL	0.0058	mg/kg	8260B	03/10/10	1
1,2,3-Trichloropropane	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,2,4-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,2,3-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
1,3,5-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	03/10/10	1
Vinyl chloride	BDL	0.0012	mg/kg	8260B	03/10/10	1
Xylenes, Total	BDL	0.0035	mg/kg	8260B	03/10/10	1
Surrogate Recovery						
Toluene-d8	107.		% Rec.	8260B	03/10/10	1
Dibromofluoromethane	114.		% Rec.	8260B	03/10/10	1
4-Bromofluorobenzene	94.4		% Rec.	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/11/10 16:13 Printed: 03/11/10 16:14

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : B-84 8-10.5FT
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 09:05

ESC Sample # : 1447698-02

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	89.6		%	2540G	03/05/10	1
Volatile Organics						
Acetone	0.090	0.056	mg/kg	8260B	03/10/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/10/10	1
Benzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromomethane	BDL	0.0056	mg/kg	8260B	03/10/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chloroethane	BDL	0.0056	mg/kg	8260B	03/10/10	1
2-Chloroethyl vinyl ether	BDL	0.056	mg/kg	8260B	03/10/10	1
Chloroform	BDL	0.0056	mg/kg	8260B	03/10/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0056	mg/kg	8260B	03/10/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Dichlorodifluoromethane	BDL	0.0056	mg/kg	8260B	03/10/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : B-84 8-10.5FT
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 09:05

ESC Sample # : 1447698-02

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
2-Butanone (MEK)	0.012	0.011	mg/kg	8260B	03/10/10	1
Methylene Chloride	BDL	0.0056	mg/kg	8260B	03/10/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/10/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1
Naphthalene	BDL	0.0056	mg/kg	8260B	03/10/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/10/10	1
Tetrachloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Toluene	BDL	0.0056	mg/kg	8260B	03/10/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Trichlorofluoromethane	BDL	0.0056	mg/kg	8260B	03/10/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/10/10	1
Xylenes, Total	BDL	0.0033	mg/kg	8260B	03/10/10	1
Surrogate Recovery						
Toluene-d8	104.		% Rec.	8260B	03/10/10	1
Dibromofluoromethane	108.		% Rec.	8260B	03/10/10	1
4-Bromofluorobenzene	102.		% Rec.	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/11/10 16:13 Printed: 03/11/10 16:14

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : B-85 8-10FT
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 11:25

ESC Sample # : 1447698-03

Site ID :
Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	90.6		%	2540G	03/05/10	1
Volatile Organics						
Acetone	BDL	0.056	mg/kg	8260B	03/10/10	1.01
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/10/10	1.01
Benzene	0.0018	0.0011	mg/kg	8260B	03/10/10	1.01
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Bromoform	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Bromomethane	BDL	0.0056	mg/kg	8260B	03/10/10	1.01
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Chloroethane	BDL	0.0056	mg/kg	8260B	03/10/10	1.01
2-Chloroethyl vinyl ether	BDL	0.056	mg/kg	8260B	03/10/10	1.01
Chloroform	BDL	0.0056	mg/kg	8260B	03/10/10	1.01
Chloromethane	0.0012	0.0011	mg/kg	8260B	03/10/10	1.01
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,2-Dibromo-3-Chloropropane	BDL	0.0056	mg/kg	8260B	03/10/10	1.01
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Dichlorodifluoromethane	BDL	0.0056	mg/kg	8260B	03/10/10	1.01
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Ethylbenzene	0.0017	0.0011	mg/kg	8260B	03/10/10	1.01
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : B-85 8-10FT
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 11:25

ESC Sample # : 1447698-03

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
2-Butanone (MEK)	BDL	0.011	mg/kg	8260B	03/10/10	1.01
Methylene Chloride	BDL	0.0056	mg/kg	8260B	03/10/10	1.01
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/10/10	1.01
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Naphthalene	BDL	0.0056	mg/kg	8260B	03/10/10	1.01
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Styrene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Tetrachloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Toluene	BDL	0.0056	mg/kg	8260B	03/10/10	1.01
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Trichlorofluoromethane	BDL	0.0056	mg/kg	8260B	03/10/10	1.01
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,2,4-Trimethylbenzene	0.0018	0.0011	mg/kg	8260B	03/10/10	1.01
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/10/10	1.01
Xylenes, Total	0.0041	0.0033	mg/kg	8260B	03/10/10	1.01
Surrogate Recovery						
Toluene-d8	104.		% Rec.	8260B	03/10/10	1.01
Dibromofluoromethane	103.		% Rec.	8260B	03/10/10	1.01
4-Bromofluorobenzene	109.		% Rec.	8260B	03/10/10	1.01

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/11/10 16:13 Printed: 03/11/10 16:14

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : B-85 10-12FT
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 11:35

ESC Sample # : 1447698-04

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	88.3		%	2540G	03/05/10	1
Volatile Organics						
Acetone	BDL	0.057	mg/kg	8260B	03/10/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/10/10	1
Benzene	0.0033	0.0011	mg/kg	8260B	03/10/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromomethane	BDL	0.0057	mg/kg	8260B	03/10/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chloroethane	BDL	0.0057	mg/kg	8260B	03/10/10	1
2-Chloroethyl vinyl ether	BDL	0.057	mg/kg	8260B	03/10/10	1
Chloroform	BDL	0.0057	mg/kg	8260B	03/10/10	1
Chloromethane	0.0016	0.0011	mg/kg	8260B	03/10/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0057	mg/kg	8260B	03/10/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Dichlorodifluoromethane	BDL	0.0057	mg/kg	8260B	03/10/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1
Ethylbenzene	0.0025	0.0011	mg/kg	8260B	03/10/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : B-85 10-12FT
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 11:35

ESC Sample # : 1447698-04

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
2-Butanone (MEK)	BDL	0.011	mg/kg	8260B	03/10/10	1
Methylene Chloride	BDL	0.0057	mg/kg	8260B	03/10/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/10/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1
Naphthalene	BDL	0.0057	mg/kg	8260B	03/10/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/10/10	1
Tetrachloroethene	0.0028	0.0011	mg/kg	8260B	03/10/10	1
Toluene	0.0079	0.0057	mg/kg	8260B	03/10/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Trichlorofluoromethane	BDL	0.0057	mg/kg	8260B	03/10/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,4-Trimethylbenzene	0.0023	0.0011	mg/kg	8260B	03/10/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/10/10	1
Xylenes, Total	0.0057	0.0034	mg/kg	8260B	03/10/10	1
Surrogate Recovery						
Toluene-d8	103.		% Rec.	8260B	03/10/10	1
Dibromofluoromethane	106.		% Rec.	8260B	03/10/10	1
4-Bromofluorobenzene	98.6		% Rec.	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/11/10 16:13 Printed: 03/11/10 16:14

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : B-87 0-2FT
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 16:10

ESC Sample # : 1447698-05

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	88.4		%	2540G	03/05/10	1
Volatile Organics						
Acetone	0.23	0.056	mg/kg	8260B	03/10/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/10/10	1
Benzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromomethane	BDL	0.0056	mg/kg	8260B	03/10/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chloroethane	BDL	0.0056	mg/kg	8260B	03/10/10	1
2-Chloroethyl vinyl ether	BDL	0.056	mg/kg	8260B	03/10/10	1
Chloroform	BDL	0.0056	mg/kg	8260B	03/10/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0056	mg/kg	8260B	03/10/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Dichlorodifluoromethane	BDL	0.0056	mg/kg	8260B	03/10/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : B-87 0-2FT
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 16:10

ESC Sample # : 1447698-05

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
2-Butanone (MEK)	0.025	0.011	mg/kg	8260B	03/10/10	1
Methylene Chloride	BDL	0.0056	mg/kg	8260B	03/10/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/10/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1
Naphthalene	BDL	0.0056	mg/kg	8260B	03/10/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/10/10	1
Tetrachloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Toluene	0.0070	0.0056	mg/kg	8260B	03/10/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Trichlorofluoromethane	BDL	0.0056	mg/kg	8260B	03/10/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/10/10	1
Xylenes, Total	BDL	0.0034	mg/kg	8260B	03/10/10	1
Surrogate Recovery						
Toluene-d8	104.		% Rec.	8260B	03/10/10	1
Dibromofluoromethane	109.		% Rec.	8260B	03/10/10	1
4-Bromofluorobenzene	103.		% Rec.	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/11/10 16:13 Printed: 03/11/10 16:14

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : B-87 8-10FT
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 16:20

ESC Sample # : 1447698-06

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	90.6		%	2540G	03/05/10	1
Volatile Organics						
Acetone	0.098	0.055	mg/kg	8260B	03/10/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/10/10	1
Benzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromomethane	BDL	0.0055	mg/kg	8260B	03/10/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chloroethane	BDL	0.0055	mg/kg	8260B	03/10/10	1
2-Chloroethyl vinyl ether	BDL	0.055	mg/kg	8260B	03/10/10	1
Chloroform	BDL	0.0055	mg/kg	8260B	03/10/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0055	mg/kg	8260B	03/10/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Dichlorodifluoromethane	BDL	0.0055	mg/kg	8260B	03/10/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : B-87 8-10FT
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 16:20

ESC Sample # : 1447698-06

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
2-Butanone (MEK)	0.015	0.011	mg/kg	8260B	03/10/10	1
Methylene Chloride	BDL	0.0055	mg/kg	8260B	03/10/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/10/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1
Naphthalene	BDL	0.0055	mg/kg	8260B	03/10/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/10/10	1
Tetrachloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Toluene	BDL	0.0055	mg/kg	8260B	03/10/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Trichlorofluoromethane	BDL	0.0055	mg/kg	8260B	03/10/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/10/10	1
Xylenes, Total	BDL	0.0033	mg/kg	8260B	03/10/10	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	03/10/10	1
Dibromofluoromethane	110.		% Rec.	8260B	03/10/10	1
4-Bromofluorobenzene	103.		% Rec.	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/11/10 16:13 Printed: 03/11/10 16:14

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker

ESC Sample # : 1447698-07

Sample ID : D-1

Site ID :

Collected By : Stevenson-Taylor
Collection Date : 03/03/10 00:00

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	88.6		%	2540G	03/05/10	1
Volatile Organics						
Acetone	0.26	0.056	mg/kg	8260B	03/10/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/10/10	1
Benzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromomethane	BDL	0.0056	mg/kg	8260B	03/10/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chloroethane	BDL	0.0056	mg/kg	8260B	03/10/10	1
2-Chloroethyl vinyl ether	BDL	0.056	mg/kg	8260B	03/10/10	1
Chloroform	BDL	0.0056	mg/kg	8260B	03/10/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0056	mg/kg	8260B	03/10/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Dichlorodifluoromethane	BDL	0.0056	mg/kg	8260B	03/10/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker

ESC Sample # : 1447698-07

Sample ID : D-1

Site ID :

Collected By : Stevenson-Taylor
Collection Date : 03/03/10 00:00

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
2-Butanone (MEK)	0.028	0.011	mg/kg	8260B	03/10/10	1
Methylene Chloride	BDL	0.0056	mg/kg	8260B	03/10/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/10/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1
Naphthalene	BDL	0.0056	mg/kg	8260B	03/10/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/10/10	1
Tetrachloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Toluene	0.0077	0.0056	mg/kg	8260B	03/10/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Trichlorofluoromethane	BDL	0.0056	mg/kg	8260B	03/10/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,3-Trimethylbenzene	0.0022	0.0011	mg/kg	8260B	03/10/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/10/10	1
Xylenes, Total	BDL	0.0034	mg/kg	8260B	03/10/10	1
Surrogate Recovery						
Toluene-d8	105.		% Rec.	8260B	03/10/10	1
Dibromofluoromethane	107.		% Rec.	8260B	03/10/10	1
4-Bromofluorobenzene	100.		% Rec.	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/11/10 16:13 Printed: 03/11/10 16:14

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : TRIPBLANK
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 00:00

ESC Sample # : L447698-08

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	03/06/10	1
Acrolein	BDL	0.050	mg/l	8260B	03/06/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	03/06/10	1
Benzene	BDL	0.0010	mg/l	8260B	03/06/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	03/06/10	1
Bromoform	BDL	0.0010	mg/l	8260B	03/06/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	03/06/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	03/06/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	03/06/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	03/06/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	03/06/10	1
Chloroform	BDL	0.0050	mg/l	8260B	03/06/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	03/06/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/06/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/06/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	03/06/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	03/06/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	03/06/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	03/06/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	03/06/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	03/06/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	03/06/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/06/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/06/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/06/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	03/06/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	03/06/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/06/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/06/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/06/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	03/06/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	03/06/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	03/06/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 11, 2010

Date Received : March 04, 2010
Description : Harman Becker
Sample ID : TRIPBLANK
Collected By : Stevenson-Taylor
Collection Date : 03/03/10 00:00

ESC Sample # : L447698-08

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	03/06/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	03/06/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	03/06/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	03/06/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	03/06/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
Styrene	BDL	0.0010	mg/l	8260B	03/06/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/06/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/06/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	03/06/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	03/06/10	1
Toluene	BDL	0.0050	mg/l	8260B	03/06/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	03/06/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	03/06/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	03/06/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	03/06/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	03/06/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/06/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	03/06/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	03/06/10	1
Surrogate Recovery						
Toluene-d8	99.5		% Rec.	8260B	03/06/10	1
Dibromofluoromethane	117.		% Rec.	8260B	03/06/10	1
4-Bromofluorobenzene	93.0		% Rec.	8260B	03/06/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/11/10 16:13 Printed: 03/11/10 16:14

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L447698-01	WG466427	SAMP	Acetone	R1141492	J6
L447698-02	WG466427	SAMP	Acrylonitrile	R1141492	J3
	WG466427	SAMP	1,2-Dibromo-3-Chloropropane	R1141492	J3
	WG466427	SAMP	2-Butanone (MEK)	R1141492	J3
L447698-03	WG466427	SAMP	Acrylonitrile	R1141492	J3
	WG466427	SAMP	1,2-Dibromo-3-Chloropropane	R1141492	J3
	WG466427	SAMP	2-Butanone (MEK)	R1141492	J3
L447698-04	WG466427	SAMP	Acrylonitrile	R1141492	J3
	WG466427	SAMP	1,2-Dibromo-3-Chloropropane	R1141492	J3
	WG466427	SAMP	2-Butanone (MEK)	R1141492	J3
L447698-05	WG466427	SAMP	Acrylonitrile	R1141492	J3
	WG466427	SAMP	1,2-Dibromo-3-Chloropropane	R1141492	J3
	WG466427	SAMP	2-Butanone (MEK)	R1141492	J3
L447698-06	WG466427	SAMP	Acrylonitrile	R1141492	J3
	WG466427	SAMP	1,2-Dibromo-3-Chloropropane	R1141492	J3
	WG466427	SAMP	2-Butanone (MEK)	R1141492	J3
L447698-07	WG466427	SAMP	Acrylonitrile	R1141492	J3
	WG466427	SAMP	1,2-Dibromo-3-Chloropropane	R1141492	J3
	WG466427	SAMP	2-Butanone (MEK)	R1141492	J3

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J3	The associated batch QC was outside the established quality control range for precision.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAP. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
03/11/10 at 16:14:34

TSR Signing Reports: 364
R5 - Desired TAT

No hard copy of reports per Jesse. In 6/12/06 Only CD for QC pkgs. - no paper. In 6/6/05 All
soils in Dry wt. In 5/9/05 client requires purchase orders for each project.

Sample: L447698-01 Account: SESCOIN Received: 03/04/10 09:00 Due Date: 03/11/10 00:00 RPT Date: 03/11/10 16:13
QC4
Sample: L447698-02 Account: SESCOIN Received: 03/04/10 09:00 Due Date: 03/11/10 00:00 RPT Date: 03/11/10 16:13
QC4
Sample: L447698-03 Account: SESCOIN Received: 03/04/10 09:00 Due Date: 03/11/10 00:00 RPT Date: 03/11/10 16:13
QC4
Sample: L447698-04 Account: SESCOIN Received: 03/04/10 09:00 Due Date: 03/11/10 00:00 RPT Date: 03/11/10 16:13
QC4
Sample: L447698-05 Account: SESCOIN Received: 03/04/10 09:00 Due Date: 03/11/10 00:00 RPT Date: 03/11/10 16:13
QC4
Sample: L447698-06 Account: SESCOIN Received: 03/04/10 09:00 Due Date: 03/11/10 00:00 RPT Date: 03/11/10 16:13
QC4
Sample: L447698-07 Account: SESCOIN Received: 03/04/10 09:00 Due Date: 03/11/10 00:00 RPT Date: 03/11/10 16:13
QC4
Sample: L447698-08 Account: SESCOIN Received: 03/04/10 09:00 Due Date: 03/11/10 00:00 RPT Date: 03/11/10 16:13
QC4



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L447698

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 11, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Total Solids	< .1	%			WG466121	03/05/10 10:03
Total Solids	< .1	%			WG466122	03/05/10 10:14
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG466404	03/06/10 10:44
1,1,1-Trichloroethane	< .001	mg/l			WG466404	03/06/10 10:44
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG466404	03/06/10 10:44
1,1,2-Trichloroethane	< .001	mg/l			WG466404	03/06/10 10:44
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG466404	03/06/10 10:44
1,1-Dichloroethane	< .001	mg/l			WG466404	03/06/10 10:44
1,1-Dichloroethene	< .001	mg/l			WG466404	03/06/10 10:44
1,1-Dichloropropene	< .001	mg/l			WG466404	03/06/10 10:44
1,2,3-Trichlorobenzene	< .001	mg/l			WG466404	03/06/10 10:44
1,2,3-Trichloropropene	< .001	mg/l			WG466404	03/06/10 10:44
1,2,3-Trimethylbenzene	< .001	mg/l			WG466404	03/06/10 10:44
1,2,4-Trichlorobenzene	< .001	/l			WG466404	03/06/10 10:44
1,2,4-Trimethylbenzene	< .001	mg/l			WG466404	03/06/10 10:44
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG466404	03/06/10 10:44
1,2-Dibromoethane	< .001	/l			WG466404	03/06/10 10:44
1,2-Dichlorobenzene	< .001	mg/l			WG466404	03/06/10 10:44
1,2-Dichloroethane	< .001	mg/l			WG466404	03/06/10 10:44
1,2-Dichloropropene	< .001	mg/l			WG466404	03/06/10 10:44
1,3,5-Trimethylbenzene	< .001	mg/l			WG466404	03/06/10 10:44
1,3-Dichlorobenzene	< .001	mg/l			WG466404	03/06/10 10:44
1,3-Dichloropropene	< .001	/l			WG466404	03/06/10 10:44
1,4-Dichlorobenzene	< .001	mg/l			WG466404	03/06/10 10:44
2,2-Dichloropropene	< .001	mg/l			WG466404	03/06/10 10:44
2-Butanone (MEK)	< .01	/l			WG466404	03/06/10 10:44
2-Chloroethyl vinyl ether	< .001	mg/l			WG466404	03/06/10 10:44
2-Chlorotoluene	< .001	mg/l			WG466404	03/06/10 10:44
4-Chlorotoluene	< .001	/l			WG466404	03/06/10 10:44
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG466404	03/06/10 10:44
Acetone	< .05	mg/l			WG466404	03/06/10 10:44
Acrolein	< .0	/l			WG466404	03/06/10 10:44
Acrylonitrile	< .01	mg/l			WG466404	03/06/10 10:44
Benzene	< .001	mg/l			WG466404	03/06/10 10:44
Bromobenzene	< .001	/l			WG466404	03/06/10 10:44
Bromodichloromethane	< .001	mg/l			WG466404	03/06/10 10:44
Bromoform	< .001	mg/l			WG466404	03/06/10 10:44
Bromomethane	< .005	/l			WG466404	03/06/10 10:44
Carbon tetrachloride	< .001	mg/l			WG466404	03/06/10 10:44
Chlorobenzene	< .001	mg/l			WG466404	03/06/10 10:44
Chlorodibromomethane	< .001	/l			WG466404	03/06/10 10:44
Chloroethane	< .001	mg/l			WG466404	03/06/10 10:44
Chloroform	< .005	mg/l			WG466404	03/06/10 10:44
Chloromethane	< .001	/l			WG466404	03/06/10 10:44
cis-1,2-Dichloroethene	< .001	mg/l			WG466404	03/06/10 10:44
cis-1,3-Dichloropropene	< .001	mg/l			WG466404	03/06/10 10:44
Di-isopropyl ether	< .001	mg/l			WG466404	03/06/10 10:44
Dibromomethane	< .001	mg/l			WG466404	03/06/10 10:44
Dichlorodifluoromethane	< .005	mg/l			WG466404	03/06/10 10:44
Ethylbenzene	< .001	mg/l			WG466404	03/06/10 10:44
Hexachloro-1,3-butadiene	< .001	mg/l			WG466404	03/06/10 10:44
Isopropylbenzene	< .001	mg/l			WG466404	03/06/10 10:44
Methyl tert-butyl ether	< .005	mg/l			WG466404	03/06/10 10:44
Methylene Chloride	< .005	mg/l			WG466404	03/06/10 10:44
n-Butylbenzene	< .001	mg/l			WG466404	03/06/10 10:44

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L447698

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 11, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
n-Propylbenzene	< .001	mg/l			WG466404	03/06/10 10:44
Naphthalene	< .005	mg/l			WG466404	03/06/10 10:44
p-Isopropyltoluene	< .001	mg/l			WG466404	03/06/10 10:44
sec-Butylbenzene	< .001	mg/l			WG466404	03/06/10 10:44
Styrene	< .001	mg/l			WG466404	03/06/10 10:44
tert-Butylbenzene	< .001	mg/l			WG466404	03/06/10 10:44
Tetrachloroethene	< .001	mg/l			WG466404	03/06/10 10:44
Toluene	< .005	mg/l			WG466404	03/06/10 10:44
trans-1,2-Dichloroethene	< .001	mg/l			WG466404	03/06/10 10:44
trans-1,3-Dichloropropene	< .001	mg/l			WG466404	03/06/10 10:44
Trichloroethene	< .001	mg/l			WG466404	03/06/10 10:44
Trichlorofluoromethane	< .005	mg/l			WG466404	03/06/10 10:44
Vinyl chloride	< .001	mg/l			WG466404	03/06/10 10:44
Xylenes, Total	< .003	mg/l			WG466404	03/06/10 10:44
4-Bromofluorobenzene		% Rec.	92.74	75-128	WG466404	03/06/10 10:44
Dibromofluoromethane		% Rec.	112.6	79-12	466404	03/06/10 10:44
Toluene-d8		% Rec.	101.2	87-114	WG466404	03/06/10 10:44
1,1,1,2-Tetrachloroethane	.001	/kg			WG466427	03/10/10 18:37
1,1,1-Trichloroethane	< .001	mg/kg			WG466427	03/10/10 18:37
1,1,2,2-Tetrachloroethane	< .001	mg/kg			WG466427	03/10/10 18:37
1,1,2-Trichloroethane	< .001	mg/kg			WG466427	03/10/10 18:37
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/kg			WG466427	03/10/10 18:37
1,1-Dichloroethane	< .001	mg/kg			WG466427	03/10/10 18:37
1,1-Dichloroethene	< .001	/kg			WG466427	03/10/10 18:37
1,1-Dichloropropene	< .001	mg/kg			WG466427	03/10/10 18:37
1,2,3-Trichlorobenzene	< .001	mg/kg			WG466427	03/10/10 18:37
1,2,3-Trichloropropene	< .001	/kg			WG466427	03/10/10 18:37
1,2,3-Trimethylbenzene	< .001	mg/kg			WG466427	03/10/10 18:37
1,2,4-Trichlorobenzene	< .001	mg/kg			WG466427	03/10/10 18:37
1,2,4-Trimethylbenzene	< .001	/kg			WG466427	03/10/10 18:37
1,2-Dibromo-3-Chloropropane	< .005	mg/kg			WG466427	03/10/10 18:37
1,2-Dibromoethane	< .001	mg/kg			WG466427	03/10/10 18:37
1,2-Dichlorobenzene	< .001	/kg			WG466427	03/10/10 18:37
1,2-Dichloroethane	< .001	mg/kg			WG466427	03/10/10 18:37
1,2-Dichloropropene	< .001	mg/kg			WG466427	03/10/10 18:37
1,3,5-Trimethylbenzene	< .001	/kg			WG466427	03/10/10 18:37
1,3-Dichlorobenzene	< .001	mg/kg			WG466427	03/10/10 18:37
1,3-Dichloropropene	< .001	mg/kg			WG466427	03/10/10 18:37
1,4-Dichlorobenzene	< .001	/kg			WG466427	03/10/10 18:37
2,2-Dichloropropene	< .001	mg/kg			WG466427	03/10/10 18:37
2-Butanone (MEK)	< .01	mg/kg			WG466427	03/10/10 18:37
2-Chloroethyl vinyl ether	< .001	/kg			WG466427	03/10/10 18:37
2-Chlorotoluene	< .001	mg/kg			WG466427	03/10/10 18:37
4-Chlorotoluene	< .001	mg/kg			WG466427	03/10/10 18:37
4-Methyl-2-pentanone (MIBK)	< .0	/kg			WG466427	03/10/10 18:37
Acetone	< .05	mg/kg			WG466427	03/10/10 18:37
Acrylonitrile	< .01	mg/kg			WG466427	03/10/10 18:37
Benzene	< .001	mg/kg			WG466427	03/10/10 18:37
Bromobenzene	< .001	mg/kg			WG466427	03/10/10 18:37
Bromodichloromethane	< .001	mg/kg			WG466427	03/10/10 18:37
Bromoform	< .001	mg/kg			WG466427	03/10/10 18:37
Bromomethane	< .005	mg/kg			WG466427	03/10/10 18:37
Carbon tetrachloride	< .001	mg/kg			WG466427	03/10/10 18:37
Chlorobenzene	< .001	mg/kg			WG466427	03/10/10 18:37
Chlorodibromomethane	< .001	mg/kg			WG466427	03/10/10 18:37
Chloroethane	< .005	mg/kg			WG466427	03/10/10 18:37
Chloroform	< .005	mg/kg			WG466427	03/10/10 18:37

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L447698

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 11, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Chloromethane	< .001	mg/kg			WG466427	03/10/10 18:37
cis-1,2-Dichloroethene	< .001	mg/kg			WG466427	03/10/10 18:37
cis-1,3-Dichloropropene	< .001	mg/kg			WG466427	03/10/10 18:37
Di-isopropyl ether	< .001	mg/kg			WG466427	03/10/10 18:37
Dibromomethane	< .001	mg/kg			WG466427	03/10/10 18:37
Dichlorodifluoromethane	< .005	mg/kg			WG466427	03/10/10 18:37
Ethylbenzene	< .001	mg/kg			WG466427	03/10/10 18:37
Hexachloro-1,3-butadiene	< .001	mg/kg			WG466427	03/10/10 18:37
Isopropylbenzene	< .001	mg/kg			WG466427	03/10/10 18:37
Methyl tert-butyl ether	< .001	mg/kg			WG466427	03/10/10 18:37
Methylene Chloride	< .005	mg/kg			WG466427	03/10/10 18:37
n-Butylbenzene	< .001	mg/kg			WG466427	03/10/10 18:37
n-Propylbenzene	< .001	mg/kg			WG466427	03/10/10 18:37
Naphthalene	< .005	mg/kg			WG466427	03/10/10 18:37
p-Isopropyltoluene	< .001	mg/kg			WG466427	03/10/10 18:37
sec-Butylbenzene	< .001	mg/kg			WG466427	03/10/10 18:37
Styrene	< .001	mg/kg			WG466427	03/10/10 18:37
tert-Butylbenzene	< .001	mg/kg			WG466427	03/10/10 18:37
Tetrachloroethene	< .001	mg/kg			WG466427	03/10/10 18:37
Toluene	< .005	mg/kg			WG466427	03/10/10 18:37
trans-1,2-Dichloroethene	< .001	mg/kg			WG466427	03/10/10 18:37
trans-1,3-Dichloropropene	< .001	mg/kg			WG466427	03/10/10 18:37
Trichloroethene	< .001	mg/kg			WG466427	03/10/10 18:37
Trichlorofluoromethane	< .005	mg/kg			WG466427	03/10/10 18:37
Vinyl chloride	< .001	mg/kg			WG466427	03/10/10 18:37
Xylenes, Total	< .003	mg/kg			WG466427	03/10/10 18:37
4-Bromofluorobenzene		% Rec.	93.80	59-140	WG466427	03/10/10 18:37
Dibromofluoromethane		% Rec.	111.4	63-139	WG466427	03/10/10 18:37
Toluene-d8		% Rec.	107.4	84-116	WG466427	03/10/10 18:37

Analyte	Units	Duplicate		RPD	Limit	Ref Samp	Batch
		Result	Duplicate				
Total Solids	%	85.0	85.	0.35	5	L447698-01	WG466121
Total Solids	%	71.0	70.8	0.283	5	L447700-04	WG466122

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Total Solids		50	50.	100.	85-115	WG466121
Total Solids	%	50	50.0	99.9	85-115	WG466122
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0218	87.3	75-134	WG466404
1,1,1-Trichloroethane	mg/l	.025	0.0240	96.0	67-137	WG466404
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0249	99.7	128	WG466404
1,1,2-Trichloroethane	mg/l	.025	0.0227	90.9	79-123	WG466404
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0262	105.	51-149	WG466404
1,1-Dichloroethane	mg/l	.025	0.0257	103	133	WG466404
1,1-Dichloroethene	mg/l	.025	0.0233	93.2	60-130	WG466404
1,1-Dichloropropene	mg/l	.025	0.0235	94.0	68-132	WG466404
1,2,3-Trichlorobenzene	mg/l	.025	0.0248	99.	138	WG466404
1,2,3-Trichloropropene	mg/l	.025	0.0232	92.8	68-130	WG466404
1,2,3-Trimethylbenzene	mg/l	.025	0.0257	103.	70-127	WG466404
1,2,4-Trichlorobenzene	mg/l	.	0.0254	102.	65-137	WG466404

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L447698

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 11, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,2,4-Trimethylbenzene	mg/l	.025	0.0230		72-135	WG466404
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0251	100.	55-134	WG466404
1,2-Dibromoethane	mg/l	.025	0.0222	88.6	75-126	WG466404
1,2-Dichlorobenzene	mg/l	.025	0.0259	103.	120	WG466404
1,2-Dichloroethane	mg/l	.025	0.0245	98.1	63-137	WG466404
1,2-Dichloropropane	mg/l	.025	0.0275	110.	74-122	WG466404
1,3,5-Trimethylbenzene	mg/l	5	0.0228	91.0	73-134	WG466404
1,3-Dichlorobenzene	mg/l	.025	0.0212	84.7	73-131	WG466404
1,3-Dichloropropane	mg/l	.025	0.0240	95.9	77-119	WG466404
1,4-Dichlorobenzene	mg/l	5	0.0250	100	70-121	WG466404
2,2-Dichloropropane	mg/l	.025	0.0254	101.	46-151	WG466404
2-Butanone (MEK)	mg/l	.125	0.138	111.	53-132	WG466404
2-Chloroethyl vinyl ether	mg/l	5	0.147	118	0-171	WG466404
2-Chlorotoluene	mg/l	.025	0.0230	92.2	74-128	WG466404
4-Chlorotoluene	mg/l	.025	0.0231	92.5	74-130	WG466404
4-Methyl-2-pentanone (MIBK)	mg/l	5	0.144	11	60-142	WG466404
Acetone	mg/l	.125	0.131	104.	48-134	WG466404
Acrolein	mg/l	.125	0.105	84.3	6-182	WG466404
Acrylonitrile	mg/l	5	0.144	11	60-140	WG466404
Benzene	mg/l	.025	0.0263	105.	67-126	WG466404
Bromobenzene	mg/l	.025	0.0226	90.6	76-123	WG466404
Bromodichloromethane	mg/l	5	0.0235	94.2	68-133	WG466404
Bromoform	mg/l	.025	0.0217	86.8	60-139	WG466404
Bromomethane	mg/l	.025	0.0246	98.3	45-175	WG466404
Carbon tetrachloride	mg/l	.025	0.0230	91.9	64-141	WG466404
Chlorobenzene	mg/l	.025	0.0224	89.5	77-125	WG466404
Chlorodibromomethane	mg/l	.025	0.0224	89.5	73-138	WG466404
Chloroethane	mg/l	.025	0.0238	95.0	49-155	WG466404
Chloroform	mg/l	.025	0.0264	105.	66-126	WG466404
Chloromethane	mg/l	.025	0.0177	70.7	45-152	WG466404
cis-1,2-Dichloroethene	mg/l	.025	0.0254	101	72-128	WG466404
cis-1,3-Dichloropropene	mg/l	.025	0.0261	104.	73-131	WG466404
Di-isopropyl ether	mg/l	.025	0.0277	111.	63-139	WG466404
Dibromomethane	mg/l	.025	0.0234	93.6	73-125	WG466404
Dichlorodifluoromethane	mg/l	.025	0.0161	64.4	39-189	WG466404
Ethylbenzene	mg/l	.025	0.0231	92.2	76-129	WG466404
Hexachloro-1,3-butadiene	mg/l	.025	0.0219	87.	67-135	WG466404
Isopropylbenzene	mg/l	.025	0.0238	95.2	73-132	WG466404
Methyl tert-butyl ether	mg/l	.025	0.0267	107.	51-142	WG466404
Methylene Chloride	mg/l	.025	0.0254	102	64-125	WG466404
n-Butylbenzene	mg/l	.025	0.0277	111.	63-142	WG466404
n-Propylbenzene	mg/l	.025	0.0230	91.8	71-132	WG466404
Naphthalene	mg/l	.025	0.0243	7.2	56-145	WG466404
p-Isopropyltoluene	mg/l	.025	0.0227	90.7	68-138	WG466404
sec-Butylbenzene	mg/l	.025	0.0231	92.3	70-135	WG466404
Styrene	mg/l	.025	0.0241	6.4	78-130	WG466404
tert-Butylbenzene	mg/l	.025	0.0230	92.2	72-134	WG466404
Tetrachloroethene	mg/l	.025	0.0190	76.2	67-135	WG466404
Toluene	mg/l	.025	0.0233	3.	72-122	WG466404
trans-1,2-Dichloroethene	mg/l	.025	0.0218	87.1	67-129	WG466404
trans-1,3-Dichloropropene	mg/l	.025	0.0239	95.7	66-137	WG466404
Trichloroethene	mg/l	.025	0.0208	83.	74-126	WG466404
Trichlorofluoromethane	mg/l	.025	0.0210	84.0	54-156	WG466404
Vinyl chloride	mg/l	.025	0.0205	82.1	55-153	WG466404
Xylenes, Total	mg/l	.075	0.0691	2.	75-128	WG466404
4-Bromofluorobenzene				91.26	75-128	WG466404
Dibromofluoromethane				106.8	79-125	WG466404
Toluene-d8				99.15	87-126	WG466404

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L447698

March 11, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,1,1,2-Tetrachloroethane	mg/kg	.025	0.0	13.	134	WG466427
1,1,1-Trichloroethane	mg/kg	.025	0.0252	101.	62-135	WG466427
1,1,2,2-Tetrachloroethane	mg/kg	.025	0.0248	99.2	74-129	WG466427
1,1,2-Trichloroethane	mg/kg	.025	0.0	13.	124	WG466427
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	.025	0.0251	100.	49-155	WG466427
1,1-Dichloroethane	mg/kg	.025	0.0258	103.	61-134	WG466427
1,1-Dichloropropene	mg/kg	.025	0.0269	108	53-136	WG466427
1,2,3-Trichlorobenzene	mg/kg	.025	0.0235	93.8	63-132	WG466427
1,2,3-Trichloropropene	mg/kg	.025	0.0262	105.	62-146	WG466427
1,2,3-Trimethylbenzene	mg/kg	.025	0.0217	86.	70-133	WG466427
1,2,4-Trichlorobenzene	mg/kg	.025	0.0251	101.	73-126	WG466427
1,2,4-Trimethylbenzene	mg/kg	.025	0.0263	105.	61-148	WG466427
1,2-Dibromo-3-Chloropropane	mg/kg	.025	0.0242	96.9	68-135	WG466427
1,2-Dibromoethane	mg/kg	.025	0.0206	82.5	61-134	WG466427
1,2-Dichlorobenzene	mg/kg	.025	0.0228	91.0	76-127	WG466427
1,2-Dichloroethane	mg/kg	.025	0.0240	99.3	77-123	WG466427
1,2-Dichloropropene	mg/kg	.025	0.0241	96.6	58-141	WG466427
1,3,5-Trimethylbenzene	mg/kg	.025	0.0253	101.	71-128	WG466427
1,3-Dichlorobenzene	mg/kg	.025	0.0234	93.	71-133	WG466427
1,3-Dichloropropene	mg/kg	.025	0.0242	96.6	71-132	WG466427
1,4-Dichlorobenzene	mg/kg	.025	0.0240	96.0	76-120	WG466427
2,2-Dichloropropane	mg/kg	.025	0.0241	96.6	72-123	WG466427
2-Butanone (MEK)	mg/kg	.125	0.0250	99.9	50-147	WG466427
2-Chloroethyl vinyl ether	mg/kg	.125	0.0993	79.4	51-131	WG466427
2-Chlorotoluene	mg/kg	.025	0.129	104	0-188	WG466427
4-Chlorotoluene	mg/kg	.025	0.0238	95.1	73-128	WG466427
4-Methyl-2-pentanone (M	mg/kg	.125	0.0245	97.9	72-129	WG466427
Acetone	mg/kg	.125	0.114	91.4	61-143	WG466427
Acrylonitrile	mg/kg	.125	0.112	89.4	44-140	WG466427
Benzene	mg/kg	.025	0.116	92.8	55-143	WG466427
Bromobenzene	mg/kg	.025	0.0242	96.6	65-128	WG466427
Bromodichloromethane	mg/kg	.025	0.0232	92.7	75-123	WG466427
Bromoform	mg/kg	.025	0.0225	90.2	66-126	WG466427
Bromomethane	mg/kg	.025	0.0209	83.5	64-1	WG466427
Carbon tetrachloride	mg/kg	.025	0.0268	107.	41-175	WG466427
Chlorobenzene	mg/kg	.025	0.0234	93.6	60-140	WG466427
Chlorodibromomethane	mg/kg	.025	0.0234	13.7	75-	WG466427
Chloroethane	mg/kg	.025	0.0217	86.6	72-137	WG466427
Chloroform	mg/kg	.025	0.0296	119.	44-159	WG466427
Chloromethane	mg/kg	.025	0.0261	104	63-123	WG466427
cis-1,2-Dichloroethene	mg/kg	.025	0.0250	99.9	42-149	WG466427
cis-1,3-Dichloropropene	mg/kg	.025	0.0250	99.9	71-129	WG466427
Di-isopropyl ether	mg/kg	.025	0.0228	1.3	73-132	WG466427
Dibromomethane	mg/kg	.025	0.0264	106.	59-143	WG466427
Dichlorodifluoromethane	mg/kg	.025	0.0223	89.2	70-130	WG466427
Ethylbenzene	mg/kg	.025	0.0268	107	26-186	WG466427
Hexachloro-1,3-butadiene	mg/kg	.025	0.0236	94.4	74-128	WG466427
Isopropylbenzene	mg/kg	.025	0.0249	99.4	65-137	WG466427
Methyl tert-butyl ether	mg/kg	.025	0.0240	5.9	73-130	WG466427
Methylene Chloride	mg/kg	.025	0.0247	98.7	44-148	WG466427
n-Butylbenzene	mg/kg	.025	0.0235	93.9	57-129	WG466427
n-Propylbenzene	mg/kg	.025	0.0262	105	60-145	WG466427
Naphthalene	mg/kg	.025	0.0244	97.6	71-132	WG466427
p-Isopropyltoluene	mg/kg	.02	0.0246	98.2	61-142	WG466427
sec-Butylbenzene	mg/kg	.025	0.0243	7.2	67-138	WG466427
Styrene	mg/kg	.025	0.0248	99.4	71-134	WG466427
tert-Butylbenzene	mg/kg	.02	0.0242	96.7	76-133	WG466427
			0.0231	2.6	72-132	WG466427

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L447698

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 11, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Tetrachloroethene	mg/kg	.025	0.0221	88.4	65-133	WG466427
Toluene	mg/kg	.025	0.0236	94.3	70-120	WG466427
trans-1,2-Dichloroethene	mg/kg	.025	0.0233	93.1	61-133	WG466427
trans-1,3-Dichloropropene	mg/kg	.025	0.0209	83.7	135	WG466427
Trichloroethene	mg/kg	.025	0.0229	91.5	71-126	WG466427
Trichlorofluoromethane	mg/kg	.025	0.0305	122.	52-147	WG466427
Vinyl chloride	mg/kg	.025	0.0264	106	50-151	WG466427
Xylenes, Total	mg/kg	.075	0.0711	94.8	74-127	WG466427
4-Bromofluorobenzene				97.55	59-140	WG466427
Dibromofluoromethane				110.1	63-133	WG466427
Toluene-d8				108.5	84-116	WG466427

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	%Rec				
1,1,1,2-Tetrachloroethane	mg/l	0.02	0.0218	90.	-134	0.547	0	WG466404
1,1,1-Trichloroethane	mg/l	0.0235	0.0240	94.0	67-137	2.10	20	WG466404
1,1,2,2-Tetrachloroethane	mg/l	0.0239	0.0249	96.0	72-128	3.97	20	WG466404
1,1,2-Trichloroethane	mg/l	0.0233	0.0227	93.	9-123	2.	0	WG466404
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0236	0.0262	94.0	51-149	10.5	20	WG466404
1,1-Dichloroethane	mg/l	0.0243	0.0257	97.0	67-133	5.66	20	WG466404
1,1-Dichloroethene	mg/l	0.0213	0.0233	85.0	0-130	9.0	0	WG466404
1,1-Dichloropropene	mg/l	0.0229	0.0235	92.0	68-132	2.44	20	WG466404
1,2,3-Trichlorobenzene	mg/l	0.0254	0.0248	102.	63-138	2.35	20	WG466404
1,2,3-Trichloropropene	mg/l	0.0230	0.0232	92.0	67-130	0.892	0	WG466404
1,2,3-Trimethylbenzene	mg/l	0.0242	0.0257	97.0	70-127	5.83	20	WG466404
1,2,4-Trichlorobenzene	mg/l	0.0256	0.0254	102.	65-137	0.740	20	WG466404
1,2,4-Trimethylbenzene	mg/l	0.0236	0.0230	94.	2-135	2.54	0	WG466404
1,2-Dibromo-3-Chloropropane	mg/l	0.0240	0.0251	96.0	55-134	4.55	20	WG466404
1,2-Dibromoethane	mg/l	0.0225	0.0222	90.0	75-126	1.59	20	WG466404
1,2-Dichlorobenzene	mg/l	0.0250	0.0250	100.	5-122	3.66	20	WG466404
1,2-Dichloroethane	mg/l	0.0241	0.0245	96.0	63-137	1.80	20	WG466404
1,2-Dichloropropene	mg/l	0.0267	0.0275	107.	74-122	3.16	20	WG466404
1,3,5-Trimethylbenzene	mg/l	0.0234	0.022	94.	3-134	2.76	20	WG466404
1,3-Dichlorobenzene	mg/l	0.0222	0.0212	89.0	73-131	4.68	20	WG466404
1,3-Dichloropropene	mg/l	0.0237	0.0240	95.0	77-119	1.30	20	WG466404
1,4-Dichlorobenzene	mg/l	0.0237	0.0250	95.0	0-12	5.6	0	WG466404
2,2-Dichloropropene	mg/l	0.0246	0.0254	98.0	46-151	2.92	20	WG466404
2-Butanone (MEK)	mg/l	0.130	0.138	104.	53-132	6.23	20	WG466404
2-Chloroethyl vinyl ether	mg/l	0.022	0.022	100.	17	3.62	27	WG466404
2-Chlorotoluene	mg/l	0.0232	0.0230	93.0	74-128	0.788	20	WG466404
4-Chlorotoluene	mg/l	0.0236	0.0231	94.0	74-130	1.97	20	WG466404
4-Methyl-2-pentanone (MIBK)	mg/l	0.1	0.144	113.	0-142	2.04	0	WG466404
Acetone	mg/l	0.118	0.131	94.0	48-134	10.4	20	WG466404
Acrolein	mg/l	0.118	0.105	94.0	6-182	11.0	39	WG466404
Acrylonitrile	mg/l	0.13	0.144	104.	0-140	.	0	WG466404
Benzene	mg/l	0.0252	0.0263	101.	67-126	4.58	20	WG466404
Bromobenzene	mg/l	0.0226	0.0226	90.0	76-123	0.00790	20	WG466404
Bromodichloromethane	mg/l	0.0239	.023	96.	8-133	1.5	20	WG466404
Bromoform	mg/l	0.0219	0.0217	88.0	60-139	0.959	20	WG466404
Bromomethane	mg/l	0.0217	0.0246	87.0	45-175	12.3	20	WG466404
Carbon tetrachloride	mg/l	0.0222	0.0230	89.	4-14	3.3	20	WG466404
Chlorobenzene	mg/l	0.0222	0.0224	89.0	77-125	0.921	20	WG466404
Chlorodibromomethane	mg/l	0.0229	0.0224	91.0	73-138	2.14	20	WG466404
Chloroethane	mg/l	0.0210	0.0230	90.0	49-155	12.1	20	WG466404
Chloroform	mg/l	0.0254	0.0264	102.	46-126	3.61	20	WG466404
Chloromethane	mg/l	0.0159	0.0177	64.0	45-152	10.4	20	WG466404
cis-1,2-Dichloroethene	mg/l	0.0233	0.0254	99.0	12-128	.	20	WG466404
cis-1,3-Dichloropropene	mg/l	0.0251	0.0261	100.	73-131	3.75	20	WG466404

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L447698

March 11, 2010

Laboratory Control Sample Duplicate									
Analyte	Units	Result	Ref	Rec	Limit	RPD	Limit	Batch	
Di-isopropyl ether	mg/l	0.0259	0.0277	104	63-135	6.00	20	WG466404	
Dibromomethane	mg/l	0.0231	0.0234	92.0	73-125	1.08	20	WG466404	
Dichlorodifluoromethane	mg/l	0.0149	0.0161	60.0	39-189	7.50	24	WG466404	
Ethylbenzene	mg/l	0.0231	0.0231	98.0	63-135	1.00	20	WG466404	
Hexachloro-1,3-butadiene	mg/l	0.0223	0.0219	89.0	67-135	1.71	20	WG466404	
Isopropylbenzene	mg/l	0.0232	0.0238	93.0	73-132	2.41	20	WG466404	
Methyl tert-butyl ether	mg/l	0.0246	0.0267	98.0	-142	8.0	0	WG466404	
Methylene Chloride	mg/l	0.0224	0.0254	90.0	64-125	12.5	20	WG466404	
n-Butylbenzene	mg/l	0.0267	0.0277	107.0	63-142	3.50	20	WG466404	
n-Propylbenzene	mg/l	0.0230	0.0230	92.0	1-132	0.350	0	WG466404	
Naphthalene	mg/l	0.0253	0.0243	101.0	56-145	4.06	20	WG466404	
p-Isopropyltoluene	mg/l	0.0232	0.0227	93.0	68-138	2.27	20	WG466404	
sec-Butylbenzene	mg/l	0.0239	0.0231	96.0	60-135	.3	0	WG466404	
Styrene	mg/l	0.0242	0.0241	97.0	78-130	0.403	20	WG466404	
tert-Butylbenzene	mg/l	0.0234	0.0230	93.0	72-134	1.36	20	WG466404	
Tetrachloroethene	mg/l	0.0200	0.0190	88.0	7-135	.74	0	WG466404	
Toluene	mg/l	0.0231	0.0233	92.0	72-122	0.825	20	WG466404	
trans-1,2-Dichloroethene	mg/l	0.0195	0.0218	78.0	67-129	11.3	20	WG466404	
trans-1,3-Dichloropropene	mg/l	0.0240	0.0239	96.0	6-137	0.510	0	WG466404	
Trichloroethene	mg/l	0.0208	0.0208	83.0	74-126	0.116	20	WG466404	
Trichlorofluoromethane	mg/l	0.0200	0.0210	80.0	54-156	4.72	20	WG466404	
Vinyl chloride	mg/l	0.017	0.0205	68.0	48-153	18.1	0	WG466404	
Xylenes, Total	mg/l	0.0702	0.0691	94.0	75-128	1.51	20	WG466404	
4-Bromofluorobenzene				92.55	75-128			WG466404	
Dibromofluoromethane				107.0	-125			WG466404	
Toluene-d8				101.4	87-114			WG466404	
1,1,1,2-Tetrachloroethane	mg/kg	0.0244	0.0233	98.0	3-134	4.8	0	WG466427	
1,1,1-Trichloroethane	mg/kg	0.0272	0.0252	109.0	62-135	7.68	20	WG466427	
1,1,2,2-Tetrachloroethane	mg/kg	0.0268	0.0248	107.0	74-129	7.79	20	WG466427	
1,1,2-Trichloroethane	mg/kg	0.0253	0.0233	101.0	7-124	8.15	0	WG466427	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0280	0.0251	112.0	49-155	10.9	20	WG466427	
1,1-Dichloroethane	mg/kg	0.0279	0.0258	112.0	61-134	7.69	20	WG466427	
1,1-Dichloroethene	mg/kg	0.0289	0.0268	11.0	-136	7.21	20	WG466427	
1,1-Dichloropropene	mg/kg	0.0254	0.0235	102.0	63-132	8.00	20	WG466427	
1,2,3-Trichlorobenzene	mg/kg	0.0283	0.0262	113.0	62-146	7.99	20	WG466427	
1,2,3-Trichloropropene	mg/kg	0.0234	0.0217	93.0	0-133	7.0	0	WG466427	
1,2,3-Trimethylbenzene	mg/kg	0.0266	0.0251	106.0	73-126	5.52	20	WG466427	
1,2,4-Trichlorobenzene	mg/kg	0.0277	0.0263	111.0	61-148	5.22	20	WG466427	
1,2,4-Trimethylbenzene	mg/kg	0.0248	0.0245	99.0	63-135	2.25	20	WG466427	
1,2-Dibromo-3-Chloropropane	mg/kg	0.0255	0.0206	102.0	61-134	21.1*	21	WG466427	
1,2-Dibromoethane	mg/kg	0.0248	0.0228	99.0	76-127	8.51	20	WG466427	
1,2-Dichlorobenzene	mg/kg	0.0263	0.0248	105.0	7-123	5.71	0	WG466427	
1,2-Dichloroethane	mg/kg	0.0266	0.0241	106.0	58-141	9.51	20	WG466427	
1,2-Dichloropropene	mg/kg	0.0265	0.0253	106.0	71-128	4.50	20	WG466427	
1,3,5-Trimethylbenzene	mg/kg	0.0243	0.0234	97.0	1-133	3.80	20	WG466427	
1,3-Dichlorobenzene	mg/kg	0.0249	0.0242	99.0	71-132	2.93	20	WG466427	
1,3-Dichloropropene	mg/kg	0.0259	0.0240	103.0	76-120	7.43	20	WG466427	
1,4-Dichlorobenzene	mg/kg	0.0261	.0241	104.0	2-123	7.78	20	WG466427	
2,2-Dichloropropene	mg/kg	0.0269	0.0250	108.0	50-147	7.37	20	WG466427	
2-Butanone (MEK)	mg/kg	0.132	0.0993	106.0	51-131	28.2*	25	WG466427	
2-Chloroethyl vinyl et	mg/kg	0.138	0.129	121.0	-188	15.0	3	WG466427	
2-Chlorotoluene	mg/kg	0.0245	0.0238	98.0	73-128	3.21	20	WG466427	
4-Chlorotoluene	mg/kg	0.0255	0.0245	102.0	72-129	4.19	20	WG466427	
4-Methyl-2-pentanone (MIBK)	mg/kg	0.1	0.158	111.0	63-143	19.0	23	WG466427	
Acetone	mg/kg	0.143	0.112	114.0	44-140	24.6	25	WG466427	
Acrylonitrile	mg/kg	0.147	0.116	117.0	55-143	23.3*	20	WG466427	
Benzene	mg/kg	0.0248	0.0242	104.0	63-128	6.0	20	WG466427	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L447698

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 11, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	% Rec				
Bromobenzene	mg/kg	0.0230	0.0232	99.0	75-123	0.02	20	WG466427
Bromodichloromethane	mg/kg	0.0247	0.0225	99.0	66-126	9.18	20	WG466427
Bromoform	mg/kg	0.0228	0.0209	91.0	64-139	8.87	20	WG466427
Bromomethane	mg/kg	0.0231	0.0268	117.	-175	8.58	20	WG466427
Carbon tetrachloride	mg/kg	0.0263	0.0234	105.	60-145	11.7	20	WG466427
Chlorobenzene	mg/kg	0.0242	0.0234	97.0	75-125	3.50	20	WG466427
Chlorodibromomethane	mg/kg	0.0225	0.0217	90.	2-137	.6	0	WG466427
Chloroethane	mg/kg	0.0324	0.0296	130.	44-159	8.97	20	WG466427
Chloroform	mg/kg	0.0281	0.0261	112.	63-123	7.39	20	WG466427
Chloromethane	mg/kg	0.0273	0.0250	109.	2-149	9.01	0	WG466427
cis-1,2-Dichloroethene	mg/kg	0.0273	0.0250	109.	71-129	8.81	20	WG466427
cis-1,3-Dichloropropene	mg/kg	0.0239	0.0228	95.0	73-132	4.42	20	WG466427
Di-isopropyl ether	mg/kg	0.0288	0.026	1	9-143	8.8	0	WG466427
Dibromomethane	mg/kg	0.0248	0.0223	99.0	70-130	10.8	20	WG466427
Dichlorodifluoromethane	mg/kg	0.0276	0.0268	110.	26-186	2.76	22	WG466427
Ethylbenzene	mg/kg	0.0240	0.0236	96.	-128	1.6	0	WG466427
Hexachloro-1,3-butadiene	mg/kg	0.0250	0.0249	100.	65-137	0.397	20	WG466427
Isopropylbenzene	mg/kg	0.0248	0.0240	99.0	73-130	3.29	20	WG466427
Methyl tert-butyl ether	mg/kg	0.0281	0.0247	112.	-148	13.1	0	WG466427
Methylene Chloride	mg/kg	0.0252	0.0235	101.	57-129	6.88	20	WG466427
n-Butylbenzene	mg/kg	0.0272	0.0262	109.	60-145	3.80	20	WG466427
n-Propylbenzene	mg/kg	0.0230	0.0244	100.	1-132	13.2	0	WG466427
Naphthalene	mg/kg	0.0275	0.0246	110.	61-142	11.2	20	WG466427
p-Isopropyltoluene	mg/kg	0.0247	0.0243	99.0	67-138	1.72	20	WG466427
sec-Butylbenzene	mg/kg	0.0230	0.0240	101.	1-134	1.7	0	WG466427
Styrene	mg/kg	0.0250	0.0242	100.	76-133	3.14	20	WG466427
tert-Butylbenzene	mg/kg	0.0238	0.0231	95.0	72-132	2.95	20	WG466427
Tetrachloroethene	mg/kg	0.0224	0.0221	91.	5-135	2.5	0	WG466427
Toluene	mg/kg	0.0251	0.0236	100.	70-120	6.10	20	WG466427
trans-1,2-Dichloroethene	mg/kg	0.0242	0.0233	97.0	61-133	4.03	20	WG466427
trans-1,3-Dichloropropene	mg/kg	0.02	0.0209	95.	0-135	12.	0	WG466427
Trichloroethene	mg/kg	0.0236	0.0229	94.0	71-126	3.13	20	WG466427
Trichlorofluoromethane	mg/kg	0.0331	0.0305	132.	52-147	8.22	20	WG466427
Vinyl chloride	mg/kg	0.0289	0.0264	110.	50-15	8.85	20	WG466427
Xylenes, Total	mg/kg	0.0732	0.0711	98.0	74-127	2.88	20	WG466427
4-Bromofluorobenzene				95.35	59-140			WG466427
Dibromofluoromethane				114.1	3-139			WG466427
Toluene-d8				108.0	84-116			WG466427

Analyte	Units	Matrix Spike			Limit	Ref Samp	Batch
		MS Res	Ref Res	% Rec			
1,1,1,2-Tetrachloroethane	mg/l	0.0209	0	.25	45-152	L447261-10	WG466404
1,1,1-Trichloroethane	mg/l	0.0230	0	.025	92.0	L447261-10	WG466404
1,1,2,2-Tetrachloroethane	mg/l	0.0242	0	.025	96.8	L447261-10	WG466404
1,1,2-Trichloroethane	mg/l	0.0222	0	.025	98.8	L447261-10	WG466404
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0249	0	.025	99.5	L447261-10	WG466404
1,1-Dichloroethane	mg/l	0.0225	0	.025	90.2	L447261-10	WG466404
1,1-Dichloroethene	mg/l	0.0208	0	.025	93.2	L447261-10	WG466404
1,1-Dichloropropene	mg/l	0.0216	0	.025	86.3	L447261-10	WG466404
1,2,3-Trichlorobenzene	mg/l	0.0233	0	.025	93.2	L447261-10	WG466404
1,2,3-Trichloropropene	mg/l	0.0226	0	.025	0.2	L447261-10	WG466404
1,2,3-Trimethylbenzene	mg/l	0.0237	0	.025	94.7	L447261-10	WG466404
1,2,4-Trichlorobenzene	mg/l	0.0228	0	.025	91.1	L447261-10	WG466404
1,2,4-Trimethylbenzene	mg/l	0.0224	0	.025	99.8	L447261-10	WG466404
1,2-Dibromo-3-Chloropropene	mg/l	0.0240	0	.025	95.8	L447261-10	WG466404
1,2-Dibromoethane	mg/l	0.0215	0	.025	86.2	L447261-10	WG466404
1,2-Dichlorobenzene	mg/l	0.0241	0	.025	96.3	L447261-10	WG466404
1,2-Dichloroethane	mg/l	0.0232	0	.025	92.6	L447261-10	WG466404

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L447698

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 11, 2010

Analyte	Units	Matrix Spike			TV	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res						
1,2-Dichloropropane	mg/l	0.0252	0	0.025	102	39-148	L447261-10	WG466404	
1,3,5-Trimethylbenzene	mg/l	0.0224	0	0.025	89.8	33-149	L447261-10	WG466404	
1,3-Dichlorobenzene	mg/l	0.0211	0	0.025	84.4	32-148	L447261-10	WG466404	
1,3-Dichloropropane	mg/l	0.0231	0	0.025	92.2	44-142	L447261-10	WG466404	
1,4-Dichlorobenzene	mg/l	0.0227	0	0.025	90.7	32-136	L447261-10	WG466404	
2,2-Dichloropropane	mg/l	0.0238	0	0.025	95.1	14-158	L447261-10	WG466404	
2-Butanone (MEK)	mg/l	0.122	0	0.125	97.9	-151	L447261-10	WG466404	
2-Chloroethyl vinyl ether	mg/l	0.000310	0	0.125	0.248	0-175	L447261-10	WG466404	
2-Chlorotoluene	mg/l	0.0225	0	0.025	90.0	35-147	L447261-10	WG466404	
4-Chlorotoluene	mg/l	0.0228	0	0.025	91.2	3-147	L447261-10	WG466404	
4-Methyl-2-pentanone (MIBK)	mg/l	0.134	0	0.125	107	40-160	L447261-10	WG466404	
Acetone	mg/l	0.117	0	0.125	93.5	25-157	L447261-10	WG466404	
Acrolein	mg/l	0.119	0	0.125	95.1	0-17	L447261-10	WG466404	
Acrylonitrile	mg/l	0.119	0	0.125	95.4	37-162	L447261-10	WG466404	
Benzene	mg/l	0.0240	0	0.025	96.0	16-158	L447261-10	WG466404	
Bromobenzene	mg/l	0.02	0	0.025	88.2	-147	L447261-10	WG466404	
Bromodichloromethane	mg/l	0.0230	0	0.025	91.8	45-147	L447261-10	WG466404	
Bromoform	mg/l	0.0220	0	0.025	87.8	38-152	L447261-10	WG466404	
Bromomethane	mg/l	0.0220	0	0.025	88.1	0-191	L447261-10	WG466404	
Carbon tetrachloride	mg/l	0.0222	0	0.025	88.6	22-168	L447261-10	WG466404	
Chlorobenzene	mg/l	0.0212	0	0.025	84.9	33-148	L447261-10	WG466404	
Chlorodibromomethane	mg/l	0.0218	0	0.025	89.2	48-151	L447261-10	WG466404	
Chloroethane	mg/l	0.0220	0	0.025	88.2	4-176	L447261-10	WG466404	
Chloroform	mg/l	0.0245	0	0.025	97.9	37-147	L447261-10	WG466404	
Chloromethane	mg/l	0.0163	0	0.025	65.4	10-174	L447261-10	WG466404	
cis-1,2-Dichloroethene	mg/l	0.0540	0.0380	0.025	63.9	29-156	L447261-10	WG466404	
cis-1,3-Dichloropropene	mg/l	0.0236	0	0.025	94.4	35-148	L447261-10	WG466404	
Di-isopropyl ether	mg/l	0.024	0	0.025	98.2	39-160	L447261-10	WG466404	
Dibromomethane	mg/l	0.0219	0	0.025	87.8	36-152	L447261-10	WG466404	
Dichlorodifluoromethane	mg/l	0.0121	0	0.025	48.4	0-200	L447261-10	WG466404	
Ethylbenzene	mg/l	0.0224	0	0.025	99.6	29-150	L447261-10	WG466404	
Hexachloro-1,3-butadiene	mg/l	0.0209	0	0.025	83.6	28-144	L447261-10	WG466404	
Isopropylbenzene	mg/l	0.0226	0	0.025	90.5	35-147	L447261-10	WG466404	
Methyl tert-butyl ether	mg/l	0.0242	0	0.025	95.0	24-167	L447261-10	WG466404	
Methylene Chloride	mg/l	0.0224	0	0.025	89.5	23-151	L447261-10	WG466404	
n-Butylbenzene	mg/l	0.0247	0	0.025	98.8	22-151	L447261-10	WG466404	
n-Propylbenzene	mg/l	0.0221	0	0.025	98.3	26-150	L447261-10	WG466404	
Naphthalene	mg/l	0.0236	0	0.025	94.4	24-160	L447261-10	WG466404	
p-Isopropyltoluene	mg/l	0.0219	0	0.025	87.7	28-151	L447261-10	WG466404	
sec-Butylbenzene	mg/l	0.0226	0	0.025	90.5	-14	L447261-10	WG466404	
Styrene	mg/l	0.0234	0	0.025	93.4	38-149	L447261-10	WG466404	
tert-Butylbenzene	mg/l	0.0231	0	0.025	92.3	36-149	L447261-10	WG466404	
Tetrachloroethene	mg/l	0.0180	0	0.02	2.0	13-157	L447261-10	WG466404	
Toluene	mg/l	0.0226	0	0.025	90.2	22-152	L447261-10	WG466404	
trans-1,2-Dichloroethene	mg/l	0.0196	0	0.025	78.3	11-160	L447261-10	WG466404	
trans-1,3-Dichloropropene	mg/l	0.022	0	0.025	89.6	33-153	L447261-10	WG466404	
Trichloroethene	mg/l	0.0191	0	0.025	76.5	18-163	L447261-10	WG466404	
Trichlorofluoromethane	mg/l	0.0210	0	0.025	83.9	10-177	L447261-10	WG466404	
Vinyl chloride	mg/l	0.0160	0	0.025	64.2	0-17	L447261-10	WG466404	
Xylenes, Total	mg/l	0.0680	0	0.075	90.6	27-151	L447261-10	WG466404	
4-Bromofluorobenzene					95.20	75-128		WG466404	
Dibromofluoromethane					103.6	79-125		WG466404	
Toluene-d8					98.31	87-114		WG466404	
1,1,1,2-Tetrachloroethane	mg/kg	0.024	0	0.025	96.4	23-145	L447698-01	WG466427	
1,1,1-Trichloroethane	mg/kg	0.0272	0	0.025	109	23-147	L447698-01	WG466427	
1,1,2,2-Tetrachloroethane	mg/kg	0.0269	0	0.025	108	18-150	L447698-01	WG466427	
1,1,2-Trichloroethane	mg/kg	0.0256	0	0.025	102	35-140	L447698-01	WG466427	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L447698

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 11, 2010

Analyte	Units	MS Res	Matrix Spike			Limit	Ref Samp	Batch
			Ref Res	TV	% Rec			
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0281	0	.025	112.	10-145	L447698-01	WG466427
1,1-Dichloroethane	mg/kg	0.0281	0	.025	112.	24-148	L447698-01	WG466427
1,1-Dichloroethene	mg/kg	0.0311	0	.025	124.	10-149	L447698-01	WG466427
1,1-Dichloropropene	mg/kg	0.0262	0	.025	105.	10-141	L447698-01	WG466427
1,2,3-Trichlorobenzene	mg/kg	0.0262	0	.025	105.	10-129	L447698-01	WG466427
1,2,3-Trichloropropane	mg/kg	0.0238	0	.025	95.3	30-148	L447698-01	WG466427
1,2,3-Trimethylbenzene	mg/kg	0.0263	0	2	05.	10-137	L447698-01	WG466427
1,2,4-Trichlorobenzene	mg/kg	0.0257	0	.025	103.	10-119	L447698-01	WG466427
1,2,4-Trimethylbenzene	mg/kg	0.0241	0	.025	96.3	10-145	L447698-01	WG466427
1,2-Dibromo-3-Chloropropane	mg/kg	0.0264	0	2	06.	19-14	L447698-01	WG466427
1,2-Dibromoethane	mg/kg	0.0252	0	.025	101.	24-145	L447698-01	WG466427
1,2-Dichlorobenzene	mg/kg	0.0260	0	.025	104.	12-130	L447698-01	WG466427
1,2-Dichloroethane	mg/kg	0.0272	0	2	09.	21-1	L447698-01	WG466427
1,2-Dichloropropane	mg/kg	0.0273	0	.025	109.	28-144	L447698-01	WG466427
1,3,5-Trimethylbenzene	mg/kg	0.0236	0	.025	94.2	10-135	L447698-01	WG466427
1,3-Dichlorobenzene	mg/kg	0.0234	0	25	93.7	10-12	L447698-01	WG466427
1,3-Dichloropropane	mg/kg	0.0254	0	.025	102.	31-137	L447698-01	WG466427
1,4-Dichlorobenzene	mg/kg	0.0246	0	.025	98.4	10-121	L447698-01	WG466427
2,2-Dichloropropane	mg/kg	0.0264	0	2	05.	18-144	L447698-01	WG466427
2-Butanone (MEK)	mg/kg	0.132	0.0110	.125	97.1	21-143	L447698-01	WG466427
2-Chloroethyl vinyl ether	mg/kg	0.154	0	.125	123.	0-176	L447698-01	WG466427
2-Chlorotoluene	mg/kg	0.0236	0	.25	94.4	10-132	L447698-01	WG466427
4-Chlorotoluene	mg/kg	0.0241	0	.025	96.2	10-129	L447698-01	WG466427
4-Methyl-2-pentanone (MIBK)	mg/kg	0.140	0	.125	112.	31-151	L447698-01	WG466427
Aceton	mg/kg	0.141	0.140	.25	9.634	13-158	L447698-01	WG466427
Acrylonitrile	mg/kg	0.142	0	.125	114.	20-154	L447698-01	WG466427
Benzene	mg/kg	0.0266	0	.025	106.	16-143	L447698-01	WG466427
Bromobenzene	mg/kg	0.0235	0	.25	94.1	14-135	L447698-01	WG466427
Bromodichloromethane	mg/kg	0.0244	0	.025	97.8	27-139	L447698-01	WG466427
Bromoform	mg/kg	0.0235	0	.025	94.1	21-144	L447698-01	WG466427
Bromomethane	mg/kg	0.0323	0	.2	29.	0-180	L447698-01	WG466427
Carbon tetrachloride	mg/kg	0.0258	0	.025	103.	12-149	L447698-01	WG466427
Chlorobenzene	mg/kg	0.0239	0	.025	95.6	17-134	L447698-01	WG466427
Chlorodibromomethane	mg/kg	0.022	0	.025	99.7	28-147	L447698-01	WG466427
Chloroethane	mg/kg	0.0344	0	.025	138.	0-172	L447698-01	WG466427
Chloroform	mg/kg	0.0269	0	.025	108.	28-138	L447698-01	WG466427
Chloromethane	mg/kg	0.0308	0	.25	92.3	10-158	L447698-01	WG466427
cis-1,2-Dichloroethene	mg/kg	0.0275	0	.025	110.	21-147	L447698-01	WG466427
cis-1,3-Dichloropropene	mg/kg	0.0242	0	.025	96.8	17-145	L447698-01	WG466427
Di-isopropyl ether	mg/kg	0.0288	0	.02	1.	31-153	L447698-01	WG466427
Dibromomethane	mg/kg	0.0253	0	.025	101.	24-147	L447698-01	WG466427
Dichlorodifluoromethane	mg/kg	0.0441	0	.025	176.	0-192	L447698-01	WG466427
Ethylbenzene	mg/kg	0.0243	0	.025	97.0	12-137	L447698-01	WG466427
Hexachloro-1,3-butadiene	mg/kg	0.0229	0	.025	91.6	10-123	L447698-01	WG466427
Isopropylbenzene	mg/kg	0.0241	0	.025	96.6	14-134	L447698-01	WG466427
Methyl tert-butyl ether	mg/kg	0.028	0	.02	1.	21-157	L447698-01	WG466427
Methylene Chloride	mg/kg	0.0268	0	.025	107.	12-149	L447698-01	WG466427
n-Butylbenzene	mg/kg	0.0255	0	.025	102.	10-130	L447698-01	WG466427
n-Propylbenzene	mg/kg	0.0240	0	.025	98.0	10-130	L447698-01	WG466427
Naphthalene	mg/kg	0.0275	0	.025	110.	0-146	L447698-01	WG466427
p-Isopropyltoluene	mg/kg	0.0235	0	.025	94.2	10-131	L447698-01	WG466427
sec-Butylbenzene	mg/kg	0.0239	0	.025	5.7	10-134	L447698-01	WG466427
Styrene	mg/kg	0.0243	0	.025	97.1	10-140	L447698-01	WG466427
tert-Butylbenzene	mg/kg	0.0231	0	.025	92.3	11-137	L447698-01	WG466427
Tetrachloroethene	mg/kg	0.023	0	.025	92.4	10-131	L447698-01	WG466427
Toluene	mg/kg	0.0257	0	.025	103.	12-136	L447698-01	WG466427
trans-1,2-Dichloroethene	mg/kg	0.0269	0	.025	108.	10-143	L447698-01	WG466427
trans-1,3-Dichloropropene	mg/kg	0.0238	0	.025	95.2	16-147	L447698-01	WG466427
Trichloroethene	mg/kg	0.0239	0	.025	95.7	10-155	L447698-01	WG466427

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L447698

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 11, 2010

Analyte	Units	MS Res	Ref Res	TV	% Rec	Limit	Ref Samp	Batch
Trichlorofluoromethane	mg/kg	0.0377	0	0.025	135.	10-134	L447698-01	WG466427
Vinyl chloride	mg/kg	0.0377	0	0.025	151.	10-159	L447698-01	WG466427
Xylenes, Total	mg/kg	0.0726	0	0.075	96.8	10-138	L447698-01	WG466427
4-Bromofluorobenzene					95.20	59-140		WG466427
Dibromofluoromethane					112.6	63-139		WG466427
Toluene-d8					107.6	84-116		WG466427

Analyte	Units	MSD	Ref	%Rec	Limit	RPD	Limit	Ref Samp	Batch
1,1,1,2-Tetrachloroethane	mg/l	0.0206	0.0209	82.4	5-152	1.63	21	L447261-10	WG466404
1,1,1-Trichloroethane	mg/l	0.0198	0.0230	79.0	31-161	15.2	23	L447261-10	WG466404
1,1,2,2-Tetrachloroethane	mg/l	0.0251	0.0242	100.	49-149	3.88	22	L447261-10	WG466404
1,1,2-Trichloroethane	mg/l	0.0228	0.0222	101.4	14-14	2.92	0	L447261-10	WG466404
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0193	0.0249	77.2	14-168	25.2*	24	L447261-10	WG466404
1,1-Dichloroethane	mg/l	0.0218	0.0225	87.2	30-159	3.28	21	L447261-10	WG466404
1,1-Dichloroethane	mg/l	0.0185	0.0208	1.0	14-162	15.9	23	L447261-10	WG466404
1,1-Dichloropropene	mg/l	0.0185	0.0216	74.1	14-162	15.2	23	L447261-10	WG466404
1,2,3-Trichlorobenzene	mg/l	0.0257	0.0233	103.	32-143	9.95	33	L447261-10	WG466404
1,2,3-Trichloropropane	mg/l	0.0235	0.0226	104.0	32-148	4.14	23	L447261-10	WG466404
1,2,3-Trimethylbenzene	mg/l	0.0227	0.0237	90.8	36-141	4.28	25	L447261-10	WG466404
1,2,4-Trichlorobenzene	mg/l	0.0246	0.0228	98.5	27-142	7.84	30	L447261-10	WG466404
1,2,4-Trimethylbenzene	mg/l	0.0220	0.0224	88.0	9-153	1.98	27	L447261-10	WG466404
1,2-Dibromo-3-Chloropropane	mg/l	0.0266	0.0240	106.	37-148	10.4	27	L447261-10	WG466404
1,2-Dibromoethane	mg/l	0.0222	0.0215	88.8	41-149	2.97	21	L447261-10	WG466404
1,2-Dichlorobenzene	mg/l	0.0235	0.0241	94.8	30-139	2.30	23	L447261-10	WG466404
1,2-Dichloroethane	mg/l	0.0231	0.0232	92.4	29-167	0.183	21	L447261-10	WG466404
1,2-Dichloropropane	mg/l	0.0241	0.0255	96.3	39-148	5.95	20	L447261-10	WG466404
1,3,5-Trimethylbenzene	mg/l	0.0210	0.0224	83.5	33-149	1.98	2	L447261-10	WG466404
1,3-Dichlorobenzene	mg/l	0.0202	0.0211	81.0	32-148	4.19	24	L447261-10	WG466404
1,3-Dichloropropane	mg/l	0.0229	0.0231	91.5	44-142	0.813	20	L447261-10	WG466404
1,4-Dichlorobenzene	mg/l	0.0220	0.0227	88.	-13	2.99	2	L447261-10	WG466404
2,2-Dichloropropane	mg/l	0.0211	0.0238	84.3	14-158	12.1	23	L447261-10	WG466404
2-Butanone (MEK)	mg/l	0.137	0.122	109.	32-151	11.0	26	L447261-10	WG466404
2-Chloroethyl vinyl ether	mg/l	0.000633	0.000310	0.507	0-175	68.6		L447261-10	WG466404
2-Chlorotoluene	mg/l	0.0209	0.0225	83.8	35-147	7.15	24	L447261-10	WG466404
4-Chlorotoluene	mg/l	0.0215	0.0228	85.8	33-147	6.14	25	L447261-10	WG466404
4-Methyl-2-pentanone (MIBK)	mg/l	0.140	0.134	115.	40-160	4.38	28	L447261-10	WG466404
Acetone	mg/l	0.123	0.117	98.3	25-157	5.04	26	L447261-10	WG466404
Acrolein	mg/l	0.116	0.119	92.7	0-179	2.63	39	L447261-10	WG466404
Acrylonitrile	mg/l	0.130	0.119	110.	-162	24.6	2	L447261-10	WG466404
Benzene	mg/l	0.0225	0.0240	90.0	16-158	6.50	21	L447261-10	WG466404
Bromobenzene	mg/l	0.0216	0.0221	86.2	37-147	2.28	23	L447261-10	WG466404
Bromodichloromethane	mg/l	0.0223	0.0230	89.1	43-147	0.1	20	L447261-10	WG466404
Bromoform	mg/l	0.0222	0.0220	88.8	38-152	1.10	20	L447261-10	WG466404
Bromomethane	mg/l	0.0201	0.0220	80.4	0-191	9.12	35	L447261-10	WG466404
Carbon tetrachloride	mg/l	0.0181	0.0222	72.4	-168	20.1	24	L447261-10	WG466404
Chlorobenzene	mg/l	0.0203	0.0212	81.2	33-148	4.36	22	L447261-10	WG466404
Chlorodibromomethane	mg/l	0.0222	0.0218	88.7	48-151	1.67	21	L447261-10	WG466404
Chloroethane	mg/l	0.0199	0.0220	71.6	4-176	20.8	27	L447261-10	WG466404
Chloroform	mg/l	0.0237	0.0245	94.8	37-147	3.22	21	L447261-10	WG466404
Chloromethane	mg/l	0.0133	0.0163	53.1	10-174	20.8	28	L447261-10	WG466404
cis-1,2-Dichloroethane	mg/l	0.0433	0.0540	21.9*	29-158	21.5	22	L447261-10	WG466404
cis-1,3-Dichloropropene	mg/l	0.0231	0.0236	92.5	35-148	1.97	21	L447261-10	WG466404
Di-isopropyl ether	mg/l	0.0249	0.0241	99.7	39-160	3.58	21	L447261-10	WG466404
Dibromomethane	mg/l	0.0222	0.0219	89.	-152	2.38	20	L447261-10	WG466404
Dichlorodifluoromethane	mg/l	0.00939	0.0121	37.6	0-200	25.2	26	L447261-10	WG466404
Ethylbenzene	mg/l	0.0204	0.0224	81.7	29-150	9.26	24	L447261-10	WG466404
Hexachloro-1,3-butadiene	mg/l	0.0193	0.0209	77.3	28-144	7.82	33	L447261-10	WG466404

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L447698

March 11, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Isopropylbenzene	mg/l	0.0202	0.0226	80	5-147	.4	25	L447261-10	WG466404
Methyl tert-butyl ether	mg/l	0.0258	0.0242	103.	24-167	6.26	22	L447261-10	WG466404
Methylene Chloride	mg/l	0.0210	0.0224	83.9	23-151	6.51	21	L447261-10	WG466404
n-Butylbenzene	mg/l	0.0223	0.0247	89.2	-151	.3	25	L447261-10	WG466404
n-Propylbenzene	mg/l	0.0202	0.0221	80.7	26-150	8.98	25	L447261-10	WG466404
Naphthalene	mg/l	0.0272	0.0236	109.	24-160	14.2	37	L447261-10	WG466404
p-Isopropyltoluene	mg/l	0.0203	0.0219	80.2	8-15	8.90	27	L447261-10	WG466404
sec-Butylbenzene	mg/l	0.0199	0.0226	79.8	32-149	12.6	26	L447261-10	WG466404
Styrene	mg/l	0.0224	0.0234	89.6	38-149	4.13	23	L447261-10	WG466404
tert-Butylbenzene	mg/l	0.0201	0.023	80.5	6-149	13.6	26	L447261-10	WG466404
Tetrachloroethene	mg/l	0.0157	0.0180	62.0	13-157	13.8	24	L447261-10	WG466404
Toluene	mg/l	0.0223	0.0226	89.0	22-152	1.28	22	L447261-10	WG466404
trans-1,2-Dichloroethene	mg/l	0.0181	0.0196	72.4	1-160	7.77	23	L447261-10	WG466404
trans-1,3-Dichloropropene	mg/l	0.0227	0.0224	90.9	33-153	1.37	22	L447261-10	WG466404
Trichloroethene	mg/l	0.0174	0.0191	69.7	18-163	9.29	21	L447261-10	WG466404
Trichlorofluoromethane	mg/l	0.0170	0.0210	67.0	0-17	21.2	24	L447261-10	WG466404
Vinyl chloride	mg/l	0.0126	0.0160	50.6	0-179	23.7	26	L447261-10	WG466404
Xylenes, Total	mg/l	0.0635	0.0680	84.7	27-151	6.75	23	L447261-10	WG466404
4-Bromofluorobenzene				95.59	5-128				WG466404
Dibromofluoromethane				108.3	79-125				WG466404
Toluene-d8				100.7	87-114				WG466404
1,1,1,2-Tetrachloroethane	mg/kg	0.0246	0.0241	98.5	29-145	2.22	31	L447698-01	WG466427
1,1,1-Trichloroethane	mg/kg	0.0274	0.0272	110.	23-147	0.640	32	L447698-01	WG466427
1,1,2,2-Tetrachloroethane	mg/kg	0.0262	0.0269	105	8-150	2.78	33	L447698-01	WG466427
1,1,2-Trichloroethane	mg/kg	0.0245	0.0256	98.1	35-140	4.46	29	L447698-01	WG466427
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0299	0.0288	120.	10-145	3.59	35	L447698-01	WG466427
1,1-Dichloroethane	mg/kg	0.0283	0.028	116	4-148	2.89	31	L447698-01	WG466427
1,1-Dichloroethene	mg/kg	0.0325	0.0311	130.	10-149	4.46	34	L447698-01	WG466427
1,1-Dichloropropene	mg/kg	0.0273	0.0262	109.	10-141	4.34	34	L447698-01	WG466427
1,2,3-Trichlorobenzene	mg/kg	0.0264	0.0262	105	0-129	0.665	43	L447698-01	WG466427
1,2,3-Trichloropropene	mg/kg	0.0222	0.0238	88.9	30-148	6.94	32	L447698-01	WG466427
1,2,3-Trimethylbenzene	mg/kg	0.0270	0.0263	108.	10-137	2.46	36	L447698-01	WG466427
1,2,4-Trichlorobenzene	mg/kg	0.0263	0.025	105.	10-119	2.53	44	L447698-01	WG466427
1,2,4-Trimethylbenzene	mg/kg	0.0249	0.0241	99.6	10-145	3.36	41	L447698-01	WG466427
1,2-Dibromo-3-Chloropropane	mg/kg	0.0245	0.0264	97.8	19-145	7.65	35	L447698-01	WG466427
1,2-Dibromoethane	mg/kg	0.0252	0.0252	101	4-14	0.0177	31	L447698-01	WG466427
1,2-Dichlorobenzene	mg/kg	0.0264	0.0260	105.	12-130	1.55	35	L447698-01	WG466427
1,2-Dichloroethane	mg/kg	0.0278	0.0272	111.	21-155	2.25	29	L447698-01	WG466427
1,2-Dichloropropene	mg/kg	0.0273	0.0273	109	8-144	0.149	30	L447698-01	WG466427
1,3,5-Trimethylbenzene	mg/kg	0.0242	0.0236	96.8	10-135	2.74	39	L447698-01	WG466427
1,3-Dichlorobenzene	mg/kg	0.0240	0.0234	96.0	10-129	2.49	38	L447698-01	WG466427
1,3-Dichloropropene	mg/kg	0.0257	0.0254	103	1-137	1.08	2	L447698-01	WG466427
1,4-Dichlorobenzene	mg/kg	0.0253	0.0246	101.	10-121	2.79	36	L447698-01	WG466427
2,2-Dichloropropene	mg/kg	0.0271	0.0264	108.	18-144	2.94	32	L447698-01	WG466427
2-Butanone (MEK)	mg/kg	0.1	0.132	88.7	1-143	8.25	37	L447698-01	WG466427
2-Chloroethyl vinyl ether	mg/kg	0.150	0.154	120.	0-176	2.78	50	L447698-01	WG466427
2-Chlorotoluene	mg/kg	0.0241	0.0236	96.3	10-132	1.94	37	L447698-01	WG466427
4-Chlorotoluene	mg/kg	0.0246	0.0241	98.2	0-129	2.08	38	L447698-01	WG466427
4-Methyl-2-pentanone (MIBK)	mg/kg	0.131	0.140	104.	31-151	6.91	36	L447698-01	WG466427
Acetone	mg/kg	0.129	0.141	0*	13-158	8.83	34	L447698-01	WG466427
Acrylonitrile	mg/kg	0.13	0.142	108	0-154	4.67	35	L447698-01	WG466427
Benzene	mg/kg	0.0274	0.0266	110.	16-143	2.80	31	L447698-01	WG466427
Bromobenzene	mg/kg	0.0237	0.0235	94.9	14-135	0.832	39	L447698-01	WG466427
Bromodichloromethane	mg/kg	0.0249	0.0244	99.8	7-139	2.03	30	L447698-01	WG466427
Bromoform	mg/kg	0.0228	0.0235	91.2	21-144	3.20	34	L447698-01	WG466427
Bromomethane	mg/kg	0.0331	0.0323	132.	0-180	2.42	41	L447698-01	WG466427
Carbon tetrachloride	mg/kg	0.0272	0.0258	109	-149	.17	32	L447698-01	WG466427

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L447698

March 11, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Chlorobenzene	mg/kg	0.0244	0.0239	97.5	-134	.93	32	L447698-01	WG466427
Chlorodibromomethane	mg/kg	0.0232	0.0224	92.9	28-147	3.55	32	L447698-01	WG466427
Chloroethane	mg/kg	0.0348	0.0344	139.	0-172	1.20	38	L447698-01	WG466427
Chloroform	mg/kg	0.0276	0.0269	110.	28-138	2.39	30	L447698-01	WG466427
Chloromethane	mg/kg	0.0325	0.0308	130.	10-158	5.29	35	L447698-01	WG466427
cis-1,2-Dichloroethene	mg/kg	0.0278	0.0275	111.	21-147	1.16	31	L447698-01	WG466427
cis-1,3-Dichloropropene	mg/kg	0.0245	0.0242	97.8	33-145	1.16	32	L447698-01	WG466427
Di-isopropyl ether	mg/kg	0.0292	0.0288	117.	31-153	1.55	29	L447698-01	WG466427
Dibromomethane	mg/kg	0.0255	0.0253	102.	24-147	0.970	30	L447698-01	WG466427
Dichlorodifluoromethane	mg/kg	0.0455	0.044	182	-192	3.2	38	L447698-01	WG466427
Ethylbenzene	mg/kg	0.0250	0.0243	100.	12-137	3.03	36	L447698-01	WG466427
Hexachloro-1,3-butadiene	mg/kg	0.0242	0.0229	96.6	10-123	5.29	50	L447698-01	WG466427
Isopropylbenzene	mg/kg	0.0250	0.024	100	4-134	3.59		L447698-01	WG466427
Methyl tert-butyl ether	mg/kg	0.0281	0.0287	112.	21-157	2.07	31	L447698-01	WG466427
Methylene Chloride	mg/kg	0.0271	0.0268	108.	12-149	1.12	31	L447698-01	WG466427
n-Butylbenzene	mg/kg	0.0266	0.0255	106	0-130	4.29	48	L447698-01	WG466427
n-Propylbenzene	mg/kg	0.0248	0.0240	99.2	10-130	3.28	40	L447698-01	WG466427
Naphthalene	mg/kg	0.0263	0.0275	105.	0-146	4.46	43	L447698-01	WG466427
p-Isopropyltoluene	mg/kg	0.0243	0.0235	97.	0-13	3.0	3	L447698-01	WG466427
sec-Butylbenzene	mg/kg	0.0247	0.0239	98.9	10-134	3.28	43	L447698-01	WG466427
Styrene	mg/kg	0.0250	0.0243	99.8	10-140	2.82	35	L447698-01	WG466427
tert-Butylbenzene	mg/kg	0.0240	0.0235	96.1	1-13	3.98	39	L447698-01	WG466427
Tetrachloroethene	mg/kg	0.0239	0.0231	95.7	10-131	3.46	35	L447698-01	WG466427
Toluene	mg/kg	0.0265	0.0257	106.	12-136	3.21	32	L447698-01	WG466427
trans-1,2-Dichloroethene	mg/kg	0.0276	0.0269	110	0-143	2.42	33	L447698-01	WG466427
trans-1,3-Dichloropropene	mg/kg	0.0248	0.0238	99.0	16-147	3.94	32	L447698-01	WG466427
Trichloroethene	mg/kg	0.0249	0.0239	99.6	10-155	4.01	33	L447698-01	WG466427
Trichlorofluoromethane	mg/kg	0.0348	0.0338	139	0-154	2.77	32	L447698-01	WG466427
Vinyl chloride	mg/kg	0.0388	0.0377	155.	10-159	2.94	36	L447698-01	WG466427
Xylenes, Total	mg/kg	0.0756	0.0726	101.	10-138	4.03	36	L447698-01	WG466427
4-Bromofluorobenzene				95.27	9-140				WG466427
Dibromofluoromethane				111.6	63-139				WG466427
Toluene-d8				108.8	84-116				WG466427

Batch number / Run number / Sample number cross reference

WG466121: R1136118: L447698-01
WG466122: R1136119: L447698-02 03 04 05 06 07
WG466404: R1137950: L447698-08
WG466427: R1141492: L447698-01 02 03 04 05 06 07

* * Calculations are performed prior to rounding of reported values .
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L447698

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 11, 2010

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the Laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

SESCO Group

1426 W. 29th Street
Indianapolis, IN 46208

Billing information

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Report to:
Mr. Tim Yates

Email
tyates@sescogroup.com

Project
Description: Harman Becker

City/State
Collected

Phone: (317) 347-9590
FAX (317) 347-9591

Client Project #
3872

Lab Project #
SESCOIN-HARMAN

Collected by (print):

Site/Facility ID#:

P.O.#:

Collected by (signature):

Rush? (Lab MUST Be Notified)

Same Day 200%
Next Day 100%
Two Day 50%
Three Day 25%

Date Results Needed

Email? ___ No ___ Yes
FAX? ___ No ___ Yes

No.
of
Cntrs

Immediately
Packed on Ice N ___ Y ___

Sample ID	ComprGrab	Matrix*	Depth	Date	Time		TS 2ozClr-NoPres	Trip Blank 40ml/Amb-HCl-Blk	V8260 40ml/NaHSO4/Syr/McOH	V8260 40ml/Amb-HCl	VOC Screen 2ozClr-NoPres					
B-8a 4'-6'	G	SS	4'-6'	3-8-10	1300	15	X		X		X					
B-9 3'-10'	G	SS	3'-10'	3-8-10	1510	5	X		X		X					
TB	G	SS GW		3-8-10	-	52	X	✓	X		X					
		SS				5	X		X		X					
		SS				5	X		X		X					
		SS				5	X		X		X					
		SS				5	X		X		X					
		SS				5	X		X		X					
		SS				5	X		X		X					

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

Remarks

pH _____ Temp _____

Flow _____ Other _____

4355 9296 8348

Relinquished by (Signature)	Date: 3-8-10	Time: 1745	Received by (Signature)	Samples returned via: ☒ UPS ☐ FedEx ☐ Courier	Condition: (lab use only)
Relinquished by (Signature)	Date:	Time:	Received by (Signature)	Temp: 58.0° Bottles Received: 20	COC Seal Intact: ___ Y ___ N ___ NA
Relinquished by (Signature)	Date:	Time:	Received for lab by (Signature)	Date: 3/9/10 Time: 0900	pH Checked: NCF:

Analysis/Container/Preservative

D088

Chain of Custody
Page 1 of 3



12065 Lebanon Road
Mt. Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

Account: SESCOIN (lab use only)
Template/Prelogin T63181/P311888
Cooler #: 2-2518
Shipped Via: FedEx Ground

Remarks/Contaminant Sample # (lab use only)

MS/MSD 6448345-01/02/03
6448345 04
05



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Wednesday March 17, 2010

Report Number: L448345

Samples Received: 03/09/10

Client Project: 3872

Description: Harman Becker

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

T. Alan Harvill , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 17, 2010

Date Received : March 09, 2010
Description : Harman Becker
Sample ID : B-89 4-6FT
Collected By :
Collection Date : 03/08/10 13:00

ESC Sample # : 1448345-01

Site ID :
Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	87.0		%	2540G	03/11/10	1
Volatile Organics						
Acetone	0.081	0.057	mg/kg	8260B	03/10/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/10/10	1
Benzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/10/10	1
Bromomethane	BDL	0.0057	mg/kg	8260B	03/10/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Chloroethane	BDL	0.0057	mg/kg	8260B	03/10/10	1
2-Chloroethyl vinyl ether	BDL	0.057	mg/kg	8260B	03/10/10	1
Chloroform	BDL	0.0057	mg/kg	8260B	03/10/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0057	mg/kg	8260B	03/10/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Dichlorodifluoromethane	BDL	0.0057	mg/kg	8260B	03/10/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/10/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 17, 2010

Date Received : March 09, 2010
Description : Harman Becker
Sample ID : B-89 4-6FT
Collected By :
Collection Date : 03/08/10 13:00

ESC Sample # : 1448345-01

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/10/10	1
2-Butanone (MEK)	BDL	0.011	mg/kg	8260B	03/10/10	1
Methylene Chloride	BDL	0.0057	mg/kg	8260B	03/10/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/10/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/10/10	1
Naphthalene	BDL	0.0057	mg/kg	8260B	03/10/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/10/10	1
Tetrachloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Toluene	BDL	0.0057	mg/kg	8260B	03/10/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/10/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Trichlorofluoromethane	BDL	0.0057	mg/kg	8260B	03/10/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/10/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/10/10	1
Xylenes, Total	BDL	0.0034	mg/kg	8260B	03/10/10	1
Surrogate Recovery						
Toluene-d8	98.5		% Rec.	8260B	03/10/10	1
Dibromofluoromethane	110.		% Rec.	8260B	03/10/10	1
4-Bromofluorobenzene	105.		% Rec.	8260B	03/10/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/17/10 15:33 Printed: 03/17/10 15:33



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 17, 2010

Date Received : March 09, 2010
Description : Harman Becker
Sample ID : B-89 MS 4-6FT
Collected By :
Collection Date : 03/08/10 13:00

ESC Sample # : L448345-02

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics Matrix Spike						
See QC Report for % Rec. and RPD						

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/17/10 15:33 Printed: 03/17/10 15:33



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 17, 2010

Date Received : March 09, 2010
Description : Harman Becker
Sample ID : B-89 MSD 4-6FT
Collected By :
Collection Date : 03/08/10 13:00

ESC Sample # : L448345-03

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics MSD						
See QC Report for % Rec and RPD						

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)
Note:
The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.
Reported: 03/17/10 15:33 Printed: 03/17/10 15:33

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 17, 2010

Date Received : March 09, 2010
Description : Harman Becker
Sample ID : B-91 8-10FT
Collected By :
Collection Date : 03/08/10 15:10

ESC Sample # : 1448345-04

Site ID :
Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	85.2		%	2540G	03/11/10	1
Volatile Organics						
Acetone	0.093	0.059	mg/kg	8260B	03/11/10	1
Acrylonitrile	BDL	0.012	mg/kg	8260B	03/11/10	1
Benzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
Bromobenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
Bromodichloromethane	BDL	0.0012	mg/kg	8260B	03/11/10	1
Bromoform	BDL	0.0012	mg/kg	8260B	03/11/10	1
Bromomethane	BDL	0.0059	mg/kg	8260B	03/11/10	1
n-Butylbenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
sec-Butylbenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
tert-Butylbenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
Carbon tetrachloride	BDL	0.0012	mg/kg	8260B	03/11/10	1
Chlorobenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
Chlorodibromomethane	BDL	0.0012	mg/kg	8260B	03/11/10	1
Chloroethane	BDL	0.0059	mg/kg	8260B	03/11/10	1
2-Chloroethyl vinyl ether	BDL	0.059	mg/kg	8260B	03/11/10	1
Chloroform	BDL	0.0059	mg/kg	8260B	03/11/10	1
Chloromethane	BDL	0.0012	mg/kg	8260B	03/11/10	1
2-Chlorotoluene	BDL	0.0012	mg/kg	8260B	03/11/10	1
4-Chlorotoluene	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0059	mg/kg	8260B	03/11/10	1
1,2-Dibromoethane	BDL	0.0012	mg/kg	8260B	03/11/10	1
Dibromomethane	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,2-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,3-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,4-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
Dichlorodifluoromethane	BDL	0.0059	mg/kg	8260B	03/11/10	1
1,1-Dichloroethane	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,2-Dichloroethane	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,1-Dichloroethene	BDL	0.0012	mg/kg	8260B	03/11/10	1
cis-1,2-Dichloroethene	BDL	0.0012	mg/kg	8260B	03/11/10	1
trans-1,2-Dichloroethene	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,2-Dichloropropane	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,1-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/11/10	1
cis-1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/11/10	1
trans-1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/11/10	1
2,2-Dichloropropane	BDL	0.0012	mg/kg	8260B	03/11/10	1
Di-isopropyl ether	BDL	0.0012	mg/kg	8260B	03/11/10	1
Ethylbenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
Hexachloro-1,3-butadiene	BDL	0.0012	mg/kg	8260B	03/11/10	1
Isopropylbenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 17, 2010

Date Received : March 09, 2010
Description : Harman Becker
Sample ID : B-91 8-10FT
Collected By :
Collection Date : 03/08/10 15:10

ESC Sample # : 1448345-04

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0012	mg/kg	8260B	03/11/10	1
2-Butanone (MEK)	BDL	0.012	mg/kg	8260B	03/11/10	1
Methylene Chloride	BDL	0.0059	mg/kg	8260B	03/11/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.012	mg/kg	8260B	03/11/10	1
Methyl tert-butyl ether	BDL	0.0012	mg/kg	8260B	03/11/10	1
Naphthalene	BDL	0.0059	mg/kg	8260B	03/11/10	1
n-Propylbenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
Styrene	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0012	mg/kg	8260B	03/11/10	1
Tetrachloroethene	BDL	0.0012	mg/kg	8260B	03/11/10	1
Toluene	BDL	0.0059	mg/kg	8260B	03/11/10	1
1,2,3-Trichlorobenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,2,4-Trichlorobenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,1,1-Trichloroethane	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,1,2-Trichloroethane	BDL	0.0012	mg/kg	8260B	03/11/10	1
Trichloroethene	BDL	0.0012	mg/kg	8260B	03/11/10	1
Trichlorofluoromethane	BDL	0.0059	mg/kg	8260B	03/11/10	1
1,2,3-Trichloropropane	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,2,4-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,2,3-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
1,3,5-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	03/11/10	1
Vinyl chloride	BDL	0.0012	mg/kg	8260B	03/11/10	1
Xylenes, Total	BDL	0.0035	mg/kg	8260B	03/11/10	1
Surrogate Recovery						
Toluene-d8	97.0		% Rec.	8260B	03/11/10	1
Dibromofluoromethane	101.		% Rec.	8260B	03/11/10	1
4-Bromofluorobenzene	86.0		% Rec.	8260B	03/11/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/17/10 15:33 Printed: 03/17/10 15:33

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 17, 2010

Date Received : March 09, 2010
Description : Harman Becker

Sample ID : TB

Collected By :
Collection Date : 03/08/10 00:00

ESC Sample # : L448345-05

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	03/11/10	1
Acrolein	BDL	0.050	mg/l	8260B	03/11/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	03/11/10	1
Benzene	BDL	0.0010	mg/l	8260B	03/11/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	03/11/10	1
Bromoform	BDL	0.0010	mg/l	8260B	03/11/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	03/11/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	03/11/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	03/11/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	03/11/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	03/11/10	1
Chloroform	BDL	0.0050	mg/l	8260B	03/11/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	03/11/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/11/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/11/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	03/11/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	03/11/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	03/11/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	03/11/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	03/11/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	03/11/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	03/11/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/11/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/11/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/11/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	03/11/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	03/11/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/11/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/11/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/11/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	03/11/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	03/11/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	03/11/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 17, 2010

Date Received : March 09, 2010
Description : Harman Becker

ESC Sample # : L448345-05

Sample ID : TB

Site ID :

Collected By :
Collection Date : 03/08/10 00:00

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	03/11/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	03/11/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	03/11/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	03/11/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	03/11/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
Styrene	BDL	0.0010	mg/l	8260B	03/11/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/11/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/11/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	03/11/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	03/11/10	1
Toluene	BDL	0.0050	mg/l	8260B	03/11/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	03/11/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	03/11/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	03/11/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	03/11/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	03/11/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/11/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	03/11/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	03/11/10	1
Surrogate Recovery						
Toluene-d8	98.3		% Rec.	8260B	03/11/10	1
Dibromofluoromethane	100.		% Rec.	8260B	03/11/10	1
4-Bromofluorobenzene	101.		% Rec.	8260B	03/11/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/17/10 15:33 Printed: 03/17/10 15:33

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L448345-01	WG466950	SAMP	trans-1,3-Dichloropropene	R1141570	J3
L448345-04	WG466950	SAMP	Acetone	R1141570	J3
	WG466950	SAMP	Acrylonitrile	R1141570	J3
	WG466950	SAMP	Chloromethane	R1141570	J3
	WG466950	SAMP	1,1-Dichloroethene	R1141570	J3
	WG466950	SAMP	Di-isopropyl ether	R1141570	J3

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J3	The associated batch QC was outside the established quality control range for precision.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy** - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision** - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate** - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC** - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
03/17/10 at 15:33:46

TSR Signing Reports: 364
R5 - Desired TAT

No hard copy of reports per Jesse. In 6/12/06 Only CD for QC pkgs. - no paper. In 6/6/05 All
soils in Dry wt. In 5/9/05 client requires purchase orders for each project.

Sample: L448345-01 Account: SESCOIN Received: 03/09/10 09:00 Due Date: 03/16/10 00:00 RPT Date: 03/17/10 15:33
QC4 MS/MSD this sample
Sample: L448345-02 Account: SESCOIN Received: 03/09/10 09:00 Due Date: 03/16/10 00:00 RPT Date: 03/17/10 15:33
QC4
Sample: L448345-03 Account: SESCOIN Received: 03/09/10 09:00 Due Date: 03/16/10 00:00 RPT Date: 03/17/10 15:33
QC4
Sample: L448345-04 Account: SESCOIN Received: 03/09/10 09:00 Due Date: 03/16/10 00:00 RPT Date: 03/17/10 15:33
QC4
Sample: L448345-05 Account: SESCOIN Received: 03/09/10 09:00 Due Date: 03/16/10 00:00 RPT Date: 03/17/10 15:33
QC4



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L448345

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 17, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
1,1,1,2-Tetrachloroethane	< .001	mg/kg			WG466950	03/10/10 23:00
1,1,1-Trichloroethane	< .001	mg/kg			WG466950	03/10/10 23:00
1,1,2,2-Tetrachloroethane	< .001	mg/kg			WG466950	03/10/10 23:00
1,1,2-Trichloroethane	< .001	mg/kg			WG466950	03/10/10 23:00
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/kg			WG466950	03/10/10 23:00
1,1-Dichloroethane	< .001	mg/kg			WG466950	03/10/10 23:00
1,1-Dichloropropene	< .001	mg/kg			WG466950	03/10/10 23:00
1,2,3-Trichlorobenzene	< .001	mg/kg			WG466950	03/10/10 23:00
1,2,3-Trichloropropene	< .001	mg/kg			WG466950	03/10/10 23:00
1,2,3-Trimethylbenzene	< .001	mg/kg			WG466950	03/10/10 23:00
1,2,4-Trichlorobenzene	< .001	mg/kg			WG466950	03/10/10 23:00
1,2,4-Trimethylbenzene	< .001	mg/kg			WG466950	03/10/10 23:00
1,2-Dibromo-3-Chloropropane	< .005	mg/kg			WG466950	03/10/10 23:00
1,2-Dibromoethane	< .001	mg/kg			WG466950	03/10/10 23:00
1,2-Dichlorobenzene	< .001	/kg			WG466950	03/10/10 23:00
1,2-Dichloroethane	< .001	mg/kg			WG466950	03/10/10 23:00
1,2-Dichloropropene	< .001	mg/kg			WG466950	03/10/10 23:00
1,3,5-Trimethylbenzene	< .001	/kg			WG466950	03/10/10 23:00
1,3-Dichlorobenzene	< .001	mg/kg			WG466950	03/10/10 23:00
1,3-Dichloropropene	< .001	mg/kg			WG466950	03/10/10 23:00
1,4-Dichlorobenzene	< .001	mg/kg			WG466950	03/10/10 23:00
2,2-Dichloropropene	< .001	mg/kg			WG466950	03/10/10 23:00
2-Butanone (MEK)	< .01	mg/kg			WG466950	03/10/10 23:00
2-Chloroethyl vinyl ether	< .001	/kg			WG466950	03/10/10 23:00
2-Chlorotoluene	< .001	mg/kg			WG466950	03/10/10 23:00
4-Chlorotoluene	< .001	mg/kg			WG466950	03/10/10 23:00
4-Methyl-2-pentanone (M	< .0	/kg			WG466950	03/10/10 23:00
Acetone	< .05	mg/kg			WG466950	03/10/10 23:00
Acrylonitrile	< .01	mg/kg			WG466950	03/10/10 23:00
Benzene	< .001	/kg			WG466950	03/10/10 23:00
Bromobenzene	< .001	mg/kg			WG466950	03/10/10 23:00
Bromodichloromethane	< .001	mg/kg			WG466950	03/10/10 23:00
Bromoform	< .001	/kg			WG466950	03/10/10 23:00
Bromomethane	< .005	mg/kg			WG466950	03/10/10 23:00
Carbon tetrachloride	< .001	mg/kg			WG466950	03/10/10 23:00
Chlorobenzene	< .001	/kg			WG466950	03/10/10 23:00
Chlorodibromomethane	< .001	mg/kg			WG466950	03/10/10 23:00
Chloroethane	< .005	mg/kg			WG466950	03/10/10 23:00
Chloroform	< .005	/kg			WG466950	03/10/10 23:00
Chloromethane	< .001	mg/kg			WG466950	03/10/10 23:00
cis-1,2-Dichloroethene	< .001	mg/kg			WG466950	03/10/10 23:00
cis-1,3-Dichloropropene	< .001	/kg			WG466950	03/10/10 23:00
Di-isopropyl ether	< .001	mg/kg			WG466950	03/10/10 23:00
Dibromomethane	< .001	mg/kg			WG466950	03/10/10 23:00
Dichlorodifluoromethane	< .005	/kg			WG466950	03/10/10 23:00
Ethylbenzene	< .001	mg/kg			WG466950	03/10/10 23:00
Hexachloro-1,3-butadiene	< .001	mg/kg			WG466950	03/10/10 23:00
Isopropylbenzene	< .001	mg/kg			WG466950	03/10/10 23:00
Methyl tert-butyl ether	< .001	mg/kg			WG466950	03/10/10 23:00
Methylene Chloride	< .005	mg/kg			WG466950	03/10/10 23:00
n-Butylbenzene	< .001	mg/kg			WG466950	03/10/10 23:00
n-Propylbenzene	< .001	mg/kg			WG466950	03/10/10 23:00
Naphthalene	< .005	mg/kg			WG466950	03/10/10 23:00
p-Isopropyltoluene	< .005	mg/kg			WG466950	03/10/10 23:00
sec-Butylbenzene	< .001	mg/kg			WG466950	03/10/10 23:00
Styrene	< .001	mg/kg			WG466950	03/10/10 23:00
tert-Butylbenzene	< .005	mg/kg			WG466950	03/10/10 23:00
Tetrachloroethene	< .001	mg/kg			WG466950	03/10/10 23:00

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L448345

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 17, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Toluene	< .005	/kg			WG466950	03/10/10 23:00
trans-1,2-Dichloroethene	< .001	mg/kg			WG466950	03/10/10 23:00
trans-1,3-Dichloropropene	< .001	mg/kg			WG466950	03/10/10 23:00
Trichloroethene	< .001	mg/kg			WG466950	03/10/10 23:00
Trichlorofluoromethane	< .005	mg/kg			WG466950	03/10/10 23:00
Vinyl chloride	< .001	mg/kg			WG466950	03/10/10 23:00
Xylenes, Total	< .005	mg/kg			WG466950	03/10/10 23:00
4-Bromofluorobenzene		% Rec.	100.7	59-140	WG466950	03/10/10 23:00
Dibromofluoromethane		% Rec.	102.9	63-139	WG466950	03/10/10 23:00
Toluene-d ₈		% Rec	4.41	84-116	WG466950	03/10/10 23:00
Total Solids	< .1	%			WG467022	03/11/10 10:48
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG467175	03/11/10 13:56
1,1,1-Trichloroethane	< .001	mg/l			WG467175	03/11/10 13:56
1,1,2,2-Tetrachloroethane	< .001	/l			WG467175	03/11/10 13:56
1,1,2-Trichloroethane	< .001	mg/l			WG467175	03/11/10 13:56
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG467175	03/11/10 13:56
1,1-Dichloroethane	< .001	/l			WG467175	03/11/10 13:56
1,1-Dichloroethene	< .001	mg/l			WG467175	03/11/10 13:56
1,1-Dichloropropene	< .001	mg/l			WG467175	03/11/10 13:56
1,2,3-Trichlorobenzene	< .001	mg/l			WG467175	03/11/10 13:56
1,2,3-Trichloropropene	< .001	mg/l			WG467175	03/11/10 13:56
1,2,3-Trimethylbenzene	< .001	mg/l			WG467175	03/11/10 13:56
1,2,4-Trichlorobenzene	< .001	/l			WG467175	03/11/10 13:56
1,2,4-Trimethylbenzene	< .001	mg/l			WG467175	03/11/10 13:56
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG467175	03/11/10 13:56
1,2-Dibromoethane	< .001	/l			WG467175	03/11/10 13:56
1,2-Dichlorobenzene	< .001	mg/l			WG467175	03/11/10 13:56
1,2-Dichloroethane	< .001	mg/l			WG467175	03/11/10 13:56
1,2-Dichloropropene	< .001	/l			WG467175	03/11/10 13:56
1,3,5-Trimethylbenzene	< .001	mg/l			WG467175	03/11/10 13:56
1,3-Dichlorobenzene	< .001	mg/l			WG467175	03/11/10 13:56
1,3-Dichloropropene	< .001	/l			WG467175	03/11/10 13:56
1,4-Dichlorobenzene	< .001	mg/l			WG467175	03/11/10 13:56
2,2-Dichloropropene	< .001	mg/l			WG467175	03/11/10 13:56
2-Butanone (MEK)	< .01	mg/l			WG467175	03/11/10 13:56
2-Chloroethyl vinyl ether	< .001	mg/l			WG467175	03/11/10 13:56
2-Chlorotoluene	< .001	mg/l			WG467175	03/11/10 13:56
4-Chlorotoluene	< .001	/l			WG467175	03/11/10 13:56
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG467175	03/11/10 13:56
Acetone	< .05	mg/l			WG467175	03/11/10 13:56
Acrolein	< .01	mg/l			WG467175	03/11/10 13:56
Acrylonitrile	< .01	mg/l			WG467175	03/11/10 13:56
Benzene	< .001	mg/l			WG467175	03/11/10 13:56
Bromobenzene	< .001	/l			WG467175	03/11/10 13:56
Bromodichloromethane	< .001	mg/l			WG467175	03/11/10 13:56
Bromoform	< .001	mg/l			WG467175	03/11/10 13:56
Bromomethane	< .005	mg/l			WG467175	03/11/10 13:56
Carbon tetrachloride	< .001	mg/l			WG467175	03/11/10 13:56
Chlorobenzene	< .001	mg/l			WG467175	03/11/10 13:56
Chlorodibromomethane	< .001	mg/l			WG467175	03/11/10 13:56
Chloroethane	< .001	mg/l			WG467175	03/11/10 13:56
Chloroform	< .005	mg/l			WG467175	03/11/10 13:56
Chloromethane	< .005	mg/l			WG467175	03/11/10 13:56
cis-1,2-Dichloroethene	< .001	mg/l			WG467175	03/11/10 13:56
cis-1,3-Dichloropropene	< .001	mg/l			WG467175	03/11/10 13:56

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L448345

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 17, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Di-isopropyl ether	< .001	mg/l			WG467175	03/11/10 13:56
Dibromomethane	< .001	mg/l			WG467175	03/11/10 13:56
Dichlorodifluoromethane	< .005	mg/l			WG467175	03/11/10 13:56
Ethylbenzene	< .001	mg/l			WG467175	03/11/10 13:56
Hexachloro-1,3-butadiene	< .001	mg/l			WG467175	03/11/10 13:56
Isopropylbenzene	< .001	mg/l			WG467175	03/11/10 13:56
Methyl tert-butyl ether	< .001	mg/l			WG467175	03/11/10 13:56
Methylene Chloride	< .005	mg/l			WG467175	03/11/10 13:56
n-Butylbenzene	< .001	mg/l			WG467175	03/11/10 13:56
n-Propylbenzene	< .001	mg/l			WG467175	03/11/10 13:56
Naphthalene	< .005	mg/l			WG467175	03/11/10 13:56
p-Isopropyltoluene	< .001	mg/l			WG467175	03/11/10 13:56
sec-Butylbenzene	< .001	mg/l			WG467175	03/11/10 13:56
Styrene	< .001	mg/l			WG467175	03/11/10 13:56
tert-Butylbenzene	< .001	mg/l			WG467175	03/11/10 13:56
Tetrachloroethene	< .001	/l			WG467175	03/11/10 13:56
Toluene	< .005	mg/l			WG467175	03/11/10 13:56
trans-1,2-Dichloroethene	< .001	mg/l			WG467175	03/11/10 13:56
trans-1,3-Dichloropropene	.001	/l			WG467175	03/11/10 13:56
Trichloroethene	< .001	mg/l			WG467175	03/11/10 13:56
Trichlorofluoromethane	< .005	mg/l			WG467175	03/11/10 13:56
Vinyl chloride	< .001	mg/l			WG467175	03/11/10 13:56
Xylenes, Total	< .003	mg/l			WG467175	03/11/10 13:56
4-Bromofluorobenzene		% Rec.	101.9	75-128	WG467175	03/11/10 13:56
Dibromofluoromethane		% Rec.	7.87	79-125	WG467175	03/11/10 13:56
Toluene-d8		% Rec.	98.62	87-114	WG467175	03/11/10 13:56

Analyte	Units	Duplicate		RPD	Limit	Ref Samp	Batch
		Result	Duplicate				
Total Solids	%	86.0	87.0	0.789	5	L448345-01	WG467022

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,1,1,2-Tetrachloroethane	mg/kg	.025	0.0268	.	134	WG466950
1,1,1-Trichloroethane	mg/kg	.025	0.0233	93.0	62-135	WG466950
1,1,2,2-Tetrachloroethane	mg/kg	.025	0.0269	108.	74-129	WG466950
1,1,2-Trichloroethane	mg/kg	.025	0.0256	.	124	WG466950
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	.025	0.0249	99.7	49-155	WG466950
1,1-Dichloroethane	mg/kg	.025	0.0229	91.4	61-134	WG466950
1,1-Dichloroethene	mg/kg	.025	0.025	.	53-136	WG466950
1,1-Dichloropropene	mg/kg	.025	0.0238	95.3	63-132	WG466950
1,2,3-Trichlorobenzene	mg/kg	.025	0.0241	96.5	62-146	WG466950
1,2,3-Trichloropropane	mg/kg	.025	0.0277	111.	70-133	WG466950
1,2,3-Trimethylbenzene	mg/kg	.025	0.0255	102.	73-126	WG466950
1,2,4-Trichlorobenzene	mg/kg	.025	0.0261	104.	61-148	WG466950
1,2,4-Trimethylbenzene	mg/kg	.025	0.0282	11	68-135	WG466950
1,2-Dibromo-3-Chloropropane	mg/kg	.025	0.0275	110.	61-134	WG466950
1,2-Dibromoethane	mg/kg	.025	0.0274	110.	76-127	WG466950
1,2-Dichlorobenzene	mg/kg	.025	0.0250	99.	77-123	WG466950
1,2-Dichloroethane	mg/kg	.025	0.0250	100.	58-141	WG466950
1,2-Dichloropropane	mg/kg	.025	0.0241	96.4	71-128	WG466950
1,3,5-Trimethylbenzene	mg/kg	.025	0.0281	112	71-133	WG466950
1,3-Dichlorobenzene	mg/kg	.025	0.0253	101.	71-132	WG466950
1,3-Dichloropropane	mg/kg	.025	0.0245	97.9	76-120	WG466950
1,4-Dichlorobenzene	mg/kg	.025	0.0236	94.4	72-123	WG466950
2,2-Dichloropropane	mg/kg	.025	0.0233	93.1	50-147	WG466950
2-Butanone (MEK)	mg/kg	.125	0.128	103.	51-131	WG466950

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street
Indianapolis, IN 46208

Quality Assurance Report
Level II

L448345

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 17, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
2-Chloroethyl vinyl ether	mg/kg	.125	0.146		73-128	WG466950
2-Chlorotoluene	mg/kg	.025	0.0270	108.	73-128	WG466950
4-Chlorotoluene	mg/kg	.025	0.0258	103.	72-129	WG466950
4-Methyl-2-pentanone (MIBK)	mg/kg	.125	0.140	112.	61-143	WG466950
Acetone	mg/kg	.125	0.123	98.3	44-140	WG466950
Acrylonitrile	mg/kg	.125	0.134	107.	55-143	WG466950
Benzene	mg/kg	.025	0.0228	91.	65-128	WG466950
Bromobenzene	mg/kg	.025	0.0253	101.	75-123	WG466950
Bromodichloromethane	mg/kg	.025	0.0260	104.	66-126	WG466950
Bromoform	mg/kg	.025	0.0277	111	64-130	WG466950
Bromomethane	mg/kg	.025	0.0183	73.1	41-175	WG466950
Carbon tetrachloride	mg/kg	.025	0.0245	97.9	60-140	WG466950
Chlorobenzene	mg/kg	.025	0.0258	103	75-125	WG466950
Chlorodibromomethane	mg/kg	.025	0.0263	105.	72-137	WG466950
Chloroethane	mg/kg	.025	0.0162	64.9	44-159	WG466950
Chloroform	mg/kg	.025	0.0239	95.6	63-123	WG466950
Chloromethane	mg/kg	.025	0.0217	86.9	42-149	WG466950
cis-1,2-Dichloroethene	mg/kg	.025	0.0239	95.6	71-129	WG466950
cis-1,3-Dichloropropene	mg/kg	.025	0.0260	104	73-132	WG466950
Di-isopropyl ether	mg/kg	.025	0.0237	94.8	59-143	WG466950
Dibromomethane	mg/kg	.025	0.0258	103.	70-130	WG466950
Dichlorodifluoromethane	mg/kg	.025	0.0196	78.3	6-186	WG466950
Ethylbenzene	mg/kg	.025	0.0262	105.	74-128	WG466950
Hexachloro-1,3-butadiene	mg/kg	.025	0.0261	105.	65-137	WG466950
Isopropylbenzene	mg/kg	.025	0.0272	109	73-130	WG466950
Methyl tert-butyl ether	mg/kg	.025	0.0253	101.	44-148	WG466950
Methylene Chloride	mg/kg	.025	0.0217	86.7	57-129	WG466950
n-Butylbenzene	mg/kg	.025	0.0253	101	60-145	WG466950
n-Propylbenzene	mg/kg	.025	0.0251	100.	71-132	WG466950
Naphthalene	mg/kg	.025	0.0244	97.5	61-142	WG466950
p-Isopropyltoluene	mg/kg	.025	0.0283	113	67-138	WG466950
sec-Butylbenzene	mg/kg	.025	0.0281	113.	71-134	WG466950
Styrene	mg/kg	.025	0.0249	99.8	76-133	WG466950
tert-Butylbenzene	mg/kg	.025	0.0283	11	72-132	WG466950
Tetrachloroethene	mg/kg	.025	0.0256	102.	65-135	WG466950
Toluene	mg/kg	.025	0.0238	95.1	70-120	WG466950
trans-1,2-Dichloroethene	mg/kg	.025	0.0236	94.3	61-133	WG466950
trans-1,3-Dichloropropene	mg/kg	.025	0.0254	101.	70-135	WG466950
Trichloroethene	mg/kg	.025	0.0251	101.	71-126	WG466950
Trichlorofluoromethane	mg/kg	.025	0.019	78.6	52-147	WG466950
Vinyl chloride	mg/kg	.025	0.0190	75.9	50-151	WG466950
Xylenes, Total	mg/kg	.075	0.0808	108.	74-127	WG466950
4-Bromofluorobenzene				99.91	59-140	WG466950
Dibromofluoromethane				94.80	63-139	WG466950
Toluene-d8				99.36	84-116	WG466950
Total Solids	%	50	50.0	100.	85-115	WG467022
1,1,1,2-Tetrachloroethane	mg/l	.5	0.0274	110	75-134	WG467175
1,1,1-Trichloroethane	mg/l	.025	0.0279	112.	67-137	WG467175
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0263	105.	72-128	WG467175
1,1,2-Trichloroethane	mg/l	.025	0.0264	106	79-123	WG467175
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0334	134.	51-149	WG467175
1, -Dichloroethane	mg/l	.025	0.0275	110.	67-133	WG467175
1,1-Dichloroethane	mg/l	.02	0.0301	120.	60-130	WG467175
1,1-Dichloropropene	mg/l	.025	0.0288	115.	68-132	WG467175
1,2,3-Trichlorobenzene	mg/l	.025	0.0261	105.	63-138	WG467175

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L448345

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 17, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,2,3-Trichloropropane	mg/l	.025	0.025	-	68-131	WG467175
1,2,3-Trimethylbenzene	mg/l	.025	0.0247	98.9	70-127	WG467175
1,2,4-Trichlorobenzene	mg/l	.025	0.0266	106.	65-137	WG467175
1,2,4-Trimethylbenzene	mg/l	.025	0.0262		72-135	WG467175
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0236	94.2	55-134	WG467175
1,2-Dibromoethane	mg/l	.025	0.0274	110.	75-126	WG467175
1,2-Dichlorobenzene	mg/l	5	0.0261	10	75-122	WG467175
1,2-Dichloroethane	mg/l	.025	0.0266	106.	63-137	WG467175
1,2-Dichloropropane	mg/l	.025	0.0270	108.	74-122	WG467175
1,3,5-Trimethylbenzene	mg/l	5	0.0262	10	73-134	WG467175
1,3-Dichlorobenzene	mg/l	.025	0.0257	103.	73-131	WG467175
1,3-Dichloropropane	mg/l	.025	0.0262	105.	77-119	WG467175
1,4-Dichlorobenzene	mg/l	5	0.0258	103	70-121	WG467175
2,2-Dichloropropane	mg/l	.025	0.0287	115.	46-151	WG467175
2-Butanone (MEK)	mg/l	.125	0.122	97.9	53-132	WG467175
2-Chloroethyl vinyl ether	mg/l	5	0.140	112	0-171	WG467175
2-Chlorotoluene	mg/l	.025	0.0271	108.	74-128	WG467175
4-Chlorotoluene	mg/l	.025	0.0267	107.	74-130	WG467175
4-Methyl-2-pentanone (MIBK)	mg/l	5	0.144	116	60-142	WG467175
Acetone	mg/l	.125	0.120	95.8	48-134	WG467175
Acrolein	mg/l	.125	0.0919	73.5	6-182	WG467175
Acrylonitrile	mg/l	.25	0.106	85.0	60-140	WG467175
Benzene	mg/l	.025	0.0268	107.	67-126	WG467175
Bromobenzene	mg/l	.025	0.0264	105.	76-123	WG467175
Bromodichloromethane	mg/l	.025	0.0277	111	68-133	WG467175
Bromoform	mg/l	.025	0.0248	99.3	60-139	WG467175
Bromomethane	mg/l	.025	0.0301	121.	45-175	WG467175
Carbon tetrachloride	mg/l	.025	0.0310	124	64-141	WG467175
Chlorobenzene	mg/l	.025	0.0271	108.	77-125	WG467175
Chlorodibromomethane	mg/l	.025	0.0283	113.	73-138	WG467175
Chloroethane	mg/l	.025	0.0279	112	49-155	WG467175
Chloroform	mg/l	.025	0.0266	106.	66-126	WG467175
Chloromethane	mg/l	.025	0.0251	100.	45-152	WG467175
cis-1,2-Dichloroethene	mg/l	.025	0.0272	109.	72-128	WG467175
cis-1,3-Dichloropropene	mg/l	.025	0.0282	113.	73-131	WG467175
Di-isopropyl ether	mg/l	.025	0.0267	107.	63-139	WG467175
Dibromomethane	mg/l	.025	0.0260	104	73-125	WG467175
Dichlorodifluoromethane	mg/l	.025	0.0285	114.	39-189	WG467175
Ethylbenzene	mg/l	.025	0.0284	114.	76-129	WG467175
Hexachloro-1,3-butadiene	mg/l	.025	0.0264	106	67-135	WG467175
Isopropylbenzene	mg/l	.025	0.0277	111.	73-132	WG467175
Methyl tert-butyl ether	mg/l	.025	0.0268	107.	51-142	WG467175
Methylene Chloride	mg/l	.025	0.0266	107	64-125	WG467175
n-Butylbenzene	mg/l	.025	0.0274	110.	63-142	WG467175
n-Propylbenzene	mg/l	.025	0.0268	107.	71-132	WG467175
Naphthalene	mg/l	.025	0.0268	107	56-145	WG467175
p-Isopropyltoluene	mg/l	.025	0.0262	105.	68-138	WG467175
sec-Butylbenzene	mg/l	.025	0.0259	104.	70-135	WG467175
Styrene	mg/l	.025	0.0293	117	78-130	WG467175
tert-Butylbenzene	mg/l	.025	0.0263	105.	72-134	WG467175
Tetrachloroethene	mg/l	.025	0.0274	110.	67-135	WG467175
Toluene	mg/l	.025	0.0263	105	72-122	WG467175
trans-1,2-Dichloroethene	mg/l	.025	0.0287	115.	67-129	WG467175
trans-1,3-Dichloropropene	mg/l	.025	0.0268	107.	66-137	WG467175
Trichloroethene	mg/l	.02	0.0271	10	74-126	WG467175
Trichlorofluoromethane	mg/l	.025	0.0266	106.	54-156	WG467175
Vinyl chloride	mg/l	.025	0.0271	108.	55-153	WG467175
Xylenes, Total	mg/l	.075	0.0843	11	75-128	WG467175
4-Bromofluorobenzene				100.4	75-128	WG467175

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L448345

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 17, 2010

Analyte	Units	Laboratory Control		Sample	Duplicate	Limit	RPD	Limit	Batch
		Result	Ref	tRec	tRec				
Dibromofluoromethane						98.32			
Toluene-d8						101.2	87-114		
Analyte	Units	Laboratory Control		Sample	Duplicate	Limit	RPD	Limit	Batch
		Result	Ref	tRec	tRec				
1,1,1,2-Tetrachloroethane	mg/kg	0.0223	0.0268	113.		3-134	5.4	0	WG466950
1,1,1-Trichloroethane	mg/kg	0.0227	0.0233	91.0		62-135	2.53	20	WG466950
1,1,2,2-Tetrachloroethane	mg/kg	0.0241	0.0269	96.0		74-129	11.1	20	WG466950
1,1,2-Trichloroethane	mg/kg	0.0246	0.0256	98.		7-124	.9	0	WG466950
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0207	0.0249	83.0		49-155	18.3	20	WG466950
1,1-Dichloroethane	mg/kg	0.0200	0.0229	80.0		61-134	13.5	20	WG466950
1,1-Dichloroethane	mg/kg	0.0207	0.0255	84.		-136	20.7*	0	WG466950
1,1-Dichloropropene	mg/kg	0.0211	0.0238	84.0		63-132	12.2	20	WG466950
1,2,3-Trichlorobenzene	mg/kg	0.0275	0.0241	110.		62-146	13.2	20	WG466950
1,2,3-Trichloropropene	mg/kg	0.0266	0.0277	106.		0-133	3.	0	WG466950
1,2,3-Trimethylbenzene	mg/kg	0.0237	0.0255	95.0		73-126	7.03	20	WG466950
1,2,4-Trichlorobenzene	mg/kg	0.0270	0.0261	108.		61-148	3.56	20	WG466950
1,2,4-Trimethylbenzene	mg/kg	0.0292	0.0282	11.		-135	.	0	WG466950
1,2-Dibromo-3-Chloropropane	mg/kg	0.0252	0.0275	101.		61-134	9.03	21	WG466950
1,2-Dibromoethane	mg/kg	0.0258	0.0274	103.		76-127	5.96	20	WG466950
1,2-Dichlorobenzene	mg/kg	0.0243	0.0250	97.0		7-123	2.30	20	WG466950
1,2-Dichloroethane	mg/kg	0.0239	0.0250	96.0		58-141	4.40	20	WG466950
1,2-Dichloropropene	mg/kg	0.0204	0.0241	81.0		71-128	16.8	20	WG466950
1,3,5-Trimethylbenzene	mg/kg	0.0225	0.0281	114.		1-133	1.6	0	WG466950
1,3-Dichlorobenzene	mg/kg	0.0277	0.0253	111.		71-132	8.96	20	WG466950
1,3-Dichloropropene	mg/kg	0.0237	0.0245	95.0		76-120	3.20	20	WG466950
1,4-Dichlorobenzene	mg/kg	0.0227	0.0236	.		2-123	4.03	0	WG466950
2,2-Dichloropropene	mg/kg	0.0218	0.0233	87.0		50-147	6.56	20	WG466950
2-Butanone (MEK)	mg/kg	0.101	0.128	80.0		51-131	24.2	25	WG466950
2-Chloroethyl vinyl ether	mg/kg	0.12	0.146	102.		-188	13.7	9	WG466950
2-Chlorotoluene	mg/kg	0.0273	0.0270	109.		73-128	1.31	20	WG466950
4-Chlorotoluene	mg/kg	0.0265	0.0258	106.		72-129	2.97	20	WG466950
4-Methyl-2-pentanone (M	mg/kg	0.11	0.140	92.		1-143	19.		WG466950
Acetone	mg/kg	0.0930	0.123	74.0		44-140	27.6*	25	WG466950
Acrylonitrile	mg/kg	0.0955	0.134	76.0		55-143	33.5*	20	WG466950
Benzene	mg/kg	0.0200	0.0228	80.0		45-128	13.	0	WG466950
Bromobenzene	mg/kg	0.0256	0.0253	102.		75-123	1.47	20	WG466950
Bromodichloromethane	mg/kg	0.0256	0.0260	102.		66-126	1.49	20	WG466950
Bromoform	mg/kg	0.0209	0.0272	124.		4-139	11.	0	WG466950
Bromomethane	mg/kg	0.0205	0.0183	82.0		41-175	11.6	20	WG466950
Carbon tetrachloride	mg/kg	0.0240	0.0245	96.0		60-140	2.01	20	WG466950
Chlorobenzene	mg/kg	0.0263	0.0258	105.		5-12	1.7	0	WG466950
Chlorodibromomethane	mg/kg	0.0278	0.0263	111.		72-137	5.68	20	WG466950
Chloroethane	mg/kg	0.0182	0.0162	73.0		44-159	11.7	20	WG466950
Chloroform	mg/kg	0.0225	0.0239	90.0		3-123	5.91	0	WG466950
Chloromethane	mg/kg	0.0173	0.0217	69.0		42-149	22.7*	20	WG466950
cis-1,2-Dichloroethene	mg/kg	0.0206	0.0239	82.0		71-129	15.0	20	WG466950
cis-1,3-Dichloropropene	mg/kg	0.0249	0.0260	99.		3-132	4.33	20	WG466950
Di-isopropyl ether	mg/kg	0.0190	0.0237	76.0		59-143	22.2*	20	WG466950
Dibromomethane	mg/kg	0.0247	0.0258	99.0		70-130	4.16	20	WG466950
Dichlorodifluoromethane	mg/kg	0.0211	0.0196	84.		6-186	7.2		WG466950
Ethylbenzene	mg/kg	0.0256	0.0262	102.		74-128	2.30	20	WG466950
Hexachloro-1,3-butadiene	mg/kg	0.0275	0.0261	110.		65-137	5.09	20	WG466950
Isopropylbenzene	mg/kg	0.0275	0.0272	110.		44-130	1.30	20	WG466950
Methyl tert-butyl ether	mg/kg	0.0226	0.0253	90.0		44-148	11.1	20	WG466950
Methylene Chloride	mg/kg	0.0191	0.0217	76.0		57-129	12.5	20	WG466950
n-Butylbenzene	mg/kg	0.0235	0.0253	104.		7-14	7.30	20	WG466950
n-Propylbenzene	mg/kg	0.0258	0.0251	103.		71-132	2.56	20	WG466950

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L448345

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 17, 2010

Analyte	Units	Laboratory Control		Sample Duplicate		Limit	RPD	Limit	Batch
		Result	Ref	Rec	Rec				
Naphthalene	mg/kg	0.0248	0.0244	99.0	99.0	62-142	1.00	20	WG466950
p-Isopropyltoluene	mg/kg	0.0296	0.0283	118.	118.	67-138	4.48	20	WG466950
sec-Butylbenzene	mg/kg	0.0282	0.0281	113.	113.	71-134	0.393	20	WG466950
Styrene	mg/kg	0.0248	0.0249	99.0	99.0	62-133	0.24	20	WG466950
tert-Butylbenzene	mg/kg	0.0286	0.0283	114.	114.	72-132	0.970	20	WG466950
Tetrachloroethene	mg/kg	0.0274	0.0256	110.	110.	65-135	7.03	20	WG466950
Toluene	mg/kg	0.0228	0.0238	90.	90.	0-120	5.2	0	WG466950
trans-1,2-Dichloroethene	mg/kg	0.0205	0.0236	82.0	82.0	61-133	14.1	20	WG466950
trans-1,3-Dichloropropene	mg/kg	0.0258	0.0254	103.	103.	70-135	1.53	20	WG466950
Trichloroethene	mg/kg	0.0248	0.0251	99.	99.	1-126	1.21	0	WG466950
Trichlorofluoromethane	mg/kg	0.0213	0.0197	85.0	85.0	52-147	8.20	20	WG466950
Vinyl chloride	mg/kg	0.0204	0.0190	82.0	82.0	50-151	7.24	20	WG466950
Xylenes, Total	mg/kg	0.0788	0.0808	104.	104.	-127	.0	0	WG466950
4-Bromofluorobenzene				101.5	101.5	59-140			WG466950
Dibromofluoromethane				94.03	94.03	63-139			WG466950
Toluene-d8				94.56	94.56	4-116			WG466950
1,1,1,2-Tetrachloroethane	mg/l	0.0263	0.0274	105.	105.	75-134	4.09	20	WG467175
1,1,1-Trichloroethane	mg/l	0.0259	0.027	104.	104.	7-137	7.37	0	WG467175
1,1,2,2-Tetrachloroethane	mg/l	0.0256	0.0263	102.	102.	72-128	2.47	20	WG467175
1,1,2-Trichloroethane	mg/l	0.0257	0.0264	103.	103.	79-123	2.67	20	WG467175
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0298	0.0334	119.	119.	88-149	11.	0	WG467175
1,1-Dichloroethane	mg/l	0.0258	0.0275	103.	103.	67-133	6.26	20	WG467175
1,1-Dichloroethene	mg/l	0.0277	0.0301	111.	111.	60-130	8.31	20	WG467175
1,1-Dichloropropene	mg/l	0.0266	0.0288	106.	106.	8-132	8.11	0	WG467175
1,2,3-Trichlorobenzene	mg/l	0.0253	0.0261	101.	101.	63-138	3.46	20	WG467175
1,2,3-Trichloropropene	mg/l	0.0250	0.0257	100.	100.	68-130	2.53	20	WG467175
1,2,3-Trimethylbenzene	mg/l	0.0239	0.0247	96.	96.	0-127	3.1	0	WG467175
1,2,4-Trichlorobenzene	mg/l	0.0254	0.0266	102.	102.	65-137	4.64	20	WG467175
1,2,4-Trimethylbenzene	mg/l	0.0250	0.0262	100.	100.	72-135	4.60	20	WG467175
1,2-Dibromo-3-Chloropropene	mg/l	0.0229	0.0236	92.	92.	5-134	2.77	0	WG467175
1,2-Dibromoethane	mg/l	0.0272	0.0274	109.	109.	75-126	0.838	20	WG467175
1,2-Dichlorobenzene	mg/l	0.0254	0.0261	101.	101.	75-122	3.02	20	WG467175
1,2-Dichloroethane	mg/l	0.0250	0.0266	100.	100.	3-137	2.91	20	WG467175
1,2-Dichloropropene	mg/l	0.0256	0.0270	102.	102.	74-122	5.21	20	WG467175
1,3,5-Trimethylbenzene	mg/l	0.0251	0.0262	100.	100.	73-134	4.29	20	WG467175
1,3-Dichlorobenzene	mg/l	0.0248	0.0257	99.	99.	-13	3.41	0	WG467175
1,3-Dichloropropene	mg/l	0.0253	0.0262	101.	101.	77-119	3.38	20	WG467175
1,4-Dichlorobenzene	mg/l	0.0249	0.0258	99.0	99.0	70-121	3.59	20	WG467175
2,2-Dichloropropene	mg/l	0.0263	0.0287	5.	5.	8-15	2.00	20	WG467175
2-Butanone (MEK)	mg/l	0.120	0.122	96.0	96.0	53-132	2.19	20	WG467175
2-Chloroethyl vinyl ether	mg/l	0.137	0.140	109.	109.	0-171	2.79	27	WG467175
2-Chlorotoluene	mg/l	0.0260	0.0271	104.	104.	4-128	4.31	0	WG467175
4-Chlorotoluene	mg/l	0.0253	0.0267	101.	101.	74-130	5.33	20	WG467175
4-Methyl-2-pentanone (MIBK)	mg/l	0.141	0.144	113.	113.	60-142	2.22	20	WG467175
Acetone	mg/l	0.1	0.120	91.0	91.0	8-134	5.1	0	WG467175
Acrolein	mg/l	0.0999	0.0919	80.0	80.0	6-182	8.41	39	WG467175
Acrylonitrile	mg/l	0.106	0.106	85.0	85.0	60-140	0.171	20	WG467175
Benzene	mg/l	0.0254	0.0268	102.	102.	7-126	5.3	20	WG467175
Bromobenzene	mg/l	0.0253	0.0264	101.	101.	76-123	4.07	20	WG467175
Bromodichloromethane	mg/l	0.0262	0.0277	105.	105.	68-133	5.46	20	WG467175
Bromoform	mg/l	0.0242	0.0248	97.	97.	0-139	2.	2	WG467175
Bromomethane	mg/l	0.0267	0.0301	107.	107.	45-175	12.0	20	WG467175
Carbon tetrachloride	mg/l	0.0286	0.0310	114.	114.	64-141	7.75	20	WG467175
Chlorobenzene	mg/l	0.0258	0.0271	103.	103.	7-125	4.00	20	WG467175
Chlorodibromomethane	mg/l	0.0273	0.0283	109.	109.	73-138	3.46	20	WG467175
Chloroethane	mg/l	0.0243	0.0279	97.0	97.0	49-155	13.8	20	WG467175
Chloroform	mg/l	0.0249	0.0266	99.0	99.0	48-126	6.00	20	WG467175

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L448345

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 17, 2010

Analyte	Units	Laboratory Control		Sample Duplicate		Limit	RPD	Limit	Batch
		Result	Ref	% Rec	% Rec				
Chloromethane	mg/l	0.0251	0.0251	100.0	100.0	20	4.89	20	WG467175
cis-1,2-Dichloroethene	mg/l	0.0258	0.0272	103.0	103.0	20	5.49	20	WG467175
cis-1,3-Dichloropropene	mg/l	0.0271	0.0282	108.0	108.0	20	4.05	20	WG467175
Di-isopropyl ether	mg/l	0.0256	0.0267	102.0	102.0	20	4.20	20	WG467175
Dibromomethane	mg/l	0.0253	0.0260	101.0	101.0	20	2.86	20	WG467175
Dichlorodifluoromethane	mg/l	0.0247	0.0285	99.0	99.0	24	14.1	24	WG467175
Ethylbenzene	mg/l	0.0268	0.028	10	10	20	5.22	20	WG467175
Hexachloro-1,3-butadiene	mg/l	0.0249	0.0264	100.0	100.0	20	5.75	20	WG467175
Isopropylbenzene	mg/l	0.0264	0.0277	106.0	106.0	20	5.00	20	WG467175
Methyl tert-butyl ether	mg/l	0.0263	0.0268	106.0	106.0	20	1.0	20	WG467175
Methylene Chloride	mg/l	0.0277	0.0266	111.0	111.0	20	4.02	20	WG467175
n-Butylbenzene	mg/l	0.0261	0.0274	104.0	104.0	20	4.99	20	WG467175
n-Propylbenzene	mg/l	0.0255	0.0268	102.0	102.0	20	0	20	WG467175
Naphthalene	mg/l	0.0254	0.0268	102.0	102.0	20	5.19	20	WG467175
p-Isopropyltoluene	mg/l	0.0251	0.0262	100.0	100.0	20	4.50	20	WG467175
sec-Butylbenzene	mg/l	0.0249	0.025	100.0	100.0	20	9	20	WG467175
Styrene	mg/l	0.0280	0.0293	112.0	112.0	20	4.71	20	WG467175
tert-Butylbenzene	mg/l	0.0252	0.0263	101.0	101.0	20	4.25	20	WG467175
Tetrachloroethene	mg/l	0.0259	0.027	103.0	103.0	20	5.81	20	WG467175
Toluene	mg/l	0.0249	0.0263	100.0	100.0	20	5.37	20	WG467175
trans-1,2-Dichloroethene	mg/l	0.0280	0.0287	112.0	112.0	20	2.67	20	WG467175
trans-1,3-Dichloropropene	mg/l	0.0260	0.0268	104.0	104.0	20	6.137	20	WG467175
Trichloroethene	mg/l	0.0255	0.0271	102.0	102.0	20	6.16	20	WG467175
Trichlorofluoromethane	mg/l	0.0235	0.0266	94.0	94.0	20	12.4	20	WG467175
Vinyl chloride	mg/l	0.0246	0.0271	98.0	98.0	20	9.34	20	WG467175
Xylenes, Total	mg/l	0.0801	0.0843	107.0	107.0	20	5.17	20	WG467175
4-Bromofluorobenzene				99.71	99.71				WG467175
Dibromofluoromethane				98.29	98.29				WG467175
Toluene-d8				100.2	100.2				WG467175

Analyte	Units	Matrix Spike				Limit	Ref Samp	Batch
		MS Res	Ref Res	TV	% Rec			
1,1,1,2-Tetrachloroethane	mg/kg	0.0209	0	0.25	10.4	29-145	L448345-01	WG466950
1,1,1-Trichloroethane	mg/kg	0.0182	0	0.025	72.8	23-147	L448345-01	WG466950
1,1,2,2-Tetrachloroethane	mg/kg	0.0199	0	0.025	79.7	18-150	L448345-01	WG466950
1,1,2-Trichloroethane	mg/kg	0.0207	0	0.025	82.7	35-140	L448345-01	WG466950
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0182	0	0.025	72.9	10-145	L448345-01	WG466950
1,1-Dichloroethane	mg/kg	0.0187	0	0.025	74.9	24-148	L448345-01	WG466950
1,1-Dichloroethene	mg/kg	0.017	0	0.025	69.0	10-14	L448345-01	WG466950
1,1-Dichloropropene	mg/kg	0.0165	0	0.025	66.0	10-141	L448345-01	WG466950
1,2,3-Trichlorobenzene	mg/kg	0.0163	0	0.025	65.3	10-129	L448345-01	WG466950
1,2,3-Trichloropropene	mg/kg	0.019	0	0.02	8.9	30-148	L448345-01	WG466950
1,2,3-Trimethylbenzene	mg/kg	0.0202	0	0.025	80.6	10-137	L448345-01	WG466950
1,2,4-Trichlorobenzene	mg/kg	0.0190	0	0.025	76.0	10-119	L448345-01	WG466950
1,2,4-Trimethylbenzene	mg/kg	0.02	0	0.025	84.4	10-145	L448345-01	WG466950
1,2-Dibromo-3-Chloropropene	mg/kg	0.0196	0	0.025	78.4	19-145	L448345-01	WG466950
1,2-Dibromoethane	mg/kg	0.0196	0	0.025	78.6	24-145	L448345-01	WG466950
1,2-Dichlorobenzene	mg/kg	0.0199	0	0.02	9.6	12-130	L448345-01	WG466950
1,2-Dichloroethane	mg/kg	0.0196	0	0.025	78.5	21-155	L448345-01	WG466950
1,2-Dichloropropene	mg/kg	0.0187	0	0.025	74.8	28-144	L448345-01	WG466950
1,3,5-Trimethylbenzene	mg/kg	0.0203	0	0.025	1.3	10-135	L448345-01	WG466950
1,3-Dichlorobenzene	mg/kg	0.0194	0	0.025	77.6	10-129	L448345-01	WG466950
1,3-Dichloropropene	mg/kg	0.0184	0	0.025	73.5	31-137	L448345-01	WG466950
1,4-Dichlorobenzene	mg/kg	0.0188	0	0.025	73.1	10-121	L448345-01	WG466950
2,2-Dichloropropene	mg/kg	0.0191	0	0.025	76.3	18-144	L448345-01	WG466950
2-Butanone (MEK)	mg/kg	0.0948	0	0.125	75.9	21-143	L448345-01	WG466950
2-Chloroethyl vinyl ether	mg/kg	0.10	0	0.125	80.2	0-145	L448345-01	WG466950
2-Chlorotoluene	mg/kg	0.0196	0	0.025	78.3	10-132	L448345-01	WG466950

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street
Indianapolis, IN 46208

Quality Assurance Report
Level II

L448345

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 17, 2010

Analyte	Units	MS Res	Matrix Spike			Limit	Ref Samp	Batch
			Ref Res	TV	% Rec			
4-Chlorotoluene	mg/kg	0.0193	0	.025	73.3	10-129	L448345-01	WG466950
4-Methyl-2-pentanone (MIBK)	mg/kg	0.0978	0	.125	78.2	31-151	L448345-01	WG466950
Acetone	mg/kg	0.0897	0.0700	.125	15.7	13-158	L448345-01	WG466950
Acrylonitrile	mg/kg	0.10	0	.125	85.2	20-154	L448345-01	WG466950
Benzene	mg/kg	0.0179	0	.025	71.4	16-143	L448345-01	WG466950
Bromobenzene	mg/kg	0.0192	0	.025	76.9	14-135	L448345-01	WG466950
Bromodichloromethane	mg/kg	0.0209	0	.25	83.4	27-139	L448345-01	WG466950
Bromoform	mg/kg	0.0209	0	.025	83.5	21-144	L448345-01	WG466950
Bromomethane	mg/kg	0.0117	0	.025	46.7	0-180	L448345-01	WG466950
Carbon tetrachloride	mg/kg	0.019	0	2	6.3	12-149	L448345-01	WG466950
Chlorobenzene	mg/kg	0.0191	0	.025	76.3	17-134	L448345-01	WG466950
Chlorodibromomethane	mg/kg	0.0201	0	.025	80.5	28-147	L448345-01	WG466950
Chloroethane	mg/kg	0.010	0	.25	82.7	0-172	L448345-01	WG466950
Chloroform	mg/kg	0.0196	0	.025	78.6	28-138	L448345-01	WG466950
Chloromethane	mg/kg	0.0145	0	.025	57.9	10-158	L448345-01	WG466950
cis-1,2-Dichloroethene	mg/kg	0.0188	0	2	21-147	L448345-01	WG466950	
cis-1,3-Dichloropropene	mg/kg	0.0208	0	.025	83.2	17-145	L448345-01	WG466950
Di-isopropyl ether	mg/kg	0.0201	0	.025	80.5	31-153	L448345-01	WG466950
Dibromomethane	mg/kg	0.0199	0	2	9.7	24-147	L448345-01	WG466950
Dichlorodifluoromethane	mg/kg	0.0160	0	.025	64.0	0-192	L448345-01	WG466950
Ethylbenzene	mg/kg	0.0188	0	.025	75.2	12-137	L448345-01	WG466950
Hexachloro-1,3-butadiene	mg/kg	0.0172	0	.25	88.7	10-123	L448345-01	WG466950
Isopropylbenzene	mg/kg	0.0199	0	.025	79.6	14-134	L448345-01	WG466950
Methyl tert-butyl ether	mg/kg	0.0204	0	.025	81.4	21-157	L448345-01	WG466950
Methylene Chloride	mg/kg	0.0185	0	.25	88.5	12-149	L448345-01	WG466950
n-Butylbenzene	mg/kg	0.0193	0	.025	77.4	10-130	L448345-01	WG466950
n-Propylbenzene	mg/kg	0.0183	0	.025	73.2	10-130	L448345-01	WG466950
Naphthalene	mg/kg	0.0173	0	.25	89.0	0-146	L448345-01	WG466950
p-Isopropyltoluene	mg/kg	0.0197	0	.025	78.9	10-131	L448345-01	WG466950
sec-Butylbenzene	mg/kg	0.0202	0	.025	80.9	10-134	L448345-01	WG466950
Styrene	mg/kg	0.0182	0	.2	2.8	10-140	L448345-01	WG466950
tert-Butylbenzene	mg/kg	0.0204	0	.025	81.5	11-137	L448345-01	WG466950
Tetrachloroethene	mg/kg	0.0169	0	.025	67.5	10-131	L448345-01	WG466950
Toluene	mg/kg	0.020	0	.025	80.4	12-136	L448345-01	WG466950
trans-1,2-Dichloroethene	mg/kg	0.0159	0	.025	63.5	10-143	L448345-01	WG466950
trans-1,3-Dichloropropene	mg/kg	0.0202	0	.025	80.8	16-147	L448345-01	WG466950
Trichloroethene	mg/kg	0.0185	0	.25	89.4	10-155	L448345-01	WG466950
Trichlorofluoromethane	mg/kg	0.0142	0	.025	56.8	10-154	L448345-01	WG466950
Vinyl chloride	mg/kg	0.0126	0	.025	50.4	10-159	L448345-01	WG466950
Xylenes, Total	mg/kg	0.0600	0	.075	80.0	10-138	L448345-01	WG466950
4-Bromofluorobenzene					92.49	59-140		WG466950
Dibromofluoromethane					96.86	63-139		WG466950
Toluene-d8					98.26	84-116		WG466950
1,1,1,2-Tetrachloroethane	mg/l	2.82	0	.025	113.	45-152	L448363-06	WG467175
1,1,1-Trichloroethane	mg/l	2.97	0	.02	19.	31-161	L448363-06	WG467175
1,1,2,2-Tetrachloroethane	mg/l	1.79	0	.025	71.7	49-149	L448363-06	WG467175
1,1,2-Trichloroethane	mg/l	2.10	0.00206	.025	84.0	46-145	L448363-06	WG467175
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	3.80	0	.025	152.	14-168	L448363-06	WG467175
1,1-Dichloroethane	mg/l	2.62	0.00102	.025	105.	30-159	L448363-06	WG467175
1,1-Dichloroethene	mg/l	3.23	0	.025	129.	10-162	L448363-06	WG467175
1,1-Dichloropropene	mg/l	3.03	0	.025	123.	14-162	L448363-06	WG467175
1,2,3-Trichlorobenzene	mg/l	2.07	0.00301	.025	82.6	32-143	L448363-06	WG467175
1,2,3-Trichloropropene	mg/l	1.70	0.00742	.025	67.6	48-148	L448363-06	WG467175
1,2,3-Trimethylbenzene	mg/l	3.87	0.04774	.025	87.2	36-141	L448363-06	WG467175
1,2,4-Trichlorobenzene	mg/l	2.33	0.00319	.025	92.9	27-142	L448363-06	WG467175
1,2,4-Trimethylbenzene	mg/l	6.62	4.00	.025	105.	29-153	L448363-06	WG467175
1,2-Dibromo-3-Chloropropane	mg/l	1.62	0	.025	89.8	37-148	L448363-06	WG467175

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

**Quality Assurance Report
Level II**

L448345

March 17, 2010

Analyte	Units	Matrix Spike				Limit	Ref Samp	Batch
		MS Res	Ref Res	TV	% Rec			
1,2-Dibromoethane	mg/l	2.16	0	.025	86.6	41-149	L448363-06	WG467175
1,2-Dichlorobenzene	mg/l	2.45	0.00118	.025	97.9	40-139	L448363-06	WG467175
1,2-Dichloroethane	mg/l	1.84	0	.025	73.4	29-167	L448363-06	WG467175
1,2-Dichloropropane	mg/l	2.4	0.00117	.025	93.	39-148	L448363-06	WG467175
1,3,5-Trimethylbenzene	mg/l	4.53	1.50	.025	121.	33-149	L448363-06	WG467175
1,3-Dichlorobenzene	mg/l	2.79	0.00147	.025	112.	32-148	L448363-06	WG467175
1,3-Dichloropropane	mg/l	2.88	0.00223	.025	111.5	44-142	L448363-06	WG467175
1,4-Dichlorobenzene	mg/l	2.60	0.00179	.025	104.	32-136	L448363-06	WG467175
2,2-Dichloropropane	mg/l	2.98	0.00486	.025	119.	14-158	L448363-06	WG467175
2-Butanone (MEK)	mg/l	8.00	0	.25	64.0	33-151	L448363-06	WG467175
2-Chloroethyl vinyl ether	mg/l	7.61	0	.125	60.9	0-175	L448363-06	WG467175
2-Chlorotoluene	mg/l	2.93	0.404	.025	101.	35-147	L448363-06	WG467175
4-Chlorotoluene	mg/l	2.99	0.129	2	3-147		L448363-06	WG467175
4-Methyl-2-pentanone (MIBK)	mg/l	7.33	0.00610	.125	58.6	40-160	L448363-06	WG467175
Acetone	mg/l	8.05	0.0933	.125	63.7	25-157	L448363-06	WG467175
Acrolein	mg/l	7.98	2.00	.25	87.8	0-17	L448363-06	WG467175
Acrylonitrile	mg/l	8.43	1.35	.125	56.6	37-162	L448363-06	WG467175
Benzene	mg/l	2.79	0.320	.025	98.9	16-158	L448363-06	WG467175
Bromobenzene	mg/l	2.69	0.0164	2	07.	-147	L448363-06	WG467175
Bromodichloromethane	mg/l	2.25	0.00570	.025	89.9	45-147	L448363-06	WG467175
Bromoform	mg/l	1.80	0	.025	72.1	38-152	L448363-06	WG467175
Bromomethane	mg/l	3.08	0	.025	68.	0-191	L448363-06	WG467175
Carbon tetrachloride	mg/l	3.21	0.00195	.025	128.	22-168	L448363-06	WG467175
Chlorobenzene	mg/l	3.03	0	.025	121.	33-148	L448363-06	WG467175
Chlorodibromomethane	mg/l	2.	0	.25	84.8	48-151	L448363-06	WG467175
Chloroethane	mg/l	3.38	0	.025	135.	4-176	L448363-06	WG467175
Chloroform	mg/l	2.40	0.00229	.025	95.7	37-147	L448363-06	WG467175
Chloromethane	mg/l	2.4	0.00439	.025	87.7	10-174	L448363-06	WG467175
cis-1,2-Dichloroethene	mg/l	2.50	0	.025	100.	29-156	L448363-06	WG467175
cis-1,3-Dichloropropene	mg/l	2.26	0.00179	.025	90.2	35-148	L448363-06	WG467175
Di-isopropyl ether	mg/l	2.13	0.000354	.025	85.3	39-160	L448363-06	WG467175
Dibromomethane	mg/l	1.81	0	.025	72.3	36-152	L448363-06	WG467175
Dichlorodifluoromethane	mg/l	3.68	0	.025	147.	0-200	L448363-06	WG467175
Ethylbenzene	mg/l	4.98	1.30	.02	47.	29-150	L448363-06	WG467175
Hexachloro-1,3-butadiene	mg/l	3.35	0.00288	.025	134.	28-144	L448363-06	WG467175
Isopropylbenzene	mg/l	3.55	0.0660	.025	139.	35-147	L448363-06	WG467175
Methyl tert-butyl ether	mg/l	1.51	0	.025	80.5	24-167	L448363-06	WG467175
Methylene Chloride	mg/l	1.81	0.00359	.025	72.1	23-151	L448363-06	WG467175
n-Butylbenzene	mg/l	3.57	0.0520	.025	141.	22-151	L448363-06	WG467175
n-Propylbenzene	mg/l	3.	0.190	.02	34.	26-150	L448363-06	WG467175
Naphthalene	mg/l	2.28	0.580	.025	67.8	24-160	L448363-06	WG467175
p-Isopropyltoluene	mg/l	3.47	0.0570	.025	136.	28-151	L448363-06	WG467175
sec-Butylbenzene	mg/l	3.38	0.0310	.02	34.	32-14	L448363-06	WG467175
Styrene	mg/l	3.07	0	.025	123.	38-149	L448363-06	WG467175
tert-Butylbenzene	mg/l	3.41	0	.025	136.	36-149	L448363-06	WG467175
Tetrachloroethene	mg/l	3.61	0	.02	44.	13-157	L448363-06	WG467175
Toluene	mg/l	4.38	2.10	.025	91.1	22-152	L448363-06	WG467175
trans-1,2-Dichloroethene	mg/l	2.31	0	.025	92.4	11-160	L448363-06	WG467175
trans-1,3-Dichloropropene	mg/l	1.86	0.0020	.02	4.2	3-153	L448363-06	WG467175
Trichloroethene	mg/l	2.87	0	.025	115.	18-163	L448363-06	WG467175
Trichlorofluoromethane	mg/l	2.97	0	.025	119.	10-177	L448363-06	WG467175
Vinyl chloride	mg/l	3.14	0	.025	25.	0-17	L448363-06	WG467175
Xylenes, Total	mg/l	29.6	18.9	.075	142.	27-151	L448363-06	WG467175
4-Bromofluorobenzene					102.8	75-128		WG467175
Dibromofluoromethane					83.72	79-125		WG467175
Toluene-d8					98.77	87-114		WG467175

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L448345

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 17, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
1,1,1,2-Tetrachloroethane	mg/kg	0.0229	0.0209	95.	-145	.	31	L448345-01	WG466950
1,1,1-Trichloroethane	mg/kg	0.0198	0.0182	79.2	23-147	8.46	32	L448345-01	WG466950
1,1,2,2-Tetrachloroethane	mg/kg	0.0229	0.0199	91.5	18-150	13.7	33	L448345-01	WG466950
1,1,2-Trichloroethane	mg/kg	0.0214	0.0207	85.	3-140	3.43	29	L448345-01	WG466950
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0168	0.0182	67.2	10-145	8.17	35	L448345-01	WG466950
1,1-Dichloroethane	mg/kg	0.0177	0.0187	70.8	24-148	5.59	31	L448345-01	WG466950
1,1-Dichloropropene	mg/kg	0.0160	0.0175	64.	0-14	8.72	4	L448345-01	WG466950
1,2,3-Trichlorobenzene	mg/kg	0.0163	0.0165	65.2	10-141	1.19	34	L448345-01	WG466950
1,2,3-Trichloropropene	mg/kg	0.0208	0.0163	83.4	10-129	24.3	43	L448345-01	WG466950
1,2,3-Trimethylbenzene	mg/kg	0.0227	0.0197	90.	0-148	13.9	2	L448345-01	WG466950
1,2,4-Trichlorobenzene	mg/kg	0.0227	0.0202	90.6	10-137	11.7	36	L448345-01	WG466950
1,2,4-Trimethylbenzene	mg/kg	0.0216	0.0190	86.6	10-119	13.0	44	L448345-01	WG466950
1,2,4-Trimethylbenzene	mg/kg	0.0250	0.021	100	0-145	17.0	1	L448345-01	WG466950
1,2-Dibromo-3-Chloropropane	mg/kg	0.0211	0.0196	84.6	19-145	7.53	35	L448345-01	WG466950
1,2-Dibromoethane	mg/kg	0.0222	0.0196	88.9	24-145	12.3	31	L448345-01	WG466950
1,2-Dichlorobenzene	mg/kg	0.0225	0.0199	89.8	2-130	12.1	5	L448345-01	WG466950
1,2-Dichloroethane	mg/kg	0.0203	0.0196	81.3	21-155	3.48	29	L448345-01	WG466950
1,2-Dichloropropene	mg/kg	0.0195	0.0187	78.2	28-144	4.44	30	L448345-01	WG466950
1,3,5-Trimethylbenzene	mg/kg	0.02	0.0203	94.8	0-135	15.4	31	L448345-01	WG466950
1,3-Dichlorobenzene	mg/kg	0.0227	0.0194	90.6	10-129	15.4	38	L448345-01	WG466950
1,3-Dichloropropene	mg/kg	0.0211	0.0184	84.3	31-137	13.6	29	L448345-01	WG466950
1,4-Dichlorobenzene	mg/kg	0.0209	0.0188	83.8	0-12	10.9	36	L448345-01	WG466950
2,2-Dichloropropane	mg/kg	0.0211	0.0191	84.4	18-144	10.1	32	L448345-01	WG466950
2-Butanone (MEK)	mg/kg	0.0848	0.0948	67.8	21-143	11.2	37	L448345-01	WG466950
2-Chloroethyl vinyl ether	mg/kg	0.13	0.108	111.	-176	24.8	50	L448345-01	WG466950
2-Chlorotoluene	mg/kg	0.0232	0.0196	92.6	10-132	16.7	37	L448345-01	WG466950
4-Chlorotoluene	mg/kg	0.0230	0.0193	92.0	10-129	17.3	38	L448345-01	WG466950
4-Methyl-2-pentanone (M	mg/kg	0.13	0.0978	111.	1-15	34.7	36	L448345-01	WG466950
Acetone	mg/kg	0.0871	0.0897	13.6	13-158	2.96	34	L448345-01	WG466950
Acrylonitrile	mg/kg	0.0808	0.102	64.6	20-154	22.7	35	L448345-01	WG466950
Benzene	mg/kg	0.01	0.0179	67.0	6-143	6.41	31	L448345-01	WG466950
Bromobenzene	mg/kg	0.0224	0.0192	89.8	14-135	15.4	39	L448345-01	WG466950
Bromodichloromethane	mg/kg	0.0247	0.0209	98.9	27-139	17.0	30	L448345-01	WG466950
Bromoform	mg/kg	0.0243	0.0209	97.0	1-144	14.9	34	L448345-01	WG466950
Bromomethane	mg/kg	0.0139	0.0117	55.7	0-180	17.4	41	L448345-01	WG466950
Carbon tetrachloride	mg/kg	0.0200	0.0191	80.0	12-149	4.78	34	L448345-01	WG466950
Chlorobenzene	mg/kg	0.021	0.019	86.0	7-134	12.0	34	L448345-01	WG466950
Chlorodibromomethane	mg/kg	0.0228	0.0201	91.2	28-147	12.5	32	L448345-01	WG466950
Chloroethane	mg/kg	0.0124	0.0107	49.5	0-172	14.9	38	L448345-01	WG466950
Chloroform	mg/kg	0.0197	0.0196	79.0	8-138	0.537	30	L448345-01	WG466950
Chloromethane	mg/kg	0.0116	0.0145	46.2	10-158	22.5	35	L448345-01	WG466950
cis-1,2-Dichloroethene	mg/kg	0.0176	0.0188	70.4	21-147	6.79	31	L448345-01	WG466950
cis-1,3-Dichloropropene	mg/kg	0.0279	0.0208	112	7-14	29.2	32	L448345-01	WG466950
Di-isopropyl ether	mg/kg	0.0171	0.0201	68.3	31-153	16.4	29	L448345-01	WG466950
Dibromomethane	mg/kg	0.0225	0.0199	89.9	24-147	12.0	30	L448345-01	WG466950
Dichlorodifluoromethane	mg/kg	0.0161	0.0160	64.	-192	0.75	38	L448345-01	WG466950
Ethylbenzene	mg/kg	0.0232	0.0188	93.0	12-137	21.1	36	L448345-01	WG466950
Hexachloro-1,3-butadiene	mg/kg	0.0193	0.0172	77.3	10-123	11.7	50	L448345-01	WG466950
Isopropylbenzene	mg/kg	0.0233	0.0199	83.0	4-134	15.6	37	L448345-01	WG466950
Methyl tert-butyl ether	mg/kg	0.0198	0.0204	79.2	21-157	2.80	31	L448345-01	WG466950
Methylene Chloride	mg/kg	0.0155	0.0171	61.9	12-149	10.1	31	L448345-01	WG466950
n-Butylbenzene	mg/kg	0.0217	0.0193	86.8	0-130	11.5	48	L448345-01	WG466950
n-Propylbenzene	mg/kg	0.0223	0.0183	89.1	10-130	19.6	40	L448345-01	WG466950
Naphthalene	mg/kg	0.0205	0.0173	82.1	0-146	17.4	43	L448345-01	WG466950
p-Isopropyltoluene	mg/kg	0.0240	0.0197	86.6	10-13	19.6	43	L448345-01	WG466950
sec-Butylbenzene	mg/kg	0.0230	0.0202	92.2	10-134	13.0	43	L448345-01	WG466950
Styrene	mg/kg	0.0219	0.0182	87.4	10-140	18.3	35	L448345-01	WG466950
tert-Butylbenzene	mg/kg	0.0239	0.0204	85.4	-137	15.7	38	L448345-01	WG466950
Tetrachloroethene	mg/kg	0.0188	0.0169	75.4	10-131	11.1	35	L448345-01	WG466950
Toluene	mg/kg	0.0275	0.0201	110.	12-136	31.2	32	L448345-01	WG466950

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L448345

March 17, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
trans-1,2-Dichloroethene	mg/kg	0.0150	0.0159	60.	-143	.71	33	L448345-01	WG466950
trans-1,3-Dichloropropene	mg/kg	0.0282	0.0202	113.	16-147	33.1*	32	L448345-01	WG466950
Trichloroethene	mg/kg	0.0193	0.0174	77.3	10-155	10.7	33	L448345-01	WG466950
Trichlorofluoromethane	mg/kg	0.0160	0.0142	64.2	-154	2.7	33	L448345-01	WG466950
Vinyl chloride	mg/kg	0.0146	0.0126	58.5	10-159	14.9	36	L448345-01	WG466950
Xylenes, Total	mg/kg	0.0703	0.0600	93.7	10-138	15.8	36	L448345-01	WG466950
4-Bromofluorobenzene				101.1	-140				WG466950
Dibromofluoromethane				90.77	63-139				WG466950
Toluene-d8				122.0*	84-116				WG466950
1,1,1,2-Tetrachloroethane	mg/l	2.76	2.82	110.	45-152	2.28	21	L448363-06	WG467175
1,1,1-Trichloroethane	mg/l	2.76	2.97	110.	31-161	7.40	23	L448363-06	WG467175
1,1,2,2-Tetrachloroethane	mg/l	2.5	1.79	103	-149	35.	22	L448363-06	WG467175
1,1,2-Trichloroethane	mg/l	2.59	2.10	103.	46-145	20.7*	20	L448363-06	WG467175
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	3.53	3.80	141.	14-168	7.25	24	L448363-06	WG467175
1,1-Dichloroethane	mg/l	2.63	2.62	10	0-159	0.25	21	L448363-06	WG467175
1,1-Dichloroethene	mg/l	2.97	3.23	119.	10-162	8.27	23	L448363-06	WG467175
1,1-Dichloropropene	mg/l	2.82	3.03	113.	14-162	7.31	23	L448363-06	WG467175
1,2,3-Trichlorobenzene	mg/l	2.74	2.07	109	2-143	27.8	3	L448363-06	WG467175
1,2,3-Trichloropropene	mg/l	2.44	1.70	97.3	48-148	35.9*	23	L448363-06	WG467175
1,2,3-Trimethylbenzene	mg/l	3.20	3.47	86.6	36-141	7.89	25	L448363-06	WG467175
1,2,4-Trichlorobenzene	mg/l	2.71	2.33	108.	7-142	15.4		L448363-06	WG467175
1,2,4-Trimethylbenzene	mg/l	5.73	6.62	69.3	29-153	14.4	27	L448363-06	WG467175
1,2-Dibromo-3-Chloropropane	mg/l	2.50	1.62	100.	37-148	42.8*	27	L448363-06	WG467175
1,2-Dibromoethane	mg/l	2.75	2.16	110	1-149	23.9*	21	L448363-06	WG467175
1,2-Dichlorobenzene	mg/l	2.60	2.45	104.	40-139	5.92	23	L448363-06	WG467175
1,2-Dichloroethane	mg/l	2.49	1.84	99.6	29-167	30.3*	21	L448363-06	WG467175
1,2-Dichloropropane	mg/l	2.61	2.34	104	9-148	10.6	20	L448363-06	WG467175
1,3,5-Trimethylbenzene	mg/l	3.73	4.53	89.0	33-149	19.6	26	L448363-06	WG467175
1,3-Dichlorobenzene	mg/l	2.63	2.79	105.	32-148	6.15	24	L448363-06	WG467175
1,3-Dichloropropane	mg/l	2.57	2.09	102	4-142	20.	20	L448363-06	WG467175
1,4-Dichlorobenzene	mg/l	2.52	2.60	101.	32-136	3.12	23	L448363-06	WG467175
2,2-Dichloropropane	mg/l	2.77	2.98	111.	14-158	6.99	23	L448363-06	WG467175
2-Butanone (MEK)	mg/l	12.5	8.00	100	2-15	44.0*	26	L448363-06	WG467175
2-Chloroethyl vinyl ether	mg/l	11.8	7.61	94.0	0-175	42.8	75	L448363-06	WG467175
2-Chlorotoluene	mg/l	2.48	2.93	83.1	35-147	16.6	24	L448363-06	WG467175
4-Chlorotoluene	mg/l	2.59	2.99	98.	3-147	14.0	25	L448363-06	WG467175
4-Methyl-2-pentanone (MIBK)	mg/l	13.8	7.33	110.	40-160	61.3*	28	L448363-06	WG467175
Acetone	mg/l	11.3	8.05	89.4	25-157	33.2*	26	L448363-06	WG467175
Acrolein	mg/l	10.2	7.98	65.	179	24.4	3	L448363-06	WG467175
Acrylonitrile	mg/l	12.1	8.43	85.7	37-162	35.5*	24	L448363-06	WG467175
Benzene	mg/l	2.83	2.79	100.	16-158	1.47	21	L448363-06	WG467175
Bromobenzene	mg/l	2.64	2.69	105	7-147	2.06	23	L448363-06	WG467175
Bromodichloromethane	mg/l	2.64	2.25	106.	45-147	16.0	20	L448363-06	WG467175
Bromoform	mg/l	2.48	1.80	99.0	38-152	31.4*	20	L448363-06	WG467175
Bromomethane	mg/l	2.99	3.08	119	-191	3.05	35	L448363-06	WG467175
Carbon tetrachloride	mg/l	3.06	3.21	122.	22-168	4.91	24	L448363-06	WG467175
Chlorobenzene	mg/l	2.71	3.03	108.	33-148	11.4	22	L448363-06	WG467175
Chlorodibromomethane	mg/l	2.78	2.37	111	8-15	16.1	21	L448363-06	WG467175
Chloroethane	mg/l	2.84	3.38	114.	4-176	17.4	27	L448363-06	WG467175
Chloroform	mg/l	2.52	2.40	101.	37-147	5.25	21	L448363-06	WG467175
Chloromethane	mg/l	2.49	2.45	99.6	-174	1.91	28	L448363-06	WG467175
cis-1,2-Dichloroethene	mg/l	2.60	2.50	104.	29-156	3.65	22	L448363-06	WG467175
cis-1,3-Dichloropropene	mg/l	2.73	2.26	109.	35-148	19.0	21	L448363-06	WG467175
Di-isopropyl ether	mg/l	2.58	2.13	101.	33-160	17.1	21	L448363-06	WG467175
Dibromomethane	mg/l	2.56	1.81	102.	36-152	34.3*	20	L448363-06	WG467175
Dichlorodifluoromethane	mg/l	3.52	3.68	141.	0-200	4.54	26	L448363-06	WG467175
Ethylbenzene	mg/l	2.01	98	108	9-150	21.3	23	L448363-06	WG467175

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tex I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L448345

March 17, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Hexachloro-1,3-butadiene	mg/l	2.93	3.35	110.	28-143	9.0	33	L448363-06	WG467175
Isopropylbenzene	mg/l	2.86	3.55	112.	35-147	21.5	25	L448363-06	WG467175
Methyl tert-butyl ether	mg/l	2.51	1.51	100.	24-167	49.6*	22	L448363-06	WG467175
Methylene Chloride	mg/l	2.04	81	81.	~151	32.1	1	L448363-06	WG467175
n-Butylbenzene	mg/l	2.83	3.57	111.	22-151	23.2	29	L448363-06	WG467175
n-Propylbenzene	mg/l	2.85	3.54	106.	26-150	21.5	25	L448363-06	WG467175
Naphthalene	mg/l	3.31	2.28	109	4-160	37.1*		L448363-06	WG467175
p-Isopropyltoluene	mg/l	2.79	3.47	109.	28-151	21.7	27	L448363-06	WG467175
sec-Butylbenzene	mg/l	2.72	3.38	108.	32-149	21.7	26	L448363-06	WG467175
Styrene	mg/l	2.8	3.07	116	8-149	5.9	23	L448363-06	WG467175
tert-Butylbenzene	mg/l	2.75	3.41	110.	36-149	21.4	26	L448363-06	WG467175
Tetrachloroethene	mg/l	2.79	3.61	111.	13-157	25.8*	24	L448363-06	WG467175
Toluene	mg/l	4.33	4.38	89.	2-152	1.20	22	L448363-06	WG467175
trans-1,2-Dichloroethene	mg/l	2.39	2.31	95.7	11-160	3.52	23	L448363-06	WG467175
trans-1,3-Dichloropropene	mg/l	2.58	1.86	103.	33-153	32.4*	22	L448363-06	WG467175
Trichloroethene	mg/l	2.64	2.87	10	8-163	8.41	21	L448363-06	WG467175
Trichlorofluoromethane	mg/l	2.69	2.97	108.	10-177	9.75	24	L448363-06	WG467175
Vinyl chloride	mg/l	2.90	3.14	116.	0-179	7.67	26	L448363-06	WG467175
Xylenes, Total	mg/l	25.1	29.6	82.	7-15	16.6	23	L448363-06	WG467175
4-Bromofluorobenzene				101.9	75-128				WG467175
Dibromofluoromethane				96.64	79-125				WG467175
Toluene-d8				100.1	7-114				WG467175

Batch number / Run number / Sample number cross reference

WG466950: R1141570: L448345-01 02 03 04
WG467022: R1141780: L448345-01 04
WG467175: R1143371: L448345-05

* Calculations are performed prior to rounding of reported values .
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L448345

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 17, 2010

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the Laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

SESCO Group

1426 W. 29th Street
Indianapolis, IN 46208

Billing information:

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Report to: Mr. Tim Yates

Email: tyates@sescogroup.com

Project Description: Harman Becker

City/State Collected: Martinsville/IN

Phone: (317) 347-9590
FAX: (317) 347-9591

Client Project #:

3872-3

Lab Project #:

SESCOIN-HARMAN

Collected by (print):

Site/Facility ID#:

P.O.#:

Collected by (signature):

Rush? (Lab MUST Be Notified)

Same Day 200%

Next Day 100%

Two Day 50%

Three Day 25%

Date Results Needed

Normal

Email? No Yes

FAX? No Yes

No. of Cntrs

Analysis/Container/Preservative

TS 2ozClr-NoPres

Trip Blank 40mlAmb-HCl-Bik

V8260 40ml/NaHSO4/Syr/MeOH

V8260 40mlAmb-HCl

VOC Screen 2ozClr-NoPres

Chain of Custody

Page 2 of 3

1042



L A B S C I E N C E S

12065 Lebanon Road
Mt. Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

F223

Account: SESCOIN (lab use only)

Template/Prelogin: T63181/P311888

Cooler #: 2250

Shipped Via: FedEx Ground

Remarks/Contaminant Sample # (lab use only)

449302-01

Sample ID	Comp/Grab	Matrix	Depth	Date	Time	No. of Cntrs	TS 2ozClr-NoPres	Trip Blank 40mlAmb-HCl-Bik	V8260 40ml/NaHSO4/Syr/MeOH	V8260 40mlAmb-HCl	VOC Screen 2ozClr-NoPres	Remarks/Contaminant	Sample # (lab use only)
B-95 0-2'	Grab	SS	0-2'	3/11/10	9:45	5	X		X		X		01
B-95 2-4'	Grab	SS	2-4'	3/11/10	9:50	5	X		X		X		02
B-97 2-4'	Grab	SS	2-4'	3/11/10	2:30	5	X		X		X		03
B-102 6-8'	Grab	SS	6-8'	3/12/10	1:30	25	X		X		X		04
Dup 2	Grab	SS				25	X		X		X		05
B-97 GW 41-45'	Grab	GW	41-45'	3/11/10	5:05	2				X			06
B-97 GW 97-101'	Grab	GW	97-101'	3/11/10	4:10	2				X			07
B-95 GW 41-45'	Grab	GW	41-45'	3/11/10	11:10	2				X			08
B-95 GW 98-102'	Grab	GW	98-102'	3/11/10	10:15	2				X			09

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

Remarks:

pH Temp

Flow Other

Relinquished by: (Signature)	Date: 3-11-10	Time: 12:57	Received by: (Signature)	Samples returned via: ☒ FedEx ☐ UPS ☐ Courier	Condition: OK (lab use only)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: 0 2.5C	Bottles Received: 39+1TB
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 03/11/10	Time: 0900

COC Seal intact: Y N NA

pH Checked: NCF:

Susan Peach

From: Jonah Huckabay
Sent: Wednesday, March 17, 2010 9:36 AM
To: Alan Harvill; Login; Sample Storage; Due VOC; Reporting
Cc: Ben Wilson
Subject: RE: L449302-06, -07, -08, -09, -12, -13 SESCOIN

Moved to L449608. Please scan this email with L449302.

From: Alan Harvill
Sent: Wednesday, March 17, 2010 9:03 AM
To: Login
Cc: Ben Wilson; Alan Harvill
Subject: L449302-06, -07, -08, -09, -12, -13 SESCOIN
Importance: High

We need to move GW samples on this set to a new L#. All samples are in NEED status. Please move all the GW to a new L#.

Please let me know if you have any questions.

Alan Harvill
Technical Service Representative
Phone: 615-773-9787
Toll Free: 1-800-767-5859 ext:9787
Email: aharvill@esclabsciences.com

This E-mail and any attached files are confidential, and may be copyright protected. If you are not the addressee, any dissemination of this communication is strictly prohibited. If you have received this message in error, please contact the sender immediately and delete/destroy all information received.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Tuesday March 23, 2010

Report Number: L449302

Samples Received: 03/13/10

Client Project: 3872-3

Description: Harman Becker

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

T. Alan Harvill , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 23, 2010

Date Received : March 13, 2010
Description : Harman Becker

Sample ID : B-95 0-2 FT

Collected By : Jay Novotny
Collection Date : 03/11/10 09:45

ESC Sample # : 1449302-01

Site ID : 3872-3

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	97.6		%	2540G	03/17/10	1
Volatile Organics						
Acetone	BDL	0.051	mg/kg	8260B	03/16/10	1
Acrylonitrile	BDL	0.010	mg/kg	8260B	03/16/10	1
Benzene	0.0028	0.0010	mg/kg	8260B	03/16/10	1
Bromobenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
Bromodichloromethane	BDL	0.0010	mg/kg	8260B	03/16/10	1
Bromoform	BDL	0.0010	mg/kg	8260B	03/16/10	1
Bromomethane	BDL	0.0051	mg/kg	8260B	03/16/10	1
n-Butylbenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
sec-Butylbenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
tert-Butylbenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
Carbon tetrachloride	BDL	0.0010	mg/kg	8260B	03/16/10	1
Chlorobenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
Chlorodibromomethane	BDL	0.0010	mg/kg	8260B	03/16/10	1
Chloroethane	BDL	0.0051	mg/kg	8260B	03/16/10	1
2-Chloroethyl vinyl ether	BDL	0.051	mg/kg	8260B	03/16/10	1
Chloroform	BDL	0.0051	mg/kg	8260B	03/16/10	1
Chloromethane	BDL	0.0010	mg/kg	8260B	03/16/10	1
2-Chlorotoluene	BDL	0.0010	mg/kg	8260B	03/16/10	1
4-Chlorotoluene	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0051	mg/kg	8260B	03/16/10	1
1,2-Dibromoethane	BDL	0.0010	mg/kg	8260B	03/16/10	1
Dibromomethane	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
Dichlorodifluoromethane	BDL	0.0051	mg/kg	8260B	03/16/10	1
1,1-Dichloroethane	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,2-Dichloroethane	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,1-Dichloroethene	BDL	0.0010	mg/kg	8260B	03/16/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/kg	8260B	03/16/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,2-Dichloropropane	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,1-Dichloropropene	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,3-Dichloropropene	BDL	0.0010	mg/kg	8260B	03/16/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/kg	8260B	03/16/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/kg	8260B	03/16/10	1
2,2-Dichloropropane	BDL	0.0010	mg/kg	8260B	03/16/10	1
Di-isopropyl ether	BDL	0.0010	mg/kg	8260B	03/16/10	1
Ethylbenzene	0.0018	0.0010	mg/kg	8260B	03/16/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/kg	8260B	03/16/10	1
Isopropylbenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 23, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-95 0-2 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 09:45

ESC Sample # : 1449302-01

Site ID : 3872-3

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0010	mg/kg	8260B	03/16/10	1
2-Butanone (MEK)	BDL	0.010	mg/kg	8260B	03/16/10	1
Methylene Chloride	BDL	0.0051	mg/kg	8260B	03/16/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/kg	8260B	03/16/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/kg	8260B	03/16/10	1
Naphthalene	BDL	0.0051	mg/kg	8260B	03/16/10	1
n-Propylbenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
Styrene	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/kg	8260B	03/16/10	1
Tetrachloroethene	4.3	0.044	mg/kg	8260B	03/17/10	43.5
Toluene	0.0066	0.0051	mg/kg	8260B	03/16/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/kg	8260B	03/16/10	1
Trichloroethene	0.0029	0.0010	mg/kg	8260B	03/16/10	1
Trichlorofluoromethane	BDL	0.0051	mg/kg	8260B	03/16/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,2,4-Trimethylbenzene	0.0015	0.0010	mg/kg	8260B	03/16/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/kg	8260B	03/16/10	1
Vinyl chloride	BDL	0.0010	mg/kg	8260B	03/16/10	1
Xylenes, Total	0.0041	0.0031	mg/kg	8260B	03/16/10	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	03/16/10	1
Dibromofluoromethane	106.		% Rec.	8260B	03/16/10	1
4-Bromofluorobenzene	90.4		% Rec.	8260B	03/16/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/23/10 09:40 Printed: 03/23/10 09:41

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 23, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-95 2-4 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 09:50

ESC Sample # : 1449302-02

Site ID : 3872-3

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	88.1		%	2540G	03/17/10	1
Volatile Organics						
Acetone	0.17	0.057	mg/kg	8260B	03/17/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/17/10	1
Benzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/17/10	1
Bromomethane	BDL	0.0057	mg/kg	8260B	03/17/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/17/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Chloroethane	BDL	0.0057	mg/kg	8260B	03/17/10	1
2-Chloroethyl vinyl ether	BDL	0.057	mg/kg	8260B	03/17/10	1
Chloroform	BDL	0.0057	mg/kg	8260B	03/17/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/17/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0057	mg/kg	8260B	03/17/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Dichlorodifluoromethane	BDL	0.0057	mg/kg	8260B	03/17/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/17/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/17/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/17/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/17/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/17/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/17/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 23, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-95 2-4 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 09:50

ESC Sample # : 1449302-02

Site ID : 3872-3

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/17/10	1
2-Butanone (MEK)	0.023	0.011	mg/kg	8260B	03/17/10	1
Methylene Chloride	BDL	0.0057	mg/kg	8260B	03/17/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/17/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/17/10	1
Naphthalene	BDL	0.0057	mg/kg	8260B	03/17/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/17/10	1
Tetrachloroethene	0.73	0.034	mg/kg	8260B	03/22/10	30
Toluene	BDL	0.0057	mg/kg	8260B	03/17/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Trichloroethene	0.0053	0.0011	mg/kg	8260B	03/17/10	1
Trichlorofluoromethane	BDL	0.0057	mg/kg	8260B	03/17/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/17/10	1
Xylenes, Total	BDL	0.0034	mg/kg	8260B	03/17/10	1
Surrogate Recovery						
Toluene-d8	96.3		% Rec.	8260B	03/17/10	1
Dibromofluoromethane	110.		% Rec.	8260B	03/17/10	1
4-Bromofluorobenzene	73.5		% Rec.	8260B	03/17/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/23/10 09:40 Printed: 03/23/10 09:41

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 23, 2010

Date Received : March 13, 2010
Description : Harman Becker

Sample ID : B-97 2-4 FT

Collected By : Jay Novotny
Collection Date : 03/11/10 14:30

ESC Sample # : 1449302-03

Site ID : 3872-3

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	92.6		%	2540G	03/17/10	1
Volatile Organics						
Acetone	BDL	0.054	mg/kg	8260B	03/17/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/17/10	1
Benzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/17/10	1
Bromomethane	BDL	0.0054	mg/kg	8260B	03/17/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/17/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Chloroethane	BDL	0.0054	mg/kg	8260B	03/17/10	1
2-Chloroethyl vinyl ether	BDL	0.054	mg/kg	8260B	03/17/10	1
Chloroform	BDL	0.0054	mg/kg	8260B	03/17/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/17/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0054	mg/kg	8260B	03/17/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Dichlorodifluoromethane	BDL	0.0054	mg/kg	8260B	03/17/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/17/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/17/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/17/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/17/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/17/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/17/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 23, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-97 2-4 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 14:30

ESC Sample # : 1449302-03

Site ID : 3872-3

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/17/10	1
2-Butanone (MEK)	BDL	0.011	mg/kg	8260B	03/17/10	1
Methylene Chloride	BDL	0.0054	mg/kg	8260B	03/17/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/17/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/17/10	1
Naphthalene	BDL	0.0054	mg/kg	8260B	03/17/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/17/10	1
Tetrachloroethene	0.014	0.0011	mg/kg	8260B	03/19/10	1
Toluene	BDL	0.0054	mg/kg	8260B	03/17/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Trichlorofluoromethane	BDL	0.0054	mg/kg	8260B	03/17/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/17/10	1
Xylenes, Total	BDL	0.0032	mg/kg	8260B	03/17/10	1
Surrogate Recovery						
Toluene-d8	104.		% Rec.	8260B	03/17/10	1
Dibromofluoromethane	103.		% Rec.	8260B	03/17/10	1
4-Bromofluorobenzene	82.2		% Rec.	8260B	03/17/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/23/10 09:40 Printed: 03/23/10 09:41

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 23, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-102 6-8 FT
Collected By : Jay Novotny
Collection Date : 03/12/10 13:30

ESC Sample # : 1449302-04

Site ID : 3872-3

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	88.4		%	2540G	03/17/10	1
Volatile Organics						
Acetone	BDL	0.056	mg/kg	8260B	03/16/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/16/10	1
Benzene	0.026	0.0011	mg/kg	8260B	03/16/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/16/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/16/10	1
Bromomethane	BDL	0.0056	mg/kg	8260B	03/16/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/16/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/16/10	1
Chloroethane	BDL	0.0056	mg/kg	8260B	03/16/10	1
2-Chloroethyl vinyl ether	BDL	0.056	mg/kg	8260B	03/16/10	1
Chloroform	BDL	0.0056	mg/kg	8260B	03/16/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/16/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/16/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0056	mg/kg	8260B	03/16/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/16/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
Dichlorodifluoromethane	BDL	0.0056	mg/kg	8260B	03/16/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/16/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/16/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/16/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/16/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/16/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/16/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/16/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/16/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 23, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-102 6-8 FT
Collected By : Jay Novotny
Collection Date : 03/12/10 13:30

ESC Sample # : 1449302-04

Site ID : 3872-3

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/16/10	1
2-Butanone (MEK)	BDL	0.011	mg/kg	8260B	03/16/10	1
Methylene Chloride	BDL	0.0056	mg/kg	8260B	03/16/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/16/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/16/10	1
Naphthalene	BDL	0.0056	mg/kg	8260B	03/16/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/16/10	1
Tetrachloroethene	0.077	0.0011	mg/kg	8260B	03/16/10	1
Toluene	BDL	0.0056	mg/kg	8260B	03/16/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/16/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/16/10	1
Trichlorofluoromethane	BDL	0.0056	mg/kg	8260B	03/16/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/16/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/16/10	1
Xylenes, Total	BDL	0.0034	mg/kg	8260B	03/16/10	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	03/16/10	1
Dibromofluoromethane	103.		% Rec.	8260B	03/16/10	1
4-Bromofluorobenzene	103.		% Rec.	8260B	03/16/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/23/10 09:40 Printed: 03/23/10 09:41

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 23, 2010

Date Received : March 13, 2010
Description : Harman Becker

Sample ID : DUP 2

Collected By : Jay Novotny
Collection Date : 03/11/10 00:00

ESC Sample # : 1449302-05

Site ID : 3872-3

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	89.2		%	2540G	03/17/10	1
Volatile Organics						
Acetone	0.080	0.056	mg/kg	8260B	03/17/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/17/10	1
Benzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/17/10	1
Bromomethane	BDL	0.0056	mg/kg	8260B	03/17/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/17/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Chloroethane	BDL	0.0056	mg/kg	8260B	03/17/10	1
2-Chloroethyl vinyl ether	BDL	0.056	mg/kg	8260B	03/17/10	1
Chloroform	BDL	0.0056	mg/kg	8260B	03/17/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/17/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0056	mg/kg	8260B	03/17/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Dichlorodifluoromethane	BDL	0.0056	mg/kg	8260B	03/17/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/17/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/17/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/17/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/17/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/17/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/17/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 23, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : DUP 2
Collected By : Jay Novotny
Collection Date : 03/11/10 00:00

ESC Sample # : 1449302-05

Site ID : 3872-3

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/17/10	1
2-Butanone (MEK)	0.011	0.011	mg/kg	8260B	03/17/10	1
Methylene Chloride	BDL	0.0056	mg/kg	8260B	03/17/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/17/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/17/10	1
Naphthalene	BDL	0.0056	mg/kg	8260B	03/17/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/17/10	1
Tetrachloroethene	0.43	0.041	mg/kg	8260B	03/19/10	36.5
Toluene	BDL	0.0056	mg/kg	8260B	03/17/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/17/10	1
Trichloroethene	0.0074	0.0011	mg/kg	8260B	03/17/10	1
Trichlorofluoromethane	BDL	0.0056	mg/kg	8260B	03/17/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/17/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/17/10	1
Xylenes, Total	BDL	0.0034	mg/kg	8260B	03/17/10	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	03/17/10	1
Dibromofluoromethane	104.		% Rec.	8260B	03/17/10	1
4-Bromofluorobenzene	83.6		% Rec.	8260B	03/17/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/23/10 09:40 Printed: 03/23/10 09:41



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 23, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-75 96-97 FT
Collected By : Jay Novotny
Collection Date : 03/08/10 17:00

ESC Sample # : L449302-10

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TOC (Total Organic Carbon)	480	10.	mg/kg	USDA LOI	03/19/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/23/10 09:40 Printed: 03/23/10 09:41



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 23, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-75 20-22 FT
Collected By : Jay Novotny
Collection Date : 03/08/10 13:15

ESC Sample # : L449302-11

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
TOC (Total Organic Carbon)	720	10.	mg/kg	USDA LOI	03/19/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/23/10 09:40 Printed: 03/23/10 09:41

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L449302-01	WG467872	SAMP	cis-1,3-Dichloropropene	R1147008	J4

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J4	The associated batch QC was outside the established quality control range for accuracy.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
03/23/10 at 09:41:15

TSR Signing Reports: 364
R5 - Desired TAT

No hard copy of reports per Jesse. In 6/12/06 Only CD for QC pkgs. - no paper. In 6/6/05 All
soils in Dry wt. In 5/9/05 client requires purchase orders for each project.

Sample: L449302-01 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/23/10 09:40
Water samples moved to L449608 per AH -JCH 3/17

Sample: L449302-02 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/23/10 09:40

Sample: L449302-03 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/23/10 09:40

Sample: L449302-04 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/23/10 09:40

Sample: L449302-05 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/23/10 09:40

Sample: L449302-10 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/23/10 09:40

Sample: L449302-11 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/23/10 09:40



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
1,1,1,2-Tetrachloroethane	< .001	mg/kg			WG467872	03/16/10 07:21
1,1,1-Trichloroethane	< .001	mg/kg			WG467872	03/16/10 07:21
1,1,2,2-Tetrachloroethane	< .001	mg/kg			WG467872	03/16/10 07:21
1,1,2-Trichloroethane	< .001	mg/kg			WG467872	03/16/10 07:21
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/kg			WG467872	03/16/10 07:21
1,1-Dichloroethane	< .001	mg/kg			WG467872	03/16/10 07:21
1,1-Dichloroethene	< .001	mg/kg			WG467872	03/16/10 07:21
1,1-Dichloropropene	< .001	mg/kg			WG467872	03/16/10 07:21
1,2,3-Trichlorobenzene	< .001	mg/kg			WG467872	03/16/10 07:21
1,2,3-Trichloropropene	< .001	mg/kg			WG467872	03/16/10 07:21
1,2,3-Trimethylbenzene	< .001	mg/kg			WG467872	03/16/10 07:21
1,2,4-Trichlorobenzene	< .001	mg/kg			WG467872	03/16/10 07:21
1,2,4-Trimethylbenzene	< .001	mg/kg			WG467872	03/16/10 07:21
1,2-Dibromo-3-Chloropropane	< .005	mg/kg			WG467872	03/16/10 07:21
1,2-Dibromoethane	< .001	mg/kg			WG467872	03/16/10 07:21
1,2-Dichlorobenzene	< .001	/kg			WG467872	03/16/10 07:21
1,2-Dichloroethane	< .001	mg/kg			WG467872	03/16/10 07:21
1,2-Dichloropropene	< .001	mg/kg			WG467872	03/16/10 07:21
1,3,5-Trimethylbenzene	< .001	/kg			WG467872	03/16/10 07:21
1,3-Dichlorobenzene	< .001	mg/kg			WG467872	03/16/10 07:21
1,3-Dichloropropene	< .001	mg/kg			WG467872	03/16/10 07:21
1,4-Dichlorobenzene	< .001	mg/kg			WG467872	03/16/10 07:21
2,2-Dichloropropene	< .001	mg/kg			WG467872	03/16/10 07:21
2-Butanone (MEK)	< .01	mg/kg			WG467872	03/16/10 07:21
2-Chloroethyl vinyl ether	< .001	/kg			WG467872	03/16/10 07:21
2-Chlorotoluene	< .001	mg/kg			WG467872	03/16/10 07:21
4-Chlorotoluene	< .001	mg/kg			WG467872	03/16/10 07:21
4-Methyl-2-pentanone (M	< .0	/kg			WG467872	03/16/10 07:21
Acetone	< .05	mg/kg			WG467872	03/16/10 07:21
Acrylonitrile	< .01	mg/kg			WG467872	03/16/10 07:21
Benzene	< .001	/kg			WG467872	03/16/10 07:21
Bromobenzene	< .001	mg/kg			WG467872	03/16/10 07:21
Bromodichloromethane	< .001	mg/kg			WG467872	03/16/10 07:21
Bromoform	< .001	/kg			WG467872	03/16/10 07:21
Bromomethane	< .005	mg/kg			WG467872	03/16/10 07:21
Carbon tetrachloride	< .001	mg/kg			WG467872	03/16/10 07:21
Chlorobenzene	< .001	/kg			WG467872	03/16/10 07:21
Chlorodibromomethane	< .001	mg/kg			WG467872	03/16/10 07:21
Chloroethane	< .005	mg/kg			WG467872	03/16/10 07:21
Chloroform	< .005	/kg			WG467872	03/16/10 07:21
Chloromethane	< .001	mg/kg			WG467872	03/16/10 07:21
cis-1,2-Dichloroethene	< .001	mg/kg			WG467872	03/16/10 07:21
cis-1,3-Dichloropropene	< .001	/kg			WG467872	03/16/10 07:21
Di-isopropyl ether	< .001	mg/kg			WG467872	03/16/10 07:21
Dibromomethane	< .001	mg/kg			WG467872	03/16/10 07:21
Dichlorodifluoromethane	< .005	/kg			WG467872	03/16/10 07:21
Ethylbenzene	< .001	mg/kg			WG467872	03/16/10 07:21
Hexachloro-1,3-butadiene	< .001	mg/kg			WG467872	03/16/10 07:21
Isopropylbenzene	< .001	mg/kg			WG467872	03/16/10 07:21
Methyl tert-butyl ether	< .001	mg/kg			WG467872	03/16/10 07:21
Methylene Chloride	< .005	mg/kg			WG467872	03/16/10 07:21
n-Butylbenzene	< .001	mg/kg			WG467872	03/16/10 07:21
n-Propylbenzene	< .001	mg/kg			WG467872	03/16/10 07:21
Naphthalene	< .005	mg/kg			WG467872	03/16/10 07:21
p-Isopropyltoluene	< .001	mg/kg			WG467872	03/16/10 07:21
sec-Butylbenzene	< .001	mg/kg			WG467872	03/16/10 07:21
Styrene	< .001	mg/kg			WG467872	03/16/10 07:21
tert-Butylbenzene	< .001	mg/kg			WG467872	03/16/10 07:21
Toluene	< .005	mg/kg			WG467872	03/16/10 07:21

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L449302

March 23, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
trans-1,2-Dichloroethene	< .001	mg/kg			WG467872	03/16/10 07:21
trans-1,3-Dichloropropene	< .001	mg/kg			WG467872	03/16/10 07:21
Trichloroethene	< .001	mg/kg			WG467872	03/16/10 07:21
Trichlorofluoromethane	< .005	mg/kg			WG467872	03/16/10 07:21
Vinyl chloride	< .001	mg/kg			WG467872	03/16/10 07:21
Xylenes, Total	< .003	mg/kg			WG467872	03/16/10 07:21
4-Bromofluorobenzene		% Rec	101.6	99-140	WG467872	03/16/10 07:21
Dibromofluoromethane		% Rec.	106.4	63-139	WG467872	03/16/10 07:21
Toluene-d8		% Rec.	103.0	84-116	WG467872	03/16/10 07:21
Total Solids	< .1	%			WG467918	03/17/10 10:30
Total Solids	< .1	%			WG467919	03/17/10 09:50
1,1,1,2-Tetrachloroethane	< .001	mg/kg			WG467917	03/16/10 20:01
1,1,1-Trichloroethane	< .001	/kg			WG467917	03/16/10 20:01
1,1,2,2-Tetrachloroethane	< .001	mg/kg			WG467917	03/16/10 20:01
1,1,2-Trichloroethane	< .001	mg/kg			WG467917	03/16/10 20:01
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	/kg			WG467917	03/16/10 20:01
1,1-Dichloroethane	< .001	mg/kg			WG467917	03/16/10 20:01
1,1-Dichloroethene	< .001	mg/kg			WG467917	03/16/10 20:01
1,1-Dichloropropene	< .001	mg/kg			WG467917	03/16/10 20:01
1,2,3-Trichlorobenzene	< .001	mg/kg			WG467917	03/16/10 20:01
1,2,3-Trichloropropene	< .001	mg/kg			WG467917	03/16/10 20:01
1,2,3-Trimethylbenzene	< .001	/kg			WG467917	03/16/10 20:01
1,2,4-Trichlorobenzene	< .001	mg/kg			WG467917	03/16/10 20:01
1,2,4-Trimethylbenzene	< .001	mg/kg			WG467917	03/16/10 20:01
1,2-Dibromo-3-Chloropropane	< .005	/kg			WG467917	03/16/10 20:01
1,2-Dibromoethane	< .001	mg/kg			WG467917	03/16/10 20:01
1,2-Dichlorobenzene	< .001	mg/kg			WG467917	03/16/10 20:01
1,2-Dichloroethane	< .001	/kg			WG467917	03/16/10 20:01
1,2-Dichloropropene	< .001	mg/kg			WG467917	03/16/10 20:01
1,3,5-Trimethylbenzene	< .001	mg/kg			WG467917	03/16/10 20:01
1,3-Dichlorobenzene	< .001	/kg			WG467917	03/16/10 20:01
1,3-Dichloropropene	< .001	mg/kg			WG467917	03/16/10 20:01
1,4-Dichlorobenzene	< .001	mg/kg			WG467917	03/16/10 20:01
2,2-Dichloropropane	< .001	/kg			WG467917	03/16/10 20:01
2-Butanone (MEK)	< .01	mg/kg			WG467917	03/16/10 20:01
2-Chloroethyl vinyl ether	< .001	mg/kg			WG467917	03/16/10 20:01
2-Chlorotoluene	< .001	/kg			WG467917	03/16/10 20:01
4-Chlorotoluene	< .001	mg/kg			WG467917	03/16/10 20:01
4-Methyl-2-pentanone (MIBK)	< .01	mg/kg			WG467917	03/16/10 20:01
Acetone	< .01	mg/kg			WG467917	03/16/10 20:01
Acrylonitrile	< .01	mg/kg			WG467917	03/16/10 20:01
Benzene	< .001	mg/kg			WG467917	03/16/10 20:01
Bromobenzene	< .001	/kg			WG467917	03/16/10 20:01
Bromodichloromethane	< .001	mg/kg			WG467917	03/16/10 20:01
Bromoform	< .001	mg/kg			WG467917	03/16/10 20:01
Bromomethane	< .005	mg/kg			WG467917	03/16/10 20:01
Carbon tetrachloride	< .001	mg/kg			WG467917	03/16/10 20:01
Chlorobenzene	< .001	mg/kg			WG467917	03/16/10 20:01
Chlorodibromomethane	< .001	mg/kg			WG467917	03/16/10 20:01
Chloroethane	< .005	mg/kg			WG467917	03/16/10 20:01
Chloroform	< .005	mg/kg			WG467917	03/16/10 20:01
Chloromethane	< .005	mg/kg			WG467917	03/16/10 20:01
cis-1,2-Dichloroethene	< .001	mg/kg			WG467917	03/16/10 20:01

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
cis-1,3-Dichloropropene	< .001	mg/kg			WG467917	03/16/10 20:01
Di-isopropyl ether	< .001	mg/kg			WG467917	03/16/10 20:01
Dibromomethane	< .001	mg/kg			WG467917	03/16/10 20:01
Dichlorodifluoromethane	< .005	mg/kg			WG467917	03/16/10 20:01
Ethylbenzene	< .001	mg/kg			WG467917	03/16/10 20:01
Hexachloro-1,3-butadiene	< .001	mg/kg			WG467917	03/16/10 20:01
Isopropylbenzene	< .001	mg/kg			WG467917	03/16/10 20:01
Methyl tert-butyl ether	< .001	mg/kg			WG467917	03/16/10 20:01
Methylene Chloride	< .005	mg/kg			WG467917	03/16/10 20:01
n-Butylbenzene	< .001	mg/kg			WG467917	03/16/10 20:01
n-Propylbenzene	< .001	mg/kg			WG467917	03/16/10 20:01
Naphthalene	< .005	mg/kg			WG467917	03/16/10 20:01
p-Isopropyltoluene	< .001	mg/kg			WG467917	03/16/10 20:01
sec-Butylbenzene	< .001	mg/kg			WG467917	03/16/10 20:01
Styrene	< .001	mg/kg			WG467917	03/16/10 20:01
tert-Butylbenzene	< .001	/kg			WG467917	03/16/10 20:01
Tetrachloroethene	< .001	mg/kg			WG467917	03/16/10 20:01
Toluene	< .005	mg/kg			WG467917	03/16/10 20:01
trans-1,2-Dichloroethene	.001	/kg			WG467917	03/16/10 20:01
trans-1,3-Dichloropropene	< .001	mg/kg			WG467917	03/16/10 20:01
Trichloroethene	< .001	mg/kg			WG467917	03/16/10 20:01
Trichlorofluoromethane	< .005	/kg			WG467917	03/16/10 20:01
Vinyl chloride	< .001	mg/kg			WG467917	03/16/10 20:01
Xylenes, Total	< .003	mg/kg			WG467917	03/16/10 20:01
4-Bromofluorobenzene		% Rec.	105.2	59-140	WG467917	03/16/10 20:01
Dibromofluoromethane		% Rec.	105.0	63-139	WG467917	03/16/10 20:01
Toluene-d8		% Rec.	102.8	84-116	WG467917	03/16/10 20:01
1,1,1,2-Tetrachloroethane	< .001	mg/kg			WG468059	03/17/10 18:01
1,1,1-Trichloroethane	< .001	mg/kg			WG468059	03/17/10 18:01
1,1,2,2-Tetrachloroethane	< .001	/kg			WG468059	03/17/10 18:01
1,1,2-Trichloroethane	< .001	mg/kg			WG468059	03/17/10 18:01
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/kg			WG468059	03/17/10 18:01
1,1-Dichloroethane	< .001	/kg			WG468059	03/17/10 18:01
1,1-Dichloroethene	< .001	mg/kg			WG468059	03/17/10 18:01
1,1-Dichloropropene	< .001	mg/kg			WG468059	03/17/10 18:01
1,2,3-Trichlorobenzene	< .001	/kg			WG468059	03/17/10 18:01
1,2,3-Trichloropropene	< .001	mg/kg			WG468059	03/17/10 18:01
1,2,3-Trimethylbenzene	< .001	mg/kg			WG468059	03/17/10 18:01
1,2,4-Trichlorobenzene	< .001	/kg			WG468059	03/17/10 18:01
1,2,4-Trimethylbenzene	< .001	mg/kg			WG468059	03/17/10 18:01
1,2-Dibromo-3-Chloropropane	< .005	mg/kg			WG468059	03/17/10 18:01
1,2-Dibromoethane	< .001	/kg			WG468059	03/17/10 18:01
1,2-Dichlorobenzene	< .001	mg/kg			WG468059	03/17/10 18:01
1,2-Dichloroethane	< .001	mg/kg			WG468059	03/17/10 18:01
1,2-Dichloropropane	< .001	/kg			WG468059	03/17/10 18:01
1,3,5-Trimethylbenzene	< .001	mg/kg			WG468059	03/17/10 18:01
1,3-Dichlorobenzene	< .001	mg/kg			WG468059	03/17/10 18:01
1,3-Dichloropropane	< .001	mg/kg			WG468059	03/17/10 18:01
1,4-Dichlorobenzene	< .001	mg/kg			WG468059	03/17/10 18:01
2,2-Dichloropropene	< .001	mg/kg			WG468059	03/17/10 18:01
2-Butanone (MEK)	< .002	mg/kg			WG468059	03/17/10 18:01
2-Chloroethyl vinyl ether	< .001	mg/kg			WG468059	03/17/10 18:01
2-Chlorotoluene	< .001	mg/kg			WG468059	03/17/10 18:01
4-Chlorotoluene	< .002	mg/kg			WG468059	03/17/10 18:01
4-Methyl-2-pentanone (MIBK)	< .01	mg/kg			WG468059	03/17/10 18:01
Acetone	< .05	mg/kg			WG468059	03/17/10 18:01
Acrylonitrile	< .05	mg/kg			WG468059	03/17/10 18:01

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L449302

March 23, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Benzene	< .001	mg/kg			WG468059	03/17/10 18:01
Bromobenzene	< .001	mg/kg			WG468059	03/17/10 18:01
Bromodichloromethane	< .001	mg/kg			WG468059	03/17/10 18:01
Bromofluoromethane	< .001	mg/kg			WG468059	03/17/10 18:01
Bromomethane	< .005	mg/kg			WG468059	03/17/10 18:01
Carbon tetrachloride	< .001	mg/kg			WG468059	03/17/10 18:01
Chlorobenzene	< .001	mg/kg			WG468059	03/17/10 18:01
Chlorodibromomethane	< .001	mg/kg			WG468059	03/17/10 18:01
Chloroethane	< .005	mg/kg			WG468059	03/17/10 18:01
Chloroform	< .005	mg/kg			WG468059	03/17/10 18:01
Chloromethane	< .001	mg/kg			WG468059	03/17/10 18:01
cis-1,2-Dichloroethene	< .001	mg/kg			WG468059	03/17/10 18:01
cis-1,3-Dichloropropene	< .001	mg/kg			WG468059	03/17/10 18:01
Di-isopropyl ether	< .001	mg/kg			WG468059	03/17/10 18:01
Dibromomethane	< .001	mg/kg			WG468059	03/17/10 18:01
Dichlorodifluoromethane	< .005	mg/kg			WG468059	03/17/10 18:01
Ethylbenzene	< .001	mg/kg			WG468059	03/17/10 18:01
Hexachloro-1,3-butadiene	< .001	mg/kg			WG468059	03/17/10 18:01
Isopropylbenzene	< .001	/kg			WG468059	03/17/10 18:01
Methyl tert-butyl ether	< .001	mg/kg			WG468059	03/17/10 18:01
Methylene Chloride	< .005	mg/kg			WG468059	03/17/10 18:01
n-Butylbenzene	< .001	mg/kg			WG468059	03/17/10 18:01
n-Propylbenzene	< .001	mg/kg			WG468059	03/17/10 18:01
Naphthalene	< .005	mg/kg			WG468059	03/17/10 18:01
p-Isopropyltoluene	< .001	/kg			WG468059	03/17/10 18:01
sec-Butylbenzene	< .001	mg/kg			WG468059	03/17/10 18:01
Styrene	< .001	mg/kg			WG468059	03/17/10 18:01
tert-Butylbenzene	< .001	/kg			WG468059	03/17/10 18:01
Tetrachloroethene	< .001	mg/kg			WG468059	03/17/10 18:01
Toluene	< .005	mg/kg			WG468059	03/17/10 18:01
trans-1,2-Dichloroethene	< .001	/kg			WG468059	03/17/10 18:01
trans-1,3-Dichloropropene	< .001	mg/kg			WG468059	03/17/10 18:01
Trichloroethene	< .001	mg/kg			WG468059	03/17/10 18:01
Trichlorofluoromethane	< .005	/kg			WG468059	03/17/10 18:01
Vinyl chloride	< .001	mg/kg			WG468059	03/17/10 18:01
Xylenes, Total	< .003	mg/kg			WG468059	03/17/10 18:01
4-Bromofluorobenzene		% Rec.	3.07	59-140	WG468059	03/17/10 18:01
Dibromofluoromethane		% Rec.	106.3	63-139	WG468059	03/17/10 18:01
Toluene-d8		% Rec.	96.72	84-116	WG468059	03/17/10 18:01
Tetrachloroethene	< .001	mg/kg			WG468381	03/18/10 21:04
4-Bromofluorobenzene		% Rec.	94.18	59-140	WG468381	03/18/10 21:04
Dibromofluoromethane		% Rec.	9.11	63-13	WG46838	03/18/10 21:04
Toluene-d8		% Rec.	94.31	84-116	WG468381	03/18/10 21:04
Tetrachloroethene	< .001	/kg			WG46853	03/19/10 10:27
4-Bromofluorobenzene		% Rec.	103.9	59-140	WG468531	03/19/10 10:27
Dibromofluoromethane		% Rec.	99.14	63-139	WG468531	03/19/10 10:27
Toluene-d8		% Rec.	7.39	84-116	WG468531	03/19/10 10:27
TOC (Total Organic Carbon)	< 10	mg/kg			WG468189	03/19/10 14:22
Tetrachloroethene	< .001	mg/kg			WG468998	03/22/10 17:45
4-Bromofluorobenzene		% Rec.	99.88	59-140	WG468998	03/22/10 17:45
Dibromofluoromethane		% Rec.	107.	63-139	WG468998	03/22/10 17:45

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	Result	Duplicate	RPD	Limit	Ref Samp	Batch
Toluene-d8				8.	81-116	03/22	10 17:45

Analyte	Units	Result	Duplicate	RPD	Limit	Ref Samp	Batch
Total Solids	%	71.0	71.6	0.263	5	L449306-06	WG467919
TOC (Total Organic Carbon)	mg/kg	820.	720.	13.0	20	L449302-11	WG468189

Analyte	Units	Known Val	Result	% Rec	Limit	Batch
1,1,1,2-Tetrachloroethane	mg/kg	.025	0.0224	89.6	125	WG467872
1,1,1-Trichloroethane	mg/kg	.025	0.0211	84.2	62-135	WG467872
1,1,2,2-Tetrachloroethane	mg/kg	.025	0.0216	86.6	74-129	WG467872
1,1,2-Trichloroethane	mg/kg	.025	0.0217	87.0	77-124	WG467872
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	.025	0.0214	85.6	49-155	WG467872
1,1-Dichloroethane	mg/kg	.025	0.0205	82.0	61-134	WG467872
1,1-Dichloropropene	mg/kg	.025	0.0217	86.6	53-136	WG467872
1,2,3-Trichlorobenzene	mg/kg	.025	0.0200	80.1	63-132	WG467872
1,2,3-Trichloropropane	mg/kg	.025	0.0206	82.3	62-146	WG467872
1,2,4-Trichlorobenzene	mg/kg	.025	0.0199	79.5	70-133	WG467872
1,2,3-Trimethylbenzene	mg/kg	.025	0.0206	82.5	73-126	WG467872
1,2,4-Trimethylbenzene	mg/kg	.025	0.0203	81.4	61-148	WG467872
1,2-Dibromo-3-Chloropropane	mg/kg	.025	0.0216	86.5	68-135	WG467872
1,2-Dibromoethane	mg/kg	.025	0.0203	81.2	61-134	WG467872
1,2-Dichlorobenzene	mg/kg	.025	0.0223	89.1	76-127	WG467872
1,2-Dichloroethane	mg/kg	.025	0.0215	86.1	123	WG467872
1,2-Dichloropropane	mg/kg	.025	0.0192	76.8	58-141	WG467872
1,3-Dichloropropane	mg/kg	.025	0.0200	80.1	71-128	WG467872
1,3,5-Trimethylbenzene	mg/kg	.025	0.0216	2	133	WG467872
1,3-Dichlorobenzene	mg/kg	.025	0.0224	89.5	71-132	WG467872
1,3-Dichloropropane	mg/kg	.025	0.0210	84.1	76-120	WG467872
1,4-Dichlorobenzene	mg/kg	.025	0.020	80.0	72-123	WG467872
2,2-Dichloropropane	mg/kg	.025	0.0201	80.3	50-147	WG467872
2-Butanone (MEK)	mg/kg	.125	0.0918	73.4	51-131	WG467872
2-Chloroethyl vinyl ether	mg/kg	.125	0.125	-1.00	100	WG467872
2-Chlorotoluene	mg/kg	.025	0.0211	84.4	73-128	WG467872
4-Chlorotoluene	mg/kg	.025	0.0218	87.1	72-129	WG467872
4-Methyl-2-pentanone (MIBK)	mg/kg	.125	0.0994	79.5	61-143	WG467872
Acetone	mg/kg	.125	0.0946	75.7	44-140	WG467872
Acrylonitrile	mg/kg	.125	0.101	80.4	55-143	WG467872
Benzene	mg/kg	.025	0.0194	77.6	65-128	WG467872
Bromobenzene	mg/kg	.025	0.0200	80.1	75-123	WG467872
Bromodichloromethane	mg/kg	.025	0.0184	73.7	66-126	WG467872
Bromoform	mg/kg	.025	0.0214	85.7	64-139	WG467872
Bromomethane	mg/kg	.025	0.0207	82.9	41-175	WG467872
Carbon tetrachloride	mg/kg	.025	0.0215	85.9	60-140	WG467872
Chlorobenzene	mg/kg	.025	0.0220	88.0	75-125	WG467872
Chlorodibromomethane	mg/kg	.025	0.0210	84.1	72-137	WG467872
Chloroethane	mg/kg	.025	0.0219	87.8	44-159	WG467872
Chloroform	mg/kg	.025	0.0202	80.6	63-123	WG467872
Chloromethane	mg/kg	.025	0.0200	79.9	42-149	WG467872
cis-1,2-Dichloroethene	mg/kg	.025	0.0207	82.7	71-129	WG467872
cis-1,3-Dichloropropene	mg/kg	.025	0.0178	71.1*	73-132	WG467872

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Di-isopropyl ether	mg/kg	.025	0.0207		143	WG467872
Dibromomethane	mg/kg	.025	0.0193	77.2	70-130	WG467872
Dichlorodifluoromethane	mg/kg	.025	0.0228	91.1	26-186	WG467872
Ethylbenzene	mg/kg	.025	0.0223	89.2	126	WG467872
Hexachloro-1,3-butadiene	mg/kg	.025	0.0189	75.6	65-137	WG467872
Isopropylbenzene	mg/kg	.025	0.0221	88.2	73-130	WG467872
Methyl tert-butyl ether	mg/kg	.025	0.0210	83.8	4-148	WG467872
Methylene Chloride	mg/kg	.025	0.0190	76.2	57-129	WG467872
n-Butylbenzene	mg/kg	.025	0.0207	83.0	60-145	WG467872
n-Propylbenzene	mg/kg	.025	0.0203	85.9	71-132	WG467872
Naphthalene	mg/kg	.025	0.0206	82.5	61-142	WG467872
p-Isopropyltoluene	mg/kg	.025	0.0219	87.6	67-138	WG467872
sec-Butylbenzene	mg/kg	.025	0.0221	88.4	71-134	WG467872
Styrene	mg/kg	.025	0.0218	87.4	76-133	WG467872
tert-Butylbenzene	mg/kg	.025	0.0217	86.8	72-132	WG467872
Toluene	mg/kg	.025	0.0199	79.5	70-120	WG467872
trans-1,2-Dichloroethene	mg/kg	.025	0.0202	80.9	61-133	WG467872
trans-1,3-Dichloropropene	mg/kg	.025	0.0191	76.2	70-135	WG467872
Trichloroethene	mg/kg	.025	0.0208	83.	71-126	WG467872
Trichlorofluoromethane	mg/kg	.025	0.0227	90.8	52-147	WG467872
Vinyl chloride	mg/kg	.025	0.0222	88.9	50-151	WG467872
Xylenes, Total	mg/kg	.025	0.0670	89.4	74-127	WG467872
4-Bromofluorobenzene	mg/kg	.025		104.3	59-140	WG467872
Dibromofluoromethane	mg/kg	.025		103.8	63-139	WG467872
Toluene-d8	mg/kg	.025		102.7	84-116	WG467872
Total Solids	%	50	50.0	100.	85-115	WG467918
Total Solids	%	50	50.0	100.	85-115	WG467919
1,1,1,2-Tetrachloroethane	mg/kg	.025	0.0275	110.	73-134	WG467917
1,1,1-Trichloroethane	mg/kg	.025	0.0262	105.	62-135	WG467917
1,1,2,2-Tetrachloroethane	mg/kg	.025	0.0269	108.	74-129	WG467917
1,1,2-Trichloroethane	mg/kg	.025	0.0266	106	77-124	WG467917
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	.025	0.0279	112.	49-155	WG467917
1,1-Dichloroethane	mg/kg	.025	0.0264	105.	61-134	WG467917
1,1-Dichloroethene	mg/kg	.025	0.0293	117.	53-136	WG467917
1,1-Dichloropropene	mg/kg	.025	0.0247	98.8	63-132	WG467917
1,2,3-Trichlorobenzene	mg/kg	.025	0.0266	107.	62-146	WG467917
1,2,3-Trichloropropene	mg/kg	.025	0.0253	101	70-133	WG467917
1,2,3-Trimethylbenzene	mg/kg	.025	0.0248	99.3	73-126	WG467917
1,2,4-Trichlorobenzene	mg/kg	.025	0.0285	114.	61-148	WG467917
1,2,4-Trimethylbenzene	mg/kg	.025	0.0268	107	68-135	WG467917
1,2-Dibromo-3-Chloropropane	mg/kg	.025	0.0273	109.	61-134	WG467917
1,2-Dibromoethane	mg/kg	.025	0.0275	110.	76-127	WG467917
1,2-Dichlorobenzene	mg/kg	.025	0.0264	106	77-123	WG467917
1,2-Dichloroethane	mg/kg	.025	0.0249	99.5	58-141	WG467917
1,2-Dichloropropane	mg/kg	.025	0.0251	101.	71-128	WG467917
1,3,5-Trimethylbenzene	mg/kg	.025	0.0268	107	71-133	WG467917
1,3-Dichlorobenzene	mg/kg	.025	0.0280	112.	71-132	WG467917
1,3-Dichloropropene	mg/kg	.025	0.0266	106.	76-120	WG467917
1,4-Dichlorobenzene	mg/kg	.025	0.0264	106	72-123	WG467917
2,2-Dichloropropane	mg/kg	.025	0.0264	106.	50-147	WG467917
2-Butanone (MEK)	mg/kg	.125	0.123	98.4	51-131	WG467917
2-Chloroethyl vinyl ether	mg/kg	.125	0.161	129.	0-118	WG467917
2-Chlorotoluene	mg/kg	.025	0.0256	102.	73-128	WG467917

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street
Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
4-Chlorotoluene	mg/kg	.025	0.0270	108.	72-129	WG467917
4-Methyl-2-pentanone (MIBK)	mg/kg	.125	0.137	109.	61-143	WG467917
Acetone	mg/kg	.125	0.124	99.3	44-140	WG467917
Acrylonitrile	mg/kg	.125	0.138	110.	55-143	WG467917
Benzene	mg/kg	.025	0.0251	100.	65-128	WG467917
Bromobenzene	mg/kg	.025	0.0245	98.0	75-123	WG467917
Bromodichloromethane	mg/kg	.025	0.0218	87.2	66-126	WG467917
Bromoform	mg/kg	.025	0.0269	108.	64-139	WG467917
Bromomethane	mg/kg	.025	0.0266	107.	41-175	WG467917
Carbon tetrachloride	mg/kg	.025	0.0258	103	60-140	WG467917
Chlorobenzene	mg/kg	.025	0.0271	108.	75-125	WG467917
Chlorodibromomethane	mg/kg	.025	0.0252	101.	72-137	WG467917
Chloroethane	mg/kg	.025	0.0280	112	4-138	WG467917
Chloroform	mg/kg	.025	0.0260	104.	63-123	WG467917
Chloromethane	mg/kg	.025	0.0249	99.6	42-149	WG467917
cis-1,2-Dichloroethene	mg/kg	.025	0.0264	106	71-129	WG467917
cis-1,3-Dichloropropene	mg/kg	.025	0.0218	87.3	73-132	WG467917
Di-isopropyl ether	mg/kg	.025	0.0271	108.	59-143	WG467917
Dibromomethane	mg/kg	.025	0.0231	92.3	70-130	WG467917
Dichlorodifluoromethane	mg/kg	.025	0.0307	123.	26-186	WG467917
Ethylbenzene	mg/kg	.025	0.0273	109.	74-128	WG467917
Hexachloro-1,3-butadiene	mg/kg	.025	0.0242	96.8	65-137	WG467917
Isopropylbenzene	mg/kg	.025	0.0298	119.	73-130	WG467917
Methyl tert-butyl ether	mg/kg	.025	0.0286	114.	44-148	WG467917
Methylene Chloride	mg/kg	.025	0.0249	99.6	57-129	WG467917
n-Butylbenzene	mg/kg	.025	0.0261	104.	60-145	WG467917
n-Propylbenzene	mg/kg	.025	0.0269	108.	71-132	WG467917
Naphthalene	mg/kg	.025	0.0276	111	61-142	WG467917
p-Isopropyltoluene	mg/kg	.025	0.0279	112.	67-138	WG467917
sec-Butylbenzene	mg/kg	.025	0.0277	111.	71-134	WG467917
Styrene	mg/kg	.025	0.0269	107	76-133	WG467917
tert-Butylbenzene	mg/kg	.025	0.0267	107.	72-132	WG467917
Tetrachloroethene	mg/kg	.025	0.0286	114.	65-135	WG467917
Toluene	mg/kg	.025	0.0247	98.	70-120	WG467917
trans-1,2-Dichloroethene	mg/kg	.025	0.0262	105.	61-133	WG467917
trans-1,3-Dichloropropene	mg/kg	.025	0.0236	94.4	70-135	WG467917
Trichloroethene	mg/kg	.025	0.0258	103	71-126	WG467917
Trichlorofluoromethane	mg/kg	.025	0.0276	111.	52-147	WG467917
Vinyl chloride	mg/kg	.025	0.0271	109.	50-151	WG467917
Xylenes, Total	mg/	.0	0.0833	111.	4-127	WG467917
4-Bromofluorobenzene				100.8	59-140	WG467917
Dibromofluoromethane				104.0	63-139	WG467917
Toluene-d8				101.2	84-116	WG467917
1,1,1,2-Tetrachloroethane	mg/kg	.025	0.0239	95.6	73-134	WG468059
1,1,1-Trichloroethane	mg/	.025	0.0262	105	62-135	WG468059
1,1,2,2-Tetrachloroethane	mg/kg	.025	0.0244	97.8	74-129	WG468059
1,1,2-Trichloroethane	mg/kg	.025	0.0237	94.7	77-124	WG468059
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	.025	0.0294	117	49-155	WG468059
1,1-Dichloroethane	mg/kg	.025	0.0259	104.	61-134	WG468059
1,1-Dichloroethene	mg/kg	.025	0.0258	103.	53-136	WG468059
1,1-Dichloropropene	mg/kg	.025	0.0257	103	63-132	WG468059
1,2,3-Trichlorobenzene	mg/kg	.025	0.0266	106.	62-146	WG468059
1,2,3-Trichloropropene	mg/kg	.025	0.0241	96.5	70-133	WG468059
1,2,3-Trimethylbenzene	mg/kg	.02	0.0250	100.	73-126	WG468059
1,2,4-Trichlorobenzene	mg/kg	.025	0.0265	106.	61-148	WG468059
1,2,4-Trimethylbenzene	mg/kg	.025	0.0239	95.7	68-135	WG468059
1,2-Dibromo-3-Chloropropane	mg/kg	.02	0.0260	10	61-138	WG468059

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,2-Dibromoethane	mg/kg	.025	0.0247	99.	127	WG468059
1,2-Dichlorobenzene	mg/kg	.025	0.0248	99.2	77-123	WG468059
1,2-Dichloroethane	mg/kg	.025	0.0272	109.	58-141	WG468059
1,2-Dichloropropane	mg/kg	.025	0.0246	98.4	71-126	WG468059
1,3,5-Trimethylbenzene	mg/kg	.025	0.0238	95.1	71-133	WG468059
1,3-Dichlorobenzene	mg/kg	.025	0.0240	96.0	71-132	WG468059
1,3-Dichloropropane	mg/kg	.025	0.0238	95.	76-120	WG468059
1,4-Dichlorobenzene	mg/kg	.025	0.0254	102.	72-123	WG468059
2,2-Dichloropropane	mg/kg	.025	0.0285	114.	50-147	WG468059
2-Butanone (MEK)	mg/kg	.025	0.131	10	51-131	WG468059
2-Chloroethyl vinyl ether	mg/kg	.125	0.127	102.	0-188	WG468059
2-Chlorotoluene	mg/kg	.025	0.0236	94.5	73-128	WG468059
4-Chlorotoluene	mg/kg	.025	0.023	94.	72-128	WG468059
4-Methyl-2-pentanone (MIBK)	mg/kg	.125	0.124	99.0	61-143	WG468059
Acetone	mg/kg	.125	0.135	108.	44-140	WG468059
Acrylonitrile	mg/kg	.125	0.122	98.0	55-143	WG468059
Benzene	mg/kg	.025	0.0255	102.	65-128	WG468059
Bromobenzene	mg/kg	.025	0.0233	93.0	75-123	WG468059
Bromodichloromethane	mg/kg	.025	0.0257	103	66-126	WG468059
Bromoform	mg/kg	.025	0.0294	118.	64-139	WG468059
Bromomethane	mg/kg	.025	0.0273	109.	41-175	WG468059
Carbon tetrachloride	mg/kg	.025	0.0289	116.	60-140	WG468059
Chlorobenzene	mg/kg	.025	0.0234	93.8	75-125	WG468059
Chlorodibromomethane	mg/kg	.025	0.0263	105.	72-137	WG468059
Chloroethane	mg/kg	.025	0.0245	98.	44-128	WG468059
Chloroform	mg/kg	.025	0.0262	105.	63-123	WG468059
Chloromethane	mg/kg	.025	0.0235	94.0	42-149	WG468059
cis-1,2-Dichloroethene	mg/kg	.025	0.0251	100.	71-128	WG468059
cis-1,3-Dichloropropene	mg/kg	.025	0.0269	108.	73-132	WG468059
Di-isopropyl ether	mg/kg	.025	0.0258	103.	59-143	WG468059
Dibromomethane	mg/kg	.025	0.0250	100	70-130	WG468059
Dichlorodifluoromethane	mg/kg	.025	0.0238	95.1	26-186	WG468059
Ethylbenzene	mg/kg	.025	0.0237	95.0	74-128	WG468059
Hexachloro-1,3-butadiene	mg/kg	.025	0.0237	94.	65-137	WG468059
Isopropylbenzene	mg/kg	.025	0.0256	102.	73-130	WG468059
Methyl tert-butyl ether	mg/kg	.025	0.0273	109.	44-148	WG468059
Methylene Chloride	mg/kg	.025	0.0	101	57-	WG468059
n-Butylbenzene	mg/kg	.025	0.0263	105.	60-145	WG468059
n-Propylbenzene	mg/kg	.025	0.0243	97.3	71-132	WG468059
Naphthalene	mg/	.025	0.0255	102.	61-140	WG468059
p-Isopropyltoluene	mg/kg	.025	0.0242	96.7	67-138	WG468059
sec-Butylbenzene	mg/kg	.025	0.0245	97.8	71-134	WG468059
Styrene	mg/	.025	0.0248	99.6	76-133	WG468059
tert-Butylbenzene	mg/kg	.025	0.0236	94.3	72-132	WG468059
Tetrachloroethene	mg/kg	.025	0.0249	99.4	65-135	WG468059
Toluene	mg/	.025	0.0254	102	70-120	WG468059
trans-1,2-Dichloroethene	mg/kg	.025	0.0254	101.	61-133	WG468059
trans-1,3-Dichloropropene	mg/kg	.025	0.0261	104.	70-135	WG468059
Trichloroethene	mg/kg	.025	0.0248	99.6	71-126	WG468059
Trichlorofluoromethane	mg/kg	.025	0.0278	111.	52-147	WG468059
Vinyl chloride	mg/kg	.025	0.0264	106.	50-151	WG468059
Xylenes, Total	mg/kg	.0	0.0715	5.3	74-127	WG468059
4-Bromofluorobenzene				88.16	59-140	WG468059
Dibromofluoromethane				98.45	63-139	WG468059
Toluene-d8				94.83	84-116	WG468059
Tetrachloroethane	mg/kg	.025	0.0249	99.5	65-135	WG468381
4-Bromofluorobenzene				99.1	59-140	WG468381

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Dibromofluoromethane				100.9	63-	
Toluene-d8				96.72	84-116	
Tetrachloroethene	mg/kg	.025	0.0220	88.0	65-135	WG468531
4-Bromofluorobenzene				93.31	63-139	WG468531
Dibromofluoromethane				93.43	84-116	WG468531
Toluene-d8				99.32		
TOC (Total Organic Carbon)	mg/kg	4110	4400	107.	50-150	WG468189
Tetrachloroethene	mg/kg	.025	0.0228	91.3	65-135	WG468998
4-Bromofluorobenzene				102.5	59-140	WG468998
Dibromofluoromethane				108.6	63-139	WG468998
Toluene-d8				101	84-116	68998

Analyte	Units	Laboratory Control Sample Duplicate		%Rec	Limit	RPD	Limit	Batch
		Result	Ref					
1,1,2,2-Tetrachloroethane	mg/kg	0.0220	0.0224	81.0	73-134	3.61	20	WG467872
1,1,1-Trichloroethane	mg/kg	0.0203	0.0211	81.0	62-135	3.88	20	WG467872
1,1,2,2-Tetrachloroethane	mg/kg	0.0221	0.0216	88.0	74-129	2.24	20	WG467872
1,1,2-Trichloroethane	mg/kg	0.0213	0.0217	85.0	-124		20	WG467872
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0195	0.0214	78.0	49-155	9.05	20	WG467872
1,1-Dichloroethane	mg/kg	0.0200	0.0205	80.0	61-134	2.22	20	WG467872
1,1-Dichloroethane	mg/kg	0.0204	0.0217	0	53-136	6.	20	WG467872
1,1-Dichloropropene	mg/kg	0.0189	0.0200	76.0	63-132	5.79	20	WG467872
1,2,3-Trichlorobenzene	mg/kg	0.0191	0.0206	76.0	62-146	7.50	20	WG467872
1,2,3-Trichloropropane	mg/kg	0.0202	0.0209	81.0	70-133	1.64	20	WG467872
1,2,3-Trimethylbenzene	mg/kg	0.0199	0.0206	79.0	73-126	3.74	20	WG467872
1,2,4-Trichlorobenzene	mg/kg	0.0200	0.0203	80.0	61-148	1.53	20	WG467872
1,2,4-Trimethylbenzene	mg/kg	0.0211	0.0216	84.0	68-135	2.30	20	WG467872
1,2-Dibromo-3-Chloropropane	mg/kg	0.0198	0.0203	79.0	61-134	2.49	21	WG467872
1,2-Dibromoethane	mg/kg	0.0218	0.0223	87.0	76-127	2.18	20	WG467872
1,2-Dichlorobenzene	mg/kg	0.0201	0.0205	80.0	-12	.30	20	WG467872
1,2-Dichloroethane	mg/kg	0.0196	0.0192	78.0	58-141	1.87	20	WG467872
1,2-Dichloropropane	mg/kg	0.0196	0.0200	78.0	71-128	2.20	20	WG467872
1,3,5-Trimethylbenzene	mg/kg	0.0207	0.0216	83.0	-133	3.88	20	WG467872
1,3-Dichlorobenzene	mg/kg	0.0212	0.0224	85.0	71-132	5.18	20	WG467872
1,3-Dichloropropane	mg/kg	0.0213	0.0210	85.0	76-120	1.38	20	WG467872
1,4-Dichlorobenzene	mg/kg	0.0200	0.0203	80.0	-123	1.52	20	WG467872
2,2-Dichloropropane	mg/kg	0.0195	0.0201	78.0	50-147	2.82	20	WG467872
2-Butanone (MEK)	mg/kg	0.0986	0.0918	79.0	51-131	7.19	25	WG467872
2-Chloroethyl vinyl ether	mg/kg	0.126	0.125	101.	0-188	1.20	20	WG467872
2-Chlorotoluene	mg/kg	0.0201	0.0211	80.0	73-128	5.11	20	WG467872
4-Chlorotoluene	mg/kg	0.0203	0.0218	81.0	72-129	6.98	20	WG467872
4-Methyl-2-pentanone (MIBK)	mg/kg	0.10	0.0998	80.0	-143	5.83	23	WG467872
Acetone	mg/kg	0.102	0.0946	82.0	44-140	7.68	25	WG467872
Acrylonitrile	mg/kg	0.107	0.101	86.0	55-143	6.27	20	WG467872
Benzene	mg/kg	0.0188	0.0194	75.0	65-128		20	WG467872
Bromobenzene	mg/kg	0.0191	0.0200	76.0	75-123	4.96	20	WG467872
Bromodichloromethane	mg/kg	0.0184	0.0184	74.0	66-126	0.240	20	WG467872
Bromoform	mg/kg	0.0224	0.0214	80.	4-139	0.0102	0	WG467872
Bromomethane	mg/kg	0.0199	0.0207	80.0	41-175	4.03	20	WG467872
Carbon tetrachloride	mg/kg	0.0197	0.0215	79.0	60-140	8.40	20	WG467872
Chlorobenzene	mg/kg	0.0209	0.0220	80.	-125	.9.	0	WG467872
Chlorodibromomethane	mg/kg	0.0206	0.0210	82.0	72-137	1.87	20	WG467872
Chloroethane	mg/kg	0.0208	0.0219	83.0	44-159	5.19	20	WG467872
Chloroform	mg/kg	0.0195	0.0202	78.	3-123	.0.	0	WG467872

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	tRec				
Chloromethane	mg/kg	0.0187	0.0200	75.0	71-129	3.54	20	WG467872
cis-1,2-Dichloroethene	mg/kg	0.0199	0.0207	80.0	71-129	3.54	20	WG467872
cis-1,3-Dichloropropene	mg/kg	0.0177	0.0178	71*	73-132	0.520	20	WG467872
Di-isopropyl ether	mg/kg	0.0203	0.0207	0	73-132	2.04	20	WG467872
Dibromomethane	mg/kg	0.0188	0.0193	75.0	70-130	2.70	20	WG467872
Dichlorodifluoromethane	mg/kg	0.0220	0.0228	88.0	26-186	3.64	22	WG467872
Ethylbenzene	mg/kg	0.0210	0.0223	84.0	-128	5.94	0	WG467872
Hexachloro-1,3-butadiene	mg/kg	0.0179	0.0189	72.0	65-137	5.32	20	WG467872
Isopropylbenzene	mg/kg	0.0211	0.0221	84.0	73-130	4.45	20	WG467872
Methyl tert-butyl ether	mg/kg	0.0215	0.0210	84.0	-148	2.4	0	WG467872
Methylene Chloride	mg/kg	0.0184	0.0190	74.0	57-129	3.23	20	WG467872
n-Butylbenzene	mg/kg	0.0194	0.0207	78.0	60-145	6.42	20	WG467872
n-Propylbenzene	mg/kg	0.0203	0.0215	84.0	1-132	.9	0	WG467872
Naphthalene	mg/kg	0.0201	0.0206	80.0	61-142	2.64	20	WG467872
p-Isopropyltoluene	mg/kg	0.0209	0.0219	84.0	67-138	4.58	20	WG467872
sec-Butylbenzene	mg/kg	0.0211	0.0221	84.0	1-134	.7	0	WG467872
Styrene	mg/kg	0.0211	0.0218	84.0	76-133	3.28	20	WG467872
tert-Butylbenzene	mg/kg	0.0204	0.0217	82.0	72-132	6.06	20	WG467872
Toluene	mg/kg	0.0192	0.0199	75.0	0-120	.58	0	WG467872
trans-1,2-Dichloroethene	mg/kg	0.0189	0.0202	76.0	61-133	6.77	20	WG467872
trans-1,3-Dichloropropene	mg/kg	0.0187	0.0191	75.0	70-135	1.67	20	WG467872
Trichloroethene	mg/kg	0.0193	0.0200	79.0	1-126	4.9	0	WG467872
Trichlorofluoromethane	mg/kg	0.0213	0.0227	85.0	52-147	6.26	20	WG467872
Vinyl chloride	mg/kg	0.0209	0.0222	84.0	50-151	5.96	20	WG467872
Xylenes, Total	mg/kg	0.0641	0.0670	85.0	4-127	4.5	0	WG467872
4-Bromofluorobenzene				101.1	59-140			WG467872
Dibromofluoromethane				102.7	63-139			WG467872
Toluene-d8				103.6	4-116			WG467872
1,1,1,2-Tetrachloroethane	mg/kg	0.0273	0.0275	109.	73-134	0.759	20	WG467917
1,1,1-Trichloroethane	mg/kg	0.0262	0.0262	105.	2-135	0.0423	0	WG467917
1,1,2,2-Tetrachloroethane	mg/kg	0.0266	0.0269	106.	74-129	1.34	20	WG467917
1,1,2-Trichloroethane	mg/kg	0.0262	0.0266	105.	77-124	1.41	20	WG467917
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0303	0.0279	121.	9-155	8.41	20	WG467917
1,1-Dichloroethane	mg/kg	0.0266	0.0264	106.	61-134	0.704	20	WG467917
1,1-Dichloroethene	mg/kg	0.0299	0.0293	119.	53-136	1.99	20	WG467917
1,1-Dichloropropene	mg/kg	0.0247	0.0247	99.0	63-132	0.0390	0	WG467917
1,2,3-Trichlorobenzene	mg/kg	0.0273	0.0266	109.	62-146	2.53	20	WG467917
1,2,3-Trichloropropene	mg/kg	0.0252	0.0253	101.	70-133	0.678	20	WG467917
1,2,3-Trimethylbenzene	mg/kg	0.0249	0.0249	100.	-126	0.356	20	WG467917
1,2,4-Trichlorobenzene	mg/kg	0.0281	0.0285	112.	61-148	1.36	20	WG467917
1,2,4-Trimethylbenzene	mg/kg	0.0261	0.0268	104.	68-135	2.43	20	WG467917
1,2-Dibromo-3-Chloropropane	mg/kg	0.0258	0.0273	103.	1-134	5.8	20	WG467917
1,2-Dibromoethane	mg/kg	0.0271	0.0275	108.	76-127	1.53	20	WG467917
1,2-Dichlorobenzene	mg/kg	0.0260	0.0264	104.	77-123	1.44	20	WG467917
1,2-Dichloroethane	mg/kg	0.0241	0.0249	96.0	8-14	3.	0	WG467917
1,2-Dichloropropene	mg/kg	0.0250	0.0251	100.	71-128	0.708	20	WG467917
1,3,5-Trimethylbenzene	mg/kg	0.0266	0.0268	106.	71-133	0.979	20	WG467917
1,3-Dichlorobenzene	mg/kg	0.0277	0.0280	111.	1-132	1.0	20	WG467917
1,3-Dichloropropene	mg/kg	0.0261	0.0266	104.	76-120	1.71	20	WG467917
1,4-Dichlorobenzene	mg/kg	0.0267	0.0264	107.	72-123	0.899	20	WG467917
2,2-Dichloropropene	mg/kg	0.0266	0.0264	106.	0-147	0.832	20	WG467917
2-Butanone (MEK)	mg/kg	0.117	0.123	93.0	51-131	5.36	25	WG467917
2-Chloroethyl vinyl ether	mg/kg	0.160	0.161	128.	0-188	0.456	39	WG467917
2-Chlorotoluene	mg/kg	0.0255	0.0256	102.	-128	0.126	0	WG467917
4-Chlorotoluene	mg/kg	0.0263	0.0270	105.	72-129	2.31	20	WG467917
4-Methyl-2-pentanone (MIBK)	mg/kg	0.132	0.137	106.	61-143	3.29	23	WG467917
Acetone	mg/kg	0.12	0.12	99.0	73-140	3.8	25	WG467917

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	Rec				
Acrylonitrile	mg/kg	0.136	0.138	109.	55-143	0.008	20	WG467917
Benzene	mg/kg	0.0248	0.0251	99.0	65-128	1.39	20	WG467917
Bromobenzene	mg/kg	0.0242	0.0245	97.0	75-123	1.11	20	WG467917
Bromodichloromethane	mg/kg	0.02	0.0218	88.0	64-126	3.03	20	WG467917
Bromoform	mg/kg	0.0264	0.0269	106.	64-139	1.99	20	WG467917
Bromomethane	mg/kg	0.0258	0.0266	103.	41-175	3.10	20	WG467917
Carbon tetrachloride	mg/kg	0.02	0.0258	108.	55-140	1.94	0	WG467917
Chlorobenzene	mg/kg	0.0264	0.0271	106.	75-125	2.51	20	WG467917
Chlorodibromomethane	mg/kg	0.0253	0.0252	101.	72-137	0.468	20	WG467917
Chloroethane	mg/kg	0.0283	0.0280	113.	-159	1.0	0	WG467917
Chloroform	mg/kg	0.0258	0.0260	103.	63-123	0.960	20	WG467917
Chloromethane	mg/kg	0.0242	0.0249	97.0	42-149	2.95	20	WG467917
cis-1,2-Dichloroethene	mg/kg	0.0283	0.026	102.	1-129	.71	0	WG467917
cis-1,3-Dichloropropene	mg/kg	0.0220	0.0218	88.0	73-132	1.01	20	WG467917
Di-isopropyl ether	mg/kg	0.0266	0.0271	106.	59-143	1.60	20	WG467917
Dibromomethane	mg/kg	0.02	0.0231	94.	0-130	1.4	0	WG467917
Dichlorodifluoromethane	mg/kg	0.0266	0.0307	106.	26-186	14.5	22	WG467917
Ethylbenzene	mg/kg	0.0271	0.0273	108.	74-128	0.864	20	WG467917
Hexachloro-1,3-butadiene	mg/kg	0.0239	0.0242	96.	-137	1.2	0	WG467917
Isopropylbenzene	mg/kg	0.0292	0.0298	117.	73-130	2.08	20	WG467917
Methyl tert-butyl ether	mg/kg	0.0281	0.0286	112.	44-148	1.92	20	WG467917
Methylene Chloride	mg/kg	0.0252	0.0249	101.	-129	1.31	20	WG467917
n-Butylbenzene	mg/kg	0.0268	0.0261	107.	60-145	2.89	20	WG467917
n-Propylbenzene	mg/kg	0.0266	0.0269	106.	71-132	1.30	20	WG467917
Naphthalene	mg/kg	0.0276	0.0274	110.	1-142	0.200	0	WG467917
p-Isopropyltoluene	mg/kg	0.0275	0.0279	110.	67-138	1.30	20	WG467917
sec-Butylbenzene	mg/kg	0.0273	0.0277	109.	71-134	1.29	20	WG467917
Styrene	mg/kg	0.0268	0.0269	107.	73-133	0.124	0	WG467917
tert-Butylbenzene	mg/kg	0.0264	0.0267	106.	72-132	1.06	20	WG467917
Tetrachloroethene	mg/kg	0.0270	0.0286	108.	65-135	5.86	20	WG467917
Toluene	mg/kg	0.0283	0.0247	101.	0-120	2.6	0	WG467917
trans-1,2-Dichloroethene	mg/kg	0.0260	0.0262	104.	61-133	1.02	20	WG467917
trans-1,3-Dichloropropene	mg/kg	0.0226	0.0236	90.0	70-135	4.53	20	WG467917
Trichloroethene	mg/kg	0.0258	0.0258	103.	1-126	0.0556	20	WG467917
Trichlorofluoromethane	mg/kg	0.0270	0.0276	108.	52-147	2.33	20	WG467917
Vinyl chloride	mg/kg	0.0260	0.0271	104.	50-151	4.15	20	WG467917
Xylenes, Total	mg/kg	0.0819	0.0833	109.	4-127	1.6	0	WG467917
4-Bromofluorobenzene				99.97	59-140			WG467917
Dibromofluoromethane				105.2	63-139			WG467917
Toluene-d8				104.0	4-116			WG467917
1,1,1,2-Tetrachloroethane	mg/kg	0.0272	0.0239	109.	73-134	13.0	20	WG468059
1,1,1-Trichloroethane	mg/kg	0.0286	0.0262	114.	2-1	8.91	0	WG468059
1,1,2,2-Tetrachloroethane	mg/kg	0.0277	0.0244	111.	74-129	12.7	20	WG468059
1,1,2-Trichloroethane	mg/kg	0.0253	0.0237	101.	77-124	6.61	20	WG468059
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0332	0.0294	133.	9-15	12.4	0	WG468059
1,1-Dichloroethane	mg/kg	0.0285	0.0259	114.	61-134	9.35	20	WG468059
1,1-Dichloroethene	mg/kg	0.0286	0.0258	114.	53-136	10.2	20	WG468059
1,3-Dichloropropene	mg/kg	0.0280	0.0257	112.	3-132	8.	20	WG468059
1,2,3-Trichlorobenzene	mg/kg	0.0279	0.0266	111.	62-146	4.57	20	WG468059
1,2,3-Trichloropropene	mg/kg	0.0285	0.0241	114.	70-133	16.5	20	WG468059
1,2,3-Trimethylbenzene	mg/kg	0.0258	0.0250	103.	3-126	3.	20	WG468059
1,2,4-Trichlorobenzene	mg/kg	0.0282	0.0265	113.	61-148	6.28	20	WG468059
1,2,4-Trimethylbenzene	mg/kg	0.0256	0.0239	102.	68-135	6.68	20	WG468059
1,2-Dibromo-3-Chloropropane	mg/kg	0.0291	0.0260	116.	73-134	11.	20	WG468059
1,2-Dibromoethane	mg/kg	0.0262	0.0247	105.	76-127	5.83	20	WG468059
1,2-Dichlorobenzene	mg/kg	0.0264	0.0248	106.	77-123	6.24	20	WG468059
1,2-Dichloroethane	mg/kg	0.0286	0.0272	114.	73-146	5.83	20	WG468059

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	tRec				
1,2-Dichloropropane	mg/kg	0.0259	0.0246	104.	-128			WG468059
1,3,5-Trimethylbenzene	mg/kg	0.0270	0.0238	108.	1-133	12.7	20	WG468059
1,3-Dichlorobenzene	mg/kg	0.0269	0.0240	108.	71-132	11.4	20	WG468059
1,3-Dichloropropane	mg/kg	0.0259	0.0238	101.	-120	5.6	20	WG468059
1,4-Dichlorobenzene	mg/kg	0.0264	0.0254	105.	72-123	3.60	20	WG468059
2,2-Dichloropropane	mg/kg	0.0312	0.0265	125.	50-147	9.07	20	WG468059
2-Butanone (MEK)	mg/kg	0.14	0.131	119.	-13	12	5	WG468059
2-Chloroethyl vinyl ether	mg/kg	0.136	0.127	109.	0-188	6.64	39	WG468059
2-Chlorotoluene	mg/kg	0.0258	0.0236	103.	73-128	8.65	20	WG468059
4-Chlorotoluene	mg/kg	0.0253	0.0235	10	2-129	11.	0	WG468059
4-Methyl-2-pentanone (MIBK)	mg/kg	0.144	0.124	115.	61-143	15.4	23	WG468059
Acetone	mg/kg	0.151	0.135	121.	44-140	11.4	25	WG468059
Acrylonitrile	mg/kg	0.141	0.122	113.	-143	14.1	0	WG468059
Benzene	mg/kg	0.0274	0.0255	110.	65-128	7.24	20	WG468059
Bromobenzene	mg/kg	0.0254	0.0233	102.	75-123	8.94	20	WG468059
Bromodichloromethane	mg/kg	0.0257	0.0257	111.	6-126	7.51	0	WG468059
Bromoform	mg/kg	0.0310	0.0294	124.	64-139	5.18	20	WG468059
Bromomethane	mg/kg	0.0290	0.0273	116.	41-175	6.33	20	WG468059
Carbon tetrachloride	mg/kg	0.0342	0.0289	13	-140	16	0	WG468059
Chlorobenzene	mg/kg	0.0251	0.0234	100.	75-125	6.75	20	WG468059
Chlorodibromomethane	mg/kg	0.0296	0.0263	118.	72-137	11.9	20	WG468059
Chloroethane	mg/kg	0.0259	0.0245	103.	-159	5.3	0	WG468059
Chloroform	mg/kg	0.0283	0.0262	113.	63-123	7.91	20	WG468059
Chloromethane	mg/kg	0.0252	0.0235	101.	42-149	7.02	20	WG468059
cis-1,2-Dichloroethene	mg/kg	0.0276	0.0251	110.	1-129	9.	0	WG468059
cis-1,3-Dichloropropene	mg/kg	0.0286	0.0269	114.	73-132	5.96	20	WG468059
Di-isopropyl ether	mg/kg	0.0276	0.0258	110.	59-143	6.73	20	WG468059
Dibromomethane	mg/kg	0.0276	0.0250	110.	0-130	9.	0	WG468059
Dichlorodifluoromethane	mg/kg	0.0268	0.0238	107.	26-186	11.8	22	WG468059
Ethylbenzene	mg/kg	0.0254	0.0237	102.	74-128	6.65	20	WG468059
Hexachloro-1,3-butadiene	mg/kg	0.0258	0.0237	103.	5-137	8.74	0	WG468059
Isopropylbenzene	mg/kg	0.0284	0.0256	114.	73-130	10.4	20	WG468059
Methyl tert-butyl ether	mg/kg	0.0292	0.0273	117.	44-148	6.97	20	WG468059
Methylene Chloride	mg/kg	0.0273	0.0252	109.	50-129	7.92	20	WG468059
n-Butylbenzene	mg/kg	0.0279	0.0263	112.	60-145	5.88	20	WG468059
n-Propylbenzene	mg/kg	0.0267	0.0243	107.	71-132	9.36	20	WG468059
Naphthalene	mg/kg	0.0271	0.0255	108.	1-142	5.82	0	WG468059
p-Isopropyl oluene	mg/kg	0.0269	0.0242	108.	67-138	10.6	20	WG468059
sec-Butylbenzene	mg/kg	0.0268	0.0245	107.	71-134	9.30	20	WG468059
Styrene	mg/kg	0.0269	0.0248	108.	-133	8.	0	WG468059
tert-Butylbenzene	mg/kg	0.0261	0.0236	104.	72-132	10.0	20	WG468059
Tetrachloroethene	mg/kg	0.0264	0.0249	106.	65-135	6.14	20	WG468059
Toluene	mg/kg	0.0253	0.0254	108.	0-120	5.68	0	WG468059
trans-1,2-Dichloroethene	mg/kg	0.0270	0.0254	108.	61-133	6.10	20	WG468059
trans-1,3-Dichloropropene	mg/kg	0.0286	0.0261	114.	70-135	9.30	20	WG468059
Trichloroethene	mg/kg	0.0261	0.0248	104.	1-126	5.	0	WG468059
Trichlorofluoromethane	mg/kg	0.0296	0.0278	118.	52-147	6.33	20	WG468059
Vinyl chloride	mg/kg	0.0284	0.0264	114.	50-151	7.56	20	WG468059
Xylenes, Total	mg/kg	0.0763	0.0715	102.	4-127	6.52	20	WG468059
4-Bromofluorobenzene				89.89	59-140			WG468059
Dibromofluoromethane				102.4	63-139			WG468059
Toluene-d8				97.88	-116			WG468059
Tetrachloroethene	mg/kg	0.0244	0.0249	97.0	65-135	2.08	20	WG468381
4-Bromofluorobenzene				98.22	59-140			WG468381
Dibromofluoromethane				100.6	63-139			WG468381
Toluene-d8				94.72	84-116			WG468381

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tex I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	% Rec				
Tetrachloroethene	mg/kg	0.0226	0.0220	90.0	59-140	.61	20	WG468531
4-Bromofluorobenzene				98.42	59-140			WG468531
Dibromofluoromethane				99.98	63-139			WG468531
Toluene-d8				99.9	84-116			WG468531
TOC (Total Organic Carbon)	mg/kg	4300	4400	105.	50-150	2.30	20	WG468189
Tetrachloroethene	mg/kg	0.0239	0.0228	96.0	59-140	4.49	20	WG468998
4-Bromofluorobenzene				106.3	59-140			WG468998
Dibromofluoromethane				105.4	3-139			WG468998
Toluene-d8				104.4	84-116			WG468998

Analyte	Units	Matrix Spike			Limit	Ref Samp	Batch
		MS Res	Ref Res	% Rec			
1,1,1,2-Tetrachloroethane	mg/kg	0.131	0	05.	29-14	L449062-02	WG467872
1,1,1-Trichloroethane	mg/kg	0.125	0	025	100.	L449062-02	WG467872
1,1,2,2-Tetrachloroethane	mg/kg	0.126	0	025	101.	L449062-02	WG467872
1,1,2-Trichloroethane	mg/kg	0.126	0	2	-140	L449062-02	WG467872
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.116	0	025	93.1	L449062-02	WG467872
1,1-Dichloroethane	mg/kg	0.125	0	025	100.	L449062-02	WG467872
1,1-Dichloroethane	mg/kg	0.12	0	25	10.	L449062-02	WG467872
1,1-Dichloropropene	mg/kg	0.115	0	025	91.7	L449062-02	WG467872
1,2,3-Trichlorobenzene	mg/kg	0.118	0	025	94.5	L449062-02	WG467872
1,2,3-Trichloropropene	mg/kg	0.117	0	25	33.6	L449062-02	WG467872
1,2,3-Trimethylbenzene	mg/kg	0.122	0	025	97.6	L449062-02	WG467872
1,2,4-Trichlorobenzene	mg/kg	0.119	0	025	95.4	L449062-02	WG467872
1,2,4-Trimethylbenzene	mg/kg	0.12	0	2	00.	L449062-02	WG467872
1,2-Dibromo-3-Chloropropane	mg/kg	0.116	0	025	93.2	L449062-02	WG467872
1,2-Dibromoethane	mg/kg	0.129	0	025	103.	L449062-02	WG467872
1,2-Dichlorobenzene	mg/kg	0.122	0	25	77.7	L449062-02	WG467872
1,2-Dichloroethane	mg/kg	0.119	0	025	95.4	L449062-02	WG467872
1,2-Dichloropropene	mg/kg	0.122	0	025	97.2	L449062-02	WG467872
1,3,5-Trimethylbenzene	mg/kg	0.121	0	025	97.1	L449062-02	WG467872
1,3-Dichlorobenzene	mg/kg	0.127	0	025	101.	L449062-02	WG467872
1,3-Dichloropropene	mg/kg	0.125	0	025	100.	L449062-02	WG467872
1,4-Dichlorobenzene	mg/kg	0.12	0	25	97.4	L449062-02	WG467872
2,2-Dichloropropene	mg/kg	0.119	0	025	95.1	L449062-02	WG467872
2-Butanone (MEK)	mg/kg	0.519	0	125	83.1	L449062-02	WG467872
2-Chloroethyl vinyl ether	mg/kg	0.73	0	12	17.	L449062-02	WG467872
2-Chlorotoluene	mg/kg	0.118	0	025	94.4	L449062-02	WG467872
4-Chlorotoluene	mg/kg	0.121	0	025	96.7	L449062-02	WG467872
4-Methyl-2-pentanone (MIBK)	mg/kg	0.567	0	125	107.	L449062-02	WG467872
Acetone	mg/kg	0.552	0	125	88.3	L449062-02	WG467872
Acrylonitrile	mg/kg	0.581	0	125	93.0	L449062-02	WG467872
Benzene	mg/kg	0.118	0	025	94.8	L449062-02	WG467872
Bromobenzene	mg/kg	0.116	0	025	92.9	L449062-02	WG467872
Bromodichloromethane	mg/kg	0.114	0	025	91.3	L449062-02	WG467872
Bromoform	mg/kg	0.125	0	025	99.7	L449062-02	WG467872
Bromomethane	mg/kg	0.128	0	025	102.	L449062-02	WG467872
Carbon tetrachloride	mg/kg	0.126	0	025	101.	L449062-02	WG467872
Chlorobenzene	mg/kg	0.127	0	025	02.	L449062-02	WG467872
Chlorodibromomethane	mg/kg	0.121	0	025	97.1	L449062-02	WG467872
Chloroethane	mg/kg	0.135	0	025	108.	L449062-02	WG467872
Chloroform	mg/kg	0.123	0	025	99.3	L449062-02	WG467872
Chloromethane	mg/kg	0.124	0	025	99.1	L449062-02	WG467872

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	Matrix Spike				Limit	Ref Samp	Batch
		MS Res	Ref Res	TV	% Rec			
cis-1,2-Dichloroethene	mg/kg	0.124	0	.025	99.0	21-147	L449062-02	WG467872
cis-1,3-Dichloropropene	mg/kg	0.108	0	.025	86.3	17-145	L449062-02	WG467872
Di-isopropyl ether	mg/kg	0.127	0	.025	101.	31-153	L449062-02	WG467872
Dibromomethane	mg/kg	0.133	0	.025	93.	24-147	L449062-02	WG467872
Dichlorodifluoromethane	mg/kg	0.139	0	.025	111.	0-192	L449062-02	WG467872
Ethylbenzene	mg/kg	0.129	0	.025	103.	12-137	L449062-02	WG467872
Hexachloro-1,3-butadiene	mg/kg	0.10	0	.25	93.1	10-123	L449062-02	WG467872
Isopropylbenzene	mg/kg	0.125	0	.025	99.8	14-134	L449062-02	WG467872
Methyl tert-butyl ether	mg/kg	0.128	0	.025	102.	21-157	L449062-02	WG467872
Methylene Chloride	mg/kg	0.118	0	.25	14.2	12-149	L449062-02	WG467872
n-Butylbenzene	mg/kg	0.114	0	.025	91.1	10-130	L449062-02	WG467872
n-Propylbenzene	mg/kg	0.121	0	.025	96.6	10-130	L449062-02	WG467872
Naphthalene	mg/kg	0.119	0	.25	95.	0-146	L449062-02	WG467872
p-Isopropyltoluene	mg/kg	0.122	0	.025	97.4	10-131	L449062-02	WG467872
sec-Butylbenzene	mg/kg	0.123	0	.025	98.5	10-134	L449062-02	WG467872
Styrene	mg/kg	0.128	0	2	02.	10-140	L449062-02	WG467872
tert-Butylbenzene	mg/kg	0.120	0	.025	96.3	11-137	L449062-02	WG467872
Toluene	mg/kg	0.116	0	.025	93.0	12-136	L449062-02	WG467872
trans-1,2-Dichloroethene	mg/kg	0.125	0	.25	99.8	10-143	L449062-02	WG467872
trans-1,3-Dichloropropene	mg/kg	0.112	0	.025	89.5	16-147	L449062-02	WG467872
Trichloroethene	mg/kg	0.121	0	.025	96.6	10-155	L449062-02	WG467872
Trichlorofluoromethane	mg/kg	0.13	0	.25	90.	10-154	L449062-02	WG467872
Vinyl chloride	mg/kg	0.134	0	.025	107.	10-159	L449062-02	WG467872
Xylenes, Total	mg/kg	0.380	0	.075	101.	10-138	L449062-02	WG467872
4-Bromofluorobenzene					99.30	59-140	L449062-02	WG467872
Dibromofluoromethane					107.9	63-139	L449062-02	WG467872
Toluene-d8					102.5	84-116	L449062-02	WG467872
1,1,1,2-Tetrachloroethane	mg/kg	0.125	0	.025	99.6	29-145	L449437-02	WG467917
1,1,1-Trichloroethane	mg/kg	0.114	0	.025	91.0	23-147	L449437-02	WG467917
1,1,2,2-Tetrachloroethane	mg/kg	0.10	0	.25	86.9	18-150	L449437-02	WG467917
1,1,2-Trichloroethane	mg/kg	0.115	0	.025	92.3	35-140	L449437-02	WG467917
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.117	0	.025	93.4	10-145	L449437-02	WG467917
1,1-Dichloroethane	mg/kg	0.116	0	.025	92.6	24-148	L449437-02	WG467917
1,1-Dichloroethene	mg/kg	0.123	0	.025	98.0	10-149	L449437-02	WG467917
1,1-Dichloropropene	mg/kg	0.106	0	.025	84.4	10-141	L449437-02	WG467917
1,2,3-Trichlorobenzene	mg/kg	0.083	0	.25	86.	10-129	L449437-02	WG467917
1,2,3-Trichloropropene	mg/kg	0.104	0	.025	82.9	30-148	L449437-02	WG467917
1,2,3-Trimethylbenzene	mg/kg	0.109	0	.025	87.2	10-137	L449437-02	WG467917
1,2,4-Trichlorobenzene	mg/kg	0.084	0	.025	87.3	10-119	L449437-02	WG467917
1,2,4-Trimethylbenzene	mg/kg	0.108	0	.025	86.3	10-145	L449437-02	WG467917
1,2-Dibromo-3-Chloropropene	mg/kg	0.107	0	.025	85.3	19-145	L449437-02	WG467917
1,2-Dibromoethane	mg/kg	0.117	0	.025	83.7	24-145	L449437-02	WG467917
1,2-Dichlorobenzene	mg/kg	0.105	0	.025	83.9	12-130	L449437-02	WG467917
1,2-Dichloroethane	mg/kg	0.110	0	.025	88.1	21-155	L449437-02	WG467917
1,2-Dichloropropane	mg/kg	0.113	0	.025	80.3	28-144	L449437-02	WG467917
1,3,5-Trimethylbenzene	mg/kg	0.106	0	.025	85.2	10-135	L449437-02	WG467917
1,3-Dichlorobenzene	mg/kg	0.104	0	.025	83.0	10-129	L449437-02	WG467917
1,3-Dichloropropane	mg/kg	0.114	0	.025	81.5	1-137	L449437-02	WG467917
1,4-Dichlorobenzene	mg/kg	0.101	0	.025	80.6	10-121	L449437-02	WG467917
2,2-Dichloropropene	mg/kg	0.112	0	.025	89.6	18-144	L449437-02	WG467917
2-Butanone (MEK)	mg/kg	0.50	0	.125	80.7	21-143	L449437-02	WG467917
2-Chloroethyl vinyl ether	mg/kg	0.658	0	.125	105.	0-176	L449437-02	WG467917
2-Chlorotoluene	mg/kg	0.103	0	.025	82.6	10-132	L449437-02	WG467917
4-Chlorotoluene	mg/kg	0.102	0	.025	81.7	10-129	L449437-02	WG467917
4-Methyl-2-pentanone (MIBK)	mg/kg	0.523	0	.125	83.6	31-151	L449437-02	WG467917
Acetone	mg/kg	0.553	0	.125	88.4	13-158	L449437-02	WG467917
Acrylonitrile	mg/kg	0.46	0	.125	80.1	20-154	L449437-02	WG467917

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	Matrix Spike			% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
Benzene	mg/kg	0.10	0	.025	88.1	16-143	L449437-02	WG467917
Bromobenzene	mg/kg	0.0980	0	.025	78.4	14-135	L449437-02	WG467917
Bromodichloromethane	mg/kg	0.103	0	.025	82.5	27-139	L449437-02	WG467917
Bromoform	mg/kg	0.11	0	.025	89.	21-144	L449437-02	WG467917
Bromomethane	mg/kg	0.115	0	.025	92.2	0-180	L449437-02	WG467917
Carbon tetrachloride	mg/kg	0.111	0	.025	88.9	12-149	L449437-02	WG467917
Chlorobenzene	mg/kg	0.112	0	.25	89.8	17-134	L449437-02	WG467917
Chlorodibromomethane	mg/kg	0.114	0	.025	91.1	28-147	L449437-02	WG467917
Chloroethane	mg/kg	0.130	0	.025	104.	0-172	L449437-02	WG467917
Chloroform	mg/kg	0.112	0	.25	89.6	28-138	L449437-02	WG467917
Chloromethane	mg/kg	0.115	0	.025	91.7	10-158	L449437-02	WG467917
cis-1,2-Dichloroethene	mg/kg	0.114	0	.025	91.3	21-147	L449437-02	WG467917
cis-1,3-Dichloropropene	mg/kg	0.0994	0	2	9.	17-14	L449437-02	WG467917
Di-isopropyl ether	mg/kg	0.118	0	.025	94.3	31-153	L449437-02	WG467917
Dibromomethane	mg/kg	0.104	0	.025	83.2	24-147	L449437-02	WG467917
Dichlorodifluoromethane	mg/kg	0.175	0	2	40.	0-192	L449437-02	WG467917
Ethylbenzene	mg/kg	0.117	0	.025	93.7	12-137	L449437-02	WG467917
Hexachloro-1,3-butadiene	mg/kg	0.0771	0	.025	61.7	10-123	L449437-02	WG467917
Isopropylbenzene	mg/kg	0.112	0	.25	89.2	14-134	L449437-02	WG467917
Methyl tert-butyl ether	mg/kg	0.118	0	.025	94.7	21-157	L449437-02	WG467917
Methylene Chloride	mg/kg	0.111	0	.025	88.5	12-149	L449437-02	WG467917
n-Butylbenzene	mg/kg	0.0923	0	.25	83.8	10-130	L449437-02	WG467917
n-Propylbenzene	mg/kg	0.103	0	.025	82.5	10-130	L449437-02	WG467917
Naphthalene	mg/kg	0.0956	0	.025	76.4	0-146	L449437-02	WG467917
p-Isopropyltoluene	mg/kg	0.103	0	.25	82.2	10-131	L449437-02	WG467917
sec-Butylbenzene	mg/kg	0.105	0	.025	84.2	10-134	L449437-02	WG467917
Styrene	mg/kg	0.111	0	.025	88.4	10-140	L449437-02	WG467917
tert-Butylbenzene	mg/kg	0.108	0	.25	86.2	11-137	L449437-02	WG467917
Tetrachloroethene	mg/kg	0.112	0	.025	89.4	10-131	L449437-02	WG467917
Toluene	mg/kg	0.167	0.0730	.025	74.8	12-136	L449437-02	WG467917
trans-1,2-Dichloroethene	mg/kg	0.114	0	.25	88.9	10-143	L449437-02	WG467917
trans-1,3-Dichloropropene	mg/kg	0.100	0	.025	80.2	16-147	L449437-02	WG467917
Trichloroethene	mg/kg	0.114	0	.025	91.2	10-155	L449437-02	WG467917
Trichlorofluoromethane	mg/kg	0.120	0	.025	85.7	10-154	L449437-02	WG467917
Vinyl chloride	mg/kg	0.143	0	.025	115.	10-159	L449437-02	WG467917
Xylenes, Total	mg/kg	0.350	0	.075	93.4	10-138	L449437-02	WG467917
4-Bromofluorobenzene					99.28	59-140		WG467917
Dibromofluoromethane					103.0	63-139		WG467917
Toluene-d8					104.1	84-116		WG467917
1,1,1,2-Tetrachloroethane	mg/kg	0.135	0	.025	108.	29-145	L449111-07	WG468059
1,1,1-Trichloroethane	mg/kg	0.147	0	.025	117.	23-147	L449111-07	WG468059
1,1,2,2-Tetrachloroethane	mg/kg	0.142	0	.02	14.	18-150	L449111-07	WG468059
1,1,2-Trichloroethane	mg/kg	0.128	0	.025	103.	35-140	L449111-07	WG468059
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.167	0	.025	134.	10-145	L449111-07	WG468059
1,1-Dichloroethane	mg/kg	0.149	0	.02	19.	24-148	L449111-07	WG468059
1,1-Dichloroethene	mg/kg	0.244	0	.025	195.	10-149	L449111-07	WG468059
1,1-Dichloropropene	mg/kg	0.138	0	.025	111.	10-141	L449111-07	WG468059
1,2,3-Trichlorobenzene	mg/kg	0.113	0	.025	80.1	10-12	L449111-07	WG468059
1,2,3-Trichloropropene	mg/kg	0.142	0	.025	113.	30-148	L449111-07	WG468059
1,2,3-Trimethylbenzene	mg/kg	0.139	0	.025	111.	10-137	L449111-07	WG468059
1,2,4-Trichlorobenzene	mg/kg	0.115	0	.025	1.	10-11	L449111-07	WG468059
1,2,4-Trimethylbenzene	mg/kg	0.134	0	.025	107.	10-145	L449111-07	WG468059
1,2-Dibromo-3-Chloropropene	mg/kg	0.160	0	.025	128.	19-145	L449111-07	WG468059
1,2-Dibromoethane	mg/kg	0.136	0	.025	109.	-145	L449111-07	WG468059
1,2-Dichlorobenzene	mg/kg	0.136	0	.025	109.	12-130	L449111-07	WG468059
1,2-Dichloroethane	mg/kg	0.149	0	.025	119.	21-155	L449111-07	WG468059
1,2-Dichloropropane	mg/kg	0.12	0	.025	88.1	22-144	L449111-07	WG468059

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	Matrix Spike				Limit	Ref Samp	Batch
		MS Res	Ref Res	TV	% Rec			
1,3,5-Trimethylbenzene	mg/kg	0.13	0	.025	105.	10-135	L449111-07	WG468059
1,3-Dichlorobenzene	mg/kg	0.128	0	.025	103.	10-129	L449111-07	WG468059
1,3-Dichloropropane	mg/kg	0.129	0	.025	103.	31-137	L449111-07	WG468059
1,4-Dichlorobenzene	mg/kg	0.127	0	.025	102.	10-121	L449111-07	WG468059
2,2-Dichloropropane	mg/kg	0.154	0	.025	123.	18-144	L449111-07	WG468059
2-Butanone (MEK)	mg/kg	0.798	0	.125	128.	21-143	L449111-07	WG468059
2-Chloroethyl vinyl ether	mg/kg	0.378	0	.25	60.	0-176	L449111-07	WG468059
2-Chlorotoluene	mg/kg	0.130	0	.025	104.	10-132	L449111-07	WG468059
4-Chlorotoluene	mg/kg	0.132	0	.025	105.	10-129	L449111-07	WG468059
4-Methyl-2-pentanone (MIBK)	mg/kg	0.629	0	2	0	1-151	L449111-07	WG468059
Acetone	mg/kg	0.842	0	.125	135.	13-158	L449111-07	WG468059
Acrylonitrile	mg/kg	0.744	0	.125	119.	20-154	L449111-07	WG468059
Benzene	mg/kg	0.141	0	2	13.	16-143	L449111-07	WG468059
Bromobenzene	mg/kg	0.129	0	.025	103.	14-135	L449111-07	WG468059
Bromodichloromethane	mg/kg	0.140	0	.025	112.	27-139	L449111-07	WG468059
Bromoform	mg/kg	0.15	0	2	23.	21-144	L449111-07	WG468059
Bromomethane	mg/kg	0.160	0	.025	128.	0-180	L449111-07	WG468059
Carbon tetrachloride	mg/kg	0.154	0	.025	123.	12-149	L449111-07	WG468059
Chlorobenzene	mg/kg	0.123	0	.25	98.	17-134	L449111-07	WG468059
Chlorodibromomethane	mg/kg	0.144	0	.025	115.	28-147	L449111-07	WG468059
Chloroethane	mg/kg	0.141	0	.025	113.	0-172	L449111-07	WG468059
Chloroform	mg/kg	0.1	0	.25	12.	28-138	L449111-07	WG468059
Chloromethane	mg/kg	0.142	0	.025	113.	10-158	L449111-07	WG468059
cis-1,2-Dichloroethene	mg/kg	0.148	0	.025	119.	21-147	L449111-07	WG468059
cis-1,3-Dichloropropene	mg/kg	0.137	0	.2	10.	17-145	L449111-07	WG468059
Di-isopropyl ether	mg/kg	0.142	0	.025	114.	31-153	L449111-07	WG468059
Dibromomethane	mg/kg	0.136	0	.025	108.	24-147	L449111-07	WG468059
Dichlorodifluoromethane	mg/kg	0.118	0	.25	14.5	0-192	L449111-07	WG468059
Ethylbenzene	mg/kg	0.123	0	.025	98.7	12-137	L449111-07	WG468059
Hexachloro-1,3-butadiene	mg/kg	0.109	0	.025	87.6	10-123	L449111-07	WG468059
Isopropylbenzene	mg/kg	0.130	0	.2	0.	14-134	L449111-07	WG468059
Methyl tert-butyl ether	mg/kg	0.151	0	.025	121.	21-157	L449111-07	WG468059
Methylene Chloride	mg/kg	0.150	0	.025	120.	12-149	L449111-07	WG468059
n-Butylbenzene	mg/kg	0.13	0	.02	06.	10-130	L449111-07	WG468059
n-Propylbenzene	mg/kg	0.132	0	.025	106.	10-130	L449111-07	WG468059
Naphthalene	mg/kg	0.120	0	.025	95.8	0-146	L449111-07	WG468059
p-Isopropyltoluene	mg/kg	0.12	0	.2	04.	10-131	L449111-07	WG468059
sec-Butylbenzene	mg/kg	0.132	0	.025	106.	10-134	L449111-07	WG468059
Styrene	mg/kg	0.132	0	.025	106.	10-140	L449111-07	WG468059
tert-Butylbenzene	mg/kg	0.128	0	.025	103.	11-137	L449111-07	WG468059
Tetrachloroethene	mg/kg	0.124	0	.025	99.4	10-131	L449111-07	WG468059
Toluene	mg/kg	0.117	0	.025	93.8	12-136	L449111-07	WG468059
trans-1,2-Dichloroethene	mg/kg	0.136	0	.02	09.	10-143	L449111-07	WG468059
trans-1,3-Dichloropropene	mg/kg	0.133	0	.025	106.	16-147	L449111-07	WG468059
Trichloroethene	mg/kg	0.123	0	.025	98.6	10-155	L449111-07	WG468059
Trichlorofluoromethane	mg/kg	0.155	0	.02	24.	10-154	L449111-07	WG468059
Vinyl chloride	mg/kg	0.150	0	.025	120.	10-159	L449111-07	WG468059
Xylenes, Total	mg/kg	0.373	0	.075	91.6	10-138	L449111-07	WG468059
4-Bromofluorobenzene					96.09	59-140		WG468059
Dibromofluoromethane					113.3	63-139		WG468059
Toluene-d8					95.10	84-116		WG468059
Tetrachloroethene	mg/kg	0.0173	0	.025	69.1	10-131	L449299-12	WG468381
4-Bromofluorobenzene					98.67	59-140		WG468381
Dibromofluoromethane					101.4	63-139		WG468381
Toluene-d8					96.02	84-116		WG468381

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	MS Res	Ref Res	TV	% Rec	Limit	Ref Samp	Batch
Tetrachloroethene	mg/kg	0.109	0	.025	87.	10-131	L449328-04	WG468531
4-Bromofluorobenzene					100.8	59-140		WG468531
Dibromofluoromethane					97.61	63-139		WG468531
Toluene-d8					99.10	84-116		WG468531
Tetrachloroethene	mg/kg	1.15	0	.025	67.6	10-131	L449675-01	WG468998
4-Bromofluorobenzene					98.78	-140		WG468998
Dibromofluoromethane					106.5	63-139		WG468998
Toluene-d8					97.02	84-116		WG468998

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit	Ref Samp	Batch
1,1,1,2-Tetrachloroethane	mg/kg	0.13	0.131	05	9-14	0.14	31	L449062-02	WG467872
1,1,1-Trichloroethane	mg/kg	0.122	0.125	97.3	23-147	2.90	32	L449062-02	WG467872
1,1,2,2-Tetrachloroethane	mg/kg	0.123	0.126	98.4	18-150	2.54	33	L449062-02	WG467872
1,1,2-Trichloroethane	mg/kg	0.12	0.126	99.3	5-140	1.37	33	L449062-02	WG467872
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.118	0.116	94.7	10-145	1.68	35	L449062-02	WG467872
1,1-Dichloroethane	mg/kg	0.123	0.125	98.6	24-148	1.51	31	L449062-02	WG467872
1,1-Dichloroethane	mg/kg	0.12	0.129	02	-149	1.18	33	L449062-02	WG467872
1,1-Dichloropropene	mg/kg	0.113	0.115	90.6	10-141	1.17	34	L449062-02	WG467872
1,2,3-Trichlorobenzene	mg/kg	0.122	0.118	97.8	10-129	3.36	43	L449062-02	WG467872
1,2,3-Trichloropropene	mg/kg	0.11	0.122	89.0	0-148	.07	32	L449062-02	WG467872
1,2,3-Trimethylbenzene	mg/kg	0.124	0.122	99.2	10-137	1.61	36	L449062-02	WG467872
1,2,4-Trichlorobenzene	mg/kg	0.119	0.119	95.2	10-119	0.160	44	L449062-02	WG467872
1,2,4-Trimethylbenzene	mg/kg	0.123	0.125	98.8	10-145	2.33	1	L449062-02	WG467872
1,2-Dibromo-3-Chloropropane	mg/kg	0.116	0.116	93.0	19-145	0.154	35	L449062-02	WG467872
1,2-Dibromoethane	mg/kg	0.128	0.129	102.	24-145	0.478	31	L449062-02	WG467872
1,2-Dichlorobenzene	mg/kg	0.126	0.122	0	-130	3.05	33	L449062-02	WG467872
1,2-Dichloroethane	mg/kg	0.118	0.119	94.4	21-155	1.04	29	L449062-02	WG467872
1,2-Dichloropropene	mg/kg	0.120	0.122	96.0	28-144	1.27	30	L449062-02	WG467872
1,3,5-Trimethylbenzene	mg/kg	0.120	0.122	95.7	-13	.88	33	L449062-02	WG467872
1,3-Dichlorobenzene	mg/kg	0.123	0.127	98.4	10-129	2.84	38	L449062-02	WG467872
1,3-Dichloropropene	mg/kg	0.122	0.125	97.6	31-137	2.34	29	L449062-02	WG467872
1,4-Dichlorobenzene	mg/kg	0.121	0.122	96.9	-121	0.506	33	L449062-02	WG467872
2,2-Dichloropropene	mg/kg	0.119	0.119	95.5	18-144	0.380	32	L449062-02	WG467872
2-Butanone (MEK)	mg/kg	0.492	0.519	78.7	21-143	5.48	37	L449062-02	WG467872
2-Chloroethyl vinyl ether	mg/kg	0.729	0.734	111.	0-176	0.669	50	L449062-02	WG467872
2-Chlorotoluene	mg/kg	0.117	0.118	93.8	10-132	0.536	37	L449062-02	WG467872
4-Chlorotoluene	mg/kg	0.119	0.121	95.5	10-129	1.31	38	L449062-02	WG467872
4-Methyl-2-pentanone (MIBK)	mg/kg	0.561	0.567	89.8	31-151	0.922	33	L449062-02	WG467872
Acetone	mg/kg	0.533	0.552	85.2	13-158	3.53	34	L449062-02	WG467872
Acrylonitrile	mg/kg	0.576	0.581	92.2	20-154	0.844	35	L449062-02	WG467872
Benzene	mg/kg	0.134	0.118	91.5	16-143	.54	31	L449062-02	WG467872
Bromobenzene	mg/kg	0.114	0.116	91.3	14-135	1.75	39	L449062-02	WG467872
Bromodichloromethane	mg/kg	0.112	0.114	89.8	27-139	1.74	30	L449062-02	WG467872
Bromoform	mg/kg	0.123	0.125	8.4	-144	1.38	34	L449062-02	WG467872
Bromomethane	mg/kg	0.126	0.128	101.	0-180	1.64	41	L449062-02	WG467872
Carbon tetrachloride	mg/kg	0.123	0.126	98.7	12-149	2.13	34	L449062-02	WG467872
Chlorobenzene	mg/kg	0.126	0.127	01.	17-134	0.786	34	L449062-02	WG467872
Chlorodibromomethane	mg/kg	0.122	0.121	98.0	28-147	0.920	32	L449062-02	WG467872
Chloroethane	mg/kg	0.139	0.135	111.	0-172	2.60	38	L449062-02	WG467872
Chloroform	mg/kg	0.122	0.124	97.7	28-138	1.62	30	L449062-02	WG467872
Chloromethane	mg/kg	0.121	0.124	97.0	10-158	2.18	35	L449062-02	WG467872
cis-1,2-Dichloroethene	mg/kg	0.125	0.124	100.	21-147	1.13	31	L449062-02	WG467872
cis-1,3-Dichloropropene	mg/kg	110	0.108	87.6	17-145	1.50	32	L449062-02	WG467872
Di-isopropyl ether	mg/kg	0.125	0.127	100.	31-153	1.32	29	L449062-02	WG467872
Dibromomethane	mg/kg	0.114	0.114	90.8	24-147	0.673	30	L449062-02	WG467872

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	MSD	Ref	Matrix Spike %Rec	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Dichlorodifluoromethane	mg/kg	0.136	0.139	99.	100.	0-192	2.60	38	L449062-02	WG467872
Ethylbenzene	mg/kg	0.126	0.129	100.	100.	12-137	2.35	36	L449062-02	WG467872
Hexachloro-1,3-butadiene	mg/kg	0.105	0.104	84.1	100.	10-123	1.27	50	L449062-02	WG467872
Isopropylbenzene	mg/kg	0.124	0.125	99.	100.	-134	0.650	37	L449062-02	WG467872
Methyl tert-butyl ether	mg/kg	0.126	0.128	101.	100.	21-157	1.37	31	L449062-02	WG467872
Methylene Chloride	mg/kg	0.116	0.118	92.9	100.	12-149	1.41	31	L449062-02	WG467872
n-Butylbenzene	mg/kg	0.119	0.11	91.2	100.	0-130	0.10	48	L449062-02	WG467872
n-Propylbenzene	mg/kg	0.119	0.121	95.2	100.	10-130	1.39	40	L449062-02	WG467872
Naphthalene	mg/kg	0.124	0.119	99.2	100.	0-146	3.96	43	L449062-02	WG467872
p-Isopropyltoluene	mg/kg	0.11	0.122	95.3	100.	0-13	2.15	3	L449062-02	WG467872
sec-Butylbenzene	mg/kg	0.122	0.123	97.5	100.	10-134	1.04	43	L449062-02	WG467872
Styrene	mg/kg	0.127	0.128	102.	100.	10-140	0.926	35	L449062-02	WG467872
tert-Butylbenzene	mg/kg	0.1	0.120	96.8	100.	1-137	0.510	32	L449062-02	WG467872
Toluene	mg/kg	0.117	0.116	93.5	100.	12-136	0.527	32	L449062-02	WG467872
trans-1,2-Dichloroethane	mg/kg	0.120	0.125	95.9	100.	10-143	3.96	33	L449062-02	WG467872
trans-1,3-Dichloropropene	mg/kg	0.121	0.112	89.	100.	6-14	0.553	32	L449062-02	WG467872
Trichloroethane	mg/kg	0.121	0.121	97.1	100.	10-155	0.420	33	L449062-02	WG467872
Trichlorofluoromethane	mg/kg	0.131	0.133	105.	100.	10-154	1.90	32	L449062-02	WG467872
Vinyl chloride	mg/kg	0.13	0.13	10	100.	0-159	2.24	6	L449062-02	WG467872
Xylenes, Total	mg/kg	0.380	0.380	101.	100.	10-138	0.117	36	L449062-02	WG467872
4-Bromofluorobenzene				98.77	100.	59-140				WG467872
Dibromofluoromethane				105.3	100.	3-139				WG467872
Toluene-d8				104.2	100.	84-116				WG467872
1,1,1,2-Tetrachloroethane	mg/kg	0.12	0.125	96.6	100.	9-145	3.15	31	L449437-02	WG467917
1,1,1-Trichloroethane	mg/kg	0.112	0.114	89.9	100.	23-147	1.30	32	L449437-02	WG467917
1,1,2,2-Tetrachloroethane	mg/kg	0.121	0.109	96.6	100.	18-150	10.6	33	L449437-02	WG467917
1,1,2-Trichloroethane	mg/kg	0.12	0.115	96.5	100.	5-140	4.49	29	L449437-02	WG467917
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.114	0.117	90.8	100.	10-145	2.84	35	L449437-02	WG467917
1,1-Dichloroethane	mg/kg	0.113	0.116	90.8	100.	24-148	1.98	31	L449437-02	WG467917
1,1-Dichloroethane	mg/kg	0.11	0.123	95.0	100.	0-149	3.16	34	L449437-02	WG467917
1,1-Dichloropropene	mg/kg	0.104	0.106	83.5	100.	10-141	1.07	34	L449437-02	WG467917
1,2,3-Trichlorobenzene	mg/kg	0.0856	0.0836	68.4	100.	10-129	2.28	43	L449437-02	WG467917
1,2,3-Trichloropropene	mg/kg	0.103	0.103	90.0	100.	0-148	8.18	2	L449437-02	WG467917
1,2,3-Trimethylbenzene	mg/kg	0.103	0.109	82.4	100.	10-137	5.68	36	L449437-02	WG467917
1,2,4-Trichlorobenzene	mg/kg	0.0871	0.0841	69.7	100.	10-119	3.50	44	L449437-02	WG467917
1,2,4-Trimethylbenzene	mg/kg	0.10	0.108	85.4	100.	10-1	0.950	41	L449437-02	WG467917
1,2-Dibromo-3-Chloropropene	mg/kg	0.115	0.107	92.1	100.	19-145	7.74	35	L449437-02	WG467917
1,2-Dibromoethane	mg/kg	0.122	0.117	97.6	100.	24-145	4.03	31	L449437-02	WG467917
1,2-Dichlorobenzene	mg/kg	0.10	0.105	83.2	100.	-130	0.788	35	L449437-02	WG467917
1,2-Dichloroethane	mg/kg	0.110	0.110	88.2	100.	21-155	0.155	29	L449437-02	WG467917
1,2-Dichloropropene	mg/kg	0.112	0.113	89.5	100.	28-144	0.959	30	L449437-02	WG467917
1,3,5-Trimethylbenzene	mg/kg	0.10	0.106	83.3	100.	0-13	2.19	3	L449437-02	WG467917
1,3-Dichlorobenzene	mg/kg	0.105	0.104	84.0	100.	10-129	1.24	38	L449437-02	WG467917
1,3-Dichloropropene	mg/kg	0.117	0.114	93.9	100.	31-137	2.58	29	L449437-02	WG467917
1,4-Dichlorobenzene	mg/kg	0.0984	0.101	78.7	100.	0-12	2.40	36	L449437-02	WG467917
2,2-Dichloropropene	mg/kg	0.106	0.112	85.1	100.	18-144	5.14	32	L449437-02	WG467917
2-Butanone (MEK)	mg/kg	0.562	0.504	90.0	100.	21-143	10.9	37	L449437-02	WG467917
2-Chloroethyl vinyl ether	mg/kg	0.69	0.658	110	100.	-176	4.64	30	L449437-02	WG467917
2-Chlorotoluene	mg/kg	0.102	0.103	81.8	100.	10-132	1.03	37	L449437-02	WG467917
4-Chlorotoluene	mg/kg	0.104	0.102	83.0	100.	10-129	1.57	38	L449437-02	WG467917
4-Methyl-2-pentanone (MIBK)	mg/kg	0.582	0.523	93.	100.	1-131	10.7	36	L449437-02	WG467917
Acetone	mg/kg	0.624	0.553	99.8	100.	13-158	12.0	34	L449437-02	WG467917
Acrylonitrile	mg/kg	0.517	0.463	82.8	100.	20-154	11.1	35	L449437-02	WG467917
Benzene	mg/kg	0.10	0.108	84.4	100.	14-143	1.92	31	L449437-02	WG467917
Bromobenzene	mg/kg	0.101	0.0980	80.6	100.	14-135	2.82	39	L449437-02	WG467917
Bromodichloromethane	mg/kg	0.104	0.103	83.5	100.	27-139	1.12	30	L449437-02	WG467917
Bromoform	mg/kg	0.12	0.113	86.3	100.	1-144	.72	38	L449437-02	WG467917

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L449302

March 23, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Bromomethane	mg/kg	0.1	0.115	90.8	0-100	4.85	31	L449437-02	WG467917
Carbon tetrachloride	mg/kg	0.114	0.111	91.2	12-149	2.52	34	L449437-02	WG467917
Chlorobenzene	mg/kg	0.113	0.112	90.0	17-134	0.248	34	L449437-02	WG467917
Chlorodibromomethane	mg/kg	0.11	0.113	92.1	20-14	0.14	32	L449437-02	WG467917
Chloroethane	mg/kg	0.126	0.130	101.	0-172	3.41	36	L449437-02	WG467917
Chloroform	mg/kg	0.109	0.112	87.3	28-138	2.66	30	L449437-02	WG467917
Chloromethane	mg/kg	0.232	0.11	89.	0-158	2.25	35	L449437-02	WG467917
cis-1,2-Dichloroethene	mg/kg	0.109	0.114	87.5	21-147	4.26	31	L449437-02	WG467917
cis-1,3-Dichloropropene	mg/kg	0.0993	0.0994	79.4	17-145	0.150	32	L449437-02	WG467917
Di-isopropyl ether	mg/kg	0.11	0.118	94.	1-153	0.193	2	L449437-02	WG467917
Dibromomethane	mg/kg	0.105	0.104	84.1	24-147	1.01	30	L449437-02	WG467917
Dichlorodifluoromethane	mg/kg	0.162	0.175	130.	0-192	7.49	38	L449437-02	WG467917
Ethylbenzene	mg/kg	0.231	0.117	91.3	2-137	2.65	36	L449437-02	WG467917
Hexachloro-1,3-butadiene	mg/kg	0.0733	0.0771	58.6	10-123	5.05	50	L449437-02	WG467917
Isopropylbenzene	mg/kg	0.111	0.112	88.6	14-134	0.651	37	L449437-02	WG467917
Methyl tert-butyl ether	mg/kg	0.12	0.118	98.2	1-157	3.56	31	L449437-02	WG467917
Methylene Chloride	mg/kg	0.110	0.111	88.2	12-149	0.285	31	L449437-02	WG467917
n-Butylbenzene	mg/kg	0.0873	0.0923	69.9	10-130	5.52	48	L449437-02	WG467917
n-Propylbenzene	mg/kg	0.102	0.103	81.9	0-130	0.75	40	L449437-02	WG467917
Naphthalene	mg/kg	0.101	0.0956	81.0	0-146	5.74	43	L449437-02	WG467917
p-Isopropyltoluene	mg/kg	0.101	0.103	80.9	10-131	1.51	43	L449437-02	WG467917
sec-Butylbenzene	mg/kg	0.10	0.105	82.4	10-134	2.28	43	L449437-02	WG467917
Styrene	mg/kg	0.111	0.111	88.7	10-140	0.283	35	L449437-02	WG467917
tert-Butylbenzene	mg/kg	0.105	0.108	84.0	11-137	2.52	39	L449437-02	WG467917
Tetrachloroethene	mg/kg	0.1	0.112	89.9	0-131	0.45	35	L449437-02	WG467917
Toluene	mg/kg	0.162	0.167	71.3	12-136	2.70	32	L449437-02	WG467917
trans-1,2-Dichloroethene	mg/kg	0.109	0.114	87.2	10-143	4.08	33	L449437-02	WG467917
trans-1,3-Dichloropropene	mg/kg	0.109	0.100	82.9	6-14	3.30	32	L449437-02	WG467917
Trichloroethene	mg/kg	0.110	0.114	88.2	10-155	3.29	33	L449437-02	WG467917
Trichlorofluoromethane	mg/kg	0.116	0.120	93.1	10-154	2.77	32	L449437-02	WG467917
Vinyl chloride	mg/kg	0.13	0.143	109	0-159	4.95	36	L449437-02	WG467917
Xylenes, Total	mg/kg	0.344	0.350	91.8	10-138	1.66	36	L449437-02	WG467917
4-Bromofluorobenzene				102.7	59-140				WG467917
Dibromofluoromethane				106.1	3-139				WG467917
Toluene-d8				104.0	84-116				WG467917
1,1,1,2-Tetrachloroethane	mg/kg	0.13	0.135	106	9-14	1.69	31	L449111-07	WG468059
1,1,1-Trichloroethane	mg/kg	0.140	0.147	112.	23-147	4.73	32	L449111-07	WG468059
1,1,2,2-Tetrachloroethane	mg/kg	0.137	0.142	109.	18-150	4.19	33	L449111-07	WG468059
1,1,2-Trichloroethane	mg/kg	0.12	0.128	102.	5-140	1.05	2	L449111-07	WG468059
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.145	0.167	116.	10-145	14.0	35	L449111-07	WG468059
1,1-Dichloroethane	mg/kg	0.145	0.149	116.	24-148	2.37	31	L449111-07	WG468059
1,1-Dichloroethene	mg/kg	0.14	0.244	112	0-149	54.3*	34	L449111-07	WG468059
1,1-Dichloropropene	mg/kg	0.132	0.138	106.	10-141	4.59	34	L449111-07	WG468059
1,2,3-Trichlorobenzene	mg/kg	0.112	0.113	89.3	10-129	0.910	43	L449111-07	WG468059
1,2,3-Trichloropropene	mg/kg	0.13	0.142	108	0-148	5.18	32	L449111-07	WG468059
1,2,3-Trimethylbenzene	mg/kg	0.149	0.139	120.	10-137	6.99	36	L449111-07	WG468059
1,2,4-Trichlorobenzene	mg/kg	0.121	0.115	97.0	10-119	5.41	44	L449111-07	WG468059
1,2,4-Trimethylbenzene	mg/kg	0.121	0.134	102	0-145	4.47	41	L449111-07	WG468059
1,2-Dibromo-3-Chloropropene	mg/kg	0.140	0.160	112.	19-145	13.3	35	L449111-07	WG468059
1,2-Dibromoethane	mg/kg	0.130	0.136	104.	24-145	4.74	31	L449111-07	WG468059
1,2-Dichlorobenzene	mg/kg	0.14	0.136	112	2-130	3.00	35	L449111-07	WG468059
1,2-Dichloroethane	mg/kg	0.150	0.149	120.	21-155	0.333	29	L449111-07	WG468059
1,2-Dichloropropene	mg/kg	0.127	0.123	101.	28-144	3.30	30	L449111-07	WG468059
1,3,5-Trimethylbenzene	mg/kg	0.121	0.131	102	10-135	2.59	38	L449111-07	WG468059
1,3-Dichlorobenzene	mg/kg	0.124	0.128	98.9	10-129	3.82	38	L449111-07	WG468059
1,3-Dichloropropene	mg/kg	0.125	0.129	100.	31-137	3.07	29	L449111-07	WG468059
1,4-Dichlorobenzene	mg/kg	0.139	0.12	112	10-12	8.99	36	L449111-07	WG468059

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L449302

March 23, 2010

Analyte	Units	MSD	Matrix Ref	Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
2,2-Dichloropropane	mg/kg	0.14	0.154	120.	18-144	35	32	L449111-07	WG468059	
2-Butanone (MEK)	mg/kg	0.747	0.798	120.	21-143	6.57	37	L449111-07	WG468059	
2-Chloroethyl vinyl ether	mg/kg	0.529	0.378	84.7	0-176	33.3	50	L449111-07	WG468059	
2-Chlorotoluene	mg/kg	0.12	0.130	99	-132	82	37	L449111-07	WG468059	
4-Chlorotoluene	mg/kg	0.125	0.132	100.	10-129	4.86	38	L449111-07	WG468059	
4-Methyl-2-pentanone (MIBK)	mg/kg	0.632	0.629	101.	31-151	0.530	36	L449111-07	WG468059	
Acetone	mg/kg	0.80	0.842	129	3-158	4.51	4	L449111-07	WG468059	
Acrylonitrile	mg/kg	0.682	0.744	109.	20-154	8.67	35	L449111-07	WG468059	
Benzene	mg/kg	0.138	0.141	111.	16-143	2.27	31	L449111-07	WG468059	
Bromobenzene	mg/kg	0.12	0.129	99.	4-135	3.74		L449111-07	WG468059	
Bromodichloromethane	mg/kg	0.141	0.140	113.	27-139	1.16	30	L449111-07	WG468059	
Bromoform	mg/kg	0.155	0.154	124.	21-144	0.349	34	L449111-07	WG468059	
Bromomethane	mg/kg	0.148	0.160	118	-180	7.82	1	L449111-07	WG468059	
Carbon tetrachloride	mg/kg	0.147	0.154	117.	12-149	4.71	34	L449111-07	WG468059	
Chlorobenzene	mg/kg	0.124	0.123	98.9	17-134	0.438	34	L449111-07	WG468059	
Chlorodibromomethane	mg/kg	0.14	0.144	118	8-14	2.31	32	L449111-07	WG468059	
Chloroethane	mg/kg	0.130	0.141	104.	0-172	8.23	38	L449111-07	WG468059	
Chloroform	mg/kg	0.148	0.152	118.	28-138	2.96	30	L449111-07	WG468059	
Chloromethane	mg/kg	0.155	0.142	101	0-158	11.1	35	L449111-07	WG468059	
cis-1,2-Dichloroethene	mg/kg	0.145	0.148	116.	21-147	2.30	31	L449111-07	WG468059	
cis-1,3-Dichloropropene	mg/kg	0.135	0.137	108.	17-145	1.21	32	L449111-07	WG468059	
Di-isopropyl ether	mg/kg	0.14	0.142	116	1-153	1.8	29	L449111-07	WG468059	
Dibromomethane	mg/kg	0.136	0.136	109.	24-147	0.696	30	L449111-07	WG468059	
Dichlorodifluoromethane	mg/kg	0.113	0.118	90.6	0-192	4.18	38	L449111-07	WG468059	
Ethylbenzene	mg/kg	0.12	0.123	100	2-137	1.42	36	L449111-07	WG468059	
Hexachloro-1,3-butadiene	mg/kg	0.117	0.109	93.3	10-123	6.35	50	L449111-07	WG468059	
Isopropylbenzene	mg/kg	0.127	0.130	102.	14-134	2.11	37	L449111-07	WG468059	
Methyl tert-butyl ether	mg/kg	0.148	0.151	116	1-15	3.75	31	L449111-07	WG468059	
Methylene Chloride	mg/kg	0.140	0.150	112.	12-149	6.78	31	L449111-07	WG468059	
n-Butylbenzene	mg/kg	0.143	0.133	115.	10-130	7.48	48	L449111-07	WG468059	
n-Propylbenzene	mg/kg	0.12	0.132	101	0-130	4.56	40	L449111-07	WG468059	
Naphthalene	mg/kg	0.132	0.120	105.	0-146	9.37	43	L449111-07	WG468059	
p-Isopropyltoluene	mg/kg	0.125	0.129	100.	10-131	3.15	43	L449111-07	WG468059	
sec-Butylbenzene	mg/kg	0.12	0.132	102	0-134	3.80	40	L449111-07	WG468059	
Styrene	mg/kg	0.133	0.132	106.	10-140	0.223	35	L449111-07	WG468059	
tert-Butylbenzene	mg/kg	0.126	0.129	100.	11-137	2.86	39	L449111-07	WG468059	
Tetrachloroethene	mg/kg	0.11	0.124	94.9	0-131	4.64	35	L449111-07	WG468059	
Toluene	mg/kg	0.127	0.117	102.	12-136	8.33	32	L449111-07	WG468059	
trans-1,2-Dichloroethene	mg/kg	0.129	0.136	103.	10-143	5.75	33	L449111-07	WG468059	
trans-1,3-Dichloropropene	mg/kg	0.133	0.133	105	6-147	1.32	32	L449111-07	WG468059	
Trichloroethene	mg/kg	0.125	0.123	99.8	10-155	1.12	33	L449111-07	WG468059	
Trichlorofluoromethane	mg/kg	0.142	0.155	114.	10-154	9.09	32	L449111-07	WG468059	
Vinyl chloride	mg/kg	0.13	0.150	105	0-159	13.3	36	L449111-07	WG468059	
Xylenes, Total	mg/kg	0.367	0.373	97.9	10-138	1.71	36	L449111-07	WG468059	
4-Bromofluorobenzene				91.58	59-140				WG468059	
Dibromofluoromethane				111.8	3-139				WG468059	
Toluene-d8				92.38	84-116				WG468059	
Tetrachloroethene	mg/kg	0.0171	0.0173	68.4	0-13	1.05	35	L449299-12	WG468381	
4-Bromofluorobenzene				95.28	59-140				WG468381	
Dibromofluoromethane				102.7	63-139				WG468381	
Toluene-d8				96.01	-116				WG468381	
Tetrachloroethene	mg/kg	0.0988	0.109	79.1	10-131	9.98	35	L449326-04	WG468531	
4-Bromofluorobenzene				96.71	9-140				WG468531	
Dibromofluoromethane				96.56	63-139				WG468531	
Toluene-d8				100.6	84-116				WG468531	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street
Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate %Rec	Limit	RPD	Limit	Ref Samp	Batch
Tetrachloroethene	mg/kg	1.28	5	75.4		-131	.9	35	L449675-01	WG468998
4-Bromofluorobenzene				102.1		59-140				WG468998
Dibromofluoromethane				102.2		63-139				WG468998
Toluene-d8				102.0		-116				WG468998

Batch number / Run number / Sample number cross reference

WG467872: R1147008: L449302-01
WG467918: R1147811: L449302-01 02 03 04
WG467919: R1147812: L449302-05
WG467917: R1148509: L449302-04 05
WG468059: R1149171: L449302-01 02 03
WG468381: R1151012: L449302-05
WG468531: R1151029: L449302-03
WG468189: R1151168: L449302-10 11
WG468998: R1153408: L449302-02

- * Calculations are performed prior to rounding of reported values .
- * Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449302

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 23, 2010

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

Quality Control Summary

SDG: L449608

For: SESCO Group
Project: Harman Becker
March 22, 2010

Sample Receiving and Handling

All sample aliquots were received at the correct temperature, in the proper containers, and with the appropriate preservatives. All method specified holding times were met.

Volatile Organic Compounds by Method 8260B

Laboratory Control Sample

Samples L449608-01, -02, and -04 were analyzed in analytical batch WG468205. The laboratory control sample associated with these samples had all target compounds within method limits except for Hexachloro-1,3-butadiene, Naphthalene, and 1,2,3-Trichlorobenzene.

Samples L449608-05 and 06 were analyzed in analytical batch WG468302. The laboratory control sample associated with these samples was within the laboratory control limits for all compounds.

Samples L449608-01, -03, -04, and -02 were analyzed in analytical batch WG468372. The laboratory control sample associated with these samples had all target compounds within method limits except for Hexachloro-1,3-butadiene and 1,2,3-Trichlorobenzene.

Sample L449608-06 was analyzed in analytical batch WG468612. The laboratory control sample associated with this sample was within the laboratory control limits for all compounds.

Matrix Spike/Matrix Spike Duplicate

For analytical batch WG468205 matrix spike/matrix spike duplicate analysis was performed on sample L448911-12. The matrix spike recoveries and relative percent differences were within laboratory control limits for all target analytes.

For analytical batch WG468302 matrix spike/matrix spike duplicate analysis was performed on sample L449547-03. The matrix spike recoveries were above laboratory control limits for cis-1,2-Dichloroethene. The matrix spike recoveries were below laboratory control limits for Acrolein. The spike recoveries for the remaining target compounds were within limits. The relative percent difference exceeded laboratory limits for 2-Chloroethyl vinyl ether.

For analytical batch WG468372 matrix spike/matrix spike duplicate analysis was performed on sample L449608-03. The matrix spike recoveries were above laboratory control limits for Hexachloro-1,3-butadiene and 1,2,3-Trichlorobenzene. The spike recoveries for the remaining target compounds were within limits. The relative percent difference was within laboratory limits for all compounds.

For analytical batch WG468612 matrix spike/matrix spike duplicate analysis was performed on sample L449320-01. The matrix spike recoveries and relative percent differences were within laboratory control limits for all target analytes.

Blank Analysis

The method blank, the initial, and all continuing calibration blanks contained no analytes at concentrations above the method reporting limit.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Monday March 22, 2010

Report Number: L449608

Samples Received: 03/13/10

Client Project: 3872-3

Description: Harman Becker

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

T. Alan Harvill , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 22, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-97 GW 41-45 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 17:05

ESC Sample # : L449608-01

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	0.062	0.050	mg/l	8260B	03/17/10	1
Acrolein	BDL	0.050	mg/l	8260B	03/17/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	03/17/10	1
Benzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	03/17/10	1
Bromoform	BDL	0.0010	mg/l	8260B	03/17/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	03/17/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	03/17/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	03/17/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	03/17/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	03/17/10	1
Chloroform	BDL	0.0050	mg/l	8260B	03/17/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	03/17/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/17/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	03/17/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	03/17/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	03/17/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	03/17/10	1
cis-1,2-Dichloroethene	0.044	0.0010	mg/l	8260B	03/17/10	1
trans-1,2-Dichloroethene	0.0018	0.0010	mg/l	8260B	03/17/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	03/17/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/17/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/17/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/17/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	03/17/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	03/17/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	03/17/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 22, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-97 GW 41-45 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 17:05

ESC Sample # : L449608-01

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	03/17/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	03/17/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	03/17/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	03/17/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	03/17/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Styrene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	03/17/10	1
Tetrachloroethene	2.3	0.10	mg/l	8260B	03/18/10	100
Toluene	BDL	0.0050	mg/l	8260B	03/17/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	03/17/10	1
Trichloroethene	0.025	0.0010	mg/l	8260B	03/17/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	03/17/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	03/17/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	03/17/10	1
Surrogate Recovery						
Toluene-d8	103.		% Rec.	8260B	03/17/10	1
Dibromofluoromethane	105.		% Rec.	8260B	03/17/10	1
4-Bromofluorobenzene	174.		% Rec.	8260B	03/17/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/22/10 12:18 Printed: 03/22/10 12:19

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 22, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-97 GW 97-101 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 17:05

ESC Sample # : L449608-02

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	0.054	0.050	mg/l	8260B	03/17/10	1
Acrolein	BDL	0.050	mg/l	8260B	03/17/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	03/17/10	1
Benzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	03/17/10	1
Bromoform	BDL	0.0010	mg/l	8260B	03/17/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	03/17/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	03/17/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	03/17/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	03/17/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	03/17/10	1
Chloroform	BDL	0.0050	mg/l	8260B	03/17/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	03/17/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/17/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	03/17/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	03/17/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	03/17/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	03/17/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/17/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	03/17/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/17/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/17/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/17/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	03/17/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	03/17/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	03/17/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 22, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-97 GW 97-101 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 17:05

ESC Sample # : L449608-02

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	03/17/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	03/17/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	03/17/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	03/17/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	03/17/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Styrene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	03/17/10	1
Tetrachloroethene	0.034	0.0010	mg/l	8260B	03/18/10	1
Toluene	BDL	0.0050	mg/l	8260B	03/17/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	03/17/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	03/17/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	03/17/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/17/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	03/17/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	03/17/10	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	03/17/10	1
Dibromofluoromethane	118.		% Rec.	8260B	03/17/10	1
4-Bromofluorobenzene	100.		% Rec.	8260B	03/17/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/22/10 12:18 Printed: 03/22/10 12:19

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 22, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-95 GW 41-45 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 17:05

ESC Sample # : L449608-03

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	1.2	mg/l	8260B	03/18/10	25
Acrolein	BDL	1.2	mg/l	8260B	03/18/10	25
Acrylonitrile	BDL	0.25	mg/l	8260B	03/18/10	25
Benzene	BDL	0.025	mg/l	8260B	03/18/10	25
Bromobenzene	BDL	0.025	mg/l	8260B	03/18/10	25
Bromodichloromethane	BDL	0.025	mg/l	8260B	03/18/10	25
Bromoform	BDL	0.025	mg/l	8260B	03/18/10	25
Bromomethane	BDL	0.12	mg/l	8260B	03/18/10	25
n-Butylbenzene	BDL	0.025	mg/l	8260B	03/18/10	25
sec-Butylbenzene	BDL	0.025	mg/l	8260B	03/18/10	25
tert-Butylbenzene	BDL	0.025	mg/l	8260B	03/18/10	25
Carbon tetrachloride	BDL	0.025	mg/l	8260B	03/18/10	25
Chlorobenzene	BDL	0.025	mg/l	8260B	03/18/10	25
Chlorodibromomethane	BDL	0.025	mg/l	8260B	03/18/10	25
Chloroethane	BDL	0.12	mg/l	8260B	03/18/10	25
2-Chloroethyl vinyl ether	BDL	1.2	mg/l	8260B	03/18/10	25
Chloroform	BDL	0.12	mg/l	8260B	03/18/10	25
Chloromethane	BDL	0.062	mg/l	8260B	03/18/10	25
2-Chlorotoluene	BDL	0.025	mg/l	8260B	03/18/10	25
4-Chlorotoluene	BDL	0.025	mg/l	8260B	03/18/10	25
1,2-Dibromo-3-Chloropropane	BDL	0.12	mg/l	8260B	03/18/10	25
1,2-Dibromoethane	BDL	0.025	mg/l	8260B	03/18/10	25
Dibromomethane	BDL	0.025	mg/l	8260B	03/18/10	25
1,2-Dichlorobenzene	BDL	0.025	mg/l	8260B	03/18/10	25
1,3-Dichlorobenzene	BDL	0.025	mg/l	8260B	03/18/10	25
1,4-Dichlorobenzene	BDL	0.025	mg/l	8260B	03/18/10	25
Dichlorodifluoromethane	BDL	0.12	mg/l	8260B	03/18/10	25
1,1-Dichloroethane	BDL	0.025	mg/l	8260B	03/18/10	25
1,2-Dichloroethane	BDL	0.025	mg/l	8260B	03/18/10	25
1,1-Dichloroethene	BDL	0.025	mg/l	8260B	03/18/10	25
cis-1,2-Dichloroethene	BDL	0.025	mg/l	8260B	03/18/10	25
trans-1,2-Dichloroethene	BDL	0.025	mg/l	8260B	03/18/10	25
1,2-Dichloropropane	BDL	0.025	mg/l	8260B	03/18/10	25
1,1-Dichloropropene	BDL	0.025	mg/l	8260B	03/18/10	25
1,3-Dichloropropane	BDL	0.025	mg/l	8260B	03/18/10	25
cis-1,3-Dichloropropene	BDL	0.025	mg/l	8260B	03/18/10	25
trans-1,3-Dichloropropene	BDL	0.025	mg/l	8260B	03/18/10	25
2,2-Dichloropropane	BDL	0.025	mg/l	8260B	03/18/10	25
Di-isopropyl ether	BDL	0.025	mg/l	8260B	03/18/10	25
Ethylbenzene	BDL	0.025	mg/l	8260B	03/18/10	25
Hexachloro-1,3-butadiene	BDL	0.025	mg/l	8260B	03/18/10	25
Isopropylbenzene	BDL	0.025	mg/l	8260B	03/18/10	25
p-Isopropyltoluene	BDL	0.025	mg/l	8260B	03/18/10	25

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

L449608-03 (V8260) - Target compounds too high to run at a lower dilution.

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 22, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-95 GW 41-45 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 17:05

ESC Sample # : L449608-03

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.25	mg/l	8260B	03/18/10	25
Methylene Chloride	BDL	0.12	mg/l	8260B	03/18/10	25
4-Methyl-2-pentanone (MIBK)	BDL	0.25	mg/l	8260B	03/18/10	25
Methyl tert-butyl ether	BDL	0.025	mg/l	8260B	03/18/10	25
Naphthalene	BDL	0.12	mg/l	8260B	03/18/10	25
n-Propylbenzene	BDL	0.025	mg/l	8260B	03/18/10	25
Styrene	BDL	0.025	mg/l	8260B	03/18/10	25
1,1,1,2-Tetrachloroethane	BDL	0.025	mg/l	8260B	03/18/10	25
1,1,2,2-Tetrachloroethane	BDL	0.025	mg/l	8260B	03/18/10	25
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.025	mg/l	8260B	03/18/10	25
Tetrachloroethene	1.1	0.025	mg/l	8260B	03/18/10	25
Toluene	BDL	0.12	mg/l	8260B	03/18/10	25
1,2,3-Trichlorobenzene	BDL	0.025	mg/l	8260B	03/18/10	25
1,2,4-Trichlorobenzene	BDL	0.025	mg/l	8260B	03/18/10	25
1,1,1-Trichloroethane	BDL	0.025	mg/l	8260B	03/18/10	25
1,1,2-Trichloroethane	BDL	0.025	mg/l	8260B	03/18/10	25
Trichloroethene	0.029	0.025	mg/l	8260B	03/18/10	25
Trichlorofluoromethane	BDL	0.12	mg/l	8260B	03/18/10	25
1,2,3-Trichloropropane	BDL	0.025	mg/l	8260B	03/18/10	25
1,2,4-Trimethylbenzene	BDL	0.025	mg/l	8260B	03/18/10	25
1,2,3-Trimethylbenzene	BDL	0.025	mg/l	8260B	03/18/10	25
1,3,5-Trimethylbenzene	BDL	0.025	mg/l	8260B	03/18/10	25
Vinyl chloride	BDL	0.025	mg/l	8260B	03/18/10	25
Xylenes, Total	BDL	0.075	mg/l	8260B	03/18/10	25
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	03/18/10	25
Dibromofluoromethane	101.		% Rec.	8260B	03/18/10	25
4-Bromofluorobenzene	105.		% Rec.	8260B	03/18/10	25

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/22/10 12:18 Printed: 03/22/10 12:19

L449608-03 (V8260) - Target compounds too high to run at a lower dilution.

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 22, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-95 GW 98-102 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 17:05

ESC Sample # : L449608-04

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	0.055	0.050	mg/l	8260B	03/18/10	1
Acrolein	BDL	0.050	mg/l	8260B	03/18/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	03/18/10	1
Benzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	03/18/10	1
Bromoform	BDL	0.0010	mg/l	8260B	03/18/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	03/18/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	03/18/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	03/18/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	03/18/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	03/18/10	1
Chloroform	BDL	0.0050	mg/l	8260B	03/18/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	03/18/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/18/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	03/18/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	03/18/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	03/18/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	03/18/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/18/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	03/18/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/18/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/18/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/18/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	03/18/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	03/18/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	03/18/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 22, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-95 GW 98-102 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 17:05

ESC Sample # : L449608-04

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	03/18/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	03/18/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	03/18/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	03/18/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	03/18/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Styrene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	03/18/10	1
Tetrachloroethene	0.0088	0.0010	mg/l	8260B	03/18/10	1
Toluene	BDL	0.0050	mg/l	8260B	03/18/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	03/18/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	03/18/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	03/18/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	03/18/10	1
Surrogate Recovery						
Toluene-d8	103.		% Rec.	8260B	03/18/10	1
Dibromofluoromethane	110.		% Rec.	8260B	03/18/10	1
4-Bromofluorobenzene	101.		% Rec.	8260B	03/18/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/22/10 12:18 Printed: 03/22/10 12:19

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 22, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-102 GW 99-103 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 17:05

ESC Sample # : L449608-05

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	03/18/10	1
Acrolein	BDL	0.050	mg/l	8260B	03/18/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	03/18/10	1
Benzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	03/18/10	1
Bromoform	BDL	0.0010	mg/l	8260B	03/18/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	03/18/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	03/18/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	03/18/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	03/18/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	03/18/10	1
Chloroform	BDL	0.0050	mg/l	8260B	03/18/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	03/18/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/18/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	03/18/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	03/18/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	03/18/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	03/18/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/18/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	03/18/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/18/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/18/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/18/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	03/18/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	03/18/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	03/18/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 22, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-102 GW 99-103 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 17:05

ESC Sample # : L449608-05

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	03/18/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	03/18/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	03/18/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	03/18/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	03/18/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Styrene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	03/18/10	1
Tetrachloroethene	0.0026	0.0010	mg/l	8260B	03/18/10	1
Toluene	BDL	0.0050	mg/l	8260B	03/18/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	03/18/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	03/18/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	03/18/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	03/18/10	1
Surrogate Recovery						
Toluene-d8	100.		% Rec.	8260B	03/18/10	1
Dibromofluoromethane	100.		% Rec.	8260B	03/18/10	1
4-Bromofluorobenzene	110.		% Rec.	8260B	03/18/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/22/10 12:18 Printed: 03/22/10 12:19

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 22, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-102 GW 10-14 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 17:05

ESC Sample # : L449608-06

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	03/18/10	1
Acrolein	BDL	0.050	mg/l	8260B	03/18/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	03/18/10	1
Benzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	03/18/10	1
Bromoform	BDL	0.0010	mg/l	8260B	03/18/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	03/18/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	03/18/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	03/18/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	03/18/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	03/18/10	1
Chloroform	BDL	0.0050	mg/l	8260B	03/18/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	03/18/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/18/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	03/18/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	03/18/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	03/18/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	03/18/10	1
cis-1,2-Dichloroethene	0.0035	0.0010	mg/l	8260B	03/18/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	03/18/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/18/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/18/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/18/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	03/18/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	03/18/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	03/18/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 22, 2010

Date Received : March 13, 2010
Description : Harman Becker
Sample ID : B-102 GW 10-14 FT
Collected By : Jay Novotny
Collection Date : 03/11/10 17:05

ESC Sample # : L449608-06

Site ID : 3872-3

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	03/18/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	03/18/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	03/18/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	03/18/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	03/18/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Styrene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	03/18/10	1
Tetrachloroethene	0.20	0.010	mg/l	8260B	03/19/10	10
Toluene	BDL	0.0050	mg/l	8260B	03/18/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,1,1-Trichloroethane	0.0022	0.0010	mg/l	8260B	03/18/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	03/18/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	03/18/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	03/18/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/18/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	03/18/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	03/18/10	1
Surrogate Recovery						
Toluene-d8	100.		% Rec.	8260B	03/18/10	1
Dibromofluoromethane	99.5		% Rec.	8260B	03/18/10	1
4-Bromofluorobenzene	109.		% Rec.	8260B	03/18/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/22/10 12:18 Printed: 03/22/10 12:19

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L449608-01	WG468205	SAMP	Hexachloro-1,3-butadiene	R1149409	J4J3
	WG468205	SAMP	Naphthalene	R1149409	J4J3
	WG468205	SAMP	1,2,3-Trichlorobenzene	R1149409	J4J3
	WG468205	SAMP	1,2,4-Trichlorobenzene	R1149409	J3
	WG468205	SAMP	4-Bromofluorobenzene	R1149409	J1
L449608-02	WG468205	SAMP	Hexachloro-1,3-butadiene	R1149409	J4J3
	WG468205	SAMP	Naphthalene	R1149409	J4J3
	WG468205	SAMP	1,2,3-Trichlorobenzene	R1149409	J4J3
	WG468205	SAMP	1,2,4-Trichlorobenzene	R1149409	J3
L449608-03	WG468372	SAMP	Hexachloro-1,3-butadiene	R1150512	J4J5
	WG468372	SAMP	1,2,3-Trichlorobenzene	R1150512	J4J5
L449608-04	WG468205	SAMP	Hexachloro-1,3-butadiene	R1149409	J4J3
	WG468205	SAMP	Naphthalene	R1149409	J4J3
	WG468205	SAMP	1,2,3-Trichlorobenzene	R1149409	J4J3
	WG468205	SAMP	1,2,4-Trichlorobenzene	R1149409	J3

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
03/22/10 at 12:19:22

TSR Signing Reports: 364
R5 - Desired TAT

No hard copy of reports per Jesse. In 6/12/06 Only CD for QC pkgs. - no paper. In 6/6/05 All
soils in Dry wt. In 5/9/05 client requires purchase orders for each project.

Sample: L449608-01 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/22/10 12:18
Moved from L449302-06
Sample: L449608-02 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/22/10 12:18
Moved from L449302-07
Sample: L449608-03 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/22/10 12:18
Moved from L449302-08
Sample: L449608-04 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/22/10 12:18
Moved from L449302-09
Sample: L449608-05 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/22/10 12:18
Moved from L449302-12
Sample: L449608-06 Account: SESCOIN Received: 03/13/10 09:00 Due Date: 03/19/10 00:00 RPT Date: 03/22/10 12:18
Moved from L449302-13

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468205
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -02, -04		

Method Blank

Analyte	CAS	PQL	Qualifiers
Dichlorodifluoromethane	75-71-8	<0.0050	
Chloromethane	74-87-3	<0.0025	
Vinyl chloride	75-01-4	<0.0010	
Bromomethane	74-83-9	<0.0050	
Chloroethane	75-00-3	<0.0050	
Trichlorofluoromethane	75-69-4	<0.0050	
Acrolein	107-02-8	<0.0500	
1,1-Dichloroethene	75-35-4	<0.0010	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	<0.0010	
Acetone	67-64-1	<0.0500	
Methylene Chloride	75-09-2	<0.0050	
Acrylonitrile	107-13-1	<0.0100	
trans-1,2-Dichloroethene	156-60-5	<0.0010	
Methyl tert-butyl ether	1634-04-4	<0.0010	
1,1-Dichloroethane	75-34-3	<0.0010	
Di-isopropyl ether	108-20-3	<0.0010	
2,2-Dichloropropane	594-20-7	<0.0010	
cis-1,2-Dichloroethene	156-59-2	<0.0010	
2-Butanone (MEK)	78-93-3	<0.0100	
Chloroform	67-66-3	<0.0050	
1,1,1-Trichloroethane	71-55-6	<0.0010	
Carbon tetrachloride	56-23-5	<0.0010	
1,1-Dichloropropene	563-58-6	<0.0010	
Benzene	71-43-2	<0.0010	
1,2-Dichloroethane	107-06-2	<0.0010	
Trichloroethene	79-01-6	<0.0010	
1,2-Dichloropropane	78-87-5	<0.0010	
Dibromomethane	74-95-3	<0.0010	
Bromodichloromethane	75-27-4	<0.0010	
2-Chloroethyl vinyl ether	110-75-8	<0.0500	
cis-1,3-Dichloropropene	10061-01-5	<0.0010	
4-Methyl-2-pentanone (MIBK)	108-10-1	<0.0100	
Toluene	108-88-3	<0.0050	
trans-1,3-Dichloropropene	10061-02-6	<0.0010	
1,1,2-Trichloroethane	79-00-5	<0.0010	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468205
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -02, -04		

Method Blank

Analyte	CAS	PQL	Qualifiers
1,3-Dichloropropane	142-28-9	<0.0010	
Chlorodibromomethane	124-48-1	<0.0010	
1,2-Dibromoethane	106-93-4	<0.0010	
Chlorobenzene	108-90-7	<0.0010	
1,1,1,2-Tetrachloroethane	630-20-6	<0.0010	
Ethylbenzene	100-41-4	<0.0010	
m&p-Xylene	1330-20-7	<0.0030	
o-Xylene	1330-20-7	<0.0030	
Styrene	100-42-5	<0.0010	
Bromoform	75-25-2	<0.0010	
Isopropylbenzene	98-82-8	<0.0010	
Bromobenzene	108-86-1	<0.0010	
1,1,2,2-Tetrachloroethane	79-34-5	<0.0010	
1,2,3-Trichloropropane	96-18-4	<0.0010	
n-Propylbenzene	103-65-1	<0.0010	
2-Chlorotoluene	95-49-8	<0.0010	
4-Chlorotoluene	106-43-4	<0.0010	
1,3,5-Trimethylbenzene	108-67-8	<0.0010	
tert-Butylbenzene	98-06-6	<0.0010	
1,2,4-Trimethylbenzene	95-63-6	<0.0010	
sec-Butylbenzene	135-98-8	<0.0010	
1,3-Dichlorobenzene	541-73-1	<0.0010	
p-Isopropyltoluene	99-87-6	<0.0010	
1,4-Dichlorobenzene	106-46-7	<0.0010	
1,2,3-Trimethylbenzene	526-73-8	<0.0010	
1,2-Dichlorobenzene	95-50-1	<0.0010	
n-Butylbenzene	104-51-8	<0.0010	
1,2-Dibromo-3-Chloropropane	96-12-8	<0.0050	
1,2,4-Trichlorobenzene	120-82-1	<0.0010	
Hexachloro-1,3-butadiene	87-68-3	<0.0010	
Naphthalene	91-20-3	<0.0050	
1,2,3-Trichlorobenzene	87-61-6	<0.0010	

Quality Control Summary

SDG: L449608

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/11/2010

Analysis Date: 3/17/2010

Instrument ID: VOCMS16

Sample Numbers: L449608-05, -06

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG468302

Analyst: 498

Method Blank

Analyte	CAS	PQL	Qualifiers
Dichlorodifluoromethane	75-71-8	<0.0050	
Chloromethane	74-87-3	<0.0025	
Vinyl chloride	75-01-4	<0.0010	
Bromomethane	74-83-9	<0.0050	
Chloroethane	75-00-3	<0.0050	
Trichlorofluoromethane	75-69-4	<0.0050	
Acrolein	107-02-8	<0.0500	
1,1-Dichloroethene	75-35-4	<0.0010	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	<0.0010	
Acetone	67-64-1	<0.0500	
Methylene Chloride	75-09-2	<0.0050	
Acrylonitrile	107-13-1	<0.0100	
trans-1,2-Dichloroethene	156-60-5	<0.0010	
Methyl tert-butyl ether	1634-04-4	<0.0010	
1,1-Dichloroethane	75-34-3	<0.0010	
Di-isopropyl ether	108-20-3	<0.0010	
2,2-Dichloropropane	594-20-7	<0.0010	
cis-1,2-Dichloroethene	156-59-2	<0.0010	
2-Butanone (MEK)	78-93-3	<0.0100	
Chloroform	67-66-3	<0.0050	
1,1,1-Trichloroethane	71-55-6	<0.0010	
Carbon tetrachloride	56-23-5	<0.0010	
1,1-Dichloropropene	563-58-6	<0.0010	
Benzene	71-43-2	<0.0010	
1,2-Dichloroethane	107-06-2	<0.0010	
Trichloroethene	79-01-6	<0.0010	
1,2-Dichloropropane	78-87-5	<0.0010	
Dibromomethane	74-95-3	<0.0010	
Bromodichloromethane	75-27-4	<0.0010	
2-Chloroethyl vinyl ether	110-75-8	<0.0500	
cis-1,3-Dichloropropene	10061-01-5	<0.0010	
4-Methyl-2-pentanone (MIBK)	108-10-1	<0.0100	
Toluene	108-88-3	<0.0050	
trans-1,3-Dichloropropene	10061-02-6	<0.0010	
1,1,2-Trichloroethane	79-00-5	<0.0010	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468302
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS16		
Sample Numbers:	L449608-05, -06		

Method Blank

Analyte	CAS	PQL	Qualifiers
Tetrachloroethene	127-18-4	<0.0010	
1,3-Dichloropropane	142-28-9	<0.0010	
Chlorodibromomethane	124-48-1	<0.0010	
1,2-Dibromoethane	106-93-4	<0.0010	
Chlorobenzene	108-90-7	<0.0010	
1,1,1,2-Tetrachloroethane	630-20-6	<0.0010	
Ethylbenzene	100-41-4	<0.0010	
m&p-Xylene	1330-20-7	<0.0030	
o-Xylene	1330-20-7	<0.0030	
Styrene	100-42-5	<0.0010	
Bromoform	75-25-2	<0.0010	
Isopropylbenzene	98-82-8	<0.0010	
Bromobenzene	108-86-1	<0.0010	
1,1,2,2-Tetrachloroethane	79-34-5	<0.0010	
1,2,3-Trichloropropane	96-18-4	<0.0010	
n-Propylbenzene	103-65-1	<0.0010	
2-Chlorotoluene	95-49-8	<0.0010	
4-Chlorotoluene	106-43-4	<0.0010	
1,3,5-Trimethylbenzene	108-67-8	<0.0010	
tert-Butylbenzene	98-06-6	<0.0010	
1,2,4-Trimethylbenzene	95-63-6	<0.0010	
sec-Butylbenzene	135-98-8	<0.0010	
1,3-Dichlorobenzene	541-73-1	<0.0010	
p-Isopropyltoluene	99-87-6	<0.0010	
1,4-Dichlorobenzene	106-46-7	<0.0010	
1,2,3-Trimethylbenzene	526-73-8	<0.0010	
1,2-Dichlorobenzene	95-50-1	<0.0010	
n-Butylbenzene	104-51-8	<0.0010	
1,2-Dibromo-3-Chloropropane	96-12-8	<0.0050	
1,2,4-Trichlorobenzene	120-82-1	<0.0010	
Hexachloro-1,3-butadiene	87-68-3	<0.0010	
Naphthalene	91-20-3	<0.0050	
1,2,3-Trichlorobenzene	87-61-6	<0.0010	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468372
Analysis Date:	3/18/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -03, -04, -02		

Method Blank

Analyte	CAS	PQL	Qualifiers
Dichlorodifluoromethane	75-71-8	<0.0048	
Chloromethane	74-87-3	<0.0025	
Vinyl chloride	75-01-4	<0.0010	
Bromomethane	74-83-9	<0.0048	
Chloroethane	75-00-3	<0.0048	
Trichlorofluoromethane	75-69-4	<0.0048	
Acrolein	107-02-8	<0.0480	
1,1-Dichloroethene	75-35-4	<0.0010	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	<0.0010	
Acetone	67-64-1	<0.0480	
Methylene Chloride	75-09-2	<0.0048	
Acrylonitrile	107-13-1	<0.0100	
trans-1,2-Dichloroethene	156-60-5	<0.0010	
Methyl tert-butyl ether	1634-04-4	<0.0010	
1,1-Dichloroethane	75-34-3	<0.0010	
Di-isopropyl ether	108-20-3	<0.0010	
2,2-Dichloropropane	594-20-7	<0.0010	
cis-1,2-Dichloroethene	156-59-2	<0.0010	
2-Butanone (MEK)	78-93-3	<0.0100	
Chloroform	67-66-3	<0.0048	
1,1,1-Trichloroethane	71-55-6	<0.0010	
Carbon tetrachloride	56-23-5	<0.0010	
1,1-Dichloropropene	563-58-6	<0.0010	
Benzene	71-43-2	<0.0010	
1,2-Dichloroethane	107-06-2	<0.0010	
Trichloroethene	79-01-6	<0.0010	
1,2-Dichloropropane	78-87-5	<0.0010	
Dibromomethane	74-95-3	<0.0010	
Bromodichloromethane	75-27-4	<0.0010	
2-Chloroethyl vinyl ether	110-75-8	<0.0480	
cis-1,3-Dichloropropene	10061-01-5	<0.0010	
4-Methyl-2-pentanone (MIBK)	108-10-1	<0.0100	
Toluene	108-88-3	<0.0048	
trans-1,3-Dichloropropene	10061-02-6	<0.0010	
1,1,2-Trichloroethane	79-00-5	<0.0010	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468372
Analysis Date:	3/18/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -03, -04, -02		

Method Blank

Analyte	CAS	PQL	Qualifiers
Tetrachloroethene	127-18-4	<0.0010	
1,3-Dichloropropane	142-28-9	<0.0010	
Chlorodibromomethane	124-48-1	<0.0010	
1,2-Dibromoethane	106-93-4	<0.0010	
Chlorobenzene	108-90-7	<0.0010	
1,1,1,2-Tetrachloroethane	630-20-6	<0.0010	
Ethylbenzene	100-41-4	<0.0010	
m&p-Xylene	1330-20-7	<0.0030	
o-Xylene	1330-20-7	<0.0030	
Styrene	100-42-5	<0.0010	
Bromoform	75-25-2	<0.0010	
Isopropylbenzene	98-82-8	<0.0010	
Bromobenzene	108-86-1	<0.0010	
1,1,2,2-Tetrachloroethane	79-34-5	<0.0010	
1,2,3-Trichloropropane	96-18-4	<0.0010	
n-Propylbenzene	103-65-1	<0.0010	
2-Chlorotoluene	95-49-8	<0.0010	
4-Chlorotoluene	106-43-4	<0.0010	
1,3,5-Trimethylbenzene	108-67-8	<0.0010	
tert-Butylbenzene	98-06-6	<0.0010	
1,2,4-Trimethylbenzene	95-63-6	<0.0010	
sec-Butylbenzene	135-98-8	<0.0010	
1,3-Dichlorobenzene	541-73-1	<0.0010	
p-Isopropyltoluene	99-87-6	<0.0010	
1,4-Dichlorobenzene	106-46-7	<0.0010	
1,2,3-Trimethylbenzene	526-73-8	<0.0010	
1,2-Dichlorobenzene	95-50-1	<0.0010	
n-Butylbenzene	104-51-8	<0.0010	
1,2-Dibromo-3-Chloropropane	96-12-8	<0.0048	
1,2,4-Trichlorobenzene	120-82-1	<0.0010	
Hexachloro-1,3-butadiene	87-68-3	<0.0010	
Naphthalene	91-20-3	<0.0048	
1,2,3-Trichlorobenzene	87-61-6	<0.0010	

Quality Control Summary

SDG: L449608
SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468612
Analysis Date:	3/19/2010	Analyst:	126
Instrument ID:	VOCMS21		
Sample Numbers:	L449608-06		

Method Blank

Analyte	CAS	PQL	Qualifiers
Tetrachloroethene	127-18-4	<0.0010	

Laboratory Control Sample (LCS)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Tetrachloroethene	0.0250	0.0268	107	67 - 135	

Laboratory Control Sample Duplicate (LCSD)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Tetrachloroethene	0.0250	0.0262	105	67 - 135	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468205
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -02, -04		

Laboratory Control Sample (LCS)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Dichlorodifluoromethane	0.0250	0.0233	93.4	39 - 189	
Chloromethane	0.0250	0.0244	97.7	45 - 152	
Vinyl chloride	0.0250	0.0250	99.9	55 - 153	
Bromomethane	0.0250	0.0253	101	45 - 175	
Chloroethane	0.0250	0.0262	105	49 - 155	
Trichlorofluoromethane	0.0250	0.0292	117	54 - 156	
Acrolein	0.125	0.0260	20.8	6 - 182	
1,1-Dichloroethene	0.0250	0.0224	89.5	60 - 130	
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0250	0.0232	92.6	51 - 149	
Acetone	0.125	0.125	99.7	48 - 134	
Methylene Chloride	0.0250	0.0234	93.8	64 - 125	
Acrylonitrile	0.125	0.124	98.9	60 - 140	
trans-1,2-Dichloroethene	0.0250	0.0272	109	67 - 129	
Methyl tert-butyl ether	0.0250	0.0246	98.5	51 - 142	
1,1-Dichloroethane	0.0250	0.0250	99.9	67 - 133	
Di-isopropyl ether	0.0250	0.0245	98.0	63 - 139	
2,2-Dichloropropane	0.0250	0.0256	102	46 - 151	
cis-1,2-Dichloroethene	0.0250	0.0250	99.9	72 - 128	
2-Butanone (MEK)	0.125	0.124	99.0	53 - 132	
Chloroform	0.0250	0.0248	99.0	66 - 126	
1,1,1-Trichloroethane	0.0250	0.0255	102	67 - 137	
Carbon tetrachloride	0.0250	0.0280	112	64 - 141	
1,1-Dichloropropene	0.0250	0.0262	105	68 - 132	
Benzene	0.0250	0.0249	99.7	67 - 126	
1,2-Dichloroethane	0.0250	0.0254	101	63 - 137	
Trichloroethene	0.0250	0.0257	103	74 - 126	
1,2-Dichloropropane	0.0250	0.0259	104	74 - 122	
Dibromomethane	0.0250	0.0253	101	73 - 125	
Bromodichloromethane	0.0250	0.0281	113	68 - 133	
2-Chloroethyl vinyl ether	0.125	0.126	101	0 - 171	
cis-1,3-Dichloropropene	0.0250	0.0271	108	73 - 131	
4-Methyl-2-pentanone (MIBK)	0.125	0.124	99.1	60 - 142	
Toluene	0.0250	0.0250	99.9	72 - 122	
trans-1,3-Dichloropropene	0.0250	0.0272	109	66 - 137	
1,1,2-Trichloroethane	0.0250	0.0255	102	79 - 123	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468205
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -02, -04		

Laboratory Control Sample (LCS)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
1,3-Dichloropropane	0.0250	0.0245	98.0	77 - 119	
Chlorodibromomethane	0.0250	0.0277	111	73 - 138	
1,2-Dibromoethane	0.0250	0.0254	102	75 - 126	
Chlorobenzene	0.0250	0.0263	105	77 - 125	
1,1,1,2-Tetrachloroethane	0.0250	0.0270	108	75 - 134	
Ethylbenzene	0.0250	0.0264	106	76 - 129	
m&p-Xylene	0.0500	0.0526	105	74 - 128	
o-Xylene	0.0250	0.0270	108	78 - 128	
Styrene	0.0250	0.0286	114	78 - 130	
Bromoform	0.0250	0.0252	101	60 - 139	
Isopropylbenzene	0.0250	0.0250	100	73 - 132	
Bromobenzene	0.0250	0.0260	104	76 - 123	
1,1,2,2-Tetrachloroethane	0.0250	0.0269	108	72 - 128	
1,2,3-Trichloropropane	0.0250	0.0250	100.0	68 - 130	
n-Propylbenzene	0.0250	0.0264	106	71 - 132	
2-Chlorotoluene	0.0250	0.0266	107	74 - 128	
4-Chlorotoluene	0.0250	0.0266	106	74 - 130	
1,3,5-Trimethylbenzene	0.0250	0.0266	106	73 - 134	
tert-Butylbenzene	0.0250	0.0271	108	72 - 134	
1,2,4-Trimethylbenzene	0.0250	0.0267	107	72 - 135	
sec-Butylbenzene	0.0250	0.0272	109	70 - 135	
1,3-Dichlorobenzene	0.0250	0.0261	104	73 - 131	
p-Isopropyltoluene	0.0250	0.0269	108	68 - 138	
1,4-Dichlorobenzene	0.0250	0.0248	99.0	70 - 121	
1,2,3-Trimethylbenzene	0.0250	0.0258	103	70 - 127	
1,2-Dichlorobenzene	0.0250	0.0255	102	75 - 122	
n-Butylbenzene	0.0250	0.0266	106	63 - 142	
1,2-Dibromo-3-Chloropropane	0.0250	0.0239	95.6	55 - 134	
1,2,4-Trichlorobenzene	0.0250	0.0226	90.2	65 - 137	
Hexachloro-1,3-butadiene	0.0250	0.0331	132	67 - 135	
Naphthalene	0.0250	0.0233	93.3	56 - 145	
1,2,3-Trichlorobenzene	0.0250	0.0260	104	63 - 138	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468205
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -02, -04		

Laboratory Control Sample Duplicate (LCSD)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Dichlorodifluoromethane	0.0250	0.0222	89.0	39 - 189	
Chloromethane	0.0250	0.0234	93.5	45 - 152	
Vinyl chloride	0.0250	0.0236	94.2	55 - 153	
Bromomethane	0.0250	0.0240	96.0	45 - 175	
Chloroethane	0.0250	0.0249	99.7	49 - 155	
Trichlorofluoromethane	0.0250	0.0280	112	54 - 156	
Acrolein	0.125	0.0286	22.9	6 - 182	
1,1-Dichloroethene	0.0250	0.0217	86.7	60 - 130	
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0250	0.0227	90.9	51 - 149	
Acetone	0.125	0.146	117	48 - 134	
Methylene Chloride	0.0250	0.0263	105	64 - 125	
Acrylonitrile	0.125	0.125	100	60 - 140	
trans-1,2-Dichloroethene	0.0250	0.0271	108	67 - 129	
Methyl tert-butyl ether	0.0250	0.0248	99.2	51 - 142	
1,1-Dichloroethane	0.0250	0.0237	94.7	67 - 133	
Di-isopropyl ether	0.0250	0.0236	94.5	63 - 139	
2,2-Dichloropropane	0.0250	0.0239	95.8	46 - 151	
cis-1,2-Dichloroethene	0.0250	0.0242	97.0	72 - 128	
2-Butanone (MEK)	0.125	0.126	101	53 - 132	
Chloroform	0.0250	0.0239	95.4	66 - 126	
1,1,1-Trichloroethane	0.0250	0.0244	97.5	67 - 137	
Carbon tetrachloride	0.0250	0.0268	107	64 - 141	
1,1-Dichloropropene	0.0250	0.0248	99.3	68 - 132	
Benzene	0.0250	0.0238	95.2	67 - 126	
1,2-Dichloroethane	0.0250	0.0248	99.3	63 - 137	
Trichloroethene	0.0250	0.0250	100	74 - 126	
1,2-Dichloropropane	0.0250	0.0251	101	74 - 122	
Dibromomethane	0.0250	0.0256	102	73 - 125	
Bromodichloromethane	0.0250	0.0275	110	68 - 133	
2-Chloroethyl vinyl ether	0.125	0.126	101	0 - 171	
cis-1,3-Dichloropropene	0.0250	0.0266	106	73 - 131	
4-Methyl-2-pentanone (MIBK)	0.125	0.127	102	60 - 142	
Toluene	0.0250	0.0241	96.5	72 - 122	
trans-1,3-Dichloropropene	0.0250	0.0269	108	66 - 137	
1,1,2-Trichloroethane	0.0250	0.0255	102	79 - 123	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468205
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -02, -04		

Laboratory Control Sample Duplicate (LCSD)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
1,3-Dichloropropane	0.0250	0.0245	98.0	77 - 119	
Chlorodibromomethane	0.0250	0.0275	110	73 - 138	
1,2-Dibromoethane	0.0250	0.0252	101	75 - 126	
Chlorobenzene	0.0250	0.0254	102	77 - 125	
1,1,1,2-Tetrachloroethane	0.0250	0.0263	105	75 - 134	
Ethylbenzene	0.0250	0.0251	100	76 - 129	
m&p-Xylene	0.0500	0.0504	101	74 - 128	
o-Xylene	0.0250	0.0259	103	78 - 128	
Styrene	0.0250	0.0275	110	78 - 130	
Bromoform	0.0250	0.0256	102	60 - 139	
Isopropylbenzene	0.0250	0.0242	96.7	73 - 132	
Bromobenzene	0.0250	0.0254	102	76 - 123	
1,1,2,2-Tetrachloroethane	0.0250	0.0273	109	72 - 128	
1,2,3-Trichloropropane	0.0250	0.0254	102	68 - 130	
n-Propylbenzene	0.0250	0.0256	102	71 - 132	
2-Chlorotoluene	0.0250	0.0261	104	74 - 128	
4-Chlorotoluene	0.0250	0.0259	103	74 - 130	
1,3,5-Trimethylbenzene	0.0250	0.0261	104	73 - 134	
tert-Butylbenzene	0.0250	0.0266	107	72 - 134	
1,2,4-Trimethylbenzene	0.0250	0.0264	106	72 - 135	
sec-Butylbenzene	0.0250	0.0268	107	70 - 135	
1,3-Dichlorobenzene	0.0250	0.0260	104	73 - 131	
p-Isopropyltoluene	0.0250	0.0268	107	68 - 138	
1,4-Dichlorobenzene	0.0250	0.0242	96.9	70 - 121	
1,2,3-Trimethylbenzene	0.0250	0.0254	101	70 - 127	
1,2-Dichlorobenzene	0.0250	0.0254	102	75 - 122	
n-Butylbenzene	0.0250	0.0261	104	63 - 142	
1,2-Dibromo-3-Chloropropane	0.0250	0.0272	109	55 - 134	
1,2,4-Trichlorobenzene	0.0250	0.0298	119	65 - 137	
Hexachloro-1,3-butadiene	0.0250	0.0434	174	67 - 135	J4
Naphthalene	0.0250	0.0379	151	56 - 145	J4
1,2,3-Trichlorobenzene	0.0250	0.0498	199	63 - 138	J4

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468302
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS16		
Sample Numbers:	L449608-05, -06		

Laboratory Control Sample (LCS)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Dichlorodifluoromethane	0.0250	0.0229	91.8	39 - 189	
Chloromethane	0.0250	0.0244	97.4	45 - 152	
Vinyl chloride	0.0250	0.0232	92.8	55 - 153	
Bromomethane	0.0250	0.0213	85.3	45 - 175	
Chloroethane	0.0250	0.0213	85.4	49 - 155	
Trichlorofluoromethane	0.0250	0.0232	92.7	54 - 156	
Acrolein	0.125	0.109	87.6	6 - 182	
1,1-Dichloroethene	0.0250	0.0245	97.9	60 - 130	
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0250	0.0247	98.8	51 - 149	
Acetone	0.125	0.109	87.0	48 - 134	
Methylene Chloride	0.0250	0.0233	93.1	64 - 125	
Acrylonitrile	0.125	0.123	98.2	60 - 140	
trans-1,2-Dichloroethene	0.0250	0.0239	95.5	67 - 129	
Methyl tert-butyl ether	0.0250	0.0252	101	51 - 142	
1,1-Dichloroethane	0.0250	0.0234	93.8	67 - 133	
Di-isopropyl ether	0.0250	0.0253	101	63 - 139	
2,2-Dichloropropane	0.0250	0.0252	101	46 - 151	
cis-1,2-Dichloroethene	0.0250	0.0245	97.9	72 - 128	
2-Butanone (MEK)	0.125	0.113	90.5	53 - 132	
Chloroform	0.0250	0.0236	94.3	66 - 126	
1,1,1-Trichloroethane	0.0250	0.0244	97.4	67 - 137	
Carbon tetrachloride	0.0250	0.0234	93.6	64 - 141	
1,1-Dichloropropene	0.0250	0.0252	101	68 - 132	
Benzene	0.0250	0.0234	93.5	67 - 126	
1,2-Dichloroethane	0.0250	0.0242	97.0	63 - 137	
Trichloroethene	0.0250	0.0248	99.2	74 - 126	
1,2-Dichloropropane	0.0250	0.0251	100	74 - 122	
Dibromomethane	0.0250	0.0247	98.9	73 - 125	
Bromodichloromethane	0.0250	0.0256	102	68 - 133	
2-Chloroethyl vinyl ether	0.125	0.133	106	0 - 171	
cis-1,3-Dichloropropene	0.0250	0.0251	100	73 - 131	
4-Methyl-2-pentanone (MIBK)	0.125	0.125	99.8	60 - 142	
Toluene	0.0250	0.0234	93.6	72 - 122	
trans-1,3-Dichloropropene	0.0250	0.0250	100	66 - 137	
1,1,2-Trichloroethane	0.0250	0.0253	101	79 - 123	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468302
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS16		
Sample Numbers:	L449608-05, -06		

Laboratory Control Sample (LCS)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Tetrachloroethene	0.0250	0.0251	100	67 - 135	
1,3-Dichloropropane	0.0250	0.0245	98.1	77 - 119	
Chlorodibromomethane	0.0250	0.0266	106	73 - 138	
1,2-Dibromoethane	0.0250	0.0261	104	75 - 126	
Chlorobenzene	0.0250	0.0255	102	77 - 125	
1,1,1,2-Tetrachloroethane	0.0250	0.0248	99.1	75 - 134	
Ethylbenzene	0.0250	0.0274	110	76 - 129	
m&p-Xylene	0.0500	0.0544	109	74 - 128	
o-Xylene	0.0250	0.0274	110	78 - 128	
Styrene	0.0250	0.0261	104	78 - 130	
Bromoform	0.0250	0.0239	95.8	60 - 139	
Isopropylbenzene	0.0250	0.0278	111	73 - 132	
Bromobenzene	0.0250	0.0251	100	76 - 123	
1,1,2,2-Tetrachloroethane	0.0250	0.0243	97.1	72 - 128	
1,2,3-Trichloropropane	0.0250	0.0254	102	68 - 130	
n-Propylbenzene	0.0250	0.0253	101	71 - 132	
2-Chlorotoluene	0.0250	0.0264	106	74 - 128	
4-Chlorotoluene	0.0250	0.0267	107	74 - 130	
1,3,5-Trimethylbenzene	0.0250	0.0270	108	73 - 134	
tert-Butylbenzene	0.0250	0.0274	109	72 - 134	
1,2,4-Trimethylbenzene	0.0250	0.0276	110	72 - 135	
sec-Butylbenzene	0.0250	0.0274	110	70 - 135	
1,3-Dichlorobenzene	0.0250	0.0262	105	73 - 131	
p-Isopropyltoluene	0.0250	0.0276	110	68 - 138	
1,4-Dichlorobenzene	0.0250	0.0236	94.2	70 - 121	
1,2,3-Trimethylbenzene	0.0250	0.0249	99.7	70 - 127	
1,2-Dichlorobenzene	0.0250	0.0250	99.9	75 - 122	
n-Butylbenzene	0.0250	0.0275	110	63 - 142	
1,2-Dibromo-3-Chloropropane	0.0250	0.0212	84.7	55 - 134	
1,2,4-Trichlorobenzene	0.0250	0.0252	101	65 - 137	
Hexachloro-1,3-butadiene	0.0250	0.0261	104	67 - 135	
Naphthalene	0.0250	0.0258	103	56 - 145	
1,2,3-Trichlorobenzene	0.0250	0.0253	101	63 - 138	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468302
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS16		
Sample Numbers:	L449608-05, -06		

Laboratory Control Sample Duplicate (LCSD)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Dichlorodifluoromethane	0.0250	0.0222	88.8	39 - 189	
Chloromethane	0.0250	0.0232	92.9	45 - 152	
Vinyl chloride	0.0250	0.0220	88.0	55 - 153	
Bromomethane	0.0250	0.0213	85.3	45 - 175	
Chloroethane	0.0250	0.0201	80.3	49 - 155	
Trichlorofluoromethane	0.0250	0.0220	88.1	54 - 156	
Acrolein	0.125	0.123	98.6	6 - 182	
1,1-Dichloroethene	0.0250	0.0237	94.6	60 - 130	
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0250	0.0232	92.8	51 - 149	
Acetone	0.125	0.114	91.3	48 - 134	
Methylene Chloride	0.0250	0.0229	91.6	64 - 125	
Acrylonitrile	0.125	0.130	104	60 - 140	
trans-1,2-Dichloroethene	0.0250	0.0229	91.7	67 - 129	
Methyl tert-butyl ether	0.0250	0.0260	104	51 - 142	
1,1-Dichloroethane	0.0250	0.0231	92.5	67 - 133	
Di-isopropyl ether	0.0250	0.0256	102	63 - 139	
2,2-Dichloropropane	0.0250	0.0248	99.2	46 - 151	
cis-1,2-Dichloroethene	0.0250	0.0242	96.9	72 - 128	
2-Butanone (MEK)	0.125	0.120	96.2	53 - 132	
Chloroform	0.0250	0.0237	94.7	66 - 126	
1,1,1-Trichloroethane	0.0250	0.0236	94.4	67 - 137	
Carbon tetrachloride	0.0250	0.0242	96.9	64 - 141	
1,1-Dichloropropene	0.0250	0.0246	98.6	68 - 132	
Benzene	0.0250	0.0232	92.8	67 - 126	
1,2-Dichloroethane	0.0250	0.0249	99.6	63 - 137	
Trichloroethene	0.0250	0.0251	100	74 - 126	
1,2-Dichloropropane	0.0250	0.0255	102	74 - 122	
Dibromomethane	0.0250	0.0259	104	73 - 125	
Bromodichloromethane	0.0250	0.0263	105	68 - 133	
2-Chloroethyl vinyl ether	0.125	0.136	108	0 - 171	
cis-1,3-Dichloropropene	0.0250	0.0262	105	73 - 131	
4-Methyl-2-pentanone (MIBK)	0.125	0.133	106	60 - 142	
Toluene	0.0250	0.0234	93.8	72 - 122	
trans-1,3-Dichloropropene	0.0250	0.0255	102	66 - 137	
1,1,2-Trichloroethane	0.0250	0.0261	104	79 - 123	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468302
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS16		
Sample Numbers:	L449608-05, -06		

Laboratory Control Sample Duplicate (LCSD)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Tetrachloroethene	0.0250	0.0251	100	67 - 135	
1,3-Dichloropropane	0.0250	0.0253	101	77 - 119	
Chlorodibromomethane	0.0250	0.0276	110	73 - 138	
1,2-Dibromoethane	0.0250	0.0272	109	75 - 126	
Chlorobenzene	0.0250	0.0260	104	77 - 125	
1,1,1,2-Tetrachloroethane	0.0250	0.0255	102	75 - 134	
Ethylbenzene	0.0250	0.0272	109	76 - 129	
m&p-Xylene	0.0500	0.0537	107	74 - 128	
o-Xylene	0.0250	0.0274	110	78 - 128	
Styrene	0.0250	0.0272	109	78 - 130	
Bromoform	0.0250	0.0252	101	60 - 139	
Isopropylbenzene	0.0250	0.0277	111	73 - 132	
Bromobenzene	0.0250	0.0246	98.4	76 - 123	
1,1,2,2-Tetrachloroethane	0.0250	0.0253	101	72 - 128	
1,2,3-Trichloropropane	0.0250	0.0266	106	68 - 130	
n-Propylbenzene	0.0250	0.0251	100	71 - 132	
2-Chlorotoluene	0.0250	0.0278	111	74 - 128	
4-Chlorotoluene	0.0250	0.0264	105	74 - 130	
1,3,5-Trimethylbenzene	0.0250	0.0268	107	73 - 134	
tert-Butylbenzene	0.0250	0.0273	109	72 - 134	
1,2,4-Trimethylbenzene	0.0250	0.0280	112	72 - 135	
sec-Butylbenzene	0.0250	0.0267	107	70 - 135	
1,3-Dichlorobenzene	0.0250	0.0264	106	73 - 131	
p-Isopropyltoluene	0.0250	0.0275	110	68 - 138	
1,4-Dichlorobenzene	0.0250	0.0245	98.2	70 - 121	
1,2,3-Trimethylbenzene	0.0250	0.0252	101	70 - 127	
1,2-Dichlorobenzene	0.0250	0.0257	103	75 - 122	
n-Butylbenzene	0.0250	0.0276	110	63 - 142	
1,2-Dibromo-3-Chloropropane	0.0250	0.0232	92.9	55 - 134	
1,2,4-Trichlorobenzene	0.0250	0.0265	106	65 - 137	
Hexachloro-1,3-butadiene	0.0250	0.0259	104	67 - 135	
Naphthalene	0.0250	0.0276	111	56 - 145	
1,2,3-Trichlorobenzene	0.0250	0.0267	107	63 - 138	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468372
Analysis Date:	3/18/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -03, -04, -02		

Laboratory Control Sample (LCS)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Dichlorodifluoromethane	0.0250	0.0257	103	39 - 189	
Chloromethane	0.0250	0.0269	108	45 - 152	
Vinyl chloride	0.0250	0.0268	107	55 - 153	
Bromomethane	0.0250	0.0290	116	45 - 175	
Chloroethane	0.0250	0.0296	118	49 - 155	
Trichlorofluoromethane	0.0250	0.0343	137	54 - 156	
Acrolein	0.125	0.0291	23.3	6 - 182	
1,1-Dichloroethene	0.0250	0.0245	97.9	60 - 130	
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0250	0.0263	105	51 - 149	
Acetone	0.125	0.125	100.0	48 - 134	
Methylene Chloride	0.0250	0.0246	98.3	64 - 125	
Acrylonitrile	0.125	0.115	92.0	60 - 140	
trans-1,2-Dichloroethene	0.0250	0.0243	97.0	67 - 129	
Methyl tert-butyl ether	0.0250	0.0218	87.3	51 - 142	
1,1-Dichloroethane	0.0250	0.0257	103	67 - 133	
Di-isopropyl ether	0.0250	0.0247	98.8	63 - 139	
2,2-Dichloropropane	0.0250	0.0262	105	46 - 151	
cis-1,2-Dichloroethene	0.0250	0.0253	101	72 - 128	
2-Butanone (MEK)	0.125	0.113	90.3	53 - 132	
Chloroform	0.0250	0.0259	104	66 - 126	
1,1,1-Trichloroethane	0.0250	0.0282	113	67 - 137	
Carbon tetrachloride	0.0250	0.0301	120	64 - 141	
1,1-Dichloropropene	0.0250	0.0276	110	68 - 132	
Benzene	0.0250	0.0260	104	67 - 126	
1,2-Dichloroethane	0.0250	0.0256	102	63 - 137	
Trichloroethene	0.0250	0.0256	102	74 - 126	
1,2-Dichloropropane	0.0250	0.0252	101	74 - 122	
Dibromomethane	0.0250	0.0240	96.0	73 - 125	
Bromodichloromethane	0.0250	0.0277	111	68 - 133	
2-Chloroethyl vinyl ether	0.125	0.115	92.0	0 - 171	
cis-1,3-Dichloropropene	0.0250	0.0256	102	73 - 131	
4-Methyl-2-pentanone (MIBK)	0.125	0.108	86.7	60 - 142	
Toluene	0.0250	0.0256	103	72 - 122	
trans-1,3-Dichloropropene	0.0250	0.0255	102	66 - 137	
1,1,2-Trichloroethane	0.0250	0.0243	97.2	79 - 123	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468372
Analysis Date:	3/18/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -03, -04, -02		

Laboratory Control Sample (LCS)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Tetrachloroethene	0.0250	0.0267	107	67 - 135	
1,3-Dichloropropane	0.0250	0.0235	93.9	77 - 119	
Chlorodibromomethane	0.0250	0.0257	103	73 - 138	
1,2-Dibromoethane	0.0250	0.0234	93.4	75 - 126	
Chlorobenzene	0.0250	0.0265	106	77 - 125	
1,1,1,2-Tetrachloroethane	0.0250	0.0265	106	75 - 134	
Ethylbenzene	0.0250	0.0272	109	76 - 129	
m&p-Xylene	0.0500	0.0541	108	74 - 128	
o-Xylene	0.0250	0.0274	109	78 - 128	
Styrene	0.0250	0.0289	116	78 - 130	
Bromoform	0.0250	0.0223	89.2	60 - 139	
Isopropylbenzene	0.0250	0.0265	106	73 - 132	
Bromobenzene	0.0250	0.0269	108	76 - 123	
1,1,2,2-Tetrachloroethane	0.0250	0.0255	102	72 - 128	
1,2,3-Trichloropropane	0.0250	0.0238	95.4	68 - 130	
n-Propylbenzene	0.0250	0.0284	114	71 - 132	
2-Chlorotoluene	0.0250	0.0284	114	74 - 128	
4-Chlorotoluene	0.0250	0.0283	113	74 - 130	
1,3,5-Trimethylbenzene	0.0250	0.0287	115	73 - 134	
tert-Butylbenzene	0.0250	0.0291	116	72 - 134	
1,2,4-Trimethylbenzene	0.0250	0.0291	117	72 - 135	
sec-Butylbenzene	0.0250	0.0298	119	70 - 135	
1,3-Dichlorobenzene	0.0250	0.0279	111	73 - 131	
p-Isopropyltoluene	0.0250	0.0293	117	68 - 138	
1,4-Dichlorobenzene	0.0250	0.0249	99.4	70 - 121	
1,2,3-Trimethylbenzene	0.0250	0.0263	105	70 - 127	
1,2-Dichlorobenzene	0.0250	0.0253	101	75 - 122	
n-Butylbenzene	0.0250	0.0281	112	63 - 142	
1,2-Dibromo-3-Chloropropane	0.0250	0.0218	87.1	55 - 134	
1,2,4-Trichlorobenzene	0.0250	0.0295	118	65 - 137	
Hexachloro-1,3-butadiene	0.0250	0.0435	174	67 - 135	J4
Naphthalene	0.0250	0.0333	133	56 - 145	
1,2,3-Trichlorobenzene	0.0250	0.0433	173	63 - 138	J4

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468372
Analysis Date:	3/18/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -03, -04, -02		

Laboratory Control Sample Duplicate (LCSD)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Dichlorodifluoromethane	0.0250	0.0234	93.4	39 - 189	
Chloromethane	0.0250	0.0246	98.3	45 - 152	
Vinyl chloride	0.0250	0.0243	97.0	55 - 153	
Bromomethane	0.0250	0.0264	105	45 - 175	
Chloroethane	0.0250	0.0272	109	49 - 155	
Trichlorofluoromethane	0.0250	0.0312	125	54 - 156	
Acrolein	0.125	0.0253	20.3	6 - 182	
1,1-Dichloroethene	0.0250	0.0226	90.4	60 - 130	
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0250	0.0242	96.6	51 - 149	
Acetone	0.125	0.124	99.2	48 - 134	
Methylene Chloride	0.0250	0.0234	93.5	64 - 125	
Acrylonitrile	0.125	0.112	89.2	60 - 140	
trans-1,2-Dichloroethene	0.0250	0.0228	91.2	67 - 129	
Methyl tert-butyl ether	0.0250	0.0209	83.5	51 - 142	
1,1-Dichloroethane	0.0250	0.0245	98.0	67 - 133	
Di-isopropyl ether	0.0250	0.0239	95.5	63 - 139	
2,2-Dichloropropane	0.0250	0.0245	98.1	46 - 151	
cis-1,2-Dichloroethene	0.0250	0.0239	95.8	72 - 128	
2-Butanone (MEK)	0.125	0.109	87.6	53 - 132	
Chloroform	0.0250	0.0245	98.0	66 - 126	
1,1,1-Trichloroethane	0.0250	0.0262	105	67 - 137	
Carbon tetrachloride	0.0250	0.0284	114	64 - 141	
1,1-Dichloropropene	0.0250	0.0256	103	68 - 132	
Benzene	0.0250	0.0246	98.2	67 - 126	
1,2-Dichloroethane	0.0250	0.0241	96.3	63 - 137	
Trichloroethene	0.0250	0.0247	98.8	74 - 126	
1,2-Dichloropropane	0.0250	0.0244	97.7	74 - 122	
Dibromomethane	0.0250	0.0232	92.6	73 - 125	
Bromodichloromethane	0.0250	0.0267	107	68 - 133	
2-Chloroethyl vinyl ether	0.125	0.112	89.2	0 - 171	
cis-1,3-Dichloropropene	0.0250	0.0248	99.2	73 - 131	
4-Methyl-2-pentanone (MIBK)	0.125	0.105	84.3	60 - 142	
Toluene	0.0250	0.0247	98.6	72 - 122	
trans-1,3-Dichloropropene	0.0250	0.0250	99.8	66 - 137	
1,1,2-Trichloroethane	0.0250	0.0234	93.6	79 - 123	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468372
Analysis Date:	3/18/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -03, -04, -02		

Laboratory Control Sample Duplicate (LCSD)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Tetrachloroethene	0.0250	0.0248	99.0	67 - 135	
1,3-Dichloropropane	0.0250	0.0225	90.2	77 - 119	
Chlorodibromomethane	0.0250	0.0251	100	73 - 138	
1,2-Dibromoethane	0.0250	0.0229	91.5	75 - 126	
Chlorobenzene	0.0250	0.0255	102	77 - 125	
1,1,1,2-Tetrachloroethane	0.0250	0.0259	104	75 - 134	
Ethylbenzene	0.0250	0.0262	105	76 - 129	
m&p-Xylene	0.0500	0.0522	104	74 - 128	
o-Xylene	0.0250	0.0262	105	78 - 128	
Styrene	0.0250	0.0273	109	78 - 130	
Bromoform	0.0250	0.0221	88.3	60 - 139	
Isopropylbenzene	0.0250	0.0252	101	73 - 132	
Bromobenzene	0.0250	0.0258	103	76 - 123	
1,1,2,2-Tetrachloroethane	0.0250	0.0247	99.0	72 - 128	
1,2,3-Trichloropropane	0.0250	0.0226	90.4	68 - 130	
n-Propylbenzene	0.0250	0.0272	109	71 - 132	
2-Chlorotoluene	0.0250	0.0273	109	74 - 128	
4-Chlorotoluene	0.0250	0.0272	109	74 - 130	
1,3,5-Trimethylbenzene	0.0250	0.0274	110	73 - 134	
tert-Butylbenzene	0.0250	0.0276	110	72 - 134	
1,2,4-Trimethylbenzene	0.0250	0.0279	112	72 - 135	
sec-Butylbenzene	0.0250	0.0283	113	70 - 135	
1,3-Dichlorobenzene	0.0250	0.0267	107	73 - 131	
p-Isopropyltoluene	0.0250	0.0281	112	68 - 138	
1,4-Dichlorobenzene	0.0250	0.0242	96.9	70 - 121	
1,2,3-Trimethylbenzene	0.0250	0.0257	103	70 - 127	
1,2-Dichlorobenzene	0.0250	0.0250	99.9	75 - 122	
n-Butylbenzene	0.0250	0.0273	109	63 - 142	
1,2-Dibromo-3-Chloropropane	0.0250	0.0219	87.5	55 - 134	
1,2,4-Trichlorobenzene	0.0250	0.0298	119	65 - 137	
Hexachloro-1,3-butadiene	0.0250	0.0436	174	67 - 135	J4
Naphthalene	0.0250	0.0340	136	56 - 145	
1,2,3-Trichlorobenzene	0.0250	0.0447	179	63 - 138	J4

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468205
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -02, -04		

Surrogate Summary

Laboratory Sample ID	Dibromofluoromethane		Toluene-d8		4-Bromofluorobenzene		Alternate Surrogate a,a,a-Trifluorotoluene	
	ppb	% Rec	ppb	% Rec	ppb	% Rec	ppb	% Rec
LCS WG468205	40.3	101	41.0	102	41.3	103	40.8	102
LCSD WG468205	40.2	100	40.8	102	41.5	104	40.8	102
MS WG468205	40.5	101	41.1	103	40.6	101	41.2	103
MSD WG468205	40.4	101	41.1	103	41.0	102	41.4	104
Blank WG468205	40.1	100	40.5	101	40.8	102	41.5	104
L449608-01	41.9	105	41.3	103	69.6	174	*	42.4
L449608-02	47.1	118	40.9	102	40.2	100	34.7	86.7
L449608-04	44.1	110	41.1	103	40.4	101	41.0	102

Dibromofluoromethane	40 ppb	79 - 125
Toluene - d8	40 ppb	87 - 114
4-Bromofluorobenzene	40 ppb	75 - 128
Alternate Surrogate		
a,a,a-Trifluorotoluene	40 ppb	84 - 114

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468302
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS16		
Sample Numbers:	L449608-05, -06		

Surrogate Summary

Laboratory Sample ID	Dibromofluoromethane		Toluene-d8		4-Bromofluorobenzene		Alternate Surrogate a,a,a-Trifluorotoluene	
	ppb	% Rec	ppb	% Rec	ppb	% Rec	ppb	% Rec
LCS WG468302	40.4	101	39.9	99.6	42.8	107	41.2	103
LCSD WG468302	40.3	101	40.4	101	43.1	108	41.7	104
MS WG468302	39.6	98.9	40.2	100	42.5	106	42.0	105
MSD WG468302	40.0	100	40.3	101	43.6	109	42.0	105
Blank WG468302	40.8	102	41.0	102	41.6	104	42.3	106
L449608-05	40.2	100	40.1	100	43.8	110	42.2	105
L449608-06	39.8	99.5	40.1	100	43.4	109	42.1	105

Dibromofluoromethane	40 ppb	79 - 125
Toluene - d8	40 ppb	87 - 114
4-Bromofluorobenzene	40 ppb	75 - 128
Alternate Surrogate		
a,a,a-Trifluorotoluene	40 ppb	84 - 114

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468372
Analysis Date:	3/18/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -03, -04, -02		

Surrogate Summary

Laboratory Sample ID	Dibromofluoromethane		Toluene-d8		4-Bromofluorobenzene		Alternate Surrogate a,a,a-Trifluorotoluene	
	ppb	% Rec	ppb	% Rec	ppb	% Rec	ppb	% Rec
LCS WG468372	41.2	103	41.6	104	43.0	107	42.1	105
LCSD WG468372	40.2	100	41.6	104	42.6	107	42.0	105
MS WG468372	40.6	101	41.2	103	42.8	107	42.1	105
MSD WG468372	40.4	101	41.5	104	43.1	108	41.6	104
Blank WG468372	40.4	101	40.4	101	41.8	104	41.7	104
L449608-03	40.5	101	40.7	102	41.8	105	42.3	106
L449608-01	40.6	102	40.7	102	41.6	104	42.2	106
L449608-02	39.2	98.0	40.9	102	41.2	103	42.7	107
L449608-04	40.1	100	40.8	102	41.6	104	42.7	107

Dibromofluoromethane	40 ppb	79 - 125
Toluene - d8	40 ppb	87 - 114
4-Bromofluorobenzene	40 ppb	75 - 128
Alternate Surrogate		
a,a,a-Trifluorotoluene	40 ppb	84 - 114

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468612
Analysis Date:	3/19/2010	Analyst:	126
Instrument ID:	VOCMS21		
Sample Numbers:	L449608-06		

Surrogate Summary

Laboratory Sample ID	Dibromofluoromethane		Toluene-d8		4-Bromofluorobenzene		Alternate Surrogate a,a,a-Trifluorotoluene	
	ppb	% Rec	ppb	% Rec	ppb	% Rec	ppb	% Rec
LCS WG468612	41.2	103	40.1	100	39.1	97.9	42.4	106
LCSD WG468612	41.3	103	40.7	102	41.4	103	42.2	105
MS WG468612	41.5	104	40.6	102	39.5	98.7	42.6	107
MSD WG468612	42.1	105	39.7	99.2	40.5	101	41.9	105
Blank WG468612	43.9	110	40.8	102	39.3	98.2	43.3	108
L449608-06	44.9	112	41.2	103	38.1	95.1	42.2	106

Dibromofluoromethane	40 ppb	79 - 125
Toluene - d8	40 ppb	87 - 114
4-Bromofluorobenzene	40 ppb	75 - 128
Alternate Surrogate		
a,a,a-Trifluorotoluene	40 ppb	84 - 114

Quality Control Summary

SDG: L449608

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/11/2010

Analysis Date: 3/17/2010

Instrument ID: VOCMS2

Sample Numbers: L449608-01, -02, -04

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG468205

Analyst: 498

Matrix Spike/Matrix Spike Duplicate

L448911-12

Analyte	Spike Value	Sample	MS	% Rec	MSD	% Rec	Control Limits	% Rec Qualifier	% RPD	Control Limits	RPD Qual
Dichlorodifluoromethane	0.500	0.0007	0.522	104	0.501	100	0-200		4.1	26	
Chloromethane	0.500	0.0004	0.502	100	0.484	96.7	10-174		3.8	28	
Vinyl chloride	0.500	0.0897	0.629	108	0.595	101	0-179		5.5	26	
Bromomethane	0.500	0.0000	0.535	107	0.541	108	0-191		1.1	35	
Chloroethane	0.500	0.0000	0.531	106	0.526	105	4-176		0.9	27	
Trichlorofluoromethane	0.500	0.0000	0.644	129	0.614	123	10-177		4.8	24	
Acrolein	2.50	0.0166	0.515	19.9	0.502	19.4	0-179		2.6	39	
1,1-Dichloroethene	0.500	0.0017	0.465	92.7	0.451	89.9	10-162		3.1	23	
1,1,2-Trichloro-1,2,2-	0.500	0.0000	0.497	99.5	0.476	95.1	14-168		4.5	24	
Acetone	2.50	0.0159	2.22	88.2	2.17	86.4	25-157		2.1	26	
Methylene Chloride	0.500	0.0010	0.478	95.5	0.474	94.5	23-151		1.0	21	
Acrylonitrile	2.50	0.0000	2.52	101	2.50	99.9	37-162		0.8	24	
trans-1,2-Dichloroethene	0.500	0.0161	0.475	91.8	0.459	88.5	11-160		3.5	23	
Methyl tert-butyl ether	0.500	0.0000	0.398	79.6	0.398	79.5	24-167		0.2	22	
1,1-Dichloroethane	0.500	0.0000	0.481	96.3	0.466	93.2	30-159		3.2	21	
Di-isopropyl ether	0.500	0.0000	0.475	95.0	0.467	93.5	39-160		1.6	21	
2,2-Dichloropropane	0.500	0.0000	0.499	99.7	0.483	96.6	14-158		3.2	23	
cis-1,2-Dichloroethene	0.500	0.726	1.21	97.5	1.17	88.9	29-156		3.6	22	
2-Butanone (MEK)	2.50	0.0000	2.43	97.2	2.41	96.4	32-151		0.8	26	
Chloroform	0.500	0.0000	0.482	96.3	0.471	94.1	37-147		2.3	21	
1,1,1-Trichloroethane	0.500	0.0000	0.504	101	0.485	97.0	31-161		3.8	23	
Carbon tetrachloride	0.500	0.0000	0.561	112	0.532	106	22-168		5.3	24	
1,1-Dichloropropene	0.500	0.0000	0.517	103	0.494	98.8	14-162		4.5	23	
Benzene	0.500	0.0000	0.487	97.4	0.472	94.4	16-158		3.1	21	
1,2-Dichloroethane	0.500	0.0000	0.502	100	0.497	99.5	29-167		0.8	21	
Trichloroethene	0.500	0.0565	0.560	101	0.544	97.6	18-163		2.8	21	
1,2-Dichloropropane	0.500	0.0000	0.507	101	0.501	100	39-148		1.3	20	
Dibromomethane	0.500	0.0000	0.501	100	0.501	100	36-152		0.0	20	
Bromodichloromethane	0.500	0.0013	0.551	110	0.542	108	45-147		1.5	20	
2-Chloroethyl vinyl ether	2.50	0.0000	1.75	70.2	1.47	58.7	0-175		18	75	
cis-1,3-Dichloropropene	0.500	0.0003	0.530	106	0.528	106	35-148		0.3	21	
4-Methyl-2-pentanone	2.50	0.0000	2.49	99.8	2.51	100	40-160		0.4	28	
Toluene	0.500	0.0000	0.490	98.1	0.480	95.9	22-152		2.3	22	
trans-1,3-Dichloropropene	0.500	0.0141	0.535	104	0.540	105	33-153		0.9	22	
1,1,2-Trichloroethane	0.500	0.0005	0.495	99.0	0.511	102	46-145		3.1	20	
1,3-Dichloropropane	0.500	0.0011	0.478	95.3	0.487	97.2	44-142		1.9	20	
Chlorodibromomethane	0.500	0.0000	0.532	106	0.549	110	48-151		3.1	21	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468205
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -02, -04		

Matrix Spike/Matrix Spike Duplicate

L448911-12

Analyte	Spike Value	Sample	MS	% Rec	MSD	% Rec	Control Limits	% Rec Qualifier	% RPD	Control Limits	RPD Qual
1,2-Dibromoethane	0.500	0.0000	0.491	98.2	0.506	101	41-149		3.0	21	
Chlorobenzene	0.500	0.0000	0.504	101	0.504	101	33-148		0.1	22	
1,1,1,2-Tetrachloroethane	0.500	0.0000	0.513	103	0.517	103	45-152		0.8	21	
Ethylbenzene	0.500	0.0000	0.504	101	0.502	100	29-150		0.3	24	
m&p-Xylene	1.00	0.0000	0.997	99.7	0.997	99.7	24-151		0.1	23	
o-Xylene	0.500	0.0000	0.503	101	0.508	102	32-151		0.9	23	
Styrene	0.500	0.0000	0.538	108	0.546	109	38-149		1.3	23	
Bromoform	0.500	0.0000	0.484	96.8	0.501	100	38-152		3.4	20	
Isopropylbenzene	0.500	0.0000	0.473	94.6	0.473	94.7	35-147		0.1	25	
Bromobenzene	0.500	0.0000	0.489	97.8	0.496	99.1	37-147		1.4	23	
1,1,2,2-Tetrachloroethane	0.500	0.0005	0.513	103	0.533	106	49-149		3.7	22	
1,2,3-Trichloropropane	0.500	0.0000	0.482	96.3	0.500	100	48-148		3.8	23	
n-Propylbenzene	0.500	0.0000	0.499	99.8	0.498	99.5	26-150		0.3	25	
2-Chlorotoluene	0.500	0.0000	0.492	98.5	0.497	99.4	35-147		0.9	24	
4-Chlorotoluene	0.500	0.0000	0.494	98.9	0.500	99.9	33-147		1.0	25	
1,3,5-Trimethylbenzene	0.500	0.0000	0.484	96.8	0.489	97.9	33-149		1.1	26	
tert-Butylbenzene	0.500	0.0003	0.487	97.3	0.489	97.8	36-149		0.5	26	
1,2,4-Trimethylbenzene	0.500	0.0000	0.488	97.6	0.492	98.5	29-153		0.9	27	
sec-Butylbenzene	0.500	0.0000	0.488	97.7	0.493	98.6	32-149		1.0	26	
1,3-Dichlorobenzene	0.500	0.0004	0.466	93.2	0.478	95.6	32-148		2.6	24	
p-Isopropyltoluene	0.500	0.0003	0.473	94.6	0.480	95.9	28-151		1.4	27	
1,4-Dichlorobenzene	0.500	0.0004	0.485	96.8	0.476	95.2	32-136		1.7	23	
1,2,3-Trimethylbenzene	0.500	0.0000	0.495	99.1	0.490	97.9	36-141		1.2	25	
1,2-Dichlorobenzene	0.500	0.0000	0.487	97.4	0.486	97.2	40-139		0.2	23	
n-Butylbenzene	0.500	0.0000	0.502	100	0.492	98.4	22-151		2.0	29	
1,2-Dibromo-3-	0.500	0.0000	0.475	95.0	0.478	95.5	37-148		0.5	27	
1,2,4-Trichlorobenzene	0.500	0.0004	0.413	82.5	0.426	85.2	27-142		3.2	30	
Hexachloro-1,3-butadiene	0.500	0.0000	0.484	96.8	0.515	103	28-144		6.1	33	
Naphthalene	0.500	0.0004	0.465	93.0	0.482	96.3	24-160		3.5	37	
1,2,3-Trichlorobenzene	0.500	0.0010	0.506	101	0.521	104	32-143		2.9	33	

Quality Control Summary

SDG: L449608

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/11/2010

Analysis Date: 3/17/2010

Instrument ID: VOCMS2

Sample Numbers: L449608-01, -02, -04

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG468205

Analyst: 498

Laboratory Control Sample/ Laboratory Control Sample Duplicate

Analyte	Spike	LCS	% Rec	LCS D	% Rec	Control Limits	Qualifier	% RPD	Control Limits	Qualifier
Dichlorodifluoromethane	0.0250	0.0233	93.4	0.0222	89.0	39-189		4.8	24	
Chloromethane	0.0250	0.0244	97.7	0.0234	93.5	45-152		4.4	20	
Vinyl chloride	0.0250	0.0250	99.9	0.0236	94.2	55-153		5.8	20	
Bromomethane	0.0250	0.0253	101	0.0240	96.0	45-175		5.4	20	
Chloroethane	0.0250	0.0262	105	0.0249	99.7	49-155		5.0	20	
Trichlorofluoromethane	0.0250	0.0292	117	0.0280	112	54-156		4.4	20	
Acrolein	0.125	0.0260	20.8	0.0286	22.9	6-182		9.6	39	
1,1-Dichloroethene	0.0250	0.0224	89.5	0.0217	86.7	60-130		3.2	20	
1,1,2-Trichloro-1,2,2-	0.0250	0.0232	92.6	0.0227	90.9	51-149		1.9	20	
Acetone	0.125	0.125	99.7	0.146	117	48-134		16	20	
Methylene Chloride	0.0250	0.0234	93.8	0.0263	105	64-125		11	20	
Acrylonitrile	0.125	0.124	98.9	0.125	100	60-140		1.5	20	
trans-1,2-Dichloroethene	0.0250	0.0272	109	0.0271	108	67-129		0.5	20	
Methyl tert-butyl ether	0.0250	0.0246	98.5	0.0248	99.2	51-142		0.7	20	
1,1-Dichloroethane	0.0250	0.0250	99.9	0.0237	94.7	67-133		5.3	20	
Di-isopropyl ether	0.0250	0.0245	98.0	0.0236	94.5	63-139		3.6	20	
2,2-Dichloropropane	0.0250	0.0256	102	0.0239	95.8	46-151		6.8	20	
cis-1,2-Dichloroethene	0.0250	0.0250	99.9	0.0242	97.0	72-128		3.0	20	
2-Butanone (MEK)	0.125	0.124	99.0	0.126	101	53-132		1.9	20	
Chloroform	0.0250	0.0248	99.0	0.0239	95.4	66-126		3.7	20	
1,1,1-Trichloroethane	0.0250	0.0255	102	0.0244	97.5	67-137		4.6	20	
Carbon tetrachloride	0.0250	0.0280	112	0.0268	107	64-141		4.3	20	
1,1-Dichloropropene	0.0250	0.0262	105	0.0248	99.3	68-132		5.3	20	
Benzene	0.0250	0.0249	99.7	0.0238	95.2	67-126		4.6	20	
1,2-Dichloroethane	0.0250	0.0254	101	0.0248	99.3	63-137		2.1	20	
Trichloroethene	0.0250	0.0257	103	0.0250	100	74-126		2.7	20	
1,2-Dichloropropane	0.0250	0.0259	104	0.0251	101	74-122		2.9	20	
Dibromomethane	0.0250	0.0253	101	0.0256	102	73-125		0.9	20	
Bromodichloromethane	0.0250	0.0281	113	0.0275	110	68-133		2.2	20	
2-Chloroethyl vinyl ether	0.125	0.126	101	0.126	101	0-171		0.1	27	
cis-1,3-Dichloropropene	0.0250	0.0271	108	0.0266	106	73-131		1.9	20	
4-Methyl-2-pentanone	0.125	0.124	99.1	0.127	102	60-142		2.5	20	
Toluene	0.0250	0.0250	99.9	0.0241	96.5	72-122		3.5	20	
trans-1,3-Dichloropropene	0.0250	0.0272	109	0.0269	108	66-137		0.9	20	
1,1,2-Trichloroethane	0.0250	0.0255	102	0.0255	102	79-123		0.0	20	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468205
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -02, -04		

Laboratory Control Sample/		Laboratory Control Sample Duplicate									
Analyte	Spike	LCS	% Rec	LCSD	% Rec	Control Limits	Qualifier	% RPD	Control Limits	Qualifier	
1,3-Dichloropropane	0.0250	0.0245	98.0	0.0245	98.0	77-119		0.0	20		
Chlorodibromomethane	0.0250	0.0277	111	0.0275	110	73-138		0.7	20		
1,2-Dibromoethane	0.0250	0.0254	102	0.0252	101	75-126		0.7	20		
Chlorobenzene	0.0250	0.0263	105	0.0254	102	77-125		3.6	20		
1,1,1,2-Tetrachloroethane	0.0250	0.0270	108	0.0263	105	75-134		2.4	20		
Ethylbenzene	0.0250	0.0264	106	0.0251	100	76-129		5.2	20		
m&p-Xylene	0.0500	0.0526	105	0.0504	101	74-128		4.3	20		
o-Xylene	0.0250	0.0270	108	0.0259	103	78-128		4.2	20		
Styrene	0.0250	0.0286	114	0.0275	110	78-130		4.2	20		
Bromoform	0.0250	0.0252	101	0.0256	102	60-139		1.7	20		
Isopropylbenzene	0.0250	0.0250	100	0.0242	96.7	73-132		3.4	20		
Bromobenzene	0.0250	0.0260	104	0.0254	102	76-123		2.3	20		
1,1,2,2-Tetrachloroethane	0.0250	0.0269	108	0.0273	109	72-128		1.4	20		
1,2,3-Trichloropropane	0.0250	0.0250	100.0	0.0254	102	68-130		1.7	20		
n-Propylbenzene	0.0250	0.0264	106	0.0256	102	71-132		3.0	20		
2-Chlorotoluene	0.0250	0.0266	107	0.0261	104	74-128		2.1	20		
4-Chlorotoluene	0.0250	0.0266	106	0.0259	103	74-130		2.7	20		
1,3,5-Trimethylbenzene	0.0250	0.0266	106	0.0261	104	73-134		2.1	20		
tert-Butylbenzene	0.0250	0.0271	108	0.0266	107	72-134		1.7	20		
1,2,4-Trimethylbenzene	0.0250	0.0267	107	0.0264	106	72-135		1.3	20		
sec-Butylbenzene	0.0250	0.0272	109	0.0268	107	70-135		1.4	20		
1,3-Dichlorobenzene	0.0250	0.0261	104	0.0260	104	73-131		0.5	20		
p-Isopropyltoluene	0.0250	0.0269	108	0.0268	107	68-138		0.3	20		
1,4-Dichlorobenzene	0.0250	0.0248	99.0	0.0242	96.9	70-121		2.2	20		
1,2,3-Trimethylbenzene	0.0250	0.0258	103	0.0254	101	70-127		1.8	20		
1,2-Dichlorobenzene	0.0250	0.0255	102	0.0254	102	75-122		0.4	20		
n-Butylbenzene	0.0250	0.0266	106	0.0261	104	63-142		2.0	20		
1,2-Dibromo-3-	0.0250	0.0239	95.6	0.0272	109	55-134		13	20		
1,2,4-Trichlorobenzene	0.0250	0.0226	90.2	0.0298	119	65-137		28	20		J3
Hexachloro-1,3-butadiene	0.0250	0.0331	132	0.0434	174	67-135	J4	27	20		J3
Naphthalene	0.0250	0.0233	93.3	0.0379	151	56-145	J4	48	20		J3
1,2,3-Trichlorobenzene	0.0250	0.0260	104	0.0498	199	63-138	J4	63	20		J3

Quality Control Summary

SDG: L449608

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/11/2010

Analysis Date: 3/17/2010

Instrument ID: VOCMS16

Sample Numbers: L449608-05, -06

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG468302

Analyst: 498

Matrix Spike/Matrix Spike Duplicate

L449547-03

Analyte	Spike Value	Sample	MS	% Rec	MSD	% Rec	Control Limits	% Rec Qualifier	% RPD	Control Limits	RPD Qual
Dichlorodifluoromethane	0.125	0.0000	0.0857	68.6	0.0908	72.7	0-200		5.8	26	
Chloromethane	0.125	0.0000	0.101	80.7	0.106	84.7	10-174		4.8	28	
Vinyl chloride	0.125	0.0000	0.130	104	0.135	108	0-179		3.8	26	
Bromomethane	0.125	0.0000	0.0963	77.1	0.105	83.8	0-191		8.4	35	
Chloroethane	0.125	0.0000	0.0959	76.7	0.0986	78.8	4-176		2.7	27	
Trichlorofluoromethane	0.125	0.0000	0.106	84.5	0.114	91.5	10-177		7.9	24	
Acrolein	0.625	0.229	0.118	-17.8	0.132	-15.5	0-179	J6	11	39	
1,1-Dichloroethene	0.125	0.0000	0.101	80.5	0.112	89.5	10-162		11	23	
1,1,2-Trichloro-1,2,2-	0.125	0.0000	0.101	81.0	0.108	86.0	14-168		6.0	24	
Acetone	0.625	0.187	0.500	50.0	0.524	53.8	25-157		4.6	26	
Methylene Chloride	0.125	0.0000	0.105	84.4	0.114	90.9	23-151		7.5	21	
Acrylonitrile	0.625	0.0000	0.565	90.4	0.595	95.1	37-162		5.1	24	
trans-1,2-Dichloroethene	0.125	0.0000	0.109	87.6	0.118	94.6	11-160		7.7	23	
Methyl tert-butyl ether	0.125	0.0000	0.115	91.8	0.121	96.5	24-167		5.0	22	
1,1-Dichloroethane	0.125	0.0000	0.107	85.3	0.115	92.1	30-159		7.6	21	
Di-isopropyl ether	0.125	0.0000	0.116	92.7	0.122	97.4	39-160		4.9	21	
2,2-Dichloropropane	0.125	0.0000	0.118	94.2	0.127	102	14-158		7.8	23	
cis-1,2-Dichloroethene	0.125	0.0000	0.264	211	0.286	229	29-156	J5	8.0	22	
2-Butanone (MEK)	0.625	0.0188	0.537	82.9	0.567	87.7	32-151		5.4	26	
Chloroform	0.125	0.0000	0.109	87.2	0.118	94.2	37-147		7.7	21	
1,1,1-Trichloroethane	0.125	0.0000	0.114	90.9	0.123	98.6	31-161		8.1	23	
Carbon tetrachloride	0.125	0.0000	0.112	89.4	0.121	96.7	22-168		7.8	24	
1,1-Dichloropropene	0.125	0.0000	0.118	94.5	0.128	103	14-162		8.2	23	
Benzene	0.125	0.0041	0.108	82.9	0.116	89.5	16-158		7.3	21	
1,2-Dichloroethane	0.125	0.0000	0.117	93.6	0.123	98.6	29-167		5.3	21	
Trichloroethene	0.125	0.0000	0.144	115	0.155	124	18-163		7.1	21	
1,2-Dichloropropane	0.125	0.0000	0.125	99.6	0.141	112	39-148		12	20	
Dibromomethane	0.125	0.0000	0.122	97.6	0.124	99.3	36-152		1.8	20	
Bromodichloromethane	0.125	0.0000	0.133	106	0.137	110	45-147		3.2	20	
2-Chloroethyl vinyl ether	0.625	0.0000	0.278	44.5	0.0707	11.3	0-175		119	75	J3
cis-1,3-Dichloropropene	0.125	0.0000	0.129	103	0.134	107	35-148		3.6	21	
4-Methyl-2-pentanone	0.625	0.0000	0.601	96.1	0.627	100	40-160		4.2	28	
Toluene	0.125	0.0223	0.114	73.0	0.123	80.6	22-152		8.0	22	
trans-1,3-Dichloropropene	0.125	0.0008	0.123	97.8	0.131	104	33-153		6.4	22	
1,1,2-Trichloroethane	0.125	0.0000	0.126	101	0.135	108	46-145		6.9	20	
Tetrachloroethene	0.125	0.0000	0.125	100	0.135	108	13-157		7.5	24	
1,3-Dichloropropane	0.125	0.0000	0.116	92.7	0.129	103	44-142		11	20	

Quality Control Summary

SDG: L449608

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/11/2010

Analysis Date: 3/17/2010

Instrument ID: VOCMS16

Sample Numbers: L449608-05, -06

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG468302

Analyst: 498

Matrix Spike/Matrix Spike Duplicate

L449547-03

Analyte	Spike Value	Sample	MS	% Rec	MSD	% Rec	Control Limits	% Rec Qualifier	% RPD	Control Limits	RPD Qual
Chlorodibromomethane	0.125	0.0000	0.132	106	0.145	116	48-151		9.0	21	
1,2-Dibromoethane	0.125	0.0000	0.128	102	0.138	111	41-149		8.1	21	
Chlorobenzene	0.125	0.0000	0.127	102	0.139	111	33-148		9.2	22	
1,1,1,2-Tetrachloroethane	0.125	0.0000	0.125	99.6	0.139	111	45-152		11	21	
Ethylbenzene	0.125	0.0025	0.131	103	0.148	117	29-150		12	24	
m&p-Xylene	0.250	0.0113	0.260	99.4	0.293	113	24-151		12	23	
o-Xylene	0.125	0.0053	0.135	103	0.149	115	32-151		10	23	
Styrene	0.125	0.0000	0.128	102	0.145	116	38-149		13	23	
Bromoform	0.125	0.0000	0.117	93.8	0.128	103	38-152		9.1	20	
Isopropylbenzene	0.125	0.0000	0.126	101	0.141	112	35-147		11	25	
Bromobenzene	0.125	0.0013	0.120	95.1	0.131	103	37-147		8.3	23	
1,1,2,2-Tetrachloroethane	0.125	0.0000	0.123	98.2	0.133	107	49-149		8.3	22	
1,2,3-Trichloropropane	0.125	0.0000	0.125	100	0.139	111	48-148		10	23	
n-Propylbenzene	0.125	0.0005	0.124	98.8	0.137	109	26-150		9.8	25	
2-Chlorotoluene	0.125	0.0005	0.129	103	0.144	115	35-147		11	24	
4-Chlorotoluene	0.125	0.0000	0.129	103	0.142	113	33-147		9.4	25	
1,3,5-Trimethylbenzene	0.125	0.0012	0.133	105	0.148	117	33-149		10	26	
tert-Butylbenzene	0.125	0.0005	0.136	108	0.151	120	36-149		11	26	
1,2,4-Trimethylbenzene	0.125	0.0040	0.140	109	0.153	119	29-153		8.4	27	
sec-Butylbenzene	0.125	0.0000	0.134	107	0.151	120	32-149		12	26	
1,3-Dichlorobenzene	0.125	0.0000	0.127	102	0.139	111	32-148		8.8	24	
p-Isopropyltoluene	0.125	0.0000	0.136	109	0.150	120	28-151		9.8	27	
1,4-Dichlorobenzene	0.125	0.0000	0.115	91.9	0.122	97.3	32-136		5.8	23	
1,2,3-Trimethylbenzene	0.125	0.0021	0.129	101	0.136	107	36-141		5.1	25	
1,2-Dichlorobenzene	0.125	0.0000	0.127	102	0.133	107	40-139		4.5	23	
n-Butylbenzene	0.125	0.0000	0.140	112	0.146	117	22-151		4.6	29	
1,2-Dibromo-3-	0.125	0.0000	0.112	89.5	0.113	90.4	37-148		1.1	27	
1,2,4-Trichlorobenzene	0.125	0.0000	0.123	98.1	0.127	102	27-142		3.5	30	
Hexachloro-1,3-butadiene	0.125	0.0000	0.140	112	0.148	118	28-144		5.1	33	
Naphthalene	0.125	0.0000	0.131	104	0.137	110	24-160		4.8	37	
1,2,3-Trichlorobenzene	0.125	0.0000	0.126	100	0.127	102	32-143		1.4	33	

Quality Control Summary

SDG: L449608

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/11/2010

Analysis Date: 3/17/2010

Instrument ID: VOCMS16

Sample Numbers: L449608-05, -06

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG468302

Analyst: 498

Laboratory Control Sample/ Laboratory Control Sample Duplicate

Analyte	Spike	LCS	% Rec	LCSD	% Rec	Control Limits	Qualifier	% RPD	Control Limits	Qualifier
Dichlorodifluoromethane	0.0250	0.0229	91.8	0.0222	88.8	39-189		3.3	24	
Chloromethane	0.0250	0.0244	97.4	0.0232	92.9	45-152		4.8	20	
Vinyl chloride	0.0250	0.0232	92.8	0.0220	88.0	55-153		5.4	20	
Bromomethane	0.0250	0.0213	85.3	0.0213	85.3	45-175		0.1	20	
Chloroethane	0.0250	0.0213	85.4	0.0201	80.3	49-155		6.1	20	
Trichlorofluoromethane	0.0250	0.0232	92.7	0.0220	88.1	54-156		5.1	20	
Acrolein	0.125	0.109	87.6	0.123	98.6	6-182		12	39	
1,1-Dichloroethene	0.0250	0.0245	97.9	0.0237	94.6	60-130		3.4	20	
1,1,2-Trichloro-1,2,2-	0.0250	0.0247	98.8	0.0232	92.8	51-149		6.3	20	
Acetone	0.125	0.109	87.0	0.114	91.3	48-134		4.8	20	
Methylene Chloride	0.0250	0.0233	93.1	0.0229	91.6	64-125		1.6	20	
Acrylonitrile	0.125	0.123	98.2	0.130	104	60-140		5.9	20	
trans-1,2-Dichloroethene	0.0250	0.0239	95.5	0.0229	91.7	67-129		4.1	20	
Methyl tert-butyl ether	0.0250	0.0252	101	0.0260	104	51-142		3.3	20	
1,1-Dichloroethane	0.0250	0.0234	93.8	0.0231	92.5	67-133		1.4	20	
Di-isopropyl ether	0.0250	0.0253	101	0.0256	102	63-139		1.3	20	
2,2-Dichloropropane	0.0250	0.0252	101	0.0248	99.2	46-151		1.7	20	
cis-1,2-Dichloroethene	0.0250	0.0245	97.9	0.0242	96.9	72-128		1.0	20	
2-Butanone (MEK)	0.125	0.113	90.5	0.120	96.2	53-132		6.1	20	
Chloroform	0.0250	0.0236	94.3	0.0237	94.7	66-126		0.4	20	
1,1,1-Trichloroethane	0.0250	0.0244	97.4	0.0236	94.4	67-137		3.1	20	
Carbon tetrachloride	0.0250	0.0234	93.6	0.0242	96.9	64-141		3.5	20	
1,1-Dichloropropene	0.0250	0.0252	101	0.0246	98.6	68-132		2.3	20	
Benzene	0.0250	0.0234	93.5	0.0232	92.8	67-126		0.8	20	
1,2-Dichloroethane	0.0250	0.0242	97.0	0.0249	99.6	63-137		2.7	20	
Trichloroethene	0.0250	0.0248	99.2	0.0251	100	74-126		1.2	20	
1,2-Dichloropropane	0.0250	0.0251	100	0.0255	102	74-122		1.5	20	
Dibromomethane	0.0250	0.0247	98.9	0.0259	104	73-125		4.6	20	
Bromodichloromethane	0.0250	0.0256	102	0.0263	105	68-133		2.6	20	
2-Chloroethyl vinyl ether	0.125	0.133	106	0.136	108	0-171		1.9	27	
cis-1,3-Dichloropropene	0.0250	0.0251	100	0.0262	105	73-131		4.3	20	
4-Methyl-2-pentanone	0.125	0.125	99.8	0.133	106	60-142		6.1	20	
Toluene	0.0250	0.0234	93.6	0.0234	93.8	72-122		0.2	20	
trans-1,3-Dichloropropene	0.0250	0.0250	100	0.0255	102	66-137		2.1	20	
1,1,2-Trichloroethane	0.0250	0.0253	101	0.0261	104	79-123		3.0	20	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468302
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS16		
Sample Numbers:	L449608-05, -06		

Laboratory Control Sample/		Laboratory Control Sample Duplicate									
Analyte	Spike	LCS	% Rec	LCSD	% Rec	Control Limits	Qualifier	% RPD	Control Limits	Qualifier	
Tetrachloroethene	0.0250	0.0251	100	0.0251	100	67-135		0.0	20		
1,3-Dichloropropane	0.0250	0.0245	98.1	0.0253	101	77-119		3.0	20		
Chlorodibromomethane	0.0250	0.0266	106	0.0276	110	73-138		3.9	20		
1,2-Dibromoethane	0.0250	0.0261	104	0.0272	109	75-126		3.9	20		
Chlorobenzene	0.0250	0.0255	102	0.0260	104	77-125		1.9	20		
1,1,1,2-Tetrachloroethane	0.0250	0.0248	99.1	0.0255	102	75-134		2.9	20		
Ethylbenzene	0.0250	0.0274	110	0.0272	109	76-129		0.7	20		
m&p-Xylene	0.0500	0.0544	109	0.0537	107	74-128		1.3	20		
o-Xylene	0.0250	0.0274	110	0.0274	110	78-128		0.0	20		
Styrene	0.0250	0.0261	104	0.0272	109	78-130		3.9	20		
Bromoform	0.0250	0.0239	95.8	0.0252	101	60-139		5.3	20		
Isopropylbenzene	0.0250	0.0278	111	0.0277	111	73-132		0.3	20		
Bromobenzene	0.0250	0.0251	100	0.0246	98.4	76-123		1.8	20		
1,1,2,2-Tetrachloroethane	0.0250	0.0243	97.1	0.0253	101	72-128		4.1	20		
1,2,3-Trichloropropane	0.0250	0.0254	102	0.0266	106	68-130		4.5	20		
n-Propylbenzene	0.0250	0.0253	101	0.0251	100	71-132		0.6	20		
2-Chlorotoluene	0.0250	0.0264	106	0.0278	111	74-128		5.1	20		
4-Chlorotoluene	0.0250	0.0267	107	0.0264	105	74-130		1.2	20		
1,3,5-Trimethylbenzene	0.0250	0.0270	108	0.0268	107	73-134		0.6	20		
tert-Butylbenzene	0.0250	0.0274	109	0.0273	109	72-134		0.3	20		
1,2,4-Trimethylbenzene	0.0250	0.0276	110	0.0280	112	72-135		1.4	20		
sec-Butylbenzene	0.0250	0.0274	110	0.0267	107	70-135		2.5	20		
1,3-Dichlorobenzene	0.0250	0.0262	105	0.0264	106	73-131		0.8	20		
p-Isopropyltoluene	0.0250	0.0276	110	0.0275	110	68-138		0.4	20		
1,4-Dichlorobenzene	0.0250	0.0236	94.2	0.0245	98.2	70-121		4.1	20		
1,2,3-Trimethylbenzene	0.0250	0.0249	99.7	0.0252	101	70-127		0.9	20		
1,2-Dichlorobenzene	0.0250	0.0250	99.9	0.0257	103	75-122		2.8	20		
n-Butylbenzene	0.0250	0.0275	110	0.0276	110	63-142		0.3	20		
1,2-Dibromo-3-	0.0250	0.0212	84.7	0.0232	92.9	55-134		9.2	20		
1,2,4-Trichlorobenzene	0.0250	0.0252	101	0.0265	106	65-137		5.2	20		
Hexachloro-1,3-butadiene	0.0250	0.0261	104	0.0259	104	67-135		0.8	20		
Naphthalene	0.0250	0.0258	103	0.0276	111	56-145		7.1	20		
1,2,3-Trichlorobenzene	0.0250	0.0253	101	0.0267	107	63-138		5.1	20		

Quality Control Summary

SDG: L449608

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/11/2010

Analysis Date: 3/18/2010

Instrument ID: VOCMS2

Sample Numbers: L449608-01, -03, -04, -02

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG468372

Analyst: 498

Matrix Spike/Matrix Spike Duplicate

L449608-03

Analyte	Spike Value	Sample	MS	% Rec	MSD	% Rec	Control Limits	% Rec Qualifier	% RPD	Control Limits	RPD Qual
Dichlorodifluoromethane	0.625	0.0000	0.592	94.6	0.555	88.8	0-200		6.3	26	
Chloromethane	0.625	0.0004	0.643	103	0.610	97.6	10-174		5.2	28	
Vinyl chloride	0.625	0.0000	0.594	95.0	0.558	89.3	0-179		6.2	26	
Bromomethane	0.625	0.0000	0.663	106	0.649	104	0-191		2.0	35	
Chloroethane	0.625	0.0000	0.665	106	0.639	102	4-176		4.0	27	
Trichlorofluoromethane	0.625	0.0000	0.709	113	0.655	105	10-177		7.9	24	
Acrolein	3.12	0.0000	0.530	17.0	0.554	17.7	0-179		4.3	39	
1,1-Dichloroethene	0.625	0.0000	0.549	87.8	0.516	82.6	10-162		6.1	23	
1,1,2-Trichloro-1,2,2-	0.625	0.0000	0.552	88.3	0.514	82.2	14-168		7.2	24	
Acetone	3.12	0.0694	3.34	105	2.83	88.4	25-157		16	26	
Methylene Chloride	0.625	0.0009	0.615	98.3	0.561	89.6	23-151		9.2	21	
Acrylonitrile	3.12	0.0000	2.84	90.8	2.76	88.2	37-162		3.0	24	
trans-1,2-Dichloroethene	0.625	0.0000	0.699	112	0.613	98.1	11-160		13	23	
Methyl tert-butyl ether	0.625	0.0000	0.580	92.9	0.544	87.0	24-167		6.5	22	
1,1-Dichloroethane	0.625	0.0000	0.628	101	0.590	94.3	30-159		6.4	21	
Di-isopropyl ether	0.625	0.0000	0.618	98.9	0.582	93.2	39-160		5.9	21	
2,2-Dichloropropane	0.625	0.0000	0.628	100	0.589	94.3	14-158		6.3	23	
cis-1,2-Dichloroethene	0.625	0.0000	0.627	100	0.599	95.9	29-156		4.5	22	
2-Butanone (MEK)	3.12	0.0000	2.76	88.2	2.65	84.9	32-151		3.8	26	
Chloroform	0.625	0.0000	0.631	101	0.599	95.8	37-147		5.2	21	
1,1,1-Trichloroethane	0.625	0.0000	0.643	103	0.601	96.2	31-161		6.7	23	
Carbon tetrachloride	0.625	0.0000	0.683	109	0.641	103	22-168		6.2	24	
1,1-Dichloropropene	0.625	0.0000	0.633	101	0.590	94.3	14-162		7.2	23	
Benzene	0.625	0.0004	0.629	101	0.595	95.1	16-158		5.6	21	
1,2-Dichloroethane	0.625	0.0000	0.622	99.6	0.600	96.0	29-167		3.7	21	
Trichloroethene	0.625	0.0289	0.648	99.1	0.612	93.2	18-163		5.8	21	
1,2-Dichloropropane	0.625	0.0000	0.634	101	0.605	96.9	39-148		4.6	20	
Dibromomethane	0.625	0.0000	0.595	95.2	0.579	92.6	36-152		2.7	20	
Bromodichloromethane	0.625	0.0012	0.685	109	0.660	105	45-147		3.7	20	
2-Chloroethyl vinyl ether	3.12	0.0000	1.52	48.5	0.957	30.6	0-175		45	75	
cis-1,3-Dichloropropene	0.625	0.0003	0.648	104	0.620	99.1	35-148		4.4	21	
4-Methyl-2-pentanone	3.12	0.0019	2.68	85.8	2.58	82.4	40-160		4.0	28	
Toluene	0.625	0.0006	0.628	100	0.598	95.7	22-152		4.9	22	
trans-1,3-Dichloropropene	0.625	0.0000	0.627	100	0.608	97.4	33-153		3.0	22	
1,1,2-Trichloroethane	0.625	0.0000	0.608	97.3	0.596	95.3	46-145		2.1	20	
Tetrachloroethene	0.625	1.10	1.69	95.0	1.65	88.7	13-157		2.4	24	
1,3-Dichloropropane	0.625	0.0013	0.583	93.1	0.574	91.6	44-142		1.7	20	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468372
Analysis Date:	3/18/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -03, -04, -02		

Matrix Spike/Matrix Spike Duplicate

L449608-03

Analyte	Spike Value	Sample	MS	% Rec	MSD	% Rec	Control Limits	% Rec Qualifier	% RPD	Control Limits	RPD Qual
Chlorodibromomethane	0.625	0.0000	0.653	105	0.637	102	48-151		2.5	21	
1,2-Dibromoethane	0.625	0.0000	0.595	95.2	0.578	92.4	41-149		3.0	21	
Chlorobenzene	0.625	0.0000	0.663	106	0.640	102	33-148		3.5	22	
1,1,1,2-Tetrachloroethane	0.625	0.0000	0.673	108	0.652	104	45-152		3.2	21	
Ethylbenzene	0.625	0.0000	0.668	107	0.640	102	29-150		4.2	24	
m&p-Xylene	1.25	0.0000	1.34	107	1.28	103	24-151		4.1	23	
o-Xylene	0.625	0.0000	0.682	109	0.656	105	32-151		3.8	23	
Styrene	0.625	0.0000	0.723	116	0.686	110	38-149		5.3	23	
Bromoform	0.625	0.0000	0.565	90.4	0.559	89.5	38-152		1.0	20	
Isopropylbenzene	0.625	0.0000	0.634	101	0.609	97.4	35-147		4.1	25	
Bromobenzene	0.625	0.0048	0.663	105	0.641	102	37-147		3.2	23	
1,1,2,2-Tetrachloroethane	0.625	0.0000	0.647	103	0.641	103	49-149		0.8	22	
1,2,3-Trichloropropane	0.625	0.0000	0.590	94.3	0.567	90.7	48-148		3.9	23	
n-Propylbenzene	0.625	0.0000	0.682	109	0.654	105	26-150		4.1	25	
2-Chlorotoluene	0.625	0.0000	0.698	112	0.674	108	35-147		3.4	24	
4-Chlorotoluene	0.625	0.0000	0.702	112	0.677	108	33-147		3.6	25	
1,3,5-Trimethylbenzene	0.625	0.0000	0.696	111	0.674	108	33-149		3.1	26	
tert-Butylbenzene	0.625	0.0000	0.691	111	0.665	106	36-149		3.8	26	
1,2,4-Trimethylbenzene	0.625	0.0004	0.713	114	0.689	110	29-153		3.4	27	
sec-Butylbenzene	0.625	0.0000	0.696	111	0.673	108	32-149		3.3	26	
1,3-Dichlorobenzene	0.625	0.0003	0.687	110	0.668	107	32-148		2.8	24	
p-Isopropyltoluene	0.625	0.0004	0.698	112	0.678	108	28-151		2.9	27	
1,4-Dichlorobenzene	0.625	0.0005	0.622	99.4	0.596	95.2	32-136		4.3	23	
1,2,3-Trimethylbenzene	0.625	0.0004	0.649	104	0.626	100	36-141		3.6	25	
1,2-Dichlorobenzene	0.625	0.0000	0.634	102	0.615	98.4	40-139		3.1	23	
n-Butylbenzene	0.625	0.0003	0.672	107	0.639	102	22-151		5.0	29	
1,2-Dibromo-3-	0.625	0.0000	0.534	85.4	0.545	87.1	37-148		2.0	27	
1,2,4-Trichlorobenzene	0.625	0.0005	0.734	117	0.726	116	27-142		1.1	30	
Hexachloro-1,3-butadiene	0.625	0.0000	1.03	165	0.996	159	28-144	J5	3.7	33	
Naphthalene	0.625	0.0006	0.809	129	0.832	133	24-160		2.7	37	
1,2,3-Trichlorobenzene	0.625	0.0000	1.05	169	1.09	175	32-143	J5	3.7	33	

Quality Control Summary

SDG: L449608

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/11/2010

Analysis Date: 3/18/2010

Instrument ID: VOCMS2

Sample Numbers: L449608-01, -03, -04, -02

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG468372

Analyst: 498

Laboratory Control Sample/ Laboratory Control Sample Duplicate

Analyte	Spike	LCS	% Rec	LCSD	% Rec	Control Limits	Qualifier	% RPD	Control Limits	Qualifier
Dichlorodifluoromethane	0.0250	0.0257	103	0.0234	93.4	39-189		9.8	24	
Chloromethane	0.0250	0.0269	108	0.0246	98.3	45-152		9.2	20	
Vinyl chloride	0.0250	0.0268	107	0.0243	97.0	55-153		10	20	
Bromomethane	0.0250	0.0290	116	0.0264	105	45-175		9.5	20	
Chloroethane	0.0250	0.0296	118	0.0272	109	49-155		8.1	20	
Trichlorofluoromethane	0.0250	0.0343	137	0.0312	125	54-156		9.3	20	
Acrolein	0.125	0.0291	23.3	0.0253	20.3	6-182		14	39	
1,1-Dichloroethene	0.0250	0.0245	97.9	0.0226	90.4	60-130		7.9	20	
1,1,2-Trichloro-1,2,2-Acetone	0.0250	0.0263	105	0.0242	96.6	51-149		8.5	20	
Acetone	0.125	0.125	100.0	0.124	99.2	48-134		0.8	20	
Methylene Chloride	0.0250	0.0246	98.3	0.0234	93.5	64-125		5.0	20	
Acrylonitrile	0.125	0.115	92.0	0.112	89.2	60-140		3.1	20	
trans-1,2-Dichloroethene	0.0250	0.0243	97.0	0.0228	91.2	67-129		6.2	20	
Methyl tert-butyl ether	0.0250	0.0218	87.3	0.0209	83.5	51-142		4.4	20	
1,1-Dichloroethane	0.0250	0.0257	103	0.0245	98.0	67-133		4.6	20	
Di-isopropyl ether	0.0250	0.0247	98.8	0.0239	95.5	63-139		3.4	20	
2,2-Dichloropropane	0.0250	0.0262	105	0.0245	98.1	46-151		6.5	20	
cis-1,2-Dichloroethene	0.0250	0.0253	101	0.0239	95.8	72-128		5.4	20	
2-Butanone (MEK)	0.125	0.113	90.3	0.109	87.6	53-132		3.0	20	
Chloroform	0.0250	0.0259	104	0.0245	98.0	66-126		5.7	20	
1,1,1-Trichloroethane	0.0250	0.0282	113	0.0262	105	67-137		7.1	20	
Carbon tetrachloride	0.0250	0.0301	120	0.0284	114	64-141		5.8	20	
1,1-Dichloropropene	0.0250	0.0276	110	0.0256	103	68-132		7.2	20	
Benzene	0.0250	0.0260	104	0.0246	98.2	67-126		5.9	20	
1,2-Dichloroethane	0.0250	0.0256	102	0.0241	96.3	63-137		6.0	20	
Trichloroethene	0.0250	0.0256	102	0.0247	98.8	74-126		3.5	20	
1,2-Dichloropropane	0.0250	0.0252	101	0.0244	97.7	74-122		3.3	20	
Dibromomethane	0.0250	0.0240	96.0	0.0232	92.6	73-125		3.6	20	
Bromodichloromethane	0.0250	0.0277	111	0.0267	107	68-133		4.0	20	
2-Chloroethyl vinyl ether	0.125	0.115	92.0	0.112	89.2	0-171		3.1	27	
cis-1,3-Dichloropropene	0.0250	0.0256	102	0.0248	99.2	73-131		3.3	20	
4-Methyl-2-pentanone	0.125	0.108	86.7	0.105	84.3	60-142		2.9	20	
Toluene	0.0250	0.0256	103	0.0247	98.6	72-122		3.9	20	
trans-1,3-Dichloropropene	0.0250	0.0255	102	0.0250	99.8	66-137		2.0	20	
1,1,2-Trichloroethane	0.0250	0.0243	97.2	0.0234	93.6	79-123		3.8	20	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468372
Analysis Date:	3/18/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -03, -04, -02		

Laboratory Control Sample/		Laboratory Control Sample Duplicate							
Analyte	Spike	LCS	% Rec	LCS	% Rec	Control Limits	Qualifier	% RPD	Control Limits
Tetrachloroethene	0.0250	0.0267	107	0.0248	99.0	67-135		7.5	20
1,3-Dichloropropane	0.0250	0.0235	93.9	0.0225	90.2	77-119		4.1	20
Chlorodibromomethane	0.0250	0.0257	103	0.0251	100	73-138		2.5	20
1,2-Dibromoethane	0.0250	0.0234	93.4	0.0229	91.5	75-126		2.0	20
Chlorobenzene	0.0250	0.0265	106	0.0255	102	77-125		3.7	20
1,1,1,2-Tetrachloroethane	0.0250	0.0265	106	0.0259	104	75-134		2.4	20
Ethylbenzene	0.0250	0.0272	109	0.0262	105	76-129		3.8	20
m&p-Xylene	0.0500	0.0541	108	0.0522	104	74-128		3.8	20
o-Xylene	0.0250	0.0274	109	0.0262	105	78-128		4.3	20
Styrene	0.0250	0.0289	116	0.0273	109	78-130		5.5	20
Bromoform	0.0250	0.0223	89.2	0.0221	88.3	60-139		1.0	20
Isopropylbenzene	0.0250	0.0265	106	0.0252	101	73-132		4.9	20
Bromobenzene	0.0250	0.0269	108	0.0258	103	76-123		4.1	20
1,1,2,2-Tetrachloroethane	0.0250	0.0255	102	0.0247	99.0	72-128		2.9	20
1,2,3-Trichloropropane	0.0250	0.0238	95.4	0.0226	90.4	68-130		5.4	20
n-Propylbenzene	0.0250	0.0284	114	0.0272	109	71-132		4.6	20
2-Chlorotoluene	0.0250	0.0284	114	0.0273	109	74-128		4.0	20
4-Chlorotoluene	0.0250	0.0283	113	0.0272	109	74-130		3.9	20
1,3,5-Trimethylbenzene	0.0250	0.0287	115	0.0274	110	73-134		4.4	20
tert-Butylbenzene	0.0250	0.0291	116	0.0276	110	72-134		5.2	20
1,2,4-Trimethylbenzene	0.0250	0.0291	117	0.0279	112	72-135		4.2	20
sec-Butylbenzene	0.0250	0.0298	119	0.0283	113	70-135		5.2	20
1,3-Dichlorobenzene	0.0250	0.0279	111	0.0267	107	73-131		4.3	20
p-Isopropyltoluene	0.0250	0.0293	117	0.0281	112	68-138		4.3	20
1,4-Dichlorobenzene	0.0250	0.0249	99.4	0.0242	96.9	70-121		2.6	20
1,2,3-Trimethylbenzene	0.0250	0.0263	105	0.0257	103	70-127		2.4	20
1,2-Dichlorobenzene	0.0250	0.0253	101	0.0250	99.9	75-122		1.2	20
n-Butylbenzene	0.0250	0.0281	112	0.0273	109	63-142		2.8	20
1,2-Dibromo-3-	0.0250	0.0218	87.1	0.0219	87.5	55-134		0.5	20
1,2,4-Trichlorobenzene	0.0250	0.0295	118	0.0298	119	65-137		1.1	20
Hexachloro-1,3-butadiene	0.0250	0.0435	174	0.0436	174	67-135	J4	0.1	20
Naphthalene	0.0250	0.0333	133	0.0340	136	56-145		2.1	20
1,2,3-Trichlorobenzene	0.0250	0.0433	173	0.0447	179	63-138	J4	3.2	20

Quality Control Summary

SDG: L449608

SESCO Group

Test: Volatile Organic Compounds by Method 8260B
Project No: 3872-3
Project: Harman Becker
Collection Date: 3/11/2010
Analysis Date: 3/19/2010
Instrument ID: VOCMS21
Sample Numbers: L449608-06

Matrix: Water - mg/L
EPA ID: TN00003
Analytic Batch: WG468612
Analyst: 126

Laboratory Control Sample/ Laboratory Control Sample Duplicate

Analyte	Spike	LCS	% Rec	LCSD	% Rec	Control Limits	Qualifier	% RPD	Control Limits	Qualifier
Tetrachloroethene	0.0250	0.0268	107	0.0262	105	67-135		2.2	20	

Matrix Spike/Matrix Spike Duplicate

L449320-01

Analyte	Spike Value	Sample	MS	% Rec	MSD	% Rec	Control Limits	% Rec Qualifier	% RPD	Control Limits	RPD Qual
Tetrachloroethene	0.0250	0.0000	0.0260	104	0.0260	104	13-157		0.1	24	

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468205
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -02, -04		

Internal Standard Response and Retention Time Summary

FileID:0317_15.D

Date:3/17/2010

Time:2:20 PM

	IS1		IS2		IS3		IS4	
	Response	RT	Response	RT	Response	RT	Response	RT
12 Hour Std	2509754	5.58	3994216	6.01	630450	7.64	1834174	11.82
Upper Limit	5019508	6.08	7988432	6.51	1260900	8.14	3668348	12.32
Lower Limit	1254877	5.08	1997108	5.51	315225	7.14	917087	11.32

Sample ID	Response	RT	Response	RT	Response	RT	Response	RT
Blank WG468205	2254625	5.58	3667028	6.01	649022	7.64	1952650	11.82
L449608-01	2066146	5.58	3447518	6.01	354099	7.65	1757125	11.83
L449608-02	1739818	5.58	3262358	6.01	590715	7.64	1677843	11.83
L449608-04	1762906	5.58	3036287	6.01	564133	7.64	1661458	11.83
LCS WG468205	2328840	5.58	3779778	6.01	674631	7.64	2012606	11.83
LCSD WG468205	2345060	5.58	3779442	6.01	677561	7.64	2070603	11.82
MS WG468205	2244995	5.58	3659197	6.01	662782	7.64	1834109	11.82
MSD WG468205	2218568	5.58	3585215	6.01	642358	7.64	1842082	11.83

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468302
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS16		
Sample Numbers:	L449608-05, -06		

Internal Standard Response and Retention Time Summary

FileID:0317_17.D

Date:3/17/2010

Time:8:06 PM

	IS1		IS2		IS3		IS4	
	Response	RT	Response	RT	Response	RT	Response	RT
12 Hour Std	673832	6.88	1124129	7.47	232310	9.46	541484	13.14
Upper Limit	1347664	7.38	2248258	7.97	464620	9.96	1082968	13.64
Lower Limit	336916	6.38	562064.5	6.97	116155	8.96	270742	12.64

Sample ID	Response	RT	Response	RT	Response	RT	Response	RT
Blank WG468302	597286	6.89	1012256	7.48	201666	9.48	439374	13.15
LCS WG468302	703849	6.89	1192804	7.47	243081	9.47	572449	13.14
LCSD WG468302	700657	6.88	1182898	7.48	242457	9.47	554889	13.15
MS WG468302	760775	6.89	1265414	7.47	260524	9.47	598075	13.15
MSD WG468302	724292	6.89	1208712	7.48	241443	9.48	577995	13.15

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468302
Analysis Date:	3/17/2010	Analyst:	498
Instrument ID:	VOCMS16		
Sample Numbers:	L449608-05, -06		

Internal Standard Response and Retention Time Summary

FileID:0317_37.D

Date:3/18/2010

Time:11:11 AM

	IS1		IS2		IS3		IS4	
	Response	RT	Response	RT	Response	RT	Response	RT
12 Hour Std	658164	6.88	1107749	7.47	227717	9.47	533322	13.14
Upper Limit	1316328	7.38	2215498	7.97	455434	9.97	1066644	13.64
Lower Limit	329082	6.38	553874.5	6.97	113858.5	8.97	266661	12.64

Sample ID	Response	RT	Response	RT	Response	RT	Response	RT
L449608-05	724981	6.88	1215338	7.46	226979	9.46	535336	13.14
L449608-06	718246	6.88	1196886	7.46	225755	9.46	521076	13.14

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468372
Analysis Date:	3/18/2010	Analyst:	498
Instrument ID:	VOCMS2		
Sample Numbers:	L449608-01, -03, -04, -02		

Internal Standard Response and Retention Time Summary

FileID:0318_33.D

Date:3/18/2010

Time:2:18 PM

	IS1		IS2		IS3		IS4	
	Response	RT	Response	RT	Response	RT	Response	RT
12 Hour Std	2014550	5.58	3382346	6.01	586476	7.64	1932844	11.82
Upper Limit	4029100	6.08	6764692	6.51	1172952	8.14	3865688	12.32
Lower Limit	1007275	5.08	1691173	5.51	293238	7.14	966422	11.32

Sample ID	Response	RT	Response	RT	Response	RT	Response	RT
Blank WG468372	2138931	5.58	3577778	6.01	602401	7.64	1892371	11.82
L449608-01	2009277	5.58	3395089	6.01	574549	7.64	1806793	11.83
L449608-02	2018285	5.58	3370791	6.01	555896	7.64	1651343	11.82
L449608-03	2057402	5.58	3452462	6.01	586696	7.64	1851119	11.82
L449608-04	1994942	5.58	3376765	6.01	566173	7.64	1768057	11.82
LCS WG468372	2009350	5.58	3387967	6.01	594646	7.64	1912053	11.82
LCSD WG468372	2100376	5.58	3466190	6.01	613540	7.64	1943326	11.82
MS WG468372	2168129	5.58	3574218	6.01	623958	7.64	1987549	11.82
MSD WG468372	2120093	5.58	3521587	6.01	607438	7.64	1965667	11.82

Quality Control Summary

SDG: L449608

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/11/2010	Analytic Batch:	WG468612
Analysis Date:	3/19/2010	Analyst:	126
Instrument ID:	VOCMS21		
Sample Numbers:	L449608-06		

Internal Standard Response and Retention Time Summary

FileID:0319_32.D

Date:3/19/2010

Time:11:46 AM

	IS1		IS2		IS3		IS4	
	Response	RT	Response	RT	Response	RT	Response	RT
12 Hour Std	760334	6.05	1231091	6.55	200704	8.17	597185	11.01
Upper Limit	1520668	6.55	2462182	7.05	401408	8.67	1194370	11.51
Lower Limit	380167	5.55	615545.5	6.05	100352	7.67	298592.5	10.51

Sample ID	Response	RT	Response	RT	Response	RT	Response	RT
Blank WG468612	552703	6.05	949595	6.55	146369	8.17	421394	11.01
L449608-06	493518	6.05	858089	6.55	138634	8.17	388338	11.01
LCS WG468612	791929	6.05	1270134	6.55	209510	8.17	621747	11.01
LCSD WG468612	770985	6.05	1252078	6.55	201046	8.17	613102	11.01
MS WG468612	757587	6.05	1214058	6.55	201847	8.17	590016	11.01
MSD WG468612	729521	6.05	1200323	6.55	192532	8.17	585124	11.01

SESCO Group 1426 W. 29th Street Indianapolis, IN 46208			Billing Information: Jennifer Foxworthy/ A/P 1426 W. 29th Street Indianapolis, IN 46208			Analysis/Container/Preservative				Chain of Custody Page 2 of 3 1042		
			Report to: Mr. Tim Yates Email: tyates@sescogroup.com							 L.A.B. S.C.I.E.N.C.E.S. 12065 Lebanon Road Mt. Juliet, TN 37122 Phone: (800) 767-5859 Phone: (615) 758-5858 Fax: (615) 758-5859 F223		
Project Description: Harman Becker			City/State Collected: Martinsville/IN									
Phone: (317) 347-9590 FAX: (317) 347-9591			Client Project #: 3872-3			Lab Project #: SESCOIN-HARMAN						
Collected by (print): Jay Foxworthy			Site/Facility ID #:			P.O.#:						
Collected by (signature): <i>[Signature]</i>			Rush? (Lab MUST Be Notified) Same Day 200% Next Day 100% Two Day 50% Three Day 25%			Date Results Needed: Normal Email? ☐ No ☒ Yes FAX? ☐ No ☐ Yes			No. of Cntrs			
Immediately Packed on Ice N ☒												
Sample ID			Comp/Grab	Matrix*	Depth	Date	Time	TS 2oz Clr-NoPres	Trip Blank 40ml Amb-HCl-Bik	V8260 40ml/NaHSO4/Syr/McOH	V8260 40ml Amb-HCl	VOC Screen 2oz Clr-NoPres
B-95 0-2'			Grab	SS	0-2'	3/11/10	9:45	5	X	X	X	X
B-95 2-4'			Grab	SS	2-4'	3/11/10	9:50	5	X	X	X	X
B-97 2-4'			Grab	SS	2-4'	3/11/10	2:30	5	X	X	X	X
B-102 6-8'			Grab	SS	6-8'	3/12/10	1:30	25	X	X	X	X
Dup 2			Grab	SS				25	X	X	X	X
B-97 GW 41-45'			Grab	GW	41-45'	3/11/10	5:05	2		X		
B-97 GW 97-101'			Grab	GW	97-101'	3/11/10	4:10	2		X		
B-95 GW 41-45'			Grab	GW	41-45'	3/11/10	11:10	2		X		
B-95 GW 98-102'			Grab	GW	98-102'	3/12/10	10:15	2		X		
Remarks/Contaminant			Sample # (lab only)									
			L449302-01									
			-02									
			-03									
			-04									
			-05									
L449608-01			-06									
			-07									
			-03									
			-04									

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Relinquished by: (Signature) <i>[Signature]</i>		Date: 3-24-10 Time: 12:57		Received by: (Signature) <i>[Signature]</i>		Samples returned via: ☒ UPS ☐ FedEx ☐ Courier		Condition: OK (lab use only)	
Relinquished by: (Signature) <i>[Signature]</i>		Date: _____ Time: _____		Received by: (Signature) <i>[Signature]</i>		Temp: 2.5C Bottles Received: 39+113		COC Seal Intact: Y N NA	
Relinquished by: (Signature) <i>[Signature]</i>		Date: _____ Time: _____		Received for lab by: (Signature) <i>[Signature]</i>		Date: 3/24/10 Time: 0900		pH Checked: _____	

SESCO Group

1426 W. 29th Street
Indianapolis, IN 46208

Billing information:

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Analysis/Container/Preservative

Chain of Custody

Page 1 of 1

2012



L A B S C I E N C E S

12065 Lebanon Road
Mt. Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

Report to:

Mr. Tim Yates

Email

tyates@sescogroup.com

Project

Description: Harman Becker

City/State

Collected: Metchville / IN

Phone: (317) 347-9590

FAX: (317) 347-9591

Client Project

Lab Project

SESCOIN-HARMAN

Collected by (print)

Site/Facility ID#

P.O.#

Collected by (signature)

Rush? (Lab MUST Be Notified)

Same Day 200%
Next Day 100%
Two Day 50%
Three Day 25%

Date Results Needed

Email? ___ No ___ Yes
FAX? ___ No ___ Yes

No
of
Cntrs

Immediately

Packed on Ice N Y X

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No of Cntrs	Analysis/Container/Preservative	Remarks/Contaminant	Sample # (lab only)
B-75 96-97'	Grab	SS	96-97'	3/8/10	1700	1	SPL PZHH for V8260 8oz Clr-NoPres		L449302-10
B-75 20-22'	Grab	SS	20-22'	3/8/10	1315	1	Screen 20z Clr-NoPres		11
B-102 GW 99-103	Grab	SS-GW	99-103	3/12/10	14:15	5	TOC		L449608-05
B-102 GW 10-14	Grab	SS-GW	10-14	3/12/10	16:55	5	VOCs 2060		06 13
		SS				5			
		SS				5			
		SS				5			
		SS				5			

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Relinquished by (Signature)	Date:	Time:	Received by (Signature)	Samples returned via: ☐ UPS ☒ FedEx ☐ Courier	Condition: ☒ OK ☐ Damaged
Relinquished by (Signature)	Date:	Time:	Received by (Signature)	Temp: 75°C Bottles Received: 394178	COC Seal: ☒ Y ☐ N
Relinquished by (Signature)	Date:	Time:	Received for lab by (Signature)	Date: 03/13/10 Time: 0900	pH Checked: ☒ Y ☐ N

Jonah Huckabay

L449608

From: Alan Harvill
Sent: Wednesday, March 17, 2010 9:03 AM
To: Login
Cc: Ben Wilson; Alan Harvill
Subject: L449302-06, -07, -08, -09, -12, -13 SESCOIN
Importance: High

We need to move GW samples on this set to a new L#. All samples are in NEED status. Please move all the GW to a new L#.

Please let me know if you have any questions.

Alan Harvill
Technical Service Representative
Phone: 615-773-9787
Toll Free: 1-800-767-5859 ext:9787
Email: aharvill@esclabsciences.com

This E-mail and any attached files are confidential, and may be copyright protected. If you are not the addressee, any dissemination of this communication is strictly prohibited. If you have received this message in error, please contact the sender immediately and delete/destroy all information received.

1426 W. 29th Street
Indianapolis, IN 46208

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

SPLPZHE for V8260 8ozClr-NoPres

TS 20zClr-NoPres

V8260 40ml/NaHSO₄/Syr/MeOH

VOC Screen 2ozClr-NoPres

OC 8260 40 ml/HCL

1994

10f



12065 Lebanon Road
ML Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 756-5859

F027

Account: **SESCOIN** (lab use only)
Template/Prelogin: **T63304 P313678**
Cooler #: **3-378**
Shipped Via: **FedEX Ground**

Remarks/Contaminant	Sample # (lab only)
---------------------	---------------------

6447684-0

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

pid Temp

Remarks

Flow	Other
1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	28
29	30
31	32
33	34
35	36
37	38
39	40
41	42
43	44
45	46
47	48
49	50
51	52
53	54
55	56
57	58
59	60
61	62
63	64
65	66
67	68
69	70
71	72
73	74
75	76
77	78
79	80
81	82
83	84
85	86
87	88
89	90
91	92
93	94
95	96
97	98
99	100

Relinquished by: (Signature) 	Date: 3-16-10	Time: 5:45p	Received by: (Signature) 	Samples returned via ☒ UPS ☒ FedEx ☐ Courier ☐	Condition: OK	(lab use only)
Relinquished by: (Signature) 	Date:	Time:	Received by: (Signature) 	Temp: 3.10	Bottles Received: 13	COC Seal Intact: ☐ Y ☐ N ☒ NA
Relinquished by: (Signature) 	Date:	Time:	Received for lab by: (Signature) 	Date: 3-17-10	Time: 09:00	pH Checked: ☐ NCF: ☐

4355 9297 1317

ENVIRONMENTAL SCIENCE CORP.

Cooler Receipt Form

Client: SES COIN

Cooler Received On: 3-17-10 and Opened On: 3-17-10 By: Philip Ockett

PLP
(Signature)

1. Temperature of cooler when opened: 3.1°C Degrees Celsius
2. Were custody seals on outside of cooler and intact? N/A YES NO

a. If yes, what kind and where: _____

b. Were the signature and date correct? YES NO

3. Were custody seals on containers intact? N/A YES NO

4. Were custody papers inside cooler? YES NO

5. Were custody papers properly filled out (ink, signed, etc.) YES NO

6. Did you sign the custody papers in the appropriate place? YES NO

7. What kind of packing material was used? Bubblewrap Peanuts Other None

8. Was sufficient ice used (if appropriate)? YES NO

9. Did all bottles arrive in good condition? YES NO

10. Were all bottle labels complete? (#, date, signed, pres, etc)? YES NO

11. Did all bottle labels and tags agree with custody papers? YES NO

12. Were correct bottles used for the analyses requested? YES NO

13. If applicable, was an observable VOA headspace present? YES NO

14. Was sufficient amount of sample sent in each bottle? YES NO

15. Were correct preservatives used? YES NO

16. Corrective action taken, if necessary:

a. Name of person contacted: See attached for resolution if needed

b. Date: _____



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Wednesday March 24, 2010

Report Number: L449684

Samples Received: 03/17/10

Client Project: 3872-3

Description: Harman Becker

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

T. Alan Harvill , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 24, 2010

Date Received : March 17, 2010
Description : Harman Becker
Sample ID : B-103 4-6FT
Collected By : J Wright
Collection Date : 03/15/10 11:00

ESC Sample # : 1449684-01

Site ID :

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	90.3		%	2540G	03/18/10	1
Volatile Organics						
Acetone	0.064	0.055	mg/kg	8260B	03/22/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/22/10	1
Benzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/22/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/22/10	1
Bromomethane	BDL	0.0055	mg/kg	8260B	03/22/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/22/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/22/10	1
Chloroethane	BDL	0.0055	mg/kg	8260B	03/22/10	1
2-Chloroethyl vinyl ether	BDL	0.055	mg/kg	8260B	03/22/10	1
Chloroform	BDL	0.0055	mg/kg	8260B	03/22/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/22/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/22/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0055	mg/kg	8260B	03/22/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/22/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
Dichlorodifluoromethane	BDL	0.0055	mg/kg	8260B	03/22/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/22/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/22/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/22/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/22/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/22/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/22/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/22/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/22/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 24, 2010

Date Received : March 17, 2010
Description : Harman Becker
Sample ID : B-103 4-6FT
Collected By : J Wright
Collection Date : 03/15/10 11:00

ESC Sample # : 1449684-01

Site ID :

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/22/10	1
2-Butanone (MEK)	BDL	0.011	mg/kg	8260B	03/22/10	1
Methylene Chloride	BDL	0.0055	mg/kg	8260B	03/22/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/22/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/22/10	1
Naphthalene	BDL	0.0055	mg/kg	8260B	03/22/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/22/10	1
Tetrachloroethene	0.0016	0.0011	mg/kg	8260B	03/22/10	1
Toluene	BDL	0.0055	mg/kg	8260B	03/22/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/22/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/22/10	1
Trichlorofluoromethane	BDL	0.0055	mg/kg	8260B	03/22/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/22/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/22/10	1
Xylenes, Total	BDL	0.0033	mg/kg	8260B	03/22/10	1
Surrogate Recovery						
Toluene-d8	99.6		% Rec.	8260B	03/22/10	1
Dibromofluoromethane	112.		% Rec.	8260B	03/22/10	1
4-Bromofluorobenzene	98.4		% Rec.	8260B	03/22/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/24/10 09:53 Printed: 03/24/10 09:54

Summary of Remarks For Samples Printed
03/24/10 at 09:54:15

TSR Signing Reports: 364
R5 - Desired TAT

No hard copy of reports per Jesse. In 6/12/06 Only CD for QC pkgs. - no paper. In 6/6/05 All
soils in Dry wt. In 5/9/05 client requires purchase orders for each project.

Sample: L449684-01 Account: SESCOIN Received: 03/17/10 09:00 Due Date: 03/24/10 00:00 RPT Date: 03/24/10 09:53
QC4



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449684

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 24, 2010

Analyte	Result	Units	Laboratory Blank % Rec	Limit	Batch	Date Analyzed
Total Solids	< .1	%			WG468687	03/18/10 10:08
1,1,1,2-Tetrachloroethane	< .001	mg/kg			WG468687	03/22/10 04:41
1,1,1-Trichloroethane	< .001	mg/kg			WG468687	03/22/10 04:41
1,1,2,2-Tetrachloroethane	< .001	mg/kg			WG468687	03/22/10 04:41
1,1,2-Trichloroethane	< .001	mg/kg			WG468687	03/22/10 04:41
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/kg			WG468687	03/22/10 04:41
1,1-Dichloroethane	< .001	mg/kg			WG468687	03/22/10 04:41
1,1-Dichloroethene	< .001	mg/kg			WG468687	03/22/10 04:41
1,1-Dichloropropene	< .001	mg/kg			WG468687	03/22/10 04:41
1,2,3-Trichlorobenzene	< .001	mg/kg			WG468687	03/22/10 04:41
1,2,3-Trichloropropene	< .001	mg/kg			WG468687	03/22/10 04:41
1,2,3-Trimethylbenzene	< .001	mg/kg			WG468687	03/22/10 04:41
1,2,4-Trichlorobenzene	< .001	mg/kg			WG468687	03/22/10 04:41
1,2,4-Trimethylbenzene	< .001	mg/kg			WG468687	03/22/10 04:41
1,2-Dibromo-3-Chloropropane	< .001	mg/kg			WG468687	03/22/10 04:41
1,2-Dibromoethane	< .001	mg/kg			WG468687	03/22/10 04:41
1,2-Dichlorobenzene	< .001	mg/kg			WG468687	03/22/10 04:41
1,2-Dichloroethane	< .001	mg/kg			WG468687	03/22/10 04:41
1,2-Dichloropropene	< .001	mg/kg			WG468687	03/22/10 04:41
1,3,5-Trimethylbenzene	< .001	mg/kg			WG468687	03/22/10 04:41
1,3-Dichlorobenzene	< .001	mg/kg			WG468687	03/22/10 04:41
1,3-Dichloropropene	< .001	mg/kg			WG468687	03/22/10 04:41
1,4-Dichlorobenzene	< .001	mg/kg			WG468687	03/22/10 04:41
2,2-Dichloropropene	< .001	mg/kg			WG468687	03/22/10 04:41
2-Butanone (MEK)	< .01	mg/kg			WG468687	03/22/10 04:41
2-Chloroethyl vinyl ether	< .001	mg/kg			WG468687	03/22/10 04:41
2-Chlorotoluene	< .001	mg/kg			WG468687	03/22/10 04:41
4-Chlorotoluene	< .001	mg/kg			WG468687	03/22/10 04:41
4-Methyl-2-pentanone (MIBK)	< .01	mg/kg			WG468687	03/22/10 04:41
Aceton	< .0	mg/kg			WG468687	03/22/10 04:41
Acrylonitrile	< .01	mg/kg			WG468687	03/22/10 04:41
Benzene	< .001	mg/kg			WG468687	03/22/10 04:41
Bromobenzene	< .001	mg/kg			WG468687	03/22/10 04:41
Bromodichloromethane	< .001	mg/kg			WG468687	03/22/10 04:41
Bromoform	< .001	mg/kg			WG468687	03/22/10 04:41
Bromomethane	< .005	mg/kg			WG468687	03/22/10 04:41
Carbon tetrachloride	< .001	mg/kg			WG468687	03/22/10 04:41
Chlorobenzene	< .001	mg/kg			WG468687	03/22/10 04:41
Chlorodibromomethane	< .001	mg/kg			WG468687	03/22/10 04:41
Chloroethane	< .005	mg/kg			WG468687	03/22/10 04:41
Chloroform	< .005	mg/kg			WG468687	03/22/10 04:41
Chloromethane	< .001	mg/kg			WG468687	03/22/10 04:41
cis-1,2-Dichloroethene	< .001	mg/kg			WG468687	03/22/10 04:41
cis-1,3-Dichloropropene	< .001	mg/kg			WG468687	03/22/10 04:41
Di-isopropyl ether	< .001	mg/kg			WG468687	03/22/10 04:41
Dibromomethane	< .001	mg/kg			WG468687	03/22/10 04:41
Dichlorodifluoromethane	< .005	mg/kg			WG468687	03/22/10 04:41
Ethylbenzene	< .001	mg/kg			WG468687	03/22/10 04:41
Hexachloro-1,3-butadiene	< .001	mg/kg			WG468687	03/22/10 04:41
Isopropylbenzene	< .001	mg/kg			WG468687	03/22/10 04:41
Methyl tert-butyl ether	< .001	mg/kg			WG468687	03/22/10 04:41
Methylene Chloride	< .005	mg/kg			WG468687	03/22/10 04:41
n-Butylbenzene	< .001	mg/kg			WG468687	03/22/10 04:41
n-Propylbenzene	< .001	mg/kg			WG468687	03/22/10 04:41
Naphthalene	< .005	mg/kg			WG468687	03/22/10 04:41
p-Isopropyltoluene	< .001	mg/kg			WG468687	03/22/10 04:41
sec-Butylbenzene	< .001	mg/kg			WG468687	03/22/10 04:41

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

**Quality Assurance Report
Level II**

Indianapolis, IN 46208

L449684

March 24, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Styrene	< .001	mg/kg			WG468687	03/22/10 04:41
tert-Butylbenzene	< .001	mg/kg			WG468687	03/22/10 04:41
Tetrachloroethane	< .001	mg/kg			WG468687	03/22/10 04:41
Toluene	< .005	mg/kg			WG468687	03/22/10 04:41
trans-1,2-Dichloroethane	< .001	mg/kg			WG468687	03/22/10 04:41
trans-1,3-Dichloropropene	< .001	mg/kg			WG468687	03/22/10 04:41
Trichloroethane	< .001	mg/kg			WG468687	03/22/10 04:41
Trichlorofluoromethane	< .005	mg/kg			WG468687	03/22/10 04:41
Vinyl chloride	< .001	mg/kg			WG468687	03/22/10 04:41
Xylenes, Total	< .003	mg/kg			WG468687	03/22/10 04:41
4-Bromofluorobenzene		% Rec.	98.62	59-140	WG468687	03/22/10 04:41
Dibromofluoromethane		% Rec.	89.55	63-139	WG468687	03/22/10 04:41
Toluene-d8		% Rec.	6.3	84-116	WG468687	03/22/10 04:41

Analyte	Units	Result	Duplicate	RPD	Limit	Ref Samp	Batch
Total Solids	%	50.1	50.5	10.789	5	WG468684-01	WG4686853

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Total Solids	%	50	50.	100.	85-115	WG4686853
1,1,1,2-Tetrachloroethane	mg/kg	.025	0.0280	112.	73-134	WG468687
1,1,1-Trichloroethane	mg/kg	.025	0.0266	106	62-135	WG468687
1,1,2,2-Tetrachloroethane	mg/kg	.025	0.0275	110.	74-129	WG468687
1,1,2-Trichloroethane	mg/kg	.025	0.0275	110.	77-124	WG468687
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	.	0.0	125.	155	WG468687
1,1-Dichloroethane	mg/kg	.025	0.0274	110.	61-134	WG468687
1,1-Dichloroethane	mg/kg	.025	0.0280	112.	53-136	WG468687
1,1-Dichloropropene	mg/kg	.	0.0275	110.	132	WG468687
1,2,3-Trichlorobenzene	mg/kg	.025	0.0287	115.	62-146	WG468687
1,2,3-Trichloropropene	mg/kg	.025	0.0284	114.	70-133	WG468687
1,2,3-Trimethylbenzene	mg/kg	.	0.0277	111.	73-126	WG468687
1,2,4-Trichlorobenzene	mg/kg	.025	0.0286	115.	61-148	WG468687
1,2,4-Trimethylbenzene	mg/kg	.025	0.0276	111.	68-135	WG468687
1,2-Dibromo-3-Chloropropane	mg/kg	.	0.0	114.	61-134	WG468687
1,2-Dibromoethane	mg/kg	.025	0.0280	112.	76-127	WG468687
1,2-Dichlorobenzene	mg/kg	.025	0.0280	112.	77-123	WG468687
1,2-Dichloroethane	mg/kg	.	0.0262	105.	58-141	WG468687
1,2-Dichloropropene	mg/kg	.025	0.0272	109.	71-128	WG468687
1,3,5-Trimethylbenzene	mg/kg	.025	0.0283	113.	71-133	WG468687
1,3-Dichlorobenzene	mg/kg	.	0.0287	132	WG468687	
1,3-Dichloropropene	mg/kg	.025	0.0272	109.	76-120	WG468687
1,4-Dichlorobenzene	mg/kg	.025	0.0280	112.	72-123	WG468687
2,2-Dichloropropene	mg/kg	.025	0.025	.	50-147	WG468687
2-Butanone (MEK)	mg/kg	.125	0.127	102.	51-131	WG468687
2-Chloroethyl vinyl ether	mg/kg	.125	0.133	107.	0-188	WG468687
2-Chlorotoluene	mg/kg	.025	0.0278	111.	73-128	WG468687
4-Chlorotoluene	mg/kg	.025	0.0282	113.	72-129	WG468687
4-Methyl-2-pentanone (MIBK)	mg/kg	.125	0.131	105.	61-143	WG468687
Acetone	mg/kg	.125	0.141	113.	44-140	WG468687
Acrylonitrile	mg/kg	.125	0.130	104.	55-143	WG468687
Benzene	mg/kg	.025	0.0258	103.	65-128	WG468687
Bromobenzene	mg/kg	.025	0.0272	109.	75-129	WG468687
Bromodichloromethane	mg/kg	.025	0.0272	109.	66-126	WG468687
Bromoform	mg/kg	.025	0.0287	115.	64-139	WG468687

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449684

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 24, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Bromomethane	mg/kg	.025	0.0347	139.	41-125	WG468687
Carbon tetrachloride	mg/kg	.025	0.0278	111.	60-140	WG468687
Chlorobenzene	mg/kg	.025	0.0281	112.	75-125	WG468687
Chlorodibromomethane	mg/kg	.025	0.0278	111.	72-137	WG468687
Chloroethane	mg/kg	.025	0.0275	110.	44-159	WG468687
Chloroform	mg/kg	.025	0.0272	109.	63-123	WG468687
Chloromethane	mg/kg	.025	0.0259	103	2-148	WG468687
cis-1,2-Dichloroethene	mg/kg	.025	0.0270	108.	71-129	WG468687
cis-1,3-Dichloropropene	mg/kg	.025	0.0266	106.	73-132	WG468687
Di-isopropyl ether	mg/kg	.025	0.0264	106	59-143	WG468687
Dibromomethane	mg/kg	.025	0.0267	107.	70-130	WG468687
Dichlorodifluoromethane	mg/kg	.025	0.0311	124.	26-186	WG468687
Ethylbenzene	mg/kg	.025	0.0270	111	74-128	WG468687
Hexachloro-1,3-butadiene	mg/kg	.025	0.0301	121.	65-137	WG468687
Isopropylbenzene	mg/kg	.025	0.0287	115.	73-130	WG468687
Methyl tert-butyl ether	mg/kg	.025	0.0266	106	4-148	WG468687
Methylene Chloride	mg/kg	.025	0.0261	104.	57-129	WG468687
n-Butylbenzene	mg/kg	.025	0.0295	118.	60-145	WG468687
n-Propylbenzene	mg/kg	.025	0.028	114	71-132	WG468687
Naphthalene	mg/kg	.025	0.0273	109.	61-142	WG468687
p-Isopropyltoluene	mg/kg	.025	0.0295	118.	67-138	WG468687
sec-Butylbenzene	mg/kg	.025	0.0290	116	71-134	WG468687
Styrene	mg/kg	.025	0.0286	114.	76-133	WG468687
tert-Butylbenzene	mg/kg	.025	0.0292	117.	72-132	WG468687
Tetrachloroethene	mg/kg	.025	0.0287	115	65-135	WG468687
Toluene	mg/kg	.025	0.0246	98.5	70-120	WG468687
trans-1,2-Dichloroethene	mg/kg	.025	0.0275	110.	61-133	WG468687
trans-1,3-Dichloropropene	mg/kg	.025	0.0261	105	70-135	WG468687
Trichloroethene	mg/kg	.025	0.0286	114.	71-126	WG468687
Trichlorofluoromethane	mg/kg	.025	0.0296	118.	52-147	WG468687
Vinyl chloride	mg/kg	.025	0.0288	115	50-151	WG468687
Xylenes, Total	mg/kg	.075	0.0821	110.	74-127	WG468687
4-Bromofluorobenzene				99.92	59-140	WG468687
Dibromofluoromethane				99.66	63-139	WG468687
Toluene-d8				95.83	84-116	WG468687

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	%Rec				
1,1,1,2-Tetrachloroethane	mg/kg	0.0240	0.0280	96.0	-134	15.1	0	WG468687
1,1,1-Trichloroethane	mg/kg	0.0239	0.0266	96.0	62-135	10.6	20	WG468687
1,1,2,2-Tetrachloroethane	mg/kg	0.0250	0.0275	100.	74-129	9.53	20	WG468687
1,1,2-Trichloroethane	mg/kg	0.0237	0.0275	95.0	7-124	14.8	0	WG468687
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0271	0.0311	108.	49-155	13.8	20	WG468687
1,1-Dichloroethane	mg/kg	0.0237	0.0274	95.0	61-134	14.4	20	WG468687
1,1-Dichloroethene	mg/kg	0.0247	0.0280	99.0	-136	12.	0	WG468687
1,1-Dichloropropene	mg/kg	0.0238	0.0275	95.0	63-132	14.5	20	WG468687
1,2,3-Trichlorobenzene	mg/kg	0.0248	0.0287	99.0	62-146	14.5	20	WG468687
1,2,3-Trichloropropene	mg/kg	0.0256	0.0284	102.	0-133	10.	20	WG468687
1,2,3-Trimethylbenzene	mg/kg	0.0239	0.0277	95.0	73-126	15.0	20	WG468687
1,2,4-Trichlorobenzene	mg/kg	0.0253	0.0286	101.	61-148	12.2	20	WG468687
1,2,4-Trimethylbenzene	mg/kg	0.0238	0.0276	95.	8-135	14.	21	WG468687
1,2-Dibromo-3-Chloropropane	mg/kg	0.0255	0.0284	102.	61-134	10.9	21	WG468687
1,2-Dibromoethane	mg/kg	0.0249	0.0280	100.	76-127	11.9	20	WG468687
1,2-Dichlorobenzene	mg/kg	0.0245	0.0280	98.0	7-123	13.	20	WG468687
1,2-Dichloroethane	mg/kg	0.0237	0.0262	95.0	58-141	9.86	20	WG468687
1,2-Dichloropropene	mg/kg	0.0235	0.0272	94.0	71-128	14.6	20	WG468687
1,3,5-Trimethylbenzene	mg/kg	0.0245	0.0283	98.0	7-133	14.	20	WG468687
1,3-Dichlorobenzene	mg/kg	0.0247	0.0287	99.0	71-132	14.8	20	WG468687

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L449684

March 24, 2010

Analyte	Units	Laboratory Control		Sample	Duplicate	Limit	RPD	Limit	Batch
		Result	Ref		%Rec				
1,3-Dichloropropane	mg/kg	0.0232	0.027	95.0		13-133	20	WG468687	
1,4-Dichlorobenzene	mg/kg	0.0240	0.0280	96.0		72-123	15.7	20	WG468687
2,2-Dichloropropane	mg/kg	0.0231	0.0254	92.0		50-147	9.73	20	WG468687
2-Butanone (MEK)	mg/kg	0.1	0.127	.0			3.	25	WG468687
2-Chloroethyl vinyl ether	mg/kg	0.120	0.133	96.0		0-188	10.4	39	WG468687
2-Chlorotoluene	mg/kg	0.0240	0.0278	96.0		73-128	14.7	20	WG468687
4-Chlorotoluene	mg/kg	0.0241	0.0282	96.		2-129	15.	20	WG468687
4-Methyl-2-pentanone (MIBK)	mg/kg	0.123	0.131	98.0		61-143	6.60	23	WG468687
Acetone	mg/kg	0.135	0.141	108.		44-140	4.60	25	WG468687
Acrylonitrile	mg/kg	0.12	0.130	98.		-143	5.	20	WG468687
Benzene	mg/kg	0.0226	0.0258	90.0		65-128	13.2	20	WG468687
Bromobenzene	mg/kg	0.0238	0.0272	95.0		75-123	13.2	20	WG468687
Bromodichloromethane	mg/kg	0.02	0.0272	94.0		76-126	14	20	WG468687
Bromoform	mg/kg	0.0254	0.0287	102.		64-139	12.1	20	WG468687
Bromomethane	mg/kg	0.0286	0.0347	114.		41-175	19.2	20	WG468687
Carbon tetrachloride	mg/kg	0.0288	0.0278	98.		-140	13.1	20	WG468687
Chlorobenzene	mg/kg	0.0241	0.0281	96.0		75-125	15.3	20	WG468687
Chlorodibromomethane	mg/kg	0.0237	0.0278	95.0		72-137	15.8	20	WG468687
Chloroethane	mg/kg	0.0245	0.0275	98.		-159	11.	20	WG468687
Chloroform	mg/kg	0.0241	0.0272	96.0		63-123	12.0	20	WG468687
Chloromethane	mg/kg	0.0248	0.0259	99.0		42-149	4.07	20	WG468687
cis-1,2-Dichloroethene	mg/kg	0.0238	0.0270	96.0		11-129	12.1	0	WG468687
cis-1,3-Dichloropropene	mg/kg	0.0234	0.0266	94.0		13-132	12.6	20	WG468687
Di-isopropyl ether	mg/kg	0.0234	0.0264	94.0		59-143	12.1	20	WG468687
Dibromomethane	mg/kg	0.0238	0.0267	95.		0-130	11.	0	WG468687
Dichlorodifluoromethane	mg/kg	0.0295	0.0311	118.		26-186	5.27	22	WG468687
Ethylbenzene	mg/kg	0.0237	0.0278	95.0		74-128	15.9	20	WG468687
Hexachloro-1,3-butadiene	mg/kg	0.0259	0.0301	103.		5-137	15.	0	WG468687
Isopropylbenzene	mg/kg	0.0247	0.0287	99.0		73-130	15.2	20	WG468687
Methyl tert-butyl ether	mg/kg	0.0242	0.0266	97.0		44-148	9.56	20	WG468687
Methylene Chloride	mg/kg	0.0229	0.0261	92.		-129	12.	0	WG468687
n-Butylbenzene	mg/kg	0.0252	0.0295	101.		60-145	15.7	20	WG468687
n-Propylbenzene	mg/kg	0.0247	0.0285	99.0		71-132	14.4	20	WG468687
Naphthalene	mg/kg	0.0250	0.0273	100.		1-142	8.84	20	WG468687
p-Isopropyltoluene	mg/kg	0.0251	0.0295	100.		67-138	16.2	20	WG468687
sec-Butylbenzene	mg/kg	0.0250	0.0290	100.		71-134	14.8	20	WG468687
Styrene	mg/kg	0.0238	0.0286	95.0		73-133	18.	0	WG468687
tert-Butylbenzene	mg/kg	0.0252	0.0292	101.		72-132	14.9	20	WG468687
Tetrachloroethene	mg/kg	0.0243	0.0287	97.0		65-135	16.6	20	WG468687
Toluene	mg/kg	0.0211	0.0246	98.0		-120	15.	20	WG468687
trans-1,2-Dichloroethene	mg/kg	0.0241	0.0275	96.0		61-133	13.3	20	WG468687
trans-1,3-Dichloropropene	mg/kg	0.0235	0.0261	94.0		70-135	10.5	20	WG468687
Trichloroethene	mg/kg	0.0242	0.0286	97.0		1-126	16.	0	WG468687
Trichlorofluoromethane	mg/kg	0.0280	0.0296	112.		52-147	5.44	20	WG468687
Vinyl chloride	mg/kg	0.0254	0.0288	102.		50-151	12.4	20	WG468687
Xylenes, Total	mg/kg	0.0688	0.0821	93.0		4-127	16.1	0	WG468687
4-Bromofluorobenzene				100.2		59-140			WG468687
Dibromofluoromethane				98.77		-139			WG468687
Toluene-d8				96.50		-116			WG468687

Analyte	Units	Matrix Spike				Limit	Ref Smp	Batch
		MS Res	Ref Res	TV	% Rec			
1,1,1,2-Tetrachloroethane	mg/kg	0.106	0	25	95.0	29-14	L449662-01	WG468687
1,1,1-Trichloroethane	mg/kg	0.119	0	0.025	95.0	23-147	L449662-01	WG468687
1,1,2,2-Tetrachloroethane	mg/kg	0.100	0	0.025	80.0	18-150	L449662-01	WG468687
1,1,2-Trichloroethane	mg/kg	0.10	0	25	92.2	5-140	L449662-01	WG468687
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.121	0	0.025	96.4	10-145	L449662-01	WG468687
1,1-Dichloroethane	mg/kg	0.118	0	0.025	94.5	24-148	L449662-01	WG468687

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449684

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tex I.D. 62-0814289

Est. 1970

March 24, 2010

Analyte	Units	MS Res	Matrix Spike			Limit	Ref Samp	Batch
			Ref Res	TV	% Rec			
1,1-Dichloroethene	mg/kg	0.115	0	.025	98.1	10-149	L449662-01	WG468687
1,1-Dichloropropene	mg/kg	0.114	0	.025	91.6	10-141	L449662-01	WG468687
1,2,3-Trichlorobenzene	mg/kg	0.0961	0	.025	76.9	10-129	L449662-01	WG468687
1,2,3-Trichloropropene	mg/kg	0.10	0	.025	80.0	30-148	L449662-01	WG468687
1,2,3-Trimethylbenzene	mg/kg	0.104	0	.025	82.8	10-137	L449662-01	WG468687
1,2,4-Trichlorobenzene	mg/kg	0.0996	0	.025	79.6	10-119	L449662-01	WG468687
1,2,4-Trimethylbenzene	mg/kg	0.0999	0	2	9.9	10-14	L449662-01	WG468687
1,2-Dibromo-3-Chloropropane	mg/kg	0.0973	0	.025	77.8	19-145	L449662-01	WG468687
1,2-Dibromoethane	mg/kg	0.105	0	.025	83.6	24-145	L449662-01	WG468687
1,2-Dichlorobenzene	mg/kg	0.10	0	.025	80.0	12-130	L449662-01	WG468687
1,2-Dichloroethane	mg/kg	0.114	0	.025	90.8	21-155	L449662-01	WG468687
1,2-Dichloropropane	mg/kg	0.112	0	.025	89.4	28-144	L449662-01	WG468687
1,3,5-Trimethylbenzene	mg/kg	0.102	0	.025	81.9	10-1	L449662-01	WG468687
1,3-Dichlorobenzene	mg/kg	0.102	0	.025	81.6	10-129	L449662-01	WG468687
1,3-Dichloropropane	mg/kg	0.105	0	.025	83.9	31-137	L449662-01	WG468687
1,4-Dichlorobenzene	mg/kg	0.0995	0	2	9.6	10-121	L449662-01	WG468687
2,2-Dichloropropane	mg/kg	0.116	0	.025	93.0	18-144	L449662-01	WG468687
2-Butanone (MEK)	mg/kg	0.492	0	.125	78.6	21-143	L449662-01	WG468687
2-Chloroethyl vinyl ether	mg/kg	0.538	0	.025	86.1	0-176	L449662-01	WG468687
2-Chlorotoluene	mg/kg	0.102	0	.025	81.3	10-132	L449662-01	WG468687
4-Chlorotoluene	mg/kg	0.100	0	.025	80.2	10-129	L449662-01	WG468687
4-Methyl-2-pentanone (M Acetone)	mg/kg	0.508	0	.125	81.4	31-151	L449662-01	WG468687
Acrylonitrile	mg/kg	0.556	0	.125	88.9	13-158	L449662-01	WG468687
Benzene	mg/kg	0.506	0	.125	80.9	20-154	L449662-01	WG468687
Bromobenzene	mg/kg	0.112	0	.025	89.8	16-143	L449662-01	WG468687
Bromochloromethane	mg/kg	0.101	0	.025	80.9	14-135	L449662-01	WG468687
Bromodichloromethane	mg/kg	0.111	0	.025	89.1	27-139	L449662-01	WG468687
Bromoform	mg/kg	0.106	0	.025	84.6	21-144	L449662-01	WG468687
Bromomethane	mg/kg	0.130	0	.025	104.	0-180	L449662-01	WG468687
Carbon tetrachloride	mg/kg	0.120	0	.025	96.1	12-149	L449662-01	WG468687
Chlorobenzene	mg/kg	0.10	0	.025	83.8	17-134	L449662-01	WG468687
Chlorodibromomethane	mg/kg	0.106	0	.025	84.5	28-147	L449662-01	WG468687
Chloroethane	mg/kg	0.111	0	.025	88.7	0-172	L449662-01	WG468687
Chloroform	mg/kg	0.119	0	.025	85.2	28-138	L449662-01	WG468687
Chloromethane	mg/kg	0.108	0	.025	86.3	10-158	L449662-01	WG468687
cis-1,2-Dichloroethene	mg/kg	0.118	0	.025	94.2	21-147	L449662-01	WG468687
cis-1,3-Dichloropropene	mg/kg	0.112	0	.025	99.4	17-145	L449662-01	WG468687
Di-isopropyl ether	mg/kg	0.116	0	.025	92.7	31-153	L449662-01	WG468687
Dibromomethane	mg/kg	0.112	0	.025	89.7	24-147	L449662-01	WG468687
Dichlorodifluoromethane	mg/kg	0.11	0	.025	80.8	0-192	L449662-01	WG468687
Ethylbenzene	mg/kg	0.105	0	.025	84.0	12-137	L449662-01	WG468687
Hexachloro-1,3-butadiene	mg/kg	0.0910	0	.025	72.8	10-123	L449662-01	WG468687
Isopropylbenzene	mg/kg	0.105	0	.025	83.7	14-134	L449662-01	WG468687
Methyl tert-butyl ether	mg/kg	0.114	0	.025	91.4	21-157	L449662-01	WG468687
Methylene Chloride	mg/kg	0.114	0	.025	91.3	12-149	L449662-01	WG468687
n-Butylbenzene	mg/kg	0.098	0	.02	8.7	10-130	L449662-01	WG468687
n-Propylbenzene	mg/kg	0.102	0	.025	82.0	10-130	L449662-01	WG468687
Naphthalene	mg/kg	0.0983	0	.025	78.6	0-146	L449662-01	WG468687
p-Isopropyltoluene	mg/kg	0.101	0	.025	81.1	10-131	L449662-01	WG468687
sec-Butylbenzene	mg/kg	0.101	0	.025	81.0	10-134	L449662-01	WG468687
Styrene	mg/kg	0.106	0	.025	84.9	10-140	L449662-01	WG468687
tert-Butylbenzene	mg/kg	0.106	0	.025	84.5	11-137	L449662-01	WG468687
Tetrachloroethene	mg/kg	0.104	0	.025	83.3	10-131	L449662-01	WG468687
Toluene	mg/kg	0.100	0	.025	80.3	12-136	L449662-01	WG468687
trans-1,2-Dichloroethene	mg/kg	0.115	0	.025	82.3	10-143	L449662-01	WG468687
trans-1,3-Dichloropropene	mg/kg	0.110	0	.025	88.3	16-147	L449662-01	WG468687
Trichloroethene	mg/kg	0.114	0	.025	91.5	10-155	L449662-01	WG468687
Trichlorofluoromethane	mg/kg	0.12	0	.025	88.0	10-154	L449662-01	WG468687
Vinyl chloride	mg/kg	0.115	0	.025	91.6	10-159	L449662-01	WG468687

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449684

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 24, 2010

Analyte	Units	MS Res	Ref Res	TV	% Rec	Limit	Ref Samp	Batch
Xylenes, Total	mg/kg	0.299	0	0.075	79.8	10-138	L449662-01	WG468687
4-Bromofluorobenzene					96.81	59-140		WG468687
Dibromofluoromethane					103.9	63-139		WG468687
Toluene-d8					97.78	84-116		WG468687

Analyte	Units	MSD	Ref	% Rec	Limit	RPD	Limit Ref Samp	Batch
1,1,1-Trichloroethane	mg/kg	0.111	0.106	88.2	23-147	26.4	32 L449662-01	WG468687
1,1,1-Trichloroethane	mg/kg	0.0911	0.119	72.8	23-147	26.4	32 L449662-01	WG468687
1,1,2,2-Tetrachloroethane	mg/kg	0.105	0.100	83.8	18-150	4.62	33 L449662-01	WG468687
1,1,2,2-Tetrachloroethane	mg/kg	109	0.10	87.4	33-140	4.98	29 L449662-01	WG468687
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0893	0.121	71.4	10-145	29.7	35 L449662-01	WG468687
1,1-Dichloroethane	mg/kg	0.0909	0.118	72.7	24-148	26.0	31 L449662-01	WG468687
1,1-Dichloroethane	mg/kg	0.0883	0.123	70.7	10-149	26.3	34 L449662-01	WG468687
1,1-Dichloropropene	mg/kg	0.0868	0.114	69.5	10-141	27.4	34 L449662-01	WG468687
1,2,3-Trichlorobenzene	mg/kg	0.0884	0.0961	70.7	10-129	8.42	43 L449662-01	WG468687
1,2,3-Trichloropropene	mg/kg	0.109	0.105	87.0	30-148	7.86	32 L449662-01	WG468687
1,2,3-Trimethylbenzene	mg/kg	0.105	0.104	84.1	10-137	1.52	36 L449662-01	WG468687
1,2,4-Trichlorobenzene	mg/kg	0.0909	0.0996	72.7	10-119	9.10	44 L449662-01	WG468687
1,2,4-Trimethylbenzene	mg/kg	0.0999	0.0999	100.0	10-145	0.0503	41 L449662-01	WG468687
1,2-Dibromo-3-Chloropropane	mg/kg	0.0981	0.0973	78.5	19-145	0.808	35 L449662-01	WG468687
1,2-Dibromoethane	mg/kg	0.108	0.105	86.1	24-145	2.92	31 L449662-01	WG468687
1,2-Dichlorobenzene	mg/kg	0.102	0.104	81.7	10-130	2.05	35 L449662-01	WG468687
1,2-Dichloroethane	mg/kg	0.0899	0.114	72.0	21-155	23.2	29 L449662-01	WG468687
1,2-Dichloropropene	mg/kg	0.0983	0.112	78.7	28-144	12.8	30 L449662-01	WG468687
1,3,5-Trimethylbenzene	mg/kg	0.102	0.102	81.8	10-135	0.0997	39 L449662-01	WG468687
1,3-Dichlorobenzene	mg/kg	0.101	0.102	80.6	10-129	1.26	38 L449662-01	WG468687
1,3-Dichloropropene	mg/kg	0.108	0.105	86.4	31-137	2.99	29 L449662-01	WG468687
1,4-Dichlorobenzene	mg/kg	0.0998	0.099	79.8	10-121	0.258	36 L449662-01	WG468687
2,2-Dichloropropene	mg/kg	0.0901	0.116	72.1	18-144	25.3	32 L449662-01	WG468687
2-Butanone (MEK)	mg/kg	0.390	0.492	62.4	21-143	23.0	37 L449662-01	WG468687
2-Chloroethyl vinyl ether	mg/kg	0.492	0.538	78.7		0.01	50 L449662-01	WG468687
2-Chlorotoluene	mg/kg	0.102	0.102	81.6	10-132	0.463	37 L449662-01	WG468687
4-Chlorotoluene	mg/kg	0.101	0.100	81.1	10-129	1.07	38 L449662-01	WG468687
4-Methyl-2-pentanone (MIBK)	mg/kg	0.462	0.509	73.	-151	0.88	36 L449662-01	WG468687
Acetone	mg/kg	0.419	0.556	67.1	13-158	28.0	34 L449662-01	WG468687
Acrylonitrile	mg/kg	0.400	0.506	63.9	20-154	23.4	35 L449662-01	WG468687
Benzene	mg/kg	0.0866	0.112	69.3	-143	25	31 L449662-01	WG468687
Bromobenzene	mg/kg	0.104	0.101	83.0	14-135	2.51	39 L449662-01	WG468687
Bromodichloromethane	mg/kg	0.101	0.111	80.5	27-139	10.1	30 L449662-01	WG468687
Bromoform	mg/kg	0.108	0.106	86.	-144	2.48	34 L449662-01	WG468687
Bromomethane	mg/kg	0.0939	0.130	75.1	0-180	32.4	41 L449662-01	WG468687
Carbon tetrachloride	mg/kg	0.0835	0.120	66.8	12-149	36.0*	34 L449662-01	WG468687
Chlorobenzene	mg/kg	0.107	0.105	85.7	-134	2.28	34 L449662-01	WG468687
Chlorodibromomethane	mg/kg	0.109	0.106	87.0	28-147	2.91	32 L449662-01	WG468687
Chloroethane	mg/kg	0.0808	0.111	64.6	0-172	31.4	38 L449662-01	WG468687
Chloroform	mg/kg	0.0930	0.119	74.4	-138	24.35	30 L449662-01	WG468687
Chloromethane	mg/kg	0.0852	0.108	68.1	10-158	23.5	35 L449662-01	WG468687
cis-1,2-Dichloroethene	mg/kg	0.0921	0.118	73.6	21-147	24.5	31 L449662-01	WG468687
cis-1,3-Dichloropropene	mg/kg	0.100	0.112	80.	7-145	11.1	32 L449662-01	WG468687
Di-isopropyl ether	mg/kg	0.0927	0.116	74.2	31-153	22.2	29 L449662-01	WG468687
Dibromomethane	mg/kg	0.0981	0.112	78.5	24-147	13.4	30 L449662-01	WG468687
Dichlorodifluoromethane	mg/kg	0.0828	0.11	66.3	-192	31.2	38 L449662-01	WG468687
Ethylbenzene	mg/kg	0.106	0.105	84.4	12-137	0.500	36 L449662-01	WG468687
Hexachloro-1,3-butadiene	mg/kg	0.0752	0.0910	60.2	10-123	19.0	50 L449662-01	WG468687
Isopropylbenzene	mg/kg	0.105	0.10	84.	4-134	0.472	37 L449662-01	WG468687
Methyl tert-butyl ether	mg/kg	0.0921	0.114	73.6	21-157	21.5	31 L449662-01	WG468687
Methylene Chloride	mg/kg	0.0900	0.114	72.0	12-149	23.7	31 L449662-01	WG468687

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L449684

March 24, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit	Ref Smp	Batch
n-Butylbenzene	mg/kg	0.0899	0.0954	71.9	-130	.01	40	L449662-01	WG468687
n-Propylbenzene	mg/kg	0.101	0.102	80.6	10-130	1.61	40	L449662-01	WG468687
Naphthalene	mg/kg	0.0950	0.0983	76.0	0-146	3.44	43	L449662-01	WG468687
p-Isopropyltoluene	mg/kg	0.0974	0.10	77.9	-131	.08	43	L449662-01	WG468687
sec-Butylbenzene	mg/kg	0.0972	0.101	77.7	10-134	4.16	43	L449662-01	WG468687
Styrene	mg/kg	0.105	0.106	84.1	10-140	0.978	35	L449662-01	WG468687
tert-Butylbenzene	mg/kg	0.10	0.106	83.6	1-13	1.05		L449662-01	WG468687
Tetrachloroethene	mg/kg	0.103	0.104	82.2	10-131	1.26	35	L449662-01	WG468687
Toluene	mg/kg	0.0891	0.100	71.3	12-136	11.9	32	L449662-01	WG468687
trans-1,2-Dichloroethene	mg/kg	0.0899	0.11	71.9	0-143	24.8	3	L449662-01	WG468687
trans-1,3-Dichloropropene	mg/kg	0.0994	0.110	79.5	16-147	10.5	32	L449662-01	WG468687
Trichloroethene	mg/kg	0.0983	0.114	78.6	10-155	15.2	33	L449662-01	WG468687
Trichlorofluoromethane	mg/kg	0.0970	0.12	77.6	0-154	24.2	32	L449662-01	WG468687
Vinyl chloride	mg/kg	0.0866	0.115	69.2	10-159	27.9	36	L449662-01	WG468687
Xylenes, Total	mg/kg	0.310	0.299	82.6	10-138	3.46	36	L449662-01	WG468687
4-Bromofluorobenzene				97.34	59-140				WG468687
Dibromofluoromethane				83.37	63-139				WG468687
Toluene-d8				95.62	84-116				WG468687

Batch number / Run number / Sample number cross reference

WG468153: R1149424: L449684-01
WG468687: R1154908: L449684-01

* * Calculations are performed prior to rounding of reported values .
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L449684

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 24, 2010

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the Laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

SESCO Group

1426 W. 29th Street
Indianapolis, IN 46208

Billing information:

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Analysis/Container/Preservative

Chain of Custody

Page 34 of 1



12065 Lebanon Road
Mt. Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

F092

Report to: Mr. Tim Yates
Email: tyates@sescogroup.com
Project Description: Harman Becker
City/State Collected: MARTINSVILLE, IN
Client Project #: 3872-3
Lab Project #: SESCOIN-HARMAN

Phone: (317) 347-9590
FAX: (317) 347-9591
Collected by (print): Nathan Hyde
Site/Facility ID#: P.O.#
Collected by (signature):
Immediately Packed on ice N Y X
Rush? (Lab MUST Be Notified)
Same Day 200%
Next Day 100%
Two Day 50%
Three Day 25%
Date Results Needed
Email? No Yes
FAX? No Yes
No of Cntrs

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No of Cntrs
B-107 (2-4')	G	SS	2-4'	3/17/10	10:00	4
B-108 (2-4')	G	SS	2-4'	3/17/10	11:00	4
B-109 (2-4')	G	SS	2-4'	3/17/10	11:30	4
B-110 (2-4')	G	SS	2-4'	3/17/10	12:00	4
B-111 (2-4')	G	SS	2-4'	3/17/10	12:30	4
		SS				1
		SS				1
		SS				1
		SS				1

SPLPZIE for V8260 40m/NaHCO4/Syr/MeOH

TS 2ozClr-NoPres

V8260 40m/NaHCO4/Syr/MeOH

VOC Screen 2ozClr-NoPres

Acctnum: SESCOIN (lab use only)
Template/Prelogin: T63304 P313678
Cooler #: 3-3185
Shipped Via: FedEx Ground

Remarks/Contaminant Sample # (lab only)

L450119-01
02
03
04
05

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

Remarks: Level IV DATA PACKAGE for S075

pH _____ Temp _____
Flow _____ Other _____

Relinquished by: (Signature)	Date: 3-18-10	Time: 3:00pm	Received by: (Signature)	Samples returned via: ☒ UPS ☐ FedEx ☐ Courier	Condition: (lab use only)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: 3.1°C	Bottles Received: 20
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Date: 03/19/10	Time: 0900



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Monday March 29, 2010

Report Number: L450119

Samples Received: 03/19/10

Client Project: 3872-3

Description: Harman Becker

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

T. Alan Harvill , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 29, 2010

Date Received : March 19, 2010
Description : Harman Becker
Sample ID : B-107 2-4 FT
Collected By : Nathan Hyde
Collection Date : 03/17/10 10:00

ESC Sample # : 1450119-01

Site ID :

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	82.1		%	2540G	03/23/10	1
Volatile Organics						
Acetone	0.12	0.061	mg/kg	8260B	03/25/10	1
Acrylonitrile	BDL	0.012	mg/kg	8260B	03/25/10	1
Benzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Bromobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Bromodichloromethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
Bromoform	BDL	0.0012	mg/kg	8260B	03/25/10	1
Bromomethane	BDL	0.0061	mg/kg	8260B	03/25/10	1
n-Butylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
sec-Butylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
tert-Butylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Carbon tetrachloride	BDL	0.0012	mg/kg	8260B	03/25/10	1
Chlorobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Chlorodibromomethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
Chloroethane	BDL	0.0061	mg/kg	8260B	03/25/10	1
2-Chloroethyl vinyl ether	BDL	2.1	mg/kg	8260B	03/26/10	34
Chloroform	BDL	0.0061	mg/kg	8260B	03/25/10	1
Chloromethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
2-Chlorotoluene	BDL	0.0012	mg/kg	8260B	03/25/10	1
4-Chlorotoluene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0061	mg/kg	8260B	03/25/10	1
1,2-Dibromoethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
Dibromomethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,3-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,4-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Dichlorodifluoromethane	BDL	0.0061	mg/kg	8260B	03/25/10	1
1,1-Dichloroethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2-Dichloroethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1-Dichloroethene	BDL	0.0012	mg/kg	8260B	03/25/10	1
cis-1,2-Dichloroethene	BDL	0.0012	mg/kg	8260B	03/25/10	1
trans-1,2-Dichloroethene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2-Dichloropropane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/25/10	1
cis-1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/25/10	1
trans-1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/25/10	1
2,2-Dichloropropane	BDL	0.0012	mg/kg	8260B	03/25/10	1
Di-isopropyl ether	BDL	0.0012	mg/kg	8260B	03/25/10	1
Ethylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Hexachloro-1,3-butadiene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Isopropylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 29, 2010

Date Received : March 19, 2010
Description : Harman Becker
Sample ID : B-107 2-4 FT
Collected By : Nathan Hyde
Collection Date : 03/17/10 10:00

ESC Sample # : 1450119-01

Site ID :

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0012	mg/kg	8260B	03/25/10	1
2-Butanone (MEK)	0.017	0.012	mg/kg	8260B	03/25/10	1
Methylene Chloride	BDL	0.0061	mg/kg	8260B	03/25/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.012	mg/kg	8260B	03/25/10	1
Methyl tert-butyl ether	BDL	0.0012	mg/kg	8260B	03/25/10	1
Naphthalene	BDL	0.0061	mg/kg	8260B	03/25/10	1
n-Propylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Styrene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0012	mg/kg	8260B	03/25/10	1
Tetrachloroethene	2.8	0.041	mg/kg	8260B	03/26/10	34
Toluene	BDL	0.0061	mg/kg	8260B	03/25/10	1
1,2,3-Trichlorobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2,4-Trichlorobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1,1-Trichloroethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1,2-Trichloroethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
Trichloroethene	0.0024	0.0012	mg/kg	8260B	03/25/10	1
Trichlorofluoromethane	BDL	0.0061	mg/kg	8260B	03/25/10	1
1,2,3-Trichloropropane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2,4-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2,3-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,3,5-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Vinyl chloride	BDL	0.0012	mg/kg	8260B	03/25/10	1
Xylenes, Total	BDL	0.0036	mg/kg	8260B	03/25/10	1
Surrogate Recovery						
Toluene-d8	96.9		% Rec.	8260B	03/25/10	1
Dibromofluoromethane	101.		% Rec.	8260B	03/25/10	1
4-Bromofluorobenzene	102.		% Rec.	8260B	03/25/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/29/10 13:52 Printed: 03/29/10 13:53

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 29, 2010

Date Received : March 19, 2010
Description : Harman Becker
Sample ID : B-108 2-4 FT
Collected By : Nathan Hyde
Collection Date : 03/17/10 11:00

ESC Sample # : 1450119-02

Site ID :

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	83.5		%	2540G	03/23/10	1
Volatile Organics						
Acetone	0.14	0.060	mg/kg	8260B	03/25/10	1
Acrylonitrile	BDL	0.012	mg/kg	8260B	03/25/10	1
Benzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Bromobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Bromodichloromethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
Bromoform	BDL	0.0012	mg/kg	8260B	03/25/10	1
Bromomethane	BDL	0.0060	mg/kg	8260B	03/25/10	1
n-Butylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
sec-Butylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
tert-Butylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Carbon tetrachloride	BDL	0.0012	mg/kg	8260B	03/25/10	1
Chlorobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Chlorodibromomethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
Chloroethane	BDL	0.0060	mg/kg	8260B	03/25/10	1
2-Chloroethyl vinyl ether	BDL	2.0	mg/kg	8260B	03/26/10	34
Chloroform	BDL	0.0060	mg/kg	8260B	03/25/10	1
Chloromethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
2-Chlorotoluene	BDL	0.0012	mg/kg	8260B	03/25/10	1
4-Chlorotoluene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0060	mg/kg	8260B	03/25/10	1
1,2-Dibromoethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
Dibromomethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,3-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,4-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Dichlorodifluoromethane	BDL	0.0060	mg/kg	8260B	03/25/10	1
1,1-Dichloroethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2-Dichloroethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1-Dichloroethene	BDL	0.0012	mg/kg	8260B	03/25/10	1
cis-1,2-Dichloroethene	0.0015	0.0012	mg/kg	8260B	03/25/10	1
trans-1,2-Dichloroethene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2-Dichloropropane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/25/10	1
cis-1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/25/10	1
trans-1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	03/25/10	1
2,2-Dichloropropane	BDL	0.0012	mg/kg	8260B	03/25/10	1
Di-isopropyl ether	BDL	0.0012	mg/kg	8260B	03/25/10	1
Ethylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Hexachloro-1,3-butadiene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Isopropylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 29, 2010

Date Received : March 19, 2010
Description : Harman Becker
Sample ID : B-108 2-4 FT
Collected By : Nathan Hyde
Collection Date : 03/17/10 11:00

ESC Sample # : 1450119-02

Site ID :

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0012	mg/kg	8260B	03/25/10	1
2-Butanone (MEK)	0.019	0.012	mg/kg	8260B	03/25/10	1
Methylene Chloride	BDL	0.0060	mg/kg	8260B	03/25/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.012	mg/kg	8260B	03/25/10	1
Methyl tert-butyl ether	BDL	0.0012	mg/kg	8260B	03/25/10	1
Naphthalene	BDL	0.0060	mg/kg	8260B	03/25/10	1
n-Propylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Styrene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0012	mg/kg	8260B	03/25/10	1
Tetrachloroethene	0.66	0.041	mg/kg	8260B	03/26/10	34
Toluene	BDL	0.0060	mg/kg	8260B	03/25/10	1
1,2,3-Trichlorobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2,4-Trichlorobenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1,1-Trichloroethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,1,2-Trichloroethane	BDL	0.0012	mg/kg	8260B	03/25/10	1
Trichloroethene	0.0086	0.0012	mg/kg	8260B	03/25/10	1
Trichlorofluoromethane	BDL	0.0060	mg/kg	8260B	03/25/10	1
1,2,3-Trichloropropane	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2,4-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,2,3-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
1,3,5-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	03/25/10	1
Vinyl chloride	BDL	0.0012	mg/kg	8260B	03/25/10	1
Xylenes, Total	BDL	0.0036	mg/kg	8260B	03/25/10	1
Surrogate Recovery						
Toluene-d8	97.2		% Rec.	8260B	03/25/10	1
Dibromofluoromethane	103.		% Rec.	8260B	03/25/10	1
4-Bromofluorobenzene	98.8		% Rec.	8260B	03/25/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/29/10 13:52 Printed: 03/29/10 13:53

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 29, 2010

Date Received : March 19, 2010
Description : Harman Becker

ESC Sample # : 1450119-03

Sample ID : B-109 2-4 FT

Site ID :

Collected By : Nathan Hyde
Collection Date : 03/17/10 11:30

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	91.2		%	2540G	03/23/10	1
Volatile Organics						
Acetone	0.069	0.055	mg/kg	8260B	03/26/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/26/10	1
Benzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/26/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/26/10	1
Bromomethane	BDL	0.0055	mg/kg	8260B	03/26/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/26/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/26/10	1
Chloroethane	BDL	0.0055	mg/kg	8260B	03/26/10	1
2-Chloroethyl vinyl ether	BDL	0.055	mg/kg	8260B	03/26/10	1
Chloroform	BDL	0.0055	mg/kg	8260B	03/26/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/26/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/26/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0055	mg/kg	8260B	03/26/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/26/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
Dichlorodifluoromethane	BDL	0.0055	mg/kg	8260B	03/26/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/26/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/26/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/26/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/26/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/26/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/26/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/26/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/26/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 29, 2010

Date Received : March 19, 2010
Description : Harman Becker
Sample ID : B-109 2-4 FT
Collected By : Nathan Hyde
Collection Date : 03/17/10 11:30

ESC Sample # : 1450119-03

Site ID :

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/26/10	1
2-Butanone (MEK)	BDL	0.011	mg/kg	8260B	03/26/10	1
Methylene Chloride	BDL	0.0055	mg/kg	8260B	03/26/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/26/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/26/10	1
Naphthalene	BDL	0.0055	mg/kg	8260B	03/26/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/26/10	1
Tetrachloroethene	0.093	0.0011	mg/kg	8260B	03/26/10	1
Toluene	BDL	0.0055	mg/kg	8260B	03/26/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/26/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/26/10	1
Trichlorofluoromethane	BDL	0.0055	mg/kg	8260B	03/26/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/26/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/26/10	1
Xylenes, Total	BDL	0.0033	mg/kg	8260B	03/26/10	1
Surrogate Recovery						
Toluene-d8	106.		% Rec.	8260B	03/26/10	1
Dibromofluoromethane	93.2		% Rec.	8260B	03/26/10	1
4-Bromofluorobenzene	122.		% Rec.	8260B	03/26/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/29/10 13:52 Printed: 03/29/10 13:53

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 29, 2010

Date Received : March 19, 2010
Description : Harman Becker

ESC Sample # : 1450119-04

Sample ID : B-110 2-4 FT

Site ID :

Collected By : Nathan Hyde
Collection Date : 03/17/10 12:00

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	91.1		%	2540G	03/23/10	1
Volatile Organics						
Acetone	0.090	0.055	mg/kg	8260B	03/25/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/25/10	1
Benzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/25/10	1
Bromomethane	BDL	0.0055	mg/kg	8260B	03/25/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/25/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
Chloroethane	BDL	0.0055	mg/kg	8260B	03/25/10	1
2-Chloroethyl vinyl ether	BDL	0.055	mg/kg	8260B	03/28/10	1
Chloroform	BDL	0.0055	mg/kg	8260B	03/25/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/25/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0055	mg/kg	8260B	03/25/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Dichlorodifluoromethane	BDL	0.0055	mg/kg	8260B	03/25/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/25/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/25/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/25/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/25/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/25/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/25/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/25/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 29, 2010

Date Received : March 19, 2010
Description : Harman Becker
Sample ID : B-110 2-4 FT
Collected By : Nathan Hyde
Collection Date : 03/17/10 12:00

ESC Sample # : 1450119-04

Site ID :

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/25/10	1
2-Butanone (MEK)	0.012	0.011	mg/kg	8260B	03/25/10	1
Methylene Chloride	BDL	0.0055	mg/kg	8260B	03/25/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/25/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/25/10	1
Naphthalene	BDL	0.0055	mg/kg	8260B	03/25/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/25/10	1
Tetrachloroethene	0.0012	0.0011	mg/kg	8260B	03/28/10	1
Toluene	BDL	0.0055	mg/kg	8260B	03/25/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Trichlorofluoromethane	BDL	0.0055	mg/kg	8260B	03/25/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/25/10	1
Xylenes, Total	BDL	0.0033	mg/kg	8260B	03/25/10	1
Surrogate Recovery						
Toluene-d8	96.1		% Rec.	8260B	03/25/10	1
Dibromofluoromethane	104.		% Rec.	8260B	03/25/10	1
4-Bromofluorobenzene	98.6		% Rec.	8260B	03/25/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/29/10 13:52 Printed: 03/29/10 13:53

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 29, 2010

Date Received : March 19, 2010
Description : Harman Becker
Sample ID : B-111 2-4 FT
Collected By : Nathan Hyde
Collection Date : 03/17/10 12:30

ESC Sample # : 1450119-05

Site ID :

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	91.4		%	2540G	03/23/10	1
Volatile Organics						
Acetone	0.14	0.055	mg/kg	8260B	03/25/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	03/25/10	1
Benzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	03/25/10	1
Bromomethane	BDL	0.0055	mg/kg	8260B	03/25/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	03/25/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
Chloroethane	BDL	0.0055	mg/kg	8260B	03/25/10	1
2-Chloroethyl vinyl ether	BDL	0.055	mg/kg	8260B	03/25/10	1
Chloroform	BDL	0.0055	mg/kg	8260B	03/25/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/25/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0055	mg/kg	8260B	03/25/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Dichlorodifluoromethane	BDL	0.0055	mg/kg	8260B	03/25/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/25/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/25/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/25/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/25/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	03/25/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	03/25/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	03/25/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 29, 2010

Date Received : March 19, 2010
Description : Harman Becker
Sample ID : B-111 2-4 FT
Collected By : Nathan Hyde
Collection Date : 03/17/10 12:30

ESC Sample # : L450119-05

Site ID :

Project # : 3872-3

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	03/25/10	1
2-Butanone (MEK)	0.016	0.011	mg/kg	8260B	03/25/10	1
Methylene Chloride	BDL	0.0055	mg/kg	8260B	03/25/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	03/25/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	03/25/10	1
Naphthalene	BDL	0.0055	mg/kg	8260B	03/25/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Styrene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	03/25/10	1
Tetrachloroethene	0.076	0.0011	mg/kg	8260B	03/25/10	1
Toluene	BDL	0.0055	mg/kg	8260B	03/25/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	03/25/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Trichlorofluoromethane	BDL	0.0055	mg/kg	8260B	03/25/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
1,2,3-Trimethylbenzene	0.0017	0.0011	mg/kg	8260B	03/25/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	03/25/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	03/25/10	1
Xylenes, Total	BDL	0.0033	mg/kg	8260B	03/25/10	1
Surrogate Recovery						
Toluene-d8	94.9		% Rec.	8260B	03/25/10	1
Dibromofluoromethane	112.		% Rec.	8260B	03/25/10	1
4-Bromofluorobenzene	88.7		% Rec.	8260B	03/25/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 03/29/10 13:52 Printed: 03/29/10 13:53

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L450119-03	WG469800	SAMP	1,2,3-Trichlorobenzene	R1159809	J3
L450119-04	WG469916	SAMP	2-Chloroethyl vinyl ether	R1160468	J4

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
03/29/10 at 13:53:31

TSR Signing Reports: 364
R5 - Desired TAT

No hard copy of reports per Jesse. In 6/12/06 Only CD for QC pkgs. - no paper. In 6/6/05 All
soils in Dry wt. In 5/9/05 client requires purchase orders for each project.

Sample: L450119-01 Account: SESCOIN Received: 03/19/10 09:00 Due Date: 03/26/10 00:00 RPT Date: 03/29/10 13:52
Sample: L450119-02 Account: SESCOIN Received: 03/19/10 09:00 Due Date: 03/26/10 00:00 RPT Date: 03/29/10 13:52
Sample: L450119-03 Account: SESCOIN Received: 03/19/10 09:00 Due Date: 03/26/10 00:00 RPT Date: 03/29/10 13:52
Sample: L450119-04 Account: SESCOIN Received: 03/19/10 09:00 Due Date: 03/26/10 00:00 RPT Date: 03/29/10 13:52
Sample: L450119-05 Account: SESCOIN Received: 03/19/10 09:00 Due Date: 03/26/10 00:00 RPT Date: 03/29/10 13:52



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Result	Units	Laboratory Blank % Rec	Limit	Batch	Date Analyzed
Total Solids	< .1	%			WG469401	03/23/10 10:35
1,1,1,2-Tetrachloroethane	< .001	mg/kg			WG469401	03/24/10 23:31
1,1,1-Trichloroethane	< .001	mg/kg			WG469401	03/24/10 23:31
1,1,2,2-Tetrachloroethane	< .001	mg/kg			WG469401	03/24/10 23:31
1,1,2-Trichloroethane	< .001	mg/kg			WG469401	03/24/10 23:31
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/kg			WG469401	03/24/10 23:31
1,1-Dichloroethane	< .001	mg/kg			WG469401	03/24/10 23:31
1,1-Dichloroethene	< .001	mg/kg			WG469401	03/24/10 23:31
1,1-Dichloropropene	< .001	mg/kg			WG469401	03/24/10 23:31
1,2,3-Trichlorobenzene	< .001	mg/kg			WG469401	03/24/10 23:31
1,2,3-Trichloropropene	< .001	mg/kg			WG469401	03/24/10 23:31
1,2,3-Trimethylbenzene	< .001	mg/kg			WG469401	03/24/10 23:31
1,2,4-Trichlorobenzene	< .001	mg/kg			WG469401	03/24/10 23:31
1,2,4-Trimethylbenzene	< .001	mg/kg			WG469401	03/24/10 23:31
1,2-Dibromo-3-Chloropropene	< .001	mg/kg			WG469401	03/24/10 23:31
1,2-Dibromoethane	< .001	mg/kg			WG469401	03/24/10 23:31
1,2-Dichlorobenzene	< .001	mg/kg			WG469401	03/24/10 23:31
1,2-Dichloroethane	< .001	mg/kg			WG469401	03/24/10 23:31
1,2-Dichloropropene	< .001	mg/kg			WG469401	03/24/10 23:31
1,3,5-Trimethylbenzene	< .001	mg/kg			WG469401	03/24/10 23:31
1,3-Dichlorobenzene	< .001	mg/kg			WG469401	03/24/10 23:31
1,3-Dichloropropene	< .001	mg/kg			WG469401	03/24/10 23:31
1,4-Dichlorobenzene	< .001	mg/kg			WG469401	03/24/10 23:31
2,2-Dichloropropene	< .001	mg/kg			WG469401	03/24/10 23:31
2-Butanone (MEK)	< .01	mg/kg			WG469401	03/24/10 23:31
2-Chloroethyl vinyl ether	< .001	mg/kg			WG469401	03/24/10 23:31
2-Chlorotoluene	< .001	mg/kg			WG469401	03/24/10 23:31
4-Chlorotoluene	< .001	mg/kg			WG469401	03/24/10 23:31
4-Methyl-2-pentanone (MIBK)	< .01	mg/kg			WG469401	03/24/10 23:31
Aceton	< .0	mg/kg			WG469401	03/24/10 23:31
Acrylonitrile	< .01	mg/kg			WG469401	03/24/10 23:31
Benzene	< .001	mg/kg			WG469401	03/24/10 23:31
Bromobenzene	< .001	mg/kg			WG469401	03/24/10 23:31
Bromodichloromethane	< .001	mg/kg			WG469401	03/24/10 23:31
Bromoform	< .001	mg/kg			WG469401	03/24/10 23:31
Bromomethane	< .005	mg/kg			WG469401	03/24/10 23:31
Carbon tetrachloride	< .001	mg/kg			WG469401	03/24/10 23:31
Chlorobenzene	< .001	mg/kg			WG469401	03/24/10 23:31
Chlorodibromomethane	< .001	mg/kg			WG469401	03/24/10 23:31
Chloroethane	< .005	mg/kg			WG469401	03/24/10 23:31
Chloroform	< .005	mg/kg			WG469401	03/24/10 23:31
Chloromethane	< .001	mg/kg			WG469401	03/24/10 23:31
cis-1,2-Dichloroethene	< .001	mg/kg			WG469401	03/24/10 23:31
cis-1,3-Dichloropropene	< .001	mg/kg			WG469401	03/24/10 23:31
Di-isopropyl ether	< .001	mg/kg			WG469401	03/24/10 23:31
Dibromomethane	< .001	mg/kg			WG469401	03/24/10 23:31
Dichlorodifluoromethane	< .005	mg/kg			WG469401	03/24/10 23:31
Ethylbenzene	< .001	mg/kg			WG469401	03/24/10 23:31
Hexachloro-1,3-butadiene	< .001	mg/kg			WG469401	03/24/10 23:31
Isopropylbenzene	< .001	mg/kg			WG469401	03/24/10 23:31
Methyl tert-butyl ether	< .001	mg/kg			WG469401	03/24/10 23:31
Methylene Chloride	< .005	mg/kg			WG469401	03/24/10 23:31
n-Butylbenzene	< .001	mg/kg			WG469401	03/24/10 23:31
n-Propylbenzene	< .001	mg/kg			WG469401	03/24/10 23:31
Naphthalene	< .005	mg/kg			WG469401	03/24/10 23:31
p-Isopropyltoluene	< .001	mg/kg			WG469401	03/24/10 23:31
sec-Butylbenzene	< .001	mg/kg			WG469401	03/24/10 23:31

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Result	Units	Laboratory Blank % Rec	Limit	Batch	Date Analyzed
Styrene	< .001	mg/kg			WG469401	03/24/10 23:31
tert-Butylbenzene	< .001	mg/kg			WG469401	03/24/10 23:31
Tetrachloroethene	< .001	mg/kg			WG469401	03/24/10 23:31
Toluene	< .005	mg/kg			WG469401	03/24/10 23:31
trans-1,2-Dichloroethene	< .001	mg/kg			WG469401	03/24/10 23:31
trans-1,3-Dichloropropene	< .001	mg/kg			WG469401	03/24/10 23:31
Trichloroethene	< .001	mg/kg			WG469401	03/24/10 23:31
Trichlorofluoromethane	< .005	mg/kg			WG469401	03/24/10 23:31
Vinyl chloride	< .001	mg/kg			WG469401	03/24/10 23:31
Xylenes, Total	< .003	mg/kg			WG469401	03/24/10 23:31
4-Bromofluorobenzene		% Rec.	103.8	59-140	WG469401	03/24/10 23:31
Dibromofluoromethane		% Rec.	103.6	63-139	WG469401	03/24/10 23:31
Toluene-d ₈		% Rec.	6.62	84-116	WG469401	03/24/10 23:31
1,1,1,2-Tetrachloroethane	< .001	mg/kg			WG469433	03/25/10 08:53
1,1,1-Trichloroethane	< .001	/kg			WG469433	03/25/10 08:53
1,1,2,2-Tetrachloroethane	< .001	mg/kg			WG469433	03/25/10 08:53
1,1,2-Trichloroethane	< .001	mg/kg			WG469433	03/25/10 08:53
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	/kg			WG469433	03/25/10 08:53
1,1-Dichloroethane	< .001	mg/kg			WG469433	03/25/10 08:53
1,1-Dichloropropene	< .001	mg/kg			WG469433	03/25/10 08:53
1,2,3-Trichlorobenzene	< .001	mg/kg			WG469433	03/25/10 08:53
1,2,3-Trichloropropene	< .001	mg/kg			WG469433	03/25/10 08:53
1,2,3-Trimethylbenzene	< .001	/kg			WG469433	03/25/10 08:53
1,2,4-Trichlorobenzene	< .001	mg/kg			WG469433	03/25/10 08:53
1,2,4-Trimethylbenzene	< .001	mg/kg			WG469433	03/25/10 08:53
1,2-Dibromo-3-Chloropropane	< .005	/kg			WG469433	03/25/10 08:53
1,2-Dibromoethane	< .001	mg/kg			WG469433	03/25/10 08:53
1,2-Dichlorobenzene	< .001	mg/kg			WG469433	03/25/10 08:53
1,2-Dichloroethane	< .001	/kg			WG469433	03/25/10 08:53
1,2-Dichloropropene	< .001	mg/kg			WG469433	03/25/10 08:53
1,3,5-Trimethylbenzene	< .001	mg/kg			WG469433	03/25/10 08:53
1,3-Dichlorobenzene	< .001	/kg			WG469433	03/25/10 08:53
1,3-Dichloropropene	< .001	mg/kg			WG469433	03/25/10 08:53
1,4-Dichlorobenzene	< .001	mg/kg			WG469433	03/25/10 08:53
2,2-Dichloropropene	< .001	/kg			WG469433	03/25/10 08:53
2-Butanone (MEK)	< .01	mg/kg			WG469433	03/25/10 08:53
2-Chlorotoluene	< .001	mg/kg			WG469433	03/25/10 08:53
4-Chlorotoluene	< .001	/kg			WG469433	03/25/10 08:53
4-Methyl-2-pentanone (MIBK)	< .01	mg/kg			WG469433	03/25/10 08:53
Acetone	< .05	mg/kg			WG469433	03/25/10 08:53
Acrylonitrile	< .0	/kg			WG469433	03/25/10 08:53
Benzene	< .001	mg/kg			WG469433	03/25/10 08:53
Bromobenzene	< .001	mg/kg			WG469433	03/25/10 08:53
Bromodichloromethane	< .001	/kg			WG469433	03/25/10 08:53
Bromoform	< .001	mg/kg			WG469433	03/25/10 08:53
Bromomethane	< .005	mg/kg			WG469433	03/25/10 08:53
Carbon tetrachloride	< .001	mg/kg			WG469433	03/25/10 08:53
Chlorobenzene	< .001	mg/kg			WG469433	03/25/10 08:53
Chlorodibromomethane	< .001	mg/kg			WG469433	03/25/10 08:53
Chloroethane	< .005	mg/kg			WG469433	03/25/10 08:53
Chloroform	< .005	mg/kg			WG469433	03/25/10 08:53
Chloromethane	< .001	mg/kg			WG469433	03/25/10 08:53
cis-1,2-Dichloroethene	< .001	mg/kg			WG469433	03/25/10 08:53
cis-1,3-Dichloropropene	< .001	mg/kg			WG469433	03/25/10 08:53
Di-isopropyl ether	< .001	mg/kg			WG469433	03/25/10 08:53
Dibromomethane	< .001	mg/kg			WG469433	03/25/10 08:53

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Dichlorodifluoromethane	< .005	/kg			WG469433	03/25/10 08:53
Ethylbenzene	< .001	mg/kg			WG469433	03/25/10 08:53
Hexachloro-1,3-butadiene	< .001	mg/kg			WG469433	03/25/10 08:53
Isopropylbenzene	< .001	mg/kg			WG469433	03/25/10 08:53
Methyl tert-butyl ether	< .001	mg/kg			WG469433	03/25/10 08:53
Methylene Chloride	< .005	mg/kg			WG469433	03/25/10 08:53
n-Butylbenzene	< .001	mg/kg			WG469433	03/25/10 08:53
n-Propylbenzene	< .001	mg/kg			WG469433	03/25/10 08:53
Naphthalene	< .005	mg/kg			WG469433	03/25/10 08:53
p-Isopropyltoluene	< .001	mg/kg			WG469433	03/25/10 08:53
sec-Butylbenzene	< .001	mg/kg			WG469433	03/25/10 08:53
Styrene	< .001	mg/kg			WG469433	03/25/10 08:53
tert-Butylbenzene	< .001	mg/kg			WG469433	03/25/10 08:53
Toluene	< .005	mg/kg			WG469433	03/25/10 08:53
trans-1,2-Dichloroethane	< .001	mg/kg			WG469433	03/25/10 08:53
trans-1,3-Dichloropropene	< .001	/kg			WG469433	03/25/10 08:53
Trichloroethane	< .001	mg/kg			WG469433	03/25/10 08:53
Trichlorofluoromethane	< .005	mg/kg			WG469433	03/25/10 08:53
Vinyl chloride	< .001	/kg			WG469433	03/25/10 08:53
Xylenes, Total	< .003	mg/kg			WG469433	03/25/10 08:53
4-Bromofluorobenzene		% Rec.	102.2	59-140	WG469433	03/25/10 08:53
Dibromofluoromethane		% Rec.	5.09	63-138	WG469433	03/25/10 08:53
Toluene-d8		% Rec.	95.81	84-116	WG469433	03/25/10 08:53
1,1,1,2-Tetrachloroethane	< .001	/kg			WG469800	03/26/10 19:37
1,1,1-Trichloroethane	< .001	mg/kg			WG469800	03/26/10 19:37
1,1,2,2-Tetrachloroethane	< .001	mg/kg			WG469800	03/26/10 19:37
1,1,2-Trichloroethane	< .001	/kg			WG469800	03/26/10 19:37
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/kg			WG469800	03/26/10 19:37
1,1-Dichloroethane	< .001	mg/kg			WG469800	03/26/10 19:37
1,1-Dichlorobenzene	< .001	/kg			WG469800	03/26/10 19:37
1,1-Dichloropropene	< .001	mg/kg			WG469800	03/26/10 19:37
1,2,3-Trichlorobenzene	< .001	mg/kg			WG469800	03/26/10 19:37
1,2,3-Trichloropropene	< .001	/kg			WG469800	03/26/10 19:37
1,2,3-Trimethylbenzene	< .001	mg/kg			WG469800	03/26/10 19:37
1,2,4-Trichlorobenzene	< .001	mg/kg			WG469800	03/26/10 19:37
1,2,4-Trimethylbenzene	< .001	/kg			WG469800	03/26/10 19:37
1,2-Dibromo-3-Chloropropane	< .005	mg/kg			WG469800	03/26/10 19:37
1,2-Dibromoethane	< .001	mg/kg			WG469800	03/26/10 19:37
1,2-Dichlorobenzene	< .001	/kg			WG469800	03/26/10 19:37
1,2-Dichloroethane	< .001	mg/kg			WG469800	03/26/10 19:37
1,2-Dichloropropene	< .001	mg/kg			WG469800	03/26/10 19:37
1,3,5-Trimethylbenzene	< .001	/kg			WG469800	03/26/10 19:37
1,3-Dichlorobenzene	< .001	mg/kg			WG469800	03/26/10 19:37
1,3-Dichloropropene	< .001	mg/kg			WG469800	03/26/10 19:37
1,4-Dichlorobenzene	< .001	/kg			WG469800	03/26/10 19:37
2,2-Dichloropropene	< .001	mg/kg			WG469800	03/26/10 19:37
2-Butanone (MEK)	< .01	mg/kg			WG469800	03/26/10 19:37
2-Chloroethyl vinyl ether	< .001	mg/kg			WG469800	03/26/10 19:37
2-Chlorotoluene	< .001	mg/kg			WG469800	03/26/10 19:37
4-Chlorotoluene	< .001	mg/kg			WG469800	03/26/10 19:37
4-Methyl-2-pentanone (MIBK)	< .05	mg/kg			WG469800	03/26/10 19:37
Acetone	< .05	mg/kg			WG469800	03/26/10 19:37
Acrylonitrile	< .01	mg/kg			WG469800	03/26/10 19:37
Benzene	< .001	mg/kg			WG469800	03/26/10 19:37
Bromobenzene	< .001	mg/kg			WG469800	03/26/10 19:37
Bromodichloromethane	< .001	mg/kg			WG469800	03/26/10 19:37
Bromoform	< .001	mg/kg			WG469800	03/26/10 19:37

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Bromomethane	< .005	/kg			WG469800	03/26/10 19:37
Carbon tetrachloride	< .001	mg/kg			WG469800	03/26/10 19:37
Chlorobenzene	< .001	mg/kg			WG469800	03/26/10 19:37
Chlorodibromomethane	< .001	mg/kg			WG469800	03/26/10 19:37
Chloroethane	< .005	mg/kg			WG469800	03/26/10 19:37
Chloroform	< .005	mg/kg			WG469800	03/26/10 19:37
Chloromethane	< .001	mg/kg			WG469800	03/26/10 19:37
cis-1,2-Dichloroethene	< .001	mg/kg			WG469800	03/26/10 19:37
cis-1,3-Dichloropropene	< .001	mg/kg			WG469800	03/26/10 19:37
Di-isopropyl ether	< .001	mg/kg			WG469800	03/26/10 19:37
Dibromomethane	< .001	mg/kg			WG469800	03/26/10 19:37
Dichlorodifluoromethane	< .005	mg/kg			WG469800	03/26/10 19:37
Ethylbenzene	< .001	mg/kg			WG469800	03/26/10 19:37
Hexachloro-1,3-butadiene	< .001	mg/kg			WG469800	03/26/10 19:37
Isopropylbenzene	< .001	mg/kg			WG469800	03/26/10 19:37
Methyl tert-butyl ether	< .001	/kg			WG469800	03/26/10 19:37
Methylene Chloride	< .005	mg/kg			WG469800	03/26/10 19:37
n-Butylbenzene	< .001	mg/kg			WG469800	03/26/10 19:37
n-Propylbenzene	< .001	/kg			WG469800	03/26/10 19:37
Naphthalene	< .005	mg/kg			WG469800	03/26/10 19:37
p-Isopropyltoluene	< .001	mg/kg			WG469800	03/26/10 19:37
sec-Butylbenzene	< .001	mg/kg			WG469800	03/26/10 19:37
Styrene	< .001	mg/kg			WG469800	03/26/10 19:37
tert-Butylbenzene	< .001	mg/kg			WG469800	03/26/10 19:37
Tetrachloroethene	< .001	/kg			WG469800	03/26/10 19:37
Toluene	< .005	mg/kg			WG469800	03/26/10 19:37
trans-1,2-Dichloroethene	< .001	mg/kg			WG469800	03/26/10 19:37
trans-1,3-Dichloropropene	< .001	/kg			WG469800	03/26/10 19:37
Trichloroethene	< .001	mg/kg			WG469800	03/26/10 19:37
Trichlorofluoromethane	< .005	mg/kg			WG469800	03/26/10 19:37
Vinyl chloride	< .001	/kg			WG469800	03/26/10 19:37
Xylenes, Total	< .003	mg/kg			WG469800	03/26/10 19:37
4-Bromofluorobenzene		% Rec.	108.5	59-140	WG469800	03/26/10 19:37
Dibromofluoromethane		% Rec.	5.86	63-139	WG469800	03/26/10 19:37
Toluene-d8		% Rec.	102.1	84-116	WG469800	03/26/10 19:37
2-Chloroethyl vinyl ether	< .001	/kg			WG469916	03/28/10 13:41
Tetrachloroethene	< .001	mg/kg			WG469916	03/28/10 13:41
4-Bromofluorobenzene		% Rec.	90.38	59-140	WG469916	03/28/10 13:41
Dibromofluoromethane		% Rec.	6.38	63-139	WG469916	03/28/10 13:41
Toluene-d8		% Rec.	92.81	84-116	WG469916	03/28/10 13:41

Analyte	Units	Result	Duplicate		Limit	Ref Samp	Batch
			Duplicate	RPD			
Total Solids	%	91.0	90.	0.50	5	L450141 04	WG468931

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Total Solids	%	50	-	100	85-115	WG468931
1,1,1,2-Tetrachloroethane	mg/kg	.025	0.0267	107.	73-134	WG469401
1,1,1-Trichloroethane	mg/kg	.025	0.0261	10	62-135	WG469401
1,1,2,2-Tetrachloroethane	mg/kg	.025	0.0250	99.8	74-129	WG469401
1,1,2-Trichloroethane	mg/kg	.025	0.0250	99.8	77-124	WG469401
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	.025	0.0259	104	155	WG469401

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,1-Dichloroethane	mg/kg	.025	0.0235	93.8	61-132	WG469401
1,1-Dichloroethene	mg/kg	.025	0.0280	112.0	53-136	WG469401
1,1-Dichloropropene	mg/kg	.025	0.0241	96.5	63-132	WG469401
1,2,3-Trichlorobenzene	mg/kg	.025	0.0227		62-146	WG469401
1,2,3-Trichloropropene	mg/kg	.025	0.0274	110.0	70-133	WG469401
1,2,3-Trimethylbenzene	mg/kg	.025	0.0260	104.0	73-126	WG469401
1,2,4-Trichlorobenzene	mg/kg	.025	0.0228	91.0	61-148	WG469401
1,2,4-Trimethylbenzene	mg/kg	.025	0.0270	108.0	68-135	WG469401
1,2-Dibromo-3-Chloropropane	mg/kg	.025	0.0255	102.0	61-134	WG469401
1,2-Dibromoethane	mg/kg	.025	0.0259	104.0	76-127	WG469401
1,2-Dichlorobenzene	mg/kg	.025	0.0245	97.9	77-123	WG469401
1,2-Dichloroethane	mg/kg	.025	0.0241	96.6	58-141	WG469401
1,2-Dichloropropene	mg/kg	.025	0.0204	81.0	71-128	WG469401
1,3,5-Trimethylbenzene	mg/kg	.025	0.0281	112.0	71-133	WG469401
1,3-Dichlorobenzene	mg/kg	.025	0.0259	104.0	71-132	WG469401
1,3-Dichloropropene	mg/kg	.025	0.0233	93.2	76-120	WG469401
1,4-Dichlorobenzene	mg/kg	.025	0.0243	97.3	72-123	WG469401
2,2-Dichloropropene	mg/kg	.025	0.0259	104.0	50-147	WG469401
2-Butanone (MEK)	mg/kg	.125	0.099	79.6	51-131	WG469401
2-Chloroethyl vinyl ether	mg/kg	.125	0.125	99.7	0-188	WG469401
2-Chlorotoluene	mg/kg	.025	0.0269	108.0	73-128	WG469401
4-Chlorotoluene	mg/kg	.025	0.0263	105.0	72-128	WG469401
4-Methyl-2-pentanone (MIBK)	mg/kg	.125	0.104	82.9	61-143	WG469401
Acetone	mg/kg	.125	0.109	86.9	44-140	WG469401
Acrylonitrile	mg/kg	.125	0.111	89.0	55-143	WG469401
Benzene	mg/kg	.025	0.0229	91.5	65-128	WG469401
Bromobenzene	mg/kg	.025	0.0250	100.0	75-123	WG469401
Bromodichloromethane	mg/kg	.025	0.0243	97.0	66-126	WG469401
Bromoform	mg/kg	.025	0.0248	99.3	64-139	WG469401
Bromomethane	mg/kg	.025	0.0302	121.0	41-175	WG469401
Carbon tetrachloride	mg/kg	.025	0.0254	102.0	60-140	WG469401
Chlorobenzene	mg/kg	.025	0.0257	103.0	75-125	WG469401
Chlorodibromomethane	mg/kg	.025	0.0251	101.0	72-137	WG469401
Chloroethane	mg/kg	.025	0.0307	123.0	44-188	WG469401
Chloroform	mg/kg	.025	0.0251	100.0	63-123	WG469401
Chloromethane	mg/kg	.025	0.0242	96.8	42-149	WG469401
cis-1,2-Dichloroethene	mg/kg	.025	0.0251	100.0	71-132	WG469401
cis-1,3-Dichloropropene	mg/kg	.025	0.0236	94.6	73-132	WG469401
Di-isopropyl ether	mg/kg	.025	0.0212	84.8	59-143	WG469401
Dibromomethane	mg/kg	.025	0.0235	93.8	70-130	WG469401
Dichlorodifluoromethane	mg/kg	.025	0.0319	127.0	26-186	WG469401
Ethylbenzene	mg/kg	.025	0.0260	104.0	74-128	WG469401
Hexachloro-1,3-butadiene	mg/kg	.025	0.0237	94.9	65-137	WG469401
Isopropylbenzene	mg/kg	.025	0.0272	109.0	73-130	WG469401
Methyl tert-butyl ether	mg/kg	.025	0.0257	103.0	44-148	WG469401
Methylene Chloride	mg/kg	.025	0.0236	94.3	57-129	WG469401
n-Butylbenzene	mg/kg	.025	0.0260	104.0	60-145	WG469401
n-Propylbenzene	mg/kg	.025	0.0259	103.0	71-132	WG469401
Naphthalene	mg/kg	.025	0.0247	98.7	61-142	WG469401
p-Isopropyltoluene	mg/kg	.025	0.0286	114.0	67-138	WG469401
sec-Butylbenzene	mg/kg	.025	0.0279	112.0	71-134	WG469401
Styrene	mg/kg	.025	0.0265	106.0	76-133	WG469401
tert-Butylbenzene	mg/kg	.025	0.0281	112.0	72-132	WG469401
Tetrachloroethene	mg/kg	.025	0.0241	96.4	65-135	WG469401
Toluene	mg/kg	.02	0.0225	90.0	70-120	WG469401
trans-1,2-Dichloroethene	mg/kg	.025	0.0247	99.0	61-133	WG469401
trans-1,3-Dichloropropene	mg/kg	.025	0.0248	99.2	70-135	WG469401
Trichloroethene	mg/kg	.02	0.0252	101.0	71-126	WG469401
Trichlorofluoromethane	mg/kg	.025	0.0292	117.0	52-147	WG469401

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Vinyl chloride	mg/kg	.025	0.0299		151	WG469401
Xylenes, Total	mg/kg	.075	0.0764	102.	74-127	WG469401
4-Bromofluorobenzene				106.9	59-140	WG469401
Dibromofluoromethane				102.2	63-139	WG469401
Toluene-d8				99.04	84-116	WG469401
1,1,1,2-Tetrachloroethane	mg/kg	.025	0.0252	101.	73-134	WG469433
1,1,1-Trichloroethane	mg/kg	.025	0.0274	110.	62-135	WG469433
1,1,2,2-Tetrachloroethane	mg/kg	.025	0.0277	111.	74-129	WG469433
1,1,2-Trichloroethane	mg/kg	.025	0.0253	101.	77-124	WG469433
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	.025	0.0264	106.	49-155	WG469433
1,1-Dichloroethane	mg/kg	.025	0.0254	102.	61-134	WG469433
1,1-Dichloroethane	mg/kg	.025	0.0262	10	53-136	WG469433
1,1-Dichloropropene	mg/kg	.025	0.0264	106.	63-132	WG469433
1,2,3-Trichlorobenzene	mg/kg	.025	0.0267	107.	62-146	WG469433
1,2,3-Trichloropropene	mg/kg	.025	0.0273	109	70-133	WG469433
1,2,3-Trimethylbenzene	mg/kg	.025	0.0285	114.	73-126	WG469433
1,2,4-Trichlorobenzene	mg/kg	.025	0.0258	103.	61-148	WG469433
1,2,4-Trimethylbenzene	mg/kg	.025	0.0274	110	68-135	WG469433
1,2-Dibromo-3-Chloropropane	mg/kg	.025	0.0303	121.	61-134	WG469433
1,2-Dibromoethane	mg/kg	.025	0.0256	102.	76-127	WG469433
1,2-Dichlorobenzene	mg/kg	.025	0.0260	104	77-123	WG469433
1,2-Dichloroethane	mg/kg	.025	0.0256	103.	58-141	WG469433
1,2-Dichloropropene	mg/kg	.025	0.0262	105.	71-128	WG469433
1,3,5-Trimethylbenzene	mg/kg	.025	0.0267	107	71-133	WG469433
1,3-Dichlorobenzene	mg/kg	.025	0.0255	102.	71-132	WG469433
1,3-Dichloropropene	mg/kg	.025	0.0247	98.7	76-120	WG469433
1,4-Dichlorobenzene	mg/kg	.025	0.0248	99.	72-123	WG469433
2,2-Dichloropropene	mg/kg	.025	0.0253	101.	50-147	WG469433
2-Butanone (MEK)	mg/kg	.125	0.140	112.	51-131	WG469433
2-Chlorotoluene	mg/kg	.025	0.0254	102	73-128	WG469433
4-Chlorotoluene	mg/kg	.025	0.0257	103.	72-129	WG469433
4-Methyl-2-pentanone (MIBK)	mg/kg	.125	0.143	114.	61-143	WG469433
Acetone	mg/kg	.025	0.148	118	44-140	WG469433
Acrylonitrile	mg/kg	.125	0.145	116.	55-143	WG469433
Benzene	mg/kg	.025	0.0250	100.	65-128	WG469433
Bromobenzene	mg/kg	.025	0.0245	8.	75-123	WG469433
Bromodichloromethane	mg/kg	.025	0.0271	108.	66-126	WG469433
Bromoform	mg/kg	.025	0.0261	104.	64-139	WG469433
Bromomethane	mg/kg	.025	0.0316	126	41-175	WG469433
Carbon tetrachloride	mg/kg	.025	0.0281	112.	60-140	WG469433
Chlorobenzene	mg/kg	.025	0.0252	101.	75-125	WG469433
Chlorodibromomethane	mg/kg	.025	0.0261	104	72-137	WG469433
Chloroethane	mg/kg	.025	0.0307	123.	44-159	WG469433
Chloroform	mg/kg	.025	0.0256	102.	63-123	WG469433
Chloromethane	mg/kg	.025	0.0268	107	42-149	WG469433
cis-1,2-Dichloroethane	mg/kg	.025	0.0255	102.	71-129	WG469433
cis-1,3-Dichloropropene	mg/kg	.025	0.0262	105.	73-132	WG469433
Di-isopropyl ether	mg/kg	.025	0.0227	90.7	59-143	WG469433
Dibromomethane	mg/kg	.025	0.0266	106.	70-130	WG469433
Dichlorodifluoromethane	mg/kg	.025	0.0315	126.	26-186	WG469433
Ethylbenzene	mg/kg	.025	0.0255	102	74-128	WG469433
Hexachloro-1,3-butadiene	mg/kg	.025	0.0286	115.	65-137	WG469433
Isopropylbenzene	mg/kg	.025	0.0249	99.5	73-130	WG469433
Methyl tert-butyl ether	mg/kg	.02	0.0196	98.4	44-148	WG469433
Methylene Chloride	mg/kg	.025	0.0246	98.4	57-129	WG469433
n-Butylbenzene	mg/kg	.025	0.0274	109	60-145	WG469433
n-Propylbenzene	mg/kg	.02	0.0264	106.	71-132	WG469433

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Naphthalene	mg/kg	.025	0.0288	115.	61-133	WG469433
p-Isopropyltoluene	mg/kg	.025	0.0280	112.	67-138	WG469433
sec-Butylbenzene	mg/kg	.025	0.0279	112.	71-134	WG469433
Styrene*	mg/kg	.025	0.0277	111.	76-133	WG469433
tert-Butylbenzene	mg/kg	.025	0.0281	112.	72-132	WG469433
Toluene	mg/kg	.025	0.0251	100.	70-120	WG469433
trans-1,2-Dichloroethene	mg/kg	.025	0.0269	107.	61-133	WG469433
trans-1,3-Dichloropropene	mg/kg	.025	0.0254	102.	70-135	WG469433
Trichloroethene	mg/kg	.025	0.0266	106.	71-126	WG469433
Trichlorofluoromethane	mg/kg	.025	0.0318	127	52-147	WG469433
Vinyl chloride	mg/kg	.025	0.0305	122.	50-151	WG469433
Xylenes, Total	mg/kg	.075	0.0759	101.	74-127	WG469433
4-Bromofluorobenzene				99.50	59-140	WG469433
Dibromofluoromethane				97.96	63-139	WG469433
Toluene-d8				96.28	84-116	WG469433
1,1,1,2-Tetrachloroethane	mg/kg	.025	0.0275	110.	73-134	WG469800
1,1,1-Trichloroethane	mg/kg	.025	0.0235	94.0	62-135	WG469800
1,1,2,2-Tetrachloroethane	mg/kg	.025	0.0260	104	74-129	WG469800
1,1,2-Trichloroethane	mg/kg	.025	0.0280	112.	77-124	WG469800
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	.025	0.0289	116.	49-155	WG469800
1,1-Dichloroethane	mg/kg	.025	0.0232	92.8	61-134	WG469800
1,1-Dichloroethene	mg/kg	.025	0.0285	114.	53-136	WG469800
1,1-Dichloropropene	mg/kg	.025	0.0241	96.6	63-132	WG469800
1,2,3-Trichlorobenzene	mg/kg	.025	0.0230	92.2	62-146	WG469800
1,2,3-Trichloropropene	mg/kg	.025	0.0279	112.	70-133	WG469800
1,2,3-Trimethylbenzene	mg/kg	.025	0.0226	90.6	73-126	WG469800
1,2,4-Trichlorobenzene	mg/kg	.025	0.0253	101	61-148	WG469800
1,2,4-Trimethylbenzene	mg/kg	.025	0.0259	104.	68-135	WG469800
1,2-Dibromo-3-Chloropropane	mg/kg	.025	0.0223	89.1	61-134	WG469800
1,2-Dibromoethane	mg/kg	.025	0.0281	113	76-127	WG469800
1,2-Dichlorobenzene	mg/kg	.025	0.0261	104.	77-123	WG469800
1,2-Dichloroethane	mg/kg	.025	0.0227	90.8	58-141	WG469800
1,2-Dichloropropene	mg/kg	.025	0.0230	92.	71-128	WG469800
1,3,5-Trimethylbenzene	mg/kg	.025	0.0270	108.	71-133	WG469800
1,3-Dichlorobenzene	mg/kg	.025	0.0292	117.	71-132	WG469800
1,3-Dichloropropene	mg/kg	.025	0.0262	105	76-120	WG469800
1,4-Dichlorobenzene	mg/kg	.025	0.0263	105.	72-123	WG469800
2,2-Dichloropropene	mg/kg	.025	0.0205	82.0	50-147	WG469800
2-Butanone (MEK)	mg/	.125	0.121	96.8	51-131	WG469800
2-Chloroethyl vinyl ether	mg/kg	.125	0.115	91.8	0-188	WG469800
2-Chlorotoluene	mg/kg	.025	0.0263	105.	73-128	WG469800
4-Chlorotoluene	mg/	.025	0.0261	104	72-129	WG469800
4-Methyl-2-pentanone (MIBK)	mg/kg	.125	0.119	94.9	61-143	WG469800
Acetone	mg/kg	.125	0.0992	79.4	44-140	WG469800
Acrylonitrile	mg/	.125	0.109	87.5	55-143	WG469800
Benzene	mg/kg	.025	0.0240	96.0	65-128	WG469800
Bromobenzene	mg/kg	.025	0.0255	102.	75-123	WG469800
Bromodichloromethane	mg/kg	.025	0.0211	84.5	66-126	WG469800
Bromoform	mg/kg	.025	0.0218	87.2	64-139	WG469800
Bromomethane	mg/kg	.025	0.0204	81.7	41-175	WG469800
Carbon tetrachloride	mg/kg	.025	0.0234	93.7	60-140	WG469800
Chlorobenzene	mg/kg	.025	0.0290	116.	75-125	WG469800
Chlorodibromomethane	mg/kg	.025	0.0260	104.	72-137	WG469800
Chloroethene	mg/kg	.02	0.0196	98.4	44-140	WG469800
Chloroform	mg/kg	.025	0.0241	96.3	63-123	WG469800
Chloromethane	mg/kg	.025	0.0241	96.3	42-149	WG469800
cis-1,2-Dichloroethene	mg/kg	.02	0.0243	100.8	71-128	WG469800

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
cis-1,3-Dichloropropene	mg/kg	.025	0.0223	89.2	132-143	WG469800
Di-isopropyl ether	mg/kg	.025	0.0219	87.7	59-143	WG469800
Dibromomethane	mg/kg	.025	0.0248	99.2	70-130	WG469800
Dichlorodifluoromethane	mg/kg	.025	0.030	2	26-186	WG469800
Ethylbenzene	mg/kg	.025	0.0285	114.	74-128	WG469800
Hexachloro-1,3-butadiene	mg/kg	.025	0.0233	93.2	65-137	WG469800
Isopropylbenzene	mg/kg	.025	0.0307	123	73-130	WG469800
Methyl tert-butyl ether	mg/kg	.025	0.0241	96.3	44-148	WG469800
Methylene Chloride	mg/kg	.025	0.0241	96.4	57-129	WG469800
n-Butylbenzene	mg/kg	.025	0.0233	98.0	60-145	WG469800
n-Propylbenzene	mg/kg	.025	0.0270	108.	71-132	WG469800
Naphthalene	mg/kg	.025	0.0221	88.5	61-142	WG469800
p-Isopropyltoluene	mg/kg	.025	0.0282	113	67-138	WG469800
sec-Butylbenzene	mg/kg	.025	0.0273	109.	71-134	WG469800
Styrene	mg/kg	.025	0.0261	105.	76-133	WG469800
tert-Butylbenzene	mg/kg	.025	0.0278	111	72-132	WG469800
Tetrachloroethene	mg/kg	.025	0.0326	130.	65-135	WG469800
Toluene	mg/kg	.025	0.0241	96.4	70-120	WG469800
trans-1,2-Dichloroethene	mg/kg	.025	0.0247	98.9	61-133	WG469800
trans-1,3-Dichloropropene	mg/kg	.025	0.0233	93.3	70-135	WG469800
Trichloroethene	mg/kg	.025	0.0287	115.	71-126	WG469800
Trichlorofluoromethane	mg/kg	.025	0.0230	1.9	52-147	WG469800
Vinyl chloride	mg/kg	.025	0.0243	97.2	50-151	WG469800
Xylenes, Total	mg/kg	.075	0.0849	113.	74-127	WG469800
4-Bromofluorobenzene				100.7	59-140	WG469800
Dibromofluoromethane				93.50	63-139	WG469800
Toluene-d8				100.1	84-116	WG469800
2-Chloroethyl vinyl ether	mg/kg	.125	0.219	175.	0-188	WG469916
Tetrachloroethene	mg/kg	.025	0.0244	97.8	65-135	WG469916
4-Bromofluorobenzene				95.82	59-140	WG469916
Dibromofluoromethane				88.21	63-139	WG469916
Toluene-d8				93.50	84-116	WG469916

Analyte	Units	Laboratory Control Sample Duplicate		% Rec	Limit	RPD	Limit	Batch
		Result	Ref					
1,1,1,2-Tetrachloroethane	mg/kg	0.0268	0.0267	7.	62-134	.324	20	WG469401
1,1,1-Trichloroethane	mg/kg	0.0270	0.0261	108.	62-135	3.15	20	WG469401
1,1,2,2-Tetrachloroethane	mg/kg	0.0251	0.0250	100.	74-129	0.462	20	WG469401
1,1,2-Trichloroethane	mg/kg	0.0250	0.0250	0.		.209	20	WG469401
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0261	0.0259	104.	49-155	0.404	20	WG469401
1,1-Dichloroethane	mg/kg	0.0235	0.0235	94.0	61-134	0.197	20	WG469401
1,1-Dichloroethene	mg/kg	0.0281	0.0280	.	-136	0.463	20	WG469401
1,1-Dichloropropene	mg/kg	0.0239	0.0241	96.0	63-132	0.802	20	WG469401
1,2,3-Trichlorobenzene	mg/kg	0.0231	0.0227	92.0	62-146	1.79	20	WG469401
1,2,3-Trichloropropane	mg/kg	0.0242	0.0274	113.	-133	.2.	20	WG469401
1,2,3-Trimethylbenzene	mg/kg	0.0250	0.0260	100.	73-126	3.83	20	WG469401
1,2,4-Trichlorobenzene	mg/kg	0.0234	0.0228	93.0	61-148	2.55	20	WG469401
1,2,4-Trimethylbenzene	mg/kg	0.0242	0.0270	109.	68-135	0.783	20	WG469401
1,2-Dibromo-3-Chloropropane	mg/kg	0.0243	0.0255	97.0	61-134	4.78	21	WG469401
1,2-Dibromoethane	mg/kg	0.0257	0.0259	103.	76-127	1.08	20	WG469401
1,2-Dichlorobenzene	mg/kg	0.0242	0.0245	10.	77-123	1.04	20	WG469401
1,2-Dichloroethane	mg/kg	0.0242	0.0241	97.0	58-141	0.191	20	WG469401
1,2-Dichloropropane	mg/kg	0.0197	0.0204	79.0	71-128	3.42	20	WG469401
1,3,5-Trimethylbenzene	mg/kg	0.0251	0.0251	112.	-133	0.728	20	WG469401
1,3-Dichlorobenzene	mg/kg	0.0259	0.0259	104.	71-132	0.0175	20	WG469401
1,3-Dichloropropane	mg/kg	0.0237	0.0233	95.0	76-120	1.71	20	WG469401

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	tRec				
1,4-Dichlorobenzene	mg/kg	0.0266	0.0243	95.	-123	2.58	20	WG469401
2,2-Dichloropropane	mg/kg	0.0266	0.0259	106.	50-147	2.48	20	WG469401
2-Butanone (MEK)	mg/kg	0.102	0.0995	82.0	51-131	2.91	25	WG469401
2-Chloroethyl vinyl ether	mg/kg	0.121	0.125	97.0	0-188	2.68	20	WG469401
2-Chlorotoluene	mg/kg	0.0268	0.0269	107.	73-128	0.549	20	WG469401
4-Chlorotoluene	mg/kg	0.0265	0.0263	106.	72-129	0.491	20	WG469401
4-Methyl-2-pentanone (MIBK)	mg/kg	0.10	0.104	.	-143	2.8	20	WG469401
Acetone	mg/kg	0.110	0.109	88.0	44-140	1.09	25	WG469401
Acrylonitrile	mg/kg	0.112	0.111	90.0	55-143	0.811	20	WG469401
Benzene	mg/kg	0.0230	0.0229	92.	-128	0.750	0	WG469401
Bromobenzene	mg/kg	0.0250	0.0250	100.	75-123	0.166	20	WG469401
Bromodichloromethane	mg/kg	0.0239	0.0243	96.0	66-126	1.39	20	WG469401
Bromoform	mg/kg	0.02	0.0248	103.	4-139	.	0	WG469401
Bromomethane	mg/kg	0.0299	0.0302	120.	41-175	1.09	20	WG469401
Carbon tetrachloride	mg/kg	0.0255	0.0254	102.	60-140	0.365	20	WG469401
Chlorobenzene	mg/kg	0.0263	0.0257	101.	-125	1.62	0	WG469401
Chlorodibromomethane	mg/kg	0.0264	0.0251	105.	72-137	4.77	20	WG469401
Chloroethane	mg/kg	0.0298	0.0307	119.	44-159	2.97	20	WG469401
Chloroform	mg/kg	0.0251	0.0251	100.	3-123	0.0383	0	WG469401
Chloromethane	mg/kg	0.0257	0.0242	103.	42-149	6.22	20	WG469401
cis-1,2-Dichloroethene	mg/kg	0.0248	0.0251	99.0	71-129	1.34	20	WG469401
cis-1,3-Dichloropropene	mg/kg	0.02	0.0236	94.0	55-132	1.70	20	WG469401
Di-isopropyl ether	mg/kg	0.0218	0.0212	87.0	59-143	2.56	20	WG469401
Dibromomethane	mg/kg	0.0234	0.0235	94.0	70-130	0.219	20	WG469401
Dichlorodifluoromethane	mg/kg	0.0322	0.031	129.	6-186	1.11	22	WG469401
Ethylbenzene	mg/kg	0.0251	0.0260	100.	74-128	3.33	20	WG469401
Hexachloro-1,3-butadiene	mg/kg	0.0234	0.0237	94.0	65-137	1.43	20	WG469401
Isopropylbenzene	mg/kg	0.0271	0.0272	108.	3-130	0.389	0	WG469401
Methyl tert-butyl ether	mg/kg	0.0266	0.0257	106.	44-148	3.48	20	WG469401
Methylene Chloride	mg/kg	0.0248	0.0236	99.0	57-129	4.94	20	WG469401
n-Butylbenzene	mg/kg	0.0269	0.0260	99.	-145	4.	0	WG469401
n-Propylbenzene	mg/kg	0.0260	0.0259	104.	71-132	0.483	20	WG469401
Naphthalene	mg/kg	0.0254	0.0247	101.	61-142	2.76	20	WG469401
p-Isopropyltoluene	mg/kg	0.0265	0.028	114.	7-138	0.406	20	WG469401
sec-Butylbenzene	mg/kg	0.0273	0.0279	109.	71-134	2.29	20	WG469401
Styrene	mg/kg	0.0269	0.0265	108.	76-133	1.64	20	WG469401
tert-Butylbenzene	mg/kg	0.0274	0.0281	110.	2-132	2.47	20	WG469401
Tetrachloroethene	mg/kg	0.0240	0.0241	96.0	65-135	0.391	20	WG469401
Toluene	mg/kg	0.0215	0.0225	86.0	70-120	4.37	20	WG469401
trans-1,2-Dichloroethane	mg/kg	0.0252	0.024	1.	55-133	1.88	20	WG469401
trans-1,3-Dichloropropene	mg/kg	0.0245	0.0248	98.0	70-135	1.35	20	WG469401
Trichloroethene	mg/kg	0.0247	0.0252	99.0	71-126	1.83	20	WG469401
Trichlorofluoromethane	mg/kg	0.0333	0.0292	133.	-147	13.1	0	WG469401
Vinyl chloride	mg/kg	0.0291	0.0299	116.	50-151	2.74	20	WG469401
Xylenes, Total	mg/kg	0.0754	0.0764	100.	74-127	1.32	20	WG469401
4-Bromofluorobenzene				104.1	9-140			WG469401
Dibromofluoromethane				103.5	63-139			WG469401
Toluene-d8				97.68	84-116			WG469401
1,1,1,2-Tetrachloroethane	mg/kg	0.0268	0.0252	107.	73-134	6.19	20	WG469433
1,1,1-Trichloroethane	mg/kg	0.0291	0.0274	116.	62-135	6.05	20	WG469433
1,1,2,2-Tetrachloroethane	mg/kg	0.0306	0.0277	122.	-129	.	21	WG469433
1,1,2-Trichloroethane	mg/kg	0.0279	0.0253	112.	77-124	9.77	20	WG469433
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0275	0.0264	110.	49-155	3.91	20	WG469433
1,1-Dichloroethane	mg/kg	0.02	0.0254	108.	53-134	2.91	20	WG469433
1,1-Dichloroethene	mg/kg	0.0269	0.0262	108.	53-136	2.90	20	WG469433
1,1-Dichloropropene	mg/kg	0.0284	0.0264	114.	63-132	7.24	20	WG469433
1,2,3-Trichlorobenzene	mg/kg	0.0265	0.026	112.	55-146	4.88	20	WG469433

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	Rec				
1,2,3-Trichloropropane	mg/kg	0.0325	0.0273	125.	-133	13.52	20	WG469433
1,2,3-Trimethylbenzene	mg/kg	0.0295	0.0285	118.	3-126	3.40	20	WG469433
1,2,4-Trichlorobenzene	mg/kg	0.0271	0.0258	108.	61-148	5.05	20	WG469433
1,2,4-Trimethylbenzene	mg/kg	0.0291	0.027	118.	68-135	7.10	20	WG469433
1,2-Dibromo-3-Chloropropane	mg/kg	0.0324	0.0303	129.	61-134	6.53	21	WG469433
1,2-Dibromoethane	mg/kg	0.0277	0.0256	111.	76-127	7.74	20	WG469433
1,2-Dichlorobenzene	mg/kg	0.02	0.0260	111.	-123	6.80	20	WG469433
1,2-Dichloroethane	mg/kg	0.0274	0.0256	109.	58-141	6.53	20	WG469433
1,2-Dichloropropane	mg/kg	0.0272	0.0262	109.	71-128	3.92	20	WG469433
1,3,5-Trimethylbenzene	mg/kg	0.0291	0.0267	11	1-133	8.7	0	WG469433
1,3-Dichlorobenzene	mg/kg	0.0276	0.0255	110.	71-132	7.87	20	WG469433
1,3-Dichloropropane	mg/kg	0.0265	0.0247	106.	76-120	7.30	20	WG469433
1,4-Dichlorobenzene	mg/kg	0.02	0.0248	103.	2-123	-	0	WG469433
2,2-Dichloropropane	mg/kg	0.0271	0.0253	108.	50-147	6.69	20	WG469433
2-Butanone (MEK)	mg/kg	0.161	0.140	129.	51-131	13.9	25	WG469433
2-Chlorotoluene	mg/kg	0.0280	0.0254	112.	3-128	9.	0	WG469433
4-Chlorotoluene	mg/kg	0.0279	0.0257	112.	72-129	8.05	20	WG469433
4-Methyl-2-pentanone (MIBK)	mg/kg	0.158	0.143	126.	61-143	10.2	23	WG469433
Acetone	mg/kg	0.16	0.148	134.	-140	12	5	WG469433
Acrylonitrile	mg/kg	0.161	0.145	129.	55-143	10.7	20	WG469433
Benzene	mg/kg	0.0270	0.0250	108.	65-128	7.50	20	WG469433
Bromobenzene	mg/kg	0.02	0.0245	106.	5-123	7.	0	WG469433
Bromodichloromethane	mg/kg	0.0287	0.0271	115.	66-126	5.94	20	WG469433
Bromoform	mg/kg	0.0280	0.0261	112.	64-139	7.11	20	WG469433
Bromomethane	mg/kg	0.0319	0.0316	127.	1-175	0.755	0	WG469433
Carbon tetrachloride	mg/kg	0.0287	0.0281	115.	60-140	2.37	20	WG469433
Chlorobenzene	mg/kg	0.0268	0.0252	107.	75-125	6.11	20	WG469433
Chlorodibromomethane	mg/kg	0.0274	0.0261	110.	2-137	5.	0	WG469433
Chloroethane	mg/kg	0.0294	0.0307	118.	44-159	4.52	20	WG469433
Chloroform	mg/kg	0.0270	0.0256	108.	63-123	5.35	20	WG469433
Chloromethane	mg/kg	0.0291	0.0268	116.	-149	8.	0	WG469433
cis-1,2-Dichloroethene	mg/kg	0.0273	0.0255	109.	71-129	6.76	20	WG469433
cis-1,3-Dichloropropene	mg/kg	0.0276	0.0262	110.	73-132	5.52	20	WG469433
Di-isopropyl ether	mg/kg	0.0265	0.0227	98.0	59-143	7.67	20	WG469433
Dibromomethane	mg/kg	0.0278	0.0266	111.	70-130	4.44	20	WG469433
Dichlorodifluoromethane	mg/kg	0.0324	0.0315	130.	26-186	2.84	22	WG469433
Ethylbenzene	mg/kg	0.0272	0.0255	109.	4-128	6.	0	WG469433
Hexachloro-1,3-butadiene	mg/kg	0.0300	0.0286	120.	65-137	4.82	20	WG469433
Isopropylbenzene	mg/kg	0.0266	0.0249	106.	73-130	6.73	20	WG469433
Methyl tert-butyl ether	mg/kg	0.02	0.0196	87.0	-148	10	0	WG469433
Methylene Chloride	mg/kg	0.0255	0.0246	102.	57-129	3.55	20	WG469433
n-Butylbenzene	mg/kg	0.0291	0.0274	116.	60-145	5.99	20	WG469433
n-Propylbenzene	mg/kg	0.0286	0.0264	114.	1-132	7.6	0	WG469433
Naphthalene	mg/kg	0.0316	0.0288	126.	61-142	9.45	20	WG469433
p-Isopropyltoluene	mg/kg	0.0302	0.0280	121.	67-138	7.54	20	WG469433
sec-Butylbenzene	mg/kg	0.0301	0.0279	120.	1-134	7.44	0	WG469433
Styrene	mg/kg	0.0298	0.0277	119.	76-133	7.23	20	WG469433
tert-Butylbenzene	mg/kg	0.0300	0.0281	120.	72-132	6.57	20	WG469433
Toluene	mg/kg	0.0266	0.0251	106.	0-120	5.78	20	WG469433
trans-1,2-Dichloroethene	mg/kg	0.0286	0.0269	114.	61-133	6.24	20	WG469433
trans-1,3-Dichloropropene	mg/kg	0.0271	0.0254	108.	70-135	6.55	20	WG469433
Trichloroethene	mg/kg	0.0272	0.0266	109.	1-126	2.0	21	WG469433
Trichlorofluoromethane	mg/kg	0.0341	0.0318	136.	52-147	6.86	20	WG469433
Vinyl chloride	mg/kg	0.0314	0.0305	126.	50-151	2.88	20	WG469433
Xylenes, Total	mg/kg	0.0255	0.0759	108.	75-127	6.88	20	WG469433
4-Bromofluorobenzene	mg/kg	0.0255	0.0255	100.1	59-140	-	-	WG469433
Dibromofluoromethane	mg/kg	0.0255	0.0255	99.55	63-139	-	-	WG469433
Toluene-d8	mg/kg	0.0255	0.0255	96.83	63-116	-	-	WG469433

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Units	Result	Ref	Sample	Duplicate	Limit	RPD	Limit	Batch
1,1,1,2-Tetrachloroethane	mg/kg	0.0225	0.0275	109.		-134	1.20	20	WG469800
1,1,1-Trichloroethane	mg/kg	0.0235	0.0235	94.0		62-135	0.0557	20	WG469800
1,1,2,2-Tetrachloroethane	mg/kg	0.0271	0.0260	108.		74-129	4.14	20	WG469800
1,1,2-Trichloroethane	mg/kg	0.0287	0.0280	115.		-124	2.55	20	WG469800
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0279	0.0289	112.		49-155	1.40	20	WG469800
1,1-Dichloroethane	mg/kg	0.0232	0.0232	93.0		61-134	0.0285	20	WG469800
1,1-Dichloropropene	mg/kg	0.0268	0.0285	10		-136	5.00	20	WG469800
1,2,3-Trichlorobenzene	mg/kg	0.0243	0.0241	97.0		63-132	0.764	20	WG469800
1,2,3-Trichloropropene	mg/kg	0.0285	0.0230	114.		62-146	21.0*	20	WG469800
1,2,4-Trichlorobenzene	mg/kg	0.0292	0.0279	118.		70-133	.38	20	WG469800
1,2,4-Trichloropropene	mg/kg	0.0228	0.0226	91.0		73-126	0.882	20	WG469800
1,2,4-Trimethylbenzene	mg/kg	0.0292	0.0253	117.		61-148	14.6	20	WG469800
1,2,4-Trimethylbenzene	mg/kg	0.021	0.025	10		-135	.2	20	WG469800
1,2-Dibromo-3-Chloropropane	mg/kg	0.0220	0.0223	88.0		61-134	1.43	21	WG469800
1,2-Dibromoethane	mg/kg	0.0286	0.0281	114.		76-127	1.76	20	WG469800
1,2-Dichlorobenzene	mg/kg	0.0262	0.0261	10		7-123	0.452	20	WG469800
1,2-Dichloroethane	mg/kg	0.0232	0.0227	93.0		58-141	2.36	20	WG469800
1,2-Dichloropropene	mg/kg	0.0238	0.0230	95.0		71-128	3.47	20	WG469800
1,3,5-Trimethylbenzene	mg/kg	0.0279	0.0270	112.		1-133	.	20	WG469800
1,3-Dichlorobenzene	mg/kg	0.0309	0.0292	124.		71-132	5.79	20	WG469800
1,3-Dichloropropene	mg/kg	0.0279	0.0262	111.		76-120	6.00	20	WG469800
1,4-Dichlorobenzene	mg/kg	0.0264	0.0263	106.		73-123	0.498	0	WG469800
2,2-Dichloropropene	mg/kg	0.0203	0.0205	81.0		50-147	1.17	20	WG469800
2-Butanone (MEK)	mg/kg	0.122	0.121	98.0		51-131	1.07	25	WG469800
2-Chloroethyl vinyl ether	mg/kg	0.12	0.115	104.		-188	12.	9	WG469800
2-Chlorotoluene	mg/kg	0.0271	0.0263	108.		73-128	3.14	20	WG469800
4-Chlorotoluene	mg/kg	0.0269	0.0261	108.		72-129	3.14	20	WG469800
4-Methyl-2-pentanone (M	mg/kg	0.1	0.119	.		1-143	4.1	3	WG469800
Acetone	mg/kg	0.0913	0.0992	73.0		44-140	8.26	25	WG469800
Acrylonitrile	mg/kg	0.105	0.109	84.0		55-143	4.18	20	WG469800
Benzene	mg/kg	0.0243	0.0240	97.		5-128	1.38	20	WG469800
Bromobenzene	mg/kg	0.0265	0.0255	106.		75-123	3.61	20	WG469800
Bromodichloromethane	mg/kg	0.0219	0.0211	88.0		66-126	3.75	20	WG469800
Bromoform	mg/kg	0.0228	0.0218	91.		4-139	4.58	20	WG469800
Bromomethane	mg/kg	0.0235	0.0204	94.0		41-175	13.8	20	WG469800
Carbon tetrachloride	mg/kg	0.0233	0.0234	93.0		60-140	0.562	20	WG469800
Chlorobenzene	mg/kg	0.0303	0.0290	121.		73-12	4.24	20	WG469800
Chlorodibromomethane	mg/kg	0.0262	0.0260	105.		72-137	0.771	20	WG469800
Chloroethane	mg/kg	0.0204	0.0196	82.0		44-159	3.96	20	WG469800
Chloroform	mg/kg	0.0243	0.0241	98.0		73-123	1.	20	WG469800
Chloromethane	mg/kg	0.0246	0.0241	98.0		42-149	1.98	20	WG469800
cis-1,2-Dichloroethene	mg/kg	0.0250	0.0247	100.		71-129	1.29	20	WG469800
cis-1,3-Dichloropropene	mg/kg	0.0245	0.0223	96.0		3-132	7.22	0	WG469800
Di-isopropyl ether	mg/kg	0.0222	0.0219	89.0		59-143	1.04	20	WG469800
Dibromomethane	mg/kg	0.0247	0.0248	99.0		70-130	0.476	20	WG469800
Dichlorodifluoromethane	mg/kg	0.0291	0.0303	116.		-186	4.24	20	WG469800
Ethylbenzene	mg/kg	0.0291	0.0285	116.		74-128	2.11	20	WG469800
Hexachloro-1,3-butadiene	mg/kg	0.0272	0.0233	109.		65-137	15.6	20	WG469800
Isopropylbenzene	mg/kg	0.0310	.0307	124.		3-130	0.868	20	WG469800
Methyl tert-butyl ether	mg/kg	0.0234	0.0241	94.0		44-148	2.95	20	WG469800
Methylene Chloride	mg/kg	0.0242	0.0241	97.0		57-129	0.365	20	WG469800
n-Butylbenzene	mg/kg	0.0246	0.0245	98.		0-1	0.386	21	WG469800
n-Propylbenzene	mg/kg	0.0279	0.0270	111.		71-132	3.24	20	WG469800
Naphthalene	mg/kg	0.0254	0.0221	102.		61-142	13.7	20	WG469800
p-Isopropyltoluene	mg/kg	0.0297	0.0282	119.		7-138	5.00	20	WG469800
sec-Butylbenzene	mg/kg	0.0284	0.0273	114.		71-134	4.10	20	WG469800
Styrene	mg/kg	0.0272	0.0261	109.		76-133	3.92	20	WG469800
tert-Butylbenzene	mg/kg	0.0243	0.0239	115.		2-132	3.88	20	WG469800

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

March 29, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	% Rec				
Tetrachloroethene	mg/kg	0.0326	0.0326	132.5	70-120	1.25	20	WG469800
Toluene	mg/kg	0.0251	0.0241	100.	70-120	4.25	20	WG469800
trans-1,2-Dichloroethene	mg/kg	0.0243	0.0247	97.0	61-133	1.62	20	WG469800
trans-1,3-Dichloropropene	mg/kg	0.0243	0.0233	101.	61-133	1.62	20	WG469800
Trichloroethene	mg/kg	0.0281	0.0287	112.	1-126	2.07	20	WG469800
Trichlorofluoromethane	mg/kg	0.0233	0.0230	93.0	52-147	1.28	20	WG469800
Vinyl chloride	mg/kg	0.0240	0.0243	96.	-15	1.	0	WG469800
Xylenes, Total	mg/kg	0.0852	0.0849	114.	74-127	0.419	20	WG469800
4-Bromofluorobenzene				104.9	59-140			WG469800
Dibromofluoromethane				3.16	3-139			WG469800
Toluene-d8				103.5	84-116			WG469800
2-Chloroethyl vinyl ether	mg/kg	0.240	0.219	192	-188	9.	0	WG469916
Tetrachloroethene	mg/kg	0.0234	0.0244	94.0	65-135	4.32	20	WG469916
4-Bromofluorobenzene				91.30	59-140			WG469916
Dibromofluoromethane				7.2	3-139			WG469916
Toluene-d8				93.66	84-116			WG469916

Analyte	Units	Matrix Spike				Limit	Ref Samp	Batch
		MS Res	Ref Res	TV	% Rec			
1,1,1,2-Tetrachloroethane	mg/kg	0.130	0	0.25	102.	29-145	L450315-05	WG469401
1,1,1-Trichloroethane	mg/kg	0.127	0	0.25	102.	23-147	L450315-05	WG469401
1,1,2,2-Tetrachloroethane	mg/kg	0.104	0	0.25	83.5	18-150	L450315-05	WG469401
1,1,2-Trichloroethane	mg/kg	0.109	0	0.25	77.4	35-140	L450315-05	WG469401
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.117	0	0.25	93.6	10-145	L450315-05	WG469401
1,1-Dichloroethane	mg/kg	0.109	0	0.25	87.2	24-148	L450315-05	WG469401
1,1-Dichloroethene	mg/kg	0.127	0	0.2	0.	10-149	L450315-05	WG469401
1,1-Dichloropropene	mg/kg	0.109	0	0.25	87.0	10-141	L450315-05	WG469401
1,2,3-Trichlorobenzene	mg/kg	0.0988	0	0.25	79.1	10-129	L450315-05	WG469401
1,2,3-Trichloropropane	mg/kg	0.112	0	0.25	93.3	30-148	L450315-05	WG469401
1,2,3-Trimethylbenzene	mg/kg	0.125	0	0.25	100.	10-137	L450315-05	WG469401
1,2,4-Trichlorobenzene	mg/kg	0.102	0	0.25	81.4	10-119	L450315-05	WG469401
1,2,4-Trimethylbenzene	mg/kg	0.125	0	0.2	00.	10-145	L450315-05	WG469401
1,2-Dibromo-3-Chloropropane	mg/kg	0.0963	0	0.25	77.0	19-145	L450315-05	WG469401
1,2-Dibromoethane	mg/kg	0.111	0	0.25	89.0	24-145	L450315-05	WG469401
1,2-Dichlorobenzene	mg/kg	0.114	0	0.25	91.5	12-130	L450315-05	WG469401
1,2-Dichloroethane	mg/kg	0.104	0	0.25	83.5	21-155	L450315-05	WG469401
1,2-Dichloropropane	mg/kg	0.0942	0	0.25	75.4	28-144	L450315-05	WG469401
1,3,5-Trimethylbenzene	mg/kg	0.12	0	0.2	03.	10-135	L450315-05	WG469401
1,3-Dichlorobenzene	mg/kg	0.118	0	0.25	94.5	10-129	L450315-05	WG469401
1,3-Dichloropropane	mg/kg	0.104	0	0.25	82.8	31-137	L450315-05	WG469401
1,4-Dichlorobenzene	mg/kg	0.114	0	0.25	91.2	10-121	L450315-05	WG469401
2,2-Dichloropropane	mg/kg	0.127	0	0.25	101.	18-144	L450315-05	WG469401
2-Butanone (MEK)	mg/kg	0.352	0	0.125	56.3	21-143	L450315-05	WG469401
2-Chloroethyl vinyl ether	mg/kg	0.482	0	0.12	7.1	0-176	L450315-05	WG469401
2-Chlorotoluene	mg/kg	0.128	0	0.25	102.	10-132	L450315-05	WG469401
4-Chlorotoluene	mg/kg	0.122	0	0.25	97.7	10-129	L450315-05	WG469401
4-Methyl-2-pentanone (MIBK)	mg/kg	0.372	0	0.125	58.6	1-151	L450315-05	WG469401
Acetone	mg/kg	0.401	0	0.125	64.1	13-158	L450315-05	WG469401
Acrylonitrile	mg/kg	0.413	0	0.125	66.1	20-154	L450315-05	WG469401
Benzene	mg/kg	0.10	0	0.25	88.0	16-143	L450315-05	WG469401
Bromobenzene	mg/kg	0.118	0	0.25	94.4	14-135	L450315-05	WG469401
Bromodichloromethane	mg/kg	0.112	0	0.25	89.7	27-139	L450315-05	WG469401
Bromoform	mg/kg	0.106	0	0.25	88.6	1-144	L450315-05	WG469401
Bromomethane	mg/kg	0.132	0	0.25	106.	0-180	L450315-05	WG469401
Carbon tetrachloride	mg/kg	0.121	0	0.25	97.1	12-149	L450315-05	WG469401
Chlorobenzene	mg/kg	0.12	0	0.25	98.	17-13	L450315-05	WG469401

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Units	Matrix Spike			% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
Chlorodibromomethane	mg/kg	0.122	0	.025	97.	28-147	L450315-05	WG469401
Chloroethane	mg/kg	0.129	0	.025	104.	0-172	L450315-05	WG469401
Chloroform	mg/kg	0.118	0	.025	94.5	28-138	L450315-05	WG469401
Chloromethane	mg/kg	0.10	0	.025	96.1	10-158	L450315-05	WG469401
cis-1,2-Dichloroethene	mg/kg	0.118	0	.025	94.3	21-147	L450315-05	WG469401
cis-1,3-Dichloropropene	mg/kg	0.106	0	.025	84.9	17-145	L450315-05	WG469401
Di-isopropyl ether	mg/kg	0.101	0	.25	51.0	11-153	L450315-05	WG469401
Dibromomethane	mg/kg	0.104	0	.025	83.2	24-147	L450315-05	WG469401
Dichlorodifluoromethane	mg/kg	0.120	0	.025	96.0	0-192	L450315-05	WG469401
Ethylbenzene	mg/kg	0.123	0	.25	98.	12-137	L450315-05	WG469401
Hexachloro-1,3-butadiene	mg/kg	0.114	0	.025	91.6	10-123	L450315-05	WG469401
Isopropylbenzene	mg/kg	0.131	0	.025	105.	14-134	L450315-05	WG469401
Methyl tert-butyl ether	mg/kg	0.112	0	.25	98.9	21-157	L450315-05	WG469401
Methylene Chloride	mg/kg	0.108	0	.025	86.4	12-149	L450315-05	WG469401
n-Butylbenzene	mg/kg	0.120	0	.025	96.3	10-130	L450315-05	WG469401
n-Propylbenzene	mg/kg	0.121	0	.25	96.6	10-130	L450315-05	WG469401
Naphthalene	mg/kg	0.0978	0	.025	78.2	0-146	L450315-05	WG469401
p-Isopropyltoluene	mg/kg	0.131	0	.025	105.	10-131	L450315-05	WG469401
sec-Butylbenzene	mg/kg	0.129	0	.2	03.	10-134	L450315-05	WG469401
Styrene	mg/kg	0.125	0	.025	100.	10-140	L450315-05	WG469401
tert-Butylbenzene	mg/kg	0.133	0	.025	106.	11-137	L450315-05	WG469401
Tetrachloroethene	mg/kg	0.102	0	.25	91.6	10-131	L450315-05	WG469401
Toluene	mg/kg	0.102	0	.025	81.6	12-136	L450315-05	WG469401
trans-1,2-Dichloroethene	mg/kg	0.114	0	.025	91.2	10-143	L450315-05	WG469401
trans-1,3-Dichloropropene	mg/kg	0.107	0	.25	95.4	16-147	L450315-05	WG469401
Trichloroethene	mg/kg	0.113	0	.025	90.6	10-155	L450315-05	WG469401
Trichlorofluoromethane	mg/kg	0.128	0	.025	103.	10-154	L450315-05	WG469401
Vinyl chloride	mg/kg	0.124	0	.25	99.0	10-159	L450315-05	WG469401
Xylenes, Total	mg/kg	0.365	0	.075	97.4	10-138	L450315-05	WG469401
4-Bromofluorobenzene					101.1	59-140		WG469401
Dibromofluoromethane					99.20	63-139		WG469401
Toluene-d8					97.82	84-116		WG469401
1,1,1,2-Tetrachloroethane	mg/kg	0.0129	0	.25	91.4	29-145	L450275-01	WG469433
1,1,1-Trichloroethane	mg/kg	0.0142	0	.025	56.6	23-147	L450275-01	WG469433
1,1,2,2-Tetrachloroethane	mg/kg	0.0134	0	.025	53.4	18-150	L450275-01	WG469433
1,1,2-Trichloroethane	mg/kg	0.013	0	.25	94.9	35-140	L450275-01	WG469433
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0132	0	.025	52.6	10-145	L450275-01	WG469433
1,1-Dichloroethane	mg/kg	0.0141	0	.025	56.2	24-148	L450275-01	WG469433
1,1-Dichloroethene	mg/kg	0.0126	0	.025	50.5	10-14	L450275-01	WG469433
1,1-Dichloropropene	mg/kg	0.0120	0	.025	48.1	10-141	L450275-01	WG469433
1,2,3-Trichlorobenzene	mg/kg	0.0094	0	.025	37.8	10-129	L450275-01	WG469433
1,2,3-Trichloropropene	mg/kg	0.0138	0	.025	55.3	30-148	L450275-01	WG469433
1,2,3-Trimethylbenzene	mg/kg	0.0127	0	.025	50.9	10-137	L450275-01	WG469433
1,2,4-Trichlorobenzene	mg/kg	0.00915	0	.025	36.6	10-119	L450275-01	WG469433
1,2,4-Trimethylbenzene	mg/kg	0.0118	0	.025	47.1	10-145	L450275-01	WG469433
1,2-Dibromo-3-Chloropropene	mg/kg	0.0130	0	.025	51.8	19-145	L450275-01	WG469433
1,2-Dibromoethane	mg/kg	0.0130	0	.025	52.0	24-145	L450275-01	WG469433
1,2-Dichlorobenzene	mg/kg	0.010	0	.025	41.8	12-130	L450275-01	WG469433
1,2-Dichloroethane	mg/kg	0.0144	0	.025	57.7	21-155	L450275-01	WG469433
1,2-Dichloropropene	mg/kg	0.0139	0	.025	55.5	28-144	L450275-01	WG469433
1,3,5-Trimethylbenzene	mg/kg	0.011	0	.025	46.4	10-135	L450275-01	WG469433
1,3-Dichlorobenzene	mg/kg	0.00985	0	.025	39.4	10-129	L450275-01	WG469433
1,3-Dichloropropene	mg/kg	0.0130	0	.025	51.9	31-137	L450275-01	WG469433
1,4-Dichlorobenzene	mg/kg	0.00985	0	.025	37.5	10-121	L450275-01	WG469433
2,2-Dichloropropene	mg/kg	0.0144	0	.025	57.5	18-144	L450275-01	WG469433
2-Butanone (MEK)	mg/kg	0.0741	0	.125	59.3	21-143	L450275-01	WG469433
2-Chlorotoluene	mg/kg	0.0108	0	.025	48.3	10-132	L450275-01	WG469433

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Units	MS Res	Matrix Spike		TV	% Rec	Limit	Ref Samp	Batch
			Ref Res						
4-Chlorotoluene	mg/kg	0.0132	0		0.025	42.0	10-129	L450275-01	WG469433
4-Methyl-2-pentanone (MIBK)	mg/kg	0.0752	0		0.125	60.2	31-151	L450275-01	WG469433
Acetone	mg/kg	0.0782	0		0.125	62.6	13-158	L450275-01	WG469433
Acrylonitrile	mg/kg	0.0769	0		0.125	63.0	20-154	L450275-01	WG469433
Benzene	mg/kg	0.0132	0		0.025	52.8	16-143	L450275-01	WG469433
Bromobenzene	mg/kg	0.0106	0		0.025	42.6	14-135	L450275-01	WG469433
Bromodichloromethane	mg/kg	0.0143	0		0.025	57.2	27-139	L450275-01	WG469433
Bromoform	mg/kg	0.0127	0		0.025	50.8	21-144	L450275-01	WG469433
Bromomethane	mg/kg	0.0161	0		0.025	64.3	0-180	L450275-01	WG469433
Carbon tetrachloride	mg/kg	0.0140	0		0.025	55.9	12-149	L450275-01	WG469433
Chlorobenzene	mg/kg	0.0113	0		0.025	45.3	17-134	L450275-01	WG469433
Chlorodibromomethane	mg/kg	0.0131	0		0.025	52.3	28-147	L450275-01	WG469433
Chloroethane	mg/kg	0.0153	0		0.025	57.2	0-172	L450275-01	WG469433
Chloroform	mg/kg	0.0141	0		0.025	56.5	28-138	L450275-01	WG469433
Chloromethane	mg/kg	0.0124	0		0.025	49.6	10-158	L450275-01	WG469433
cis-1,2-Dichloroethene	mg/kg	0.0140	0		0.025	55.9	21-147	L450275-01	WG469433
cis-1,3-Dichloropropene	mg/kg	0.0137	0		0.025	54.6	17-145	L450275-01	WG469433
Di-isopropyl ether	mg/kg	0.0135	0		0.025	54.1	31-153	L450275-01	WG469433
Dibromomethane	mg/kg	0.014	0		0.025	56.4	24-147	L450275-01	WG469433
Dichlorodifluoromethane	mg/kg	0.00966	0		0.025	38.6	0-192	L450275-01	WG469433
Ethylbenzene	mg/kg	0.0118	0		0.025	47.1	12-137	L450275-01	WG469433
Hexachloro-1,3-butadiene	mg/kg	0.0102	0		0.025	40.9	10-123	L450275-01	WG469433
Isopropylbenzene	mg/kg	0.0110	0		0.025	44.2	14-134	L450275-01	WG469433
Methyl tert-butyl ether	mg/kg	0.0127	0		0.025	50.6	21-157	L450275-01	WG469433
Methylene Chloride	mg/kg	0.0139	0		0.025	55.4	12-149	L450275-01	WG469433
n-Butylbenzene	mg/kg	0.0105	0		0.025	42.1	10-130	L450275-01	WG469433
n-Propylbenzene	mg/kg	0.0110	0		0.025	43.9	10-130	L450275-01	WG469433
Naphthalene	mg/kg	0.0135	0		0.025	44.6	0-146	L450275-01	WG469433
p-Isopropyltoluene	mg/kg	0.0113	0		0.025	45.1	10-131	L450275-01	WG469433
sec-Butylbenzene	mg/kg	0.0111	0		0.025	44.4	10-134	L450275-01	WG469433
Styrene	mg/kg	0.0125	0		0.025	50.0	10-140	L450275-01	WG469433
tert-Butylbenzene	mg/kg	0.0121	0		0.025	48.3	11-137	L450275-01	WG469433
Toluene	mg/kg	0.0118	0		0.025	47.2	12-136	L450275-01	WG469433
trans-1,2-Dichloroethene	mg/kg	0.0135	0		0.025	54.0	10-14	L450275-01	WG469433
trans-1,3-Dichloropropene	mg/kg	0.0132	0		0.025	52.6	16-147	L450275-01	WG469433
Trichloroethene	mg/kg	0.0122	0		0.025	49.0	10-155	L450275-01	WG469433
Trichlorofluoromethane	mg/kg	0.0158	0		0.025	53.2	10-154	L450275-01	WG469433
Vinyl chloride	mg/kg	0.0121	0		0.025	48.4	10-159	L450275-01	WG469433
Xylenes, Total	mg/kg	0.0345	0		0.075	46.0	10-138	L450275-01	WG469433
4-Bromofluorobenzene						96.68	59-140		WG469433
Dibromofluoromethane						101.6	63-139		WG469433
Toluene-d8						95.62	84-116		WG469433
1,1,1,2-Tetrachloroethane	mg/kg	0.0267	0		0.025	107.0	29-145	L450275-11	WG469800
1,1,1-Trichloroethane	mg/kg	0.0231	0		0.025	92.4	23-147	L450275-11	WG469800
1,1,2,2-Tetrachloroethane	mg/kg	0.0290	0		0.02	1.0	18-150	L450275-11	WG469800
1,1,2-Trichloroethane	mg/kg	0.0287	0		0.025	115.0	35-140	L450275-11	WG469800
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0253	0		0.025	101.0	10-145	L450275-11	WG469800
1,1-Dichloroethane	mg/kg	0.023	0		0.025	92.4	24-148	L450275-11	WG469800
1,1-Dichloroethene	mg/kg	0.0253	0		0.025	101.0	10-149	L450275-11	WG469800
1,1-Dichloropropene	mg/kg	0.0235	0		0.025	94.0	10-141	L450275-11	WG469800
1,2,3-Trichlorobenzene	mg/kg	0.0237	0		0.025	1.0	10-129	L450275-11	WG469800
1,2,3-Trichloropropene	mg/kg	0.0310	0		0.025	124.0	30-148	L450275-11	WG469800
1,2,3-Trimethylbenzene	mg/kg	0.0221	0		0.025	88.3	10-137	L450275-11	WG469800
1,2,4-Trichlorobenzene	mg/kg	0.0236	0		0.025	94.4	10-118	L450275-11	WG469800
1,2,4-Trimethylbenzene	mg/kg	0.0241	0		0.025	96.3	10-145	L450275-11	WG469800
1,2-Dibromo-3-Chloropropane	mg/kg	0.0269	0		0.025	108.0	19-145	L450275-11	WG469800
1,2-Dibromoethane	mg/kg	0.029	0		0.025	106.0	22-145	L450275-11	WG469800

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

Analyte	Units	Matrix Spike			% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
1,2-Dichlorobenzene	mg/kg	0.0245	0	.025	98.1	12-130	L450275-11	WG469800
1,2-Dichloroethane	mg/kg	0.0245	0	.025	97.8	21-155	L450275-11	WG469800
1,2-Dichloropropane	mg/kg	0.0238	0	.025	95.0	28-144	L450275-11	WG469800
1,3,5-Trimethylbenzene	mg/kg	0.024	0	.025	98.1	10-135	L450275-11	WG469800
1,3-Dichlorobenzene	mg/kg	0.0258	0	.025	103.	10-129	L450275-11	WG469800
1,3-Dichloropropane	mg/kg	0.0264	0	.025	105.	31-137	L450275-11	WG469800
1,4-Dichlorobenzene	mg/kg	0.0227	0	.025	98.9	10-121	L450275-11	WG469800
2,2-Dichloropropane	mg/kg	0.0190	0	.025	75.9	18-144	L450275-11	WG469800
2-Butanone (MEK)	mg/kg	0.145	0	.125	116.	21-143	L450275-11	WG469800
2-Chloroethyl vinyl ether	mg/kg	0.123	0	.025	98.0	0-176	L450275-11	WG469800
2-Chlorotoluene	mg/kg	0.0237	0	.025	94.8	10-132	L450275-11	WG469800
4-Chlorotoluene	mg/kg	0.0231	0	.025	92.4	10-129	L450275-11	WG469800
4-Methyl-2-pentanone (M2P)	mg/kg	0.135	0	2	08.	1-151	L450275-11	WG469800
Acetone	mg/kg	0.136	0	.125	109.	13-158	L450275-11	WG469800
Acrylonitrile	mg/kg	0.124	0	.125	98.9	20-154	L450275-11	WG469800
Benzene	mg/kg	0.0238	0	.025	95.3	16-143	L450275-11	WG469800
Bromobenzene	mg/kg	0.0231	0	.025	92.3	14-135	L450275-11	WG469800
Bromodichloromethane	mg/kg	0.0220	0	.025	88.1	27-139	L450275-11	WG469800
Bromoform	mg/kg	0.0227	0	.025	90.7	21-144	L450275-11	WG469800
Bromomethane	mg/kg	0.0217	0	.025	86.8	0-180	L450275-11	WG469800
Carbon tetrachloride	mg/kg	0.0223	0	.025	89.3	12-149	L450275-11	WG469800
Chlorobenzene	mg/kg	0.0267	0	.025	94.8	17-134	L450275-11	WG469800
Chlorodibromomethane	mg/kg	0.0268	0	.025	107.	28-147	L450275-11	WG469800
Chloroethane	mg/kg	0.0187	0	.025	74.8	0-172	L450275-11	WG469800
Chloroform	mg/kg	0.0238	0	.025	95.2	28-138	L450275-11	WG469800
Chloromethane	mg/kg	0.0237	0	.025	94.7	10-158	L450275-11	WG469800
cis-1,2-Dichloroethene	mg/kg	0.0248	0	.025	99.3	21-147	L450275-11	WG469800
cis-1,3-Dichloropropene	mg/kg	0.0239	0	.025	95.4	17-145	L450275-11	WG469800
Di-isopropyl ether	mg/kg	0.0220	0	.025	88.0	31-153	L450275-11	WG469800
Dibromomethane	mg/kg	0.0265	0	.025	106.	24-147	L450275-11	WG469800
Dichlorodifluoromethane	mg/kg	0.0365	0	2	4.	0-192	L450275-11	WG469800
Ethylbenzene	mg/kg	0.0256	0	.025	102.	12-137	L450275-11	WG469800
Hexachloro-1,3-butadiene	mg/kg	0.0205	0	.025	82.1	10-123	L450275-11	WG469800
Isopropylbenzene	mg/kg	0.025	0	.02	00.	14-134	L450275-11	WG469800
Methyl tert-butyl ether	mg/kg	0.0244	0	.025	97.5	21-157	L450275-11	WG469800
Methylene Chloride	mg/kg	0.0245	0	.025	97.9	12-149	L450275-11	WG469800
n-Butylbenzene	mg/kg	0.020	0	.025	91.8	10-130	L450275-11	WG469800
n-Propylbenzene	mg/kg	0.0237	0	.025	94.9	10-130	L450275-11	WG469800
Naphthalene	mg/kg	0.0268	0	.025	107.	0-146	L450275-11	WG469800
p-Isopropyltoluene	mg/kg	0.0243	0	.025	97.4	10-131	L450275-11	WG469800
sec-Butylbenzene	mg/kg	0.0239	0	.025	95.8	10-134	L450275-11	WG469800
Styrene	mg/kg	0.0242	0	.025	96.9	10-140	L450275-11	WG469800
tert-Butylbenzene	mg/kg	0.0256	0	.02	0.	11-137	L450275-11	WG469800
Tetrachloroethene	mg/kg	0.0291	0	.025	116.	10-131	L450275-11	WG469800
Toluene	mg/kg	0.0226	0	.025	90.2	12-136	L450275-11	WG469800
trans-1,2-Dichloroethene	mg/kg	0.024	0	.025	98.1	10-143	L450275-11	WG469800
trans-1,3-Dichloropropene	mg/kg	0.0240	0	.025	95.8	16-147	L450275-11	WG469800
Trichloroethene	mg/kg	0.0271	0	.025	108.	10-155	L450275-11	WG469800
Trichlorofluoromethane	mg/kg	0.0218	0	.025	97.2	10-154	L450275-11	WG469800
Vinyl chloride	mg/kg	0.0268	0	.025	107.	10-159	L450275-11	WG469800
Xylenes, Total	mg/kg	0.0765	0	.075	102.	10-138	L450275-11	WG469800
4-Bromofluorobenzene					100.1	-140		WG469800
Dibromofluoromethane					100.2	63-139		WG469800
Toluene-d8					99.66	84-116		WG469800
2-Chloroethyl vinyl ether	mg/kg	0.944	0	.125	151.	0-176	L450558-01	WG469916
Tetrachloroethene	mg/kg	0.0680	0	.025	54.4	10-131	L450558-01	WG469916
4-Bromofluorobenzene					93.59	992-40		WG469916

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

March 29, 2010

Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Dibromofluoromethane						87.24	139			
Toluene-d8						93.61	116			
Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
1,1,1,2-Tetrachloroethane	mg/kg	0.13	0.130	104		9-145	0.0458	1	L450315-05	WG469401
1,1,1-Trichloroethane	mg/kg	0.127	0.127	101.		23-147	0.463	32	L450315-05	WG469401
1,1,2,2-Tetrachloroethane	mg/kg	0.113	0.104	90.2		18-150	7.76	33	L450315-05	WG469401
1,1,2-Trichloroethane	mg/kg	0.11	0.109	88.8		5-140	1.53	2	L450315-05	WG469401
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.122	0.117	97.6		10-145	4.15	35	L450315-05	WG469401
1,1-Dichloroethane	mg/kg	0.111	0.109	89.1		24-148	2.19	31	L450315-05	WG469401
1,1-Dichloroethene	mg/kg	0.122	0.127	97.7		0-14	3.82	34	L450315-05	WG469401
1,1-Dichloropropene	mg/kg	0.110	0.109	88.0		10-141	1.07	34	L450315-05	WG469401
1,2,3-Trichlorobenzene	mg/kg	0.110	0.0988	88.0		10-129	10.7	43	L450315-05	WG469401
1,2,3-Trichloropropene	mg/kg	0.12	0.112	96.		0-148	7.28	32	L450315-05	WG469401
1,2,3-Trimethylbenzene	mg/kg	0.121	0.125	97.1		10-137	3.03	36	L450315-05	WG469401
1,2,4-Trichlorobenzene	mg/kg	0.108	0.102	86.8		10-119	6.35	44	L450315-05	WG469401
1,2,4-Trimethylbenzene	mg/kg	0.12	0.125	103		0-145	2.62	1	L450315-05	WG469401
1,2-Dibromo-3-Chloropropane	mg/kg	0.101	0.0963	80.6		19-145	4.59	35	L450315-05	WG469401
1,2-Dibromoethane	mg/kg	0.114	0.111	90.9		24-145	2.17	31	L450315-05	WG469401
1,2-Dichlorobenzene	mg/kg	0.11	0.114	2.8		2-130	1.38	35	L450315-05	WG469401
1,2-Dichloroethane	mg/kg	0.108	0.104	86.2		21-155	3.24	29	L450315-05	WG469401
1,2-Dichloropropene	mg/kg	0.0955	0.0942	76.4		28-144	1.35	30	L450315-05	WG469401
1,3,5-Trimethylbenzene	mg/kg	0.13	0.129	108		0-135	4.65	39	L450315-05	WG469401
1,3-Dichlorobenzene	mg/kg	0.125	0.118	100.		10-129	6.00	38	L450315-05	WG469401
1,3-Dichloropropene	mg/kg	0.109	0.104	87.1		31-137	5.07	29	L450315-05	WG469401
1,4-Dichlorobenzene	mg/kg	0.11	0.114	92.2		0-121	1.10	36	L450315-05	WG469401
2,2-Dichloropropene	mg/kg	0.130	0.127	104.		18-144	2.69	32	L450315-05	WG469401
2-Butanone (MEK)	mg/kg	0.387	0.352	62.0		21-143	9.57	37	L450315-05	WG469401
2-Chloroethyl vinyl ether	mg/kg	0.5	0.482	82.0		-176	6.11	50	L450315-05	WG469401
2-Chlorotoluene	mg/kg	0.130	0.128	104.		10-132	2.10	37	L450315-05	WG469401
4-Chlorotoluene	mg/kg	0.127	0.122	101.		10-129	3.82	38	L450315-05	WG469401
4-Methyl-2-pentanone (M	mg/kg	0.40	0.372	64.6		1-15	8.17	6	L450315-05	WG469401
Acetone	mg/kg	0.418	0.401	67.0		13-158	4.29	34	L450315-05	WG469401
Acrylonitrile	mg/kg	0.431	0.413	69.0		20-154	4.29	35	L450315-05	WG469401
Benzene	mg/kg	0.10	0.105	84.		6-143	0.77	31	L450315-05	WG469401
Bromobenzene	mg/kg	0.123	0.118	98.2		14-135	4.03	39	L450315-05	WG469401
Bromodichloromethane	mg/kg	0.114	0.112	91.5		27-139	2.04	30	L450315-05	WG469401
Bromoform	mg/kg	0.122	0.106	89.9		1-144	6.08	3	L450315-05	WG469401
Bromomethane	mg/kg	0.134	0.132	107.		0-180	1.37	41	L450315-05	WG469401
Carbon tetrachloride	mg/kg	0.120	0.121	96.1		12-149	1.04	34	L450315-05	WG469401
Chlorobenzene	mg/kg	0.12	0.123	8.4		7-134	0.0126	34	L450315-05	WG469401
Chlorodibromomethane	mg/kg	0.123	0.121	98.7		28-147	1.67	32	L450315-05	WG469401
Chloroethane	mg/kg	0.134	0.129	107.		0-172	3.53	38	L450315-05	WG469401
Chloroform	mg/kg	0.11	0.118	5.3		8-138	0.817	30	L450315-05	WG469401
Chloromethane	mg/kg	0.111	0.108	89.0		10-158	3.33	35	L450315-05	WG469401
cis-1,2-Dichloroethene	mg/kg	0.117	0.118	93.8		21-147	0.490	31	L450315-05	WG469401
cis-1,3-Dichloropropene	mg/kg	0.11	0.106	88.		7-1	3.73	32	L450315-05	WG469401
Di-isopropyl ether	mg/kg	0.101	0.101	80.7		31-153	0.441	29	L450315-05	WG469401
Dibromomethane	mg/kg	0.104	0.104	83.2		24-147	0.0694	30	L450315-05	WG469401
Dichlorodifluoromethane	mg/kg	0.1	0.120	105		-192	9.32	38	L450315-05	WG469401
Ethylbenzene	mg/kg	0.122	0.123	97.9		12-137	0.632	36	L450315-05	WG469401
Hexachloro-1,3-butadiene	mg/kg	0.112	0.114	89.5		10-123	2.29	50	L450315-05	WG469401
Isopropylbenzene	mg/kg	0.123	0.131	107.		13-134	1.98	37	L450315-05	WG469401
Methyl tert-butyl ether	mg/kg	0.116	0.112	92.7		21-157	3.03	31	L450315-05	WG469401
Methylene Chloride	mg/kg	0.112	0.108	89.7		12-149	3.82	31	L450315-05	WG469401
n-Butylbenzene	mg/kg	0.11	0.120	93.8		13-130	2.87	40	L450315-05	WG469401
n-Propylbenzene	mg/kg	0.124	0.121	99.0		10-130	2.44	40	L450315-05	WG469401

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L450119

March 29, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref Smp	Batch
Naphthalene	mg/kg	0.101	0.0972	86.7	0-146	.3	43 L450315-05	WG469401
p-Isopropyltoluene	mg/kg	0.135	0.131	108.	10-131	3.31	43 L450315-05	WG469401
sec-Butylbenzene	mg/kg	0.132	0.129	106.	10-134	2.50	43 L450315-05	WG469401
Styrene	mg/kg	0.120	0.125	03	-140	2.29	35 L450315-05	WG469401
tert-Butylbenzene	mg/kg	0.138	0.133	110.	11-137	3.53	39 L450315-05	WG469401
Tetrachloroethene	mg/kg	0.113	0.115	90.1	10-131	1.76	35 L450315-05	WG469401
Toluene	mg/kg	0.10	0.102	82.5	2-136	1.17	32 L450315-05	WG469401
trans-1,2-Dichloroethene	mg/kg	0.118	0.114	94.5	10-143	3.52	33 L450315-05	WG469401
trans-1,3-Dichloropropene	mg/kg	0.111	0.107	89.2	16-147	4.34	32 L450315-05	WG469401
Trichloroethene	mg/kg	0.11	0.113	92.	0-155	2.23	3 L450315-05	WG469401
Trichlorofluoromethane	mg/kg	0.147	0.128	117.	10-154	13.3	32 L450315-05	WG469401
Vinyl chloride	mg/kg	0.125	0.124	99.8	10-159	0.757	36 L450315-05	WG469401
Xylenes, Total	mg/kg	0.36	0.36	97.	0-138	0.280	30 L450315-05	WG469401
4-Bromofluorobenzene				107.3	59-140			WG469401
Dibromofluoromethane				99.86	63-139			WG469401
Toluene-d8				100.5	4-116			WG469401
1,1,1,2-Tetrachloroethane	mg/kg	0.0155	0.0129	62.0	29-145	18.6	31 L450275-01	WG469433
1,1,1-Trichloroethane	mg/kg	0.0185	0.0142	74.	3-147	26.7	32 L450275-01	WG469433
1,1,2,2-Tetrachloroethane	mg/kg	0.0161	0.0134	64.6	18-150	18.9	33 L450275-01	WG469433
1,1,2-Trichloroethane	mg/kg	0.0172	0.0135	69.0	35-140	24.6	29 L450275-01	WG469433
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0149	0.0132	59.	0-145	12.6	35 L450275-01	WG469433
1,1-Dichloroethane	mg/kg	0.0183	0.0141	73.4	24-148	26.5	31 L450275-01	WG469433
1,1-Dichloropropene	mg/kg	0.0164	0.0126	65.5	10-149	25.8	34 L450275-01	WG469433
1,1-Dichloropropene	mg/kg	0.0152	0.0120	60.9	0-14	23.5	34 L450275-01	WG469433
1,2,3-Trichlorobenzene	mg/kg	0.00959	0.00944	38.3	10-129	1.58	43 L450275-01	WG469433
1,2,3-Trichloropropene	mg/kg	0.0174	0.0138	69.6	30-148	23.0	32 L450275-01	WG469433
1,2,3-Trimethylbenzene	mg/kg	0.0148	0.0127	59.3	0-137	15.2	36 L450275-01	WG469433
1,2,4-Trichlorobenzene	mg/kg	0.00927	0.00915	37.1	10-119	1.27	44 L450275-01	WG469433
1,2,4-Trimethylbenzene	mg/kg	0.0129	0.0118	51.8	10-145	9.40	41 L450275-01	WG469433
1,2-Dibromo-3-Chloropropane	mg/kg	0.0158	0.0130	63.4	9-145	20.0	35 L450275-01	WG469433
1,2-Dibromoethane	mg/kg	0.0166	0.0130	66.4	24-145	24.3	31 L450275-01	WG469433
1,2-Dichlorobenzene	mg/kg	0.0122	0.0105	48.8	12-130	15.4	35 L450275-01	WG469433
1,2-Dichloroethane	mg/kg	0.0188	0.014	75.0	1-155	26.1	22 L450275-01	WG469433
1,2-Dichloropropene	mg/kg	0.0183	0.0139	73.1	28-144	27.4	30 L450275-01	WG469433
1,3,5-Trimethylbenzene	mg/kg	0.0125	0.0116	50.0	10-135	7.38	39 L450275-01	WG469433
1,3-Dichlorobenzene	mg/kg	0.0108	0.00985	43.2	0-129	9.13	38 L450275-01	WG469433
1,3-Dichloropropene	mg/kg	0.0168	0.0130	67.2	31-137	25.8	29 L450275-01	WG469433
1,4-Dichlorobenzene	mg/kg	0.0116	0.00988	46.2	10-121	15.7	36 L450275-01	WG469433
2,2-Dichloropropene	mg/kg	0.0191	0.0144	6.	-144	28.4	32 L450275-01	WG469433
2-Butanone (MEK)	mg/kg	0.103	0.0741	82.2	21-143	32.4	37 L450275-01	WG469433
2-Chlorotoluene	mg/kg	0.0123	0.0108	49.2	10-132	12.8	37 L450275-01	WG469433
4-Chlorotoluene	mg/kg	0.0118	0.0107	47.3	0-129	10.1	38 L450275-01	WG469433
4-Methyl-2-pentanone (MIBK)	mg/kg	0.103	0.0752	82.6	31-151	31.4	36 L450275-01	WG469433
Acetone	mg/kg	0.109	0.0782	87.1	13-158	32.8	34 L450275-01	WG469433
Acrylonitrile	mg/kg	0.10	0.0769	85.9	0-154	33.1	35 L450275-01	WG469433
Benzene	mg/kg	0.0170	0.0132	68.2	16-143	25.5	31 L450275-01	WG469433
Bromobenzene	mg/kg	0.0125	0.0106	50.0	14-135	16.0	39 L450275-01	WG469433
Bromodichloromethane	mg/kg	0.0184	0.0143	73.7	7-139	25.1	30 L450275-01	WG469433
Bromoform	mg/kg	0.0151	0.0127	60.2	21-144	16.9	34 L450275-01	WG469433
Bromomethane	mg/kg	0.0206	0.0161	82.4	0-180	24.8	41 L450275-01	WG469433
Carbon tetrachloride	mg/kg	0.0169	0.0140	67.4	2-149	18.7	34 L450275-01	WG469433
Chlorobenzene	mg/kg	0.0136	0.0113	54.3	17-134	18.1	34 L450275-01	WG469433
Chlorodibromomethane	mg/kg	0.0165	0.0131	66.0	28-147	23.2	32 L450275-01	WG469433
Chloroethene	mg/kg	0.0202	0.0153	80.7	0-172	27.5	33 L450275-01	WG469433
Chloroform	mg/kg	0.0183	0.0141	73.2	28-138	25.7	30 L450275-01	WG469433
Chloromethane	mg/kg	0.0173	0.0124	69.1	10-158	32.8	35 L450275-01	WG469433
cis-1,2-Dichloroethene	mg/kg	0.0180	0.0140	1.9	1-147	25.0	31 L450275-01	WG469433

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L450119

March 29, 2010

Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate	Limit	RPD	Limit Ref	Samp	Batch
cis-1,3-Dichloropropene	mg/kg	0.0176	0.0135	70.0	-14	25.1	31	L450275-01	WG469433	
Di-isopropyl ether	mg/kg	0.0184	0.0135	73.5	31-153	30.4*	29	L450275-01	WG469433	
Dibromomethane	mg/kg	0.0185	0.0141	74.0	24-147	26.9	30	L450275-01	WG469433	
Dichlorodifluoromethane	mg/kg	0.0113	0.00966	5.2	0-102	-	38	L450275-01	WG469433	
Ethylbenzene	mg/kg	0.0136	0.0118	54.4	12-137	14.4	36	L450275-01	WG469433	
Hexachloro-1,3-butadiene	mg/kg	0.00953	0.0102	38.1	10-123	6.94	50	L450275-01	WG469433	
Isopropylbenzene	mg/kg	0.0121	0.0110	48.2	-134	8.77	-	L450275-01	WG469433	
Methyl tert-butyl ether	mg/kg	0.0165	0.0127	65.9	21-157	26.1	31	L450275-01	WG469433	
Methylene Chloride	mg/kg	0.0183	0.0139	73.0	12-149	27.5	31	L450275-01	WG469433	
n-Butylbenzene	mg/kg	0.0110	0.0105	44.0	0-130	4.39	48	L450275-01	WG469433	
n-Propylbenzene	mg/kg	0.0118	0.0110	47.4	10-130	7.65	40	L450275-01	WG469433	
Naphthalene	mg/kg	0.0124	0.0111	49.6	0-146	10.7	43	L450275-01	WG469433	
p-Isopropyltoluene	mg/kg	0.0116	0.0113	46.5	0-13	3.20	3	L450275-01	WG469433	
sec-Butylbenzene	mg/kg	0.0117	0.0111	46.8	10-134	5.19	43	L450275-01	WG469433	
Styrene	mg/kg	0.0145	0.0125	58.2	10-140	15.1	35	L450275-01	WG469433	
tert-Butylbenzene	mg/kg	0.0133	0.0121	43.3	1-137	9.93	31	L450275-01	WG469433	
Toluene	mg/kg	0.0151	0.0118	60.6	12-136	24.9	32	L450275-01	WG469433	
trans-1,2-Dichloroethene	mg/kg	0.0175	0.0135	70.1	10-143	25.9	33	L450275-01	WG469433	
trans-1,3-Dichloropropene	mg/kg	0.0172	0.0132	68.8	6-14	26.7	32	L450275-01	WG469433	
Trichloroethene	mg/kg	0.0156	0.0122	62.2	10-155	23.8	33	L450275-01	WG469433	
Trichlorofluoromethane	mg/kg	0.0210	0.0158	83.9	10-154	28.1	32	L450275-01	WG469433	
Vinyl chloride	mg/kg	0.0160	0.0125	63.8	10-159	27.5	3	L450275-01	WG469433	
Xylenes, Total	mg/kg	0.0403	0.0345	53.8	10-138	15.6	36	L450275-01	WG469433	
4-Bromofluorobenzene				95.09	59-140				WG469433	
Dibromofluoromethane				99.51	3-139				WG469433	
Toluene-d8				95.51	84-116				WG469433	
1,1,1,2-Tetrachloroethane	mg/kg	0.0243	0.026	97.2	9-145	9.32	31	L450275-11	WG469800	
1,1,1-Trichloroethane	mg/kg	0.0221	0.0231	88.5	23-147	4.32	32	L450275-11	WG469800	
1,1,2,2-Tetrachloroethane	mg/kg	0.0275	0.0290	110.	18-150	5.47	33	L450275-11	WG469800	
1,1,2-Trichloroethane	mg/kg	0.0298	0.028	119.	5-140	3.87	29	L450275-11	WG469800	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0212	0.0253	84.6	10-145	18.0	35	L450275-11	WG469800	
1,1-Dichloroethane	mg/kg	0.0219	0.0231	87.7	24-148	5.13	31	L450275-11	WG469800	
1,1-Dichloroethene	mg/kg	0.0233	0.0253	93.2	0-149	8.08	4	L450275-11	WG469800	
1,1-Dichloropropene	mg/kg	0.0219	0.0235	87.6	10-141	7.11	34	L450275-11	WG469800	
1,2,3-Trichlorobenzene	mg/kg	0.0209	0.0237	83.4	10-129	12.8	43	L450275-11	WG469800	
1,2,3-Trichloropropene	mg/kg	0.00265	0.0310	10.6*	10-148	168.*	32	L450275-11	WG469800	
1,2,3-Trimethylbenzene	mg/kg	0.0197	0.0221	78.6	10-137	11.5	36	L450275-11	WG469800	
1,2,4-Trichlorobenzene	mg/kg	0.0205	0.0236	82.0	10-119	14.2	44	L450275-11	WG469800	
1,2,4-Trimethylbenzene	mg/kg	0.0206	0.024	82.6	-14	15.	41	L450275-11	WG469800	
1,2-Dibromo-3-Chloropropane	mg/kg	0.0270	0.0269	108.	19-145	0.447	35	L450275-11	WG469800	
1,2-Dibromoethane	mg/kg	0.0289	0.0290	116.	24-145	0.188	31	L450275-11	WG469800	
1,2-Dichlorobenzene	mg/kg	0.0220	0.0242	88.	2-130	9.38	35	L450275-11	WG469800	
1,2-Dichloroethane	mg/kg	0.0236	0.0245	94.4	21-155	3.61	29	L450275-11	WG469800	
1,2-Dichloropropene	mg/kg	0.0239	0.0238	95.4	28-144	0.437	30	L450275-11	WG469800	
1,3,5-Trimethylbenzene	mg/kg	0.0208	0.0243	83.	0-13	16.5	3	L450275-11	WG469800	
1,3-Dichlorobenzene	mg/kg	0.0222	0.0258	89.0	10-129	14.8	38	L450275-11	WG469800	
1,3-Dichloropropene	mg/kg	0.0264	0.0264	106.	31-137	0.126	29	L450275-11	WG469800	
1,4-Dichlorobenzene	mg/kg	0.0204	0.022	81.7	0-12	10.7	36	L450275-11	WG469800	
2,2-Dichloropropene	mg/kg	0.0184	0.0190	73.6	18-144	3.01	32	L450275-11	WG469800	
2-Butanone (MEK)	mg/kg	0.145	0.145	116.	21-143	0.419	37	L450275-11	WG469800	
2-Chloroethyl vinyl et	mg/kg	0.13	0.123	108	-176	9.94	50	L450275-11	WG469800	
2-Chlorotoluene	mg/kg	0.0209	0.0237	83.5	10-132	12.8	37	L450275-11	WG469800	
4-Chlorotoluene	mg/kg	0.0206	0.0231	82.3	10-129	11.6	38	L450275-11	WG469800	
4-Methyl-2-pentanone (MIBK)	mg/kg	0.13	0.135	111	1-15	2.29	38	L450275-11	WG469800	
Acetone	mg/kg	0.133	0.136	106.	13-158	2.35	34	L450275-11	WG469800	
Acrylonitrile	mg/kg	0.114	0.124	91.6	20-154	7.70	35	L450275-11	WG469800	
Benzene	mg/kg	0.0228	0.0238	81.8	10-143	3.80	31	L450275-11	WG469800	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L450119

March 29, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit	Ref Samp	Batch
Bromobenzene	mg/kg	0.0210	0.0231	84.1	-135	.34	39	L450275-11	WG469800
Bromodichloromethane	mg/kg	0.0219	0.0220	87.8	27-139	0.361	30	L450275-11	WG469800
Bromoform	mg/kg	0.0213	0.0227	85.2	21-144	6.17	34	L450275-11	WG469800
Bromomethane	mg/kg	0.0207	0.0217	82.8	0-100	.64	1	L450275-11	WG469800
Carbon tetrachloride	mg/kg	0.0205	0.0223	81.9	12-149	8.67	34	L450275-11	WG469800
Chlorobenzene	mg/kg	0.0255	0.0267	102.	17-134	4.92	34	L450275-11	WG469800
Chlorodibromomethane	mg/kg	0.0260	0.0268	104	8-14	3.07	32	L450275-11	WG469800
Chloroethane	mg/kg	0.0176	0.0187	70.5	0-172	5.86	38	L450275-11	WG469800
Chloroform	mg/kg	0.0226	0.0238	90.5	28-138	5.10	30	L450275-11	WG469800
Chloromethane	mg/kg	0.0213	0.0237	85.3	0-158	10.4	35	L450275-11	WG469800
cis-1,2-Dichloroethene	mg/kg	0.0236	0.0248	94.3	21-147	5.24	31	L450275-11	WG469800
cis-1,3-Dichloropropene	mg/kg	0.0239	0.0239	95.7	17-145	0.294	32	L450275-11	WG469800
Di-isopropyl ether	mg/kg	0.0213	0.0220	85.2	1-153	3.1	2	L450275-11	WG469800
Dibromomethane	mg/kg	0.0255	0.0265	102.	24-147	3.97	30	L450275-11	WG469800
Dichlorodifluoromethane	mg/kg	0.0316	0.0365	126.	0-192	14.2	38	L450275-11	WG469800
Ethylbenzene	mg/kg	0.0241	0.0256	96.3	2-137	5.95	36	L450275-11	WG469800
Hexachloro-1,3-butadiene	mg/kg	0.0157	0.0205	62.6	10-123	26.9	50	L450275-11	WG469800
Isopropylbenzene	mg/kg	0.0225	0.0251	90.0	14-134	10.8	37	L450275-11	WG469800
Methyl tert-butyl ether	mg/kg	0.0230	0.0244	92.	1-157	5.69	1	L450275-11	WG469800
Methylene Chloride	mg/kg	0.0229	0.0245	91.4	12-149	6.86	31	L450275-11	WG469800
n-Butylbenzene	mg/kg	0.0168	0.0204	67.1	10-130	19.8	48	L450275-11	WG469800
n-Propylbenzene	mg/kg	0.021	0.0237	82.9	0-130	13.4	40	L450275-11	WG469800
Naphthalene	mg/kg	0.0231	0.0268	92.5	0-146	14.7	43	L450275-11	WG469800
p-Isopropyltoluene	mg/kg	0.0198	0.0243	79.4	10-131	20.4	43	L450275-11	WG469800
sec-Butylbenzene	mg/kg	0.0192	0.0239	76.	0-134	22.1	43	L450275-11	WG469800
Styrene	mg/kg	0.0238	0.0242	95.0	10-140	1.96	35	L450275-11	WG469800
tert-Butylbenzene	mg/kg	0.0212	0.0256	84.6	11-137	18.9	39	L450275-11	WG469800
Tetrachloroethene	mg/kg	0.0256	0.0291	102	0-131	12.8	35	L450275-11	WG469800
Toluene	mg/kg	0.0228	0.0226	91.3	12-136	1.23	32	L450275-11	WG469800
trans-1,2-Dichloroethene	mg/kg	0.0227	0.0245	90.7	10-143	7.79	33	L450275-11	WG469800
trans-1,3-Dichloropropene	mg/kg	0.0255	0.0240	102	6-14	6.36	32	L450275-11	WG469800
Trichloroethene	mg/kg	0.0254	0.0271	102.	10-155	6.44	33	L450275-11	WG469800
Trichlorofluoromethane	mg/kg	0.0197	0.0218	78.8	10-154	10.1	32	L450275-11	WG469800
Vinyl chloride	mg/kg	0.0241	0.0268	96.6	0-159	10.5	6	L450275-11	WG469800
Xylenes, Total	mg/kg	0.0711	0.0765	94.8	10-138	7.31	36	L450275-11	WG469800
4-Bromofluorobenzene				100.9	59-140			450558-01	WG469916
Dibromofluoromethane				95.50	3-139			L450558-01	WG469916
Toluene-d8				103.4	84-116				WG469916
2-Chloroethyl vinyl ether	mg/kg	1.06	0.914	169	-176	11.4	50	450558-01	WG469916
Tetrachloroethene	mg/kg	0.0918	0.0680	73.5	10-131	29.8	35	L450558-01	WG469916
4-Bromofluorobenzene				96.54	59-140				WG469916
Dibromofluoromethane				86.73	3-139				WG469916
Toluene-d8				93.76	84-116				WG469916

Batch number / Run number / Sample number cross reference

WG468931: R1153970: L450119-01 02 03 04 05
WG469401: R1156491: L450119-05
WG469433: R1158708: L450119-01 02 04
WG469800: R1159809: L450119-01 02 03
WG469916: R1160468: L450119-04

* * Calculations are performed prior to rounding of reported values .
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L450119

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

March 29, 2010

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the Laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

Quality Control Summary SDG: L450371

For: SESCO Group
Project: Harman Becker
March 29, 2010

Sample Receiving and Handling

All sample aliquots were received at the correct temperature, in the proper containers, and with the appropriate preservatives. All method specified holding times were met.

Volatile Organic Compounds by Method 8260B

Laboratory Control Sample

Samples L450371-01 and 02 were analyzed in analytical batch WG469669. The laboratory control sample associated with these samples had all target compounds within method limits except for Acetone, 2-Butanone (MEK), Chloroform, and Bromodichloromethane.

Matrix Spike/Matrix Spike Duplicate

For analytical batch WG469669 matrix spike/matrix spike duplicate analysis was performed on sample L450371-01. The matrix spike recoveries were above laboratory control limits for Dichlorodifluoromethane, Chloromethane, Vinyl chloride, and Bromomethane. The spike recoveries for the remaining target compounds were within limits. The relative percent difference was within laboratory limits for all compounds.

Blank Analysis

The method blank, the initial, and all continuing calibration blanks contained no analytes at concentrations above the method reporting limit.

Nancy F. Winters
ESC Representative
ESC Lab Sciences



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Sunday March 28, 2010

Report Number: L450371

Samples Received: 03/20/10

Client Project: 3872-3

Description: Harman Becker

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

T. Alan Harvill , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 28, 2010

Date Received : March 20, 2010
Description : Harman Becker
Sample ID : B-114 GW 26-30 FT
Collected By : J. Wright
Collection Date : 03/18/10 14:45

ESC Sample # : L450371-01

Site ID :

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	03/26/10	1
Acrolein	BDL	0.050	mg/l	8260B	03/26/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	03/26/10	1
Benzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	03/26/10	1
Bromoform	BDL	0.0010	mg/l	8260B	03/26/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	03/26/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	03/26/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	03/26/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	03/26/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	03/26/10	1
Chloroform	BDL	0.0050	mg/l	8260B	03/26/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	03/26/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/26/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	03/26/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	03/26/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	03/26/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	03/26/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/26/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	03/26/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/26/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/26/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/26/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	03/26/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	03/26/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	03/26/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 28, 2010

Date Received : March 20, 2010
Description : Harman Becker
Sample ID : B-114 GW 26-30 FT
Collected By : J. Wright
Collection Date : 03/18/10 14:45

ESC Sample # : L450371-01

Site ID :

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	03/26/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	03/26/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	03/26/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	03/26/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	03/26/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Styrene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	03/26/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	03/26/10	1
Toluene	BDL	0.0050	mg/l	8260B	03/26/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1,1-Trichloroethane	0.054	0.0010	mg/l	8260B	03/26/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	03/26/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	03/26/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	03/26/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	03/26/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	03/26/10	1
Surrogate Recovery						
Toluene-d8	104.		% Rec.	8260B	03/26/10	1
Dibromofluoromethane	122.		% Rec.	8260B	03/26/10	1
4-Bromofluorobenzene	95.1		% Rec.	8260B	03/26/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/28/10 08:57 Printed: 03/28/10 08:58

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 28, 2010

Date Received : March 20, 2010
Description : Harman Becker
Sample ID : B-115 GW 20-24 FT
Collected By : J. Wright
Collection Date : 03/18/10 16:15

ESC Sample # : L450371-02

Site ID :

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	03/26/10	1
Acrolein	BDL	0.050	mg/l	8260B	03/26/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	03/26/10	1
Benzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	03/26/10	1
Bromoform	BDL	0.0010	mg/l	8260B	03/26/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	03/26/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	03/26/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	03/26/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	03/26/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	03/26/10	1
Chloroform	BDL	0.0050	mg/l	8260B	03/26/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	03/26/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/26/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	03/26/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	03/26/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	03/26/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	03/26/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/26/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	03/26/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/26/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	03/26/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	03/26/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	03/26/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	03/26/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	03/26/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

March 28, 2010

Date Received : March 20, 2010
Description : Harman Becker
Sample ID : B-115 GW 20-24 FT
Collected By : J. Wright
Collection Date : 03/18/10 16:15

ESC Sample # : 1450371-02

Site ID :

Project # : 3872-3

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	03/26/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	03/26/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	03/26/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	03/26/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	03/26/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Styrene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	03/26/10	1
Tetrachloroethene	0.0012	0.0010	mg/l	8260B	03/26/10	1
Toluene	BDL	0.0050	mg/l	8260B	03/26/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	03/26/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	03/26/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	03/26/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	03/26/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	03/26/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	03/26/10	1
Surrogate Recovery						
Toluene-d8	104.		% Rec.	8260B	03/26/10	1
Dibromofluoromethane	124.		% Rec.	8260B	03/26/10	1
4-Bromofluorobenzene	94.9		% Rec.	8260B	03/26/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 03/28/10 08:57 Printed: 03/28/10 08:58

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L450371-01	WG469669	SAMP	Acetone	R1159508	J4
	WG469669	SAMP	Bromodichloromethane	R1159508	J4
	WG469669	SAMP	Bromomethane	R1159508	J5
	WG469669	SAMP	Chloroform	R1159508	J4
	WG469669	SAMP	Chloromethane	R1159508	J5
	WG469669	SAMP	Dichlorodifluoromethane	R1159508	J5
	WG469669	SAMP	2-Butanone (MEK)	R1159508	J4
	WG469669	SAMP	Vinyl chloride	R1159508	J5
	WG469669	SAMP	Acetone	R1159508	J4
L450371-02	WG469669	SAMP	Bromodichloromethane	R1159508	J4
	WG469669	SAMP	Chloroform	R1159508	J4
	WG469669	SAMP	2-Butanone (MEK)	R1159508	J4

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J4	The associated batch QC was outside the established quality control range for accuracy.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy** - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision** - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate** - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC** - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
03/28/10 at 08:58:13

TSR Signing Reports: 364
R5 - Desired TAT

No hard copy of reports per Jesse. In 6/12/06 Only CD for QC pkgs. - no paper. In 6/6/05 All
soils in Dry wt. In 5/9/05 client requires purchase orders for each project.

Sample: L450371-01 Account: SESCOIN Received: 03/20/10 09:00 Due Date: 03/26/10 00:00 RPT Date: 03/28/10 08:57

Sample: L450371-02 Account: SESCOIN Received: 03/20/10 09:00 Due Date: 03/26/10 00:00 RPT Date: 03/28/10 08:57

Quality Control Summary

SDG: L450371

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/18/2010

Analysis Date: 3/26/2010

Instrument ID: VOCMS21

Sample Numbers: L450371-01, -02

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG469669

Analyst: 126

Method Blank

Analyte	CAS	PQL	Qualifiers
Dichlorodifluoromethane	75-71-8	<0.0050	
Chloromethane	74-87-3	<0.0025	
Vinyl chloride	75-01-4	<0.0010	
Bromomethane	74-83-9	<0.0050	
Chloroethane	75-00-3	<0.0050	
Trichlorofluoromethane	75-69-4	<0.0050	
Acrolein	107-02-8	<0.0500	
1,1-Dichloroethene	75-35-4	<0.0010	
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	<0.0010	
Acetone	67-64-1	<0.0500	
Methylene Chloride	75-09-2	<0.0050	
Acrylonitrile	107-13-1	<0.0100	
trans-1,2-Dichloroethene	156-60-5	<0.0010	
Methyl tert-butyl ether	1634-04-4	<0.0010	
1,1-Dichloroethane	75-34-3	<0.0010	
Di-isopropyl ether	108-20-3	<0.0010	
2,2-Dichloropropane	594-20-7	<0.0010	
cis-1,2-Dichloroethene	156-59-2	<0.0010	
2-Butanone (MEK)	78-93-3	<0.0100	
Chloroform	67-66-3	<0.0050	
1,1,1-Trichloroethane	71-55-6	<0.0010	
Carbon tetrachloride	56-23-5	<0.0010	
1,1-Dichloropropene	563-58-6	<0.0010	
Benzene	71-43-2	<0.0010	
1,2-Dichloroethane	107-06-2	<0.0010	
Trichloroethene	79-01-6	<0.0010	
1,2-Dichloropropane	78-87-5	<0.0010	
Dibromomethane	74-95-3	<0.0010	
Bromodichloromethane	75-27-4	<0.0010	
2-Chloroethyl vinyl ether	110-75-8	<0.0500	
cis-1,3-Dichloropropene	10061-01-5	<0.0010	
4-Methyl-2-pentanone (MIBK)	108-10-1	<0.0100	
Toluene	108-88-3	<0.0050	
trans-1,3-Dichloropropene	10061-02-6	<0.0010	
1,1,2-Trichloroethane	79-00-5	<0.0010	

Quality Control Summary

SDG: L450371

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/18/2010	Analytic Batch:	WG469669
Analysis Date:	3/26/2010	Analyst:	126
Instrument ID:	VOCMS21		
Sample Numbers:	L450371-01, -02		

Method Blank

Analyte	CAS	PQL	Qualifiers
Tetrachloroethene	127-18-4	<0.0010	
1,3-Dichloropropane	142-28-9	<0.0010	
Chlorodibromomethane	124-48-1	<0.0010	
1,2-Dibromoethane	106-93-4	<0.0010	
Chlorobenzene	108-90-7	<0.0010	
1,1,1,2-Tetrachloroethane	630-20-6	<0.0010	
Ethylbenzene	100-41-4	<0.0010	
m&p-Xylene	1330-20-7	<0.0030	
o-Xylene	1330-20-7	<0.0030	
Styrene	100-42-5	<0.0010	
Bromoform	75-25-2	<0.0010	
Isopropylbenzene	98-82-8	<0.0010	
Bromobenzene	108-86-1	<0.0010	
1,1,2,2-Tetrachloroethane	79-34-5	<0.0010	
1,2,3-Trichloropropane	96-18-4	<0.0010	
n-Propylbenzene	103-65-1	<0.0010	
2-Chlorotoluene	95-49-8	<0.0010	
4-Chlorotoluene	106-43-4	<0.0010	
1,3,5-Trimethylbenzene	108-67-8	<0.0010	
tert-Butylbenzene	98-06-6	<0.0010	
1,2,4-Trimethylbenzene	95-63-6	<0.0010	
sec-Butylbenzene	135-98-8	<0.0010	
1,3-Dichlorobenzene	541-73-1	<0.0010	
p-Isopropyltoluene	99-87-6	<0.0010	
1,4-Dichlorobenzene	106-46-7	<0.0010	
1,2,3-Trimethylbenzene	526-73-8	<0.0010	
1,2-Dichlorobenzene	95-50-1	<0.0010	
n-Butylbenzene	104-51-8	<0.0010	
1,2-Dibromo-3-Chloropropane	96-12-8	<0.0050	
1,2,4-Trichlorobenzene	120-82-1	<0.0010	
Hexachloro-1,3-butadiene	87-68-3	<0.0010	
Naphthalene	91-20-3	<0.0050	
1,2,3-Trichlorobenzene	87-61-6	<0.0010	

Quality Control Summary

SDG: L450371

SESCO Group

Test: Volatile Organic Compounds by Method 8260B
Project No: 3872-3
Project: Harman Becker
Collection Date: 3/18/2010
Analysis Date: 3/26/2010
Instrument ID: VOCMS21
Sample Numbers: L450371-01, -02

Matrix: Water - mg/L
EPA ID: TN00003
Analytic Batch: WG469669
Analyst: 126

Laboratory Control Sample (LCS)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Dichlorodifluoromethane	0.0250	0.0336	134	39 - 189	
Chloromethane	0.0250	0.0263	105	45 - 152	
Vinyl chloride	0.0250	0.0253	101	55 - 153	
Bromomethane	0.0250	0.0298	119	45 - 175	
Chloroethane	0.0250	0.0276	111	49 - 155	
Trichlorofluoromethane	0.0250	0.0308	123	54 - 156	
Acrolein	0.125	0.160	128	6 - 182	
1,1-Dichloroethene	0.0250	0.0297	119	60 - 130	
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0250	0.0331	132	51 - 149	
Acetone	0.125	0.188	151	48 - 134	J4
Methylene Chloride	0.0250	0.0271	109	64 - 125	
Acrylonitrile	0.125	0.169	135	60 - 140	
trans-1,2-Dichloroethene	0.0250	0.0241	96.6	67 - 129	
Methyl tert-butyl ether	0.0250	0.0324	130	51 - 142	
1,1-Dichloroethane	0.0250	0.0304	121	67 - 133	
Di-isopropyl ether	0.0250	0.0328	131	63 - 139	
2,2-Dichloropropane	0.0250	0.0318	127	46 - 151	
cis-1,2-Dichloroethene	0.0250	0.0282	113	72 - 128	
2-Butanone (MEK)	0.125	0.165	132	53 - 132	J4
Chloroform	0.0250	0.0320	128	66 - 126	J4
1,1,1-Trichloroethane	0.0250	0.0305	122	67 - 137	
Carbon tetrachloride	0.0250	0.0303	121	64 - 141	
1,1-Dichloropropene	0.0250	0.0274	110	68 - 132	
Benzene	0.0250	0.0270	108	67 - 126	
1,2-Dichloroethane	0.0250	0.0337	135	63 - 137	
Trichloroethene	0.0250	0.0247	98.7	74 - 126	
1,2-Dichloropropane	0.0250	0.0299	120	74 - 122	
Dibromomethane	0.0250	0.0274	110	73 - 125	
Bromodichloromethane	0.0250	0.0333	133	68 - 133	J4
2-Chloroethyl vinyl ether	0.125	0.167	134	0 - 171	
cis-1,3-Dichloropropene	0.0250	0.0280	112	73 - 131	
4-Methyl-2-pentanone (MIBK)	0.125	0.166	133	60 - 142	
Toluene	0.0250	0.0256	102	72 - 122	
trans-1,3-Dichloropropene	0.0250	0.0269	107	66 - 137	
1,1,2-Trichloroethane	0.0250	0.0264	106	79 - 123	

Quality Control Summary

SDG: L450371

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/18/2010	Analytic Batch:	WG469669
Analysis Date:	3/26/2010	Analyst:	126
Instrument ID:	VOCMS21		
Sample Numbers:	L450371-01, -02		

Laboratory Control Sample (LCS)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Tetrachloroethene	0.0250	0.0217	86.9	67 - 135	
1,3-Dichloropropane	0.0250	0.0268	107	77 - 119	
Chlorodibromomethane	0.0250	0.0287	115	73 - 138	
1,2-Dibromoethane	0.0250	0.0272	109	75 - 126	
Chlorobenzene	0.0250	0.0256	102	77 - 125	
1,1,1,2-Tetrachloroethane	0.0250	0.0281	113	75 - 134	
Ethylbenzene	0.0250	0.0258	103	76 - 129	
m&p-Xylene	0.0500	0.0523	105	74 - 128	
o-Xylene	0.0250	0.0266	106	78 - 128	
Styrene	0.0250	0.0248	99.3	78 - 130	
Bromoform	0.0250	0.0268	107	60 - 139	
Isopropylbenzene	0.0250	0.0274	110	73 - 132	
Bromobenzene	0.0250	0.0275	110	76 - 123	
1,1,2,2-Tetrachloroethane	0.0250	0.0298	119	72 - 128	
1,2,3-Trichloropropane	0.0250	0.0299	120	68 - 130	
n-Propylbenzene	0.0250	0.0274	110	71 - 132	
2-Chlorotoluene	0.0250	0.0274	110	74 - 128	
4-Chlorotoluene	0.0250	0.0282	113	74 - 130	
1,3,5-Trimethylbenzene	0.0250	0.0281	112	73 - 134	
tert-Butylbenzene	0.0250	0.0278	111	72 - 134	
1,2,4-Trimethylbenzene	0.0250	0.0280	112	72 - 135	
sec-Butylbenzene	0.0250	0.0281	113	70 - 135	
1,3-Dichlorobenzene	0.0250	0.0270	108	73 - 131	
p-Isopropyltoluene	0.0250	0.0289	116	68 - 138	
1,4-Dichlorobenzene	0.0250	0.0265	106	70 - 121	
1,2,3-Trimethylbenzene	0.0250	0.0282	113	70 - 127	
1,2-Dichlorobenzene	0.0250	0.0279	111	75 - 122	
n-Butylbenzene	0.0250	0.0298	119	63 - 142	
1,2-Dibromo-3-Chloropropane	0.0250	0.0288	115	55 - 134	
1,2,4-Trichlorobenzene	0.0250	0.0285	114	65 - 137	
Hexachloro-1,3-butadiene	0.0250	0.0277	111	67 - 135	
Naphthalene	0.0250	0.0294	118	56 - 145	
1,2,3-Trichlorobenzene	0.0250	0.0298	119	63 - 138	

Quality Control Summary

SDG: L450371

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/18/2010	Analytic Batch:	WG469669
Analysis Date:	3/26/2010	Analyst:	126
Instrument ID:	VOCMS21		
Sample Numbers:	L450371-01, -02		

Laboratory Control Sample Duplicate (LCSD)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Dichlorodifluoromethane	0.0250	0.0304	122	39 - 189	
Chloromethane	0.0250	0.0248	99.0	45 - 152	
Vinyl chloride	0.0250	0.0248	99.1	55 - 153	
Bromomethane	0.0250	0.0284	114	45 - 175	
Chloroethane	0.0250	0.0241	96.4	49 - 155	
Trichlorofluoromethane	0.0250	0.0291	116	54 - 156	
Acrolein	0.125	0.136	109	6 - 182	
1,1-Dichloroethene	0.0250	0.0266	107	60 - 130	
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0250	0.0286	114	51 - 149	
Acetone	0.125	0.176	141	48 - 134	J4
Methylene Chloride	0.0250	0.0260	104	64 - 125	
Acrylonitrile	0.125	0.157	126	60 - 140	
trans-1,2-Dichloroethene	0.0250	0.0232	92.8	67 - 129	
Methyl tert-butyl ether	0.0250	0.0309	124	51 - 142	
1,1-Dichloroethane	0.0250	0.0287	115	67 - 133	
Di-isopropyl ether	0.0250	0.0315	126	63 - 139	
2,2-Dichloropropane	0.0250	0.0301	120	46 - 151	
cis-1,2-Dichloroethene	0.0250	0.0274	110	72 - 128	
2-Butanone (MEK)	0.125	0.156	125	53 - 132	
Chloroform	0.0250	0.0303	121	66 - 126	
1,1,1-Trichloroethane	0.0250	0.0291	116	67 - 137	
Carbon tetrachloride	0.0250	0.0282	113	64 - 141	
1,1-Dichloropropene	0.0250	0.0266	106	68 - 132	
Benzene	0.0250	0.0258	103	67 - 126	
1,2-Dichloroethane	0.0250	0.0324	130	63 - 137	
Trichloroethene	0.0250	0.0235	94.1	74 - 126	
1,2-Dichloropropane	0.0250	0.0288	115	74 - 122	
Dibromomethane	0.0250	0.0263	105	73 - 125	
Bromodichloromethane	0.0250	0.0317	127	68 - 133	
2-Chloroethyl vinyl ether	0.125	0.161	129	0 - 171	
cis-1,3-Dichloropropene	0.0250	0.0269	108	73 - 131	
4-Methyl-2-pentanone (MIBK)	0.125	0.157	125	60 - 142	
Toluene	0.0250	0.0247	98.9	72 - 122	
trans-1,3-Dichloropropene	0.0250	0.0251	100	66 - 137	
1,1,2-Trichloroethane	0.0250	0.0256	102	79 - 123	

Quality Control Summary

SDG: L450371

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/18/2010	Analytic Batch:	WG469669
Analysis Date:	3/26/2010	Analyst:	126
Instrument ID:	VOCMS21		
Sample Numbers:	L450371-01, -02		

Laboratory Control Sample Duplicate (LCSD)

Analyte	True Value	Found	Recovery %	Control Limits	Qualifiers
Tetrachloroethene	0.0250	0.0214	85.4	67 - 135	
1,3-Dichloropropane	0.0250	0.0258	103	77 - 119	
Chlorodibromomethane	0.0250	0.0282	113	73 - 138	
1,2-Dibromoethane	0.0250	0.0262	105	75 - 126	
Chlorobenzene	0.0250	0.0249	99.5	77 - 125	
1,1,1,2-Tetrachloroethane	0.0250	0.0278	111	75 - 134	
Ethylbenzene	0.0250	0.0251	101	76 - 129	
m&p-Xylene	0.0500	0.0513	103	74 - 128	
o-Xylene	0.0250	0.0259	104	78 - 128	
Styrene	0.0250	0.0245	97.9	78 - 130	
Bromoform	0.0250	0.0262	105	60 - 139	
Isopropylbenzene	0.0250	0.0270	108	73 - 132	
Bromobenzene	0.0250	0.0269	108	76 - 123	
1,1,2,2-Tetrachloroethane	0.0250	0.0286	114	72 - 128	
1,2,3-Trichloropropane	0.0250	0.0293	117	68 - 130	
n-Propylbenzene	0.0250	0.0271	108	71 - 132	
2-Chlorotoluene	0.0250	0.0267	107	74 - 128	
4-Chlorotoluene	0.0250	0.0280	112	74 - 130	
1,3,5-Trimethylbenzene	0.0250	0.0276	110	73 - 134	
tert-Butylbenzene	0.0250	0.0274	110	72 - 134	
1,2,4-Trimethylbenzene	0.0250	0.0274	110	72 - 135	
sec-Butylbenzene	0.0250	0.0276	110	70 - 135	
1,3-Dichlorobenzene	0.0250	0.0265	106	73 - 131	
p-Isopropyltoluene	0.0250	0.0286	114	68 - 138	
1,4-Dichlorobenzene	0.0250	0.0260	104	70 - 121	
1,2,3-Trimethylbenzene	0.0250	0.0275	110	70 - 127	
1,2-Dichlorobenzene	0.0250	0.0271	109	75 - 122	
n-Butylbenzene	0.0250	0.0293	117	63 - 142	
1,2-Dibromo-3-Chloropropane	0.0250	0.0272	109	55 - 134	
1,2,4-Trichlorobenzene	0.0250	0.0276	110	65 - 137	
Hexachloro-1,3-butadiene	0.0250	0.0265	106	67 - 135	
Naphthalene	0.0250	0.0283	113	56 - 145	
1,2,3-Trichlorobenzene	0.0250	0.0290	116	63 - 138	

Quality Control Summary

SDG: L450371

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/18/2010	Analytic Batch:	WG469669
Analysis Date:	3/26/2010	Analyst:	126
Instrument ID:	VOCMS21		
Sample Numbers:	L450371-01, -02		

Surrogate Summary

Laboratory Sample ID	Dibromofluoromethane		Toluene-d8		4-Bromofluorobenzene		Alternate Surrogate a,a,a-Trifluorotoluene	
	ppb	% Rec	ppb	% Rec	ppb	% Rec	ppb	% Rec
LCS WG469669	45.4	114	42.0	105	39.4	98.5	39.9	99.6
LCSD WG469669	45.0	113	41.9	105	39.6	99.0	39.8	99.6
MS WG469669	46.9	117	41.9	105	38.9	97.4	39.3	98.4
MSD WG469669	45.9	115	41.9	105	39.6	98.9	39.5	98.8
Blank WG469669	48.3	121	41.7	104	37.7	94.4	41.5	104
L450371-01	48.8	122	41.7	104	38.0	95.0	40.4	101
L450371-02	49.5	124	41.8	104	38.0	94.9	40.5	101

Dibromofluoromethane	40 ppb	79 - 125
Toluene - d8	40 ppb	87 - 114
4-Bromofluorobenzene	40 ppb	75 - 128
Alternate Surrogate		
a,a,a-Trifluorotoluene	40 ppb	84 - 114

Quality Control Summary

SDG: L450371

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/18/2010

Analysis Date: 3/26/2010

Instrument ID: VOCMS21

Sample Numbers: L450371-01, -02

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG469669

Analyst: 126

Matrix Spike/Matrix Spike Duplicate

L450371-01

Analyte	Spike Value	Sample	MS	% Rec	MSD	% Rec	Control Limits	% Rec Qualifier	% RPD	Control Limits	RPD Qual
Dichlorodifluoromethane	0.0250	0.0000	0.0726	290	0.0694	278	0-200	J5	4.5	26	
Chloromethane	0.0250	0.0009	0.0468	184	0.0467	183	10-174	J5	0.2	28	
Vinyl chloride	0.0250	0.0000	0.0502	201	0.0484	194	0-179	J5	3.6	26	
Bromomethane	0.0250	0.0000	0.0481	192	0.0468	187	0-191	J5	2.8	35	
Chloroethane	0.0250	0.0000	0.0382	153	0.0370	148	4-176		3.4	27	
Trichlorofluoromethane	0.0250	0.0000	0.0421	168	0.0399	159	10-177		5.5	24	
Acrolein	0.125	0.0000	0.0979	78.3	0.128	102	0-179		26	39	
1,1-Dichloroethene	0.0250	0.0007	0.0374	147	0.0399	157	10-162		6.5	23	
1,1,2-Trichloro-1,2,2-	0.0250	0.0000	0.0369	148	0.0362	145	14-168		2.1	24	
Acetone	0.125	0.0121	0.205	155	0.199	149	25-157		3.3	26	
Methylene Chloride	0.0250	0.0000	0.0332	133	0.0322	129	23-151		3.1	21	
Acrylonitrile	0.125	0.0000	0.183	146	0.176	141	37-162		3.6	24	
trans-1,2-Dichloroethene	0.0250	0.0000	0.0339	136	0.0337	135	11-160		0.6	23	
Methyl tert-butyl ether	0.0250	0.0000	0.0366	146	0.0357	143	24-167		2.4	22	
1,1-Dichloroethane	0.0250	0.0007	0.0355	139	0.0339	133	30-159		4.6	21	
Di-isopropyl ether	0.0250	0.0000	0.0365	146	0.0349	140	39-160		4.4	21	
2,2-Dichloropropane	0.0250	0.0000	0.0355	142	0.0338	135	14-158		4.9	23	
cis-1,2-Dichloroethene	0.0250	0.0000	0.0335	134	0.0322	129	29-156		3.8	22	
2-Butanone (MEK)	0.125	0.0000	0.174	139	0.178	142	32-151		2.4	26	
Chloroform	0.0250	0.0000	0.0363	145	0.0349	140	37-147		3.9	21	
1,1,1-Trichloroethane	0.0250	0.0540	0.0925	154	0.0862	129	31-161		7.0	23	
Carbon tetrachloride	0.0250	0.0000	0.0359	144	0.0342	137	22-168		4.9	24	
1,1-Dichloropropene	0.0250	0.0000	0.0352	141	0.0349	140	14-162		0.8	23	
Benzene	0.0250	0.0006	0.0331	130	0.0323	127	16-158		2.4	21	
1,2-Dichloroethane	0.0250	0.0000	0.0385	154	0.0371	149	29-167		3.7	21	
Trichloroethene	0.0250	0.0004	0.0295	116	0.0290	115	18-163		1.4	21	
1,2-Dichloropropane	0.0250	0.0000	0.0328	131	0.0320	128	39-148		2.4	20	
Dibromomethane	0.0250	0.0000	0.0315	126	0.0307	123	36-152		2.7	20	
Bromodichloromethane	0.0250	0.0000	0.0358	143	0.0342	137	45-147		4.5	20	
2-Chloroethyl vinyl ether	0.125	0.0000	0.188	151	0.185	148	0-175		1.9	75	
cis-1,3-Dichloropropene	0.0250	0.0000	0.0310	124	0.0301	121	35-148		2.7	21	
4-Methyl-2-pentanone	0.125	0.0000	0.173	139	0.169	136	40-160		2.2	28	
Toluene	0.0250	0.0011	0.0304	117	0.0296	114	22-152		2.6	22	
trans-1,3-Dichloropropene	0.0250	0.0000	0.0298	119	0.0283	113	33-153		5.2	22	
1,1,2-Trichloroethane	0.0250	0.0000	0.0277	111	0.0279	112	46-145		0.7	20	
Tetrachloroethene	0.0250	0.0008	0.0261	101	0.0265	103	13-157		1.6	24	
1,3-Dichloropropane	0.0250	0.0000	0.0286	114	0.0285	114	44-142		0.3	20	

Quality Control Summary

SDG: L450371

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/18/2010

Analysis Date: 3/26/2010

Instrument ID: VOCMS21

Sample Numbers: L450371-01, -02

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG469669

Analyst: 126

Matrix Spike/Matrix Spike Duplicate

L450371-01

Analyte	Spike Value	Sample	MS	% Rec	MSD	% Rec	Control Limits	% Rec Qualifier	% RPD	Control Limits	RPD Qual
Chlorodibromomethane	0.0250	0.0000	0.0302	121	0.0301	120	48-151		0.4	21	
1,2-Dibromoethane	0.0250	0.0000	0.0299	120	0.0296	118	41-149		0.9	21	
Chlorobenzene	0.0250	0.0000	0.0273	109	0.0268	107	33-148		2.1	22	
1,1,1,2-Tetrachloroethane	0.0250	0.0000	0.0287	115	0.0285	114	45-152		0.7	21	
Ethylbenzene	0.0250	0.0000	0.0281	112	0.0278	111	29-150		1.0	24	
m&p-Xylene	0.0500	0.0000	0.0570	114	0.0570	114	24-151		0.0	23	
o-Xylene	0.0250	0.0000	0.0288	115	0.0282	113	32-151		2.2	23	
Styrene	0.0250	0.0000	0.0263	105	0.0261	104	38-149		0.8	23	
Bromoform	0.0250	0.0000	0.0288	115	0.0274	110	38-152		4.8	20	
Isopropylbenzene	0.0250	0.0000	0.0286	114	0.0282	113	35-147		1.5	25	
Bromobenzene	0.0250	0.0000	0.0285	114	0.0284	114	37-147		0.3	23	
1,1,2,2-Tetrachloroethane	0.0250	0.0000	0.0304	122	0.0304	122	49-149		0.1	22	
1,2,3-Trichloropropane	0.0250	0.0000	0.0306	123	0.0308	123	48-148		0.5	23	
n-Propylbenzene	0.0250	0.0000	0.0285	114	0.0282	113	26-150		1.0	25	
2-Chlorotoluene	0.0250	0.0000	0.0284	114	0.0280	112	35-147		1.7	24	
4-Chlorotoluene	0.0250	0.0000	0.0294	118	0.0290	116	33-147		1.5	25	
1,3,5-Trimethylbenzene	0.0250	0.0000	0.0292	117	0.0289	116	33-149		1.0	26	
tert-Butylbenzene	0.0250	0.0000	0.0286	114	0.0283	113	36-149		0.9	26	
1,2,4-Trimethylbenzene	0.0250	0.0000	0.0297	119	0.0288	115	29-153		3.0	27	
sec-Butylbenzene	0.0250	0.0000	0.0286	115	0.0284	114	32-149		0.7	26	
1,3-Dichlorobenzene	0.0250	0.0000	0.0276	111	0.0274	110	32-148		0.7	24	
p-Isopropyltoluene	0.0250	0.0000	0.0299	120	0.0295	118	28-151		1.2	27	
1,4-Dichlorobenzene	0.0250	0.0000	0.0282	113	0.0276	110	32-136		2.2	23	
1,2,3-Trimethylbenzene	0.0250	0.0000	0.0303	121	0.0292	117	36-141		3.6	25	
1,2-Dichlorobenzene	0.0250	0.0000	0.0299	120	0.0288	115	40-139		3.5	23	
n-Butylbenzene	0.0250	0.0000	0.0318	127	0.0307	123	22-151		3.6	29	
1,2-Dibromo-3-	0.0250	0.0000	0.0310	124	0.0309	123	37-148		0.3	27	
1,2,4-Trichlorobenzene	0.0250	0.0000	0.0314	125	0.0301	120	27-142		4.2	30	
Hexachloro-1,3-butadiene	0.0250	0.0000	0.0285	114	0.0279	112	28-144		2.0	33	
Naphthalene	0.0250	0.0000	0.0325	130	0.0315	126	24-160		3.3	37	
1,2,3-Trichlorobenzene	0.0250	0.0000	0.0325	130	0.0313	125	32-143		3.7	33	

Quality Control Summary

SDG: L450371

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/18/2010

Analysis Date: 3/26/2010

Instrument ID: VOCMS21

Sample Numbers: L450371-01, -02

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG469669

Analyst: 126

Laboratory Control Sample/ Laboratory Control Sample Duplicate

Analyte	Spike	LCS	% Rec	LCSD	% Rec	Control Limits	Qualifier	% RPD	Control Limits	Qualifier
Dichlorodifluoromethane	0.0250	0.0336	134	0.0304	122	39-189		10	24	
Chloromethane	0.0250	0.0263	105	0.0248	99.0	45-152		6.0	20	
Vinyl chloride	0.0250	0.0253	101	0.0248	99.1	55-153		2.0	20	
Bromomethane	0.0250	0.0298	119	0.0284	114	45-175		4.5	20	
Chloroethane	0.0250	0.0276	111	0.0241	96.4	49-155		14	20	
Trichlorofluoromethane	0.0250	0.0308	123	0.0291	116	54-156		5.6	20	
Acrolein	0.125	0.160	128	0.136	109	6-182		16	39	
1,1-Dichloroethene	0.0250	0.0297	119	0.0266	107	60-130		11	20	
1,1,2-Trichloro-1,2,2-Acetone	0.0250	0.0331	132	0.0286	114	51-149		15	20	
Methylene Chloride	0.125	0.188	151	0.176	141	48-134	J4	6.7	20	
Acrylonitrile	0.0250	0.0271	109	0.0260	104	64-125		4.3	20	
trans-1,2-Dichloroethene	0.125	0.169	135	0.157	126	60-140		7.3	20	
Methyl tert-butyl ether	0.0250	0.0241	96.6	0.0232	92.8	67-129		4.0	20	
1,1-Dichloroethane	0.0250	0.0324	130	0.0309	124	51-142		4.7	20	
Di-isopropyl ether	0.0250	0.0304	121	0.0287	115	67-133		5.6	20	
2,2-Dichloropropane	0.0250	0.0328	131	0.0315	126	63-139		4.0	20	
cis-1,2-Dichloroethene	0.0250	0.0318	127	0.0301	120	46-151		5.5	20	
2-Butanone (MEK)	0.0250	0.0282	113	0.0274	110	72-128		2.7	20	
Chloroform	0.125	0.165	132	0.156	125	53-132	J4	5.8	20	
1,1,1-Trichloroethane	0.0250	0.0320	128	0.0303	121	66-126	J4	5.3	20	
Carbon tetrachloride	0.0250	0.0305	122	0.0291	116	67-137		4.9	20	
1,1-Dichloropropene	0.0250	0.0303	121	0.0282	113	64-141		7.1	20	
Benzene	0.0250	0.0274	110	0.0266	106	68-132		3.0	20	
1,2-Dichloroethane	0.0250	0.0270	108	0.0258	103	67-126		4.6	20	
Trichloroethene	0.0250	0.0337	135	0.0324	130	63-137		4.1	20	
1,2-Dichloropropane	0.0250	0.0247	98.7	0.0235	94.1	74-126		4.7	20	
Dibromomethane	0.0250	0.0299	120	0.0288	115	74-122		3.9	20	
Bromodichloromethane	0.0250	0.0274	110	0.0263	105	73-125		4.3	20	
2-Chloroethyl vinyl ether	0.0250	0.0333	133	0.0317	127	68-133	J4	5.1	20	
cis-1,3-Dichloropropene	0.125	0.167	134	0.161	129	0-171		4.1	27	
4-Methyl-2-pentanone	0.0250	0.0280	112	0.0269	108	73-131		3.9	20	
Toluene	0.125	0.166	133	0.157	125	60-142		5.9	20	
trans-1,3-Dichloropropene	0.0250	0.0256	102	0.0247	98.9	72-122		3.4	20	
1,1,2-Trichloroethane	0.0250	0.0269	107	0.0251	100	66-137		6.9	20	
	0.0250	0.0264	106	0.0256	102	79-123		3.2	20	

Quality Control Summary

SDG: L450371

SESCO Group

Test: Volatile Organic Compounds by Method 8260B

Project No: 3872-3

Project: Harman Becker

Collection Date: 3/18/2010

Analysis Date: 3/26/2010

Instrument ID: VOCMS21

Sample Numbers: L450371-01, -02

Matrix: Water - mg/L

EPA ID: TN00003

Analytic Batch: WG469669

Analyst: 126

Laboratory Control Sample/ Laboratory Control Sample Duplicate

Analyte	Spike	LCS	% Rec	LCS D	% Rec	Control Limits	Qualifier	% RPD	Control Limits	Qualifier
Tetrachloroethene	0.0250	0.0217	86.9	0.0214	85.4	67-135		1.7	20	
1,3-Dichloropropane	0.0250	0.0268	107	0.0258	103	77-119		3.9	20	
Chlorodibromomethane	0.0250	0.0287	115	0.0282	113	73-138		1.7	20	
1,2-Dibromoethane	0.0250	0.0272	109	0.0262	105	75-126		3.9	20	
Chlorobenzene	0.0250	0.0256	102	0.0249	99.5	77-125		2.8	20	
1,1,1,2-Tetrachloroethane	0.0250	0.0281	113	0.0278	111	75-134		1.0	20	
Ethylbenzene	0.0250	0.0258	103	0.0251	101	76-129		2.5	20	
m&p-Xylene	0.0500	0.0523	105	0.0513	103	74-128		1.9	20	
o-Xylene	0.0250	0.0266	106	0.0259	104	78-128		2.6	20	
Styrene	0.0250	0.0248	99.3	0.0245	97.9	78-130		1.4	20	
Bromoform	0.0250	0.0268	107	0.0262	105	60-139		2.3	20	
Isopropylbenzene	0.0250	0.0274	110	0.0270	108	73-132		1.5	20	
Bromobenzene	0.0250	0.0275	110	0.0269	108	76-123		2.2	20	
1,1,2,2-Tetrachloroethane	0.0250	0.0298	119	0.0286	114	72-128		4.0	20	
1,2,3-Trichloropropane	0.0250	0.0299	120	0.0293	117	68-130		2.1	20	
n-Propylbenzene	0.0250	0.0274	110	0.0271	108	71-132		1.3	20	
2-Chlorotoluene	0.0250	0.0274	110	0.0267	107	74-128		2.6	20	
4-Chlorotoluene	0.0250	0.0282	113	0.0280	112	74-130		0.6	20	
1,3,5-Trimethylbenzene	0.0250	0.0281	112	0.0276	110	73-134		1.9	20	
tert-Butylbenzene	0.0250	0.0278	111	0.0274	110	72-134		1.5	20	
1,2,4-Trimethylbenzene	0.0250	0.0280	112	0.0274	110	72-135		1.9	20	
sec-Butylbenzene	0.0250	0.0281	113	0.0276	110	70-135		2.0	20	
1,3-Dichlorobenzene	0.0250	0.0270	108	0.0265	106	73-131		1.9	20	
p-Isopropyltoluene	0.0250	0.0289	116	0.0286	114	68-138		1.1	20	
1,4-Dichlorobenzene	0.0250	0.0265	106	0.0260	104	70-121		2.0	20	
1,2,3-Trimethylbenzene	0.0250	0.0282	113	0.0275	110	70-127		2.4	20	
1,2-Dichlorobenzene	0.0250	0.0279	111	0.0271	109	75-122		2.7	20	
n-Butylbenzene	0.0250	0.0298	119	0.0293	117	63-142		1.8	20	
1,2-Dibromo-3-	0.0250	0.0288	115	0.0272	109	55-134		5.8	20	
1,2,4-Trichlorobenzene	0.0250	0.0285	114	0.0276	110	65-137		3.3	20	
Hexachloro-1,3-butadiene	0.0250	0.0277	111	0.0265	106	67-135		4.4	20	
Naphthalene	0.0250	0.0294	118	0.0283	113	56-145		3.7	20	
1,2,3-Trichlorobenzene	0.0250	0.0298	119	0.0290	116	63-138		2.7	20	

Quality Control Summary

SDG: L450371

SESCO Group

Test:	Volatile Organic Compounds by Method 8260B		
Project No:	3872-3	Matrix:	Water - mg/L
Project:	Harman Becker	EPA ID:	TN00003
Collection Date:	3/18/2010	Analytic Batch:	WG469669
Analysis Date:	3/26/2010	Analyst:	126
Instrument ID:	VOCMS21		
Sample Numbers:	L450371-01, -02		

Internal Standard Response and Retention Time Summary

FileID:0326_32.D

Date:3/26/2010

Time:11:51 AM

	IS1		IS2		IS3		IS4	
	Response	RT	Response	RT	Response	RT	Response	RT
12 Hour Std	569700	6.05	986804	6.55	168106	8.17	508355	11
Upper Limit	1139400	6.55	1973608	7.05	336212	8.67	1016710	11.5
Lower Limit	284850	5.55	493402	6.05	84053	7.67	254177.5	10.5

Sample ID	Response	RT	Response	RT	Response	RT	Response	RT
Blank WG469669	421070	6.05	788742	6.55	124867	8.17	333968	11
L450371-01	493903	6.05	902921	6.55	145939	8.17	391131	11
L450371-02	465458	6.05	878777	6.55	141563	8.17	377418	11
LCS WG469669	576127	6.05	1003428	6.54	170779	8.17	503736	11
LCSD WG469669	607892	6.05	1064856	6.55	178831	8.17	533780	11
MS WG469669	583153	6.05	1029356	6.54	178073	8.16	509685	11
MSD WG469669	623554	6.05	1104282	6.54	187771	8.16	547199	11

SESCO Group

1426 W. 29th Street
Indianapolis, IN 46208

Billing information:

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Analysis/Container/Preservative

B064

Chain of Custody
Page 1 of 1



12065 Lebanon Road
ML Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

Report to: **Mr. Tim Yates**
Email: **tyates@sescogroup.com**

Project Description: **Harman Becker**
City/State Collected: **MARTINSVILLE, IN**

Phone: (317) 347-9590
FAX: (317) 347-9591
Client Project #: **3870-3**
Lab Project #: **SESCOIN-HARMAN**

Collected by (print): **J. WRIGHT**
Site/Facility ID#:
P.O.#:

Collected by (signature):
Immediately Packed on Ice N Y
Rush? (Lab MUST Be Notified)
Same Day 200%
Next Day 100%
Two Day 50%
Three Day 25%
Date Results Needed
Email? No Yes
FAX? No Yes
No. of Cntrs: **1**

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs
B-114 GW 26-30	62AB	SS-GW	26-30	3-18-10	14:45	1
B-115 GW 20-24	62AB	SS-GW	20-24	3-12-10	16:15	1
		SS				

SPLPZ/HE for V8260 8oz Clr-NoPres
TS 2oz Clr-NoPres
V8260 40ml/NaHSO4/Syr/MeOH
VOC Screen 2oz Clr-NoPres
VOCs 8260/40ml/4CL

Account: **SESCOIN** (lab use only)
Template/Prelogin: **T63304/P313678**
Cooler #: **3-325**
Shipped Via: **FedEX Ground**

Remarks/Contaminant Sample # (lab only)
450371-01
02

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____


Remarks:

pH _____ Temp _____
Flow _____ Other _____

5681 2201 3955

Relinquished by: (Signature)	Date: 3-19-10 Time: 1:00pm	Received by: (Signature)	Samples returned via: ☒ UPS ☒ FedEx ☐ Courier	Condition: OK (lab use only)
Relinquished by: (Signature)	Date: _____ Time: _____	Received by: (Signature) _____	Temp: 42°C Bottles Received: 4V	COC Seal Intact: N
Relinquished by: (Signature) _____	Date: _____ Time: _____	Received by: (Signature) _____	Time: 3:20-10 OPEN	pH Checked: _____

21 of 22



Company Name/Address: SESCO Group 1426 W. 29th St. Indianapolis IN 46208			Billing Information: Tracey Ladd SESCO Group			Analysis/Container/Preservative F016			Chain of Custody Page ___ of ___			
Report to: Jesse Wright			Email to: jwright@seco-group.com			 ESCO L.A.B. S.C.I.E.N.C.E.S 12065 Lebanon Road ML Juliet, TN 37122 Phone: (800) 767-5859 Phone: (615) 758-5858 Fax: (615) 758-5859			CoCode SESLOIN (lab use only) Template/Prelogin 4/20/11 P317443/T64283 Shipped Via:			
Project Description: Soil & GW sampling			City/State Collected: Martinsville, IN									
Phone: 317 347 4590 FAX: 317 347 4541			Client Project #: 3872 ESC Key:									
Collected by: (print): Andy Taylor			Site/Facility ID#: P.O.#:									
Collected by: (signature):  Immediately Packed on Ice N ☒ Y ☒			Rush? (Lab MUST Be Notified) ☐ Same Day..... 200% ☐ Next Day..... 100% ☐ Two Day..... 50% ☐ Three Day..... 25%			Date Results Needed: Email? ☐ No ☒ Yes FAX? ☒ No ☐ Yes			No. of Cntrs			
Sample ID			Comp/Grab	Matrix*	Depth	Date	Time	Remarks/Contaminant			Sample # (lab only)	
S-116 6'-8'			G	Soil	6'-8'	4-23-10		5	✓	✓		2455853-01
B-117 6'-8'				↓	6'-8'			5	✓	✓		02
B-118 8'-10'				↓	8'-10'			5	✓	✓		03
B-116 GW 9-18				GW	8'-18'			2	✓	✓		04
B-114 GW 20-30				↓	20'-30'			2	✓	✓		05
B-117 GW 8-18				↓	8'-18'			2	✓	✓		06
B-117 GW 20-30				↓	20'-30'			2	✓	✓		07
B-118 GW 8-18				↓	8'-18'			2	✓	✓		08
B-118 GW 20-30				↓	20'-30'			2	✓	✓		09

Matrix: SS - Soil/Sand GW - Groundwater WW - Wastewater DW - Drinking Water OT - Other

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Relinquished by: (Signature) 	Date: 4-23-10	Time: 1700	Received by: (Signature) 	Samples returned via: ☒ UPS ☐ FedEx ☐ Courier	Condition: (lab use only)	
Relinquished by: (Signature) 	Date:	Time:	Received by: (Signature) 	Temp: 3.1	Bottles Received: 28	
Relinquished by: (Signature) 	Date:	Time:	Received for lab by: (Signature) 	Date: 4-24-10	Time: 0900	
				CoC Seals Intact ☐ Y ☐ N ☒ N/A OK	pH Checked:	NCF:

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Friday May 07, 2010

Report Number: L455853

Samples Received: 04/24/10

Client Project: 3872

Description: Soil and Groundwater Sampling

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:



T. Alan Harvill , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-116 6-8 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : 1455853-01

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	87.8		%	2540G	04/28/10	1
Volatile Organics						
Acetone	0.10	0.057	mg/kg	8260B	05/01/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	05/01/10	1
Benzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	05/01/10	1
Bromomethane	BDL	0.0057	mg/kg	8260B	05/01/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	05/01/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
Chloroethane	BDL	0.0057	mg/kg	8260B	05/01/10	1
2-Chloroethyl vinyl ether	BDL	0.057	mg/kg	8260B	05/01/10	1
Chloroform	BDL	0.0057	mg/kg	8260B	05/01/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	05/01/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0057	mg/kg	8260B	05/01/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Dichlorodifluoromethane	BDL	0.0057	mg/kg	8260B	05/01/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/01/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/01/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/01/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/01/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/01/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	05/01/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	05/01/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-116 6-8 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : 1455853-01

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	05/01/10	1
2-Butanone (MEK)	0.017	0.011	mg/kg	8260B	05/01/10	1
Methylene Chloride	BDL	0.0057	mg/kg	8260B	05/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	05/01/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	05/01/10	1
Naphthalene	BDL	0.0057	mg/kg	8260B	05/01/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Styrene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	05/01/10	1
Tetrachloroethene	0.025	0.0011	mg/kg	8260B	05/01/10	1
Toluene	BDL	0.0057	mg/kg	8260B	05/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Trichlorofluoromethane	BDL	0.0057	mg/kg	8260B	05/01/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	05/01/10	1
Xylenes, Total	BDL	0.0034	mg/kg	8260B	05/01/10	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	05/01/10	1
Dibromofluoromethane	107.		% Rec.	8260B	05/01/10	1
4-Bromofluorobenzene	90.9		% Rec.	8260B	05/01/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/06/10 16:35 Revised: 05/07/10 13:49

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-117 6-8 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : 1455853-02

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	92.6		%	2540G	04/28/10	1
Volatile Organics						
Acetone	0.069	0.054	mg/kg	8260B	05/01/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	05/01/10	1
Benzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	05/01/10	1
Bromomethane	BDL	0.0054	mg/kg	8260B	05/01/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	05/01/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
Chloroethane	BDL	0.0054	mg/kg	8260B	05/01/10	1
2-Chloroethyl vinyl ether	BDL	0.054	mg/kg	8260B	05/01/10	1
Chloroform	BDL	0.0054	mg/kg	8260B	05/01/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	05/01/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0054	mg/kg	8260B	05/01/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Dichlorodifluoromethane	BDL	0.0054	mg/kg	8260B	05/01/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/01/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/01/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/01/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/01/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/01/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	05/01/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	05/01/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-117 6-8 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : 1455853-02

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	05/01/10	1
2-Butanone (MEK)	0.012	0.011	mg/kg	8260B	05/01/10	1
Methylene Chloride	BDL	0.0054	mg/kg	8260B	05/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	05/01/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	05/01/10	1
Naphthalene	BDL	0.0054	mg/kg	8260B	05/01/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Styrene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	05/01/10	1
Tetrachloroethene	1.1	0.051	mg/kg	8260B	05/06/10	47
Toluene	BDL	0.0054	mg/kg	8260B	05/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	05/01/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Trichlorofluoromethane	BDL	0.0054	mg/kg	8260B	05/01/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/01/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	05/01/10	1
Xylenes, Total	BDL	0.0032	mg/kg	8260B	05/01/10	1
Surrogate Recovery						
Toluene-d8	104.		% Rec.	8260B	05/01/10	1
Dibromofluoromethane	108.		% Rec.	8260B	05/01/10	1
4-Bromofluorobenzene	95.6		% Rec.	8260B	05/01/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/06/10 16:35 Revised: 05/07/10 13:49

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-118 8-10 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : 1455853-03

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	86.4		%	2540G	04/28/10	1
Volatile Organics						
Acetone	0.20	0.058	mg/kg	8260B	05/01/10	1
Acrylonitrile	BDL	0.012	mg/kg	8260B	05/01/10	1
Benzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
Bromobenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
Bromodichloromethane	BDL	0.0012	mg/kg	8260B	05/01/10	1
Bromoform	BDL	0.0012	mg/kg	8260B	05/01/10	1
Bromomethane	BDL	0.0058	mg/kg	8260B	05/01/10	1
n-Butylbenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
sec-Butylbenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
tert-Butylbenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
Carbon tetrachloride	BDL	0.0012	mg/kg	8260B	05/01/10	1
Chlorobenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
Chlorodibromomethane	BDL	0.0012	mg/kg	8260B	05/01/10	1
Chloroethane	BDL	0.0058	mg/kg	8260B	05/01/10	1
2-Chloroethyl vinyl ether	BDL	0.058	mg/kg	8260B	05/01/10	1
Chloroform	BDL	0.0058	mg/kg	8260B	05/01/10	1
Chloromethane	BDL	0.0012	mg/kg	8260B	05/01/10	1
2-Chlorotoluene	BDL	0.0012	mg/kg	8260B	05/01/10	1
4-Chlorotoluene	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0058	mg/kg	8260B	05/01/10	1
1,2-Dibromoethane	BDL	0.0012	mg/kg	8260B	05/01/10	1
Dibromomethane	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,2-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,3-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,4-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
Dichlorodifluoromethane	BDL	0.0058	mg/kg	8260B	05/01/10	1
1,1-Dichloroethane	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,2-Dichloroethane	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,1-Dichloroethene	BDL	0.0012	mg/kg	8260B	05/01/10	1
cis-1,2-Dichloroethene	BDL	0.0012	mg/kg	8260B	05/01/10	1
trans-1,2-Dichloroethene	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,2-Dichloropropane	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,1-Dichloropropene	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	05/01/10	1
cis-1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	05/01/10	1
trans-1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	05/01/10	1
2,2-Dichloropropane	BDL	0.0012	mg/kg	8260B	05/01/10	1
Di-isopropyl ether	BDL	0.0012	mg/kg	8260B	05/01/10	1
Ethylbenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0012	mg/kg	8260B	05/01/10	1
Isopropylbenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-118 8-10 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : 1455853-03

Site ID :

Project # : 3872

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0012	mg/kg	8260B	05/01/10	1
2-Butanone (MEK)	0.029	0.012	mg/kg	8260B	05/01/10	1
Methylene Chloride	BDL	0.0058	mg/kg	8260B	05/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.012	mg/kg	8260B	05/01/10	1
Methyl tert-butyl ether	BDL	0.0012	mg/kg	8260B	05/01/10	1
Naphthalene	BDL	0.0058	mg/kg	8260B	05/01/10	1
n-Propylbenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
Styrene	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0012	mg/kg	8260B	05/01/10	1
Tetrachloroethene	0.0052	0.0012	mg/kg	8260B	05/05/10	1
Toluene	BDL	0.0058	mg/kg	8260B	05/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,1,1-Trichloroethane	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,1,2-Trichloroethane	BDL	0.0012	mg/kg	8260B	05/01/10	1
Trichloroethene	BDL	0.0012	mg/kg	8260B	05/01/10	1
Trichlorofluoromethane	BDL	0.0058	mg/kg	8260B	05/01/10	1
1,2,3-Trichloropropane	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	05/01/10	1
Vinyl chloride	BDL	0.0012	mg/kg	8260B	05/01/10	1
Xylenes, Total	BDL	0.0035	mg/kg	8260B	05/01/10	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	05/01/10	1
Dibromofluoromethane	103.		% Rec.	8260B	05/01/10	1
4-Bromofluorobenzene	93.4		% Rec.	8260B	05/01/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/06/10 16:35 Revised: 05/07/10 13:49

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-116 GW 8-18 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-04

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.50	mg/l	8260B	05/05/10	10
Acrolein	BDL	0.50	mg/l	8260B	05/05/10	10
Acrylonitrile	BDL	0.10	mg/l	8260B	05/05/10	10
Benzene	BDL	0.010	mg/l	8260B	05/05/10	10
Bromobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Bromodichloromethane	BDL	0.010	mg/l	8260B	05/05/10	10
Bromoform	BDL	0.010	mg/l	8260B	05/05/10	10
Bromomethane	BDL	0.050	mg/l	8260B	05/05/10	10
n-Butylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
sec-Butylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
tert-Butylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Carbon tetrachloride	BDL	0.010	mg/l	8260B	05/05/10	10
Chlorobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Chlorodibromomethane	BDL	0.010	mg/l	8260B	05/05/10	10
Chloroethane	BDL	0.050	mg/l	8260B	05/05/10	10
2-Chloroethyl vinyl ether	BDL	0.50	mg/l	8260B	05/05/10	10
Chloroform	BDL	0.050	mg/l	8260B	05/05/10	10
Chloromethane	BDL	0.025	mg/l	8260B	05/05/10	10
2-Chlorotoluene	BDL	0.010	mg/l	8260B	05/05/10	10
4-Chlorotoluene	BDL	0.010	mg/l	8260B	05/05/10	10
1,2-Dibromo-3-Chloropropane	BDL	0.050	mg/l	8260B	05/05/10	10
1,2-Dibromoethane	BDL	0.010	mg/l	8260B	05/05/10	10
Dibromomethane	BDL	0.010	mg/l	8260B	05/05/10	10
1,2-Dichlorobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
1,3-Dichlorobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
1,4-Dichlorobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Dichlorodifluoromethane	BDL	0.050	mg/l	8260B	05/05/10	10
1,1-Dichloroethane	BDL	0.010	mg/l	8260B	05/05/10	10
1,2-Dichloroethane	BDL	0.010	mg/l	8260B	05/05/10	10
1,1-Dichloroethene	BDL	0.010	mg/l	8260B	05/05/10	10
cis-1,2-Dichloroethene	0.30	0.010	mg/l	8260B	05/05/10	10
trans-1,2-Dichloroethene	BDL	0.010	mg/l	8260B	05/05/10	10
1,2-Dichloropropane	BDL	0.010	mg/l	8260B	05/05/10	10
1,1-Dichloropropene	BDL	0.010	mg/l	8260B	05/05/10	10
1,3-Dichloropropane	BDL	0.010	mg/l	8260B	05/05/10	10
cis-1,3-Dichloropropene	BDL	0.010	mg/l	8260B	05/05/10	10
trans-1,3-Dichloropropene	BDL	0.010	mg/l	8260B	05/05/10	10
2,2-Dichloropropane	BDL	0.010	mg/l	8260B	05/05/10	10
Di-isopropyl ether	BDL	0.010	mg/l	8260B	05/05/10	10
Ethylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Hexachloro-1,3-butadiene	BDL	0.010	mg/l	8260B	05/05/10	10
Isopropylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
p-Isopropyltoluene	BDL	0.010	mg/l	8260B	05/05/10	10

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-116 GW 8-18 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-04

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.10	mg/l	8260B	05/05/10	10
Methylene Chloride	BDL	0.050	mg/l	8260B	05/05/10	10
4-Methyl-2-pentanone (MIBK)	BDL	0.10	mg/l	8260B	05/05/10	10
Methyl tert-butyl ether	BDL	0.010	mg/l	8260B	05/05/10	10
Naphthalene	BDL	0.050	mg/l	8260B	05/05/10	10
n-Propylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Styrene	BDL	0.010	mg/l	8260B	05/05/10	10
1,1,1,2-Tetrachloroethane	BDL	0.010	mg/l	8260B	05/05/10	10
1,1,2,2-Tetrachloroethane	BDL	0.010	mg/l	8260B	05/05/10	10
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.010	mg/l	8260B	05/05/10	10
Tetrachloroethene	0.12	0.010	mg/l	8260B	05/05/10	10
Toluene	BDL	0.050	mg/l	8260B	05/05/10	10
1,2,3-Trichlorobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
1,2,4-Trichlorobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
1,1,1-Trichloroethane	BDL	0.010	mg/l	8260B	05/05/10	10
1,1,2-Trichloroethane	BDL	0.010	mg/l	8260B	05/05/10	10
Trichloroethene	0.054	0.010	mg/l	8260B	05/05/10	10
Trichlorofluoromethane	BDL	0.050	mg/l	8260B	05/05/10	10
1,2,3-Trichloropropane	BDL	0.010	mg/l	8260B	05/05/10	10
1,2,4-Trimethylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
1,2,3-Trimethylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
1,3,5-Trimethylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Vinyl chloride	0.15	0.010	mg/l	8260B	05/05/10	10
Xylenes, Total	BDL	0.030	mg/l	8260B	05/05/10	10
Surrogate Recovery						
Toluene-d8	97.3		% Rec.	8260B	05/05/10	10
Dibromofluoromethane	104.		% Rec.	8260B	05/05/10	10
4-Bromofluorobenzene	96.7		% Rec.	8260B	05/05/10	10

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/06/10 16:35 Revised: 05/07/10 13:49

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-116 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-05

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/05/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/05/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/05/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/05/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/05/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/05/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/05/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/05/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/05/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/05/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/05/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/05/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/05/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-116 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-05

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/05/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/05/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/05/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/05/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/05/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/05/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/05/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/05/10	1
Surrogate Recovery						
Toluene-d8	97.7		% Rec.	8260B	05/05/10	1
Dibromofluoromethane	109.		% Rec.	8260B	05/05/10	1
4-Bromofluorobenzene	95.3		% Rec.	8260B	05/05/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/06/10 16:35 Revised: 05/07/10 13:49

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-117 GW 8-18 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-06

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.50	mg/l	8260B	05/05/10	10
Acrolein	BDL	0.50	mg/l	8260B	05/05/10	10
Acrylonitrile	BDL	0.10	mg/l	8260B	05/05/10	10
Benzene	BDL	0.010	mg/l	8260B	05/05/10	10
Bromobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Bromodichloromethane	BDL	0.010	mg/l	8260B	05/05/10	10
Bromoform	BDL	0.010	mg/l	8260B	05/05/10	10
Bromomethane	BDL	0.050	mg/l	8260B	05/05/10	10
n-Butylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
sec-Butylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
tert-Butylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Carbon tetrachloride	BDL	0.010	mg/l	8260B	05/05/10	10
Chlorobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Chlorodibromomethane	BDL	0.010	mg/l	8260B	05/05/10	10
Chloroethane	BDL	0.050	mg/l	8260B	05/05/10	10
2-Chloroethyl vinyl ether	BDL	0.50	mg/l	8260B	05/05/10	10
Chloroform	BDL	0.050	mg/l	8260B	05/05/10	10
Chloromethane	BDL	0.025	mg/l	8260B	05/05/10	10
2-Chlorotoluene	BDL	0.010	mg/l	8260B	05/05/10	10
4-Chlorotoluene	BDL	0.010	mg/l	8260B	05/05/10	10
1,2-Dibromo-3-Chloropropane	BDL	0.050	mg/l	8260B	05/05/10	10
1,2-Dibromoethane	BDL	0.010	mg/l	8260B	05/05/10	10
Dibromomethane	BDL	0.010	mg/l	8260B	05/05/10	10
1,2-Dichlorobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
1,3-Dichlorobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
1,4-Dichlorobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Dichlorodifluoromethane	BDL	0.050	mg/l	8260B	05/05/10	10
1,1-Dichloroethane	BDL	0.010	mg/l	8260B	05/05/10	10
1,2-Dichloroethane	BDL	0.010	mg/l	8260B	05/05/10	10
1,1-Dichloroethene	BDL	0.010	mg/l	8260B	05/05/10	10
cis-1,2-Dichloroethene	0.052	0.010	mg/l	8260B	05/05/10	10
trans-1,2-Dichloroethene	BDL	0.010	mg/l	8260B	05/05/10	10
1,2-Dichloropropane	BDL	0.010	mg/l	8260B	05/05/10	10
1,1-Dichloropropene	BDL	0.010	mg/l	8260B	05/05/10	10
1,3-Dichloropropane	BDL	0.010	mg/l	8260B	05/05/10	10
cis-1,3-Dichloropropene	BDL	0.010	mg/l	8260B	05/05/10	10
trans-1,3-Dichloropropene	BDL	0.010	mg/l	8260B	05/05/10	10
2,2-Dichloropropane	BDL	0.010	mg/l	8260B	05/05/10	10
Di-isopropyl ether	BDL	0.010	mg/l	8260B	05/05/10	10
Ethylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Hexachloro-1,3-butadiene	BDL	0.010	mg/l	8260B	05/05/10	10
Isopropylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
p-Isopropyltoluene	BDL	0.010	mg/l	8260B	05/05/10	10

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-117 GW 8-18 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-06

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.10	mg/l	8260B	05/05/10	10
Methylene Chloride	BDL	0.050	mg/l	8260B	05/05/10	10
4-Methyl-2-pentanone (MIBK)	BDL	0.10	mg/l	8260B	05/05/10	10
Methyl tert-butyl ether	BDL	0.010	mg/l	8260B	05/05/10	10
Naphthalene	BDL	0.050	mg/l	8260B	05/05/10	10
n-Propylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Styrene	BDL	0.010	mg/l	8260B	05/05/10	10
1,1,1,2-Tetrachloroethane	BDL	0.010	mg/l	8260B	05/05/10	10
1,1,2,2-Tetrachloroethane	BDL	0.010	mg/l	8260B	05/05/10	10
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.010	mg/l	8260B	05/05/10	10
Tetrachloroethene	0.23	0.010	mg/l	8260B	05/05/10	10
Toluene	BDL	0.050	mg/l	8260B	05/05/10	10
1,2,3-Trichlorobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
1,2,4-Trichlorobenzene	BDL	0.010	mg/l	8260B	05/05/10	10
1,1,1-Trichloroethane	BDL	0.010	mg/l	8260B	05/05/10	10
1,1,2-Trichloroethane	BDL	0.010	mg/l	8260B	05/05/10	10
Trichloroethene	0.020	0.010	mg/l	8260B	05/05/10	10
Trichlorofluoromethane	BDL	0.050	mg/l	8260B	05/05/10	10
1,2,3-Trichloropropane	BDL	0.010	mg/l	8260B	05/05/10	10
1,2,4-Trimethylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
1,2,3-Trimethylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
1,3,5-Trimethylbenzene	BDL	0.010	mg/l	8260B	05/05/10	10
Vinyl chloride	0.013	0.010	mg/l	8260B	05/05/10	10
Xylenes, Total	BDL	0.030	mg/l	8260B	05/05/10	10
Surrogate Recovery						
Toluene-d8	97.8		% Rec.	8260B	05/05/10	10
Dibromofluoromethane	102.		% Rec.	8260B	05/05/10	10
4-Bromofluorobenzene	96.8		% Rec.	8260B	05/05/10	10

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/06/10 16:35 Revised: 05/07/10 13:49

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-117 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-07

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/05/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/05/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/05/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/05/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/05/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/05/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/05/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/05/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/05/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/05/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/05/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/05/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/05/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-117 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-07

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/05/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/05/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/05/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/05/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/05/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/05/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/05/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/05/10	1
Surrogate Recovery						
Toluene-d8	98.3		% Rec.	8260B	05/05/10	1
Dibromofluoromethane	109.		% Rec.	8260B	05/05/10	1
4-Bromofluorobenzene	99.5		% Rec.	8260B	05/05/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/06/10 16:35 Revised: 05/07/10 13:49

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-118 GW 8-10 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-08

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/05/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/05/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/05/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/05/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/05/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/05/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/05/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/05/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/05/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/05/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/05/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/05/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/05/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-118 GW 8-10 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-08

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/05/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/05/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/05/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/05/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/05/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/05/10	1
Tetrachloroethene	0.036	0.0010	mg/l	8260B	05/05/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,1-Trichloroethane	0.0064	0.0010	mg/l	8260B	05/05/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/05/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/05/10	1
Surrogate Recovery						
Toluene-d8	98.8		% Rec.	8260B	05/05/10	1
Dibromofluoromethane	107.		% Rec.	8260B	05/05/10	1
4-Bromofluorobenzene	97.4		% Rec.	8260B	05/05/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/06/10 16:35 Revised: 05/07/10 13:49

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-118 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-09

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/05/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/05/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/05/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/05/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/05/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/05/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/05/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/05/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/05/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/05/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/05/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/05/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/05/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : B-118 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-09

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/05/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/05/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/05/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/05/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/05/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/05/10	1
Tetrachloroethene	0.0013	0.0010	mg/l	8260B	05/05/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/05/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/05/10	1
Surrogate Recovery						
Toluene-d8	99.4		% Rec.	8260B	05/05/10	1
Dibromofluoromethane	109.		% Rec.	8260B	05/05/10	1
4-Bromofluorobenzene	99.1		% Rec.	8260B	05/05/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/06/10 16:35 Revised: 05/07/10 13:49

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : TB
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-10

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/05/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/05/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/05/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/05/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/05/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/05/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/05/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/05/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/05/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/05/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/05/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/05/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/05/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/05/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/05/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 07, 2010

Date Received : April 24, 2010
Description : Soil and Groundwater Sampling
Sample ID : TB
Collected By : Andy Taylor
Collection Date : 04/23/10 00:00

ESC Sample # : L455853-10

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/05/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/05/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/05/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/05/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/05/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/05/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/05/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	05/05/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/05/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/05/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/05/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/05/10	1
Surrogate Recovery						
Toluene-d8	106.		% Rec.	8260B	05/05/10	1
Dibromofluoromethane	120.		% Rec.	8260B	05/05/10	1
4-Bromofluorobenzene	103.		% Rec.	8260B	05/05/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/06/10 16:35 Revised: 05/07/10 13:49

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L455853-01	WG476129	SAMP	2-Chlorotoluene	R1203469	J3
L455853-02	WG476129	SAMP	2-Chlorotoluene	R1203469	J3
L455853-03	WG476129	SAMP	2-Chlorotoluene	R1203469	J3
L455853-04	WG476629	SAMP	Naphthalene	R1207650	J3
	WG476629	SAMP	1,2,3-Trichlorobenzene	R1207650	J3
L455853-05	WG476629	SAMP	Naphthalene	R1207650	J3
	WG476629	SAMP	1,2,3-Trichlorobenzene	R1207650	J3
L455853-06	WG476629	SAMP	Naphthalene	R1207650	J3
	WG476629	SAMP	1,2,3-Trichlorobenzene	R1207650	J3
L455853-07	WG476629	SAMP	Naphthalene	R1207650	J3
	WG476629	SAMP	1,2,3-Trichlorobenzene	R1207650	J3
L455853-08	WG476629	SAMP	Naphthalene	R1207650	J3
	WG476629	SAMP	1,2,3-Trichlorobenzene	R1207650	J3
L455853-09	WG476629	SAMP	Naphthalene	R1207650	J3
	WG476629	SAMP	1,2,3-Trichlorobenzene	R1207650	J3
L455853-10	WG476638	SAMP	1,2,3-Trichlorobenzene	R1205708	B3

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
B3	(ESC) - The indicated compound was found in the associated method blank, but all reported samples were non-detect.
J3	The associated batch QC was outside the established quality control range for precision.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Total Solids	< .1	%			WG476129	05/01/10 03:09
1,1,1,2-Tetrachloroethane	< .001	mg/kg			WG476129	05/01/10 03:09
1,1,1-Trichloroethane	< .001	mg/kg			WG476129	05/01/10 03:09
1,1,2,2-Tetrachloroethane	< .001	mg/kg			WG476129	05/01/10 03:09
1,1,2-Trichloroethane	< .001	mg/kg			WG476129	05/01/10 03:09
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/kg			WG476129	05/01/10 03:09
1,1-Dichloroethane	< .001	mg/kg			WG476129	05/01/10 03:09
1,1-Dichloroethene	< .001	mg/kg			WG476129	05/01/10 03:09
1,1-Dichloropropene	< .001	mg/kg			WG476129	05/01/10 03:09
1,2,3-Trichlorobenzene	< .001	mg/kg			WG476129	05/01/10 03:09
1,2,3-Trichloropropene	< .001	mg/kg			WG476129	05/01/10 03:09
1,2,3-Trimethylbenzene	< .001	mg/kg			WG476129	05/01/10 03:09
1,2,4-Trichlorobenzene	< .001	mg/kg			WG476129	05/01/10 03:09
1,2,4-Trimethylbenzene	< .001	mg/kg			WG476129	05/01/10 03:09
1,2-Dibromo-3-Chloropropane	< .001	mg/kg			WG476129	05/01/10 03:09
1,2-Dibromoethane	< .001	mg/kg			WG476129	05/01/10 03:09
1,2-Dichlorobenzene	< .001	mg/kg			WG476129	05/01/10 03:09
1,2-Dichloroethane	< .001	mg/kg			WG476129	05/01/10 03:09
1,2-Dichloropropene	< .001	mg/kg			WG476129	05/01/10 03:09
1,3,5-Trimethylbenzene	< .001	mg/kg			WG476129	05/01/10 03:09
1,3-Dichlorobenzene	< .001	mg/kg			WG476129	05/01/10 03:09
1,3-Dichloropropene	< .001	mg/kg			WG476129	05/01/10 03:09
1,4-Dichlorobenzene	< .001	mg/kg			WG476129	05/01/10 03:09
2,2-Dichloropropene	< .001	mg/kg			WG476129	05/01/10 03:09
2-Butanone (MEK)	< .01	mg/kg			WG476129	05/01/10 03:09
2-Chloroethyl vinyl ether	< .001	mg/kg			WG476129	05/01/10 03:09
2-Chlorotoluene	< .001	mg/kg			WG476129	05/01/10 03:09
4-Chlorotoluene	< .001	mg/kg			WG476129	05/01/10 03:09
4-Methyl-2-pentanone (MIBK)	< .01	mg/kg			WG476129	05/01/10 03:09
Aceton	< .0	mg/kg			WG476129	05/01/10 03:09
Acrylonitrile	< .01	mg/kg			WG476129	05/01/10 03:09
Benzene	< .001	mg/kg			WG476129	05/01/10 03:09
Bromobenzene	< .001	mg/kg			WG476129	05/01/10 03:09
Bromodichloromethane	< .001	mg/kg			WG476129	05/01/10 03:09
Bromoform	< .001	mg/kg			WG476129	05/01/10 03:09
Bromomethane	< .005	mg/kg			WG476129	05/01/10 03:09
Carbon tetrachloride	< .001	mg/kg			WG476129	05/01/10 03:09
Chlorobenzene	< .001	mg/kg			WG476129	05/01/10 03:09
Chlorodibromomethane	< .001	mg/kg			WG476129	05/01/10 03:09
Chloroethane	< .005	mg/kg			WG476129	05/01/10 03:09
Chloroform	< .005	mg/kg			WG476129	05/01/10 03:09
Chloromethane	< .001	mg/kg			WG476129	05/01/10 03:09
cis-1,2-Dichloroethene	< .001	mg/kg			WG476129	05/01/10 03:09
cis-1,3-Dichloropropene	< .001	mg/kg			WG476129	05/01/10 03:09
Di-isopropyl ether	< .001	mg/kg			WG476129	05/01/10 03:09
Dibromomethane	< .001	mg/kg			WG476129	05/01/10 03:09
Dichlorodifluoromethane	< .005	mg/kg			WG476129	05/01/10 03:09
Ethylbenzene	< .001	mg/kg			WG476129	05/01/10 03:09
Hexachloro-1,3-butadiene	< .001	mg/kg			WG476129	05/01/10 03:09
Isopropylbenzene	< .001	mg/kg			WG476129	05/01/10 03:09
Methyl tert-butyl ether	< .001	mg/kg			WG476129	05/01/10 03:09
Methylene Chloride	< .005	mg/kg			WG476129	05/01/10 03:09
n-Butylbenzene	< .001	mg/kg			WG476129	05/01/10 03:09
n-Propylbenzene	< .001	mg/kg			WG476129	05/01/10 03:09
Naphthalene	< .005	mg/kg			WG476129	05/01/10 03:09
p-Isopropyltoluene	< .001	mg/kg			WG476129	05/01/10 03:09
sec-Butylbenzene	< .001	mg/kg			WG476129	05/01/10 03:09

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Styrene	< .001	mg/kg			WG476129	05/01/10 03:09
tert-Butylbenzene	< .001	mg/kg			WG476129	05/01/10 03:09
Tetrachloroethene	< .001	mg/kg			WG476129	05/01/10 03:09
Toluene	< .005	mg/kg			WG476129	05/01/10 03:09
trans-1,2-Dichloroethene	< .001	mg/kg			WG476129	05/01/10 03:09
trans-1,3-Dichloropropene	< .001	mg/kg			WG476129	05/01/10 03:09
Trichloroethene	< .001	mg/kg			WG476129	05/01/10 03:09
Trichlorofluoromethane	< .005	mg/kg			WG476129	05/01/10 03:09
Vinyl chloride	< .001	mg/kg			WG476129	05/01/10 03:09
Xylenes, Total	< .003	mg/kg			WG476129	05/01/10 03:09
4-Bromofluorobenzene		% Rec.	95.00	59-140	WG476129	05/01/10 03:09
Dibromofluoromethane		% Rec.	100.5	63-139	WG476129	05/01/10 03:09
Toluene-d ₈		% Rec.	101.7	84-116	WG476129	05/01/10 03:09
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG476638	05/05/10 10:18
1,1,1-Trichloroethane	< .001	/l			WG476638	05/05/10 10:18
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG476638	05/05/10 10:18
1,1,2-Trichloroethane	< .001	mg/l			WG476638	05/05/10 10:18
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	/l			WG476638	05/05/10 10:18
1,1-Dichloroethane	< .001	mg/l			WG476638	05/05/10 10:18
1,1-Dichloroethene	< .001	mg/l			WG476638	05/05/10 10:18
1,1-Dichloropropene	< .001	mg/l			WG476638	05/05/10 10:18
1,2,3-Trichlorobenzene	< .001	mg/l			WG476638	05/05/10 10:18
1,2,3-Trichloropropene	< .001	mg/l			WG476638	05/05/10 10:18
1,2,3-Trimethylbenzene	< .001	/l			WG476638	05/05/10 10:18
1,2,4-Trichlorobenzene	< .001	mg/l			WG476638	05/05/10 10:18
1,2,4-Trimethylbenzene	< .001	mg/l			WG476638	05/05/10 10:18
1,2-Dibromo-3-Chloropropene	< .005	/l			WG476638	05/05/10 10:18
1,2-Dibromoethane	< .001	mg/l			WG476638	05/05/10 10:18
1,2-Dichlorobenzene	< .001	mg/l			WG476638	05/05/10 10:18
1,2-Dichloroethane	< .001	/l			WG476638	05/05/10 10:18
1,2-Dichloropropene	< .001	mg/l			WG476638	05/05/10 10:18
1,3,5-Trimethylbenzene	< .001	mg/l			WG476638	05/05/10 10:18
1,3-Dichlorobenzene	< .001	/l			WG476638	05/05/10 10:18
1,3-Dichloropropene	< .001	mg/l			WG476638	05/05/10 10:18
1,4-Dichlorobenzene	< .001	mg/l			WG476638	05/05/10 10:18
2,2-Dichloropropene	< .001	/l			WG476638	05/05/10 10:18
2-Butanone (MEK)	< .01	mg/l			WG476638	05/05/10 10:18
2-Chloroethyl vinyl ether	< .001	mg/l			WG476638	05/05/10 10:18
2-Chlorotoluene	< .001	/l			WG476638	05/05/10 10:18
4-Chlorotoluene	< .001	mg/l			WG476638	05/05/10 10:18
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG476638	05/05/10 10:18
Acetone	< .05	mg/l			WG476638	05/05/10 10:18
Acrolein	< .05	mg/l			WG476638	05/05/10 10:18
Acrylonitrile	< .01	mg/l			WG476638	05/05/10 10:18
Benzene	< .001	/l			WG476638	05/05/10 10:18
Bromobenzene	< .001	mg/l			WG476638	05/05/10 10:18
Bromodichloromethane	< .001	mg/l			WG476638	05/05/10 10:18
Bromoform	< .001	mg/l			WG476638	05/05/10 10:18
Bromomethane	< .005	mg/l			WG476638	05/05/10 10:18
Carbon tetrachloride	< .001	mg/l			WG476638	05/05/10 10:18
Chlorobenzene	< .001	mg/l			WG476638	05/05/10 10:18
Chlorodibromomethane	< .001	mg/l			WG476638	05/05/10 10:18
Chloroethane	< .001	mg/l			WG476638	05/05/10 10:18
Chloroform	< .005	mg/l			WG476638	05/05/10 10:18
Chloromethane	< .001	mg/l			WG476638	05/05/10 10:18
cis-1,2-Dichloroethene	< .001	mg/l			WG476638	05/05/10 10:18
cis-1,3-Dichloropropene	< .002	mg/l			WG476638	05/05/10 10:18

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Di-isopropyl ether	< .001	mg/l			WG476638	05/05/10 10:18
Dibromomethane	< .001	mg/l			WG476638	05/05/10 10:18
Dichlorodifluoromethane	< .005	mg/l			WG476638	05/05/10 10:18
Ethylbenzene	< .001	mg/l			WG476638	05/05/10 10:18
Hexachloro-1,3-butadiene	< .001	mg/l			WG476638	05/05/10 10:18
Isopropylbenzene	< .001	mg/l			WG476638	05/05/10 10:18
Methyl tert-butyl ether	< .001	mg/l			WG476638	05/05/10 10:18
Methylene Chloride	< .005	mg/l			WG476638	05/05/10 10:18
n-Butylbenzene	< .001	mg/l			WG476638	05/05/10 10:18
n-Propylbenzene	< .001	mg/l			WG476638	05/05/10 10:18
Naphthalene	< .005	mg/l			WG476638	05/05/10 10:18
p-Isopropyltoluene	< .001	mg/l			WG476638	05/05/10 10:18
sec-Butylbenzene	< .001	mg/l			WG476638	05/05/10 10:18
Styrene	< .001	mg/l			WG476638	05/05/10 10:18
tert-Butylbenzene	< .001	mg/l			WG476638	05/05/10 10:18
Tetrachloroethene	< .001	/l			WG476638	05/05/10 10:18
Toluene	< .005	mg/l			WG476638	05/05/10 10:18
trans-1,2-Dichloroethene	< .001	mg/l			WG476638	05/05/10 10:18
trans-1,3-Dichloropropene	< .001	/l			WG476638	05/05/10 10:18
Trichloroethene	< .001	mg/l			WG476638	05/05/10 10:18
Trichlorofluoromethane	< .005	mg/l			WG476638	05/05/10 10:18
Vinyl chloride	< .001	mg/l			WG476638	05/05/10 10:18
Xylenes, Total	< .003	mg/l			WG476638	05/05/10 10:18
4-Bromofluorobenzene		% Rec.	103.2	75-128	WG476638	05/05/10 10:18
Dibromofluoromethane		% Rec.	118.1	79-125	WG476638	05/05/10 10:18
Toluene-d8		% Rec.	105.6	87-114	WG476638	05/05/10 10:18
Tetrachloroethene	< .001	/kg			WG476620	05/05/10 00:54
4-Bromofluorobenzene		% Rec.	102.5	59-140	WG476620	05/05/10 00:54
Dibromofluoromethane		% Rec.	102.2	63-139	WG476620	05/05/10 00:54
Toluene-d8		% Rec.	103.6	84-116	WG476620	05/05/10 00:54
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG476629	05/05/10 02:30
1,1,1-Trichloroethane	< .001	/l			WG476629	05/05/10 02:30
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG476629	05/05/10 02:30
1,1,2-Trichloroethane	< .001	mg/l			WG476629	05/05/10 02:30
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	/l			WG476629	05/05/10 02:30
1,1-Dichloroethane	< .001	mg/l			WG476629	05/05/10 02:30
1,1-Dichloroethene	< .001	mg/l			WG476629	05/05/10 02:30
1,1-Dichloropropene	< .001	/l			WG476629	05/05/10 02:30
1,2,3-Trichlorobenzene	< .001	mg/l			WG476629	05/05/10 02:30
1,2,3-Trichloropropane	< .001	mg/l			WG476629	05/05/10 02:30
1,2,3-Trimethylbenzene	< .001	/l			WG476629	05/05/10 02:30
1,2,4-Trichlorobenzene	< .001	mg/l			WG476629	05/05/10 02:30
1,2,4-Trimethylbenzene	< .001	mg/l			WG476629	05/05/10 02:30
1,2-Dibromo-3-Chloropropane	< .005	/l			WG476629	05/05/10 02:30
1,2-Dibromoethane	< .001	mg/l			WG476629	05/05/10 02:30
1,2-Dichlorobenzene	< .001	mg/l			WG476629	05/05/10 02:30
1,2-Dichloroethane	< .001	mg/l			WG476629	05/05/10 02:30
1,2-Dichloropropene	< .001	mg/l			WG476629	05/05/10 02:30
1,3,5-Trimethylbenzene	< .001	mg/l			WG476629	05/05/10 02:30
1,3-Dichlorobenzene	< .001	mg/l			WG476629	05/05/10 02:30
1,3-Dichloropropane	< .001	mg/l			WG476629	05/05/10 02:30
1,4-Dichlorobenzene	< .001	mg/l			WG476629	05/05/10 02:30
2,2-Dichloropropene	< .001	mg/l			WG476629	05/05/10 02:30
2-Butanone (MEK)	< .01	mg/l			WG476629	05/05/10 02:30
2-Chloroethyl vinyl ether	< .001	mg/l			WG476629	05/05/10 02:30

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

May 07, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
2-Chlorotoluene	< .001	mg/l			WG476629	05/05/10 02:30
4-Chlorotoluene	< .001	mg/l			WG476629	05/05/10 02:30
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG476629	05/05/10 02:30
Acetone	< .05	mg/l			WG476629	05/05/10 02:30
Acrolein	< .05	mg/l			WG476629	05/05/10 02:30
Acrylonitrile	< .01	mg/l			WG476629	05/05/10 02:30
Benzene	< .001	mg/l			WG476629	05/05/10 02:30
Bromobenzene	< .001	mg/l			WG476629	05/05/10 02:30
Bromodichloromethane	< .001	mg/l			WG476629	05/05/10 02:30
Bromoform	< .001	mg/l			WG476629	05/05/10 02:30
Bromomethane	< .005	mg/l			WG476629	05/05/10 02:30
Carbon tetrachloride	< .001	mg/l			WG476629	05/05/10 02:30
Chlorobenzene	< .001	mg/l			WG476629	05/05/10 02:30
Chlorodibromomethane	< .001	mg/l			WG476629	05/05/10 02:30
Chloroethane	< .001	mg/l			WG476629	05/05/10 02:30
Chloroform	< .005	mg/l			WG476629	05/05/10 02:30
Chloromethane	< .001	mg/l			WG476629	05/05/10 02:30
cis-1,2-Dichloroethene	< .001	mg/l			WG476629	05/05/10 02:30
cis-1,3-Dichloropropene	< .001	/l			WG476629	05/05/10 02:30
Di-isopropyl ether	< .001	mg/l			WG476629	05/05/10 02:30
Dibromomethane	< .001	mg/l			WG476629	05/05/10 02:30
Dichlorodifluoromethane	< .005	/l			WG476629	05/05/10 02:30
Ethylbenzene	< .001	mg/l			WG476629	05/05/10 02:30
Hexachloro-1,3-butadiene	< .001	mg/l			WG476629	05/05/10 02:30
Isopropylbenzene	< .001	/l			WG476629	05/05/10 02:30
Methyl tert-butyl ether	< .001	mg/l			WG476629	05/05/10 02:30
Methylene Chloride	< .005	mg/l			WG476629	05/05/10 02:30
n-Butylbenzene	< .001	/l			WG476629	05/05/10 02:30
n-Propylbenzene	< .001	mg/l			WG476629	05/05/10 02:30
Naphthalene	< .005	mg/l			WG476629	05/05/10 02:30
p-Isopropyltoluene	< .001	/l			WG476629	05/05/10 02:30
sec-Butylbenzene	< .001	mg/l			WG476629	05/05/10 02:30
Styrene	< .001	mg/l			WG476629	05/05/10 02:30
tert-Butylbenzene	< .001	/l			WG476629	05/05/10 02:30
Tetrachloroethene	< .001	mg/l			WG476629	05/05/10 02:30
Toluene	< .005	mg/l			WG476629	05/05/10 02:30
trans-1,2-Dichloroethene	< .001	/l			WG476629	05/05/10 02:30
trans-1,3-Dichloropropene	< .001	mg/l			WG476629	05/05/10 02:30
Trichloroethene	< .001	mg/l			WG476629	05/05/10 02:30
Trichlorofluoromethane	< .005	/l			WG476629	05/05/10 02:30
Vinyl chloride	< .001	mg/l			WG476629	05/05/10 02:30
Xylenes, Total	< .003	mg/l			WG476629	05/05/10 02:30
4-Bromofluorobenzene		% Rec	7.56	75-128	WG476629	05/05/10 02:30
Dibromofluoromethane		% Rec.	107.2	79-125	WG476629	05/05/10 02:30
Toluene-d8		% Rec.	98.16	87-114	WG476629	05/05/10 02:30
Tetrachloroethene	< .001	mg/kg			WG476865	05/06/10 07:01
4-Bromofluorobenzene		% Rec.	99.63	59-140	WG476865	05/06/10 07:01
Dibromofluoromethane		% Rec	114.	63-13	WG476865	05/06/10 07:01
Toluene-d8		% Rec.	101.9	84-116	WG476865	05/06/10 07:01

Analyte	Units	Duplicate		RPD	Limit	Ref Samp	Batch
		Result	Duplicate				
Total Solids	%	81.0	81.0	.11	5	L455862-06	WG475329

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Total Solids	%	50	50.0	100.	85-115	WG475329
1,1,1,2-Tetrachloroethane	mg/kg	.025	0.0239	95.8	73-134	WG476129
1,1,1-Trichloroethane	mg/kg	.025	0.0228	91.2	62-135	WG476129
1,1,2,2-Tetrachloroethane	mg/kg	.025	0.0245	98.2	74-129	WG476129
1,1,2-Trichloroethane	mg/kg	.025	0.0253	101.	77-124	WG476129
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	.025	0.0267	107.	77-155	WG476129
1,1-Dichloroethane	mg/kg	.025	0.0256	102.	61-134	WG476129
1,1-Dichloroethene	mg/kg	.025	0.0245	97.9	53-136	WG476129
1,1-Dichloropropene	mg/kg	.025	0.0235	94.2	63-132	WG476129
1,2,3-Trichlorobenzene	mg/kg	.025	0.0230	92.2	62-146	WG476129
1,2,3-Trichloropropene	mg/kg	.025	0.0263	105.	70-133	WG476129
1,2,3-Trimethylbenzene	mg/kg	.025	0.0235	94.0	73-126	WG476129
1,2,4-Trichlorobenzene	mg/kg	.025	0.0218	87.4	61-148	WG476129
1,2,4-Trimethylbenzene	mg/kg	.025	0.0277	111.	68-135	WG476129
1,2-Dibromo-3-Chloropropane	mg/kg	.025	0.0201	80.3	61-134	WG476129
1,2-Dibromoethane	mg/kg	.025	0.0255	102.	76-127	WG476129
1,2-Dichlorobenzene	mg/kg	.025	0.0244	97.6	77-123	WG476129
1,2-Dichloroethane	mg/kg	.025	0.0251	100	58-141	WG476129
1,2-Dichloropropene	mg/kg	.025	0.0239	95.8	71-128	WG476129
1,3,5-Trimethylbenzene	mg/kg	.025	0.0269	108.	71-133	WG476129
1,3-Dichlorobenzene	mg/kg	.025	0.0284	114	71-132	WG476129
1,3-Dichloropropene	mg/kg	.025	0.0241	96.5	76-120	WG476129
1,4-Dichlorobenzene	mg/kg	.025	0.0237	94.7	72-123	WG476129
2,2-Dichloropropene	mg/kg	.025	0.0224	89.6	50-147	WG476129
2-Butanone (MEK)	mg/kg	.125	0.120	95.9	51-131	WG476129
2-Chloroethyl vinyl ether	mg/kg	.125	0.0907	72.6	0-188	WG476129
2-Chlorotoluene	mg/kg	.025	0.0259	104	73-128	WG476129
4-Chlorotoluene	mg/kg	.025	0.0260	104.	72-129	WG476129
4-Methyl-2-pentanone (MIBK)	mg/kg	.125	0.119	95.2	61-143	WG476129
Aceton	mg/kg	.125	0.123	98.6	44-140	WG476129
Acrylonitrile	mg/kg	.125	0.119	95.2	55-143	WG476129
Benzene	mg/kg	.025	0.0247	98.8	65-128	WG476129
Bromobenzene	mg/kg	.025	0.0217	86.6	75-123	WG476129
Bromodichloromethane	mg/kg	.025	0.0226	90.4	66-126	WG476129
Bromoform	mg/kg	.025	0.0211	84.3	64-139	WG476129
Bromomethane	mg/kg	.025	0.0326	130.	41-175	WG476129
Carbon tetrachloride	mg/kg	.025	0.0227	90.6	60-140	WG476129
Chlorobenzene	mg/kg	.025	0.0238	95.2	75-125	WG476129
Chlorodibromomethane	mg/kg	.025	0.0222	88.7	72-137	WG476129
Chloroethane	mg/kg	.025	0.0281	112.	44-159	WG476129
Chloroform	mg/kg	.025	0.0240	95.9	63-123	WG476129
Chloromethane	mg/kg	.025	0.0266	106	42-149	WG476129
cis-1,2-Dichloroethene	mg/kg	.025	0.0242	97.0	71-129	WG476129
cis-1,3-Dichloropropene	mg/kg	.025	0.0234	93.6	73-132	WG476129
Di-isopropyl ether	mg/kg	.025	0.0241	96.2	59-143	WG476129
Dibromomethane	mg/kg	.025	0.0242	96.6	70-130	WG476129
Dichlorodifluoromethane	mg/kg	.025	0.0325	130.	26-186	WG476129
Ethylbenzene	mg/kg	.025	0.0237	94.7	74-128	WG476129
Hexachloro-1,3-butadiene	mg/kg	.025	0.0224	89.8	65-137	WG476129
Isopropylbenzene	mg/kg	.025	0.0219	87.5	73-130	WG476129
Methyl tert-butyl ether	mg/kg	.025	0.0222	88.8	44-148	WG476129
Methylene Chloride	mg/kg	.025	0.0224	89.7	57-129	WG476129
n-Butylbenzene	mg/kg	.025	0.0229	91.5	60-145	WG476129
n-Propylbenzene	mg/kg	.02	0.0250	125.0	71-132	WG476129
Naphthalene	mg/kg	.025	0.0237	94.6	61-142	WG476129
p-Isopropyltoluene	mg/kg	.025	0.0261	105	67-138	WG476129
sec-Butylbenzene	mg/kg	.02	0.0275	110.	71-130	WG476129
Styrene	mg/kg	.025	0.0252	101.	76-133	WG476129

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
tert-Butylbenzene	mg/kg	.025	0.0264		2-1328	WG476129
Tetrachloroethene	mg/kg	.025	0.0252	101.	65-135	WG476129
Toluene	mg/kg	.025	0.0225	89.9	70-120	WG476129
trans-1,2-Dichloroethene	mg/kg	.025	0.0258	.	61-1331	WG476129
trans-1,3-Dichloropropene	mg/kg	.025	0.0234	93.5	70-135	WG476129
Trichloroethene	mg/kg	.025	0.0248	99.0	71-126	WG476129
Trichlorofluoromethane	mg/kg	.025	0.0264	106	52-147	WG476129
Vinyl chloride	mg/kg	.025	0.0270	108.	50-151	WG476129
Xylenes, Total	mg/kg	.075	0.0711	94.8	74-127	WG476129
4-Bromofluorobenzene				95.11	59-140	WG476129
Dibromofluoromethane				101.1	63-139	WG476129
Toluene-d8				96.60	84-116	WG476129
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0255	102.	75-134	WG476638
1,1,1-Trichloroethane	mg/l	.025	0.0240	95.9	67-137	WG476638
1,1,2,2-Tetrachloroethane	mg/l	5	0.0249	99.5	72-128	WG476638
1,1,2-Trichloroethane	mg/l	.025	0.0256	103.	79-123	WG476638
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0202	80.6	51-149	WG476638
1,1-Dichloroethane	mg/l	5	0.0239	95.6	67-133	WG476638
1,1-Dichloroethene	mg/l	.025	0.0186	74.2	60-130	WG476638
1,1-Dichloropropene	mg/l	.025	0.0241	96.5	68-132	WG476638
1,2,3-Trichlorobenzene	mg/l	5	0.0251	100	63-138	WG476638
1,2,3-Trichloropropene	mg/l	.025	0.0269	108.	68-130	WG476638
1,2,3-Trimethylbenzene	mg/l	.025	0.0260	104.	70-127	WG476638
1,2,4-Trichlorobenzene	mg/l	.025	0.0231	92.3	65-137	WG476638
1,2,4-Trimethylbenzene	mg/l	.025	0.0259	104.	72-135	WG476638
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0260	104.	55-134	WG476638
1,2-Dibromoethane	mg/l	.025	0.0268	107	75-126	WG476638
1,2-Dichlorobenzene	mg/l	.025	0.0255	102.	75-122	WG476638
1,2-Dichloroethane	mg/l	.025	0.0275	110.	63-137	WG476638
1,2-Dichloropropene	mg/l	.025	0.0245	98.0	74-122	WG476638
1,3,5-Trimethylbenzene	mg/l	.025	0.0249	99.5	73-134	WG476638
1,3-Dichlorobenzene	mg/l	.025	0.0249	99.6	73-131	WG476638
1,3-Dichloropropene	mg/l	.025	0.0258	10.	77-119	WG476638
1,4-Dichlorobenzene	mg/l	.025	0.0242	96.8	70-121	WG476638
2,2-Dichloropropene	mg/l	.025	0.0209	83.6	46-151	WG476638
2-Butanone (MIBK)	mg/l	.125	0.123	98.8	53-132	WG476638
2-Chloroethyl vinyl ether	mg/l	.125	0.103	82.2	0-171	WG476638
2-Chlorotoluene	mg/l	.025	0.0262	105.	74-128	WG476638
4-Chlorotoluene	mg/l	.025	0.0250	100.	74-130	WG476638
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.120	95.7	60-142	WG476638
Acetone	mg/l	.125	0.119	94.9	48-134	WG476638
Acrolein	mg/l	.125	0.101	80.	6-1	WG476638
Acrylonitrile	mg/l	.125	0.118	94.3	60-140	WG476638
Benzene	mg/l	.025	0.0237	94.6	67-126	WG476638
Bromobenzene	mg/l	.025	0.0261	104	76-123	WG476638
Bromodichloromethane	mg/l	.025	0.0258	103.	68-133	WG476638
Bromoform	mg/l	.025	0.0247	98.8	60-139	WG476638
Bromomethane	mg/l	.025	0.0304	122	45-175	WG476638
Carbon tetrachloride	mg/l	.025	0.0242	96.8	64-141	WG476638
Chlorobenzene	mg/l	.025	0.0259	104.	77-125	WG476638
Chlorodibromomethane	mg/l	.025	0.0260	107	73-138	WG476638
Chloroethane	mg/l	.025	0.0279	112.	49-155	WG476638
Chloroform	mg/l	.025	0.0247	98.8	66-126	WG476638
Chloromethane	mg/l	.02	0.0278	111.	45-152	WG476638
cis-1,2-Dichloroethene	mg/l	.025	0.0239	95.8	72-128	WG476638
cis-1,3-Dichloropropene	mg/l	.025	0.0255	102.	73-131	WG476638
Di-isopropyl ether	mg/l	.02	0.0242		63-133	WG476638

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Dibromomethane	mg/l	.025	0.0262		125	WG476638
Dichlorodifluoromethane	mg/l	.025	0.0230	91.9	39-189	WG476638
Ethylbenzene	mg/l	.025	0.0254	102.	76-129	WG476638
Hexachloro-1,3-butadiene	mg/l	.025	0.025		67-135	WG476638
Isopropylbenzene	mg/l	.025	0.0233	93.0	73-132	WG476638
Methyl tert-butyl ether	mg/l	.025	0.0242	96.8	51-142	WG476638
Methylene Chloride	mg/l	5	0.0211	84.5	64-125	WG476638
n-Butylbenzene	mg/l	.025	0.0241	96.2	63-142	WG476638
n-Propylbenzene	mg/l	.025	0.0246	98.3	71-132	WG476638
Naphthalene	mg/l	5	0.0244	97.	56-145	WG476638
p-Isopropyltoluene	mg/l	.025	0.0253	101.	68-138	WG476638
sec-Butylbenzene	mg/l	.025	0.0250	99.8	70-135	WG476638
Styrene	mg/l	5	0.0257	103	78-130	WG476638
tert-Butylbenzene	mg/l	.025	0.0259	104.	72-134	WG476638
Tetrachloroethene	mg/l	.025	0.0240	96.1	67-135	WG476638
Toluene	mg/l	5	0.0229	91.7	72-122	WG476638
trans-1,2-Dichloroethene	mg/l	.025	0.0213	85.3	67-129	WG476638
trans-1,3-Dichloropropene	mg/l	.025	0.0255	102.	66-137	WG476638
Trichloroethene	mg/l	5	0.0232	97.	74-126	WG476638
Trichlorofluoromethane	mg/l	.025	0.0295	118.	54-156	WG476638
Vinyl chloride	mg/l	.025	0.0271	108.	55-153	WG476638
Xylenes, Total	mg/l	.75	0.0748	99.7	75-128	WG476638
4-Bromofluorobenzene				109.1	75-128	WG476638
Dibromofluoromethane				115.8	79-125	WG476638
Toluene-d8				108.7	87-114	WG476638
Tetrachloroethene	mg/kg	.025	0.0263	105.	65-135	WG476620
4-Bromofluorobenzene				105.3	59-140	WG476620
Dibromofluoromethane				92.45	63-139	WG476620
Toluene-d8				103.8	84-116	WG476620
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0223	89.0	75-134	WG476629
1,1,1-Trichloroethane	mg/l	.025	0.0221	88.5	67-137	WG476629
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0229	91.6	72-128	WG476629
1,1,2-Trichloroethane	mg/l	.025	0.0216	86.5	79-123	WG476629
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0212	84.7	51-149	WG476629
1,1-Dichloroethane	mg/l	.025	0.0213	85.0	67-133	WG476629
1,1-Dichloroethene	mg/l	.025	0.0187	74.9	60-130	WG476629
1,1-Dichloropropene	mg/l	.025	0.0216	86.4	68-132	WG476629
1,2,3-Trichlorobenzene	mg/l	.025	0.0211	84.5	63-138	WG476629
1,2,3-Trichloropropene	mg/l	.025	0.0240	96.0	68-130	WG476629
1,2,3-Trimethylbenzene	mg/l	.025	0.0210	84.0	70-127	WG476629
1,2,4-Trichlorobenzene	mg/l	.025	0.0206	82.2	65-137	WG476629
1,2,4-Trimethylbenzene	mg/l	.025	0.0226	90.2	72-135	WG476629
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0217	86.9	55-134	WG476629
1,2-Dibromomethane	mg/l	.025	0.0212	84.9	75-126	WG476629
1,2-Dichlorobenzene	mg/l	.025	0.0227	90.8	75-122	WG476629
1,2-Dichloroethane	mg/l	.025	0.0221	88.3	63-137	WG476629
1,2-Dichloropropene	mg/l	.025	0.0215	85.9	74-122	WG476629
1,3,5-Trimethylbenzene	mg/l	.025	0.0216	86.4	73-134	WG476629
1,3-Dichlorobenzene	mg/l	.025	0.0226	90.4	73-131	WG476629
1,3-Dichloropropene	mg/l	.025	0.0210	83.8	77-11	WG476629
1,4-Dichlorobenzene	mg/l	.025	0.0202	80.8	70-121	WG476629
2,2-Dichloropropene	mg/l	.025	0.0223	89.2	46-151	WG476629
2-Butanone (MEK)	mg/l	.125	0.109	87.2	53-132	WG476629
2-Chloroethyl vinyl ether	mg/l	.125	0.107	85.7	0-171	WG476629
2-Chlorotoluene	mg/l	.025	0.0219	87.5	74-128	WG476629

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
4-Chlorotoluene	mg/l	.025	0.0221	88.2	130	WG476629
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.109	87.3	60-142	WG476629
Acetone	mg/l	.125	0.106	84.4	48-134	WG476629
Acrolein	mg/l	.125	0.0820	65.	6-182	WG476629
Acrylonitrile	mg/l	.125	0.113	90.1	60-140	WG476629
Benzene	mg/l	.025	0.0200	80.0	67-126	WG476629
Bromobenzene	mg/l	5	0.0213	85.	76-123	WG476629
Bromodichloromethane	mg/l	.025	0.0231	92.2	68-133	WG476629
Bromoform	mg/l	.025	0.0214	85.7	60-139	WG476629
Bromomethane	mg/l	5	0.0199	79.5	175	WG476629
Carbon tetrachloride	mg/l	.025	0.0214	85.8	64-141	WG476629
Chlorobenzene	mg/l	.025	0.0217	86.8	77-125	WG476629
Chlorodibromomethane	mg/l	5	0.0232	92.	73-138	WG476629
Chloroethane	mg/l	.025	0.0199	79.5	49-155	WG476629
Chloroform	mg/l	.025	0.0205	82.2	66-126	WG476629
Chloromethane	mg/l	5	0.0198	79.	152	WG476629
cis-1,2-Dichloroethene	mg/l	.025	0.0207	82.8	72-128	WG476629
cis-1,3-Dichloropropene	mg/l	.025	0.0230	92.0	73-131	WG476629
Di-isopropyl ether	mg/l	5	0.0212	84.	63-139	WG476629
Dibromomethane	mg/l	.025	0.0224	89.5	73-125	WG476629
Dichlorodifluoromethane	mg/l	.025	0.0226	90.6	39-189	WG476629
Ethylbenzene	mg/l	5	0.0223	89.2	76-128	WG476629
Hexachloro-1,3-butadiene	mg/l	.025	0.0198	79.2	67-135	WG476629
Isopropylbenzene	mg/l	.025	0.0209	83.6	73-132	WG476629
Methyl tert-butyl ether	mg/l	.025	0.0211	84.4	51-142	WG476629
Methylene Chloride	mg/l	.025	0.0187	74.7	64-125	WG476629
n-Butylbenzene	mg/l	.025	0.0230	91.8	63-142	WG476629
n-Propylbenzene	mg/l	.025	0.0225	89.9	71-132	WG476629
Naphthalene	mg/l	.025	0.0229	91.4	56-145	WG476629
p-Isopropyltoluene	mg/l	.025	0.0221	88.6	68-138	WG476629
sec-Butylbenzene	mg/l	.025	0.0221	88.3	70-135	WG476629
Styrene	mg/l	.025	0.0228	91.1	78-130	WG476629
tert-Butylbenzene	mg/l	.025	0.0220	87.8	72-134	WG476629
Tetrachloroethene	mg/l	.025	0.0209	83.5	67-135	WG476629
Toluene	mg/l	.025	0.0202	80.7	72-122	WG476629
trans-1,2-Dichloroethene	mg/l	.025	0.0198	79.1	67-129	WG476629
trans-1,3-Dichloropropene	mg/l	.025	0.0235	.9	66-1	WG476629
Trichloroethene	mg/l	.025	0.0200	80.1	74-126	WG476629
Trichlorofluoromethane	mg/l	.025	0.0239	95.7	54-156	WG476629
Vinyl chloride	mg/l	.025	0.0215	86.	55-153	WG476629
Xylenes, Total	mg/l	.075	0.0653	87.1	75-128	WG476629
4-Bromofluorobenzene				100.2	75-128	WG476629
Dibromofluoromethane				103.7	79-125	WG476629
Toluene-d8				99.99	87-114	WG476629
Tetrachloroethene	mg/kg	.025	0.0197	78.6	65-135	WG476865
4-Bromofluorobenzene				91.48	59-140	WG476865
Dibromofluoromethane				115.6	63-139	WG476865
Toluene-d8				103.1	84-116	WG476865

Analyte	Units	Laboratory Control Sample Duplicate		% Rec	Limit	RPD	Limit	Batch
		Result	Ref					
1,1,1,2-Tetrachloroethane	mg/kg	0.02	0.0239	94.	3-134	2.37	0	WG476129
1,1,1-Trichloroethane	mg/kg	0.0227	0.0228	91.0	62-135	0.141	20	WG476129
1,1,2,2-Tetrachloroethane	mg/kg	0.0230	0.0245	92.0	74-129	6.72	20	WG476129
1,1,2-Trichloroethane	mg/kg	0.0223	0.0253	101.	7-124	0.247	0	WG476129
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0255	0.0267	102.	49-155	4.50	20	WG476129

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	Laboratory Control Sample Duplicate				Limit	RPD	Limit	Batch
		Result	Ref	Rec	Rec				
1,1-Dichloroethane	mg/kg	0.0250	0.0256	100.	-134	2.09	20	WG476129	
1,1-Dichloroethene	mg/kg	0.0240	0.0245	96.0	53-136	1.79	20	WG476129	
1,1-Dichloropropene	mg/kg	0.0232	0.0245	93.0	63-132	5.71	20	WG476129	
1,2,3-Trichlorobenzene	mg/kg	0.0230	0.0230	107.3	102-146	13.32	20	WG476129	
1,2,3-Trichloropropane	mg/kg	0.0225	0.0263	90.0	70-133	15.6	20	WG476129	
1,2,3-Trimethylbenzene	mg/kg	0.0239	0.0245	96.0	73-126	2.57	20	WG476129	
1,2,4-Trichlorobenzene	mg/kg	0.0251	0.0218	100.	73-148	13	0	WG476129	
1,2,4-Trimethylbenzene	mg/kg	0.0235	0.0277	94.0	68-135	16.3	20	WG476129	
1,2-Dibromo-3-Chloropropane	mg/kg	0.0232	0.0201	93.0	61-134	14.2	21	WG476129	
1,2-Dibromoethane	mg/kg	0.0246	0.0255	98.	6-127	.5	0	WG476129	
1,2-Dichlorobenzene	mg/kg	0.0249	0.0244	100.	77-123	2.16	20	WG476129	
1,2-Dichloroethane	mg/kg	0.0246	0.0251	98.0	58-141	1.99	20	WG476129	
1,2-Dichloropropane	mg/kg	0.0245	0.0239	98.	1-128	2.	0	WG476129	
1,3,5-Trimethylbenzene	mg/kg	0.0232	0.0269	93.0	71-133	14.8	20	WG476129	
1,3-Dichlorobenzene	mg/kg	0.0251	0.0284	100.	71-132	12.3	20	WG476129	
1,3-Dichloropropene	mg/kg	0.0243	0.0241	97.	6-120	0.930	0	WG476129	
1,4-Dichlorobenzene	mg/kg	0.0225	0.0237	90.0	72-123	5.27	20	WG476129	
2,2-Dichloropropane	mg/kg	0.0220	0.0224	88.0	50-147	1.75	20	WG476129	
2-Butanone (MEK)	mg/kg	0.12	0.120	99.	-13	.2	5	WG476129	
2-Chloroethyl vinyl ether	mg/kg	0.0835	0.0907	67.0	0-188	8.31	39	WG476129	
2-Chlorotoluene	mg/kg	0.0212	0.0259	85.0	73-128	20.1*	20	WG476129	
4-Chlorotoluene	mg/kg	0.0224	0.0260	90.0	2-129	15.	0	WG476129	
4-Methyl-2-pentanone (MIBK)	mg/kg	0.123	0.119	99.0	61-143	3.47	23	WG476129	
Acetone	mg/kg	0.124	0.123	99.0	44-140	0.427	25	WG476129	
Acrylonitrile	mg/kg	0.121	0.119	97.	5-143	2.02	0	WG476129	
Benzene	mg/kg	0.0232	0.0247	93.0	65-128	6.51	20	WG476129	
Bromobenzene	mg/kg	0.0205	0.0217	82.0	75-123	5.59	20	WG476129	
Bromodichloromethane	mg/kg	0.0220	0.0226	100.	6-126	0.401	0	WG476129	
Bromoform	mg/kg	0.0214	0.0211	86.0	64-139	1.56	20	WG476129	
Bromomethane	mg/kg	0.0322	0.0326	129.	41-175	1.04	20	WG476129	
Carbon tetrachloride	mg/kg	0.0221	0.0227	88.0	60-140	2.33	0	WG476129	
Chlorobenzene	mg/kg	0.0243	0.0238	97.0	75-125	2.23	20	WG476129	
Chlorodibromomethane	mg/kg	0.0218	0.0222	87.0	72-137	1.53	20	WG476129	
Chloroethane	mg/kg	0.0230	0.0281	111.	4-159	0.851	20	WG476129	
Chloroform	mg/kg	0.0231	0.0240	92.0	63-123	3.85	20	WG476129	
Chloromethane	mg/kg	0.0256	0.0266	102.	42-149	3.74	20	WG476129	
cis-1,2-Dichloroethene	mg/kg	0.0241	0.0242	96.	1-129	0.779	20	WG476129	
cis-1,3-Dichloropropene	mg/kg	0.0234	0.0234	94.0	73-132	0.0573	20	WG476129	
Di-isopropyl ether	mg/kg	0.0240	0.0241	96.0	59-143	0.365	20	WG476129	
Dibromomethane	mg/kg	0.02	0.0242	96.0	-130	0.207	0	WG476129	
Dichlorodifluoromethane	mg/kg	0.0309	0.0325	124.	26-186	4.93	22	WG476129	
Ethylbenzene	mg/kg	0.0232	0.0237	93.0	74-128	1.93	20	WG476129	
Hexachloro-1,3-butadiene	mg/kg	0.0230	0.0224	104.	5-137	14.	0	WG476129	
Isopropylbenzene	mg/kg	0.0220	0.0219	88.0	73-130	0.365	20	WG476129	
Methyl tert-butyl ether	mg/kg	0.0217	0.0222	87.0	44-148	2.46	20	WG476129	
Methylene Chloride	mg/kg	0.0224	0.0224	90.0	7-129	0.0750	20	WG476129	
n-Butylbenzene	mg/kg	0.0225	0.0229	90.0	60-145	1.64	20	WG476129	
n-Propylbenzene	mg/kg	0.0224	0.0250	89.0	71-132	11.1	20	WG476129	
Naphthalene	mg/kg	0.0270	0.0237	108.	1-142	13.	20	WG476129	
p-Isopropyltoluene	mg/kg	0.0228	0.0261	91.0	67-138	13.9	20	WG476129	
sec-Butylbenzene	mg/kg	0.0237	0.0275	95.0	71-134	14.6	20	WG476129	
Styrene	mg/kg	0.0247	0.0252	99.	6-133	1.7	21	WG476129	
tert-Butylbenzene	mg/kg	0.0234	0.0264	94.0	72-132	12.1	20	WG476129	
Tetrachloroethene	mg/kg	0.0252	0.0252	101.	65-135	0.169	20	WG476129	
Toluene	mg/kg	0.0226	0.0225	90.0	70-120	0.451	20	WG476129	
trans-1,2-Dichloroethene	mg/kg	0.0252	0.0258	101.	61-133	2.31	20	WG476129	
trans-1,3-Dichloropropene	mg/kg	0.0230	0.0234	92.0	70-135	1.48	20	WG476129	
Trichloroethene	mg/kg	0.0256	0.0239	102.	63-126	3.33	20	WG476129	
Trichlorofluoromethane	mg/kg	0.0253	0.0264	101.	52-147	4.46	20	WG476129	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	Laboratory Control		Sample Duplicate		Limit	RPD	Limit	Batch
		Result	Ref	Rec	Rec				
Vinyl chloride	mg/kg	0.0266	0.0270	106.		-151	1.25	20	WG476129
Xylenes, Total	mg/kg	0.0705	0.0711	94.0		74-127	0.929	20	WG476129
4-Bromofluorobenzene				96.58		59-140			WG476129
Dibromofluoromethane				99.69		-139			WG476129
Toluene-d8				98.99		84-116			WG476129
1,1,1,2-Tetrachloroethane	mg/l	0.02	0.0255	97.		-134	5.0	0	WG476638
1,1,1-Trichloroethane	mg/l	0.0229	0.0240	92.0		67-137	4.35	20	WG476638
1,1,2,2-Tetrachloroethane	mg/l	0.0234	0.0249	93.0		72-128	6.29	20	WG476638
1,1,2-Trichloroethane	mg/l	0.02	0.0256	99.		9-123		0	WG476638
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0183	0.0202	73.0		51-149	9.63	20	WG476638
1,1-Dichloroethane	mg/l	0.0231	0.0239	92.0		67-133	3.26	20	WG476638
1,1-Dichloroethene	mg/l	0.0173	0.0186	69.		-130	6.9	0	WG476638
1,1-Dichloropropene	mg/l	0.0229	0.0241	91.0		68-132	5.30	20	WG476638
1,2,3-Trichlorobenzene	mg/l	0.0261	0.0251	104.		63-138	4.02	20	WG476638
1,2,3-Trichloropropene	mg/l	0.0255	0.0269	102.		55-130	5.2	0	WG476638
1,2,3-Trimethylbenzene	mg/l	0.0254	0.0260	102.		70-127	2.29	20	WG476638
1,2,4-Trichlorobenzene	mg/l	0.0239	0.0231	96.0		65-137	3.60	20	WG476638
1,2,4-Trimethylbenzene	mg/l	0.0255	0.0259	97.		2-135	6.2	0	WG476638
1,2-Dibromo-3-Chloropropane	mg/l	0.0251	0.0260	100.		55-134	3.34	20	WG476638
1,2-Dibromoethane	mg/l	0.0254	0.0268	102.		75-126	5.22	20	WG476638
1,2-Dichlorobenzene	mg/l	0.0256	0.0255	102.		5-122	0.200	0	WG476638
1,2-Dichloroethane	mg/l	0.0270	0.0275	108.		63-137	1.68	20	WG476638
1,2-Dichloropropene	mg/l	0.0244	0.0245	98.0		74-122	0.340	20	WG476638
1,3,5-Trimethylbenzene	mg/l	0.02	0.0249	94.		3-134	5.82	0	WG476638
1,3-Dichlorobenzene	mg/l	0.0241	0.0249	96.0		73-131	3.07	20	WG476638
1,3-Dichloropropene	mg/l	0.0246	0.0258	98.0		77-119	4.78	20	WG476638
1,4-Dichlorobenzene	mg/l	0.0240	0.0242	98.		0-12	1.02	0	WG476638
2,2-Dichloropropene	mg/l	0.0207	0.0209	83.0		46-151	1.15	20	WG476638
2-Butanone (MEK)	mg/l	0.117	0.123	93.0		53-132	5.52	20	WG476638
2-Chloroethyl vinyl ether	mg/l	0.0982	0.103	78.		-171	4.54	0	WG476638
2-Chlorotoluene	mg/l	0.0239	0.0262	96.0		74-128	9.00	20	WG476638
4-Chlorotoluene	mg/l	0.0239	0.0250	95.0		74-130	4.70	20	WG476638
4-Methyl-2-pentanone (M	mg/l	0.11	0.120	92.		0-142		20	WG476638
Acetone	mg/l	0.116	0.119	92.0		48-134	2.62	20	WG476638
Acrolein	mg/l	0.0932	0.101	74.0		6-182	7.60	39	WG476638
Acrylonitrile	mg/l	0.111	0.118	89.0		0-140	5.63	0	WG476638
Benzene	mg/l	0.0228	0.0237	91.0		67-126	3.62	20	WG476638
Bromobenzene	mg/l	0.0256	0.0261	102.		76-123	1.81	20	WG476638
Bromodichloromethane	mg/l	0.0259	0.0258	4.		60-133	0.320		WG476638
Bromoform	mg/l	0.0233	0.0247	93.0		60-139	6.07	20	WG476638
Bromomethane	mg/l	0.0282	0.0304	113.		45-175	7.53	20	WG476638
Carbon tetrachloride	mg/l	0.0225	0.0242	92.0		4-14	5.5	0	WG476638
Chlorobenzene	mg/l	0.0246	0.0259	98.0		77-125	5.14	20	WG476638
Chlorodibromomethane	mg/l	0.0253	0.0268	101.		73-138	5.71	20	WG476638
Chloroethane	mg/l	0.0264	0.0279	105.		9-1	5.61	0	WG476638
Chloroform	mg/l	0.0244	0.0247	97.0		66-126	1.34	20	WG476638
Chloromethane	mg/l	0.0264	0.0278	106.		45-152	5.16	20	WG476638
cis-1,2-Dichloroethene	mg/l	0.0232	0.0239	93.0		2-128	3.21	20	WG476638
cis-1,3-Dichloropropene	mg/l	0.0256	0.0255	102.		73-131	0.480	20	WG476638
Di-isopropyl ether	mg/l	0.0240	0.0242	96.0		63-139	0.700	20	WG476638
Dibromomethane	mg/l	0.0263	0.0262	105.		3-125	0.390	20	WG476638
Dichlorodifluoromethane	mg/l	0.0212	0.0230	85.0		39-189	7.92	24	WG476638
Ethylbenzene	mg/l	0.0235	0.0254	94.0		76-129	7.59	20	WG476638
Hexachloro-1,3-butadiene	mg/l	0.0248	0.0253	99.		7-135	1.88	20	WG476638
Isopropylbenzene	mg/l	0.0217	0.0233	87.0		73-132	6.83	20	WG476638
Methyl tert-butyl ether	mg/l	0.0240	0.0242	96.0		51-142	0.850	20	WG476638
Methylene Chloride	mg/l	0.0220	0.0211	92.0		0-125		20	WG476638

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	Laboratory Control		Sample Duplicate		Limit	RPD	Limit	Batch
		Result	Ref	Rec	Rec				
n-Butylbenzene	mg/l	0.0230	0.0241	92.0	92.0	71-142	6.51	20	WG476638
n-Propylbenzene	mg/l	0.0230	0.0246	92.0	92.0	71-132	6.51	20	WG476638
Naphthalene	mg/l	0.0253	0.0244	101.	101.	56-145	3.39	20	WG476638
p-Isopropyltoluene	mg/l	0.0236	0.0253	0	0	66-138	6.85	20	WG476638
sec-Butylbenzene	mg/l	0.0233	0.0250	93.0	93.0	70-135	6.75	20	WG476638
Styrene	mg/l	0.0244	0.0257	97.0	97.0	78-130	5.35	20	WG476638
tert-Butylbenzene	mg/l	0.0246	0.0259	98.	98.	2-134	.9	0	WG476638
Tetrachloroethene	mg/l	0.0225	0.0240	90.0	90.0	67-135	6.76	20	WG476638
Toluene	mg/l	0.0226	0.0229	90.0	90.0	72-122	1.46	20	WG476638
trans-1,2-Dichloroethene	mg/l	0.0209	0.0213	88.	88.	7-129	2.	0	WG476638
trans-1,3-Dichloropropene	mg/l	0.0255	0.0255	102.	102.	66-137	0.110	20	WG476638
Trichloroethene	mg/l	0.0238	0.0245	95.0	95.0	74-126	2.91	20	WG476638
Trichlorofluoromethane	mg/l	0.0270	0.0295	103.	103.	55-156	8.	0	WG476638
Vinyl chloride	mg/l	0.0256	0.0271	102.	102.	55-153	5.45	20	WG476638
Xylenes, Total	mg/l	0.0703	0.0748	94.0	94.0	75-128	6.11	20	WG476638
4-Bromofluorobenzene				110.3		-128			WG476638
Dibromofluoromethane				113.4		79-125			WG476638
Toluene-d8				110.4		87-114			WG476638
1,1,1,2-Tetrachloroethane	mg/l	0.0217	0.0223	87.0	87.0	75-134	2.54	20	WG476629
1,1,1-Trichloroethane	mg/l	0.0211	0.0221	84.0	84.0	67-137	4.86	20	WG476629
1,1,2,2-Tetrachloroethane	mg/l	0.0230	0.0229	92.0	92.0	2-128	0.320	0	WG476629
1,1,2-Trichloroethane	mg/l	0.0213	0.0216	85.0	85.0	79-123	1.38	20	WG476629
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0202	0.0212	81.0	81.0	51-149	4.57	20	WG476629
1,1-Dichloroethane	mg/l	0.0208	0.0213	83.	83.	7-133	2.0	0	WG476629
1,1-Dichloroethene	mg/l	0.0189	0.0187	76.0	76.0	60-130	1.07	20	WG476629
1,1-Dichloropropene	mg/l	0.0218	0.0216	87.0	87.0	68-132	0.830	20	WG476629
1,2,3-Trichlorobenzene	mg/l	0.0164	0.0211	88.	88.	3-138	25.	0	WG476629
1,2,3-Trichloropropane	mg/l	0.0229	0.0240	92.0	92.0	68-130	4.58	20	WG476629
1,2,3-Trimethylbenzene	mg/l	0.0208	0.0210	83.0	83.0	70-127	0.850	20	WG476629
1,2,4-Trichlorobenzene	mg/l	0.0188	0.0206	67.	67.	5-137	19.	0	WG476629
1,2,4-Trimethylbenzene	mg/l	0.0220	0.0226	88.0	88.0	72-135	2.42	20	WG476629
1,2-Dibromo-3-Chloropropane	mg/l	0.0208	0.0217	83.0	83.0	55-134	4.55	20	WG476629
1,2-Dibromoethane	mg/l	0.0212	0.0212	85.	85.	5-126	0.0600	20	WG476629
1,2-Dichlorobenzene	mg/l	0.0224	0.0227	90.0	90.0	75-122	1.28	20	WG476629
1,2-Dichloroethane	mg/l	0.0220	0.0221	88.0	88.0	63-137	0.570	20	WG476629
1,2-Dichloropropane	mg/l	0.0216	0.0215	86.0	86.0	4-122	0.470	0	WG476629
1,3,5-Trimethylbenzene	mg/l	0.0211	0.0216	84.0	84.0	73-134	2.32	20	WG476629
1,3-Dichlorobenzene	mg/l	0.0220	0.0226	88.0	88.0	73-131	2.47	20	WG476629
1,3-Dichloropropane	mg/l	0.0210	0.0210	88.0	88.0	60-119	0.300	20	WG476629
1,4-Dichlorobenzene	mg/l	0.0203	0.0202	81.0	81.0	70-121	0.690	20	WG476629
2,2-Dichloropropane	mg/l	0.0212	0.0223	85.0	85.0	46-151	4.85	20	WG476629
2-Butanone (MEK)	mg/l	0.1	0.109	89.0	89.0	3-132	2.3	0	WG476629
2-Chloroethyl vinyl ether	mg/l	0.108	0.107	86.0	86.0	0-171	0.690	27	WG476629
2-Chlorotoluene	mg/l	0.0213	0.0219	85.0	85.0	74-128	2.60	20	WG476629
4-Chlorotoluene	mg/l	0.0217	0.0221	87.0	87.0	4-130	1.84	0	WG476629
4-Methyl-2-pentanone (MIBK)	mg/l	0.108	0.109	86.0	86.0	60-142	0.880	20	WG476629
Acetone	mg/l	0.103	0.106	82.0	82.0	48-134	2.56	20	WG476629
Acrolein	mg/l	0.0771	0.0820	62.	62.	-182	6.2	9	WG476629
Acrylonitrile	mg/l	0.110	0.113	88.0	88.0	60-140	1.89	20	WG476629
Benzene	mg/l	0.0202	0.0200	81.0	81.0	67-126	1.12	20	WG476629
Bromobenzene	mg/l	0.0211	0.0213	84.	84.	6-123	0.970	21	WG476629
Bromodichloromethane	mg/l	0.0232	0.0231	93.0	93.0	68-133	0.460	20	WG476629
Bromoform	mg/l	0.0214	0.0214	86.0	86.0	60-139	0.0400	20	WG476629
Bromomethane	mg/l	0.0198	0.0199	80.0	80.0	45-137	0.0400	20	WG476629
Carbon tetrachloride	mg/l	0.0205	0.0214	82.0	82.0	64-141	4.37	20	WG476629
Chlorobenzene	mg/l	0.0212	0.0217	85.0	85.0	77-125	2.08	20	WG476629
Chlorodibromomethane	mg/l	0.0232	0.0232	92.0	92.0	60-138	.450	20	WG476629

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	% Rec				
Chloroethane	mg/l	0.0205	0.0199	82.0	-15	0.95	20	WG476629
Chloroform	mg/l	0.0205	0.0205	82.0	66-126	0.360	20	WG476629
Chloromethane	mg/l	0.0200	0.0198	80.0	45-152	0.860	20	WG476629
cis-1,2-Dichloroethane	mg/l	0.0209	0.0207	82.0	52-220	1.09	20	WG476629
cis-1,3-Dichloropropene	mg/l	0.0230	0.0230	92.0	3-131	0.130	20	WG476629
Di-isopropyl ether	mg/l	0.0209	0.0212	84.0	63-139	1.31	20	WG476629
Dibromomethane	mg/l	0.0222	0.0222	80.0	3-125	0.750	0	WG476629
Dichlorodifluoromethane	mg/l	0.0215	0.0226	86.0	39-189	4.98	24	WG476629
Ethylbenzene	mg/l	0.0222	0.0223	89.0	76-129	0.590	20	WG476629
Hexachloro-1,3-butadiene	mg/l	0.0169	0.0198	68.0	7-135	1	0	WG476629
Isopropylbenzene	mg/l	0.0203	0.0209	81.0	73-132	2.79	20	WG476629
Methyl tert-butyl ether	mg/l	0.0209	0.0211	84.0	51-142	0.850	20	WG476629
Methylene Chloride	mg/l	0.0185	0.0187	74.0	4-125	1.0	0	WG476629
n-Butylbenzene	mg/l	0.0228	0.0230	91.0	63-142	0.620	20	WG476629
n-Propylbenzene	mg/l	0.0222	0.0225	89.0	71-132	1.30	20	WG476629
Naphthalene	mg/l	0.0186	0.0229	74.0	-145	20.0	0	WG476629
p-Isopropyltoluene	mg/l	0.0215	0.0221	86.0	68-138	3.09	20	WG476629
sec-Butylbenzene	mg/l	0.0213	0.0221	85.0	70-135	3.61	20	WG476629
Styrene	mg/l	0.0228	0.0228	91.0	8-130	0.310	0	WG476629
tert-Butylbenzene	mg/l	0.0212	0.0220	85.0	72-134	3.46	20	WG476629
Tetrachloroethene	mg/l	0.0206	0.0209	82.0	67-135	1.45	20	WG476629
Toluene	mg/l	0.0202	0.0202	80.0	58-122	0.0900	0	WG476629
trans-1,2-Dichloroethane	mg/l	0.0193	0.0198	77.0	67-129	2.19	20	WG476629
trans-1,3-Dichloropropene	mg/l	0.0232	0.0235	93.0	66-137	1.24	20	WG476629
Trichloroethene	mg/l	0.0201	0.0200	80.0	4-126	0.280	0	WG476629
Trichlorofluoromethane	mg/l	0.0221	0.0239	88.0	54-156	7.87	20	WG476629
Vinyl chloride	mg/l	0.0210	0.0215	84.0	55-153	2.36	20	WG476629
Xylenes, Total	mg/l	0.0648	0.0653	86.0	5-128	0.780	0	WG476629
4-Bromofluorobenzene				98.37	75-128			WG476629
Dibromofluoromethane				103.2	79-125			WG476629
Toluene-d8				99.45	7-114			WG476629
Tetrachloroethene	mg/kg	0.0208	0.0197	83.0	65-135	5.80	20	WG476865
4-Bromofluorobenzene				95.83	9-140			WG476865
Dibromofluoromethane				116.1	63-139			WG476865
Toluene-d8				104.9	84-116			WG476865

Analyte	Units	Matrix Spike			Limit	Ref Samp	Batch
		MS Res	Ref Res	% Rec			
1,1,1,2-Tetrachloroethane	mg/kg	0.10	0	0.5	23-147	L455862-01	WG476129
1,1,1-Trichloroethane	mg/kg	0.0907	0	0.25	23-147	L455862-01	WG476129
1,1,2,2-Tetrachloroethane	mg/kg	0.110	0	0.25	18-150	L455862-01	WG476129
1,1,2-Trichloroethane	mg/kg	0	0	0.25	35-140	L455862-01	WG476129
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0856	0	0.25	10-145	L455862-01	WG476129
1,1-Dichloroethane	mg/kg	0.101	0	0.25	24-148	L455862-01	WG476129
1,1-Dichloroethene	mg/kg	0.0743	0	0.25	59.6	10-149	L455862-01
1,1-Dichloropropene	mg/kg	0.0741	0	0.25	59.3	10-141	L455862-01
1,2,3-Trichlorobenzene	mg/kg	0.0767	0	0.25	61.4	10-129	L455862-01
1,2,3-Trichloropropene	mg/kg	0.101	0	0.25	81.0	30-148	L455862-01
1,2,3-Trimethylbenzene	mg/kg	0.101	0	0.25	80.6	10-137	L455862-01
1,2,4-Trichlorobenzene	mg/kg	0.0691	0	0.25	55.2	10-119	L455862-01
1,2,4-Trimethylbenzene	mg/kg	0.0915	0	0.25	73.3	10-145	L455862-01
1,2-Dibromo-3-Chloropropane	mg/kg	0.0880	0	0.25	70.4	19-145	L455862-01
1,2-Dibromoethane	mg/kg	0.103	0	0.25	82.3	24-145	L455862-01
1,2-Dichlorobenzene	mg/kg	0.0987	0	0.25	79.8	12-130	L455862-01
1,2-Dichloroethane	mg/kg	0.0996	0	0.25	79.7	21-155	L455862-01
1,2-Dichloropropene	mg/kg	0.107	0	0.25	86.0	28-144	L455862-01

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	MS Res	Matrix Spike			Limit	Ref Samp	Batch
			Ref Res	TV	% Rec			
1,3,5-Trimethylbenzene	mg/kg	0.0900	0	.025	72.3	10-135	L455862-01	WG476129
1,3-Dichlorobenzene	mg/kg	0.106	0	.025	84.6	10-129	L455862-01	WG476129
1,3-Dichloropropane	mg/kg	0.106	0	.025	85.0	31-137	L455862-01	WG476129
1,4-Dichlorobenzene	mg/kg	0.0912	0	.025	73.	10-121	L455862-01	WG476129
2,2-Dichloropropane	mg/kg	0.0889	0	.025	71.1	18-144	L455862-01	WG476129
2-Butanone (MEK)	mg/kg	0.543	0	.125	86.8	21-143	L455862-01	WG476129
2-Chloroethyl vinyl ether	mg/kg	0.378	0	.25	60.6	0-176	L455862-01	WG476129
2-Chlorotoluene	mg/kg	0.0878	0	.025	70.2	10-132	L455862-01	WG476129
4-Chlorotoluene	mg/kg	0.0885	0	.025	70.8	10-129	L455862-01	WG476129
4-Methyl-2-pentanone (MIBK)	mg/kg	0.560	0	.25	89.6	1-151	L455862-01	WG476129
Acetone	mg/kg	0.589	0	.125	94.2	13-158	L455862-01	WG476129
Acrylonitrile	mg/kg	0.507	0	.125	81.1	20-154	L455862-01	WG476129
Benzene	mg/kg	0.0870	0	.25	89.6	16-143	L455862-01	WG476129
Bromobenzene	mg/kg	0.0832	0	.025	66.6	14-135	L455862-01	WG476129
Bromodichloromethane	mg/kg	0.0970	0	.025	77.6	27-139	L455862-01	WG476129
Bromoform	mg/kg	0.0946	0	.2	5.6	21-144	L455862-01	WG476129
Bromomethane	mg/kg	0.0996	0	.025	79.6	0-180	L455862-01	WG476129
Carbon tetrachloride	mg/kg	0.0792	0	.025	63.4	12-149	L455862-01	WG476129
Chlorobenzene	mg/kg	0.0994	0	.2	9.	17-134	L455862-01	WG476129
Chlorodibromomethane	mg/kg	0.0987	0	.025	79.0	28-147	L455862-01	WG476129
Chloroethane	mg/kg	0.0847	0	.025	67.8	0-172	L455862-01	WG476129
Chloroform	mg/kg	0.0969	0	.25	88.5	28-138	L455862-01	WG476129
Chloromethane	mg/kg	0.0693	0	.025	55.4	10-158	L455862-01	WG476129
cis-1,2-Dichloroethene	mg/kg	0.0940	0	.025	75.2	21-147	L455862-01	WG476129
cis-1,3-Dichloropropene	mg/kg	0.0960	0	.2	6.8	17-145	L455862-01	WG476129
Di-isopropyl ether	mg/kg	0.105	0	.025	84.0	31-153	L455862-01	WG476129
Dibromomethane	mg/kg	0.0979	0	.025	78.3	24-147	L455862-01	WG476129
Dichlorodifluoromethane	mg/kg	0.0796	0	.25	63.7	0-192	L455862-01	WG476129
Ethylbenzene	mg/kg	0.0926	0	.025	74.1	12-137	L455862-01	WG476129
Hexachloro-1,3-butadiene	mg/kg	0.0737	0	.025	58.9	10-123	L455862-01	WG476129
Isopropylbenzene	mg/kg	0.0880	0	.25	70.4	14-134	L455862-01	WG476129
Methyl tert-butyl ether	mg/kg	0.0965	0	.025	77.2	21-157	L455862-01	WG476129
Methylene Chloride	mg/kg	0.0820	0	.025	65.6	12-149	L455862-01	WG476129
n-Butylbenzene	mg/kg	0.079	0	.025	63.3	10-130	L455862-01	WG476129
n-Propylbenzene	mg/kg	0.0865	0	.025	69.2	10-130	L455862-01	WG476129
Naphthalene	mg/kg	0.0858	0	.025	68.6	0-146	L455862-01	WG476129
p-Isopropyltoluene	mg/kg	0.0933	0	.25	73.	10-131	L455862-01	WG476129
sec-Butylbenzene	mg/kg	0.102	0	.025	81.6	10-134	L455862-01	WG476129
Styrene	mg/kg	0.0962	0	.025	77.0	10-140	L455862-01	WG476129
tert-Butylbenzene	mg/kg	0.0969	0	.02	7.5	11-137	L455862-01	WG476129
Tetrachloroethene	mg/kg	0.0803	0	.025	64.2	10-131	L455862-01	WG476129
Toluene	mg/kg	0.0841	0	.025	67.2	12-136	L455862-01	WG476129
trans-1,2-Dichloroethene	mg/kg	0.0753	0	.025	60.2	10-143	L455862-01	WG476129
trans-1,3-Dichloropropene	mg/kg	0.0940	0	.025	75.2	16-147	L455862-01	WG476129
Trichloroethene	mg/kg	0.0879	0	.025	70.3	10-155	L455862-01	WG476129
Trichlorofluoromethane	mg/kg	0.0808	0	.025	64.6	10-154	L455862-01	WG476129
Vinyl chloride	mg/kg	0.0706	0	.025	56.5	10-159	L455862-01	WG476129
Xylenes, Total	mg/kg	0.274	0	.075	73.2	10-138	L455862-01	WG476129
4-Bromofluorobenzene					95.12	59-140		WG476129
Dibromofluoromethane					99.33	63-139		WG476129
Toluene-d8					99.55	84-116		WG476129
1,1,1,2-Tetrachloroethane	mg/l	0.0251	0	.025	100.	43-152	L455837-01	WG476638
1,1,1-Trichloroethane	mg/l	0.0221	0	.025	88.5	31-161	L455837-01	WG476638
1,1,2,2-Tetrachloroethane	mg/l	0.0252	0	.025	101.	49-153	L455837-01	WG476638
1,1,2-Trichloroethane	mg/l	0.0253	0	.025	101.	46-145	L455837-01	WG476638
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0207	0	.025	82.7	14-168	L455837-01	WG476638
1,1-Dichloroethane	mg/l	0.0228	0	.025	88.2	30-152	L455837-01	WG476638

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	MS Res	Matrix Spike		TV	% Rec	Limit	Ref Samp	Batch
			Ref Res						
1,1-Dichloroethene	mg/l	0.018	0	0.025	75.2	10-152	L455837-01	WG476638	
1,1-Dichloropropene	mg/l	0.0210	0	0.025	83.8	14-162	L455837-01	WG476638	
1,2,3-Trichlorobenzene	mg/l	0.0261	0	0.025	104.	32-143	L455837-01	WG476638	
1,2,3-Trichloropropene	mg/l	0.0273	0	0.025	109.	48-148	L455837-01	WG476638	
1,2,3-Trimethylbenzene	mg/l	0.0242	0	0.025	96.6	36-141	L455837-01	WG476638	
1,2,4-Trichlorobenzene	mg/l	0.0232	0	0.025	93.0	27-142	L455837-01	WG476638	
1,2,4-Trimethylbenzene	mg/l	0.0236	0	0.025	94.2	29-153	L455837-01	WG476638	
1,2-Dibromo-3-Chloropropane	mg/l	0.0254	0	0.025	102.	37-148	L455837-01	WG476638	
1,2-Dibromoethane	mg/l	0.0260	0	0.025	104.	41-149	L455837-01	WG476638	
1,2-Dichlorobenzene	mg/l	0.0245	0	0.025	98.0	40-139	L455837-01	WG476638	
1,2-Dichloroethane	mg/l	0.0260	0	0.025	104.	29-167	L455837-01	WG476638	
1,2-Dichloropropene	mg/l	0.0230	0	0.025	91.8	39-148	L455837-01	WG476638	
1,3,5-Trimethylbenzene	mg/l	0.0232	0	0.025	92.8	33-149	L455837-01	WG476638	
1,3-Dichlorobenzene	mg/l	0.0243	0	0.025	97.1	32-148	L455837-01	WG476638	
1,3-Dichloropropene	mg/l	0.0254	0	0.025	101.	44-142	L455837-01	WG476638	
1,4-Dichlorobenzene	mg/l	0.0222	0	0.025	90.8	-136	L455837-01	WG476638	
2,2-Dichloropropane	mg/l	0.0195	0	0.025	77.8	14-158	L455837-01	WG476638	
2-Butanone (MEK)	mg/l	0.117	0	0.125	93.5	32-151	L455837-01	WG476638	
2-Chloroethyl vinyl ether	mg/l	0.000638	0	0.025	95.10	0-17	L455837-01	WG476638	
2-Chlorotoluene	mg/l	0.0239	0	0.025	95.7	35-147	L455837-01	WG476638	
4-Chlorotoluene	mg/l	0.0237	0	0.025	94.9	33-147	L455837-01	WG476638	
4-Methyl-2-pentanone (M)	mg/l	0.112	0	0.125	99.8	40-160	L455837-01	WG476638	
Acetone	mg/l	0.108	0	0.125	86.3	25-157	L455837-01	WG476638	
Acrolein	mg/l	0.0800	0	0.125	64.0	0-179	L455837-01	WG476638	
Acrylonitrile	mg/l	0.11	0	0.025	82.0	37-162	L455837-01	WG476638	
Benzene	mg/l	0.0217	0	0.025	86.8	16-158	L455837-01	WG476638	
Bromobenzene	mg/l	0.0253	0	0.025	101.	37-147	L455837-01	WG476638	
Bromodichloromethane	mg/l	0.0253	0	0.025	01.	45-147	L455837-01	WG476638	
Bromoform	mg/l	0.0242	0	0.025	96.9	38-152	L455837-01	WG476638	
Bromomethane	mg/l	0.0249	0	0.025	99.6	0-191	L455837-01	WG476638	
Carbon tetrachloride	mg/l	0.02	0	0.025	84.3	22-168	L455837-01	WG476638	
Chlorobenzene	mg/l	0.0247	0	0.025	98.9	33-148	L455837-01	WG476638	
Chlorodibromomethane	mg/l	0.0261	0	0.025	104.	48-151	L455837-01	WG476638	
Chloroethane	mg/l	0.023	0	0.025	82.6	4-176	L455837-01	WG476638	
Chloroform	mg/l	0.0231	0	0.025	92.2	37-147	L455837-01	WG476638	
Chloromethane	mg/l	0.0228	0	0.025	91.3	10-174	L455837-01	WG476638	
cis-1,2-Dichloroethene	mg/l	0.0222	0	0.025	88.9	29-156	L455837-01	WG476638	
cis-1,3-Dichloropropene	mg/l	0.0255	0	0.025	102.	35-148	L455837-01	WG476638	
Di-isopropyl ether	mg/l	0.0224	0	0.025	89.7	39-160	L455837-01	WG476638	
Dibromomethane	mg/l	0.0250	0	0.025	100.	36-152	L455837-01	WG476638	
Dichlorodifluoromethane	mg/l	0.0207	0	0.025	82.7	0-200	L455837-01	WG476638	
Ethylbenzene	mg/l	0.0233	0	0.025	93.2	29-150	L455837-01	WG476638	
Hexachloro-1,3-butadiene	mg/l	0.023	0	0.025	92.4	28-144	L455837-01	WG476638	
Isopropylbenzene	mg/l	0.0210	0	0.025	83.8	35-147	L455837-01	WG476638	
Methyl tert-butyl ether	mg/l	0.0194	0	0.025	77.5	24-167	L455837-01	WG476638	
Methylene Chloride	mg/l	0.0198	0	0.025	9.3	23-151	L455837-01	WG476638	
n-Butylbenzene	mg/l	0.0212	0	0.025	84.6	22-151	L455837-01	WG476638	
n-Propylbenzene	mg/l	0.0223	0	0.025	89.3	26-150	L455837-01	WG476638	
Naphthalene	mg/l	0.0259	0	0.025	04.	24-160	L455837-01	WG476638	
p-Isopropyltoluene	mg/l	0.0230	0	0.025	92.0	28-151	L455837-01	WG476638	
sec-Butylbenzene	mg/l	0.0231	0	0.025	92.4	32-149	L455837-01	WG476638	
Styrene	mg/l	0.0239	0	0.025	5.7	38-14	L455837-01	WG476638	
tert-Butylbenzene	mg/l	0.0241	0	0.025	96.4	36-149	L455837-01	WG476638	
Tetrachloroethene	mg/l	0.0207	0	0.025	82.8	13-157	L455837-01	WG476638	
Toluene	mg/l	0.0216	0	0.025	88.4	23-152	L455837-01	WG476638	
trans-1,2-Dichloroethene	mg/l	0.0200	0	0.025	79.9	11-160	L455837-01	WG476638	
trans-1,3-Dichloropropene	mg/l	0.0254	0	0.025	102.	33-153	L455837-01	WG476638	
Trichloroethene	mg/l	0.0213	0	0.025	92.3	18-163	L455837-01	WG476638	
Trichlorofluoromethane	mg/l	0.0244	0	0.025	97.5	10-177	L455837-01	WG476638	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	Matrix Spike			% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
Vinyl chloride	mg/l	0.0227	0	0.025	91.1	27-151	L455837-01	WG476638
Xylenes, Total	mg/l	0.0707	0	0.075	94.3	27-151	L455837-01	WG476638
4-Bromofluorobenzene					109.1	75-128		WG476638
Dibromofluoromethane					112.1	79-125		WG476638
Toluene-d8					108.5	87-114		WG476638
Tetrachloroethane	mg/l	0.113	0	0.25	90.	10-131	L455862-05	WG476620
4-Bromofluorobenzene					100.7	59-140		WG476620
Dibromofluoromethane					107.9	63-139		WG476620
Toluene-d8					103.4	84-116		WG476620
1,1,1,2-Tetrachloroethane	mg/l	0.227	0	0.025	90.7	45-152	L455867-12	WG476629
1,1,1-Trichloroethane	mg/l	0.221	0	0.25	89.3	1-161	L455867-12	WG476629
1,1,2,2-Tetrachloroethane	mg/l	0.208	0	0.025	83.3	49-149	L455867-12	WG476629
1,1,2-Trichloroethane	mg/l	0.201	0	0.025	80.6	46-145	L455867-12	WG476629
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.205	0	0.25	81.9	14-168	L455867-12	WG476629
1,1-Dichloroethane	mg/l	0.221	0	0.025	88.3	30-159	L455867-12	WG476629
1,1-Dichloropropene	mg/l	0.205	0.0120	0.025	77.0	10-162	L455867-12	WG476629
1,2,3-Trichlorobenzene	mg/l	0.22	0	0.25	93.	14-162	L455867-12	WG476629
1,2,3-Trichloropropene	mg/l	0.197	0	0.025	79.0	32-143	L455867-12	WG476629
1,2,3-Trimethylbenzene	mg/l	0.208	0	0.025	83.2	48-148	L455867-12	WG476629
1,2,4-Trichlorobenzene	mg/l	0.205	0	0.25	86.1	36-141	L455867-12	WG476629
1,2,4-Trimethylbenzene	mg/l	0.200	0	0.025	79.9	27-142	L455867-12	WG476629
1,2,4-Trimethylbenzene	mg/l	0.227	0	0.025	90.7	29-153	L455867-12	WG476629
1,2-Dibromo-3-Chloropropane	mg/l	0.202	0	0.25	90.7	37-148	L455867-12	WG476629
1,2-Dibromoethane	mg/l	0.195	0	0.025	78.1	41-149	L455867-12	WG476629
1,2-Dichlorobenzene	mg/l	0.223	0	0.025	89.2	40-139	L455867-12	WG476629
1,2-Dichloroethane	mg/l	0.201	0	0.25	90.6	29-167	L455867-12	WG476629
1,2-Dichloropropene	mg/l	0.222	0	0.025	88.7	39-148	L455867-12	WG476629
1,3,5-Trimethylbenzene	mg/l	0.218	0	0.025	87.2	33-149	L455867-12	WG476629
1,3-Dichlorobenzene	mg/l	0.231	0	0.25	82.5	32-148	L455867-12	WG476629
1,3-Dichloropropene	mg/l	0.200	0	0.025	79.9	44-142	L455867-12	WG476629
1,4-Dichlorobenzene	mg/l	0.205	0	0.025	81.8	32-136	L455867-12	WG476629
2,2-Dichloropropene	mg/l	0.223	0	0.025	89.1	14-158	L455867-12	WG476629
2-Butanone (MEK)	mg/l	0.967	0	0.125	77.4	32-151	L455867-12	WG476629
2-Chloroethyl vinyl ether	mg/l	0.378	0	0.125	30.2	0-175	L455867-12	WG476629
2-Chlorotoluene	mg/l	0.222	0	0.25	88.8	35-147	L455867-12	WG476629
4-Chlorotoluene	mg/l	0.226	0	0.025	90.4	33-147	L455867-12	WG476629
4-Methyl-2-pentanone (MIBK)	mg/l	0.959	0	0.125	76.7	40-160	L455867-12	WG476629
Acetone	mg/l	0.896	0	0.125	71.7	25-157	L455867-12	WG476629
Acrolein	mg/l	0.651	0	0.125	52.1	0-179	L455867-12	WG476629
Acrylonitrile	mg/l	1.05	0	0.125	83.9	37-162	L455867-12	WG476629
Benzene	mg/l	0.204	0	0.025	81.8	16-158	L455867-12	WG476629
Bromobenzene	mg/l	0.211	0	0.025	84.4	37-147	L455867-12	WG476629
Bromodichloromethane	mg/l	0.230	0	0.025	92.0	45-147	L455867-12	WG476629
Bromoform	mg/l	0.200	0	0.025	80.2	38-152	L455867-12	WG476629
Bromomethane	mg/l	0.205	0	0.025	81.9	0-191	L455867-12	WG476629
Carbon tetrachloride	mg/l	0.218	0	0.025	87.2	22-168	L455867-12	WG476629
Chlorobenzene	mg/l	0.224	0	0.025	89.4	33-148	L455867-12	WG476629
Chlorodibromomethane	mg/l	0.220	0	0.025	87.8	48-151	L455867-12	WG476629
Chloroethane	mg/l	0.210	0	0.025	83.8	4-176	L455867-12	WG476629
Chloroform	mg/l	0.205	0	0.025	2.1	37-147	L455867-12	WG476629
Chloromethane	mg/l	0.204	0	0.025	81.6	10-174	L455867-12	WG476629
cis-1,2-Dichloroethane	mg/l	0.346	0.130	0.025	86.6	29-156	L455867-12	WG476629
cis-1,3-Dichloropropene	mg/l	0.228	0	0.025	81.3	35-148	L455867-12	WG476629
Di-isopropyl ether	mg/l	0.223	0	0.025	89.1	39-160	L455867-12	WG476629
Dibromomethane	mg/l	0.211	0	0.025	84.4	36-152	L455867-12	WG476629

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	MS Res	Ref Res	TV	% Rec	Limit	Ref Samp	Batch
Dichlorodifluoromethane	mg/l	0.200	0	0.025	80.1	200	L455867-12	WG476629
Ethylbenzene	mg/l	0.234	0	0.025	93.5	29-150	L455867-12	WG476629
Hexachloro-1,3-butadiene	mg/l	0.209	0	0.025	83.8	28-144	L455867-12	WG476629
Isopropylbenzene	mg/l	0.200	0	0.025	84.1	35-147	L455867-12	WG476629
Methyl tert-butyl ether	mg/l	0.201	0	0.025	80.5	24-167	L455867-12	WG476629
Methylene Chloride	mg/l	0.185	0	0.025	74.1	23-151	L455867-12	WG476629
n-Butylbenzene	mg/l	0.237	0	0.025	84.6	22-151	L455867-12	WG476629
n-Propylbenzene	mg/l	0.228	0	0.025	91.2	26-150	L455867-12	WG476629
Naphthalene	mg/l	0.211	0	0.025	84.6	24-160	L455867-12	WG476629
p-Isopropyltoluene	mg/l	0.227	0	0.025	80.6	28-151	L455867-12	WG476629
sec-Butylbenzene	mg/l	0.219	0	0.025	87.5	32-149	L455867-12	WG476629
Styrene	mg/l	0.239	0	0.025	95.8	38-149	L455867-12	WG476629
tert-Butylbenzene	mg/l	0.22	0	0.025	88.1	149	L455867-12	WG476629
Tetrachloroethene	mg/l	0.219	0	0.025	87.5	13-157	L455867-12	WG476629
Toluene	mg/l	0.207	0	0.025	82.9	22-152	L455867-12	WG476629
trans-1,2-Dichloroethene	mg/l	0.207	0	0.025	83.0	11-160	L455867-12	WG476629
trans-1,3-Dichloropropene	mg/l	0.224	0	0.025	89.5	33-153	L455867-12	WG476629
Trichloroethene	mg/l	0.589	0.370	0.025	87.4	18-163	L455867-12	WG476629
Trichlorofluoromethane	mg/l	0.231	0	0.025	82.1	10-177	L455867-12	WG476629
Vinyl chloride	mg/l	0.215	0	0.025	85.9	0-179	L455867-12	WG476629
Xylenes, Total	mg/l	0.681	0	0.075	90.8	27-151	L455867-12	WG476629
4-Bromofluorobenzene					97.84	75-128		WG476629
Dibromofluoromethane					100.2	79-125		WG476629
Toluene-d8					98.82	87-114		WG476629
Tetrachloroethene	mg/kg	0.0831	0	0.025	66.5	10-131	L456074-22	WG476865
4-Bromofluorobenzene					92.81	59-140		WG476865
Dibromofluoromethane					113.4	63-139		WG476865
Toluene-d8					102.6	84-116		WG476865

Analyte	Units	MSD	Ref	% Rec	Limit	RPD	Limit	Ref Samp	Batch
1,1,1,2-Tetrachloroethane	mg/kg	0.111	0.108	88.9	9-145	2.32	31	L455862-01	WG476129
1,1,1-Trichloroethane	mg/kg	0.0947	0.0907	75.8	23-147	4.29	32	L455862-01	WG476129
1,1,2,2-Tetrachloroethane	mg/kg	0.121	0.110	96.5	18-150	9.49	33	L455862-01	WG476129
1,1,2-Trichloroethane	mg/kg	0.121	0.113	6.9	33-140	6.69	2	L455862-01	WG476129
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0907	0.0856	72.5	10-145	5.72	35	L455862-01	WG476129
1,1-Dichloroethane	mg/kg	0.105	0.101	84.1	24-148	3.76	31	L455862-01	WG476129
1,1-Dichloroethene	mg/kg	0.0789	0.074	63	-149	5.70	34	L455862-01	WG476129
1,1-Dichloropropene	mg/kg	0.0809	0.0741	64.7	10-141	8.72	34	L455862-01	WG476129
1,2,3-Trichlorobenzene	mg/kg	0.100	0.0767	80.2	10-129	26.6	43	L455862-01	WG476129
1,2,3-Trichloropropene	mg/kg	0.11	0.101	4.2	0-148	15.0	32	L455862-01	WG476129
1,2,3-Trimethylbenzene	mg/kg	0.104	0.101	83.4	10-137	3.39	36	L455862-01	WG476129
1,2,4-Trichlorobenzene	mg/kg	0.0903	0.0691	72.3	10-119	26.7	44	L455862-01	WG476129
1,2,4-Trimethylbenzene	mg/kg	0.0903	0.0916	79.	0-14	7.58	41	L455862-01	WG476129
1,2-Dibromo-3-Chloropropene	mg/kg	0.121	0.0880	96.6	19-145	31.3	35	L455862-01	WG476129
1,2-Dibromoethane	mg/kg	0.109	0.103	87.5	24-145	6.17	31	L455862-01	WG476129
1,2-Dichlorobenzene	mg/kg	0.1	0.0997	87.4	2-130	19.9	38	L455862-01	WG476129
1,2-Dichloroethane	mg/kg	0.108	0.0996	86.0	21-155	7.66	29	L455862-01	WG476129
1,2-Dichloropropene	mg/kg	0.110	0.107	87.8	28-144	2.10	30	L455862-01	WG476129
1,3,5-Trimethylbenzene	mg/kg	0.0955	0.090	76.4	0-135	5.49	3	L455862-01	WG476129
1,3-Dichlorobenzene	mg/kg	0.102	0.106	81.4	10-129	3.83	38	L455862-01	WG476129
1,3-Dichloropropene	mg/kg	0.111	0.106	89.0	31-137	4.61	29	L455862-01	WG476129
1,4-Dichlorobenzene	mg/kg	0.0973	0.0912	77.5	10-12	1.43	36	L455862-01	WG476129
2,2-Dichloropropene	mg/kg	0.0924	0.0889	74.0	18-144	3.88	32	L455862-01	WG476129
2-Butanone (MEK)	mg/kg	0.657	0.543	105.	21-143	19.1	37	L455862-01	WG476129
2-Chloroethyl vinyl ether	mg/kg	0.339	0.378	10.3	176	14.9	38	L455862-01	WG476129

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	MSD	Ref	Matrix Spike %Rec	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
2-Chlorotoluene	mg/kg	0.0923	0.0878	73.9	-132	10-129	2.91	38	L455862-01	WG476129
4-Chlorotoluene	mg/kg	0.0911	0.0885	72.9	10-129	31-151	13.8	36	L455862-01	WG476129
4-Methyl-2-pentanone (MIBK)	mg/kg	0.643	0.560	103.	13-153	10-143	4.35	31	L455862-01	WG476129
Acetone	mg/kg	0.687	0.589	110.	13-153	10-143	5.83	30	L455862-01	WG476129
Acrylonitrile	mg/kg	0.594	0.507	95.1	20-154	16-143	15.8	35	L455862-01	WG476129
Benzene	mg/kg	0.0909	0.0870	72.7	16-143	4-135	4.35	31	L455862-01	WG476129
Bromobenzene	mg/kg	0.0881	0.0832	70.4	4-135	27-139	5.83	30	L455862-01	WG476129
Bromodichloromethane	mg/kg	0.105	0.0970	83.8	27-139	21-144	7.63	30	L455862-01	WG476129
Bromoform	mg/kg	0.104	0.0946	83.4	21-144	-180	9.74	34	L455862-01	WG476129
Bromomethane	mg/kg	0.10	0.0996	80.4	-180	12-149	0.960	31	L455862-01	WG476129
Carbon tetrachloride	mg/kg	0.0854	0.0792	68.3	12-149	17-134	7.55	34	L455862-01	WG476129
Chlorobenzene	mg/kg	0.102	0.0994	81.6	17-134	8-14	2.54	34	L455862-01	WG476129
Chlorodibromomethane	mg/kg	0.10	0.0987	85.	8-14	0-172	7.51	32	L455862-01	WG476129
Chloroethane	mg/kg	0.0876	0.0847	70.1	0-172	28-138	3.40	38	L455862-01	WG476129
Chloroform	mg/kg	0.103	0.0969	82.1	28-138	0-158	5.77	30	L455862-01	WG476129
Chloromethane	mg/kg	0.0716	0.0693	7.3	0-158	21-147	3.22	35	L455862-01	WG476129
cis-1,2-Dichloroethene	mg/kg	0.0982	0.0940	78.6	21-147	17-145	4.34	31	L455862-01	WG476129
cis-1,3-Dichloropropene	mg/kg	0.101	0.0960	80.7	17-145	1-153	5.00	32	L455862-01	WG476129
Di-isopropyl ether	mg/kg	0.10	0.10	87.2	1-153	24-147	3.77	2	L455862-01	WG476129
Dibromomethane	mg/kg	0.102	0.0979	82.0	24-147	0-192	4.60	30	L455862-01	WG476129
Dichlorodifluoromethane	mg/kg	0.0837	0.0796	66.9	0-192	2-137	4.93	38	L455862-01	WG476129
Ethylbenzene	mg/kg	0.0959	0.0926	76.7	2-137	10-123	3.49	36	L455862-01	WG476129
Hexachloro-1,3-butadiene	mg/kg	0.0948	0.0737	75.8	10-123	14-134	25.0	50	L455862-01	WG476129
Isopropylbenzene	mg/kg	0.0906	0.0880	72.4	14-134	1-15	2.92	37	L455862-01	WG476129
Methyl tert-butyl ether	mg/kg	0.10	0.0965	82.7	1-15	12-149	6.86	31	L455862-01	WG476129
Methylene Chloride	mg/kg	0.0867	0.0820	69.3	12-149	10-131	5.60	31	L455862-01	WG476129
n-Butylbenzene	mg/kg	0.101	0.0791	81.0	10-131	0-130	24.6	48	L455862-01	WG476129
n-Propylbenzene	mg/kg	0.0920	0.0865	73.6	0-130	29.5	6.16	40	L455862-01	WG476129
Naphthalene	mg/kg	0.116	0.0858	92.4	0-146	10-131	29.5	43	L455862-01	WG476129
p-Isopropyltoluene	mg/kg	0.0892	0.0933	71.4	10-131	0-134	4.48	43	L455862-01	WG476129
sec-Butylbenzene	mg/kg	0.0956	0.102	76.4	0-134	10-140	6.58	43	L455862-01	WG476129
Styrene	mg/kg	0.104	0.0962	83.2	10-140	11-137	7.72	35	L455862-01	WG476129
tert-Butylbenzene	mg/kg	0.101	0.0969	81.2	11-137	0-13	4.57	39	L455862-01	WG476129
Tetrachloroethene	mg/kg	0.0832	0.0803	66.6	0-13	10-143	3.62	32	L455862-01	WG476129
Toluene	mg/kg	0.0879	0.0841	70.4	10-143	6-147	4.50	32	L455862-01	WG476129
trans-1,2-Dichloroethene	mg/kg	0.0733	0.0753	58.6	6-147	10-155	2.67	33	L455862-01	WG476129
trans-1,3-Dichloropropene	mg/kg	0.10	0.0940	82.4	10-155	10-154	9.09	32	L455862-01	WG476129
Trichloroethene	mg/kg	0.0942	0.0879	75.4	10-154	-159	6.97	33	L455862-01	WG476129
Trichlorofluoromethane	mg/kg	0.0844	0.0808	67.5	-159	10-138	4.44	32	L455862-01	WG476129
Vinyl chloride	mg/kg	0.0733	0.0706	59.	10-138	59-140	4.62	36	L455862-01	WG476129
Xylenes, Total	mg/kg	0.287	0.274	76.5	59-140	3-139	4.44	36	L455862-01	WG476129
4-Bromofluorobenzene				95.15	3-139	84-116				WG476129
Dibromofluoromethane				102.7						WG476129
Toluene-d8				98.87						WG476129
1,1,1,2-Tetrachloroethane	mg/l	0.0247	0.0251	98.7	5-152	1.79	21	23	L455837-01	WG476638
1,1,1-Trichloroethane	mg/l	0.0225	0.0221	90.1	31-161	1.82	23	21	L455837-01	WG476638
1,1,2,2-Tetrachloroethane	mg/l	0.0246	0.0252	98.4	49-149	2.55	22	22	L455837-01	WG476638
1,1,2-Trichloroethane	mg/l	0.0256	0.0253	102	6-147	1.00	20	20	L455837-01	WG476638
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0212	0.0207	84.6	14-168	2.29	24	24	L455837-01	WG476638
1,1-Dichloroethane	mg/l	0.0237	0.0228	95.0	30-159	4.02	21	21	L455837-01	WG476638
1,1-Dichloroethene	mg/l	0.0190	0.0188	76.0	0-162	1.03	23	23	L455837-01	WG476638
1,1-Dichloropropene	mg/l	0.0216	0.0210	86.4	14-162	3.06	23	23	L455837-01	WG476638
1,2,3-Trichlorobenzene	mg/l	0.0255	0.0261	102.	32-143	2.57	33	33	L455837-01	WG476638
1,2,3-Trichloropropene	mg/l	0.0234	0.0273	104.	33-148	3.33	25	25	L455837-01	WG476638
1,2,3-Trimethylbenzene	mg/l	0.0234	0.0242	93.8	36-141	3.00	25	25	L455837-01	WG476638
1,2,4-Trichlorobenzene	mg/l	0.0229	0.0232	91.7	27-142	1.40	30	30	L455837-01	WG476638
1,2,4-Trimethylbenzene	mg/l	0.0229	0.0236	91.4	9-153	3.03	7	7	L455837-01	WG476638

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

May 07, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
1,2-Dibromo-3-Chloropropane	mg/l	0.0245	0.0254	98	-148	0.00	27	L455837-01	WG476638
1,2-Dibromoethane	mg/l	0.0256	0.0260	102.	41-149	1.52	21	L455837-01	WG476638
1,2-Dichlorobenzene	mg/l	0.0243	0.0245	97.4	40-139	0.610	23	L455837-01	WG476638
1,2-Dichloroethane	mg/l	0.0233	0.0260	105	-167	0.00	1	L455837-01	WG476638
1,2-Dichloropropane	mg/l	0.0238	0.0230	95.1	39-148	3.48	20	L455837-01	WG476638
1,3,5-Trimethylbenzene	mg/l	0.0225	0.0232	90.1	33-149	2.90	26	L455837-01	WG476638
1,3-Dichlorobenzene	mg/l	0.0238	0.0243	95.	2-148	2.21	24	L455837-01	WG476638
1,3-Dichloropropane	mg/l	0.0249	0.0254	99.6	44-142	1.81	20	L455837-01	WG476638
1,4-Dichlorobenzene	mg/l	0.0225	0.0227	89.9	32-136	1.08	23	L455837-01	WG476638
2,2-Dichloropropane	mg/l	0.0204	0.0195	81.7	4-158	4.89	23	L455837-01	WG476638
2-Butanone (MEK)	mg/l	0.114	0.117	91.4	32-151	2.24	26	L455837-01	WG476638
2-Chloroethyl vinyl ether	mg/l	0.000560	0.000638	0.448	0-175	13.0	75	L455837-01	WG476638
2-Chlorotoluene	mg/l	0.0243	0.0239	97.3	5-147	1.69	24	L455837-01	WG476638
4-Chlorotoluene	mg/l	0.0236	0.0237	94.4	33-147	0.560	25	L455837-01	WG476638
4-Methyl-2-pentanone (MIBK)	mg/l	0.115	0.112	92.3	40-160	2.74	28	L455837-01	WG476638
Acetone	mg/l	0.10	0.108	85.4	5-148	0.970	26	L455837-01	WG476638
Acrolein	mg/l	0.0787	0.0800	63.0	0-179	1.57	39	L455837-01	WG476638
Acrylonitrile	mg/l	0.112	0.115	89.7	37-162	2.54	24	L455837-01	WG476638
Benzene	mg/l	0.0223	0.0217	89.3	6-158	2.82	21	L455837-01	WG476638
Bromobenzene	mg/l	0.0250	0.0253	99.9	37-147	1.47	23	L455837-01	WG476638
Bromodichloromethane	mg/l	0.0258	0.0253	103.	45-147	2.29	20	L455837-01	WG476638
Bromoform	mg/l	0.0234	0.0242	93.4	8-152	3.68	20	L455837-01	WG476638
Bromomethane	mg/l	0.0255	0.0249	102.	0-191	2.44	35	L455837-01	WG476638
Carbon tetrachloride	mg/l	0.0217	0.0211	86.7	22-168	2.72	24	L455837-01	WG476638
Chlorobenzene	mg/l	0.0245	0.0247	98.	3-148	0.810	22	L455837-01	WG476638
Chlorodibromomethane	mg/l	0.0261	0.0261	104.	48-151	0.340	21	L455837-01	WG476638
Chloroethane	mg/l	0.0243	0.0231	97.3	4-176	4.96	27	L455837-01	WG476638
Chloroform	mg/l	0.02	0.023	94.7	7-147	2.68	21	L455837-01	WG476638
Chloromethane	mg/l	0.0234	0.0228	93.7	10-174	2.61	28	L455837-01	WG476638
cis-1,2-Dichloroethene	mg/l	0.0234	0.0222	93.5	29-156	5.01	22	L455837-01	WG476638
cis-1,3-Dichloropropene	mg/l	0.0260	0.0255	104	5-148	1.96	21	L455837-01	WG476638
Di-isopropyl ether	mg/l	0.0238	0.0224	95.0	39-160	5.81	21	L455837-01	WG476638
Dibromomethane	mg/l	0.0255	0.0250	102.	36-152	2.01	20	L455837-01	WG476638
Dichlorodifluoromethane	mg/l	0.0208	0.020	83.4	-200	0.800	26	L455837-01	WG476638
Ethylbenzene	mg/l	0.0228	0.0233	91.0	29-150	2.37	24	L455837-01	WG476638
Hexachloro-1,3-butadiene	mg/l	0.0229	0.0231	91.5	28-144	1.05	33	L455837-01	WG476638
Isopropylbenzene	mg/l	0.0212	0.0210	84.9	28-147	0.960	25	L455837-01	WG476638
Methyl tert-butyl ether	mg/l	0.0231	0.0194	92.4	24-167	17.6	22	L455837-01	WG476638
Methylene Chloride	mg/l	0.0220	0.0198	88.1	23-151	10.5	21	L455837-01	WG476638
n-Butylbenzene	mg/l	0.0202	0.0212	80.9	2-15	4.51	28	L455837-01	WG476638
n-Propylbenzene	mg/l	0.0220	0.0223	87.8	26-150	1.70	25	L455837-01	WG476638
Naphthalene	mg/l	0.0254	0.0259	101.	24-160	2.02	37	L455837-01	WG476638
p-Isopropyltoluene	mg/l	0.0225	0.0230	100.0	8-1	2.14	27	L455837-01	WG476638
sec-Butylbenzene	mg/l	0.0223	0.0231	89.2	32-149	3.48	26	L455837-01	WG476638
Styrene	mg/l	0.0224	0.0239	89.6	38-149	6.55	23	L455837-01	WG476638
tert-Butylbenzene	mg/l	0.0236	0.0241	104.	6-149	1.98	26	L455837-01	WG476638
Tetrachloroethene	mg/l	0.0207	0.0207	82.9	13-157	0.0600	24	L455837-01	WG476638
Toluene	mg/l	0.0216	0.0216	86.2	22-152	0.260	22	L455837-01	WG476638
trans-1,2-Dichloroethane	mg/l	0.0211	0.0200	84.3	1-160	5.33	23	L455837-01	WG476638
trans-1,3-Dichloropropene	mg/l	0.0259	0.0254	104.	33-153	2.01	22	L455837-01	WG476638
Trichloroethene	mg/l	0.0221	0.0213	88.3	18-163	3.45	21	L455837-01	WG476638
Trichlorofluoromethane	mg/l	0.0249	0.0244	99.6	0-177	2.10	24	L455837-01	WG476638
Vinyl chloride	mg/l	0.0225	0.0228	90.1	0-179	1.18	26	L455837-01	WG476638
Xylenes, Total	mg/l	0.0698	0.0707	93.0	27-151	1.34	23	L455837-01	WG476638
4-Bromofluorobenzene				109.2	-128				WG476638
Dibromofluoromethane				113.3	79-125				WG476638
Toluene-d8				110.4	87-114				WG476638

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

May 07, 2010

Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate	Limit	RPD	Limit Ref	Samp	Batch
Tetrachloroethene	mg/kg	0.107	0.113	85.5	-131	7.00	21	L455867-12	WG476629	WG476620
4-Bromofluorobenzene				103.2	59-140			L455867-12	WG476629	WG476620
Dibromofluoromethane				102.8	63-139			L455867-12	WG476629	WG476620
Toluene-d8				104.6	-116			L455867-12	WG476629	WG476620
1,1,1,2-Tetrachloroethane	mg/l	0.211	0.227	84.6	45-152	7.00	21	L455867-12	WG476629	WG476629
1,1,1-Trichloroethane	mg/l	0.21	0.221	85.8	1-16	2.89	23	L455867-12	WG476629	WG476629
1,1,2,2-Tetrachloroethane	mg/l	0.228	0.208	91.1	49-149	8.88	22	L455867-12	WG476629	WG476629
1,1,2-Trichloroethane	mg/l	0.218	0.201	87.1	46-145	7.78	20	L455867-12	WG476629	WG476629
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.20	0.20	81.	4-168	0.990	24	L455867-12	WG476629	WG476629
1,1-Dichloroethane	mg/l	0.215	0.221	86.0	30-159	2.67	21	L455867-12	WG476629	WG476629
1,1-Dichloroethane	mg/l	0.200	0.205	75.0	10-162	2.43	23	L455867-12	WG476629	WG476629
1,1-Dichloropropene	mg/l	0.21	0.22	87.4	4-162	2.28	23	L455867-12	WG476629	WG476629
1,2,3-Trichlorobenzene	mg/l	0.175	0.197	70.1	32-143	11.9	33	L455867-12	WG476629	WG476629
1,2,3-Trichloropropene	mg/l	0.231	0.208	92.4	48-148	10.4	23	L455867-12	WG476629	WG476629
1,2,3-Trimethylbenzene	mg/l	0.20	0.21	83.3	6-14	3.2	2	L455867-12	WG476629	WG476629
1,2,4-Trichlorobenzene	mg/l	0.174	0.200	69.4	27-142	14.0	30	L455867-12	WG476629	WG476629
1,2,4-Trimethylbenzene	mg/l	0.208	0.227	83.4	29-153	8.37	27	L455867-12	WG476629	WG476629
1,2-Dibromo-3-Chloropropene	mg/l	0.20	0.202	82.7	7-148	2.45	27	L455867-12	WG476629	WG476629
1,2-Dibromoethane	mg/l	0.211	0.195	84.4	41-149	7.72	21	L455867-12	WG476629	WG476629
1,2-Dichlorobenzene	mg/l	0.223	0.223	89.1	40-139	0.110	23	L455867-12	WG476629	WG476629
1,2-Dichloroethane	mg/l	0.21	0.202	86.6	9-167	7.20	21	L455867-12	WG476629	WG476629
1,2-Dichloropropene	mg/l	0.222	0.222	88.7	39-148	0.0500	20	L455867-12	WG476629	WG476629
1,3,5-Trimethylbenzene	mg/l	0.205	0.218	81.9	33-149	6.33	26	L455867-12	WG476629	WG476629
1,3-Dichlorobenzene	mg/l	0.21	0.231	84.2	2-148	9.36	24	L455867-12	WG476629	WG476629
1,3-Dichloropropene	mg/l	0.211	0.200	84.5	44-142	5.65	20	L455867-12	WG476629	WG476629
1,4-Dichlorobenzene	mg/l	0.208	0.205	83.3	32-136	1.76	23	L455867-12	WG476629	WG476629
2,2-Dichloropropene	mg/l	0.21	0.223	86.5	4-158	2.95	23	L455867-12	WG476629	WG476629
2-Butanone (MEK)	mg/l	1.14	0.967	91.5	32-151	16.7	26	L455867-12	WG476629	WG476629
2-Chloroethyl vinyl ether	mg/l	0.260	0.378	20.8	0-175	36.7	75	L455867-12	WG476629	WG476629
2-Chlorotoluene	mg/l	0.20	0.222	83.4	5-147	6.23	24	L455867-12	WG476629	WG476629
4-Chlorotoluene	mg/l	0.212	0.226	84.8	33-147	6.37	25	L455867-12	WG476629	WG476629
4-Methyl-2-pentanone (MIBK)	mg/l	1.14	0.959	91.5	40-160	17.6	28	L455867-12	WG476629	WG476629
Acetone	mg/l	0.98	0.896	78.6	5-15	9.24	26	L455867-12	WG476629	WG476629
Acrolein	mg/l	0.753	0.651	60.2	0-179	14.5	39	L455867-12	WG476629	WG476629
Acrylonitrile	mg/l	1.09	1.05	87.2	37-162	3.96	24	L455867-12	WG476629	WG476629
Benzene	mg/l	0.20	0.204	83.4	6-158	1.96	21	L455867-12	WG476629	WG476629
Bromobenzene	mg/l	0.206	0.211	82.5	37-147	2.26	23	L455867-12	WG476629	WG476629
Bromodichloromethane	mg/l	0.234	0.230	93.4	45-147	1.57	20	L455867-12	WG476629	WG476629
Bromoform	mg/l	0.21	0.200	85.	8-152	6.45	20	L455867-12	WG476629	WG476629
Bromomethane	mg/l	0.207	0.205	82.7	0-191	1.04	35	L455867-12	WG476629	WG476629
Carbon tetrachloride	mg/l	0.199	0.218	79.6	22-168	9.00	24	L455867-12	WG476629	WG476629
Chlorobenzene	mg/l	0.21	0.224	86.4	3-148	3.40	22	L455867-12	WG476629	WG476629
Chlorodibromomethane	mg/l	0.230	0.220	92.0	48-151	4.69	21	L455867-12	WG476629	WG476629
Chloroethane	mg/l	0.211	0.210	84.3	4-176	0.530	27	L455867-12	WG476629	WG476629
Chloroform	mg/l	0.20	0.205	82.7	7-147	0.74	21	L455867-12	WG476629	WG476629
Chloromethane	mg/l	0.203	0.204	81.0	10-174	0.670	28	L455867-12	WG476629	WG476629
cis-1,2-Dichloroethene	mg/l	0.344	0.346	85.6	29-156	0.700	22	L455867-12	WG476629	WG476629
cis-1,3-Dichloropropene	mg/l	0.2	0.228	4.2	5-148	3.09	21	L455867-12	WG476629	WG476629
Di-isopropyl ether	mg/l	0.216	0.223	86.4	39-160	3.06	21	L455867-12	WG476629	WG476629
Dibromomethane	mg/l	0.217	0.211	87.0	36-152	2.92	20	L455867-12	WG476629	WG476629
Dichlorodifluoromethane	mg/l	0.19	0.200	76.3	-200	4.81	26	L455867-12	WG476629	WG476629
Ethylbenzene	mg/l	0.222	0.234	88.7	29-150	5.26	24	L455867-12	WG476629	WG476629
Hexachloro-1,3-butadiene	mg/l	0.182	0.209	73.0	28-144	13.8	33	L455867-12	WG476629	WG476629
Isopropylbenzene	mg/l	0.20	0.212	80.	5-147	2.19	22	L455867-12	WG476629	WG476629
Methyl tert-butyl ether	mg/l	0.206	0.201	82.2	24-167	2.15	22	L455867-12	WG476629	WG476629
Methylene Chloride	mg/l	0.191	0.185	76.5	23-151	3.21	21	L455867-12	WG476629	WG476629
n-Butylbenzene	mg/l	0.22	0.223	80.8	2-15	4.09	23	L455867-12	WG476629	WG476629

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
n-Propylbenzene	mg/l	0.217	0.228	86.7	-150	.03	25	L455867-12	WG476629
Naphthalene	mg/l	0.195	0.211	77.9	24-160	8.14	37	L455867-12	WG476629
p-Isopropyltoluene	mg/l	0.204	0.227	81.7	28-151	10.3	27	L455867-12	WG476629
sec-Butylbenzene	mg/l	0.20	0.219	81.	-149	.83	26	L455867-12	WG476629
Styrene	mg/l	0.233	0.239	93.1	38-149	2.83	23	L455867-12	WG476629
tert-Butylbenzene	mg/l	0.207	0.224	82.9	36-149	7.58	26	L455867-12	WG476629
Tetrachloroethene	mg/l	0.20	0.219	82.6	3-157	5.74	24	L455867-12	WG476629
Toluene	mg/l	0.207	0.207	83.0	22-152	0.0500	22	L455867-12	WG476629
trans-1,2-Dichloroethene	mg/l	0.199	0.207	79.4	11-160	4.33	23	L455867-12	WG476629
trans-1,3-Dichloropropene	mg/l	0.24	0.22	95.9	3-153	6.93	22	L455867-12	WG476629
Trichloroethene	mg/l	0.567	0.589	78.7	18-163	3.78	21	L455867-12	WG476629
Trichlorofluoromethane	mg/l	0.226	0.231	90.4	10-177	2.22	24	L455867-12	WG476629
Vinyl chloride	mg/l	0.20	0.21	83.6	-179	2.74	26	L455867-12	WG476629
Xylenes, Total	mg/l	0.649	0.681	86.5	27-151	4.81	23	L455867-12	WG476629
4-Bromofluorobenzene				94.02	75-128				WG476629
Dibromofluoromethane				99.48	9-125				WG476629
Toluene-d8				100.3	87-114				WG476629
Tetrachloroethene	mg/kg	0.0815	0.083	65.2	0-13	2.03	35	L456074-22	WG476865
4-Bromofluorobenzene				95.62	59-140				WG476865
Dibromofluoromethane				112.5	63-139				WG476865
Toluene-d8				103.5	4-116				WG476865

Batch number / Run number / Sample number cross reference

WG475329: R1199123: L455853-01 02 03
WG476129: R1203469: L455853-01 02 03
WG476638: R1205708: L455853-10
WG476620: R1206268: L455853-03
WG476629: R1207650: L455853-04 05 06 07 08 09
WG476865: R1208308: L455853-02

* * Calculations are performed prior to rounding of reported values .
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L455853

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 07, 2010

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the Laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

Matrix: SS - Soil/Solid GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

Other

Relinquished by: (Signature)	Date: 4-28-12	Time: 1745	Received by: (Signature)	Samples returned via: ☐ UPS ☒ FedEx ☐ Courier	Condition: <u>OK</u> (lab use only)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: <u>3.1°C</u>	Bottles Received: <u>31</u>
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: <u>4/29/12</u>	Time: <u>0900</u>
					CoC Seals Intact <u>Y</u> <u>N</u> <u>NA</u>
					pH Checked: <u> </u> NCF: <u> </u>

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Tuesday May 11, 2010

Report Number: L456539

Samples Received: 04/29/10

Client Project: 3872-3B

Description: Martinsville, IN

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:



T. Alan Harvill , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : B-119 4-6 FT

Collected By : Andy Taylor
Collection Date : 04/26/10 12:55

ESC Sample # : 1456539-01

Site ID :

Project # : 3872-3B

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	83.8		%	2540G	05/03/10	1
Volatile Organics						
Acetone	0.12	0.060	mg/kg	8260B	05/07/10	1
Acrylonitrile	BDL	0.012	mg/kg	8260B	05/07/10	1
Benzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
Bromobenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
Bromodichloromethane	BDL	0.0012	mg/kg	8260B	05/07/10	1
Bromoform	BDL	0.0012	mg/kg	8260B	05/07/10	1
Bromomethane	BDL	0.0060	mg/kg	8260B	05/07/10	1
n-Butylbenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
sec-Butylbenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
tert-Butylbenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
Carbon tetrachloride	BDL	0.0012	mg/kg	8260B	05/07/10	1
Chlorobenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
Chlorodibromomethane	BDL	0.0012	mg/kg	8260B	05/07/10	1
Chloroethane	BDL	0.0060	mg/kg	8260B	05/07/10	1
2-Chloroethyl vinyl ether	BDL	0.060	mg/kg	8260B	05/07/10	1
Chloroform	BDL	0.0060	mg/kg	8260B	05/07/10	1
Chloromethane	BDL	0.0012	mg/kg	8260B	05/07/10	1
2-Chlorotoluene	BDL	0.0012	mg/kg	8260B	05/07/10	1
4-Chlorotoluene	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0060	mg/kg	8260B	05/07/10	1
1,2-Dibromoethane	BDL	0.0012	mg/kg	8260B	05/07/10	1
Dibromomethane	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,2-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,3-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,4-Dichlorobenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
Dichlorodifluoromethane	BDL	0.0060	mg/kg	8260B	05/07/10	1
1,1-Dichloroethane	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,2-Dichloroethane	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,1-Dichloroethene	BDL	0.0012	mg/kg	8260B	05/07/10	1
cis-1,2-Dichloroethene	BDL	0.0012	mg/kg	8260B	05/07/10	1
trans-1,2-Dichloroethene	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,2-Dichloropropane	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,1-Dichloropropene	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	05/07/10	1
cis-1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	05/07/10	1
trans-1,3-Dichloropropene	BDL	0.0012	mg/kg	8260B	05/07/10	1
2,2-Dichloropropane	BDL	0.0012	mg/kg	8260B	05/07/10	1
Di-isopropyl ether	BDL	0.0012	mg/kg	8260B	05/07/10	1
Ethylbenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
Hexachloro-1,3-butadiene	BDL	0.0012	mg/kg	8260B	05/07/10	1
Isopropylbenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : B-119 4-6 FT

Collected By : Andy Taylor
Collection Date : 04/26/10 12:55

ESC Sample # : 1456539-01

Site ID :

Project # : 3872-3B

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0012	mg/kg	8260B	05/07/10	1
2-Butanone (MEK)	BDL	0.012	mg/kg	8260B	05/07/10	1
Methylene Chloride	BDL	0.0060	mg/kg	8260B	05/07/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.012	mg/kg	8260B	05/07/10	1
Methyl tert-butyl ether	BDL	0.0012	mg/kg	8260B	05/07/10	1
Naphthalene	BDL	0.0060	mg/kg	8260B	05/07/10	1
n-Propylbenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
Styrene	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0012	mg/kg	8260B	05/07/10	1
Tetrachloroethene	BDL	0.0012	mg/kg	8260B	05/07/10	1
Toluene	BDL	0.0060	mg/kg	8260B	05/07/10	1
1,2,3-Trichlorobenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,2,4-Trichlorobenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,1,1-Trichloroethane	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,1,2-Trichloroethane	BDL	0.0012	mg/kg	8260B	05/07/10	1
Trichloroethene	BDL	0.0012	mg/kg	8260B	05/07/10	1
Trichlorofluoromethane	BDL	0.0060	mg/kg	8260B	05/07/10	1
1,2,3-Trichloropropane	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,2,4-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,2,3-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
1,3,5-Trimethylbenzene	BDL	0.0012	mg/kg	8260B	05/07/10	1
Vinyl chloride	BDL	0.0012	mg/kg	8260B	05/07/10	1
Xylenes, Total	BDL	0.0036	mg/kg	8260B	05/07/10	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	05/07/10	1
Dibromofluoromethane	105.		% Rec.	8260B	05/07/10	1
4-Bromofluorobenzene	105.		% Rec.	8260B	05/07/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/10/10 17:48 Revised: 05/11/10 08:53

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : B-120 4-6 FT

Collected By : Andy Taylor
Collection Date : 04/27/10 16:00

ESC Sample # : L456539-02

Site ID :

Project # : 3872-3B

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	92.5		%	2540G	05/03/10	1
Volatile Organics						
Acetone	0.097	0.054	mg/kg	8260B	05/07/10	1.01
Acrylonitrile	BDL	0.011	mg/kg	8260B	05/07/10	1.01
Benzene	0.0022	0.0011	mg/kg	8260B	05/07/10	1.01
Bromobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Bromoform	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Bromomethane	BDL	0.0054	mg/kg	8260B	05/07/10	1.01
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Chlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Chloroethane	BDL	0.0054	mg/kg	8260B	05/07/10	1.01
2-Chloroethyl vinyl ether	BDL	0.054	mg/kg	8260B	05/07/10	1.01
Chloroform	BDL	0.0054	mg/kg	8260B	05/07/10	1.01
Chloromethane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,2-Dibromo-3-Chloropropane	BDL	0.0054	mg/kg	8260B	05/07/10	1.01
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Dibromomethane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Dichlorodifluoromethane	BDL	0.0054	mg/kg	8260B	05/07/10	1.01
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Ethylbenzene	0.0016	0.0011	mg/kg	8260B	05/07/10	1.01
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : B-120 4-6 FT

Collected By : Andy Taylor
Collection Date : 04/27/10 16:00

ESC Sample # : 1456539-02

Site ID :

Project # : 3872-3B

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
2-Butanone (MEK)	BDL	0.011	mg/kg	8260B	05/07/10	1.01
Methylene Chloride	BDL	0.0054	mg/kg	8260B	05/07/10	1.01
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	05/07/10	1.01
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Naphthalene	BDL	0.0054	mg/kg	8260B	05/07/10	1.01
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Styrene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Tetrachloroethene	0.048	0.0011	mg/kg	8260B	05/07/10	1.01
Toluene	0.0062	0.0054	mg/kg	8260B	05/07/10	1.01
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Trichloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Trichlorofluoromethane	BDL	0.0054	mg/kg	8260B	05/07/10	1.01
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,2,4-Trimethylbenzene	0.0014	0.0011	mg/kg	8260B	05/07/10	1.01
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Vinyl chloride	BDL	0.0011	mg/kg	8260B	05/07/10	1.01
Xylenes, Total	0.0046	0.0033	mg/kg	8260B	05/07/10	1.01
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	05/07/10	1.01
Dibromofluoromethane	101.		% Rec.	8260B	05/07/10	1.01
4-Bromofluorobenzene	101.		% Rec.	8260B	05/07/10	1.01

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/10/10 17:48 Revised: 05/11/10 08:53

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : B-121 6-8 FT

Collected By : Andy Taylor
Collection Date : 04/28/10 11:15

ESC Sample # : 1456539-03

Site ID :

Project # : 3872-3B

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	87.0		%	2540G	05/03/10	1
Volatile Organics						
Acetone	0.12	0.057	mg/kg	8260B	05/07/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	05/07/10	1
Benzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	05/07/10	1
Bromomethane	BDL	0.0057	mg/kg	8260B	05/07/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	05/07/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
Chloroethane	BDL	0.0057	mg/kg	8260B	05/07/10	1
2-Chloroethyl vinyl ether	BDL	0.057	mg/kg	8260B	05/07/10	1
Chloroform	BDL	0.0057	mg/kg	8260B	05/07/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	05/07/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0057	mg/kg	8260B	05/07/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Dichlorodifluoromethane	BDL	0.0057	mg/kg	8260B	05/07/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/07/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/07/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/07/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	05/07/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	05/07/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN
Sample ID : B-121 6-8 FT
Collected By : Andy Taylor
Collection Date : 04/28/10 11:15

ESC Sample # : 1456539-03

Site ID :

Project # : 3872-3B

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	05/07/10	1
2-Butanone (MEK)	BDL	0.011	mg/kg	8260B	05/07/10	1
Methylene Chloride	BDL	0.0057	mg/kg	8260B	05/07/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	05/07/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	05/07/10	1
Naphthalene	BDL	0.0057	mg/kg	8260B	05/07/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Styrene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	05/07/10	1
Tetrachloroethene	0.040	0.0011	mg/kg	8260B	05/07/10	1
Toluene	BDL	0.0057	mg/kg	8260B	05/07/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Trichlorofluoromethane	BDL	0.0057	mg/kg	8260B	05/07/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	05/07/10	1
Xylenes, Total	BDL	0.0034	mg/kg	8260B	05/07/10	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	05/07/10	1
Dibromofluoromethane	103.		% Rec.	8260B	05/07/10	1
4-Bromofluorobenzene	102.		% Rec.	8260B	05/07/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/10/10 17:48 Revised: 05/11/10 08:53

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

ESC Sample # : L456539-04

Sample ID : MW-48A 8-10 FT

Site ID :

Collected By : Andy Taylor
Collection Date : 04/28/10 13:40

Project # : 3872-3B

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	92.8		%	2540G	05/03/10	1
Volatile Organics						
Acetone	0.075	0.054	mg/kg	8260B	05/07/10	1
Acrylonitrile	BDL	0.011	mg/kg	8260B	05/07/10	1
Benzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Bromobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Bromodichloromethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
Bromoform	BDL	0.0011	mg/kg	8260B	05/07/10	1
Bromomethane	BDL	0.0054	mg/kg	8260B	05/07/10	1
n-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
sec-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
tert-Butylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Carbon tetrachloride	BDL	0.0011	mg/kg	8260B	05/07/10	1
Chlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Chlorodibromomethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
Chloroethane	BDL	0.0054	mg/kg	8260B	05/07/10	1
2-Chloroethyl vinyl ether	BDL	0.054	mg/kg	8260B	05/07/10	1
Chloroform	BDL	0.0054	mg/kg	8260B	05/07/10	1
Chloromethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
2-Chlorotoluene	BDL	0.0011	mg/kg	8260B	05/07/10	1
4-Chlorotoluene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0054	mg/kg	8260B	05/07/10	1
1,2-Dibromoethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
Dibromomethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,3-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,4-Dichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Dichlorodifluoromethane	BDL	0.0054	mg/kg	8260B	05/07/10	1
1,1-Dichloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2-Dichloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1
cis-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1
trans-1,2-Dichloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/07/10	1
cis-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/07/10	1
trans-1,3-Dichloropropene	BDL	0.0011	mg/kg	8260B	05/07/10	1
2,2-Dichloropropane	BDL	0.0011	mg/kg	8260B	05/07/10	1
Di-isopropyl ether	BDL	0.0011	mg/kg	8260B	05/07/10	1
Ethylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Hexachloro-1,3-butadiene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Isopropylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit(PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN
Sample ID : MW-48A 8-10 FT
Collected By : Andy Taylor
Collection Date : 04/28/10 13:40

ESC Sample # : 1456539-04

Site ID :

Project # : 3872-3B

Parameter	Drv Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	BDL	0.0011	mg/kg	8260B	05/07/10	1
2-Butanone (MEK)	BDL	0.011	mg/kg	8260B	05/07/10	1
Methylene Chloride	BDL	0.0054	mg/kg	8260B	05/07/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.011	mg/kg	8260B	05/07/10	1
Methyl tert-butyl ether	BDL	0.0011	mg/kg	8260B	05/07/10	1
Naphthalene	BDL	0.0054	mg/kg	8260B	05/07/10	1
n-Propylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Styrene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0011	mg/kg	8260B	05/07/10	1
Tetrachloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Toluene	BDL	0.0054	mg/kg	8260B	05/07/10	1
1,2,3-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2,4-Trichlorobenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1,1-Trichloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,1,2-Trichloroethane	BDL	0.0011	mg/kg	8260B	05/07/10	1
Trichloroethene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Trichlorofluoromethane	BDL	0.0054	mg/kg	8260B	05/07/10	1
1,2,3-Trichloropropane	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2,4-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,2,3-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
1,3,5-Trimethylbenzene	BDL	0.0011	mg/kg	8260B	05/07/10	1
Vinyl chloride	BDL	0.0011	mg/kg	8260B	05/07/10	1
Xylenes, Total	BDL	0.0032	mg/kg	8260B	05/07/10	1
Surrogate Recovery						
Toluene-d8	100.		% Rec.	8260B	05/07/10	1
Dibromofluoromethane	103.		% Rec.	8260B	05/07/10	1
4-Bromofluorobenzene	98.3		% Rec.	8260B	05/07/10	1

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 05/10/10 17:48 Revised: 05/11/10 08:53

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN
Sample ID : B-119 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/26/10 12:40

ESC Sample # : L456539-05

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/08/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/08/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/08/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/08/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/08/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/08/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/08/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/08/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/08/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/08/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/08/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/08/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/08/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/08/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/08/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/08/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/08/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/08/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/08/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/08/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/08/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/08/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/08/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/08/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/08/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN
Sample ID : B-119 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/26/10 12:40

ESC Sample # : L456539-05

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/08/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/08/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/08/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/08/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/08/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,2-Trichloro-1,2,2-trifluoro	0.0012	0.0010	mg/l	8260B	05/08/10	1
Tetrachloroethene	0.082	0.0010	mg/l	8260B	05/08/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/08/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
Trichloroethene	0.0037	0.0010	mg/l	8260B	05/08/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/08/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/08/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/08/10	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	05/08/10	1
Dibromofluoromethane	109.		% Rec.	8260B	05/08/10	1
4-Bromofluorobenzene	114.		% Rec.	8260B	05/08/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/10/10 17:48 Revised: 05/11/10 08:53

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : B-119 GW 40-50 FT

Collected By : Andy Taylor
Collection Date : 04/26/10 12:30

ESC Sample # : L456539-06

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/08/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/08/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/08/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/08/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/08/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/08/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/08/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/08/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/08/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/08/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/08/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/08/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/08/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/08/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/08/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/08/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/08/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/08/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/08/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/08/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/08/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/08/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/08/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/08/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/08/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : B-119 GW 40-50 FT

Collected By : Andy Taylor
Collection Date : 04/26/10 12:30

ESC Sample # : L456539-06

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/08/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/08/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/08/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/08/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/08/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/08/10	1
Tetrachloroethene	0.0051	0.0010	mg/l	8260B	05/08/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/08/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
Trichloroethene	0.0011	0.0010	mg/l	8260B	05/08/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/08/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/08/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/08/10	1
Surrogate Recovery						
Toluene-d8	100.		% Rec.	8260B	05/08/10	1
Dibromofluoromethane	109.		% Rec.	8260B	05/08/10	1
4-Bromofluorobenzene	102.		% Rec.	8260B	05/08/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/10/10 17:48 Revised: 05/11/10 08:53

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : B-120 GW 8-18 FT

Collected By : Andy Taylor
Collection Date : 04/28/10 09:45

ESC Sample # : L456539-07

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/09/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/09/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/09/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/09/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/09/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/09/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/09/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/09/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/09/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/09/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/09/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/09/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/09/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/09/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/09/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/09/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/09/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/09/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/09/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/09/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/09/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/09/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/09/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/09/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/09/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : B-120 GW 8-18 FT

Collected By : Andy Taylor
Collection Date : 04/28/10 09:45

ESC Sample # : L456539-07

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/09/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/09/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/09/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/09/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/09/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/09/10	1
Tetrachloroethene	0.28	0.010	mg/l	8260B	05/10/10	10
Toluene	BDL	0.0050	mg/l	8260B	05/09/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
Trichloroethene	0.0019	0.0010	mg/l	8260B	05/09/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/09/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/09/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/09/10	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	05/09/10	1
Dibromofluoromethane	98.9		% Rec.	8260B	05/09/10	1
4-Bromofluorobenzene	109.		% Rec.	8260B	05/09/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/10/10 17:48 Revised: 05/11/10 08:53

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN
Sample ID : B-120 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/28/10 09:30

ESC Sample # : L456539-08

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/09/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/09/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/09/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/09/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/09/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/09/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/09/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/09/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/09/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/09/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/09/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/09/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/09/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/09/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/09/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/09/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/09/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/09/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/09/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/09/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/09/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/09/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/09/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/09/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/09/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN
Sample ID : B-120 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/28/10 09:30

ESC Sample # : L456539-08

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/09/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/09/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/09/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/09/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/09/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,2-Trichloro-1,2,2-trifluoro	0.0026	0.0010	mg/l	8260B	05/09/10	1
Tetrachloroethene	0.020	0.0010	mg/l	8260B	05/10/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/09/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
Trichloroethene	0.0045	0.0010	mg/l	8260B	05/09/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/09/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/09/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/09/10	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	05/09/10	1
Dibromofluoromethane	102.		% Rec.	8260B	05/09/10	1
4-Bromofluorobenzene	102.		% Rec.	8260B	05/09/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/10/10 17:48 Revised: 05/11/10 08:53

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : B-120 GW 35-45 FT

Collected By : Andy Taylor
Collection Date : 04/28/10 09:15

ESC Sample # : L456539-09

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/09/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/09/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/09/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/09/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/09/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/09/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/09/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/09/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/09/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/09/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/09/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/09/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/09/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/09/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/09/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/09/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/09/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/09/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/09/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/09/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/09/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/09/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/09/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/09/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/09/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : B-120 GW 35-45 FT

Collected By : Andy Taylor
Collection Date : 04/28/10 09:15

ESC Sample # : L456539-09

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/09/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/09/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/09/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/09/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/09/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/09/10	1
Tetrachloroethene	0.0027	0.0010	mg/l	8260B	05/10/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/09/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/09/10	1
Trichloroethene	0.011	0.0010	mg/l	8260B	05/09/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/09/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/09/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/09/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/09/10	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	05/09/10	1
Dibromofluoromethane	100.		% Rec.	8260B	05/09/10	1
4-Bromofluorobenzene	103.		% Rec.	8260B	05/09/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/10/10 17:48 Revised: 05/11/10 08:53

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : TB

ESC Sample # : L456539-10

Site ID :

Project # : 3872-3B

Collected By : Andy Taylor
Collection Date : 04/26/10 00:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/08/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/08/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/08/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/08/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/08/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/08/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/08/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/08/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/08/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/08/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/08/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/08/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/08/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/08/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/08/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/08/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/08/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/08/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/08/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/08/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/08/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/08/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/08/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/08/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/08/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 11, 2010

Date Received : April 29, 2010
Description : Martinsville, IN

Sample ID : TB

Collected By : Andy Taylor
Collection Date : 04/26/10 00:00

ESC Sample # : L456539-10

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/08/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/08/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/08/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/08/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/08/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/08/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	05/08/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/08/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/08/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	05/08/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/08/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/08/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/08/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/08/10	1
Surrogate Recovery						
Toluene-d8	98.6		% Rec.	8260B	05/08/10	1
Dibromofluoromethane	108.		% Rec.	8260B	05/08/10	1
4-Bromofluorobenzene	100.		% Rec.	8260B	05/08/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/10/10 17:48 Revised: 05/11/10 08:53

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L456539-01	WG477208	SAMP	Methylene Chloride	R1210748	J3
L456539-02	WG477208	SAMP	Methylene Chloride	R1210748	J3
L456539-03	WG477208	SAMP	Methylene Chloride	R1210748	J3
L456539-04	WG477208	SAMP	Methylene Chloride	R1210748	J3
L456539-05	WG477238	SAMP	2-Chloroethyl vinyl ether	R1211008	J3
	WG477238	SAMP	1,2,3-Trichlorobenzene	R1211008	B3
L456539-06	WG477238	SAMP	1,2,3-Trichlorobenzene	R1211008	B3
L456539-10	WG477238	SAMP	1,2,3-Trichlorobenzene	R1211008	B3

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
B3	(ESC) - The indicated compound was found in the associated method blank, but all reported samples were non-detect.
J3	The associated batch QC was outside the established quality control range for precision.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Result	Units	Laboratory Blank % Rec	Limit	Batch	Date Analyzed
Total Solids	< .1	%			WG476077	05/03/10 13:59
1,1,1,2-Tetrachloroethane	< .001	mg/kg			WG477208	05/07/10 20:36
1,1,1-Trichloroethane	< .001	mg/kg			WG477208	05/07/10 20:36
1,1,2,2-Tetrachloroethane	< .001	mg/kg			WG477208	05/07/10 20:36
1,1,2-Trichloroethane	< .001	mg/kg			WG477208	05/07/10 20:36
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/kg			WG477208	05/07/10 20:36
1,1-Dichloroethane	< .001	mg/kg			WG477208	05/07/10 20:36
1,1-Dichloroethene	< .001	mg/kg			WG477208	05/07/10 20:36
1,1-Dichloropropene	< .001	mg/kg			WG477208	05/07/10 20:36
1,2,3-Trichlorobenzene	< .001	mg/kg			WG477208	05/07/10 20:36
1,2,3-Trichloropropene	< .001	mg/kg			WG477208	05/07/10 20:36
1,2,3-Trimethylbenzene	< .001	mg/kg			WG477208	05/07/10 20:36
1,2,4-Trichlorobenzene	< .001	mg/kg			WG477208	05/07/10 20:36
1,2,4-Trimethylbenzene	< .001	mg/kg			WG477208	05/07/10 20:36
1,2-Dibromo-3-Chloropropene	< .001	mg/kg			WG477208	05/07/10 20:36
1,2-Dibromoethane	< .001	mg/kg			WG477208	05/07/10 20:36
1,2-Dichlorobenzene	< .001	mg/kg			WG477208	05/07/10 20:36
1,2-Dichloroethane	< .001	mg/kg			WG477208	05/07/10 20:36
1,2-Dichloropropene	< .001	mg/kg			WG477208	05/07/10 20:36
1,3,5-Trimethylbenzene	< .001	mg/kg			WG477208	05/07/10 20:36
1,3-Dichlorobenzene	< .001	mg/kg			WG477208	05/07/10 20:36
1,3-Dichloropropene	< .001	mg/kg			WG477208	05/07/10 20:36
1,4-Dichlorobenzene	< .001	mg/kg			WG477208	05/07/10 20:36
2,2-Dichloropropene	< .001	mg/kg			WG477208	05/07/10 20:36
2-Butanone (MEK)	< .01	mg/kg			WG477208	05/07/10 20:36
2-Chloroethyl vinyl ether	< .001	mg/kg			WG477208	05/07/10 20:36
2-Chlorotoluene	< .001	mg/kg			WG477208	05/07/10 20:36
4-Chlorotoluene	< .001	mg/kg			WG477208	05/07/10 20:36
4-Methyl-2-pentanone (MIBK)	< .01	mg/kg			WG477208	05/07/10 20:36
Aceton	< .0	mg/kg			WG477208	05/07/10 20:36
Acrylonitrile	< .01	mg/kg			WG477208	05/07/10 20:36
Benzene	< .001	mg/kg			WG477208	05/07/10 20:36
Bromobenzene	< .001	mg/kg			WG477208	05/07/10 20:36
Bromodichloromethane	< .001	mg/kg			WG477208	05/07/10 20:36
Bromoform	< .001	mg/kg			WG477208	05/07/10 20:36
Bromomethane	< .005	mg/kg			WG477208	05/07/10 20:36
Carbon tetrachloride	< .001	mg/kg			WG477208	05/07/10 20:36
Chlorobenzene	< .001	mg/kg			WG477208	05/07/10 20:36
Chlorodibromomethane	< .001	mg/kg			WG477208	05/07/10 20:36
Chloroethane	< .005	mg/kg			WG477208	05/07/10 20:36
Chloroform	< .005	mg/kg			WG477208	05/07/10 20:36
Chloromethane	< .001	mg/kg			WG477208	05/07/10 20:36
cis-1,2-Dichloroethene	< .001	mg/kg			WG477208	05/07/10 20:36
cis-1,3-Dichloropropene	< .001	mg/kg			WG477208	05/07/10 20:36
Di-isopropyl ether	< .001	mg/kg			WG477208	05/07/10 20:36
Dibromomethane	< .001	mg/kg			WG477208	05/07/10 20:36
Dichlorodifluoromethane	< .005	mg/kg			WG477208	05/07/10 20:36
Ethylbenzene	< .001	mg/kg			WG477208	05/07/10 20:36
Hexachloro-1,3-butadiene	< .001	mg/kg			WG477208	05/07/10 20:36
Isopropylbenzene	< .001	mg/kg			WG477208	05/07/10 20:36
Methyl tert-butyl ether	< .001	mg/kg			WG477208	05/07/10 20:36
Methylene Chloride	< .005	mg/kg			WG477208	05/07/10 20:36
n-Butylbenzene	< .001	mg/kg			WG477208	05/07/10 20:36
n-Propylbenzene	< .001	mg/kg			WG477208	05/07/10 20:36
Naphthalene	< .005	mg/kg			WG477208	05/07/10 20:36
p-Isopropyltoluene	< .001	mg/kg			WG477208	05/07/10 20:36
sec-Butylbenzene	< .001	mg/kg			WG477208	05/07/10 20:36

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Styrene	< .001	mg/kg			WG477208	05/07/10 20:36
tert-Butylbenzene	< .001	mg/kg			WG477208	05/07/10 20:36
Tetrachloroethene	< .001	mg/kg			WG477208	05/07/10 20:36
Toluene	< .005	mg/kg			WG477208	05/07/10 20:36
trans-1,2-Dichloroethene	< .001	mg/kg			WG477208	05/07/10 20:36
trans-1,3-Dichloropropene	< .001	mg/kg			WG477208	05/07/10 20:36
Trichloroethene	< .001	mg/kg			WG477208	05/07/10 20:36
Trichlorofluoromethane	< .005	mg/kg			WG477208	05/07/10 20:36
Vinyl chloride	< .001	mg/kg			WG477208	05/07/10 20:36
Xylenes, Total	< .003	mg/kg			WG477208	05/07/10 20:36
4-Bromofluorobenzene		% Rec.	103.3	59-140	WG477208	05/07/10 20:36
Dibromofluoromethane		% Rec.	98.76	63-139	WG477208	05/07/10 20:36
Toluene-d ₈		% Rec.	100.3	84-116	WG477208	05/07/10 20:36
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG477299	05/09/10 04:06
1,1,1-Trichloroethane	< .001	/l			WG477299	05/09/10 04:06
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG477299	05/09/10 04:06
1,1,2-Trichloroethane	< .001	mg/l			WG477299	05/09/10 04:06
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	/l			WG477299	05/09/10 04:06
1,1-Dichloroethane	< .001	mg/l			WG477299	05/09/10 04:06
1,1-Dichloroethene	< .001	mg/l			WG477299	05/09/10 04:06
1,1-Dichloropropene	< .001	mg/l			WG477299	05/09/10 04:06
1,2,3-Trichlorobenzene	< .001	mg/l			WG477299	05/09/10 04:06
1,2,3-Trichloropropene	< .001	mg/l			WG477299	05/09/10 04:06
1,2,3-Trimethylbenzene	< .001	/l			WG477299	05/09/10 04:06
1,2,4-Trichlorobenzene	< .001	mg/l			WG477299	05/09/10 04:06
1,2,4-Trimethylbenzene	< .001	mg/l			WG477299	05/09/10 04:06
1,2-Dibromo-3-Chloropropane	< .005	/l			WG477299	05/09/10 04:06
1,2-Dibromoethane	< .001	mg/l			WG477299	05/09/10 04:06
1,2-Dichlorobenzene	< .001	mg/l			WG477299	05/09/10 04:06
1,2-Dichloroethane	< .001	/l			WG477299	05/09/10 04:06
1,2-Dichloropropene	< .001	mg/l			WG477299	05/09/10 04:06
1,3,5-Trimethylbenzene	< .001	mg/l			WG477299	05/09/10 04:06
1,3-Dichlorobenzene	< .001	/l			WG477299	05/09/10 04:06
1,3-Dichloropropene	< .001	mg/l			WG477299	05/09/10 04:06
1,4-Dichlorobenzene	< .001	mg/l			WG477299	05/09/10 04:06
2,2-Dichloropropene	< .001	/l			WG477299	05/09/10 04:06
2-Butanone (MEK)	< .01	mg/l			WG477299	05/09/10 04:06
2-Chloroethyl vinyl ether	< .001	mg/l			WG477299	05/09/10 04:06
2-Chlorotoluene	< .001	/l			WG477299	05/09/10 04:06
4-Chlorotoluene	< .001	mg/l			WG477299	05/09/10 04:06
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG477299	05/09/10 04:06
Acetone	< .05	mg/l			WG477299	05/09/10 04:06
Acrolein	< .05	mg/l			WG477299	05/09/10 04:06
Acrylonitrile	< .01	mg/l			WG477299	05/09/10 04:06
Benzene	< .001	/l			WG477299	05/09/10 04:06
Bromobenzene	< .001	mg/l			WG477299	05/09/10 04:06
Bromodichloromethane	< .001	mg/l			WG477299	05/09/10 04:06
Bromoform	< .001	mg/l			WG477299	05/09/10 04:06
Bromomethane	< .005	mg/l			WG477299	05/09/10 04:06
Carbon tetrachloride	< .001	mg/l			WG477299	05/09/10 04:06
Chlorobenzene	< .001	mg/l			WG477299	05/09/10 04:06
Chlorodibromomethane	< .001	mg/l			WG477299	05/09/10 04:06
Chloroethane	< .001	mg/l			WG477299	05/09/10 04:06
Chloroform	< .005	mg/l			WG477299	05/09/10 04:06
Chloromethane	< .001	mg/l			WG477299	05/09/10 04:06
cis-1,2-Dichloroethene	< .001	mg/l			WG477299	05/09/10 04:06
cis-1,3-Dichloropropene	< .005	mg/l			WG477299	05/09/10 04:06

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Di-isopropyl ether	< .001	mg/l			WG477299	05/09/10 04:06
Dibromomethane	< .001	mg/l			WG477299	05/09/10 04:06
Dichlorodifluoromethane	< .005	mg/l			WG477299	05/09/10 04:06
Ethylbenzene	< .001	mg/l			WG477299	05/09/10 04:06
Hexachloro-1,3-butadiene	< .001	mg/l			WG477299	05/09/10 04:06
Isopropylbenzene	< .001	mg/l			WG477299	05/09/10 04:06
Methyl tert-butyl ether	< .001	mg/l			WG477299	05/09/10 04:06
Methylene Chloride	< .005	mg/l			WG477299	05/09/10 04:06
n-Butylbenzene	< .001	mg/l			WG477299	05/09/10 04:06
n-Propylbenzene	< .001	mg/l			WG477299	05/09/10 04:06
Naphthalene	< .005	mg/l			WG477299	05/09/10 04:06
p-Isopropyltoluene	< .001	mg/l			WG477299	05/09/10 04:06
sec-Butylbenzene	< .001	mg/l			WG477299	05/09/10 04:06
Styrene	< .001	mg/l			WG477299	05/09/10 04:06
tert-Butylbenzene	< .001	mg/l			WG477299	05/09/10 04:06
Toluene	< .005	mg/l			WG477299	05/09/10 04:06
trans-1,2-Dichloroethene	< .001	mg/l			WG477299	05/09/10 04:06
trans-1,3-Dichloropropene	< .001	mg/l			WG477299	05/09/10 04:06
Trichloroethene	< .001	/l			WG477299	05/09/10 04:06
Trichlorofluoromethane	< .005	mg/l			WG477299	05/09/10 04:06
Vinyl chloride	< .001	mg/l			WG477299	05/09/10 04:06
Xylenes, Total	< .003	/l			WG477299	05/09/10 04:06
4-Bromofluorobenzene		% Rec.	108.2	75-128	WG477299	05/09/10 04:06
Dibromofluoromethane		% Rec.	95.50	79-125	WG477299	05/09/10 04:06
Toluene-d8		% Rec	9.46	87-114	WG477299	05/09/10 04:06
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG477238	05/08/10 10:51
1,1 1-Trichloroethane	< .001	/l			WG477238	05/08/10 10:51
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG477238	05/08/10 10:51
1,1,2-Trichloroethane	< .001	mg/l			WG477238	05/08/10 10:51
1,1 2-Trichloro-1,2,2-trifluoroethane	< .001	/l			WG477238	05/08/10 10:51
1,1-Dichloroethane	< .001	mg/l			WG477238	05/08/10 10:51
1,1-Dichloroethene	< .001	mg/l			WG477238	05/08/10 10:51
1,1-Dichloropropene	< .001	/l			WG477238	05/08/10 10:51
1,2,3-Trichlorobenzene	< .001	mg/l			WG477238	05/08/10 10:51
1,2,3-Trichloropropane	< .001	mg/l			WG477238	05/08/10 10:51
1,2,3-Trimethylbenzene	< .001	/l			WG477238	05/08/10 10:51
1,2,4-Trichlorobenzene	< .001	mg/l			WG477238	05/08/10 10:51
1,2,4-Trimethylbenzene	< .001	mg/l			WG477238	05/08/10 10:51
1,2-Dibromo-3-Chloropropane	< .005	/l			WG477238	05/08/10 10:51
1,2-Dibromoethane	< .001	mg/l			WG477238	05/08/10 10:51
1,2-Dichlorobenzene	< .001	mg/l			WG477238	05/08/10 10:51
1,2-Dichloroethane	< .001	/l			WG477238	05/08/10 10:51
1,2-Dichloropropene	< .001	mg/l			WG477238	05/08/10 10:51
1,3,5-Trimethylbenzene	< .001	mg/l			WG477238	05/08/10 10:51
1,3-Dichlorobenzene	< .001	/l			WG477238	05/08/10 10:51
1,3-Dichloropropane	< .001	mg/l			WG477238	05/08/10 10:51
1,4-Dichlorobenzene	< .001	mg/l			WG477238	05/08/10 10:51
2,2-Dichloropropene	< .001	mg/l			WG477238	05/08/10 10:51
2-Butanone (MEK)	< .01	mg/l			WG477238	05/08/10 10:51
2-Chloroethyl vinyl ether	< .001	mg/l			WG477238	05/08/10 10:51
2-Chlorotoluene	< .001	mg/l			WG477238	05/08/10 10:51
4-Chlorotoluene	< .001	mg/l			WG477238	05/08/10 10:51
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG477238	05/08/10 10:51
Acetone	< .05	mg/l			WG477238	05/08/10 10:51
Acrolein	< .05	mg/l			WG477238	05/08/10 10:51
Acrylonitrile	< .01	mg/l			WG477238	05/08/10 10:51
Benzene	< .005	mg/l			WG477238	05/08/10 10:51

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Bromobenzene	< .001	mg/l			WG477238	05/08/10 10:51
Bromodichloromethane	< .001	mg/l			WG477238	05/08/10 10:51
Bromoform	< .001	mg/l			WG477238	05/08/10 10:51
Bromomethane	< .005	mg/l			WG477238	05/08/10 10:51
Carbon tetrachloride	< .001	mg/l			WG477238	05/08/10 10:51
Chlorobenzene	< .001	mg/l			WG477238	05/08/10 10:51
Chlorodibromomethane	< .001	mg/l			WG477238	05/08/10 10:51
Chloroethane	< .001	mg/l			WG477238	05/08/10 10:51
Chloroform	< .005	mg/l			WG477238	05/08/10 10:51
Chloromethane	< .001	mg/l			WG477238	05/08/10 10:51
cis-1,2-Dichloroethene	< .001	mg/l			WG477238	05/08/10 10:51
cis-1,3-Dichloropropene	< .001	mg/l			WG477238	05/08/10 10:51
Di-isopropyl ether	< .001	mg/l			WG477238	05/08/10 10:51
Dibromomethane	< .001	mg/l			WG477238	05/08/10 10:51
Dichlorodifluoromethane	< .005	mg/l			WG477238	05/08/10 10:51
Ethylbenzene	< .001	/l			WG477238	05/08/10 10:51
Hexachloro-1,3-butadiene	< .001	mg/l			WG477238	05/08/10 10:51
Isopropylbenzene	< .001	mg/l			WG477238	05/08/10 10:51
Methyl tert-butyl ether	.001	/l			WG477238	05/08/10 10:51
Methylene Chloride	< .005	mg/l			WG477238	05/08/10 10:51
n-Butylbenzene	< .001	mg/l			WG477238	05/08/10 10:51
n-Propylbenzene	< .01	/l			WG477238	05/08/10 10:51
Naphthalene	< .005	mg/l			WG477238	05/08/10 10:51
p-Isopropyltoluene	< .001	mg/l			WG477238	05/08/10 10:51
sec-Butylbenzene	< .001	/l			WG477238	05/08/10 10:51
Styrene	< .001	mg/l			WG477238	05/08/10 10:51
tert-Butylbenzene	< .001	mg/l			WG477238	05/08/10 10:51
Tetrachloroethene	< .001	/l			WG477238	05/08/10 10:51
Toluene	< .005	mg/l			WG477238	05/08/10 10:51
trans-1,2-Dichloroethene	< .001	mg/l			WG477238	05/08/10 10:51
trans-1,3-Dichloropropene	< .001	/l			WG477238	05/08/10 10:51
Trichloroethene	< .001	mg/l			WG477238	05/08/10 10:51
Trichlorofluoromethane	< .005	mg/l			WG477238	05/08/10 10:51
Vinyl chloride	< .001	/l			WG477238	05/08/10 10:51
Xylenes, Total	< .003	mg/l			WG477238	05/08/10 10:51
4-Bromofluorobenzene		% Rec.	99.08	75-128	WG477238	05/08/10 10:51
Dibromofluoromethane		% Rec.	104.2	79-125	WG477238	05/08/10 10:51
Toluene-d8		% Rec.	98.71	87-114	WG477238	05/08/10 10:51
Tetrachloroethene	< .001	/l			WG477408	05/10/10 05:44
4-Bromofluorobenzene		% Rec.	97.65	75-128	WG477408	05/10/10 05:44
Dibromofluoromethane		% Rec.	111.8	79-125	WG477408	05/10/10 05:44
Toluene-d8		% Rec.	97.21	87-114	WG477408	05/10/10 05:44

Analyte	Units	Result	Duplicate		Limit	Ref Samp	Batch
			Duplicate	RPD			
Total Solids	%	84.0	82.5	.31		L456535-05	WG476077

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,1,1,2-Tetrachloroethane	mg/kg	.025	0.0243	97.3	73-134	WG477208
1,1,1-Trichloroethane	mg/kg	.025	0.0236		62-139	WG477208
1,1,2,2-Tetrachloroethane	mg/kg	.025	0.0264	106.	74-129	WG477208

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,1,2-Trichloroethane	mg/kg	.025	0.0253	99.2	121	WG477208
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	.025	0.0260	104.	49-155	WG477208
1,1-Dichloroethane	mg/kg	.025	0.0230	91.9	61-134	WG477208
1,1-Dichloroethene	mg/kg	.025	0.0241	96.4	136	WG477208
1,1-Dichloropropene	mg/kg	.025	0.0234	93.6	63-132	WG477208
1,2,3-Trichlorobenzene	mg/kg	.025	0.0237	94.7	62-146	WG477208
1,2,3-Trichloropropene	mg/kg	.025	0.026	106	70-133	WG477208
1,2,3-Trimethylbenzene	mg/kg	.025	0.0226	90.3	73-126	WG477208
1,2,4-Trichlorobenzene	mg/kg	.025	0.0234	93.6	61-148	WG477208
1,2,4-Trimethylbenzene	mg/kg	.025	0.0253	101	68-135	WG477208
1,2-Dibromo-3-Chloropropane	mg/kg	.025	0.0223	89.2	61-134	WG477208
1,2-Dibromoethane	mg/kg	.025	0.0253	101.	76-127	WG477208
1,2-Dichlorobenzene	mg/kg	.025	0.0221	88.3	77-123	WG477208
1,2-Dichloroethane	mg/kg	.025	0.0235	94.0	58-141	WG477208
1,2-Dichloropropene	mg/kg	.025	0.0240	96.0	71-128	WG477208
1,3,5-Trimethylbenzene	mg/kg	.025	0.0251	100	71-133	WG477208
1,3-Dichlorobenzene	mg/kg	.025	0.0232	92.9	71-132	WG477208
1,3-Dichloropropene	mg/kg	.025	0.0233	93.1	76-120	WG477208
1,4-Dichlorobenzene	mg/kg	.025	0.0213	85.3	72-123	WG477208
2,2-Dichloropropene	mg/kg	.025	0.0240	96.0	50-147	WG477208
2-Butanone (MEK)	mg/kg	.125	0.134	107.	51-131	WG477208
2-Chloroethyl vinyl ether	mg/kg	.025	0.153	122.	0-100	WG477208
2-Chlorotoluene	mg/kg	.025	0.0239	95.4	73-128	WG477208
4-Chlorotoluene	mg/kg	.025	0.0238	95.4	72-129	WG477208
4-Methyl-2-pentanone (M	mg/kg	.125	0.133	107.	61-143	WG477208
Acetone	mg/kg	.125	0.121	96.6	44-140	WG477208
Acrylonitrile	mg/kg	.125	0.135	108.	55-143	WG477208
Benzene	mg/kg	.025	0.0229	91.7	65-128	WG477208
Bromobenzene	mg/kg	.025	0.0229	91.5	75-123	WG477208
Bromodichloromethane	mg/kg	.025	0.0258	103.	66-126	WG477208
Bromoform	mg/kg	.025	0.0232	92.6	44-139	WG477208
Bromomethane	mg/kg	.025	0.0258	103.	41-175	WG477208
Carbon tetrachloride	mg/kg	.025	0.0241	96.3	60-140	WG477208
Chlorobenzene	mg/kg	.025	0.0231	92.5	75-125	WG477208
Chlorodibromomethane	mg/kg	.025	0.0266	106.	72-137	WG477208
Chloroethane	mg/kg	.025	0.0291	116.	44-159	WG477208
Chloroform	mg/kg	.025	0.0240	95.9	63-123	WG477208
Chloromethane	mg/kg	.025	0.0220	88.0	42-149	WG477208
cis-1,2-Dichloroethene	mg/kg	.025	0.0241	96.3	71-129	WG477208
cis-1,3-Dichloropropene	mg/kg	.025	0.0263	105.	3-132	WG477208
Di-isopropyl ether	mg/kg	.025	0.0235	94.0	59-143	WG477208
Dibromomethane	mg/kg	.025	0.0249	99.4	70-130	WG477208
Dichlorodifluoromethane	mg/kg	.025	0.0244	97.4	26-186	WG477208
Ethylbenzene	mg/kg	.025	0.0242	96.7	74-128	WG477208
Hexachloro-1,3-butadiene	mg/kg	.025	0.0241	96.3	65-137	WG477208
Isopropylbenzene	mg/kg	.025	0.0246	98.	73-130	WG477208
Methyl tert-butyl ether	mg/kg	.025	0.0247	98.6	44-148	WG477208
Methylene Chloride	mg/kg	.025	0.0246	98.5	57-129	WG477208
n-Butylbenzene	mg/kg	.025	0.0246	98.5	60-145	WG477208
n-Propylbenzene	mg/kg	.025	0.0240	96.2	71-132	WG477208
Naphthalene	mg/kg	.025	0.0249	99.7	61-142	WG477208
p-Isopropyltoluene	mg/kg	.025	0.0260	104	67-138	WG477208
sec-Butylbenzene	mg/kg	.025	0.0249	99.7	71-134	WG477208
Styrene	mg/kg	.025	0.0263	105	76-133	WG477208
tert-Butylbenzene	mg/kg	.02	0.0250	100.	72-132	WG477208
Tetrachloroethene	mg/kg	.025	0.0230	92.1	65-135	WG477208
Toluene	mg/kg	.025	0.0224	89.6	70-120	WG477208
trans-1,2-Dichloroethene	mg/kg	.02	0.0234	93.5	61-135	WG477208
trans-1,3-Dichloropropene	mg/kg	.025	0.0257	103.	70-135	WG477208

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Trichloroethene	mg/kg	.025	0.0229	91.7	71-126	WG477208
Trichlorofluoromethane	mg/kg	.025	0.0249	99.6	52-147	WG477208
Vinyl chloride	mg/kg	.025	0.0223	89.4	50-151	WG477208
Xylenes, Total	mg/kg	.075	0.0711	94.8	74-127	WG477208
4-Bromofluorobenzene				105.0	59-140	WG477208
Dibromofluoromethane				103.2	63-139	WG477208
Toluene-d ₈				101.9	84-116	WG477208
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0283	113.	75-134	WG477299
1,1,1-Trichloroethane	mg/l	5	0.0258	103	67-137	WG477299
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0245	98.0	72-128	WG477299
1,1,2-Trichloroethane	mg/l	.025	0.0261	104.	79-123	WG477299
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	5	0.028	114	51-148	WG477299
1,1-Dichloroethane	mg/l	.025	0.0227	91.0	67-133	WG477299
1,1-Dichloroethene	mg/l	.025	0.0267	107.	60-130	WG477299
1,1-Dichloropropene	mg/l	5	0.0247	99.0	68-132	WG477299
1,2,3-Trichlorobenzene	mg/l	.025	0.0239	95.8	63-138	WG477299
1,2,3-Trichloropropene	mg/l	.025	0.0254	102.	68-130	WG477299
1,2,3-Trimethylbenzene	mg/l	5	0.0258	103	70-127	WG477299
1,2,4-Trichlorobenzene	mg/l	.025	0.0235	94.0	65-137	WG477299
1,2,4-Trimethylbenzene	mg/l	.025	0.0274	110.	72-135	WG477299
1,2-Dibromo-3-Chloropropene	mg/l	5	0.0229	91.6	55-134	WG477299
1,2-Dibromoethane	mg/l	.025	0.0261	104.	75-126	WG477299
1,2-Dichlorobenzene	mg/l	.025	0.0256	103.	75-122	WG477299
1,2-Dichloroethane	mg/l	.025	0.0244	97.8	63-137	WG477299
1,2-Dichloropropene	mg/l	.025	0.0231	92.5	74-122	WG477299
1,3,5-Trimethylbenzene	mg/l	.025	0.0269	107.	73-134	WG477299
1,3-Dichlorobenzene	mg/l	.025	0.0262	105.	73-131	WG477299
1,3-Dichloropropene	mg/l	.025	0.0246	98.4	77-119	WG477299
1,4-Dichlorobenzene	mg/l	.025	0.0239	95.7	70-121	WG477299
2,2-Dichloropropene	mg/l	.025	0.0228	91.3	46-151	WG477299
2-Butanone (MEK)	mg/l	.125	0.0958	76.7	53-132	WG477299
2-Chloroethyl vinyl ether	mg/l	.125	0.117	93.5	0-171	WG477299
2-Chlorotoluene	mg/l	.025	0.0268	107	74-128	WG477299
4-Chlorotoluene	mg/l	.025	0.0269	108.	74-130	WG477299
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.107	85.3	60-142	WG477299
Acetone	mg/l	.125	0.103	82.	48-134	WG477299
Acrolein	mg/l	.125	0.131	105.	6-182	WG477299
Acrylonitrile	mg/l	.125	0.0990	79.2	60-140	WG477299
Benzene	mg/l	.025	0.0229	91.	67-126	WG477299
Bromobenzene	mg/l	.025	0.0250	100.	76-123	WG477299
Bromodichloromethane	mg/l	.025	0.0260	104.	68-133	WG477299
Bromoform	mg/l	.025	0.0273	109	60-139	WG477299
Bromomethane	mg/l	.025	0.0356	142.	45-175	WG477299
Carbon tetrachloride	mg/l	.025	0.0239	95.6	64-141	WG477299
Chlorobenzene	mg/l	.025	0.0269	108	77-125	WG477299
Chlorodibromomethane	mg/l	.025	0.0276	110.	73-138	WG477299
Chloroethane	mg/l	.025	0.0219	87.5	49-155	WG477299
Chloroform	mg/l	.025	0.0244	97.5	66-126	WG477299
Chloromethane	mg/l	.025	0.0255	102.	45-152	WG477299
cis-1,2-Dichloroethene	mg/l	.025	0.0240	96.0	72-128	WG477299
cis-1,3-Dichloropropene	mg/l	.025	0.024	96.9	73-131	WG477299
Di-isopropyl ether	mg/l	.025	0.0214	85.5	63-139	WG477299
Dibromomethane	mg/l	.025	0.0244	97.6	73-125	WG477299
Dichlorodifluoromethane	mg/l	.02	0.0306	122	68-139	WG477299
Ethylbenzene	mg/l	.025	0.0272	109.	76-129	WG477299
Hexachloro-1,3-butadiene	mg/l	.025	0.0260	104.	67-135	WG477299
Isopropylbenzene	mg/l	.02	0.0254	101.	73-132	WG477299

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Methyl tert-butyl ether	mg/l	.025	0.0227	90.8	125	WG477299
Methylene Chloride	mg/l	.025	0.0245	97.9	64-125	WG477299
n-Butylbenzene	mg/l	.025	0.0252	101.	63-142	WG477299
n-Propylbenzene	mg/l	.025	0.026	.	71-132	WG477299
Naphthalene	mg/l	.025	0.0222	88.8	56-145	WG477299
p-Isopropyltoluene	mg/l	.025	0.0274	110.	68-138	WG477299
sec-Butylbenzene	mg/l	5	0.0268	107	70-135	WG477299
Styrene	mg/l	.025	0.0270	108.	78-130	WG477299
tert-Butylbenzene	mg/l	.025	0.0278	111.	72-134	WG477299
Toluene	mg/l	5	0.0245	94.0	72-122	WG477299
trans-1,2-Dichloroethene	mg/l	.025	0.0238	95.1	67-129	WG477299
trans-1,3-Dichloropropene	mg/l	.025	0.0250	99.9	66-137	WG477299
Trichloroethene	mg/l	5	0.0257	103	74-126	WG477299
Trichlorofluoromethane	mg/l	.025	0.0288	115.	54-156	WG477299
Vinyl chloride	mg/l	.025	0.0232	93.0	55-153	WG477299
Xylenes, Total	mg/l	75	0.0804	107	75-128	WG477299
4-Bromofluorobenzene				110.5	75-128	WG477299
Dibromofluoromethane				100.0	79-125	WG477299
Toluene-d ₈				100.7	87-114	WG477299
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0255	102.	75-134	WG477238
1,1 1-Trichloroethane	mg/l	5	0.0241	96.3	67-137	WG477238
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0260	104.	72-128	WG477238
1,1,2-Trichloroethane	mg/l	.025	0.0264	106.	79-123	WG477238
1,1 2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0270	108	51-148	WG477238
1,1-Dichloroethane	mg/l	.025	0.0254	101.	67-133	WG477238
1,1-Dichloroethene	mg/l	.025	0.0256	103.	60-130	WG477238
1,1-Dichloropropene	mg/l	.025	0.0257	103	68-132	WG477238
1,2,3-Trichlorobenzene	mg/l	.025	0.0254	102.	63-138	WG477238
1,2,3-Trichloropropene	mg/l	.025	0.0254	102.	68-130	WG477238
1,2,3-Trimethylbenzene	mg/l	.025	0.0259	104	70-127	WG477238
1,2,4-Trichlorobenzene	mg/l	.025	0.0246	98.5	65-137	WG477238
1,2,4-Trimethylbenzene	mg/l	.025	0.0259	104.	72-135	WG477238
1,2-Dibromo-3-Chloropropene	mg/l	.025	0.027	109	55-134	WG477238
1,2-Dibromoethane	mg/l	.025	0.0270	108.	75-126	WG477238
1,2-Dichlorobenzene	mg/l	.025	0.0256	102.	75-122	WG477238
1,2-Dichloroethane	mg/l	.025	0.0242	96.6	63-1	WG477238
1,2-Dichloropropene	mg/l	.025	0.0262	105.	74-122	WG477238
1,3,5-Trimethylbenzene	mg/l	.025	0.0256	103.	73-134	WG477238
1,3-Dichlorobenzene	mg/l	.025	0.0250	100	73-131	WG477238
1,3-Dichloropropene	mg/l	.025	0.0256	102.	77-119	WG477238
1,4-Dichlorobenzene	mg/l	.025	0.0252	101.	70-121	WG477238
2,2-Dichloropropene	mg/l	.025	0.0228	1.2	46-151	WG477238
2-Butanone (MEK)	mg/l	.125	0.118	94.3	53-132	WG477238
2-Chloroethyl vinyl ether	mg/l	.125	0.123	98.4	0-171	WG477238
2-Chlorotoluene	mg/l	.025	0.0247	98.7	74-128	WG477238
4-Chlorotoluene	mg/l	.025	0.0253	101.	74-130	WG477238
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.120	96.4	60-142	WG477238
Acetone	mg/l	.125	0.115	1.9	48-134	WG477238
Acrolein	mg/l	.125	0.165	132.	6-182	WG477238
Acrylonitrile	mg/l	.125	0.131	105.	60-140	WG477238
Benzene	mg/l	.025	0.0246	98.2	67-126	WG477238
Bromobenzene	mg/l	.025	0.0261	105.	76-123	WG477238
Bromodichloromethane	mg/l	.025	0.0262	105.	68-133	WG477238
Bromoform	mg/l	.02	0.0272	10	60-138	WG477238
Bromomethane	mg/l	.025	0.0275	110.	45-175	WG477238
Carbon tetrachloride	mg/l	.025	0.0240	96.0	64-141	WG477238
Chlorobenzene	mg/l	.02	0.0259	104.	77-125	WG477238

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Chlorodibromomethane	mg/l	.025	0.0265	106	138	WG477238
Chloroethane	mg/l	.025	0.0310	124	49-155	WG477238
Chloroform	mg/l	.025	0.0237	94.9	66-126	WG477238
Chloromethane	mg/l	.025	0.0328	131	45-155	WG477238
cis-1,2-Dichloroethene	mg/l	.025	0.0258	103	72-128	WG477238
cis-1,3-Dichloropropene	mg/l	.025	0.0259	104	73-131	WG477238
Di-isopropyl ether	mg/l	5	0.0256	102	63-130	WG477238
Dibromomethane	mg/l	.025	0.0256	103	73-125	WG477238
Dichlorodifluoromethane	mg/l	.025	0.0375	150	39-189	WG477238
Ethylbenzene	mg/l	5	0.0256	103	76-130	WG477238
Hexachloro-1,3-butadiene	mg/l	.025	0.0270	108	67-135	WG477238
Isopropylbenzene	mg/l	.025	0.0239	95.5	73-132	WG477238
Methyl tert-butyl ether	mg/l	5	0.025	102	51-142	WG477238
Methylene Chloride	mg/l	.025	0.0222	88.9	64-125	WG477238
n-Butylbenzene	mg/l	.025	0.0257	103	63-142	WG477238
n-Propylbenzene	mg/l	5	0.0258	103	71-132	WG477238
Naphthalene	mg/l	.025	0.0259	104	56-145	WG477238
p-Isopropyltoluene	mg/l	.025	0.0263	105	68-138	WG477238
sec-Butylbenzene	mg/l	5	0.0257	103	70-135	WG477238
Styrene	mg/l	.025	0.0270	108	78-130	WG477238
tert-Butylbenzene	mg/l	.025	0.0267	107	72-134	WG477238
Tetrachloroethene	mg/l	5	0.0260	104	67-135	WG477238
Toluene	mg/l	.025	0.0249	99.4	72-122	WG477238
trans-1,2-Dichloroethene	mg/l	.025	0.0255	102	67-129	WG477238
trans-1,3-Dichloropropene	mg/l	.025	0.0259	104	66-137	WG477238
Trichloroethene	mg/l	.025	0.0264	106	74-126	WG477238
Trichlorofluoromethane	mg/l	.025	0.0288	115	54-156	WG477238
Vinyl chloride	mg/l	.025	0.0312	125	55-153	WG477238
Xylenes, Total	mg/l	.075	0.0783	104	75-128	WG477238
4-Bromofluorobenzene				104.7	75-128	WG477238
Dibromofluoromethane				96.81	79-125	WG477238
Toluene-d8				101.1	87-114	WG477238
Tetrachloroethene	mg/l	5	0.0245	98	67-135	WG477408
4-Bromofluorobenzene				111.7	75-128	WG477408
Dibromofluoromethane				105.9	79-125	WG477408
Toluene-d8				93.13	87-114	WG477408

Analyte	Units	Laboratory Control Sample		Duplicate	Limit	RPD	Limit	Batch
		Result	Ref	tRec				
1,1,1,2-Tetrachloroethane	mg/kg	0.0256	0.0243	102	-134	21	20	WG477208
1,1,1-Trichloroethane	mg/kg	0.0248	0.0236	99.0	62-135	4.91	20	WG477208
1,1,2,2-Tetrachloroethane	mg/kg	0.0258	0.0264	103	74-129	2.52	20	WG477208
1,1,2-Trichloroethane	mg/kg	0.0250	0.0243	100	-124	66	20	WG477208
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0242	0.0260	97.0	49-155	7.17	20	WG477208
1,1-Dichloroethane	mg/kg	0.0241	0.0230	96.0	61-134	4.59	20	WG477208
1,1-Dichloroethene	mg/kg	0.0242	0.0241	97	-13	380	20	WG477208
1,1-Dichloropropene	mg/kg	0.0247	0.0234	99.0	63-132	5.20	20	WG477208
1,2,3-Trichlorobenzene	mg/kg	0.0279	0.0237	111	62-146	16.2	20	WG477208
1,2,3-Trichloropropene	mg/kg	0.0265	0.0265	106	0-133	0.220	0	WG477208
1,2,3-Trimethylbenzene	mg/kg	0.0269	0.0226	108	73-126	17.4	20	WG477208
1,2,4-Trichlorobenzene	mg/kg	0.0276	0.0234	110	61-148	16.4	20	WG477208
1,2,4-Trimethylbenzene	mg/kg	0.0266	0.0253	106	68-135	5.01	0	WG477208
1,2-Dibromo-3-Chloropropane	mg/kg	0.0231	0.0223	92.0	61-134	3.63	21	WG477208
1,2-Dibromoethane	mg/kg	0.0254	0.0253	101	76-127	0.200	20	WG477208
1,2-Dichlorobenzene	mg/kg	0.0261	0.0221	104	7-123	16	0	WG477208
1,2-Dichloroethane	mg/kg	0.0240	0.0235	96.0	58-141	1.90	20	WG477208

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	tRec				
1,2-Dichloropropane	mg/kg	0.0245	0.0240	98.20	72-128	2.07	20	WG477208
1,3,5-Trimethylbenzene	mg/kg	0.0267	0.0251	107.	71-133	6.09	20	WG477208
1,3-Dichlorobenzene	mg/kg	0.0244	0.0232	97.0	71-132	4.71	20	WG477208
1,3-Dichloropropane	mg/kg	0.0235	0.0233	99.0	72-128	0.950	20	WG477208
1,4-Dichlorobenzene	mg/kg	0.0255	0.0213	102.	72-123	18.0	20	WG477208
2,2-Dichloropropane	mg/kg	0.0251	0.0240	100.	50-147	4.55	20	WG477208
2-Butanone (MEK)	mg/kg	0.0232	0.134	10	-13	1.3	5	WG477208
2-Chloroethyl vinyl ether	mg/kg	0.148	0.153	118.	0-188	3.10	39	WG477208
2-Chlorotoluene	mg/kg	0.0251	0.0239	100.	73-128	5.21	20	WG477208
4-Chlorotoluene	mg/kg	0.0252	0.0238	101.	2-129	5.61	0	WG477208
4-Methyl-2-pentanone (MIBK)	mg/kg	0.127	0.133	102.	61-143	4.81	23	WG477208
Acetone	mg/kg	0.148	0.121	118.	44-140	20.1	25	WG477208
Acrylonitrile	mg/kg	0.12	0.135	103.	-143	-	0	WG477208
Benzene	mg/kg	0.0240	0.0229	96.0	65-128	4.40	20	WG477208
Bromobenzene	mg/kg	0.0241	0.0229	96.0	75-123	5.42	20	WG477208
Bromodichloromethane	mg/kg	0.02	0.0258	10	6-126	6	0	WG477208
Bromoform	mg/kg	0.0233	0.0232	93.0	64-139	0.820	20	WG477208
Bromomethane	mg/kg	0.0239	0.0258	96.0	41-175	7.78	20	WG477208
Carbon tetrachloride	mg/kg	0.0233	0.0241	101.	-140	82	0	WG477208
Chlorobenzene	mg/kg	0.0245	0.0231	98.0	75-125	5.91	20	WG477208
Chlorodibromomethane	mg/kg	0.0273	0.0266	109.	72-137	2.77	20	WG477208
Chloroethane	mg/kg	0.0283	0.029	113.	63-159	2.87	0	WG477208
Chloroform	mg/kg	0.0247	0.0240	99.0	63-123	2.79	20	WG477208
Chloromethane	mg/kg	0.0221	0.0220	88.0	42-149	0.610	20	WG477208
cis-1,2-Dichloroethene	mg/kg	0.0249	0.0241	100.	1-129	3.5	0	WG477208
cis-1,3-Dichloropropene	mg/kg	0.0268	0.0263	107.	73-132	1.74	20	WG477208
Di-isopropyl ether	mg/kg	0.0242	0.0235	97.0	59-143	3.03	20	WG477208
Dibromomethane	mg/kg	0.0250	0.0249	100.	0-130	0.570	0	WG477208
Dichlorodifluoromethane	mg/kg	0.0241	0.0244	96.0	26-186	1.16	22	WG477208
Ethylbenzene	mg/kg	0.0258	0.0242	103.	74-128	6.55	20	WG477208
Hexachloro-1,3-butadiene	mg/kg	0.0282	0.0241	113.	5-137	15.	0	WG477208
Isopropylbenzene	mg/kg	0.0262	0.0246	105.	73-130	6.32	20	WG477208
Methyl tert-butyl ether	mg/kg	0.0245	0.0247	98.0	44-148	0.730	20	WG477208
Methylene Chloride	mg/kg	0.0312	0.0246	125.	53-129	23.4	20	WG477208
n-Butylbenzene	mg/kg	0.0288	0.0246	115.	60-145	15.6	20	WG477208
n-Propylbenzene	mg/kg	0.0257	0.0240	103.	71-132	6.63	20	WG477208
Naphthalene	mg/kg	0.0274	0.024	110.	1-142	42	0	WG477208
p-Isopropyl oluene	mg/kg	0.0272	0.0260	109.	67-138	4.59	20	WG477208
sec-Butylbenzene	mg/kg	0.0268	0.0249	107.	71-134	7.12	20	WG477208
Styrene	mg/kg	0.0275	0.0263	110.	-133	4.60	20	WG477208
tert-Butylbenzene	mg/kg	0.0269	0.0250	107.	72-132	7.03	20	WG477208
Tetrachloroethene	mg/kg	0.0245	0.0230	98.0	65-135	6.05	20	WG477208
Toluene	mg/kg	0.0234	0.0224	94.0	0-120	4.48	0	WG477208
trans-1,2-Dichloroethene	mg/kg	0.0244	0.0234	97.0	61-133	4.17	20	WG477208
trans-1,3-Dichloropropene	mg/kg	0.0258	0.0257	103.	70-135	0.170	20	WG477208
Trichloroethene	mg/kg	0.0237	0.0229	95.0	1-126	3.2	0	WG477208
Trichlorofluoromethane	mg/kg	0.0241	0.0249	96.0	52-147	3.11	20	WG477208
Vinyl chloride	mg/kg	0.0227	0.0223	91.0	50-151	1.71	20	WG477208
Xylenes, Total	mg/kg	0.0748	0.0711	100.	4-127	5.02	20	WG477208
4-Bromofluorobenzene				100.4	59-140			WG477208
Dibromofluoromethane				101.5	63-139			WG477208
Toluene-d8				100.8	63-116			WG477208
1,1,1,2-Tetrachloroethane	mg/l	0.0291	0.0283	116.	75-134	2.86	20	WG477299
1,1,1-Trichloroethane	mg/l	0.0263	0.0258	105.	7-137	2.2	20	WG477299
1,1,2,2-Tetrachloroethane	mg/l	0.0270	0.0245	108.	72-128	9.69	20	WG477299
1,1,2-Trichloroethane	mg/l	0.0287	0.0261	115.	79-123	9.63	20	WG477299
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0291	0.0285	116.	53-149	2.86	20	WG477299

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	Result	Ref	Sample	Duplicate	Limit	RPD	Limit	Batch
1,1-Dichloroethane	mg/l	0.0227	0.0227	96.	7-133	5.92	20	WG477299	
1,1-Dichloroethene	mg/l	0.0283	0.0267	113.	60-130	5.92	20	WG477299	
1,1-Dichloropropene	mg/l	0.0253	0.0247	101.	68-132	2.13	20	WG477299	
1,2,3-Trichlorobenzene	mg/l	0.0274	0.0239	109.	-138	13.8	20	WG477299	
1,2,3-Trichloropropene	mg/l	0.0289	0.0254	116.	68-130	12.8	20	WG477299	
1,2,3-Trimethylbenzene	mg/l	0.0265	0.0258	106.	70-127	2.71	20	WG477299	
1,2,4-Trichlorobenzene	mg/l	0.0259	0.0235	104.	-1	9.73	0	WG477299	
1,2,4-Trimethylbenzene	mg/l	0.0287	0.0274	115.	72-135	4.61	20	WG477299	
1,2-Dibromo-3-Chloropropane	mg/l	0.0266	0.0229	106.	55-134	15.0	20	WG477299	
1,2-Dibromoethane	mg/l	0.0282	0.0261	113.	-126	7.6	0	WG477299	
1,2-Dichlorobenzene	mg/l	0.0272	0.0256	109.	75-122	5.95	20	WG477299	
1,2-Dichloroethane	mg/l	0.0257	0.0244	103.	63-137	5.15	20	WG477299	
1,2-Dichloropropene	mg/l	0.0256	0.0231	102.	-122	10.4	0	WG477299	
1,3,5-Trimethylbenzene	mg/l	0.0285	0.0269	114.	73-134	5.80	20	WG477299	
1,3-Dichlorobenzene	mg/l	0.0276	0.0262	110.	73-131	5.39	20	WG477299	
1,3-Dichloropropene	mg/l	0.0261	0.0246	104.	7-119	5.87	0	WG477299	
1,4-Dichlorobenzene	mg/l	0.0252	0.0239	101.	70-121	5.15	20	WG477299	
2,2-Dichloropropene	mg/l	0.0245	0.0228	98.0	46-151	6.91	20	WG477299	
2-Butanone (MEK)	mg/l	0.0258	0.0958	109.	-132	15.	0	WG477299	
2-Chloroethyl vinyl ether	mg/l	0.136	0.117	109.	0-171	15.2	27	WG477299	
2-Chlorotoluene	mg/l	0.0281	0.0268	112.	74-128	4.89	20	WG477299	
4-Chlorotoluene	mg/l	0.02	0.0269	114.	-130	5.1	0	WG477299	
4-Methyl-2-pentanone (MIBK)	mg/l	0.128	0.107	102.	60-142	18.4	20	WG477299	
Acetone	mg/l	0.118	0.103	95.0	48-134	13.7	20	WG477299	
Acrolein	mg/l	0.145	0.131	116.	-182	9.9	9	WG477299	
Acrylonitrile	mg/l	0.113	0.0990	90.0	60-140	13.0	20	WG477299	
Benzene	mg/l	0.0241	0.0229	96.0	67-126	5.47	20	WG477299	
Bromobenzene	mg/l	0.0261	0.0250	104.	6-123	4.	0	WG477299	
Bromodichloromethane	mg/l	0.0284	0.0260	114.	68-133	8.79	20	WG477299	
Bromoform	mg/l	0.0289	0.0273	116.	60-139	5.97	20	WG477299	
Bromomethane	mg/l	0.03	0.0356	146.	5-175	2.8	0	WG477299	
Carbon tetrachloride	mg/l	0.0246	0.0239	98.0	64-141	3.03	20	WG477299	
Chlorobenzene	mg/l	0.0283	0.0269	113.	77-125	4.9	20	WG477299	
Chlorodibromomethane	mg/l	0.0296	0.027	118	3-138	7.0	20	WG477299	
Chloroethane	mg/l	0.0219	0.0219	88.0	49-155	0.100	20	WG477299	
Chloroform	mg/l	0.0256	0.0244	102.	66-126	4.72	20	WG477299	
Chloromethane	mg/l	0.0258	0.0255	103.	5-152	1.4	0	WG477299	
cis-1,2-Dichloroethene	mg/l	0.0256	0.0240	102.	72-128	6.61	20	WG477299	
cis-1,3-Dichloropropene	mg/l	0.0277	0.0247	111.	73-131	11.3	20	WG477299	
Di-isopropyl ether	mg/l	0.0228	0.0214	91.0	-139	6.22	0	WG477299	
Dibromomethane	mg/l	0.0281	0.0244	112.	73-125	14.1	20	WG477299	
Dichlorodifluoromethane	mg/l	0.0309	0.0306	124.	39-189	1.11	24	WG477299	
Ethylbenzene	mg/l	0.0276	0.0272	110.	6-129	1.4	0	WG477299	
Hexachloro-1,3-butadiene	mg/l	0.0273	0.0260	109.	67-135	5.06	20	WG477299	
Isopropylbenzene	mg/l	0.0261	0.0254	104.	73-132	2.85	20	WG477299	
Methyl tert-butyl ether	mg/l	0.0240	0.0227	96.0	1-142	5.7	0	WG477299	
Methylene Chloride	mg/l	0.0249	0.0245	100.	64-125	1.88	20	WG477299	
n-Butylbenzene	mg/l	0.0264	0.0252	106.	63-142	4.64	20	WG477299	
n-Propylbenzene	mg/l	0.0268	0.0261	107.	1-132	2.68	20	WG477299	
Naphthalene	mg/l	0.0250	0.0222	100.	56-145	11.9	20	WG477299	
p-Isopropyltoluene	mg/l	0.0287	0.0274	115.	68-138	4.61	20	WG477299	
sec-Butylbenzene	mg/l	0.0278	0.0268	111.	0-135	3.7	20	WG477299	
Styrene	mg/l	0.0293	0.0270	117.	78-130	8.35	20	WG477299	
tert-Butylbenzene	mg/l	0.0290	0.0278	116.	72-134	4.40	20	WG477299	
Toluene	mg/l	0.0257	0.0235	103.	2-122	8.4	20	WG477299	
trans-1,2-Dichloroethene	mg/l	0.0259	0.0238	103.	67-129	8.40	20	WG477299	
trans-1,3-Dichloropropene	mg/l	0.0281	0.0250	112.	66-137	11.7	20	WG477299	
Trichloroethene	mg/l	0.0276	0.025	110.	-126	7.0	20	WG477299	
Trichlorofluoromethane	mg/l	0.0295	0.0288	118.	54-156	2.69	20	WG477299	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	Result	Ref	Sample Rec	Duplicate	Limit	RPD	Limit	Batch
Vinyl chloride	mg/l	0.0235	0.023	93.0	55-153	0.370	20	WG477299	
Xylenes, Total	mg/l	0.0835	0.0804	111.	75-128	3.78	20	WG477299	
4-Bromofluorobenzene				109.2	75-128			WG477299	
Dibromofluoromethane				96.92	-125			WG477299	
Toluene-d8				104.0	87-114			WG477299	
1,1,1,2-Tetrachloroethane	mg/l	0.0266	0.0255	106.	-134	.2	0	WG477238	
1,1,1-Trichloroethane	mg/l	0.0242	0.0241	97.0	67-137	0.620	20	WG477238	
1,1,2,2-Tetrachloroethane	mg/l	0.0263	0.0260	105.	72-128	1.19	20	WG477238	
1,1,2-Trichloroethane	mg/l	0.0273	0.026	109.	9-123		0	WG477238	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0259	0.0270	103.	51-149	4.44	20	WG477238	
1,1-Dichloroethane	mg/l	0.0248	0.0254	99.0	67-133	2.45	20	WG477238	
1,1-Dichloroethene	mg/l	0.0249	0.0256	100.	-130	2.81	0	WG477238	
1,1-Dichloropropane	mg/l	0.0251	0.0257	100.	68-132	2.39	20	WG477238	
1,2,3-Trichlorobenzene	mg/l	0.0260	0.0254	104.	63-138	2.37	20	WG477238	
1,2,3-Trichloropropane	mg/l	0.0245	0.0256	98.	-130	.4	0	WG477238	
1,2,3-Trimethylbenzene	mg/l	0.0262	0.0259	105.	70-127	0.990	20	WG477238	
1,2,4-Trichlorobenzene	mg/l	0.0257	0.0246	103.	65-137	4.40	20	WG477238	
1,2,4-Trimethylbenzene	mg/l	0.0272	0.025	109.	2-135	5.0	0	WG477238	
1,2-Dibromo-3-Chloropropane	mg/l	0.0248	0.0273	99.0	55-134	9.43	20	WG477238	
1,2-Dibromoethane	mg/l	0.0269	0.0270	108.	75-126	0.320	20	WG477238	
1,2-Dichlorobenzene	mg/l	0.0266	0.0256	106.	5-122	3.8	0	WG477238	
1,2-Dichloroethane	mg/l	0.0239	0.0242	96.0	63-137	1.09	20	WG477238	
1,2-Dichloropropane	mg/l	0.0267	0.0262	107.	74-122	1.58	20	WG477238	
1,3,5-Trimethylbenzene	mg/l	0.02	0.0256	107.	3-134	4.24	0	WG477238	
1,3-Dichlorobenzene	mg/l	0.0263	0.0250	105.	73-131	5.06	20	WG477238	
1,3-Dichloropropane	mg/l	0.0260	0.0256	104.	77-119	1.61	20	WG477238	
1,4-Dichlorobenzene	mg/l	0.0253	0.0252	101.	0-12	0.390	0	WG477238	
2,2-Dichloropropane	mg/l	0.0242	0.0228	97.0	46-151	5.85	20	WG477238	
2-Butanone (MEK)	mg/l	0.110	0.118	88.0	53-132	6.51	20	WG477238	
2-Chloroethyl vinyl ether	mg/l	0.12	0.123	104.	-171	5.1	0	WG477238	
2-Chlorotoluene	mg/l	0.0270	0.0247	108.	74-128	9.18	20	WG477238	
4-Chlorotoluene	mg/l	0.0264	0.0253	105.	74-130	4.29	20	WG477238	
4-Methyl-2-pentanone (M	mg/l	0.11	0.120	92.	0-142	5.0	20	WG477238	
Acetone	mg/l	0.107	0.115	85.0	48-134	7.47	20	WG477238	
Acrolein	mg/l	0.146	0.165	117.	6-182	12.3	39	WG477238	
Acrylonitrile	mg/l	0.11	0.131		0-140	3.4	0	WG477238	
Benzene	mg/l	0.0242	0.0246	97.0	67-126	1.54	20	WG477238	
Bromobenzene	mg/l	0.0275	0.0261	110.	76-123	4.95	20	WG477238	
Bromodichloromethane	mg/l	0.0265	0.0262	106.	60-133	1.56	20	WG477238	
Bromoform	mg/l	0.0265	0.0272	106.	60-139	2.67	20	WG477238	
Bromomethane	mg/l	0.0280	0.0275	112.	45-175	1.64	20	WG477238	
Carbon tetrachloride	mg/l	0.0245	0.0240	96.0	4-14	0.270	0	WG477238	
Chlorobenzene	mg/l	0.0271	0.0259	108.	77-125	4.38	20	WG477238	
Chlorodibromomethane	mg/l	0.0273	0.0265	109.	73-138	3.19	20	WG477238	
Chloroethane	mg/l	0.0302	0.0310	121.	9-1	2.	0	WG477238	
Chloroform	mg/l	0.0240	0.0237	96.0	66-126	0.990	20	WG477238	
Chloromethane	mg/l	0.0317	0.0328	127.	45-152	3.41	20	WG477238	
cis-1,2-Dichloroethene	mg/l	0.0255	0.0258	102.	2-128	1.1	20	WG477238	
cis-1,3-Dichloropropene	mg/l	0.0258	0.0259	103.	73-131	0.450	20	WG477238	
Di-isopropyl ether	mg/l	0.0250	0.0256	100.	63-139	2.42	20	WG477238	
Dibromomethane	mg/l	0.0249	0.0256	100.	3-125	2.9	20	WG477238	
Dichlorodifluoromethane	mg/l	0.0358	0.0375	143.	39-189	4.63	24	WG477238	
Ethylbenzene	mg/l	0.0265	0.0256	106.	76-129	3.43	20	WG477238	
Hexachloro-1,3-butadiene	mg/l	0.0272	0.0270	109.	7-135	0.900	20	WG477238	
Isopropylbenzene	mg/l	0.0248	0.0239	99.0	73-132	3.90	20	WG477238	
Methyl tert-butyl ether	mg/l	0.0239	0.0255	96.0	51-142	6.42	20	WG477238	
Methylene Chloride	mg/l	0.0229	0.0222	92.0	63-125	3.	20	WG477238	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	% Rec				
n-Butylbenzene	mg/l	0.0256	0.0257	103.1	12-142	4.30	20	WG477238
n-Propylbenzene	mg/l	0.0267	0.0258	107.1	71-132	3.48	20	WG477238
Naphthalene	mg/l	0.0258	0.0259	103.1	56-145	0.650	20	WG477238
p-Isopropyltoluene	mg/l	0.0274	0.0263	109.1	65-130	3.48	20	WG477238
sec-Butylbenzene	mg/l	0.0266	0.0257	106.1	70-135	3.67	20	WG477238
Styrene	mg/l	0.0276	0.0270	110.1	78-130	2.30	20	WG477238
tert-Butylbenzene	mg/l	0.027	0.0267	109.1	2-134	2.1	0	WG477238
Tetrachloroethene	mg/l	0.0275	0.0260	110.1	67-135	5.52	20	WG477238
Toluene	mg/l	0.0245	0.0249	98.0	72-122	1.42	20	WG477238
trans-1,2-Dichloroethene	mg/l	0.0255	0.0255	102.1	7-129	0.0600	0	WG477238
trans-1,3-Dichloropropene	mg/l	0.0258	0.0259	103.1	66-137	0.400	20	WG477238
Trichloroethene	mg/l	0.0265	0.0264	106.1	74-126	0.370	20	WG477238
Trichlorofluoromethane	mg/l	0.0288	0.0288	113.1	53-156	1.4	0	WG477238
Vinyl chloride	mg/l	0.0308	0.0312	123.1	55-153	1.35	20	WG477238
Xylenes, Total	mg/l	0.0811	0.0783	108.1	75-128	3.48	20	WG477238
4-Bromofluorobenzene				106.6	-128			WG477238
Dibromofluoromethane				95.67	79-125			WG477238
Toluene-d8				99.55	87-114			WG477238
Tetrachloroethene	mg/l	0.0212	0.0245	85.0	67-135	14.4	20	WG477408
4-Bromofluorobenzene				99.15	75-128			WG477408
Dibromofluoromethane				106.1	9-125			WG477408
Toluene-d8				96.34	87-114			WG477408

Analyte	Units	MS Res	Matrix Spike			Limit	Ref Samp	Batch
			Ref Res	TV	% Rec			
1,1,1,2-Tetrachloroethane	mg/kg	0.0230	0	2.2	92.1	29-145	L456535-05	WG477208
1,1,1-Trichloroethane	mg/kg	0.0248	0	0.25	99.2	23-147	L456535-05	WG477208
1,1,2,2-Tetrachloroethane	mg/kg	0.0255	0	0.25	102.1	18-150	L456535-05	WG477208
1,1,2-Trichloroethane	mg/kg	0.0245	0	2.2	97.9	35-140	L456535-05	WG477208
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0246	0	0.25	98.2	10-145	L456535-05	WG477208
1,1-Dichloroethane	mg/kg	0.0244	0	0.25	97.8	24-148	L456535-05	WG477208
1,1-Dichloroethene	mg/kg	0.0255	0	0.2	0	10-14	L456535-05	WG477208
1,1-Dichloropropene	mg/kg	0.0240	0	0.25	96.0	10-141	L456535-05	WG477208
1,2,3-Trichlorobenzene	mg/kg	0.0149	0	0.25	59.6	10-129	L456535-05	WG477208
1,2,3-Trichloropropene	mg/kg	0.0263	0	2	0	30-148	L456535-05	WG477208
1,2,3-Trimethylbenzene	mg/kg	0.0260	0	0.25	104.1	10-137	L456535-05	WG477208
1,2,4-Trichlorobenzene	mg/kg	0.0169	0	0.25	67.4	10-119	L456535-05	WG477208
1,2,4-Trimethylbenzene	mg/kg	0.0208	0	0.25	83.1	10-145	L456535-05	WG477208
1,2-Dibromo-3-Chloropropene	mg/kg	0.0282	0	0.25	113.1	19-145	L456535-05	WG477208
1,2-Dibromoethane	mg/kg	0.0255	0	0.25	102.1	24-145	L456535-05	WG477208
1,2-Dichlorobenzene	mg/kg	0.0223	0	0.25	89.3	12-130	L456535-05	WG477208
1,2-Dichloroethane	mg/kg	0.0254	0	0.25	102.1	21-155	L456535-05	WG477208
1,2-Dichloropropene	mg/kg	0.0240	0	0.25	96.0	28-144	L456535-05	WG477208
1,3,5-Trimethylbenzene	mg/kg	0.0196	0	0.2	8.6	10-135	L456535-05	WG477208
1,3-Dichlorobenzene	mg/kg	0.0171	0	0.25	68.4	10-129	L456535-05	WG477208
1,3-Dichloropropene	mg/kg	0.0234	0	0.25	93.5	31-137	L456535-05	WG477208
1,4-Dichlorobenzene	mg/kg	0.0226	0	0.25	80.5	10-121	L456535-05	WG477208
2,2-Dichloropropene	mg/kg	0.0253	0	0.25	101.1	18-144	L456535-05	WG477208
2-Butanone (MEK)	mg/kg	0.168	0	0.125	135.1	21-143	L456535-05	WG477208
2-Chloroethyl vinyl et	mg/kg	0.0136	0	0.125	10	0-176	L456535-05	WG477208
2-Chlorotoluene	mg/kg	0.0190	0	0.25	76.0	10-132	L456535-05	WG477208
4-Chlorotoluene	mg/kg	0.0190	0	0.25	75.9	10-129	L456535-05	WG477208
4-Methyl-2-pentanone (MIBK)	mg/kg	0.170	0	0.125	136.1	31-151	L456535-05	WG477208
Acetone	mg/kg	0.184	0	0.125	147.1	13-158	L456535-05	WG477208
Acrylonitrile	mg/kg	0.158	0	0.125	127.1	20-154	L456535-05	WG477208
Benzene	mg/kg	0.024	0	0.25	86.1	16-143	L456535-05	WG477208

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	MS Res	Matrix Spike			Limit	Ref Samp	Batch
			Ref Res	TV	% Rec			
Bromobenzene	mg/kg	0.0192	0	.025	76.6	14-135	L456535-05	WG477208
Bromodichloromethane	mg/kg	0.0258	0	.025	103.	27-139	L456535-05	WG477208
Bromoform	mg/kg	0.0218	0	.025	87.4	21-144	L456535-05	WG477208
Bromomethane	mg/kg	0.028	0	.025	112.	180	L456535-05	WG477208
Carbon tetrachloride	mg/kg	0.0244	0	.025	97.7	12-149	L456535-05	WG477208
Chlorobenzene	mg/kg	0.0211	0	.025	84.5	17-134	L456535-05	WG477208
Chlorodibromomethane	mg/kg	0.0252	0	2	0	28-147	L456535-05	WG477208
Chloroethane	mg/kg	0.0361	0	.025	144.	0-172	L456535-05	WG477208
Chloroform	mg/kg	0.0244	0	.025	97.8	28-138	L456535-05	WG477208
Chloromethane	mg/kg	0.0289	0	2	16.	10-158	L456535-05	WG477208
cis-1,2-Dichloroethene	mg/kg	0.0252	0	.025	101.	21-147	L456535-05	WG477208
cis-1,3-Dichloropropene	mg/kg	0.0252	0	.025	101.	17-145	L456535-05	WG477208
Di-isopropyl ether	mg/kg	0.0250	0	2	00.	-153	L456535-05	WG477208
Dibromomethane	mg/kg	0.0258	0	.025	103.	24-147	L456535-05	WG477208
Dichlorodifluoromethane	mg/kg	0.0263	0	.025	105.	0-192	L456535-05	WG477208
Ethylbenzene	mg/kg	0.0218	0	.025	87.3	12-137	L456535-05	WG477208
Hexachloro-1,3-butadiene	mg/kg	0.0162	0	.025	64.8	10-123	L456535-05	WG477208
Isopropylbenzene	mg/kg	0.0213	0	.025	85.2	14-134	L456535-05	WG477208
Methyl tert-butyl ether	mg/kg	0.02	0	2	1	21-157	L456535-05	WG477208
Methylene Chloride	mg/kg	0.0254	0	.025	102.	12-149	L456535-05	WG477208
n-Butylbenzene	mg/kg	0.0218	0	.025	87.2	10-130	L456535-05	WG477208
n-Propylbenzene	mg/kg	0.0198	0	.025	89.1	10-130	L456535-05	WG477208
Naphthalene	mg/kg	0.0246	0	.025	98.4	0-146	L456535-05	WG477208
p-Isopropyltoluene	mg/kg	0.0183	0	.025	73.3	10-131	L456535-05	WG477208
sec-Butylbenzene	mg/kg	0.0202	0.00119	.02	6.2	10-134	L456535-05	WG477208
Styrene	mg/kg	0.0224	0	.025	89.8	10-140	L456535-05	WG477208
tert-Butylbenzene	mg/kg	0.0201	0	.025	80.2	11-137	L456535-05	WG477208
Tetrachloroethene	mg/kg	0.020	0	.025	11.5	10-131	L456535-05	WG477208
Toluene	mg/kg	0.0219	0	.025	87.6	12-136	L456535-05	WG477208
trans-1,2-Dichloroethene	mg/kg	0.0251	0	.025	100.	10-143	L456535-05	WG477208
trans-1,3-Dichloropropene	mg/kg	0.0255	0	.02	0.	16-147	L456535-05	WG477208
Trichloroethene	mg/kg	0.0223	0	.025	89.2	10-155	L456535-05	WG477208
Trichlorofluoromethane	mg/kg	0.0293	0	.025	117.	10-154	L456535-05	WG477208
Vinyl chloride	mg/kg	0.0276	0	.025	110.	10-159	L456535-05	WG477208
Xylenes, Total	mg/kg	0.0627	0	.075	83.6	10-138	L456535-05	WG477208
4-Bromofluorobenzene					88.78	59-140		WG477208
Dibromofluoromethane					107.4	63-139		WG477208
Toluene-d8					98.47	84-116		WG477208
1,1,1,2-Tetrachloroethane	mg/l	0.028	0	.02	14.	-152	456510-03	WG477299
1,1,1-Trichloroethane	mg/l	0.0287	0	.025	115.	31-161	L456510-03	WG477299
1,1,2,2-Tetrachloroethane	mg/l	0.0257	0	.025	103.	49-149	L456510-03	WG477299
1,1,2-Trichloroethane	mg/l	0.0263	0	.02	05.	46-145	L456510-03	WG477299
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0356	0	.025	142.	14-168	L456510-03	WG477299
1,1-Dichloroethane	mg/l	0.0255	0	.025	102.	30-159	L456510-03	WG477299
1,1-Dichloroethene	mg/l	0.0323	0	.02	29.	10-162	L456510-03	WG477299
1,1-Dichloropropene	mg/l	0.0280	0	.025	112.	14-162	L456510-03	WG477299
1,2,3-Trichlorobenzene	mg/l	0.0239	0	.025	95.5	32-143	L456510-03	WG477299
1,2,3-Trichloropropane	mg/l	0.0256	0	.02	02.	48-148	L456510-03	WG477299
1,2,3-Trimethylbenzene	mg/l	0.0265	0	.025	106.	36-141	L456510-03	WG477299
1,2,4-Trichlorobenzene	mg/l	0.0230	0	.025	92.2	27-142	L456510-03	WG477299
1,2,4-Trimethylbenzene	mg/l	0.0289	0	.025	16.	29-153	L456510-03	WG477299
1,2-Dibromo-3-Chloropropane	mg/l	0.0263	0	.025	105.	37-148	L456510-03	WG477299
1,2-Dibromoethane	mg/l	0.0259	0	.025	104.	41-149	L456510-03	WG477299
1,2-Dichlorobenzene	mg/l	0.0258	0	.025	103.	40-166	L456510-03	WG477299
1,2-Dichloroethane	mg/l	0.0251	0	.025	100.	29-167	L456510-03	WG477299
1,2-Dichloropropene	mg/l	0.0240	0	.025	95.8	39-148	L456510-03	WG477299
1,3,5-Trimethylbenzene	mg/l	0.0289	0	.025	106.	33-166	L456510-03	WG477299

* Performance of this Analyte is above of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	Matrix Spike			TV	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV					
1,3-Dichlorobenzene	mg/l	0.027	0	0.025	111	32-148	L456510-03	WG477299	
1,3-Dichloropropane	mg/l	0.0242	0	0.025	96.9	44-142	L456510-03	WG477299	
1,4-Dichlorobenzene	mg/l	0.0254	0	0.025	101	32-136	L456510-03	WG477299	
2,2-Dichloropropane	mg/l	0.0254	0	0.025	119	14-158	L456510-03	WG477299	
2-Butanone (MEK)	mg/l	0.114	0	0.125	90.9	32-151	L456510-03	WG477299	
2-Chloroethyl vinyl ether	mg/l	0.00284	0	0.125	2.27	0-175	L456510-03	WG477299	
2-Chlorotoluene	mg/l	0.0288	0	2	15	-147	L456510-03	WG477299	
4-Chlorotoluene	mg/l	0.0284	0	0.025	113	33-147	L456510-03	WG477299	
4-Methyl-2-pentanone (MIBK)	mg/l	0.114	0	0.125	91.4	40-160	L456510-03	WG477299	
Acetone	mg/l	0.131	0	2	05	25-157	L456510-03	WG477299	
Acrolein	mg/l	0.124	0	0.125	99.1	0-179	L456510-03	WG477299	
Acrylonitrile	mg/l	0.115	0	0.125	92.1	37-162	L456510-03	WG477299	
Benzene	mg/l	0.0246	0	2	108	16-158	L456510-03	WG477299	
Bromobenzene	mg/l	0.0258	0	0.025	103	37-147	L456510-03	WG477299	
Bromodichloromethane	mg/l	0.0269	0	0.025	108	45-147	L456510-03	WG477299	
Bromoform	mg/l	0.0274	0	2	10	-152	L456510-03	WG477299	
Bromomethane	mg/l	0.0405	0	0.025	162	0-191	L456510-03	WG477299	
Carbon tetrachloride	mg/l	0.0258	0	0.025	103	22-168	L456510-03	WG477299	
Chlorobenzene	mg/l	0.0282	0	2	13	3-148	L456510-03	WG477299	
Chlorodibromomethane	mg/l	0.0274	0	0.025	110	48-151	L456510-03	WG477299	
Chloroethane	mg/l	0.0294	0	0.025	117	4-176	L456510-03	WG477299	
Chloroform	mg/l	0.025	0	2	108	37-147	L456510-03	WG477299	
Chloromethane	mg/l	0.0272	0	0.025	109	10-174	L456510-03	WG477299	
cis-1,2-Dichloroethene	mg/l	0.107	0.0790	0.025	111	29-156	L456510-03	WG477299	
cis-1,3-Dichloropropene	mg/l	0.0256	0	2	0	35-148	L456510-03	WG477299	
Di-isopropyl ether	mg/l	0.0219	0	0.025	87.6	39-160	L456510-03	WG477299	
Dibromomethane	mg/l	0.0245	0	0.025	97.8	36-152	L456510-03	WG477299	
Dichlorodifluoromethane	mg/l	0.033	0	2	103	0-200	L456510-03	WG477299	
Ethylbenzene	mg/l	0.0285	0	0.025	114	29-150	L456510-03	WG477299	
Hexachloro-1,3-butadiene	mg/l	0.0239	0	0.025	95.5	28-144	L456510-03	WG477299	
Isopropylbenzene	mg/l	0.0283	0	2	1	35-147	L456510-03	WG477299	
Methyl tert-butyl ether	mg/l	0.0222	0	0.025	89.0	24-167	L456510-03	WG477299	
Methylene Chloride	mg/l	0.0245	0	0.025	98.2	23-151	L456510-03	WG477299	
n-Butylbenzene	mg/l	0.0277	0	0.02	11	22-151	L456510-03	WG477299	
n-Propylbenzene	mg/l	0.0287	0	0.025	115	26-150	L456510-03	WG477299	
Naphthalene	mg/l	0.0233	0	0.025	93.3	24-160	L456510-03	WG477299	
p-Isopropyltoluene	mg/l	0.0300	0	2	20	28-151	L456510-03	WG477299	
sec-Butylbenzene	mg/l	0.0302	0	0.025	121	32-149	L456510-03	WG477299	
Styrene	mg/l	0.0291	0	0.025	116	38-149	L456510-03	WG477299	
tert-Butylbenzene	mg/l	0.0303	0	0.025	121	36-14	L456510-03	WG477299	
Toluene	mg/l	0.0248	0	0.025	99.2	22-152	L456510-03	WG477299	
trans-1,2-Dichloroethene	mg/l	0.0285	0.00300	0.025	102	11-160	L456510-03	WG477299	
trans-1,3-Dichloropropene	mg/l	0.0250	0	0.025	99.9	33-153	L456510-03	WG477299	
Trichloroethene	mg/l	0.0347	0.00670	0.025	112	18-163	L456510-03	WG477299	
Trichlorofluoromethane	mg/l	0.0351	0	0.025	140	10-177	L456510-03	WG477299	
Vinyl chloride	mg/l	0.176	0.170	0.02	5.0	0-17	L456510-03	WG477299	
Xylenes, Total	mg/l	0.0852	0	0.075	114	27-151	L456510-03	WG477299	
4-Bromofluorobenzene					110.2	75-128		WG477299	
Dibromofluoromethane					100.0	79-125		WG477299	
Toluene-d8					101.5	87-114		WG477299	
1,1,1,2-Tetrachloroethane	mg/l	0.0249	0	2	89.7	45-152	L456539-05	WG477238	
1,1,1-Trichloroethane	mg/l	0.0231	0	0.025	92.6	31-161	L456539-05	WG477238	
1,1,2,2-Tetrachloroethane	mg/l	0.0259	0	0.025	104	49-149	L456539-05	WG477238	
1,1,2-Trichloroethane	mg/l	0.0247	0	0.025	98.8	46-145	L456539-05	WG477238	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0277	0.00120	0.025	106	14-168	L456539-05	WG477238	
1,1-Dichloroethane	mg/l	0.0236	0	0.025	94.3	30-159	L456539-05	WG477238	
1,2-Dichloroethane	mg/l	0.025	0	0.025	102	10-162	L456539-05	WG477238	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	Matrix Spike			TV	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV					
1,1-Dichloropropene	mg/l	0.0243	0	0.025	93.2	14-162	L456539-05	WG477238	
1,2,3-Trichlorobenzene	mg/l	0.0240	0	0.025	96.1	32-143	L456539-05	WG477238	
1,2,3-Trichloropropane	mg/l	0.0255	0	0.025	102.	48-148	L456539-05	WG477238	
1,2,3-Trimethylbenzene	mg/l	0.0240	0	0.025	98.	36-141	L456539-05	WG477238	
1,2,4-Trichlorobenzene	mg/l	0.0241	0	0.025	96.5	27-142	L456539-05	WG477238	
1,2,4-Trimethylbenzene	mg/l	0.0245	0	0.025	98.1	29-153	L456539-05	WG477238	
1,2-Dibromo-3-Chloropropane	mg/l	0.0262	0	2	05.	-148	L456539-05	WG477238	
1,2-Dibromoethane	mg/l	0.0265	0	0.025	106.	41-149	L456539-05	WG477238	
1,2-Dichlorobenzene	mg/l	0.0235	0	0.025	93.8	40-139	L456539-05	WG477238	
1,2-Dichloroethane	mg/l	0.0226	0	2	90.	29-167	L456539-05	WG477238	
1,2-Dichloropropane	mg/l	0.0234	0	0.025	93.6	39-148	L456539-05	WG477238	
1,3,5-Trimethylbenzene	mg/l	0.0240	0	0.025	96.1	33-149	L456539-05	WG477238	
1,3-Dichlorobenzene	mg/l	0.0244	0	2	97.6	-148	L456539-05	WG477238	
1,3-Dichloropropane	mg/l	0.0251	0	0.025	100.	44-142	L456539-05	WG477238	
1,4-Dichlorobenzene	mg/l	0.0243	0	0.025	97.1	32-136	L456539-05	WG477238	
2,2-Dichloropropane	mg/l	0.0228	0	2	91.1	14-158	L456539-05	WG477238	
2-Butanone (MEK)	mg/l	0.113	0	0.125	90.2	32-151	L456539-05	WG477238	
2-Chloroethyl vinyl ether	mg/l	0.00508	0	0.125	4.07	0-175	L456539-05	WG477238	
2-Chlorotoluene	mg/l	0.0243	0	2	97.3	-147	L456539-05	WG477238	
4-Chlorotoluene	mg/l	0.0244	0	0.025	97.6	33-147	L456539-05	WG477238	
4-Methyl-2-pentanone (MIBK)	mg/l	0.117	0	0.125	93.3	40-160	L456539-05	WG477238	
Acetone	mg/l	0.0963	0	0.125	77.0	25-157	L456539-05	WG477238	
Acrolein	mg/l	0.0963	0	0.125	77.0	0-179	L456539-05	WG477238	
Acrylonitrile	mg/l	0.129	0	0.125	103.	37-162	L456539-05	WG477238	
Benzene	mg/l	0.0225	0	0.025	99.9	16-158	L456539-05	WG477238	
Bromobenzene	mg/l	0.0251	0	0.025	100.	37-147	L456539-05	WG477238	
Bromodichloromethane	mg/l	0.0238	0	0.025	95.1	45-147	L456539-05	WG477238	
Bromoform	mg/l	0.0260	0	0.025	98.	38-152	L456539-05	WG477238	
Bromomethane	mg/l	0.0230	0	0.025	91.9	0-191	L456539-05	WG477238	
Carbon tetrachloride	mg/l	0.0227	0	0.025	90.6	22-168	L456539-05	WG477238	
Chlorobenzene	mg/l	0.0243	0	0.025	97.3	33-148	L456539-05	WG477238	
Chlorodibromomethane	mg/l	0.0254	0	0.025	102.	48-151	L456539-05	WG477238	
Chloroethane	mg/l	0.0258	0	0.025	103.	4-176	L456539-05	WG477238	
Chloroform	mg/l	0.0223	0	0.025	99.4	37-147	L456539-05	WG477238	
Chloromethane	mg/l	0.0261	0	0.025	104.	10-174	L456539-05	WG477238	
cis-1,2-Dichloroethene	mg/l	0.0236	0	0.025	94.2	29-156	L456539-05	WG477238	
cis-1,3-Dichloropropene	mg/l	0.0249	0	0.025	99.4	35-148	L456539-05	WG477238	
Di-isopropyl ether	mg/l	0.0236	0	0.025	94.3	39-160	L456539-05	WG477238	
Dibromomethane	mg/l	0.0239	0	0.025	95.4	36-152	L456539-05	WG477238	
Dichlorodifluoromethane	mg/l	0.031	0	0.025	12.	0-200	L456539-05	WG477238	
Ethylbenzene	mg/l	0.0245	0	0.025	98.0	29-150	L456539-05	WG477238	
Hexachloro-1,3-butadiene	mg/l	0.0239	0	0.025	95.7	28-144	L456539-05	WG477238	
Isopropylbenzene	mg/l	0.024	0	0.025	97.6	35-147	L456539-05	WG477238	
Methyl tert-butyl ether	mg/l	0.0224	0	0.025	89.5	24-167	L456539-05	WG477238	
Methylene Chloride	mg/l	0.0222	0	0.025	88.9	23-151	L456539-05	WG477238	
n-Butylbenzene	mg/l	0.0232	0	0.025	92.8	22-151	L456539-05	WG477238	
n-Propylbenzene	mg/l	0.0244	0	0.025	97.5	26-150	L456539-05	WG477238	
Naphthalene	mg/l	0.0243	0	0.025	97.2	24-160	L456539-05	WG477238	
p-Isopropyltoluene	mg/l	0.0250	0	0.025	100.	28-151	L456539-05	WG477238	
sec-Butylbenzene	mg/l	0.0245	0	0.025	98.0	32-149	L456539-05	WG477238	
Styrene	mg/l	0.0248	0	0.025	99.1	38-149	L456539-05	WG477238	
tert-Butylbenzene	mg/l	0.0244	0	0.025	7.5	36-14	L456539-05	WG477238	
Tetrachloroethene	mg/l	0.106	0.0820	0.025	95.2	13-157	L456539-05	WG477238	
Toluene	mg/l	0.0228	0	0.025	91.1	22-152	L456539-05	WG477238	
trans-1,2-Dichloroethene	mg/l	0.0236	0	0.025	94.6	11-160	L456539-05	WG477238	
trans-1,3-Dichloropropene	mg/l	0.0248	0	0.025	99.2	33-153	L456539-05	WG477238	
Trichloroethene	mg/l	0.0277	0.00370	0.025	95.8	18-163	L456539-05	WG477238	
Trichlorofluoromethane	mg/l	0.0259	0	0.025	103.	10-177	L456539-05	WG477238	
Vinyl chloride	mg/l	0.0268	0	0.025	107.	0-179	L456539-05	WG477238	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

**Quality Assurance Report
Level II**

Indianapolis, IN 46208

L456539

May 11, 2010

Analyte	Units	MS Res	Ref Res	TV	% Rec	Limit	Ref Samp	Batch
Xylenes, Total	mg/l	0.0239	0	.075	97.	27-151	L456539-05	WG477238
4-Bromofluorobenzene					105.9	75-128		WG477238
Dibromofluoromethane					96.94	79-125		WG477238
Toluene-d8					101.1	87-114		WG477238
Tetrachloroethene	mg/l	0.0219	0	.025	87.6	13-157	L456954-06	WG477408
4-Bromofluorobenzene					95.1	75-128		WG477408
Dibromofluoromethane					109.7	79-125		WG477408
Toluene-d8					100.1	87-114		WG477408

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit	Ref Samp	Batch
1,1,1,2-Tetrachloroethane	mg/kg	0.0239	0.0230	93.4	9-14	1.3	31	L456535-05	WG477208
1,1,1-Trichloroethane	mg/kg	0.0242	0.0248	96.6	23-147	2.65	32	L456535-05	WG477208
1,1,2,2-Tetrachloroethane	mg/kg	0.0297	0.0255	119.	18-150	15.0	33	L456535-05	WG477208
1,1,2-Trichloroethane	mg/kg	0.0255	0.024	102	5-140	4.02	33	L456535-05	WG477208
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/kg	0.0236	0.0246	94.4	10-145	3.96	35	L456535-05	WG477208
1,1-Dichloroethane	mg/kg	0.0235	0.0244	94.0	24-148	3.91	31	L456535-05	WG477208
1,1-Dichloroethane	mg/kg	0.0245	0.0255	98.0	23-149	3.92	33	L456535-05	WG477208
1,1-Dichloropropene	mg/kg	0.0233	0.0240	93.4	10-141	2.85	34	L456535-05	WG477208
1,2,3-Trichlorobenzene	mg/kg	0.0198	0.0149	79.2	10-129	28.3	43	L456535-05	WG477208
1,2,3-Trichloropropene	mg/kg	0.0353	0.0263	27	0-148	18.	32	L456535-05	WG477208
1,2,3-Trimethylbenzene	mg/kg	0.0240	0.0260	96.0	10-137	7.93	36	L456535-05	WG477208
1,2,4-Trichlorobenzene	mg/kg	0.0200	0.0169	80.0	10-119	17.0	44	L456535-05	WG477208
1,2,4-Trimethylbenzene	mg/kg	0.0222	0.0208	88.9	23-145	6.87	31	L456535-05	WG477208
1,2-Dibromo-3-Chloropropene	mg/kg	0.0326	0.0282	130.	19-145	14.6	35	L456535-05	WG477208
1,2-Dibromoethane	mg/kg	0.0269	0.0255	108.	24-145	5.44	31	L456535-05	WG477208
1,2-Dichlorobenzene	mg/kg	0.0229	0.0223	91.6	23-140	2.85	33	L456535-05	WG477208
1,2-Dichloroethane	mg/kg	0.0255	0.0254	102.	21-155	0.540	29	L456535-05	WG477208
1,2-Dichloropropene	mg/kg	0.0242	0.0240	96.6	28-144	0.600	30	L456535-05	WG477208
1,3,5-Trimethylbenzene	mg/kg	0.0219	0.0185	87.4	-135	10.6	33	L456535-05	WG477208
1,3-Dichlorobenzene	mg/kg	0.0198	0.0171	79.0	10-129	14.5	38	L456535-05	WG477208
1,3-Dichloropropene	mg/kg	0.0242	0.0234	96.8	31-137	3.55	29	L456535-05	WG477208
1,4-Dichlorobenzene	mg/kg	0.0226	0.0246	90.6	-121	0.000	36	L456535-05	WG477208
2,2-Dichloropropene	mg/kg	0.0250	0.0253	100.	18-144	1.33	32	L456535-05	WG477208
2-Butanone (MEK)	mg/kg	0.188	0.168	150.*	21-143	10.8	37	L456535-05	WG477208
2-Chloroethyl vinyl ether	mg/kg	0.0138	0.0136	11.1	0-176	1.33	33	L456535-05	WG477208
2-Chlorotoluene	mg/kg	0.0211	0.0190	84.4	10-132	10.4	37	L456535-05	WG477208
4-Chlorotoluene	mg/kg	0.0212	0.0190	85.0	10-129	11.3	38	L456535-05	WG477208
4-Methyl-2-pentanone (MIBK)	mg/kg	0.189	0.170	132.*	-151	11.0	36	L456535-05	WG477208
Acetone	mg/kg	0.199	0.184	159.*	13-158	7.58	34	L456535-05	WG477208
Acrylonitrile	mg/kg	0.172	0.158	138.	20-154	8.42	35	L456535-05	WG477208
Benzene	mg/kg	0.0235	0.0240	94.0	16-143	2.11	31	L456535-05	WG477208
Bromobenzene	mg/kg	0.0211	0.0192	84.4	14-135	9.65	39	L456535-05	WG477208
Bromodichloromethane	mg/kg	0.0262	0.0258	105.	27-139	1.57	30	L456535-05	WG477208
Bromoform	mg/kg	0.0254	0.0218	102.	-144	15.1	34	L456535-05	WG477208
Bromomethane	mg/kg	0.0254	0.0283	101.	0-180	11.0	41	L456535-05	WG477208
Carbon tetrachloride	mg/kg	0.0249	0.0244	99.4	12-149	1.73	34	L456535-05	WG477208
Chlorobenzene	mg/kg	0.0221	0.0211	98.3	17-134	.40	34	L456535-05	WG477208
Chlorodibromomethane	mg/kg	0.0268	0.0252	107.	28-147	6.12	32	L456535-05	WG477208
Chloroethane	mg/kg	0.0329	0.0361	132.	0-172	9.22	38	L456535-05	WG477208
Chloroform	mg/kg	0.0241	0.0244	96.4	28-138	1.45	30	L456535-05	WG477208
Chloromethane	mg/kg	0.0277	0.0289	111.	10-158	4.41	35	L456535-05	WG477208
cis-1,2-Dichloroethene	mg/kg	0.0244	0.0252	97.5	21-147	3.21	31	L456535-05	WG477208
cis-1,3-Dichloropropene	mg/kg	0.0255	0.0252	102.	17-145	1.22	32	L456535-05	WG477208
Di-isopropyl ether	mg/kg	0.0241	0.0250	96.4	31-153	3.73	29	L456535-05	WG477208
Dibromomethane	mg/kg	0.0264	0.0258	106.	24-147	2.21	30	L456535-05	WG477208

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Dichlorodifluoromethane	mg/kg	0.0223	0.0263	07.	0-192	.81	38	L456535-05	WG477208
Ethylbenzene	mg/kg	0.0223	0.0218	89.4	12-137	2.31	36	L456535-05	WG477208
Hexachloro-1,3-butadiene	mg/kg	0.0175	0.0162	70.1	10-123	7.92	50	L456535-05	WG477208
Isopropylbenzene	mg/kg	0.0220	0.0213	87	-134	.18	37	L456535-05	WG477208
Methyl tert-butyl ether	mg/kg	0.0276	0.0277	110.	21-157	0.200	31	L456535-05	WG477208
Methylene Chloride	mg/kg	0.0313	0.0254	125.	12-149	20.8	31	L456535-05	WG477208
n-Butylbenzene	mg/kg	0.02	0.0218	86.7	0-130	0.490	48	L456535-05	WG477208
n-Propylbenzene	mg/kg	0.0211	0.0198	84.2	10-130	6.25	40	L456535-05	WG477208
Naphthalene	mg/kg	0.0291	0.0246	116.	0-146	16.7	43	L456535-05	WG477208
p-Isopropyltoluene	mg/kg	0.0210	0.0183	83.9	0-13	13.5	3	L456535-05	WG477208
sec-Butylbenzene	mg/kg	0.0213	0.0202	80.9	10-134	5.69	43	L456535-05	WG477208
Styrene	mg/kg	0.0241	0.0224	96.6	10-140	7.31	35	L456535-05	WG477208
tert-Butylbenzene	mg/kg	0.02	0.020	86.9	1-13	7.92	36	L456535-05	WG477208
Tetrachloroethane	mg/kg	0.0209	0.0204	83.5	10-131	2.47	35	L456535-05	WG477208
Toluene	mg/kg	0.0219	0.0219	87.6	12-136	0.0300	32	L456535-05	WG477208
trans-1,2-Dichloroethene	mg/kg	0.0238	0.0238	95.2	0-143	5.29	33	L456535-05	WG477208
trans-1,3-Dichloropropene	mg/kg	0.0261	0.0255	104.	16-147	2.36	32	L456535-05	WG477208
Trichloroethene	mg/kg	0.0220	0.0223	88.1	10-155	1.28	33	L456535-05	WG477208
Trichlorofluoromethane	mg/kg	0.0271	0.0293	108	0-154	7.76	32	L456535-05	WG477208
Vinyl chloride	mg/kg	0.0271	0.0276	108.	10-159	1.90	36	L456535-05	WG477208
Xylenes, Total	mg/kg	0.0656	0.0627	87.5	10-138	4.55	36	L456535-05	WG477208
4-Bromofluorobenzene				96.58	9-140				WG477208
Dibromofluoromethane				106.4	63-139				WG477208
Toluene-d8				99.50	84-116				WG477208
1,1,1,2-Tetrachloroethane	mg/l	0.0286	0.0284	114.	45-152	0.770	21	L456510-03	WG477299
1,1,1-Trichloroethane	mg/l	0.0285	0.0287	114.	31-161	0.660	23	L456510-03	WG477299
1,1,2,2-Tetrachloroethane	mg/l	0.0276	0.025	110	9-149	7.30	22	L456510-03	WG477299
1,1,2-Trichloroethane	mg/l	0.0273	0.0263	109.	46-145	3.61	20	L456510-03	WG477299
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0306	0.0356	122.	14-168	15.2	24	L456510-03	WG477299
1,1-Dichloroethane	mg/l	0.0245	0.0255	98.0	0-159	3.91	21	L456510-03	WG477299
1,1-Dichloroethene	mg/l	0.0283	0.0323	113.	10-162	13.2	23	L456510-03	WG477299
1,1-Dichloropropene	mg/l	0.0271	0.0280	108.	14-162	3.52	23	L456510-03	WG477299
1,2,3-Trichlorobenzene	mg/l	0.0265	0.0239	106	2-143	10.5	33	L456510-03	WG477299
1,2,3-Trichloropropene	mg/l	0.0275	0.0256	110.	48-148	6.98	23	L456510-03	WG477299
1,2,3-Trimethylbenzene	mg/l	0.0267	0.0265	107.	36-141	1.04	25	L456510-03	WG477299
1,2,4-Trichlorobenzene	mg/l	0.0253	0.0230	103	7-142	10.8	30	L456510-03	WG477299
1,2,4-Trimethylbenzene	mg/l	0.0295	0.0289	118.	29-153	1.82	27	L456510-03	WG477299
1,2-Dibromo-3-Chloropropane	mg/l	0.0294	0.0263	118.	37-148	11.1	27	L456510-03	WG477299
1,2-Dibromoethane	mg/l	0.027	0.0259	111	1-149	6.70	21	L456510-03	WG477299
1,2-Dichlorobenzene	mg/l	0.0269	0.0258	107.	40-139	4.05	23	L456510-03	WG477299
1,2-Dichloroethane	mg/l	0.0248	0.0251	99.3	29-167	1.26	21	L456510-03	WG477299
1,2-Dichloropropene	mg/l	0.0241	0.0240	96.	9-148	0.730	20	L456510-03	WG477299
1,3,5-Trimethylbenzene	mg/l	0.0296	0.0289	118.	33-149	2.44	26	L456510-03	WG477299
1,3-Dichlorobenzene	mg/l	0.0286	0.0278	114.	32-148	2.72	24	L456510-03	WG477299
1,3-Dichloropropene	mg/l	0.0252	0.0242	101	4-142	3.80	20	L456510-03	WG477299
1,4-Dichlorobenzene	mg/l	0.0252	0.0254	101.	32-136	0.560	23	L456510-03	WG477299
2,2-Dichloropropene	mg/l	0.0273	0.0294	109.	14-158	7.55	23	L456510-03	WG477299
2-Butanone (MEK)	mg/l	0.11	0.114	4.8	2-15	4.19	26	L456510-03	WG477299
2-Chloroethyl vinyl ether	mg/l	0.000637	0.00284	0.509	0-175	127.*	75	L456510-03	WG477299
2-Chlorotoluene	mg/l	0.0295	0.0288	118.	35-147	2.43	24	L456510-03	WG477299
4-Chlorotoluene	mg/l	0.0288	0.0284	115	3-147	1.63	25	L456510-03	WG477299
4-Methyl-2-pentanone (MIBK)	mg/l	0.121	0.114	97.0	40-160	5.84	28	L456510-03	WG477299
Acetone	mg/l	0.141	0.131	113.	25-157	7.46	26	L456510-03	WG477299
Acrolein	mg/l	0.12	0.124	102	25-179	2.80	33	L456510-03	WG477299
Acrylonitrile	mg/l	0.116	0.115	92.8	37-142	0.830	24	L456510-03	WG477299
Benzene	mg/l	0.0246	0.0246	98.4	16-158	0.0300	21	L456510-03	WG477299
Bromobenzene	mg/l	0.0244	0.0258	06	7-147	2.43	24	L456510-03	WG477299

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate Limit	RPD	Limit Ref	Samp	Batch
Bromodichloromethane	mg/l	0.0275	0.0269	110.	43-147	2.38	20	L456510-03	WG477299
Bromoform	mg/l	0.0282	0.0274	113.	38-152	2.77	20	L456510-03	WG477299
Bromomethane	mg/l	0.0289	0.0405	116.	0-191	33.2	35	L456510-03	WG477299
Carbon tetrachloride	mg/l	0.0246	0.0251	98.	-168	.64	24	L456510-03	WG477299
Chlorobenzene	mg/l	0.0281	0.0282	112.	33-148	0.210	22	L456510-03	WG477299
Chlorodibromomethane	mg/l	0.0282	0.0274	113.	48-151	2.79	21	L456510-03	WG477299
Chloroethane	mg/l	0.0242	0.0294	96.	-176	19.4	27	L456510-03	WG477299
Chloroform	mg/l	0.0251	0.0254	100.	37-147	1.38	21	L456510-03	WG477299
Chloromethane	mg/l	0.0229	0.0272	91.6	10-174	17.1	28	L456510-03	WG477299
cis-1,2-Dichloroethene	mg/l	0.100	0.107	84.8	9-156	6.34	22	L456510-03	WG477299
cis-1,3-Dichloropropene	mg/l	0.0267	0.025	107.	35-148	4.06	21	L456510-03	WG477299
Di-isopropyl ether	mg/l	0.0211	0.0219	84.6	39-160	3.58	21	L456510-03	WG477299
Dibromomethane	mg/l	0.0266	0.0245	106	6-152	8.3	20	L456510-03	WG477299
Dichlorodifluoromethane	mg/l	0.0319	0.0334	128.	0-200	4.60	26	L456510-03	WG477299
Ethylbenzene	mg/l	0.0291	0.0285	116.	29-150	1.84	24	L456510-03	WG477299
Hexachloro-1,3-butadiene	mg/l	0.0284	0.0239	103.	33-144	9.81	3	L456510-03	WG477299
Isopropylbenzene	mg/l	0.0285	0.0283	114.	35-147	0.510	25	L456510-03	WG477299
Methyl tert-butyl ether	mg/l	0.0225	0.0222	90.1	24-167	1.27	22	L456510-03	WG477299
Methylene Chloride	mg/l	0.0248	0.0245	99.2	3-15	1.08	21	L456510-03	WG477299
n-Butylbenzene	mg/l	0.0282	0.0277	113.	22-151	1.61	29	L456510-03	WG477299
n-Propylbenzene	mg/l	0.0291	0.0287	116.	26-150	1.36	25	L456510-03	WG477299
Naphthalene	mg/l	0.0256	0.0233	102	4-160	9.46	27	L456510-03	WG477299
p-Isopropyltoluene	mg/l	0.0313	0.0300	125.	28-151	4.23	27	L456510-03	WG477299
sec-Butylbenzene	mg/l	0.0305	0.0302	122.	32-149	1.18	26	L456510-03	WG477299
Styrene	mg/l	0.0289	0.029	116	8-149	0.48	23	L456510-03	WG477299
tert-Butylbenzene	mg/l	0.0311	0.0303	124.	36-149	2.67	26	L456510-03	WG477299
Toluene	mg/l	0.0256	0.0248	102.	22-152	3.05	22	L456510-03	WG477299
trans-1,2-Dichloroethene	mg/l	0.0289	0.0285	104	1-160	1.33	23	L456510-03	WG477299
trans-1,3-Dichloropropene	mg/l	0.0261	0.0250	104.	33-153	4.34	22	L456510-03	WG477299
Trichloroethene	mg/l	0.0341	0.0347	110.	18-163	1.65	21	L456510-03	WG477299
Trichlorofluoromethane	mg/l	0.0338	0.035	135	0-17	3.78	24	L456510-03	WG477299
Vinyl chloride	mg/l	0.162	0.176	0.00	0-179	8.14	26	L456510-03	WG477299
Xylenes, Total	mg/l	0.0868	0.0852	116.	27-151	1.87	23	L456510-03	WG477299
4-Bromofluorobenzene				110.8	-128				WG477299
Dibromofluoromethane				98.43	79-125				WG477299
Toluene-d8				101.8	-4				WG477299
1,1,1,2-Tetrachloroethane	mg/l	0.0270	0.0249	108.	45-152	7.91	21	L456539-05	WG477238
1,1,1-Trichloroethane	mg/l	0.0256	0.0231	102.	31-161	10.1	23	L456539-05	WG477238
1,1,2,2-Tetrachloroethane	mg/l	0.0259	0.0259	15	9-149	10.3	22	L456539-05	WG477238
1,1,2-Trichloroethane	mg/l	0.0275	0.0247	110.	46-145	10.8	20	L456539-05	WG477238
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0297	0.0277	114.	14-168	7.08	24	L456539-05	WG477238
1,1-Dichloroethane	mg/l	0.0255	0.0236	102	0-159	7.82	21	L456539-05	WG477238
1,1-Dichloroethene	mg/l	0.0277	0.0255	111.	10-162	8.47	23	L456539-05	WG477238
1,1-Dichloropropene	mg/l	0.0255	0.0233	102.	14-162	8.88	23	L456539-05	WG477238
1,2,3-Trichlorobenzene	mg/l	0.0258	0.0240	103	2-143	7.27	33	L456539-05	WG477238
1,2,3-Trichloropropene	mg/l	0.0272	0.0255	109.	48-148	6.64	23	L456539-05	WG477238
1,2,3-Trimethylbenzene	mg/l	0.0246	0.0230	98.3	36-141	6.67	25	L456539-05	WG477238
1,2,4-Trichlorobenzene	mg/l	0.0260	0.024	104	7-142	7.62	30	L456539-05	WG477238
1,2,4-Trimethylbenzene	mg/l	0.0256	0.0245	102.	29-153	4.33	27	L456539-05	WG477238
1,2-Dibromo-3-Chloropropane	mg/l	0.0301	0.0262	120.	37-148	13.8	27	L456539-05	WG477238
1,2-Dibromoethane	mg/l	0.0289	0.0265	116	1-149	8.77	21	L456539-05	WG477238
1,2-Dichlorobenzene	mg/l	0.0256	0.0235	102.	40-139	8.52	23	L456539-05	WG477238
1,2-Dichloroethane	mg/l	0.0248	0.0226	99.4	29-167	9.48	21	L456539-05	WG477238
1,2-Dichloropropane	mg/l	0.0259	0.0234	104.	33-148	10.2	20	L456539-05	WG477238
1,3,5-Trimethylbenzene	mg/l	0.0257	0.0240	103.	33-149	6.61	26	L456539-05	WG477238
1,3-Dichlorobenzene	mg/l	0.0259	0.0244	104.	32-148	5.87	24	L456539-05	WG477238
1,3-Dichloropropane	mg/l	0.0272	0.0251	109.	33-142	8.01	0	L456539-05	WG477238

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L456539

May 11, 2010

Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate %Rec	Limit	RPD	Limit	Ref Samp	Batch
1,4-Dichlorobenzene	mg/l	0.0258	0.0243	03	-13	23	23	L456539-05	WG477238	
2,2-Dichloropropane	mg/l	0.0257	0.0228	103.	14-158	12.0	23	L456539-05	WG477238	
2-Butanone (MEK)	mg/l	0.128	0.113	102.	32-151	12.5	26	L456539-05	WG477238	
2-Chloroethyl vinyl ether	mg/l	0	0.00508	0.00	0-175	200.*	75	L456539-05	WG477238	
2-Chlorotoluene	mg/l	0.0261	0.0243	104.	35-147	7.06	24	L456539-05	WG477238	
4-Chlorotoluene	mg/l	0.0258	0.0244	103.	33-147	5.40	25	L456539-05	WG477238	
4-Methyl-2-pentanone (MIBK)	mg/l	0.13	0.117	10	0-160	11.4	28	L456539-05	WG477238	
Acetone	mg/l	0.130	0.115	104.	25-157	12.3	26	L456539-05	WG477238	
Acrolein	mg/l	0.103	0.0963	82.4	0-179	6.76	39	L456539-05	WG477238	
Acrylonitrile	mg/l	0.14	0.12	116	7-162	11.8	24	L456539-05	WG477238	
Benzene	mg/l	0.0248	0.0225	99.3	16-158	9.95	21	L456539-05	WG477238	
Bromobenzene	mg/l	0.0265	0.0251	106.	37-147	5.28	23	L456539-05	WG477238	
Bromodichloromethane	mg/l	0.0258	0.0238	102	5-147	6.58	20	L456539-05	WG477238	
Bromoform	mg/l	0.0287	0.0260	115.	38-152	9.77	20	L456539-05	WG477238	
Bromomethane	mg/l	0.0265	0.0230	106.	0-191	14.3	35	L456539-05	WG477238	
Carbon tetrachloride	mg/l	0.02	0.0227	98.8	-168	8.58	24	L456539-05	WG477238	
Chlorobenzene	mg/l	0.0263	0.0243	105.	33-148	7.93	22	L456539-05	WG477238	
Chlorodibromomethane	mg/l	0.0278	0.0254	111.	48-151	8.87	21	L456539-05	WG477238	
Chloroethane	mg/l	0.0287	0.0258		-176	10.8	27	L456539-05	WG477238	
Chloroform	mg/l	0.0248	0.0223	99.2	37-147	10.4	21	L456539-05	WG477238	
Chloromethane	mg/l	0.0286	0.0261	114.	10-174	9.16	28	L456539-05	WG477238	
cis-1,2-Dichloroethene	mg/l	0.0258	0.0236	103	9-156	9.29	25	L456539-05	WG477238	
cis-1,3-Dichloropropene	mg/l	0.0273	0.0249	109.	35-148	9.41	21	L456539-05	WG477238	
Di-isopropyl ether	mg/l	0.0258	0.0236	103.	39-160	8.84	21	L456539-05	WG477238	
Dibromomethane	mg/l	0.0260	0.0239	104	6-152	8.46	20	L456539-05	WG477238	
Dichlorodifluoromethane	mg/l	0.0339	0.0314	136.	0-200	7.61	26	L456539-05	WG477238	
Ethylbenzene	mg/l	0.0260	0.0245	104.	29-150	6.00	24	L456539-05	WG477238	
Hexachloro-1,3-butadiene	mg/l	0.0259	0.0239	104	28-144	8.09	33	L456539-05	WG477238	
Isopropylbenzene	mg/l	0.0266	0.0244	106.	35-147	8.55	25	L456539-05	WG477238	
Methyl tert-butyl ether	mg/l	0.0236	0.0224	94.5	24-167	5.46	22	L456539-05	WG477238	
Methylene Chloride	mg/l	0.0251	0.0222	100	3-15	12.3	21	L456539-05	WG477238	
n-Butylbenzene	mg/l	0.0251	0.0232	100.	22-151	7.82	29	L456539-05	WG477238	
n-Propylbenzene	mg/l	0.0257	0.0244	103.	26-150	5.39	25	L456539-05	WG477238	
Naphthalene	mg/l	0.0273	0.0243	109	28-160	11.6	37	L456539-05	WG477238	
p-Isopropyltoluene	mg/l	0.0271	0.0250	108.	28-151	7.79	27	L456539-05	WG477238	
sec-Butylbenzene	mg/l	0.0260	0.0245	104.	32-149	6.05	26	L456539-05	WG477238	
Styrene	mg/l	0.0263	0.0248	105	8-149	6.00	23	L456539-05	WG477238	
tert-Butylbenzene	mg/l	0.0264	0.0244	106.	36-149	8.08	26	L456539-05	WG477238	
Tetrachloroethene	mg/l	0.106	0.106	97.5	13-157	0.540	24	L456539-05	WG477238	
Toluene	mg/l	0.0246	0.0228	98.2	2-152	7.53	22	L456539-05	WG477238	
trans-1,2-Dichloroethene	mg/l	0.0261	0.0236	104.	11-160	9.99	23	L456539-05	WG477238	
trans-1,3-Dichloropropene	mg/l	0.0272	0.0248	109.	33-153	9.27	22	L456539-05	WG477238	
Trichloroethene	mg/l	0.0287	0.02	100	8-163	3.69	21	L456539-05	WG477238	
Trichlorofluoromethane	mg/l	0.0289	0.0259	116.	10-177	11.2	24	L456539-05	WG477238	
Vinyl chloride	mg/l	0.0295	0.0268	118.	0-179	9.69	26	L456539-05	WG477238	
Xylenes, Total	mg/l	0.0782	0.0733	104	7-15	6.46	23	L456539-05	WG477238	
4-Bromofluorobenzene				106.2	75-128				WG477238	
Dibromofluoromethane				97.69	79-125				WG477238	
Toluene-d8				102.2	7-114				WG477238	
Tetrachloroethene	mg/l	0.0280	0.0219	112.	13-157	24.5*	24	L456954-06	WG477408	
4-Bromofluorobenzene				97.36	-128				WG477408	
Dibromofluoromethane				107.9	79-125				WG477408	
Toluene-d8				101.2	87-114				WG477408	

Batch number / Run number / Sample number cross reference

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

WG476077: R1203211: L456539-01 02 03 04
WG477208: R1210748: L456539-01 02 03 04
WG477299: R1210928: L456539-07 08 09
WG477238: R1211008: L456539-05 06 10
WG477408: R1212511: L456539-07 08 09

- * * Calculations are performed prior to rounding of reported values .
- * Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456539

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 11, 2010

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Thursday May 13, 2010

Report Number: L456919

Samples Received: 05/01/10

Client Project: 3872-3B

Description: Harman Becker

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

T. Alan Harvill , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 13, 2010

Date Received : May 01, 2010
Description : Harman Becker
Sample ID : B-121 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/30/10 13:00

ESC Sample # : L456919-01

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/12/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/12/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/12/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/12/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/12/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/12/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/12/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/12/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/12/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/12/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/12/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/12/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/12/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/12/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/12/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/12/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/12/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 13, 2010

Date Received : May 01, 2010
Description : Harman Becker
Sample ID : B-121 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/30/10 13:00

ESC Sample # : L456919-01

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/12/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/12/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/12/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/12/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/12/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/12/10	1
Tetrachloroethene	0.0048	0.0010	mg/l	8260B	05/12/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/12/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/12/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/12/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/12/10	1
Surrogate Recovery						
Toluene-d8	114.		% Rec.	8260B	05/12/10	1
Dibromofluoromethane	108.		% Rec.	8260B	05/12/10	1
4-Bromofluorobenzene	97.5		% Rec.	8260B	05/12/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/13/10 09:29 Printed: 05/13/10 09:29

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 13, 2010

Date Received : May 01, 2010
Description : Narman Becker
Sample ID : B-121 GW 39-49 FT
Collected By : Andy Taylor
Collection Date : 04/30/10 12:45

ESC Sample # : L456919-02

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/12/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/12/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/12/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/12/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/12/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/12/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/12/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/12/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/12/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/12/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/12/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/12/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/12/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/12/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/12/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/12/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/12/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 13, 2010

Date Received : May 01, 2010
Description : Narman Becker
Sample ID : B-121 GW 39-49 FT
Collected By : Andy Taylor
Collection Date : 04/30/10 12:45

ESC Sample # : L456919-02

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/12/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/12/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/12/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/12/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/12/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/12/10	1
Tetrachloroethene	0.028	0.0010	mg/l	8260B	05/12/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/12/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/12/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/12/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/12/10	1
Surrogate Recovery						
Toluene-d8	110.		% Rec.	8260B	05/12/10	1
Dibromofluoromethane	108.		% Rec.	8260B	05/12/10	1
4-Bromofluorobenzene	91.7		% Rec.	8260B	05/12/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/13/10 09:29 Printed: 05/13/10 09:30

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 13, 2010

Date Received : May 01, 2010
Description : Narman Becker
Sample ID : B-88 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/30/10 09:10

ESC Sample # : L456919-03

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/12/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/12/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/12/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/12/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/12/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/12/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/12/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/12/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/12/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/12/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/12/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/12/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/12/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/12/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/12/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/12/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/12/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 13, 2010

Date Received : May 01, 2010
Description : Narman Becker
Sample ID : B-88 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/30/10 09:10

ESC Sample # : L456919-03

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/12/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/12/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/12/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/12/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/12/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/12/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/12/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/12/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/12/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/12/10	1
Surrogate Recovery						
Toluene-d8	99.9		% Rec.	8260B	05/12/10	1
Dibromofluoromethane	113.		% Rec.	8260B	05/12/10	1
4-Bromofluorobenzene	101.		% Rec.	8260B	05/12/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/13/10 09:29 Printed: 05/13/10 09:30

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 13, 2010

Date Received : May 01, 2010
Description : Narman Becker
Sample ID : B-86 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/30/10 09:35

ESC Sample # : L456919-04

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/12/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/12/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/12/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/12/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/12/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/12/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/12/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/12/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/12/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/12/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/12/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/12/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/12/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/12/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/12/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/12/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/12/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/12/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 13, 2010

Date Received : May 01, 2010
Description : Narman Becker
Sample ID : B-86 GW 20-30 FT
Collected By : Andy Taylor
Collection Date : 04/30/10 09:35

ESC Sample # : L456919-04

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/12/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/12/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/12/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/12/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/12/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/12/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/12/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/12/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	05/12/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/12/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/12/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/12/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/12/10	1
Surrogate Recovery						
Toluene-d8	103.		% Rec.	8260B	05/12/10	1
Dibromofluoromethane	113.		% Rec.	8260B	05/12/10	1
4-Bromofluorobenzene	103.		% Rec.	8260B	05/12/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/13/10 09:29 Printed: 05/13/10 09:30

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 13, 2010

Date Received : May 01, 2010
Description : Narman Becker
Sample ID : B-122 GW 40-50 FT
Collected By : Andy Taylor
Collection Date : 04/30/10 10:05

ESC Sample # : L456919-05

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/10/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/10/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/10/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/10/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/10/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/10/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/10/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/10/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/10/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/10/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/10/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/10/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/10/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/10/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/10/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/10/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/10/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/10/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/10/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/10/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/10/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/10/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/10/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/10/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/10/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 13, 2010

Date Received : May 01, 2010
Description : Narman Becker
Sample ID : B-122 GW 40-50 FT
Collected By : Andy Taylor
Collection Date : 04/30/10 10:05

ESC Sample # : L456919-05

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/10/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/10/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/10/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/10/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/10/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/10/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	05/10/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/10/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/10/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	05/10/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/10/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/10/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/10/10	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	05/10/10	1
Dibromofluoromethane	119.		% Rec.	8260B	05/10/10	1
4-Bromofluorobenzene	91.0		% Rec.	8260B	05/10/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/13/10 09:29 Printed: 05/13/10 09:30

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 13, 2010

Date Received : May 01, 2010
Description : Narman Becker

Sample ID : TB

Collected By : Andy Taylor
Collection Date : 04/30/10 00:00

ESC Sample # : L456919-06

Site ID :

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	05/10/10	1
Acrolein	BDL	0.050	mg/l	8260B	05/10/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	05/10/10	1
Benzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	05/10/10	1
Bromoform	BDL	0.0010	mg/l	8260B	05/10/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	05/10/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	05/10/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	05/10/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	05/10/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	05/10/10	1
Chloroform	BDL	0.0050	mg/l	8260B	05/10/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	05/10/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/10/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	05/10/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	05/10/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	05/10/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	05/10/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/10/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	05/10/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/10/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	05/10/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	05/10/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	05/10/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	05/10/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	05/10/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 13, 2010

Date Received : May 01, 2010
Description : Narman Becker

ESC Sample # : L456919-06

Sample ID : TB

Site ID :

Collected By : Andy Taylor
Collection Date : 04/30/10 00:00

Project # : 3872-3B

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	05/10/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	05/10/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	05/10/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	05/10/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	05/10/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Styrene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	05/10/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	05/10/10	1
Toluene	BDL	0.0050	mg/l	8260B	05/10/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	05/10/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	05/10/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	05/10/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	05/10/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	05/10/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	05/10/10	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	05/10/10	1
Dibromofluoromethane	94.2		% Rec.	8260B	05/10/10	1
4-Bromofluorobenzene	99.3		% Rec.	8260B	05/10/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 05/13/10 09:29 Printed: 05/13/10 09:30

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L456919-01	WG477419	SAMP	Bromomethane	R1217068	J4
L456919-02	WG477419	SAMP	Bromomethane	R1217068	J4
L456919-03	WG477741	SAMP	2-Chloroethyl vinyl ether	R1214968	J3
L456919-05	WG477408	SAMP	Bromobenzene	R1212511	J3
	WG477408	SAMP	Bromoform	R1212511	J3
	WG477408	SAMP	sec-Butylbenzene	R1212511	J3
	WG477408	SAMP	tert-Butylbenzene	R1212511	J3
	WG477408	SAMP	1,2-Dibromo-3-Chloropropane	R1212511	J3
	WG477408	SAMP	1,3-Dichlorobenzene	R1212511	J3
	WG477408	SAMP	1,1,2,2-Tetrachloroethane	R1212511	J3
	WG477408	SAMP	1,2,3-Trichloropropane	R1212511	J3
	WG477408	SAMP	1,2,4-Trimethylbenzene	R1212511	J3

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy** - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision** - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate** - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC** - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
05/13/10 at 09:30:08

TSR Signing Reports: 364
R5 - Desired TAT

No hard copy of reports per Jesse. In 6/12/06 Only CD for QC pkgs. - no paper. In 6/6/05 All
soils in Dry wt. In 5/9/05 client requires purchase orders for each project.

Sample: L456919-01 Account: SESCOIN Received: 05/01/10 10:30 Due Date: 05/07/10 00:00 RPT Date: 05/13/10 09:29

Sample: L456919-02 Account: SESCOIN Received: 05/01/10 10:30 Due Date: 05/07/10 00:00 RPT Date: 05/13/10 09:29

Sample: L456919-03 Account: SESCOIN Received: 05/01/10 10:30 Due Date: 05/07/10 00:00 RPT Date: 05/13/10 09:29

Changed ID from B-122 to B-88 per Jesse Wright 5/11/10 TAH

Sample: L456919-04 Account: SESCOIN Received: 05/01/10 10:30 Due Date: 05/07/10 00:00 RPT Date: 05/13/10 09:29

Changed ID from B-123 to B-86 per Jesse Wright 5/11/10 TAH

Sample: L456919-05 Account: SESCOIN Received: 05/01/10 10:30 Due Date: 05/07/10 00:00 RPT Date: 05/13/10 09:29

Changed ID from B-124 to B-122 per Jesse Wright 5/11/10 TAH

Sample: L456919-06 Account: SESCOIN Received: 05/01/10 10:30 Due Date: 05/07/10 00:00 RPT Date: 05/13/10 09:29



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
1,1,1,2-Tetrachloroethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,1,1-Trichloroethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,1,2,2-Tetrachloroethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,1,2-Trichloroethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,1-Dichloroethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,1-Dichloroethene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,1-Dichloropropene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,2,3-Trichlorobenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,2,3-Trichloropropene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,2,3-Trimethylbenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,2,4-Trichlorobenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,2,4-Trimethylbenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,2-Dibromo-3-Chloropropane	< .005	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,2-Dibromoethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,2-Dichlorobenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,2-Dichloroethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,2-Dichloropropene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,3,5-Trimethylbenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,3-Dichlorobenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,3-Dichloropropene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
1,4-Dichlorobenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
2,2-Dichloropropene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
2-Butanone (MEK)	< .01	mg/l	100	WG477408	WG477408	05/10/10 05:44
2-Chloroethyl vinyl ether	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
2-Chlorotoluene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
4-Chlorotoluene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
4-Methyl-2-pentanone (M	< .0	mg/l	100	WG477408	WG477408	05/10/10 05:44
Acetone	< .05	mg/l	100	WG477408	WG477408	05/10/10 05:44
Acrolein	< .05	mg/l	100	WG477408	WG477408	05/10/10 05:44
Acrylonitrile	< .01	mg/l	100	WG477408	WG477408	05/10/10 05:44
Benzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Bromobenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Bromodichloromethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Bromoform	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Bromomethane	< .005	mg/l	100	WG477408	WG477408	05/10/10 05:44
Carbon tetrachloride	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Chlorobenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Chlorodibromomethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Chloroethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Chloroform	< .005	mg/l	100	WG477408	WG477408	05/10/10 05:44
Chloromethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
cis-1,2-Dichloroethene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
cis-1,3-Dichloropropene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Di-isopropyl ether	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Dibromomethane	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Dichlorodifluoromethane	< .005	mg/l	100	WG477408	WG477408	05/10/10 05:44
Ethylbenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Hexachloro-1,3-butadiene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Isopropylbenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Methyl tert-butyl ether	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Methylene Chloride	< .005	mg/l	100	WG477408	WG477408	05/10/10 05:44
n-Butylbenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
n-Propylbenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Naphthalene	< .005	mg/l	100	WG477408	WG477408	05/10/10 05:44
p-Isopropyltoluene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
sec-Butylbenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44
Styrene	< .005	mg/l	100	WG477408	WG477408	05/10/10 05:44
tert-Butylbenzene	< .001	mg/l	100	WG477408	WG477408	05/10/10 05:44

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L456919

May 13, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Tetrachloroethene	< .001	mg/l			WG477408	05/10/10 05:44
Toluene	< .005	mg/l			WG477408	05/10/10 05:44
trans-1,2-Dichloroethene	< .001	mg/l			WG477408	05/10/10 05:44
trans-1,3-Dichloropropene	< .001	mg/l			WG477408	05/10/10 05:44
Trichloroethene	< .001	mg/l			WG477408	05/10/10 05:44
Trichlorofluoromethane	< .005	mg/l			WG477408	05/10/10 05:44
Vinyl chloride	< .003	mg/l			WG477408	05/10/10 05:44
Xylenes, Total	< .003	mg/l			WG477408	05/10/10 05:44
4-Bromofluorobenzene		% Rec.	97.65	75-128	WG477408	05/10/10 05:44
Dibromofluoromethane		% Rec.	111.8	79-128	WG477408	05/10/10 05:44
Toluene-d8		% Rec.	97.21	87-114	WG477408	05/10/10 05:44
1,1,1,2-Tetrachloroethane	.001	/l			WG477590	05/10/10 21:35
1,1,1-Trichloroethane	< .001	mg/l			WG477590	05/10/10 21:35
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG477590	05/10/10 21:35
1,1,2-Trichloroethane	< .001	/l			WG477590	05/10/10 21:35
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG477590	05/10/10 21:35
1,1-Dichloroethane	< .001	mg/l			WG477590	05/10/10 21:35
1,1-Dichloroethene	< .001	/l			WG477590	05/10/10 21:35
1,1-Dichloropropene	< .001	mg/l			WG477590	05/10/10 21:35
1,2,3-Trichlorobenzene	< .001	mg/l			WG477590	05/10/10 21:35
1,2,3-Trichloropropene	< .001	mg/l			WG477590	05/10/10 21:35
1,2,3-Trimethylbenzene	< .001	mg/l			WG477590	05/10/10 21:35
1,2,4-Trichlorobenzene	< .001	mg/l			WG477590	05/10/10 21:35
1,2,4-Trimethylbenzene	< .001	/l			WG477590	05/10/10 21:35
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG477590	05/10/10 21:35
1,2-Dibromoethane	< .001	mg/l			WG477590	05/10/10 21:35
1,2-Dichlorobenzene	< .001	/l			WG477590	05/10/10 21:35
1,2-Dichloroethane	< .001	mg/l			WG477590	05/10/10 21:35
1,2-Dichloropropene	< .001	mg/l			WG477590	05/10/10 21:35
1,3,5-Trimethylbenzene	< .001	/l			WG477590	05/10/10 21:35
1,3-Dichlorobenzene	< .001	mg/l			WG477590	05/10/10 21:35
1,3-Dichloropropene	< .001	mg/l			WG477590	05/10/10 21:35
1,4-Dichlorobenzene	< .001	/l			WG477590	05/10/10 21:35
2,2-Dichloropropene	< .001	mg/l			WG477590	05/10/10 21:35
2-Butanone (MEK)	< .01	mg/l			WG477590	05/10/10 21:35
2-Chloroethyl vinyl ether	< .001	/l			WG477590	05/10/10 21:35
2-Chlorotoluene	< .001	mg/l			WG477590	05/10/10 21:35
4-Chlorotoluene	< .001	mg/l			WG477590	05/10/10 21:35
4-Methyl-2-pentanone (MIBK)	< .	/l			WG477590	05/10/10 21:35
Acetone	< .05	mg/l			WG477590	05/10/10 21:35
Acrolein	< .05	mg/l			WG477590	05/10/10 21:35
Acrylonitrile	< .0	/l			WG477590	05/10/10 21:35
Benzene	< .001	mg/l			WG477590	05/10/10 21:35
Bromobenzene	< .001	mg/l			WG477590	05/10/10 21:35
Bromodichloromethane	< .001	/l			WG477590	05/10/10 21:35
Bromoform	< .001	mg/l			WG477590	05/10/10 21:35
Bromomethane	< .005	mg/l			WG477590	05/10/10 21:35
Carbon tetrachloride	< .001	mg/l			WG477590	05/10/10 21:35
Chlorobenzene	< .001	mg/l			WG477590	05/10/10 21:35
Chlorodibromomethane	< .001	mg/l			WG477590	05/10/10 21:35
Chloroethane	< .001	mg/l			WG477590	05/10/10 21:35
Chloroform	< .005	mg/l			WG477590	05/10/10 21:35
Chloromethane	< .001	mg/l			WG477590	05/10/10 21:35
cis-1,2-Dichloroethene	< .002	mg/l			WG477590	05/10/10 21:35
cis-1,3-Dichloropropene	< .001	mg/l			WG477590	05/10/10 21:35
Di-isopropyl ether	< .001	mg/l			WG477590	05/10/10 21:35
Dibromomethane	< .002	mg/l			WG477590	05/10/10 21:35

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Dichlorodifluoromethane	< .005	/l			WG477590	05/10/10 21:35
Ethylbenzene	< .001	mg/l			WG477590	05/10/10 21:35
Hexachloro-1,3-butadiene	< .001	mg/l			WG477590	05/10/10 21:35
Isopropylbenzene	< .001	mg/l			WG477590	05/10/10 21:35
Methyl tert-butyl ether	< .001	mg/l			WG477590	05/10/10 21:35
Methylene Chloride	< .005	mg/l			WG477590	05/10/10 21:35
n-Butylbenzene	< .001	mg/l			WG477590	05/10/10 21:35
n-Propylbenzene	< .001	mg/l			WG477590	05/10/10 21:35
Naphthalene	< .005	mg/l			WG477590	05/10/10 21:35
p-Isopropyltoluene	< .001	mg/l			WG477590	05/10/10 21:35
sec-Butylbenzene	< .001	mg/l			WG477590	05/10/10 21:35
Styrene	< .001	mg/l			WG477590	05/10/10 21:35
tert-Butylbenzene	< .001	mg/l			WG477590	05/10/10 21:35
Tetrachloroethene	< .001	mg/l			WG477590	05/10/10 21:35
Toluene	< .005	mg/l			WG477590	05/10/10 21:35
trans-1,2-Dichloroethene	.001	/l			WG477590	05/10/10 21:35
trans-1,3-Dichloropropene	< .001	mg/l			WG477590	05/10/10 21:35
Trichloroethene	< .001	mg/l			WG477590	05/10/10 21:35
Trichlorofluoromethane	< .005	mg/l			WG477590	05/10/10 21:35
Vinyl chloride	< .001	mg/l			WG477590	05/10/10 21:35
Xylenes, Total	< .003	mg/l			WG477590	05/10/10 21:35
4-Bromofluorobenzene	% Rec.		101.8	75-128	WG477590	05/10/10 21:35
Dibromofluoromethane	% Rec.		91.18	79-125	WG477590	05/10/10 21:35
Toluene-d8	% Rec.		101.0	87-114	WG477590	05/10/10 21:35
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG477741	05/12/10 00:36
1,1,1-Trichloroethane	< .001	mg/l			WG477741	05/12/10 00:36
1,1,2,2-Tetrachloroethane	< .001	/l			WG477741	05/12/10 00:36
1,1,2-Trichloroethane	< .001	mg/l			WG477741	05/12/10 00:36
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG477741	05/12/10 00:36
1,1-Dichloroethane	< .001	/l			WG477741	05/12/10 00:36
1,1-Dichloroethene	< .001	mg/l			WG477741	05/12/10 00:36
1,1-Dichloropropene	< .001	mg/l			WG477741	05/12/10 00:36
1,2,3-Trichlorobenzene	< .001	/l			WG477741	05/12/10 00:36
1,2,3-Trichloropropene	< .001	mg/l			WG477741	05/12/10 00:36
1,2,3-Trimethylbenzene	< .001	mg/l			WG477741	05/12/10 00:36
1,2,4-Trichlorobenzene	< .001	/l			WG477741	05/12/10 00:36
1,2,4-Trimethylbenzene	< .001	mg/l			WG477741	05/12/10 00:36
1,2-Dibromo-3-Chloropropene	< .005	mg/l			WG477741	05/12/10 00:36
1,2-Dibromoethane	< .001	/l			WG477741	05/12/10 00:36
1,2-Dichlorobenzene	< .001	mg/l			WG477741	05/12/10 00:36
1,2-Dichloroethane	< .001	mg/l			WG477741	05/12/10 00:36
1,2-Dichloropropene	< .001	/l			WG477741	05/12/10 00:36
1,3,5-Trimethylbenzene	< .001	mg/l			WG477741	05/12/10 00:36
1,3-Dichlorobenzene	< .001	mg/l			WG477741	05/12/10 00:36
1,3-Dichloropropene	< .001	/l			WG477741	05/12/10 00:36
1,4-Dichlorobenzene	< .001	mg/l			WG477741	05/12/10 00:36
2,2-Dichloropropene	< .001	mg/l			WG477741	05/12/10 00:36
2-Butanone (MEK)	< .05	mg/l			WG477741	05/12/10 00:36
2-Chloroethyl vinyl ether	< .001	mg/l			WG477741	05/12/10 00:36
2-Chlorotoluene	< .001	mg/l			WG477741	05/12/10 00:36
4-Chlorotoluene	< .001	mg/l			WG477741	05/12/10 00:36
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG477741	05/12/10 00:36
Acetone	< .05	mg/l			WG477741	05/12/10 00:36
Acrolein	< .05	mg/l			WG477741	05/12/10 00:36
Acrylonitrile	< .01	mg/l			WG477741	05/12/10 00:36
Benzene	< .001	mg/l			WG477741	05/12/10 00:36
Bromobenzene	< .005	mg/l			WG477741	05/12/10 00:36

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Bromodichloromethane	< .001	mg/l			WG477741	05/12/10 00:36
Bromoform	< .001	mg/l			WG477741	05/12/10 00:36
Bromomethane	< .005	mg/l			WG477741	05/12/10 00:36
Carbon tetrachloride	< .001	mg/l			WG477741	05/12/10 00:36
Chlorobenzene	< .001	mg/l			WG477741	05/12/10 00:36
Chlorodibromomethane	< .001	mg/l			WG477741	05/12/10 00:36
Chloroethane	< .001	mg/l			WG477741	05/12/10 00:36
Chloroform	< .005	mg/l			WG477741	05/12/10 00:36
Chloromethane	< .001	mg/l			WG477741	05/12/10 00:36
cis-1,2-Dichloroethene	< .001	mg/l			WG477741	05/12/10 00:36
cis-1,3-Dichloropropene	< .001	mg/l			WG477741	05/12/10 00:36
Di-isopropyl ether	< .001	mg/l			WG477741	05/12/10 00:36
Dibromomethane	< .001	mg/l			WG477741	05/12/10 00:36
Dichlorodifluoromethane	< .005	mg/l			WG477741	05/12/10 00:36
Ethylbenzene	< .001	mg/l			WG477741	05/12/10 00:36
Hexachloro-1,3-butadiene	.001	/l			WG477741	05/12/10 00:36
Isopropylbenzene	< .001	mg/l			WG477741	05/12/10 00:36
Methyl tert-butyl ether	< .001	mg/l			WG477741	05/12/10 00:36
Methylene Chloride	< .005	mg/l			WG477741	05/12/10 00:36
n-Butylbenzene	< .001	mg/l			WG477741	05/12/10 00:36
n-Propylbenzene	< .001	mg/l			WG477741	05/12/10 00:36
Naphthalene	< .005	/l			WG477741	05/12/10 00:36
p-Isopropyltoluene	< .001	mg/l			WG477741	05/12/10 00:36
sec-Butylbenzene	< .001	mg/l			WG477741	05/12/10 00:36
Styrene	< .001	/l			WG477741	05/12/10 00:36
tert-Butylbenzene	< .001	mg/l			WG477741	05/12/10 00:36
Tetrachloroethene	< .001	mg/l			WG477741	05/12/10 00:36
Toluene	< .005	/l			WG477741	05/12/10 00:36
trans-1,2-Dichloroethene	< .001	mg/l			WG477741	05/12/10 00:36
trans-1,3-Dichloropropene	< .001	mg/l			WG477741	05/12/10 00:36
Trichloroethene	< .001	/l			WG477741	05/12/10 00:36
Trichlorofluoromethane	< .005	mg/l			WG477741	05/12/10 00:36
Vinyl chloride	< .001	mg/l			WG477741	05/12/10 00:36
Xylenes, Total	< .003	/l			WG477741	05/12/10 00:36
4-Bromofluorobenzene		% Rec.	98.20	75-128	WG477741	05/12/10 00:36
Dibromofluoromethane		% Rec.	110.8	79-125	WG477741	05/12/10 00:36
Toluene-d8		% Rec.	8.69	87-114	WG477741	05/12/10 00:36
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG477419	05/12/10 17:21
1,1,1-Trichloroethane	< .001	/l			WG477419	05/12/10 17:21
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG477419	05/12/10 17:21
1,1,2-Trichloroethane	< .001	mg/l			WG477419	05/12/10 17:21
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	/l			WG477419	05/12/10 17:21
1,1-Dichloroethane	< .001	mg/l			WG477419	05/12/10 17:21
1,1-Dichloroethene	< .001	mg/l			WG477419	05/12/10 17:21
1,1 Dichloropropene	< .001	/l			WG477419	05/12/10 17:21
1,2,3-Trichlorobenzene	< .001	mg/l			WG477419	05/12/10 17:21
1,2,3-Trichloropropene	< .001	mg/l			WG477419	05/12/10 17:21
1,2,3-Trimethylbenzene	< .001	mg/l			WG477419	05/12/10 17:21
1,2,4-Trichlorobenzene	< .001	mg/l			WG477419	05/12/10 17:21
1,2,4-Trimethylbenzene	< .001	mg/l			WG477419	05/12/10 17:21
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG477419	05/12/10 17:21
1,2-Dibromoethane	< .001	mg/l			WG477419	05/12/10 17:21
1,2-Dichlorobenzene	< .001	mg/l			WG477419	05/12/10 17:21
1,2-Dichloroethane	< .001	mg/l			WG477419	05/12/10 17:21
1,2-Dichloropropene	< .001	mg/l			WG477419	05/12/10 17:21
1,3,5-Trimethylbenzene	< .001	mg/l			WG477419	05/12/10 17:21
1,3-Dichlorobenzene	< .001	mg/l			WG477419	05/12/10 17:21

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
1,3-Dichloropropane	< .001	mg/l			WG477419	05/12/10 17:21
1,4-Dichlorobenzene	< .001	mg/l			WG477419	05/12/10 17:21
2,2-Dichloropropane	< .001	mg/l			WG477419	05/12/10 17:21
2-Butanone (MEK)	< .001	mg/l			WG477419	05/12/10 17:21
2-Chloroethyl vinyl ether	< .001	mg/l			WG477419	05/12/10 17:21
2-Chlorotoluene	< .001	mg/l			WG477419	05/12/10 17:21
4-Chlorotoluene	< .001	mg/l			WG477419	05/12/10 17:21
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG477419	05/12/10 17:21
Acetone	< .05	mg/l			WG477419	05/12/10 17:21
Acrolein	< .05	mg/l			WG477419	05/12/10 17:21
Acrylonitrile	< .01	mg/l			WG477419	05/12/10 17:21
Benzene	< .001	mg/l			WG477419	05/12/10 17:21
Bromobenzene	< .001	mg/l			WG477419	05/12/10 17:21
Bromodichloromethane	< .001	mg/l			WG477419	05/12/10 17:21
Bromoform	< .001	mg/l			WG477419	05/12/10 17:21
Bromomethane	< .005	mg/l			WG477419	05/12/10 17:21
Carbon tetrachloride	< .001	mg/l			WG477419	05/12/10 17:21
Chlorobenzene	< .001	mg/l			WG477419	05/12/10 17:21
Chlorodibromomethane	< .001	/l			WG477419	05/12/10 17:21
Chloroethane	< .001	mg/l			WG477419	05/12/10 17:21
Chloroform	< .005	mg/l			WG477419	05/12/10 17:21
Chloromethane	< .001	mg/l			WG477419	05/12/10 17:21
cis-1,2-Dichloroethene	< .001	mg/l			WG477419	05/12/10 17:21
cis-1,3-Dichloropropene	< .001	mg/l			WG477419	05/12/10 17:21
Di-isopropyl ether	< .001	/l			WG477419	05/12/10 17:21
Dibromomethane	< .001	mg/l			WG477419	05/12/10 17:21
Dichlorodifluoromethane	< .005	mg/l			WG477419	05/12/10 17:21
Ethylbenzene	< .001	/l			WG477419	05/12/10 17:21
Hexachloro-1,3-butadiene	< .001	mg/l			WG477419	05/12/10 17:21
Isopropylbenzene	< .001	mg/l			WG477419	05/12/10 17:21
Methyl tert-butyl ether	< .001	/l			WG477419	05/12/10 17:21
Methylene Chloride	< .005	mg/l			WG477419	05/12/10 17:21
n-Butylbenzene	< .001	mg/l			WG477419	05/12/10 17:21
n-Propylbenzene	< .001	/l			WG477419	05/12/10 17:21
Naphthalene	< .005	mg/l			WG477419	05/12/10 17:21
p-Isopropyltoluene	< .001	mg/l			WG477419	05/12/10 17:21
sec-Butylbenzene	< .001	/l			WG477419	05/12/10 17:21
Styrene	< .001	mg/l			WG477419	05/12/10 17:21
tert-Butylbenzene	< .001	mg/l			WG477419	05/12/10 17:21
Tetrachloroethene	< .005	mg/l			WG477419	05/12/10 17:21
Toluene	< .005	mg/l			WG477419	05/12/10 17:21
trans-1,2-Dichloroethene	< .001	mg/l			WG477419	05/12/10 17:21
trans-1,3-Dichloropropene	< .001	/l			WG477419	05/12/10 17:21
Trichloroethene	< .001	mg/l			WG477419	05/12/10 17:21
Trichlorofluoromethane	< .005	mg/l			WG477419	05/12/10 17:21
Vinyl chloride	< .001	/l			WG477419	05/12/10 17:21
Xylenes, Total	< .003	mg/l			WG477419	05/12/10 17:21
4-Bromofluorobenzene		% Rec.	99.57	75-128	WG477419	05/12/10 17:21
Dibromofluoromethane		% Rec.	104.9	79-125	WG477419	05/12/10 17:21
Toluene-d8		% Rec.	110.9	87-114	WG477419	05/12/10 17:21

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,1,1,2-Tetrachloroethane	mg/l	.5	0.0228	1.	75-128	WG477408
1,1,1-Trichloroethane	mg/l	.025	0.0236	94.3	67-137	WG477408
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0299	120.	72-128	WG477408
1,1,2-Trichloroethane	mg/l	.02	0.0241	120.	79-128	WG477408
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0225	90.1	51-149	WG477408

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,1-Dichloroethane	mg/l	.025	0.025		67-133	WG477408
1,1-Dichloroethene	mg/l	.025	0.0209	83.4	60-130	WG477408
1,1-Dichloropropene	mg/l	.025	0.0248	99.4	68-132	WG477408
1,2,3-Trichlorobenzene	mg/l	.025	0.0278	111.	63-138	WG477408
1,2,3-Trichloropropene	mg/l	.025	0.0277	111.	68-130	WG477408
1,2,3-Trimethylbenzene	mg/l	.025	0.0284	114.	70-127	WG477408
1,2,4-Trichlorobenzene	mg/l	5	0.0272	109	65-137	WG477408
1,2,4-Trimethylbenzene	mg/l	.025	0.0306	122.	72-135	WG477408
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0313	125.	55-134	WG477408
1,2-Dibromoethane	mg/l	5	0.0273	109	75-126	WG477408
1,2-Dichlorobenzene	mg/l	.025	0.0288	115.	75-122	WG477408
1,2-Dichloroethane	mg/l	.025	0.0272	109.	63-137	WG477408
1,2-Dichloropropene	mg/l	5	0.023	94.0	74-122	WG477408
1,3,5-Trimethylbenzene	mg/l	.025	0.0277	111.	73-134	WG477408
1,3-Dichlorobenzene	mg/l	.025	0.0293	117.	73-131	WG477408
1,3-Dichloropropene	mg/l	5	0.0249	99.4	77-118	WG477408
1,4-Dichlorobenzene	mg/l	.025	0.0265	106.	70-121	WG477408
2,2-Dichloropropene	mg/l	.025	0.0236	94.6	46-151	WG477408
2-Butanone (MEK)	mg/l	5	0.139	111	53-132	WG477408
2-Chloroethyl vinyl ether	mg/l	.125	0.138	111.	0-171	WG477408
2-Chlorotoluene	mg/l	.025	0.0286	115.	74-128	WG477408
4-Chlorotoluene	mg/l	5	0.0279	112	74-130	WG477408
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.139	111.	60-142	WG477408
Acetone	mg/l	.125	0.113	90.7	48-134	WG477408
Acrolein	mg/l	.125	0.0881	70.5	6-182	WG477408
Acrylonitrile	mg/l	.125	0.142	113.	60-140	WG477408
Benzene	mg/l	.025	0.0246	98.4	67-126	WG477408
Bromobenzene	mg/l	.025	0.0286	114	76-123	WG477408
Bromodichloromethane	mg/l	.025	0.0267	107.	68-133	WG477408
Bromoform	mg/l	.025	0.0285	114.	60-139	WG477408
Bromomethane	mg/l	.025	0.0216	86.4	45-175	WG477408
Carbon tetrachloride	mg/l	.025	0.0244	97.4	64-141	WG477408
Chlorobenzene	mg/l	.025	0.0245	98.0	77-125	WG477408
Chlorodibromomethane	mg/l	.025	0.0227	90.9	73-138	WG477408
Chloroethane	mg/l	.025	0.0218	87.2	49-155	WG477408
Chloroform	mg/l	.025	0.0258	103.	66-126	WG477408
Chloromethane	mg/l	.025	0.0224	89.8	45-152	WG477408
cis-1,2-Dichloroethene	mg/l	.025	0.0234	93.8	72-128	WG477408
cis-1,3-Dichloropropene	mg/l	.025	0.0261	104.	73-131	WG477408
Di-isopropyl ether	mg/l	.025	0.0250	100.9	63-136	WG477408
Dibromomethane	mg/l	.025	0.0258	103.	73-125	WG477408
Dichlorodifluoromethane	mg/l	.025	0.0214	85.5	39-189	WG477408
Ethylbenzene	mg/l	.025	0.0234	93.7	76-129	WG477408
Hexachloro-1,3-butadiene	mg/l	.025	0.0266	106.	67-135	WG477408
Isopropylbenzene	mg/l	.025	0.0255	102.	73-132	WG477408
Methyl tert-butyl ether	mg/l	.025	0.0243	97.0	51-142	WG477408
Methylene Chloride	mg/l	.025	0.0238	95.3	64-125	WG477408
n-Butylbenzene	mg/l	.025	0.0289	115.	63-142	WG477408
n-Propylbenzene	mg/l	.025	0.0275	110	71-132	WG477408
Naphthalene	mg/l	.025	0.0341	136.	56-145	WG477408
p-Isopropyltoluene	mg/l	.025	0.0270	108.	68-138	WG477408
sec-Butylbenzene	mg/l	.025	0.030	123	70-135	WG477408
Styrene	mg/l	.025	0.0272	109.	78-130	WG477408
tert-Butylbenzene	mg/l	.025	0.0296	118.	72-134	WG477408
Tetrachloroethene	mg/l	.02	0.0235	96.3	67-135	WG477408
Toluene	mg/l	.025	0.0243	97.1	72-122	WG477408
trans-1,2-Dichloroethene	mg/l	.025	0.0236	94.3	67-129	WG477408
trans-1,3-Dichloropropene	mg/l	.02	0.0261	104.	66-137	WG477408
Trichloroethene	mg/l	.025	0.0234	93.6	74-126	WG477408

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

May 13, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Trichlorofluoromethane	mg/l	.025	0.0228	91.3	54-156	WG477408
Vinyl chloride	mg/l	.025	0.0230	91.9	55-153	WG477408
Xylenes, Total	mg/l	.075	0.0746	99.5	75-128	WG477408
4-Bromofluorobenzene	mg/l			105.9	75-125	WG477408
Dibromofluoromethane	mg/l			93.13	87-114	WG477408
Toluene-d8	mg/l					
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0255	102.1	74-134	WG477590
1,1,1-Trichloroethane	mg/l	.025	0.0212	84.9	67-137	WG477590
1,1,2,2-Tetrachloroethane	mg/l	5	0.0260	104	72-128	WG477590
1,1,2-Trichloroethane	mg/l	.025	0.0248	99.1	79-123	WG477590
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0216	86.4	51-149	WG477590
1,1-Dichloroethane	mg/l	5	0.0209	83.6	67-133	WG477590
1,1-Dichloroethene	mg/l	.025	0.0197	78.7	60-130	WG477590
1,1-Dichloropropene	mg/l	.025	0.0225	89.9	68-132	WG477590
1,2,3-Trichlorobenzene	mg/l	5	0.0274	109	63-138	WG477590
1,2,3-Trichloropropene	mg/l	.025	0.0263	105.1	68-130	WG477590
1,2,3-Trimethylbenzene	mg/l	.025	0.0246	98.4	70-127	WG477590
1,2,4-Trichlorobenzene	mg/l	5	0.026	106	65-137	WG477590
1,2,4-Trimethylbenzene	mg/l	.025	0.0257	103.1	72-135	WG477590
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0236	94.5	55-134	WG477590
1,2-Dibromoethane	mg/l	5	0.0259	104	75-126	WG477590
1,2-Dichlorobenzene	mg/l	.025	0.0262	105.1	75-122	WG477590
1,2-Dichloroethane	mg/l	.025	0.0214	85.6	63-137	WG477590
1,2-Dichloropropene	mg/l	.025	0.0256	103	74-122	WG477590
1,3,5-Trimethylbenzene	mg/l	.025	0.0251	101.1	73-134	WG477590
1,3-Dichlorobenzene	mg/l	.025	0.0268	107.1	73-131	WG477590
1,3-Dichloropropene	mg/l	.025	0.0243	97.2	77-119	WG477590
1,4-Dichlorobenzene	mg/l	.025	0.0237	94.9	70-121	WG477590
2,2-Dichloropropene	mg/l	.025	0.0221	88.4	46-151	WG477590
2-Butanone (MEK)	mg/l	.125	0.114	90.9	53-132	WG477590
2-Chloroethyl vinyl ether	mg/l	.125	0.121	96.9	0-171	WG477590
2-Chlorotoluene	mg/l	.025	0.0243	97.0	74-128	WG477590
4-Chlorotoluene	mg/l	.025	0.0242	96.7	74-130	WG477590
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.125	99.7	60-142	WG477590
Acetone	mg/l	.125	0.102	81.3	48-134	WG477590
Acrolein	mg/l	.125	0.0639	51.1	6-1	WG477590
Acrylonitrile	mg/l	.125	0.108	86.7	60-140	WG477590
Benzene	mg/l	.025	0.0213	85.2	67-126	WG477590
Bromobenzene	mg/l	.025	0.0242	96.8	76-123	WG477590
Bromodichloromethane	mg/l	.025	0.0238	95.3	68-133	WG477590
Bromoform	mg/l	.025	0.0233	93.1	60-139	WG477590
Bromomethane	mg/l	.025	0.0324	130	45-175	WG477590
Carbon tetrachloride	mg/l	.025	0.0217	86.9	64-141	WG477590
Chlorobenzene	mg/l	.025	0.0258	103.1	77-125	WG477590
Chlorodibromomethane	mg/l	.025	0.0253	101	73-138	WG477590
Chloroethane	mg/l	.025	0.0242	96.9	49-155	WG477590
Chloroform	mg/l	.025	0.0208	83.4	66-126	WG477590
Chloromethane	mg/l	.025	0.0229	1.4	45-152	WG477590
cis-1,2-Dichloroethene	mg/l	.025	0.0217	86.6	72-128	WG477590
cis-1,3-Dichloropropene	mg/l	.025	0.0252	101.1	73-131	WG477590
Di-isopropyl ether	mg/l	.025	0.0211	84.5	63-135	WG477590
Dibromomethane	mg/l	.025	0.0290	116.1	73-125	WG477590
Dichlorodifluoromethane	mg/l	.025	0.0214	85.8	39-189	WG477590
Ethylbenzene	mg/l	.02	0.0260	104.1	76-128	WG477590
Hexachloro-1,3-butadiene	mg/l	.025	0.0284	113.1	67-135	WG477590
Isopropylbenzene	mg/l	.025	0.0233	93.3	73-132	WG477590
Methyl tert-butyl ether	mg/l	.02	0.0197	78.1	51-142	WG477590

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Methylene Chloride	mg/l	.025	0.0196		64-125	WG477590
n-Butylbenzene	mg/l	.025	0.0244	97.7	63-142	WG477590
n-Propylbenzene	mg/l	.025	0.0248	99.2	71-132	WG477590
Naphthalene	mg/l	.025	0.0256		74-135	WG477590
p-Isopropyltoluene	mg/l	.025	0.0258	103.	68-138	WG477590
sec-Butylbenzene	mg/l	.025	0.0259	104.	70-135	WG477590
Styrene	mg/l	5	0.0251	100	78-130	WG477590
tert-Butylbenzene	mg/l	.025	0.0252	101.	72-134	WG477590
Tetrachloroethene	mg/l	.025	0.0272	109.	67-135	WG477590
Toluene	mg/l	5	0.0241	96.3	72-122	WG477590
trans-1,2-Dichloroethene	mg/l	.025	0.0211	84.5	67-129	WG477590
trans-1,3-Dichloropropene	mg/l	.025	0.0244	97.4	66-137	WG477590
Trichloroethene	mg/l	5	0.025	102	74-126	WG477590
Trichlorofluoromethane	mg/l	.025	0.0262	105.	54-156	WG477590
Vinyl chloride	mg/l	.025	0.0245	97.8	55-153	WG477590
Xylenes, Total	mg/l	75	0.0762	102	75-128	WG477590
4-Bromofluorobenzene				99.46	75-128	WG477590
Dibromofluoromethane				91.84	79-125	WG477590
Toluene-d ₈				100.6	87-114	WG477590
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0265	106.	75-134	WG477741
1,1,1-Trichloroethane	mg/l	5	0.0244	97.7	67-137	WG477741
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0250	100.	72-128	WG477741
1,1,2-Trichloroethane	mg/l	.025	0.0255	102.	79-123	WG477741
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0262	105.	51-148	WG477741
1,1-Dichloroethane	mg/l	.025	0.0246	98.3	67-133	WG477741
1,1-Dichloroethene	mg/l	.025	0.0252	101.	60-130	WG477741
1,1-Dichloropropene	mg/l	.025	0.0251	100	68-132	WG477741
1,2,3-Trichlorobenzene	mg/l	.025	0.0253	101.	63-138	WG477741
1,2,3-Trichloropropene	mg/l	.025	0.0244	97.5	68-130	WG477741
1,2,3-Trimethylbenzene	mg/l	.025	0.0270	108.	70-127	WG477741
1,2,4-Trichlorobenzene	mg/l	.025	0.0250	99.9	65-137	WG477741
1,2,4-Trimethylbenzene	mg/l	.025	0.0261	105.	72-135	WG477741
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0254	102	55-134	WG477741
1,2-Dibromoethane	mg/l	.025	0.0260	104.	75-126	WG477741
1,2-Dichlorobenzene	mg/l	.025	0.0262	105.	75-122	WG477741
1,2-Dichloroethane	mg/l	.025	0.0246	8.3	63-1	WG477741
1,2-Dichloropropene	mg/l	.025	0.0247	98.9	74-122	WG477741
1,3,5-Trimethylbenzene	mg/l	.025	0.0259	103.	73-134	WG477741
1,3-Dichlorobenzene	mg/l	.025	0.0253	101	73-131	WG477741
1,3-Dichloropropene	mg/l	.025	0.0253	101.	77-119	WG477741
1,4-Dichlorobenzene	mg/l	.025	0.0256	103.	70-121	WG477741
2,2-Dichloropropene	mg/l	.025	0.0228	1.3	46-151	WG477741
2-Butanone (MEK)	mg/l	.125	0.102	81.3	53-132	WG477741
2-Chloroethyl vinyl ether	mg/l	.125	0.200	160.	0-171	WG477741
2-Chlorotoluene	mg/l	.025	0.0253	101	74-128	WG477741
4-Chlorotoluene	mg/l	.025	0.0260	104.	74-130	WG477741
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.105	84.1	60-142	WG477741
Acetone	mg/l	.125	0.103	82.4	48-134	WG477741
Acrolein	mg/l	.125	0.0845	67.6	6-182	WG477741
Acrylonitrile	mg/l	.125	0.111	88.5	60-140	WG477741
Benzene	mg/l	.025	0.023	4.6	67-126	WG477741
Bromobenzene	mg/l	.025	0.0259	104.	76-123	WG477741
Bromodichloromethane	mg/l	.025	0.0265	106.	68-133	WG477741
Bromoform	mg/l	.02	0.0262	105.	60-138	WG477741
Bromomethane	mg/l	.025	0.0312	125.	45-175	WG477741
Carbon tetrachloride	mg/l	.025	0.0253	101.	64-141	WG477741
Chlorobenzene	mg/l	.02	0.025	103.	77-125	WG477741

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Chlorodibromomethane	mg/l	.025	0.0271	108.	73-138	WG477741
Chloroethane	mg/l	.025	0.0319	127.	49-155	WG477741
Chloroform	mg/l	.025	0.0240	95.9	66-126	WG477741
Chloromethane	mg/l	.025	0.0316	7.	152	WG477741
cis-1,2-Dichloroethene	mg/l	.025	0.0249	99.5	72-128	WG477741
cis-1,3-Dichloropropene	mg/l	.025	0.0247	98.7	73-131	WG477741
Di-isopropyl ether	mg/l	5	0.0236	94.4	63-130	WG477741
Dibromomethane	mg/l	.025	0.0237	95.0	73-125	WG477741
Dichlorodifluoromethane	mg/l	.025	0.0412	165.	39-189	WG477741
Ethylbenzene	mg/l	5	0.0250	99.8	76-132	WG477741
Hexachloro-1,3-butadiene	mg/l	.025	0.0262	105.	67-135	WG477741
Isopropylbenzene	mg/l	.025	0.0239	95.7	73-132	WG477741
Methyl tert-butyl ether	mg/l	5	0.0252	101	51-142	WG477741
Methylene Chloride	mg/l	.025	0.0215	85.9	64-125	WG477741
n-Butylbenzene	mg/l	.025	0.0254	101.	63-142	WG477741
n-Propylbenzene	mg/l	5	0.0259	103	71-132	WG477741
Naphthalene	mg/l	.025	0.0253	101.	56-145	WG477741
p-Isopropyltoluene	mg/l	.025	0.0262	105.	68-138	WG477741
sec-Butylbenzene	mg/l	5	0.0253	101	70-135	WG477741
Styrene	mg/l	.025	0.0267	107.	78-130	WG477741
tert-Butylbenzene	mg/l	.025	0.0259	103.	72-134	WG477741
Tetrachloroethene	mg/l	5	0.0254	102.	67-135	WG477741
Toluene	mg/l	.025	0.0233	93.0	72-122	WG477741
trans-1,2-Dichloroethene	mg/l	.025	0.0240	96.1	67-129	WG477741
trans-1,3-Dichloropropene	mg/l	.025	0.0246	98.6	66-137	WG477741
Trichloroethene	mg/l	.025	0.0245	98.1	74-126	WG477741
Trichlorofluoromethane	mg/l	.025	0.0298	119.	54-156	WG477741
Vinyl chloride	mg/l	.025	0.0333	133	55-153	WG477741
Xylenes, Total	mg/l	.075	0.0761	101.	75-128	WG477741
4-Bromofluorobenzene				105.6	75-128	WG477741
Dibromofluoromethane				102.3	79-125	WG477741
Toluene-d8				100.0	87-114	WG477741
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0228	91.	75-134	WG477741
1,1,1-Trichloroethane	mg/l	.025	0.0238	95.3	67-137	WG477741
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0250	100.	72-128	WG477741
1,1,2-Trichloroethane	mg/l	.025	0.0241	96.3	79-123	WG477741
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0227	90.8	51-149	WG477741
1,1-Dichloroethane	mg/l	.025	0.0245	98.0	67-133	WG477741
1,1-Dichloroethene	mg/l	.025	0.0211	84.2	60-130	WG477741
1,1-Dichloropropene	mg/l	.025	0.0249	99.6	68-132	WG477741
1,2,3-Trichlorobenzene	mg/l	.025	0.0256	102.	63-138	WG477741
1,2,3-Trichloropropene	mg/l	.025	0.0243	7.	68-130	WG477741
1,2,3-Trimethylbenzene	mg/l	.025	0.0222	88.8	70-127	WG477741
1,2,4-Trichlorobenzene	mg/l	.025	0.0250	100.	65-137	WG477741
1,2,4-Trimethylbenzene	mg/l	.025	0.0237	5.0	72-135	WG477741
1,2-Dibromo-3-Chloropropene	mg/l	.025	0.0234	93.8	55-134	WG477741
1,2-Dibromoethane	mg/l	.025	0.0221	88.4	75-126	WG477741
1,2-Dichlorobenzene	mg/l	.025	0.0239	.4	75-122	WG477741
1,2-Dichloroethane	mg/l	.025	0.0247	98.7	63-137	WG477741
1,2-Dichloropropene	mg/l	.025	0.0238	95.1	74-122	WG477741
1,3,5-Trimethylbenzene	mg/l	.025	0.0232	3.0	73-134	WG477741
1,3-Dichlorobenzene	mg/l	.025	0.0254	101.	73-131	WG477741
1,3-Dichloropropene	mg/l	.025	0.0215	85.9	77-119	WG477741
1,4-Dichlorobenzene	mg/l	.02	0.0229	90.7	70-121	WG477741
2,2-Dichloropropene	mg/l	.025	0.0261	105.	46-151	WG477741
2-Butanone (MEK)	mg/l	.125	0.142	114.	53-132	WG477741
2-Chloroethyl vinyl ether	mg/l	.12	0.125	99.8	0-132	WG477741

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
2-Chlorotoluene	mg/l	.025	0.0222		128	WG477419
4-Chlorotoluene	mg/l	.025	0.0227	90.6	74-130	WG477419
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.129	103.	60-142	WG477419
Acetone	mg/l	.125	0.131	105.	48-134	WG477419
Acrolein	mg/l	.125	0.0789	63.1	6-182	WG477419
Acrylonitrile	mg/l	.125	0.136	109.	60-140	WG477419
Benzene	mg/l	5	0.0248	99.	67-126	WG477419
Bromobenzene	mg/l	.025	0.0219	87.7	76-123	WG477419
Bromodichloromethane	mg/l	.025	0.0237	94.9	68-133	WG477419
Bromoform	mg/l	5	0.0216	86.5	60-130	WG477419
Bromomethane	mg/l	.025	0.0478	191.*	45-175	WG477419
Carbon tetrachloride	mg/l	.025	0.0235	94.1	64-141	WG477419
Chlorobenzene	mg/l	5	0.0228	91.3	77-125	WG477419
Chlorodibromomethane	mg/l	.025	0.0214	85.6	73-138	WG477419
Chloroethane	mg/l	.025	0.0351	140.	49-155	WG477419
Chloroform	mg/l	5	0.0240	96.0	66-126	WG477419
Chloromethane	mg/l	.025	0.0249	99.7	45-152	WG477419
cis-1,2-Dichloroethane	mg/l	.025	0.0227	90.6	72-128	WG477419
cis-1,3-Dichloropropene	mg/l	5	0.0252	101	73-131	WG477419
Di-isopropyl ether	mg/l	.025	0.0232	92.7	63-139	WG477419
Dibromomethane	mg/l	.025	0.0219	87.4	73-125	WG477419
Dichlorodifluoromethane	mg/l	5	0.0250	100.	39-189	WG477419
Ethylbenzene	mg/l	.025	0.0227	90.7	76-129	WG477419
Hexachloro-1,3-butadiene	mg/l	.025	0.0220	87.9	67-135	WG477419
Isopropylbenzene	mg/l	.025	0.0233	93.0	73-132	WG477419
Methyl tert-butyl ether	mg/l	.025	0.0238	95.1	51-142	WG477419
Methylene Chloride	mg/l	.025	0.0224	89.8	64-125	WG477419
n-Butylbenzene	mg/l	.025	0.0229	91.8	63-142	WG477419
n-Propylbenzene	mg/l	.025	0.0242	96.9	71-132	WG477419
Naphthalene	mg/l	.025	0.0253	101.	56-145	WG477419
p-Isopropyltoluene	mg/l	.025	0.0243	97.	68-138	WG477419
sec-Butylbenzene	mg/l	.025	0.0249	99.7	70-135	WG477419
Styrene	mg/l	.025	0.0226	90.3	78-130	WG477419
tert-Butylbenzene	mg/l	.025	0.0240	95.8	72-134	WG477419
Tetrachloroethene	mg/l	.025	0.0203	81.3	67-135	WG477419
Toluene	mg/l	.025	0.0241	96.5	72-122	WG477419
trans-1,2-Dichloroethane	mg/l	.025	0.0217	87.0	67-133	WG477419
trans-1,3-Dichloropropene	mg/l	.025	0.0245	97.8	66-137	WG477419
Trichloroethene	mg/l	.025	0.0210	83.9	74-126	WG477419
Trichlorofluoromethane	mg/l	.025	0.0335	134	54-156	WG477419
Vinyl chloride	mg/l	.025	0.0266	106.	55-153	WG477419
Xylenes, Total	mg/l	.075	0.0674	89.9	75-128	WG477419
4-Bromofluorobenzene				99.33	75-128	WG477419
Dibromofluoromethane				105.2	79-125	WG477419
Toluene-d8				110.5	87-114	WG477419

Analyte	Units	Laboratory Control Sample Duplicate		% Rec	Limit	RPD	Limit	Batch
		Result	Ref					
1,1,1,2-Tetrachloroethane	mg/l	0.0222	0.0228	99.0	25-134	2.55	20	WG477408
1,1,1-Trichloroethane	mg/l	0.0227	0.0236	91.0	67-137	3.86	20	WG477408
1,1,2,2-Tetrachloroethane	mg/l	0.0235	0.0299	94.0	72-128	23.9*	20	WG477408
1,1,2-Trichloroethane	mg/l	0.0229	0.0241	90.0	72-132	-	20	WG477408
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0239	0.0225	96.0	51-149	5.90	20	WG477408
1,1-Dichloroethane	mg/l	0.0252	0.0253	101.	67-133	0.510	20	WG477408
1,1-Dichloroethene	mg/l	0.0216	0.0208	85.0	60-130	3.	20	WG477408
1,1-Dichloropropene	mg/l	0.0251	0.0248	100.	68-132	0.980	20	WG477408
1,2,3-Trichlorobenzene	mg/l	0.0253	0.0278	101.	63-138	9.40	20	WG477408
1,2,3-Trichloropropene	mg/l	0.0225	0.0277	90.0	68-130	20.6*	20	WG477408

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	tRec				
1,2,3-Trimethylbenzene	mg/l	0.0231	0.028	107.	-127	16.1	20	WG477408
1,2,4-Trichlorobenzene	mg/l	0.0232	0.0272	93.0	65-137	16.1	20	WG477408
1,2,4-Trimethylbenzene	mg/l	0.0235	0.0306	94.0	72-135	26.0*	20	WG477408
1,2-Dibromo-3-Chloropropane	mg/l	0.0250	0.0313	100.	55-133	22.5*	20	WG477408
1,2-Dibromoethane	mg/l	0.0232	0.0273	93.0	75-126	16.5	20	WG477408
1,2-Dichlorobenzene	mg/l	0.0248	0.0288	99.0	75-122	15.2	20	WG477408
1,2-Dichloroethane	mg/l	0.0272	0.0272	110.	3-137	0.970	0	WG477408
1,2-Dichloropropane	mg/l	0.0240	0.0235	96.0	74-122	2.11	20	WG477408
1,3,5-Trimethylbenzene	mg/l	0.0228	0.0277	91.0	73-134	19.5	20	WG477408
1,3-Dichlorobenzene	mg/l	0.0220	0.0293	88.	3-13	28 *	0	WG477408
1,3-Dichloropropane	mg/l	0.0230	0.0249	92.0	77-119	7.79	20	WG477408
1,4-Dichlorobenzene	mg/l	0.0225	0.0265	90.0	70-121	16.1	20	WG477408
2,2-Dichloropropane	mg/l	0.0240	0.0236	96.	6-15	1.	0	WG477408
2-Butanone (MEK)	mg/l	0.133	0.139	106.	53-132	4.10	20	WG477408
2-Chloroethyl vinyl ether	mg/l	0.123	0.138	98.0	0-171	12.0	27	WG477408
2-Chlorotoluene	mg/l	0.0239	0.0286	96.	-128	17	0	WG477408
4-Chlorotoluene	mg/l	0.0243	0.0279	97.0	74-130	13.6	20	WG477408
4-Methyl-2-pentanone (MIBK)	mg/l	0.128	0.139	103.	60-142	7.85	20	WG477408
Acetone	mg/l	0.11	0.113	.	-134	2.0*	0	WG477408
Acrolein	mg/l	0.120	0.0881	96.0	6-182	30.7	39	WG477408
Acrylonitrile	mg/l	0.134	0.142	107.	60-140	5.60	20	WG477408
Benzene	mg/l	0.0233	0.0246	100.	7-126	1.3.	0	WG477408
Bromobenzene	mg/l	0.0224	0.0286	89.0	76-123	24.4*	20	WG477408
Bromodichloromethane	mg/l	0.0256	0.0267	102.	68-133	4.07	20	WG477408
Bromoform	mg/l	0.0221	0.0285	88.	0-139	25.	0	WG477408
Bromomethane	mg/l	0.0238	0.0216	95.0	45-175	9.51	20	WG477408
Carbon tetrachloride	mg/l	0.0242	0.0244	97.0	64-141	0.470	20	WG477408
Chlorobenzene	mg/l	0.0218	0.0245	87.	7-125	11.4	0	WG477408
Chlorodibromomethane	mg/l	0.0215	0.0227	86.0	73-138	5.76	20	WG477408
Chloroethane	mg/l	0.0237	0.0218	95.0	49-155	8.43	20	WG477408
Chloroform	mg/l	0.0248	0.0258	99.	6-126	3.81	0	WG477408
Chloromethane	mg/l	0.0252	0.0224	101.	45-152	11.5	20	WG477408
cis-1,2-Dichloroethene	mg/l	0.0242	0.0234	97.0	72-128	3.00	20	WG477408
cis-1,3-Dichloropropene	mg/l	0.02	0.0261	103.	3-13	1.42	20	WG477408
Di-isopropyl ether	mg/l	0.0272	0.0250	109.	63-139	8.64	20	WG477408
Dibromomethane	mg/l	0.0249	0.0258	99.0	73-125	3.72	20	WG477408
Dichlorodifluoromethane	mg/l	0.0241	0.0214	95.0	-189	11	20	WG477408
Ethylbenzene	mg/l	0.0222	0.0234	89.0	76-129	5.25	20	WG477408
Hexachloro-1,3-butadiene	mg/l	0.0226	0.0266	90.0	67-135	16.2	20	WG477408
Isopropylbenzene	mg/l	0.0220	0.0255	88.0	3-132	14	0	WG477408
Methyl tert-butyl ether	mg/l	0.0238	0.0243	95.0	51-142	1.73	20	WG477408
Methylene Chloride	mg/l	0.0242	0.0238	97.0	64-125	1.77	20	WG477408
n-Butylbenzene	mg/l	0.0256	0.0289	102.	3-142	11	0	WG477408
n-Propylbenzene	mg/l	0.0245	0.0275	98.0	71-132	11.5	20	WG477408
Naphthalene	mg/l	0.0284	0.0341	113.	56-145	18.3	20	WG477408
p-Isopropyltoluene	mg/l	0.0234	0.0270	94.0	8-138	14.	0	WG477408
sec-Butylbenzene	mg/l	0.0236	0.0307	94.0	70-135	26.2*	20	WG477408
Styrene	mg/l	0.0241	0.0272	96.0	78-130	12.4	20	WG477408
tert-Butylbenzene	mg/l	0.0219	0.0296	88.	2-134	10.0*	20	WG477408
Tetrachloroethene	mg/l	0.0212	0.0245	85.0	67-135	14.4	20	WG477408
Toluene	mg/l	0.0229	0.0243	92.0	72-122	5.76	20	WG477408
trans-1,2-Dichloroethene	mg/l	0.0250	0.0236	100.	67-129	5.94	20	WG477408
trans-1,3-Dichloropropene	mg/l	0.0251	0.0261	100.	66-137	4.10	20	WG477408
Trichloroethene	mg/l	0.0222	0.0234	89.0	74-126	5.43	20	WG477408
Trichlorofluoromethane	mg/l	0.0246	0.0223	98.0	54-156	7.8	20	WG477408
Vinyl chloride	mg/l	0.0258	0.0230	103.	55-153	11.8	20	WG477408
Xylenes, Total	mg/l	0.0674	0.0746	90.0	75-128	10.2	20	WG477408
4-Bromofluorobenzene				99.1	75-128			WG477408
Dibromofluoromethane				106.1	79-125			WG477408

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	tRec				
Toluene-d8				94.34	114			
1,1,1,2-Tetrachloroethane	mg/l	0.0250	0.0255	100.	75-134	2.22	20	WG477590
1,1,1-Trichloroethane	mg/l	0.0216	0.0212	86.0	67-137	2.01	20	WG477590
1,1,2,2-Tetrachloroethane	mg/l	0.0266	0.0260	105.	-128	4.50	20	WG477590
1,1,2-Trichloroethane	mg/l	0.0252	0.0248	101.	9-123	1.81	20	WG477590
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0209	0.0216	84.0	51-149	3.33	20	WG477590
1,1-Dichloroethane	mg/l	0.02	0.0209	85.5	7-133	1.4	0	WG477590
1,1-Dichloroethane	mg/l	0.0195	0.0197	78.0	60-130	0.880	20	WG477590
1,1-Dichloropropene	mg/l	0.0220	0.0225	88.0	68-132	2.01	20	WG477590
1,2,3-Trichlorobenzene	mg/l	0.0275	0.027	114.	3-138	3.85	20	WG477590
1,2,3-Trichloropropane	mg/l	0.0255	0.0263	102.	68-130	3.20	20	WG477590
1,2,3-Trimethylbenzene	mg/l	0.0250	0.0246	100.	70-127	1.51	20	WG477590
1,2,4-Trichlorobenzene	mg/l	0.0274	0.026	110.	-13	3	0	WG477590
1,2,4-Trimethylbenzene	mg/l	0.0250	0.0257	100.	72-135	2.91	20	WG477590
1,2-Dibromo-3-Chloropropane	mg/l	0.0269	0.0236	107.	55-134	12.8	20	WG477590
1,2-Dibromoethane	mg/l	0.0260	0.0259	104.	-126	0.410	0	WG477590
1,2-Dichlorobenzene	mg/l	0.0268	0.0262	107.	75-122	2.12	20	WG477590
1,2-Dichloroethane	mg/l	0.0214	0.0214	86.0	63-137	0.0600	20	WG477590
1,2-Dichloropropene	mg/l	0.0253	0.0256	101.	-122	1.4	0	WG477590
1,3,5-Trimethylbenzene	mg/l	0.0245	0.0251	98.0	73-134	2.60	20	WG477590
1,3-Dichlorobenzene	mg/l	0.0264	0.0268	106.	73-131	1.65	20	WG477590
1,3-Dichloropropane	mg/l	0.0239	0.0243	96.0	7-119	1.	0	WG477590
1,4-Dichlorobenzene	mg/l	0.0241	0.0237	96.0	70-121	1.56	20	WG477590
2,2-Dichloropropane	mg/l	0.0215	0.0221	86.0	46-151	2.60	20	WG477590
2-Butanone (MEK)	mg/l	0.12	0.114	101.	-132	10.	0	WG477590
2-Chloroethyl vinyl ether	mg/l	0.125	0.121	100.	0-171	3.23	27	WG477590
2-Chlorotoluene	mg/l	0.0239	0.0243	96.0	74-128	1.45	20	WG477590
4-Chlorotoluene	mg/l	0.0238	0.0242	95.	4-130	1.	0	WG477590
4-Methyl-2-pentanone (MIBK)	mg/l	0.131	0.125	105.	60-142	5.27	20	WG477590
Acetone	mg/l	0.110	0.102	88.0	48-134	7.60	20	WG477590
Acrolein	mg/l	0.0624	0.0639	.	-182	2.4	9	WG477590
Acrylonitrile	mg/l	0.115	0.108	92.0	60-140	5.62	20	WG477590
Benzene	mg/l	0.0216	0.0213	86.0	67-126	1.61	20	WG477590
Bromobenzene	mg/l	0.0242	0.0242	97.	6-123	0.150	20	WG477590
Bromodichloromethane	mg/l	0.0239	0.0238	96.0	68-133	0.250	20	WG477590
Bromoform	mg/l	0.0239	0.0233	96.0	60-139	2.74	20	WG477590
Bromomethane	mg/l	0.0318	0.0324	127.	5-1	1.	0	WG477590
Carbon tetrachloride	mg/l	0.0220	0.0217	88.0	64-141	1.26	20	WG477590
Chlorobenzene	mg/l	0.0250	0.0258	100.	77-125	3.00	20	WG477590
Chlorodibromomethane	mg/l	0.0240	0.0253	96.0	3-138	4.88	20	WG477590
Chloroethane	mg/l	0.0229	0.0242	92.0	49-155	5.53	20	WG477590
Chloroform	mg/l	0.0207	0.0208	83.0	66-126	0.490	20	WG477590
Chloromethane	mg/l	0.0225	0.0229	91.0	5-152	0	0	WG477590
cis-1,2-Dichloroethene	mg/l	0.0214	0.0217	86.0	72-128	1.02	20	WG477590
cis-1,3-Dichloropropene	mg/l	0.0257	0.0252	103.	73-131	1.86	20	WG477590
Di-isopropyl ether	mg/l	0.0217	0.0211	87.0	3-139	2.	0	WG477590
Dibromomethane	mg/l	0.0275	0.0290	110.	73-125	5.14	20	WG477590
Dichlorodifluoromethane	mg/l	0.0214	0.0214	86.0	39-189	0	24	WG477590
Ethylbenzene	mg/l	0.0257	0.0260	103.	6-129	1.41	20	WG477590
Hexachloro-1,3-butadiene	mg/l	0.0287	0.0284	115.	67-135	1.00	20	WG477590
Isopropylbenzene	mg/l	0.0232	0.0233	93.0	73-132	0.490	20	WG477590
Methyl tert-butyl ether	mg/l	0.0198	0.0197	79.	1-142	0.670	2	WG477590
Methylene Chloride	mg/l	0.0203	0.0196	81.0	64-125	3.30	20	WG477590
n-Butylbenzene	mg/l	0.0248	0.0244	99.0	63-142	1.73	20	WG477590
n-Propylbenzene	mg/l	0.0265	0.0268	98.0	1-132	1.5	20	WG477590
Naphthalene	mg/l	0.0273	0.0256	109.	56-145	6.32	20	WG477590
p-Isopropyltoluene	mg/l	0.0250	0.0258	100.	68-138	3.23	20	WG477590
sec-Butylbenzene	mg/l	0.0255	0.0259	101.	73-135	3.88	20	WG477590
Styrene	mg/l	0.0252	0.0251	101.	78-130	0.180	20	WG477590

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	Laboratory Control		Sample Duplicate		Limit	RPD	Limit	Batch
		Result	Ref	Rec	Rec				
tert-Butylbenzene	mg/l	0.025	0.025	100.	100.	-134	2.00	20	WG477590
Tetrachloroethene	mg/l	0.0267	0.0272	107.	107.	67-135	1.95	20	WG477590
Toluene	mg/l	0.0242	0.0241	97.0	97.0	72-122	0.630	20	WG477590
trans-1,2-Dichloroethene	mg/l	0.02	0.0211	100.	100.	66-137	3.39	20	WG477590
trans-1,3-Dichloropropene	mg/l	0.0252	0.0244	101.	101.	74-126	1.09	20	WG477590
Trichloroethene	mg/l	0.0257	0.0255	103.	103.	66-137	1.09	20	WG477590
Trichlorofluoromethane	mg/l	0.0257	0.0262	102.	102.	66-137	1.09	20	WG477590
Vinyl chloride	mg/l	0.0238	0.0245	95.0	95.0	55-153	2.87	20	WG477590
Xylenes, Total	mg/l	0.0752	0.0752	100.	100.	75-128	1.31	20	WG477590
4-Bromofluorobenzene	mg/l			99.3	99.3	-128		20	WG477590
Dibromofluoromethane	mg/l			93.91	93.91	79-125		20	WG477590
Toluene-d8	mg/l			102.0	102.0	87-114		20	WG477590
1,1,1,2-Tetrachloroethane	mg/l	0.0268	0.0265	107.	107.	75-134	1.25	20	WG477741
1,1,1-Trichloroethane	mg/l	0.0245	0.0244	98.0	98.0	67-137	0.220	20	WG477741
1,1,2,2-Tetrachloroethane	mg/l	0.0249	0.0250	100.	100.	2-128	0.670	20	WG477741
1,1,2-Trichloroethane	mg/l	0.0256	0.0255	102.	102.	79-123	0.700	20	WG477741
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0251	0.0262	100.	100.	51-149	3.97	20	WG477741
1,1-Dichloroethane	mg/l	0.0242	0.0246	97.	97.	7-133	1.44	20	WG477741
1,1-Dichloroethene	mg/l	0.0247	0.0252	99.0	99.0	60-130	1.90	20	WG477741
1,1-Dichloropropene	mg/l	0.0244	0.0251	97.0	97.0	68-132	2.75	20	WG477741
1,2,3-Trichlorobenzene	mg/l	0.0258	0.0253	106.	106.	3-138	5.0	0	WG477741
1,2,3-Trichloropropene	mg/l	0.0257	0.0244	103.	103.	68-130	5.25	20	WG477741
1,2,3-Trimethylbenzene	mg/l	0.0270	0.0270	108.	108.	70-127	0.0900	20	WG477741
1,2,4-Trichlorobenzene	mg/l	0.0254	0.0250	102.	102.	5-137	1.81	0	WG477741
1,2,4-Trimethylbenzene	mg/l	0.0268	0.0261	107.	107.	72-135	2.41	20	WG477741
1,2-Dibromo-3-Chloropropene	mg/l	0.0254	0.0254	102.	102.	55-134	0.0100	20	WG477741
1,2-Dibromoethane	mg/l	0.0260	0.0260	104.	104.	5-126	0.270	0	WG477741
1,2-Dichlorobenzene	mg/l	0.0262	0.0262	105.	105.	75-122	0.140	20	WG477741
1,2-Dichloroethane	mg/l	0.0245	0.0246	98.0	98.0	63-137	0.0600	20	WG477741
1,2-Dichloropropene	mg/l	0.0254	0.0247	102.	102.	72-122	2.93	0	WG477741
1,3,5-Trimethylbenzene	mg/l	0.0262	0.0259	105.	105.	73-134	1.47	20	WG477741
1,3-Dichlorobenzene	mg/l	0.0253	0.0253	101.	101.	73-131	0.100	20	WG477741
1,3-Dichloropropene	mg/l	0.02	0.0253	102.	102.	7-119	0.950	20	WG477741
1,4-Dichlorobenzene	mg/l	0.0257	0.0256	103.	103.	70-121	0.420	20	WG477741
2,2-Dichloropropene	mg/l	0.0230	0.0228	92.0	92.0	46-151	0.620	20	WG477741
2-Butanone (MEK)	mg/l	0.0998	0.102	80.0	80.0	55-132	1.80	20	WG477741
2-Chloroethyl vinyl ether	mg/l	0.211	0.200	169.	169.	0-171	5.28	27	WG477741
2-Chlorotoluene	mg/l	0.0269	0.0253	108.	108.	74-128	6.04	20	WG477741
4-Chlorotoluene	mg/l	0.0263	0.0260	5.	5.	75-130	1.	20	WG477741
4-Methyl-2-pentanone (MIBK)	mg/l	0.108	0.105	87.0	87.0	60-142	3.08	20	WG477741
Acetone	mg/l	0.101	0.103	81.0	81.0	48-134	1.51	20	WG477741
Acrolein	mg/l	0.11	0.0845	90.0	90.0	-182	28.	9	WG477741
Acrylonitrile	mg/l	0.108	0.111	86.0	86.0	60-140	2.56	20	WG477741
Benzene	mg/l	0.0236	0.0237	94.0	94.0	67-126	0.0700	20	WG477741
Bromobenzene	mg/l	0.0263	0.0259	105.	105.	6-123	1.4	0	WG477741
Bromodichloromethane	mg/l	0.0273	0.0265	109.	109.	68-133	2.72	20	WG477741
Bromoform	mg/l	0.0267	0.0262	107.	107.	60-139	1.95	20	WG477741
Bromomethane	mg/l	0.0305	0.0312	122.	122.	-175	2.47	20	WG477741
Carbon tetrachloride	mg/l	0.0245	0.0253	98.0	98.0	64-141	3.17	20	WG477741
Chlorobenzene	mg/l	0.0260	0.0257	104.	104.	77-125	1.25	20	WG477741
Chlorodibromomethane	mg/l	0.0278	0.0271	111.	111.	3-138	2.	20	WG477741
Chloroethane	mg/l	0.0307	0.0319	123.	123.	49-155	3.63	20	WG477741
Chloroform	mg/l	0.0240	0.0240	96.0	96.0	66-126	0.280	20	WG477741
Chloromethane	mg/l	0.0307	0.0316	123.	123.	5-152	2.	20	WG477741
cis-1,2-Dichloroethene	mg/l	0.0247	0.0249	99.0	99.0	72-128	0.500	20	WG477741
cis-1,3-Dichloropropene	mg/l	0.0254	0.0247	101.	101.	73-131	2.71	20	WG477741
Di-isopropyl ether	mg/l	0.0257	0.0236	95.	95.	3-139	3.40	20	WG477741

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Laboratory Control Sample Duplicate									
Analyte	Units	Result	Ref	Rec	Limit	RPD	Limit	Batch	
Dibromomethane	mg/l	0.0248	0.0237	99.	-125	1.59	20	WG477741	
Dichlorodifluoromethane	mg/l	0.0406	0.0412	162.	39-189	0.680	20	WG477741	
Ethylbenzene	mg/l	0.0251	0.0250	100.	76-129	3.73	20	WG477741	
Hexachloro-1,3-butadiene	mg/l	0.0224	0.026	109.	73-132	0.340	20	WG477741	
Isopropylbenzene	mg/l	0.0240	0.0239	96.0	51-142	8.53	20	WG477741	
Methyl tert-butyl ether	mg/l	0.0274	0.0252	110.	4-125	0.0300	0	WG477741	
Methylene Chloride	mg/l	0.0215	0.0215	102.	63-142	0.260	20	WG477741	
n-Butylbenzene	mg/l	0.0254	0.0254	103.	71-132	0.690	20	WG477741	
n-Propylbenzene	mg/l	0.0257	0.0259	103.	71-132	0.690	20	WG477741	
Naphthalene	mg/l	0.0262	0.0253	103.	68-145	0.710	20	WG477741	
p-Isopropyltoluene	mg/l	0.0264	0.0262	106.	68-138	1.55	20	WG477741	
sec-Butylbenzene	mg/l	0.0257	0.0253	103.	70-135	1.37	20	WG477741	
Styrene	mg/l	0.0271	0.0267	10	8-130	2.33	20	WG477741	
tert-Butylbenzene	mg/l	0.0265	0.0259	106.	72-134	1.45	20	WG477741	
Tetrachloroethene	mg/l	0.0258	0.0254	103.	67-135	0.61	20	WG477741	
Toluene	mg/l	0.0242	0.0233	97.	2-122	0.760	20	WG477741	
trans-1,2-Dichloroethene	mg/l	0.0242	0.0240	97.0	67-129	2.74	20	WG477741	
trans-1,3-Dichloropropene	mg/l	0.0253	0.0246	101.	66-137	0.0	20	WG477741	
Trichloroethene	mg/l	0.0253	0.0245	101.	-126	4.04	20	WG477741	
Trichlorofluoromethane	mg/l	0.0286	0.0298	114.	54-156	0.390	20	WG477741	
Vinyl chloride	mg/l	0.0331	0.0333	132.	55-153	1.1	0	WG477741	
Xylenes, Total	mg/l	0.0770	0.0761	103.	-128	1.1	0	WG477741	
4-Bromofluorobenzene				107.4	75-128			WG477741	
Dibromofluoromethane				98.56	79-125			WG477741	
Toluene-d8				102.9	7-114			WG477741	
1,1,1,2-Tetrachloroethane	mg/l	0.0240	0.0228	96.0	75-134	5.28	20	WG477419	
1,1,1-Trichloroethane	mg/l	0.0227	0.0238	91.	7-137	4.71	0	WG477419	
1,1,1,2-Tetrachloroethane	mg/l	0.0278	0.0250	111.	72-128	10.6	20	WG477419	
1,1,2-Trichloroethane	mg/l	0.0247	0.0241	99.0	79-123	2.70	20	WG477419	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0238	0.0227	95.	1-149	4.33	20	WG477419	
1,1-Dichloroethane	mg/l	0.0226	0.0245	90.0	67-133	8.26	20	WG477419	
1,1-Dichloroethane	mg/l	0.0209	0.0211	84.0	60-130	0.560	20	WG477419	
1,1-Dichloropropene	mg/l	0.0234	0.0249	94.	8-132	6.05	20	WG477419	
1,2,3-Trichlorobenzene	mg/l	0.0281	0.0256	112.	63-138	9.24	20	WG477419	
1,2,3-Trichloropropene	mg/l	0.0278	0.0243	111.	68-130	13.4	20	WG477419	
1,2,3-Trimethylbenzene	mg/l	0.0238	0.022	95.	-127	6.9	0	WG477419	
1,2,4-Trichlorobenzene	mg/l	0.0263	0.0250	105.	65-137	5.01	20	WG477419	
1,2,4-Trimethylbenzene	mg/l	0.0263	0.0237	105.	72-135	10.3	20	WG477419	
1,2-Dibromo-3-Chloropropane	mg/l	0.02	0.0234	5.	5-134	11.	20	WG477419	
1,2-Dibromoethane	mg/l	0.0248	0.0221	99.0	75-126	11.5	20	WG477419	
1,2-Dichlorobenzene	mg/l	0.0261	0.0239	104.	75-122	8.83	20	WG477419	
1,2-Dichloroethane	mg/l	0.0224	0.0247	90.0	3-137	4	0	WG477419	
1,2-Dichloropropene	mg/l	0.0226	0.0238	90.0	74-122	4.96	20	WG477419	
1,3,5-Trimethylbenzene	mg/l	0.0263	0.0232	105.	73-134	12.3	20	WG477419	
1,3-Dichlorobenzene	mg/l	0.0281	0.0254	112.	3-13	10.	0	WG477419	
1,3-Dichloropropene	mg/l	0.0238	0.0215	95.0	77-119	10.2	20	WG477419	
1,4-Dichlorobenzene	mg/l	0.0236	0.0229	94.0	70-121	3.00	20	WG477419	
2,2-Dichloropropene	mg/l	0.0233	0.0261	93.	6-1	11.	20	WG477419	
2-Butanone (MEK)	mg/l	0.135	0.142	108.	53-132	5.05	20	WG477419	
2-Chloroethyl vinyl ether	mg/l	0.122	0.125	98.0	0-171	2.20	27	WG477419	
2-Chlorotoluene	mg/l	0.0245	0.0222	98.	4-128	8	20	WG477419	
4-Chlorotoluene	mg/l	0.0250	0.0227	100.	74-130	10.0	20	WG477419	
4-Methyl-2-pentanone (MIBK)	mg/l	0.131	0.129	105.	60-142	1.81	20	WG477419	
Acetone	mg/l	0.12	0.131	100.	7-134	4.33	20	WG477419	
Acrolein	mg/l	0.0670	0.0789	54.0	6-182	16.2	39	WG477419	
Acrylonitrile	mg/l	0.124	0.136	99.0	60-140	8.93	20	WG477419	
Benzene	mg/l	0.0230	0.0235	92.0	7-126	7.	20	WG477419	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	tRec				
Bromobenzene	mg/l	0.0221	0.0219	99.0	77-123	1.81	20	WG477419
Bromodichloromethane	mg/l	0.0224	0.0237	90.0	68-133	5.82	20	WG477419
Bromoform	mg/l	0.0246	0.0216	98.0	60-139	12.9	20	WG477419
Bromomethane	mg/l	0.0488	0.0478	188*	88-134	1.81	20	WG477419
Carbon tetrachloride	mg/l	0.0229	0.0235	91.0	64-141	2.78	20	WG477419
Chlorobenzene	mg/l	0.0248	0.0228	99.0	77-125	8.22	20	WG477419
Chlorodibromomethane	mg/l	0.0235	0.0234	94.	3-138	9.4	0	WG477419
Chloroethane	mg/l	0.0353	0.0351	141.	49-155	0.650	20	WG477419
Chloroform	mg/l	0.0225	0.0240	90.0	66-126	6.35	20	WG477419
Chloromethane	mg/l	0.02	0.0249	93.	5-152	6.48	20	WG477419
cis-1,2-Dichloroethene	mg/l	0.0221	0.0227	88.0	72-128	2.37	20	WG477419
cis-1,3-Dichloropropene	mg/l	0.0235	0.0252	94.0	73-131	7.01	20	WG477419
Di-isopropyl ether	mg/l	0.02	0.0232	.	3-139	6.6	0	WG477419
Dibromomethane	mg/l	0.0231	0.0219	92.0	73-125	5.60	20	WG477419
Dichlorodifluoromethane	mg/l	0.0236	0.0250	94.0	39-189	5.81	24	WG477419
Ethylbenzene	mg/l	0.0253	0.0227	101.	6-129	10	0	WG477419
Hexachloro-1,3-butadiene	mg/l	0.0256	0.0220	102.	67-135	15.2	20	WG477419
Isopropylbenzene	mg/l	0.0260	0.0233	104.	73-132	11.0	20	WG477419
Methyl tert-butyl ether	mg/l	0.0215	0.0238	88.	-142	10	0	WG477419
Methylene Chloride	mg/l	0.0216	0.0224	86.0	64-125	3.93	20	WG477419
n-Butylbenzene	mg/l	0.0249	0.0229	100.	63-142	8.09	20	WG477419
n-Propylbenzene	mg/l	0.02	0.0242	106.	1-132	9.88	20	WG477419
Naphthalene	mg/l	0.0279	0.0253	111.	56-145	9.70	20	WG477419
p-Isopropyltoluene	mg/l	0.0272	0.0243	109.	68-138	11.3	20	WG477419
sec-Butylbenzene	mg/l	0.0275	0.0249	110.	0-135	9.81	0	WG477419
Styrene	mg/l	0.0260	0.0226	104.	78-130	14.2	20	WG477419
tert-Butylbenzene	mg/l	0.0267	0.0240	107.	72-134	10.9	20	WG477419
Tetrachloroethene	mg/l	0.0243	0.0203	97.	7-135	17.	0	WG477419
Toluene	mg/l	0.0239	0.0241	96.0	72-122	0.770	20	WG477419
trans-1,2-Dichloroethene	mg/l	0.0216	0.0217	86.0	67-129	0.750	20	WG477419
trans-1,3-Dichloropropene	mg/l	0.0234	0.0245	94.	6-137	4.2	0	WG477419
Trichloroethene	mg/l	0.0239	0.0210	96.0	74-126	13.0	20	WG477419
Trichlorofluoromethane	mg/l	0.0334	0.0335	134.	54-156	0.430	20	WG477419
Vinyl chloride	mg/l	0.0266	0.0266	10.	-153	0.150	20	WG477419
Xylenes, Total	mg/l	0.0751	0.0674	100.	75-128	10.8	20	WG477419
4-Bromofluorobenzene				104.0	75-128			WG477419
Dibromofluoromethane				96.54	9-125			WG477419
Toluene-d8				105.3	87-114			WG477419

Analyte	Units	Matrix Spike			Limit	Ref Samp	Batch
		MS Res	Ref Res	TV			
1,1,1,2-Tetrachloroethane	mg/l	0.0222	0	.25	45-152	L456954-06	WG477408
1,1,1-Trichloroethane	mg/l	0.0257	0	.025	103.	L456954-06	WG477408
1,1,2,2-Tetrachloroethane	mg/l	0.0253	0	.025	101.	L456954-06	WG477408
1,1,2-Trichloroethane	mg/l	0.0225	0	.025	100.2	L456954-06	WG477408
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0258	0	.025	103.	L456954-06	WG477408
1,1-Dichloroethane	mg/l	0.0290	0	.025	116.	L456954-06	WG477408
1,1-Dichloroethene	mg/l	0.023	0	.025	104.6	L456954-06	WG477408
1,1-Dichloropropene	mg/l	0.0283	0	.025	113.	L456954-06	WG477408
1,2,3-Trichlorobenzene	mg/l	0.0267	0	.025	107.	L456954-06	WG477408
1,2,3-Trichloropropene	mg/l	0.020	0	.025	2.0	L456954-06	WG477408
1,2,3-Trimethylbenzene	mg/l	0.0465	0.0164	.025	120.	L456954-06	WG477408
1,2,4-Trichlorobenzene	mg/l	0.0252	0	.025	101.	L456954-06	WG477408
1,2,4-Trimethylbenzene	mg/l	0.165	0.125	.025	159.*	L456954-06	WG477408
1,2-Dibromo-3-Chloropropene	mg/l	0.0254	0	.025	102.	L456954-06	WG477408
1,2-Dibromoethane	mg/l	0.0241	0	.025	96.5	L456954-06	WG477408
1,2-Dichlorobenzene	mg/l	0.0266	0	.025	108.	L456954-06	WG477408
1,2-Dichloroethane	mg/l	0.0289	0	.025	116.	L456954-06	WG477408

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	Matrix Spike			TV	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res						
1,2-Dichloropropane	mg/l	0.0262	0	0.025	105.	39-148	L456954-06	WG477408	
1,3,5-Trimethylbenzene	mg/l	0.0709	0.0457	0.025	101.	33-149	L456954-06	WG477408	
1,3-Dichlorobenzene	mg/l	0.0234	0	0.025	93.5	32-148	L456954-06	WG477408	
1,3-Dichloropropane	mg/l	0.0241	0	0.025	98.6	44-142	L456954-06	WG477408	
1,4-Dichlorobenzene	mg/l	0.0258	0	0.025	103.	32-136	L456954-06	WG477408	
2,2-Dichloropropane	mg/l	0.0253	0	0.025	101.	14-158	L456954-06	WG477408	
2-Butanone (MEK)	mg/l	0.1630	0	2	300.	32-151	L456954-06	WG477408	
2-Chloroethyl vinyl ether	mg/l	0.00125	0	0.125	1.00	0-175	L456954-06	WG477408	
2-Chlorotoluene	mg/l	0.0277	0	0.025	111.	35-147	L456954-06	WG477408	
4-Chlorotoluene	mg/l	0.0248	0	2	89.3	3-147	L456954-06	WG477408	
4-Methyl-2-pentanone (MIBK)	mg/l	0.135	0	0.125	108.	40-160	L456954-06	WG477408	
Acetone	mg/l	0.140	0.0272	0.125	90.6	25-157	L456954-06	WG477408	
Acrolein	mg/l	0.151	0	2	2	0-17	L456954-06	WG477408	
Acrylonitrile	mg/l	0.146	0	0.125	116.	37-162	L456954-06	WG477408	
Benzene	mg/l	0.0363	0.00890	0.025	110.	16-158	L456954-06	WG477408	
Bromobenzene	mg/l	0.0220	0	2	87.9	-147	L456954-06	WG477408	
Bromodichloromethane	mg/l	0.0271	0	0.025	108.	45-147	L456954-06	WG477408	
Bromoform	mg/l	0.0212	0	0.025	84.6	38-152	L456954-06	WG477408	
Bromomethane	mg/l	0.0257	0	2	03.	0-191	L456954-06	WG477408	
Carbon tetrachloride	mg/l	0.0269	0	0.025	107.	22-168	L456954-06	WG477408	
Chlorobenzene	mg/l	0.0222	0	0.025	88.6	33-148	L456954-06	WG477408	
Chlorodibromomethane	mg/l	0.0207	0	2	12.7	48-151	L456954-06	WG477408	
Chloroethane	mg/l	0.0267	0	0.025	107.	4-176	L456954-06	WG477408	
Chloroform	mg/l	0.0279	0	0.025	112.	37-147	L456954-06	WG477408	
Chloromethane	mg/l	0.030	0	2	20.	10-174	L456954-06	WG477408	
cis-1,2-Dichloroethene	mg/l	0.0258	0	0.025	103.	29-156	L456954-06	WG477408	
cis-1,3-Dichloropropene	mg/l	0.0270	0	0.025	108.	35-148	L456954-06	WG477408	
Di-isopropyl ether	mg/l	0.028	0	2	1.	39-160	L456954-06	WG477408	
Dibromomethane	mg/l	0.0258	0	0.025	103.	36-152	L456954-06	WG477408	
Dichlorodifluoromethane	mg/l	0.0279	0	0.025	112.	0-200	L456954-06	WG477408	
Ethylbenzene	mg/l	0.0243	0.00120	0.025	82.3	29-150	L456954-06	WG477408	
Hexachloro-1,3-butadiene	mg/l	0.0244	0	0.025	97.8	28-144	L456954-06	WG477408	
Isopropylbenzene	mg/l	0.0328	0.0104	0.025	89.6	35-147	L456954-06	WG477408	
Methyl tert-butyl ether	mg/l	0.0247	0	0.025	88.6	24-167	L456954-06	WG477408	
Methylene Chloride	mg/l	0.0257	0	0.025	103.	23-151	L456954-06	WG477408	
n-Butylbenzene	mg/l	0.0428	0.0109	0.025	128.	22-151	L456954-06	WG477408	
n-Propylbenzene	mg/l	0.0312	0.0078	2	53.6	26-150	L456954-06	WG477408	
Naphthalene	mg/l	0.122	0.0820	0.025	162.*	24-160	L456954-06	WG477408	
p-Isopropyltoluene	mg/l	0.0242	0.00238	0.025	87.5	28-151	L456954-06	WG477408	
sec-Butylbenzene	mg/l	0.0278	0.0023	0.02	0.	-14	L456954-06	WG477408	
Styrene	mg/l	0.0236	0	0.025	94.4	38-149	L456954-06	WG477408	
tert-Butylbenzene	mg/l	0.0238	0	0.025	95.4	36-149	L456954-06	WG477408	
Tetrachloroethene	mg/l	0.0219	0	0.025	87.6	13-157	L456954-06	WG477408	
Toluene	mg/l	0.0265	0.00210	0.025	97.7	22-152	L456954-06	WG477408	
trans-1,2-Dichloroethene	mg/l	0.0264	0	0.025	106.	11-160	L456954-06	WG477408	
trans-1,3-Dichloropropene	mg/l	0.026	0	0.02	05.	33-153	L456954-06	WG477408	
Trichloroethene	mg/l	0.0234	0	0.025	93.5	18-163	L456954-06	WG477408	
Trichlorofluoromethane	mg/l	0.0272	0	0.025	109.	10-177	L456954-06	WG477408	
Vinyl chloride	mg/l	0.0280	0	0.02	12.	0-17	L456954-06	WG477408	
Xylenes, Total	mg/l	0.151	0.0740	0.075	103.	27-151	L456954-06	WG477408	
4-Bromofluorobenzene					95.17	75-128		WG477408	
Dibromofluoromethane					109.7	79-125		WG477408	
Toluene-d8					100.1	87-114		WG477408	
1,1,1,2-Tetrachloroethane	mg/l	0.462	0	2	92.3	45-152	L456769-54	WG477590	
1,1,1-Trichloroethane	mg/l	0.374	0	0.025	74.9	31-161	L456769-54	WG477590	
1,1,2,2-Tetrachloroethane	mg/l	0.463	0	0.025	92.7	49-149	L456769-54	WG477590	
1,1,2-Trichloroethane	mg/l	0.448	0	0.025	99.7	46-145	L456769-54	WG477590	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	Matrix Spike				Limit	Ref Samp	Batch
		MS Res	Ref Res	TV	% Rec			
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.399	0	0.025	79.8	14-168	L456769-54	WG477590
1,1-Dichloroethane	mg/l	0.387	0.0200	0.025	71.4	30-159	L456769-54	WG477590
1,1-Dichloroethene	mg/l	0.339	0	0.025	67.8	10-162	L456769-54	WG477590
1,1-Dichloropropene	mg/l	0.374	0	0.025	74.	14-162	L456769-54	WG477590
1,2,3-Trichlorobenzene	mg/l	0.494	0	0.025	98.8	32-143	L456769-54	WG477590
1,2,3-Trichloropropane	mg/l	0.460	0	0.025	92.0	48-148	L456769-54	WG477590
1,2,3-Trimethylbenzene	mg/l	0.440	0	0.025	87.9	141	L456769-54	WG477590
1,2,4-Trichlorobenzene	mg/l	0.480	0	0.025	95.9	27-142	L456769-54	WG477590
1,2,4-Trimethylbenzene	mg/l	0.451	0	0.025	90.2	29-153	L456769-54	WG477590
1,2-Dibromo-3-Chloropropane	mg/l	0.436	0	0.025	87.3	-148	L456769-54	WG477590
1,2-Dibromoethane	mg/l	0.448	0	0.025	89.6	41-149	L456769-54	WG477590
1,2-Dichlorobenzene	mg/l	0.462	0	0.025	92.4	40-139	L456769-54	WG477590
1,2-Dichloroethane	mg/l	0.366	0	2	3.2	29-167	L456769-54	WG477590
1,2-Dichloropropane	mg/l	0.452	0	0.025	90.5	39-148	L456769-54	WG477590
1,3,5-Trimethylbenzene	mg/l	0.439	0	0.025	87.7	33-149	L456769-54	WG477590
1,3-Dichlorobenzene	mg/l	0.486	0	0.025	87.2	-148	L456769-54	WG477590
1,3-Dichloropropane	mg/l	0.420	0	0.025	84.1	44-142	L456769-54	WG477590
1,4-Dichlorobenzene	mg/l	0.428	0	0.025	85.6	32-136	L456769-54	WG477590
2,2-Dichloropropane	mg/l	0.39	0	2	9.0	14-158	L456769-54	WG477590
2-Butanone (MEK)	mg/l	2.06	0	0.125	82.4	32-151	L456769-54	WG477590
2-Chloroethyl vinyl ether	mg/l	1.98	0	0.125	79.2	0-175	L456769-54	WG477590
2-Chlorotoluene	mg/l	0.438	0	0.025	85.6	35-147	L456769-54	WG477590
4-Chlorotoluene	mg/l	0.427	0	0.025	85.3	33-147	L456769-54	WG477590
4-Methyl-2-pentanone (MIBK)	mg/l	2.22	0	0.125	88.6	40-160	L456769-54	WG477590
Acetone	mg/l	1.78	0	0.025	81.3	25-157	L456769-54	WG477590
Acrolein	mg/l	0.963	0	0.125	38.5	0-179	L456769-54	WG477590
Acrylonitrile	mg/l	1.95	0	0.125	78.2	37-162	L456769-54	WG477590
Benzene	mg/l	0.384	0.0330	2	0.2	16-158	L456769-54	WG477590
Bromobenzene	mg/l	0.434	0	0.025	86.7	37-147	L456769-54	WG477590
Bromodichloromethane	mg/l	0.437	0	0.025	87.5	45-147	L456769-54	WG477590
Bromoform	mg/l	0.429	0	0.025	55.8	38-152	L456769-54	WG477590
Bromomethane	mg/l	0.450	0	0.025	90.0	0-191	L456769-54	WG477590
Carbon tetrachloride	mg/l	0.383	0	0.025	76.5	22-168	L456769-54	WG477590
Chlorobenzene	mg/l	0.449	0	0.025	89.8	33-148	L456769-54	WG477590
Chlorodibromomethane	mg/l	0.434	0	0.025	86.8	48-151	L456769-54	WG477590
Chloroethane	mg/l	0.361	0	0.025	72.2	4-176	L456769-54	WG477590
Chloroform	mg/l	0.370	0	2	4.0	37-147	L456769-54	WG477590
Chloromethane	mg/l	0.357	0	0.025	71.3	10-174	L456769-54	WG477590
cis-1,2-Dichloroethene	mg/l	2.62	4.70	0.025	0*	29-156	L456769-54	WG477590
cis-1,3-Dichloropropene	mg/l	0.444	0	0.025	88.	35-148	L456769-54	WG477590
Di-isopropyl ether	mg/l	0.384	0	0.025	76.8	39-160	L456769-54	WG477590
Dibromomethane	mg/l	0.488	0	0.025	97.6	36-152	L456769-54	WG477590
Dichlorodifluoromethane	mg/l	0.395	0	0.02	9.0	0-200	L456769-54	WG477590
Ethylbenzene	mg/l	0.457	0	0.025	91.4	29-150	L456769-54	WG477590
Hexachloro-1,3-butadiene	mg/l	0.532	0	0.025	106.	28-144	L456769-54	WG477590
Isopropylbenzene	mg/l	0.419	0	0.025	83.8	35-147	L456769-54	WG477590
Methyl tert-butyl ether	mg/l	0.352	0	0.025	70.4	24-167	L456769-54	WG477590
Methylene Chloride	mg/l	0.352	0	0.025	70.4	23-151	L456769-54	WG477590
n-Butylbenzene	mg/l	0.437	0	0.025	87.4	22-151	L456769-54	WG477590
n-Propylbenzene	mg/l	0.442	0	0.025	88.4	26-150	L456769-54	WG477590
Naphthalene	mg/l	0.461	0	0.025	92.1	24-160	L456769-54	WG477590
p-Isopropyltoluene	mg/l	0.453	0	0.025	0.5	28-151	L456769-54	WG477590
sec-Butylbenzene	mg/l	0.461	0	0.025	92.3	32-149	L456769-54	WG477590
Styrene	mg/l	0.452	0	0.025	90.4	38-149	L456769-54	WG477590
tert-Butylbenzene	mg/l	0.456	0	0.025	87.4	36-152	L456769-54	WG477590
Tetrachloroethene	mg/l	0.446	0	0.025	89.2	13-157	L456769-54	WG477590
Toluene	mg/l	0.416	0	0.025	83.2	22-152	L456769-54	WG477590
trans-1,2-Dichloroethene	mg/l	2.28	10	0.025	88	11-160	L456769-54	WG477590
trans-1,3-Dichloropropene	mg/l	0.434	0	0.025	86.8	33-153	L456769-54	WG477590

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L456919

May 13, 2010

Analyte	Units	Matrix Spike			% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
Trichloroethene	mg/l	0.430	0	.025	85.	18-163	L456769-5A	WG477590
Trichlorofluoromethane	mg/l	0.429	0	.025	85.9	10-177	L456769-54	WG477590
Vinyl chloride	mg/l	1.28	1.90	.025	0*	0-179	L456769-54	WG477590
Xylenes, Total	mg/l	1.	0	.075	88.8	27-151	L456769-5A	WG477590
4-Bromofluorobenzene					99.15	75-128		WG477590
Dibromofluoromethane					93.35	79-125		WG477590
Toluene-d ₈					100.	87-114		WG477590
1,1,1,2-Tetrachloroethane	mg/l	0.0243	0	.025	97.1	45-152	L456919-03	WG477741
1,1,1-Trichloroethane	mg/l	0.0252	0	2	0	1-161	L456919-03	WG477741
1,1,2,2-Tetrachloroethane	mg/l	0.0238	0	.025	95.1	49-149	L456919-03	WG477741
1,1,2-Trichloroethane	mg/l	0.0234	0	.025	93.8	46-145	L456919-03	WG477741
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0300	0	.25	82.0	14-168	L456919-03	WG477741
1,1-Dichloroethane	mg/l	0.0237	0	.025	94.9	30-159	L456919-03	WG477741
1,1-Dichloroethene	mg/l	0.0266	0	.025	106.	10-162	L456919-03	WG477741
1,1-Dichloropropene	mg/l	0.0259	0	2	0	14-162	L456919-03	WG477741
1,2,3-Trichlorobenzene	mg/l	0.0244	0	.025	97.5	32-143	L456919-03	WG477741
1,2,3-Trichloropropene	mg/l	0.0224	0	.025	89.4	48-148	L456919-03	WG477741
1,2,3-Trimethylbenzene	mg/l	0.0252	0	2	0	141	L456919-03	WG477741
1,2,4-Trichlorobenzene	mg/l	0.0237	0	.025	95.0	27-142	L456919-03	WG477741
1,2,4-Trimethylbenzene	mg/l	0.0257	0	.025	103.	29-153	L456919-03	WG477741
1,2-Dibromo-3-Chloropropene	mg/l	0.0232	0	.25	82.9	37-148	L456919-03	WG477741
1,2-Dibromoethane	mg/l	0.0230	0	.025	91.9	41-149	L456919-03	WG477741
1,2-Dichlorobenzene	mg/l	0.0236	0	.025	94.5	40-139	L456919-03	WG477741
1,2-Dichloroethane	mg/l	0.0222	0	.25	88.8	29-167	L456919-03	WG477741
1,2-Dichloropropene	mg/l	0.0234	0	.025	93.8	39-148	L456919-03	WG477741
1,3,5-Trimethylbenzene	mg/l	0.0254	0	.025	102.	33-149	L456919-03	WG477741
1,3-Dichlorobenzene	mg/l	0.0236	0	.25	84.5	32-148	L456919-03	WG477741
1,3-Dichloropropene	mg/l	0.0224	0	.025	89.4	44-142	L456919-03	WG477741
1,4-Dichlorobenzene	mg/l	0.0234	0	.025	93.5	32-136	L456919-03	WG477741
2,2-Dichloropropene	mg/l	0.0239	0	.25	85.8	14-158	L456919-03	WG477741
2-Butanone (MEK)	mg/l	0.0923	0	.125	73.8	32-151	L456919-03	WG477741
2-Chloroethyl vinyl ether	mg/l	0.0240	0	.125	19.2	0-175	L456919-03	WG477741
2-Chlorotoluene	mg/l	0.0250	0	.25	89.9	-147	L456919-03	WG477741
4-Chlorotoluene	mg/l	0.0247	0	.025	98.7	33-147	L456919-03	WG477741
4-Methyl-2-pentanone (MIBK)	mg/l	0.103	0	.125	82.1	40-160	L456919-03	WG477741
Acetone	mg/l	0.0959	0	.2	6.7	25-157	L456919-03	WG477741
Acrolein	mg/l	0.0614	0	.125	49.2	0-179	L456919-03	WG477741
Acrylonitrile	mg/l	0.104	0	.125	83.5	37-162	L456919-03	WG477741
Benzene	mg/l	0.022	0	.025	90.0	16-158	L456919-03	WG477741
Bromobenzene	mg/l	0.0236	0	.025	94.2	37-147	L456919-03	WG477741
Bromodichloromethane	mg/l	0.0255	0	.025	102.	45-147	L456919-03	WG477741
Bromoform	mg/l	0.024	0	.025	88.8	38-152	L456919-03	WG477741
Bromomethane	mg/l	0.0291	0	.025	116.	0-191	L456919-03	WG477741
Carbon tetrachloride	mg/l	0.0258	0	.025	103.	22-168	L456919-03	WG477741
Chlorobenzene	mg/l	0.0235	0	.025	98.4	33-148	L456919-03	WG477741
Chlorodibromomethane	mg/l	0.0244	0	.025	97.8	48-151	L456919-03	WG477741
Chloroethane	mg/l	0.0319	0	.025	128.	4-176	L456919-03	WG477741
Chloroform	mg/l	0.02	0	.025	89.8	37-147	L456919-03	WG477741
Chloromethane	mg/l	0.0300	0	.025	120.	10-174	L456919-03	WG477741
cis-1,2-Dichloroethene	mg/l	0.0236	0	.025	94.5	29-156	L456919-03	WG477741
cis-1,3-Dichloropropene	mg/l	0.0249	0	.025	9.6	35-148	L456919-03	WG477741
Di-isopropyl ether	mg/l	0.0219	0	.025	87.4	39-160	L456919-03	WG477741
Dibromomethane	mg/l	0.0228	0	.025	91.1	36-152	L456919-03	WG477741
Dichlorodifluoromethane	mg/l	0.0474	0	.025	89.0	0-200	L456919-03	WG477741
Ethylbenzene	mg/l	0.0246	0	.025	98.5	29-150	L456919-03	WG477741
Hexachloro-1,3-butadiene	mg/l	0.0269	0	.025	108.	28-144	L456919-03	WG477741
Isopropylbenzene	mg/l	0.0239	0	.025	88.5	35-155	L456919-03	WG477741

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	Matrix Spike			% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
Methyl tert-butyl ether	mg/l	0.0241	0	0.025	96.	24-157	L456919-03	WG477741
Methylene Chloride	mg/l	0.0197	0	0.025	78.8	23-151	L456919-03	WG477741
n-Butylbenzene	mg/l	0.0259	0	0.025	104.	22-151	L456919-03	WG477741
n-Propylbenzene	mg/l	0.025	0	0.025	102.	26-150	L456919-03	WG477741
Naphthalene	mg/l	0.0244	0	0.025	97.7	24-160	L456919-03	WG477741
p-Isopropyltoluene	mg/l	0.0262	0	0.025	105.	28-151	L456919-03	WG477741
sec-Butylbenzene	mg/l	0.0262	0	2	05.	30-149	L456919-03	WG477741
Styrene	mg/l	0.0244	0	0.025	97.7	30-149	L456919-03	WG477741
tert-Butylbenzene	mg/l	0.0266	0	0.025	106.	36-149	L456919-03	WG477741
Tetrachloroethene	mg/l	0.0259	0	2	0	13-157	L456919-03	WG477741
Toluene	mg/l	0.0232	0	0.025	92.6	22-152	L456919-03	WG477741
trans-1,2-Dichloroethene	mg/l	0.0238	0	0.025	95.4	11-160	L456919-03	WG477741
trans-1,3-Dichloropropene	mg/l	0.0249	0	2	9.6	3-153	L456919-03	WG477741
Trichloroethene	mg/l	0.0247	0	0.025	98.9	18-163	L456919-03	WG477741
Trichlorofluoromethane	mg/l	0.0319	0	0.025	128.	10-177	L456919-03	WG477741
Vinyl chloride	mg/l	0.0342	0	2	37.	0-17	L456919-03	WG477741
Xylenes, Total	mg/l	0.0728	0	0.075	97.0	27-151	L456919-03	WG477741
4-Bromofluorobenzene					106.6	75-128		WG477741
Dibromofluoromethane					99.9	79-125		WG477741
Toluene-d8					102.1	87-114		WG477741
1,1,1,2-Tetrachloroethane	mg/l	5.16	0	2	10.	45-152	L456917-06	WG477741
1,1,1-Trichloroethane	mg/l	4.48	0	0.025	89.7	31-161	L456917-06	WG477741
1,1,2,2-Tetrachloroethane	mg/l	5.46	0	0.025	109.	49-149	L456917-06	WG477741
1,1,2-Trichloroethane	mg/l	5.12	0	2	10.	46-145	L456917-06	WG477741
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	12.1	9.60	0.025	50.0	14-168	L456917-06	WG477741
1,1-Dichloroethane	mg/l	4.55	0	0.025	91.0	30-159	L456917-06	WG477741
1,1-Dichloroethene	mg/l	4.62	0	2	2.4	10-162	L456917-06	WG477741
1,1-Dichloropropene	mg/l	4.43	0	0.025	88.6	14-162	L456917-06	WG477741
1,2,3-Trichlorobenzene	mg/l	5.32	0	0.025	106.	32-143	L456917-06	WG477741
1,2,3-Trichloropropene	mg/l	5.44	0	2	09.	48-148	L456917-06	WG477741
1,2,3-Trimethylbenzene	mg/l	4.88	0	0.025	97.6	36-141	L456917-06	WG477741
1,2,4-Trichlorobenzene	mg/l	5.29	0	0.025	106.	27-142	L456917-06	WG477741
1,2,4-Trimethylbenzene	mg/l	5.30	0	0.025	106.	29-153	L456917-06	WG477741
1,2-Dibromo-3-Chloropropene	mg/l	4.58	0	0.025	91.5	37-148	L456917-06	WG477741
1,2-Dibromoethane	mg/l	5.23	0	0.025	104.	41-149	L456917-06	WG477741
1,2-Dichlorobenzene	mg/l	1.7	0	2	03.	40-139	L456917-06	WG477741
1,2-Dichloroethane	mg/l	4.54	0	0.025	90.8	29-167	L456917-06	WG477741
1,2-Dichloropropene	mg/l	4.72	0	0.025	94.4	39-148	L456917-06	WG477741
1,3,5-Trimethylbenzene	mg/l	5.25	0	0.025	10.	33-14	L456917-06	WG477741
1,3-Dichlorobenzene	mg/l	5.72	0	0.025	114.	32-148	L456917-06	WG477741
1,3-Dichloropropene	mg/l	5.07	0	0.025	101.	44-142	L456917-06	WG477741
1,4-Dichlorobenzene	mg/l	4.87	0	0.025	97.5	32-136	L456917-06	WG477741
2,2-Dichloropropene	mg/l	5.01	0	0.025	100.	14-158	L456917-06	WG477741
2-Butanone (MEK)	mg/l	24.3	0	0.125	97.1	32-151	L456917-06	WG477741
2-Chloroethyl vinyl ether	mg/l	23.8	0	0.125	95.2	0-175	L456917-06	WG477741
2-Chlorotoluene	mg/l	5.05	0	0.025	101.	35-147	L456917-06	WG477741
4-Chlorotoluene	mg/l	5.12	0	0.025	102.	33-147	L456917-06	WG477741
4-Methyl-2-pentanone (MIBK)	mg/l	25.0	0	0.125	99.8	40-160	L456917-06	WG477741
Acetone	mg/l	22.0	0	0.125	88.0	25-157	L456917-06	WG477741
Acrolein	mg/l	11.9	0	0.125	47.6	0-179	L456917-06	WG477741
Acrylonitrile	mg/l	23.7	0	0.125	4.8	37-162	L456917-06	WG477741
Benzene	mg/l	4.54	0	0.025	90.8	16-158	L456917-06	WG477741
Bromobenzene	mg/l	5.03	0	0.025	100.	37-147	L456917-06	WG477741
Bromodichloromethane	mg/l	10	0	0.025	93.3	45-1	L456917-06	WG477741
Bromoform	mg/l	5.15	0	0.025	103.	38-152	L456917-06	WG477741
Bromomethane	mg/l	9.14	0	0.025	183.	0-191	L456917-06	WG477741
Carbon tetrachloride	mg/l	10	0	0.025	98.8	22-168	L456917-06	WG477741

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	Matrix Spike				Limit	Ref Samp	Batch
		MS Res	Ref Res	TV	% Rec			
Chlorobenzene	mg/l	5	0	.025	101.	145	L456917-06	WG477419
Chlorodibromomethane	mg/l	5.07	0	.025	101.	48-151	L456917-06	WG477419
Chloroethane	mg/l	6.86	0	.025	137.	4-176	L456917-06	WG477419
Chloroform	mg/l	8.2	0	.025	97.4	37-147	L456917-06	WG477419
Chloromethane	mg/l	4.87	0	.025	97.4	10-174	L456917-06	WG477419
cis-1,2-Dichloroethene	mg/l	8.50	4.10	.025	88.0	29-156	L456917-06	WG477419
cis-1,3-Dichloropropene	mg/l	4.79	0	.025	85.0	23-148	L456917-06	WG477419
Di-isopropyl ether	mg/l	4.38	0	.025	87.7	39-160	L456917-06	WG477419
Dibromomethane	mg/l	5.01	0	.025	100.	36-152	L456917-06	WG477419
Dichlorodifluoromethane	mg/l	6.76	0	2	35.	0-200	L456917-06	WG477419
Ethylbenzene	mg/l	5.32	0	.025	106.	29-150	L456917-06	WG477419
Hexachloro-1,3-butadiene	mg/l	4.77	0	.025	95.5	28-144	L456917-06	WG477419
Isopropylbenzene	mg/l	5.	0	2	08.	37-147	L456917-06	WG477419
Methyl tert-butyl ether	mg/l	4.30	0	.025	86.0	24-167	L456917-06	WG477419
Methylene Chloride	mg/l	4.33	0	.025	86.7	23-151	L456917-06	WG477419
n-Butylbenzene	mg/l	4.95	0	.025	99.0	22-151	L456917-06	WG477419
n-Propylbenzene	mg/l	5.42	0	.025	108.	26-150	L456917-06	WG477419
Naphthalene	mg/l	5.05	0	.025	101.	24-160	L456917-06	WG477419
p-Isopropyltoluene	mg/l	5.41	0	2	08.	28-151	L456917-06	WG477419
sec-Butylbenzene	mg/l	5.57	0	.025	111.	32-149	L456917-06	WG477419
Styrene	mg/l	5.34	0	.025	107.	38-149	L456917-06	WG477419
tert-Butylbenzene	mg/l	5.	0	.025	109.	36-149	L456917-06	WG477419
Tetrachloroethene	mg/l	4.88	0	.025	97.6	13-157	L456917-06	WG477419
Toluene	mg/l	4.83	0	.025	96.6	22-152	L456917-06	WG477419
trans-1,2-Dichloroethene	mg/l	4.19	0	.025	93.7	11-160	L456917-06	WG477419
trans-1,3-Dichloropropene	mg/l	4.71	0	.025	94.2	33-153	L456917-06	WG477419
Trichloroethene	mg/l	7.62	3.20	.025	88.4	18-163	L456917-06	WG477419
Trichlorofluoromethane	mg/l	6.17	0	.025	130.	10-177	L456917-06	WG477419
Vinyl chloride	mg/l	5.58	0.310	.025	105.	0-179	L456917-06	WG477419
Xylenes, Total	mg/l	15.7	0	.075	105.	27-151	L456917-06	WG477419
4-Bromofluorobenzene					106.4	75-128		WG477419
Dibromofluoromethane					97.48	79-125		WG477419
Toluene-d8					104.2	87-114		WG477419

Analyte	Units	MSD	Matrix Spike		Limit	RPD	Limit	Ref Samp	Batch
			Ref	% Rec					
1,1,1,2-Tetrachloroethane	mg/l	0.0280	0.0222	132.	43-200	23.1	2	L456954-06	WG477408
1,1,1-Trichloroethane	mg/l	0.0316	0.0257	126.	31-161	20.8	23	L456954-06	WG477408
1,1,2,2-Tetrachloroethane	mg/l	0.0312	0.0253	125.	49-149	21.2	22	L456954-06	WG477408
1,1,2-Trichloroethane	mg/l	0.0293	0.0225	137.	48-145	26.2	2	L456954-06	WG477408
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0324	0.0258	130.	14-168	22.9	24	L456954-06	WG477408
1,1-Dichloroethane	mg/l	0.0366	0.0290	146.	30-159	22.9*	21	L456954-06	WG477408
1,1-Dichloroethene	mg/l	0.0310	0.0237	124.	10-162	26.8*	23	L456954-06	WG477408
1,1-Dichloropropene	mg/l	0.0361	0.0283	144.	14-162	24.0*	23	L456954-06	WG477408
1,2,3-Trichlorobenzene	mg/l	0.0366	0.0267	146.*	32-143	31.4	33	L456954-06	WG477408
1,2,3-Trichloropropane	mg/l	0.0279	0.0205	132.	48-148	30.	23	L456954-06	WG477408
1,2,3-Trimethylbenzene	mg/l	0.0587	0.0465	169.*	36-141	23.2	25	L456954-06	WG477408
1,2,4-Trichlorobenzene	mg/l	0.0353	0.0252	141.	27-142	33.7*	30	L456954-06	WG477408
1,2,4-Trimethylbenzene	mg/l	0.0211	0.165	363.*	28-153	24.4	27	L456954-06	WG477408
1,2-Dibromo-3-Chloropropane	mg/l	0.0354	0.0254	142.	37-148	32.7*	27	L456954-06	WG477408
1,2-Dibromoethane	mg/l	0.0311	0.0241	124.	41-149	25.3*	21	L456954-06	WG477408
1,2-Dichlorobenzene	mg/l	0.0352	0.0266	141.*	40-139	27.8*	23	L456954-06	WG477408
1,2-Dichloroethane	mg/l	0.0387	0.0289	155.	29-167	28.8*	21	L456954-06	WG477408
1,2-Dichloropropene	mg/l	0.0328	0.0262	131.	39-148	22.2*	20	L456954-06	WG477408
1,3,5-Trimethylbenzene	mg/l	0.0222	0.0709	319.*	33-149	26.1*	26	L456954-06	WG477408
1,3-Dichlorobenzene	mg/l	0.0291	0.0234	116.	32-148	21.7	24	L456954-06	WG477408
1,3-Dichloropropane	mg/l	0.0305	0.0241	122.	44-142	23.3*	20	L456954-06	WG477408
1,4-Dichlorobenzene	mg/l	0.0342	0.0258	137.*	32-136	27.8*	23	L456954-06	WG477408

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

May 13, 2010

Analyte	Units	MSD	Ref	Matrix Spike %Rec	Limit	RPD	Limit Ref	Samp	Batch
2,2-Dichloropropane	mg/l	0.0325	0.0253	130.	24.9	23	L456954-06	WG477408	
2-Butanone (MEK)	mg/l	0.206	0.167	165.*	32-151	20.7	L456954-06	WG477408	
2-Chloroethyl vinyl ether	mg/l	0.000778	0.00125	0.623	0-175	46.3	L456954-06	WG477408	
2-Chlorotoluene	mg/l	0.03	0.0277	148.*	5-147	28.9	L456954-06	WG477408	
4-Chlorotoluene	mg/l	0.0311	0.0248	124.	33-147	22.4	L456954-06	WG477408	
4-Methyl-2-pentanone (MIBK)	mg/l	0.173	0.135	138.	40-160	24.4	L456954-06	WG477408	
Acetone	mg/l	0.17	0.140	119.	5-1	22.	L456954-06	WG477408	
Acrolein	mg/l	0.213	0.151	170.	0-179	33.9	L456954-06	WG477408	
Acrylonitrile	mg/l	0.190	0.146	152.	37-162	26.6*	L456954-06	WG477408	
Benzene	mg/l	0.0466	0.0363	151.	6-158	24.9	L456954-06	WG477408	
Bromobenzene	mg/l	0.0280	0.0220	112.	37-147	24.1*	L456954-06	WG477408	
Bromodichloromethane	mg/l	0.0349	0.0271	140.	45-147	25.3*	L456954-06	WG477408	
Bromoform	mg/l	0.02	0.0212	109.	8-152	25.6*	L456954-06	WG477408	
Bromomethane	mg/l	0.0335	0.0257	134.	0-191	26.4	L456954-06	WG477408	
Carbon tetrachloride	mg/l	0.0347	0.0269	139.	22-168	25.4*	L456954-06	WG477408	
Chlorobenzene	mg/l	0.0278	0.0222	111.	3-148	22.9	L456954-06	WG477408	
Chlorodibromomethane	mg/l	0.0270	0.0207	108.	48-151	26.5*	L456954-06	WG477408	
Chloroethane	mg/l	0.0338	0.0267	135.	4-176	23.4	L456954-06	WG477408	
Chloroform	mg/l	0.0333	0.027	141.	7-147	23.1*	L456954-06	WG477408	
Chloromethane	mg/l	0.0390	0.0301	156.	10-174	25.5	L456954-06	WG477408	
cis-1,2-Dichloroethene	mg/l	0.0342	0.0258	137.	29-156	28.0*	L456954-06	WG477408	
cis-1,3-Dichloropropene	mg/l	0.0343	0.0270	137.	5-148	23.9	L456954-06	WG477408	
Di-isopropyl ether	mg/l	0.0379	0.0281	152.	39-160	29.7*	L456954-06	WG477408	
Dibromomethane	mg/l	0.0325	0.0258	130.	36-152	23.1*	L456954-06	WG477408	
Dichlorodifluoromethane	mg/l	0.0361	0.0279	144.	-200	25.8	L456954-06	WG477408	
Ethylbenzene	mg/l	0.0310	0.0243	119.	29-150	24.3*	L456954-06	WG477408	
Hexachloro-1,3-butadiene	mg/l	0.0310	0.0244	124.	28-144	23.6	L456954-06	WG477408	
Isopropylbenzene	mg/l	0.0454	0.0328	140.	5-147	32.0*	L456954-06	WG477408	
Methyl tert-butyl ether	mg/l	0.0308	0.0247	123.	24-167	22.2*	L456954-06	WG477408	
Methylene Chloride	mg/l	0.0308	0.0257	123.	23-151	18.0	L456954-06	WG477408	
n-Butylbenzene	mg/l	0.0548	0.0428	176.	2-15	24.5	L456954-06	WG477408	
n-Propylbenzene	mg/l	0.0421	0.0312	137.	26-150	29.5*	L456954-06	WG477408	
Naphthalene	mg/l	0.170	0.122	351.*	24-160	32.5	L456954-06	WG477408	
p-Isopropyltoluene	mg/l	0.0331	0.0242	125.	28-15	30.9*	L456954-06	WG477408	
sec-Butylbenzene	mg/l	0.0335	0.0278	125.	32-149	18.7	L456954-06	WG477408	
Styrene	mg/l	0.0323	0.0236	129.	38-149	31.3*	L456954-06	WG477408	
tert-Butylbenzene	mg/l	0.0296	0.0238	118.	6-149	21.6	L456954-06	WG477408	
Tetrachloroethene	mg/l	0.0280	0.0219	112.	13-157	24.5*	L456954-06	WG477408	
Toluene	mg/l	0.0349	0.0265	131.	22-152	27.3*	L456954-06	WG477408	
trans-1,2-Dichloroethene	mg/l	0.0348	0.0264	139.	1-160	27.9	L456954-06	WG477408	
trans-1,3-Dichloropropene	mg/l	0.0332	0.0264	133.	33-153	23.0*	L456954-06	WG477408	
Trichloroethene	mg/l	0.0303	0.0234	121.	18-163	25.8*	L456954-06	WG477408	
Trichlorofluoromethane	mg/l	0.0343	0.0272	137.	0-177	23.0	L456954-06	WG477408	
Vinyl chloride	mg/l	0.0369	0.0280	148.	0-179	27.3*	L456954-06	WG477408	
Xylenes, Total	mg/l	0.193	0.151	158.*	27-151	24.4*	L456954-06	WG477408	
4-Bromofluorobenzene				97.36	5-128			WG477408	
Dibromofluoromethane				107.9	79-125			WG477408	
Toluene-d8				101.2	87-114			WG477408	
1,1,1,2-Tetrachloroethane	mg/l	0.466	0.462	93.2	45-152	0.970	L456769-54	WG477590	
1,1,1-Trichloroethane	mg/l	0.374	0.374	74.8	31-161	0.140	L456769-54	WG477590	
1,1,2,2-Tetrachloroethane	mg/l	0.521	0.463	104.4	33-149	11.6	L456769-54	WG477590	
1,1,2-Trichloroethane	mg/l	0.467	0.448	93.4	46-145	4.06	L456769-54	WG477590	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.382	0.399	76.4	14-168	4.25	L456769-54	WG477590	
1,1-Dichloroethane	mg/l	0.38	0.387	73.0	0-159	0.580	L456769-54	WG477590	
1,1-Dichloroethene	mg/l	0.352	0.339	70.4	10-162	3.81	L456769-54	WG477590	
1,1-Dichloropropene	mg/l	0.378	0.374	75.6	14-162	1.06	L456769-54	WG477590	
1,2,3-Trichlorobenzene	mg/l	0.531	0.498	93.8	-143	8.49	L456769-54	WG477590	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
1,2,3-Trichloropropane	mg/l	0.48	0.460	96.1	48-148	4.	23	L456769-54	WG477590	
1,2,3-Trimethylbenzene	mg/l	0.456	0.440	91.2	36-141	3.71	25	L456769-54	WG477590	
1,2,4-Trichlorobenzene	mg/l	0.501	0.480	100.	27-142	4.40	30	L456769-54	WG477590	
1,2,4-Trimethylbenzene	mg/l	0.46	0.45	93.1	-153	.06	27	L456769-54	WG477590	
1,2-Dibromo-3-Chloropropane	mg/l	0.487	0.436	97.3	37-148	10.9	27	L456769-54	WG477590	
1,2-Dibromoethane	mg/l	0.476	0.448	95.1	41-149	6.00	21	L456769-54	WG477590	
1,2-Dichlorobenzene	mg/l	0.482	0.462	98.4	0-139	6.31	23	L456769-54	WG477590	
1,2-Dichloroethane	mg/l	0.396	0.366	79.2	29-167	7.76	21	L456769-54	WG477590	
1,2-Dichloropropane	mg/l	0.455	0.452	91.1	39-148	0.650	20	L456769-54	WG477590	
1,3,5-Trimethylbenzene	mg/l	0.45	0.439	90.6	3-149	3.28	26	L456769-54	WG477590	
1,3-Dichlorobenzene	mg/l	0.495	0.486	99.0	32-148	1.85	24	L456769-54	WG477590	
1,3-Dichloropropane	mg/l	0.447	0.420	89.4	44-142	6.18	20	L456769-54	WG477590	
1,4-Dichlorobenzene	mg/l	0.44	0.428	89.4	2-136	4.30	23	L456769-54	WG477590	
2,2-Dichloropropane	mg/l	0.407	0.395	81.5	14-158	3.13	23	L456769-54	WG477590	
2-Butanone (MEK)	mg/l	2.27	2.06	90.7	32-151	9.58	26	L456769-54	WG477590	
2-Chloroethyl vinyl ether	mg/l	1.91	1.98	76.4	-17	3.49	75	L456769-54	WG477590	
2-Chlorotoluene	mg/l	0.449	0.438	89.9	35-147	2.62	24	L456769-54	WG477590	
4-Chlorotoluene	mg/l	0.445	0.427	88.9	33-147	4.12	25	L456769-54	WG477590	
4-Methyl-2-pentanone (MIBK)	mg/l	2.46	2.22	98.4	0-160	10.5	28	L456769-54	WG477590	
Acetone	mg/l	2.01	1.78	80.5	25-157	12.1	26	L456769-54	WG477590	
Acrolein	mg/l	1.06	0.963	42.3	0-179	9.45	39	L456769-54	WG477590	
Acrylonitrile	mg/l	2.18	1.95	86.3	7-162	9.93	24	L456769-54	WG477590	
Benzene	mg/l	0.393	0.384	72.0	16-158	2.40	21	L456769-54	WG477590	
Bromobenzene	mg/l	0.442	0.434	88.4	37-147	1.86	23	L456769-54	WG477590	
Bromodichloromethane	mg/l	0.44	0.437	88.6	5-147	1.24	20	L456769-54	WG477590	
Bromoform	mg/l	0.467	0.429	93.3	38-152	8.37	20	L456769-54	WG477590	
Bromomethane	mg/l	0.425	0.450	85.0	0-191	5.64	35	L456769-54	WG477590	
Carbon tetrachloride	mg/l	0.37	0.383	75.4	2-168	1.54	24	L456769-54	WG477590	
Chlorobenzene	mg/l	0.466	0.449	93.1	33-148	3.68	22	L456769-54	WG477590	
Chlorodibromomethane	mg/l	0.467	0.434	93.3	48-151	7.25	21	L456769-54	WG477590	
Chloroethane	mg/l	0.382	0.361	68.5	-176	5.24	27	L456769-54	WG477590	
Chloroform	mg/l	0.382	0.370	76.3	37-147	3.09	21	L456769-54	WG477590	
Chloromethane	mg/l	0.357	0.357	71.4	10-174	0.120	28	L456769-54	WG477590	
cis-1,2-Dichloroethene	mg/l	2.69	2.62	0*	9-156	2.51	22	L456769-54	WG477590	
cis-1,3-Dichloropropene	mg/l	0.464	0.444	92.9	35-148	4.54	21	L456769-54	WG477590	
Di-isopropyl ether	mg/l	0.394	0.384	78.8	39-160	2.55	21	L456769-54	WG477590	
Dibromomethane	mg/l	0.49	0.488	88.8	6-152	1.31	20	L456769-54	WG477590	
Dichlorodifluoromethane	mg/l	0.394	0.395	78.8	0-200	0.260	26	L456769-54	WG477590	
Ethylbenzene	mg/l	0.465	0.457	93.1	29-150	1.89	24	L456769-54	WG477590	
Hexachloro-1,3-butadiene	mg/l	0.5	0.532	80.7	8-144	0.870	33	L456769-54	WG477590	
Isopropylbenzene	mg/l	0.427	0.419	85.4	35-147	1.93	25	L456769-54	WG477590	
Methyl tert-butyl ether	mg/l	0.372	0.352	74.4	24-167	5.63	22	L456769-54	WG477590	
Methylene Chloride	mg/l	0.36	0.352	72.2	3-15	2.52	21	L456769-54	WG477590	
n-Butylbenzene	mg/l	0.452	0.437	90.4	22-151	3.33	29	L456769-54	WG477590	
n-Propylbenzene	mg/l	0.457	0.442	91.4	26-150	3.35	25	L456769-54	WG477590	
Napthalene	mg/l	0.50	0.461	102	4-160	9.98	37	L456769-54	WG477590	
p-Isopropyltoluene	mg/l	0.465	0.453	92.9	28-151	2.58	27	L456769-54	WG477590	
sec-Butylbenzene	mg/l	0.466	0.461	93.1	32-149	0.920	26	L456769-54	WG477590	
Styrene	mg/l	0.46	0.452	3.8	8-149	3.70	23	L456769-54	WG477590	
tert-Butylbenzene	mg/l	0.471	0.457	94.2	36-149	2.94	26	L456769-54	WG477590	
Tetrachloroethene	mg/l	0.457	0.446	91.4	13-157	2.39	24	L456769-54	WG477590	
Toluene	mg/l	0.42	0.416	84.5	2-152	1.57	22	L456769-54	WG477590	
trans-1,2-Dichloroethene	mg/l	2.34	2.28	0*	11-160	2.57	23	L456769-54	WG477590	
trans-1,3-Dichloropropene	mg/l	0.454	0.434	90.8	33-153	4.52	22	L456769-54	WG477590	
Trichloroethene	mg/l	0.42	0.430	85.1	22-163	1.01	21	L456769-54	WG477590	
Trichlorofluoromethane	mg/l	0.432	0.429	86.4	10-177	0.630	24	L456769-54	WG477590	
Vinyl chloride	mg/l	1.24	1.28	0.00	0-179	2.65	26	L456769-54	WG477590	
Xylenes, Total	mg/l	1.3	1.33	101.1	7-15	2.52	23	L456769-54	WG477590	
4-Bromofluorobenzene				101.9	75-128					

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

May 13, 2010

Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Dibromofluoromethane					92.98	79-125				
Toluene-d8				100.6		87-114				
1,1,1,2-Tetrachloroethane	mg/l	0.0255	0.0243	102.		45-152	4.92	21	L456919-03	WG477741
1,1,1-Trichloroethane	mg/l	0.0252	0.0252	105		-161	9.5	23	L456919-03	WG477741
1,1,2,2-Tetrachloroethane	mg/l	0.0250	0.0238	100.		49-149	5.09	22	L456919-03	WG477741
1,1,2-Trichloroethane	mg/l	0.0251	0.0234	100.		46-145	6.63	20	L456919-03	WG477741
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0290	0.0300	116		4-168	3.62	24	L456919-03	WG477741
1,1-Dichloroethane	mg/l	0.0247	0.0237	98.6		30-159	3.81	21	L456919-03	WG477741
1,1-Dichloroethene	mg/l	0.0269	0.0266	108.		10-162	1.40	23	L456919-03	WG477741
1,1-Dichloropropene	mg/l	0.02	0.0259	107		4-162	2.9	23	L456919-03	WG477741
1,2,3-Trichlorobenzene	mg/l	0.0257	0.0244	103.		32-143	5.20	33	L456919-03	WG477741
1,2,3-Trichloropropene	mg/l	0.0242	0.0224	96.9		48-148	8.01	23	L456919-03	WG477741
1,2,3-Trimethylbenzene	mg/l	0.0262	0.0252	10		6-14	3.97	2	L456919-03	WG477741
1,2,4-Trichlorobenzene	mg/l	0.0252	0.0237	101.		27-142	5.95	30	L456919-03	WG477741
1,2,4-Trimethylbenzene	mg/l	0.0261	0.0257	104.		29-153	1.77	27	L456919-03	WG477741
1,2-Dibromo-3-Chloropropene	mg/l	0.0252	0.0232	101		7-148	7.95	27	L456919-03	WG477741
1,2-Dibromoethane	mg/l	0.0247	0.0230	98.9		41-149	7.31	21	L456919-03	WG477741
1,2-Dichlorobenzene	mg/l	0.0250	0.0236	100.		40-139	5.86	23	L456919-03	WG477741
1,2-Dichloroethane	mg/l	0.0241	0.0222	96.6		9-167	8.40	21	L456919-03	WG477741
1,2-Dichloropropene	mg/l	0.0243	0.0234	97.1		39-148	3.46	20	L456919-03	WG477741
1,3,5-Trimethylbenzene	mg/l	0.0259	0.0254	103.		33-149	1.78	26	L456919-03	WG477741
1,3-Dichlorobenzene	mg/l	0.0246	0.0236	98.4		2-148	4.04	24	L456919-03	WG477741
1,3-Dichloropropene	mg/l	0.0242	0.0224	96.7		44-142	7.82	20	L456919-03	WG477741
1,4-Dichlorobenzene	mg/l	0.0249	0.0234	99.5		32-136	6.19	23	L456919-03	WG477741
2,2-Dichloropropene	mg/l	0.0253	0.0239	101		4-158	5.49	23	L456919-03	WG477741
2-Butanone (MEK)	mg/l	0.101	0.0923	81.1		32-151	9.38	26	L456919-03	WG477741
2-Chloroethyl vinyl ether	mg/l	0	0.0240	0.00		0-175	200.*	75	L456919-03	WG477741
2-Chlorotoluene	mg/l	0.0261	0.0250	104		5-147	4.20	24	L456919-03	WG477741
4-Chlorotoluene	mg/l	0.0251	0.0247	100.		33-147	1.77	25	L456919-03	WG477741
4-Methyl-2-pentanone (MIBK)	mg/l	0.111	0.103	88.8		40-160	7.75	28	L456919-03	WG477741
Acetone	mg/l	0.10	0.0959	82.		5-15	6.73	26	L456919-03	WG477741
Acrolein	mg/l	0.0648	0.0614	51.8		0-179	5.27	39	L456919-03	WG477741
Acrylonitrile	mg/l	0.112	0.104	89.3		37-162	6.74	24	L456919-03	WG477741
Benzene	mg/l	0.02	0.0225	94.6		6-158	4.98	21	L456919-03	WG477741
Bromobenzene	mg/l	0.0245	0.0236	98.2		37-147	4.05	23	L456919-03	WG477741
Bromodichloromethane	mg/l	0.0267	0.0255	107.		45-147	4.27	20	L456919-03	WG477741
Bromofarm	mg/l	0.0253	0.024	101		8-152	2.53	20	L456919-03	WG477741
Bromomethane	mg/l	0.0294	0.0291	118.		0-191	0.900	35	L456919-03	WG477741
Carbon tetrachloride	mg/l	0.0272	0.0258	109.		22-168	5.15	24	L456919-03	WG477741
Chlorobenzene	mg/l	0.02	0.023	98.9		3-148	2.54	22	L456919-03	WG477741
Chlorodibromomethane	mg/l	0.0268	0.0244	107.		48-151	9.20	21	L456919-03	WG477741
Chloroethane	mg/l	0.0326	0.0319	130.		4-176	2.12	27	L456919-03	WG477741
Chloroform	mg/l	0.0237	0.0225	94.7		7-147	5.26	21	L456919-03	WG477741
Chloromethane	mg/l	0.0295	0.0300	118.		10-174	1.72	28	L456919-03	WG477741
cis-1,2-Dichloroethene	mg/l	0.0249	0.0236	99.5		29-156	5.09	22	L456919-03	WG477741
cis-1,3-Dichloropropene	mg/l	0.0261	0.0249	104		5-148	4.83	21	L456919-03	WG477741
Di-isopropyl ether	mg/l	0.0234	0.0219	93.4		39-160	6.61	21	L456919-03	WG477741
Dibromomethane	mg/l	0.0243	0.0228	97.4		36-152	6.67	20	L456919-03	WG477741
Dichlorodifluoromethane	mg/l	0.0441	0.0474	176		-200	7.21	26	L456919-03	WG477741
Ethylbenzene	mg/l	0.0251	0.0246	100.		29-150	2.02	24	L456919-03	WG477741
Hexachloro-1,3-butadiene	mg/l	0.0282	0.0269	113.		28-144	4.57	33	L456919-03	WG477741
Isopropylbenzene	mg/l	0.0244	0.0239	97.6		-147	2.13	25	L456919-03	WG477741
Methyl tert-butyl ether	mg/l	0.0264	0.0241	105.		24-167	8.82	22	L456919-03	WG477741
Methylene Chloride	mg/l	0.0213	0.0197	85.4		23-151	7.97	21	L456919-03	WG477741
n-Butylbenzene	mg/l	0.0266	0.0259	106		2-15	2.6	23	L456919-03	WG477741
n-Propylbenzene	mg/l	0.0263	0.0256	105.		26-150	2.48	25	L456919-03	WG477741
Naphthalene	mg/l	0.0259	0.0244	104.		24-160	5.91	37	L456919-03	WG477741
p-Isopropyltoluene	mg/l	0.0268	0.0262	07		15	2.51	7	L456919-03	WG477741
sec-Butylbenzene	mg/l	0.0264	0.0262	106.		32-149	0.520	26	L456919-03	WG477741

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L456919

May 13, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Styrene	mg/l	0.0244	0.0244	102.	38-149	.83	23	L456919-03	WG477741
tert-Butylbenzene	mg/l	0.0268	0.0266	107.	36-149	0.790	26	L456919-03	WG477741
Tetrachloroethene	mg/l	0.0266	0.0259	106.	13-157	2.73	24	L456919-03	WG477741
Toluene	mg/l	0.0240	0.0232	96.	-152	.74	22	L456919-03	WG477741
trans-1,2-Dichloroethene	mg/l	0.0255	0.0238	102.	11-160	6.69	23	L456919-03	WG477741
trans-1,3-Dichloropropene	mg/l	0.0261	0.0249	104.	33-153	4.87	22	L456919-03	WG477741
Trichloroethene	mg/l	0.0252	0.0247	101.	8-163	1.98	21	L456919-03	WG477741
Trichlorofluoromethane	mg/l	0.0331	0.0319	132.	10-177	3.85	24	L456919-03	WG477741
Vinyl chloride	mg/l	0.0342	0.0342	137.	0-179	0.130	26	L456919-03	WG477741
Xylenes, Total	mg/l	0.0752	0.0728	100	7-15	3.2	23	L456919-03	WG477741
4-Bromofluorobenzene				104.0	75-128				WG477741
Dibromofluoromethane				101.6	79-125				WG477741
Toluene-d8				103.3	7-114				WG477741
1,1,1,2-Tetrachloroethane	mg/l	5.12	5.16	102.	45-152	0.720	21	L456917-06	WG477419
1,1,1-Trichloroethane	mg/l	4.6	4.48	93.	1-16	3.6	23	L456917-06	WG477419
1,1,2,2-Tetrachloroethane	mg/l	5.78	5.46	116.	49-149	5.71	22	L456917-06	WG477419
1,1,2-Trichloroethane	mg/l	5.17	5.12	103.	46-145	1.02	20	L456917-06	WG477419
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	11.	12.1	37.4	4-168	5.35	24	L456917-06	WG477419
1,1-Dichloroethane	mg/l	4.57	4.55	91.3	30-159	0.340	21	L456917-06	WG477419
1,1-Dichloropropene	mg/l	4.34	4.62	86.8	10-162	6.24	23	L456917-06	WG477419
1,2,3-Trichloropropene	mg/l	4.54	4.	90.2	34-162	2.43	2	L456917-06	WG477419
1,2,3-Trichlorobenzene	mg/l	5.05	5.32	101.	32-143	5.28	33	L456917-06	WG477419
1,2,3-Trichloropropane	mg/l	5.49	5.44	110.	48-148	0.850	23	L456917-06	WG477419
1,2,3-Trimethylbenzene	mg/l	5.22	4.88	104	6-14	6.74	25	L456917-06	WG477419
1,2,4-Trichlorobenzene	mg/l	5.03	5.29	101.	27-142	5.03	30	L456917-06	WG477419
1,2,4-Trimethylbenzene	mg/l	5.45	5.30	109.	29-153	2.76	27	L456917-06	WG477419
1,2-Dibromo-3-Chloropropane	mg/l	4.91	4.58	98.2	7-148	7.05	27	L456917-06	WG477419
1,2-Dibromoethane	mg/l	5.35	5.23	107.	41-149	2.28	21	L456917-06	WG477419
1,2-Dichlorobenzene	mg/l	5.09	5.17	102.	40-139	1.39	23	L456917-06	WG477419
1,2-Dichloroethane	mg/l	4.42	4.54	88.5	9-167	2.59	21	L456917-06	WG477419
1,2-Dichloropropane	mg/l	4.67	4.72	93.3	39-148	1.12	20	L456917-06	WG477419
1,3,5-Trimethylbenzene	mg/l	5.32	5.25	106.	33-149	1.19	26	L456917-06	WG477419
1,3-Dichlorobenzene	mg/l	5.24	5.72	108	32-148	8.76	24	L456917-06	WG477419
1,3-Dichloropropane	mg/l	5.05	5.07	101.	44-142	0.520	20	L456917-06	WG477419
1,4-Dichlorobenzene	mg/l	4.83	4.87	96.5	32-136	0.990	23	L456917-06	WG477419
2,2-Dichloropropane	mg/l	4.97	5.01	99.4	14-158	0.78	23	L456917-06	WG477419
2-Butanone (MEK)	mg/l	26.3	24.3	105.	32-151	7.87	26	L456917-06	WG477419
2-Chloroethyl vinyl ether	mg/l	24.2	23.8	96.9	0-175	1.75	75	L456917-06	WG477419
2-Chlorotoluene	mg/l	5.10	5.05	99	35-147	0.940	24	L456917-06	WG477419
4-Chlorotoluene	mg/l	5.11	5.12	102.	33-147	0.0700	25	L456917-06	WG477419
4-Methyl-2-pentanone (MIBK)	mg/l	26.3	25.0	105.	40-160	5.32	28	L456917-06	WG477419
Acetone	mg/l	23.4	22.0	3.4	5-157	6.00	26	L456917-06	WG477419
Acrolein	mg/l	13.4	11.9	53.8	0-179	12.2	39	L456917-06	WG477419
Acrylonitrile	mg/l	25.2	23.7	101.	37-162	6.09	24	L456917-06	WG477419
Benzene	mg/l	4.59	4.54	1.7	6-158	1.06	21	L456917-06	WG477419
Bromobenzene	mg/l	5.11	5.03	102.	37-147	1.70	23	L456917-06	WG477419
Bromodichloromethane	mg/l	4.65	4.67	93.0	45-147	0.390	20	L456917-06	WG477419
Bromoform	mg/l	5.11	5.15	102	8-152	0.750	20	L456917-06	WG477419
Bromomethane	mg/l	8.97	9.14	179.	0-191	1.85	35	L456917-06	WG477419
Carbon tetrachloride	mg/l	4.53	4.44	90.6	22-168	2.02	24	L456917-06	WG477419
Chlorobenzene	mg/l	5.23	5.21	104	33-148	0.390	22	L456917-06	WG477419
Chlorodibromomethane	mg/l	5.20	5.07	104.	48-151	2.60	21	L456917-06	WG477419
Chloroethane	mg/l	6.77	6.86	135.	4-176	1.35	27	L456917-06	WG477419
Chloroform	mg/l	4.72	4.74	104.4	7-147	3.87	21	L456917-06	WG477419
Chloromethane	mg/l	4.89	4.87	97.7	10-174	0.320	28	L456917-06	WG477419
cis-1,2-Dichloroethene	mg/l	8.66	8.50	91.1	29-156	1.82	22	L456917-06	WG477419
cis-1,3-Dichloropropene	mg/l	8.84	79	6.7	5-148	0.330	21	L456917-06	WG477419

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Di-isopropyl ether	mg/l	4.46	4.38	89.	-160	0.00	21	L456917-06	WG477419
Dibromomethane	mg/l	4.98	5.01	99.5	36-152	0.700	20	L456917-06	WG477419
Dichlorodifluoromethane	mg/l	6.78	6.76	136.	0-200	0.400	26	L456917-06	WG477419
Ethylbenzene	mg/l	3.39	5.	08.	-150	0.00	24	L456917-06	WG477419
Hexachloro-1,3-butadiene	mg/l	4.59	4.77	91.8	28-144	3.98	33	L456917-06	WG477419
Isopropylbenzene	mg/l	5.36	5.39	107.	35-147	0.640	25	L456917-06	WG477419
Methyl tert-butyl ether	mg/l	4.41	4.30	88.2	4-16	2.55	22	L456917-06	WG477419
Methylene Chloride	mg/l	4.41	4.33	88.1	23-151	1.67	21	L456917-06	WG477419
n-Butylbenzene	mg/l	5.44	4.95	109.	22-151	9.37	29	L456917-06	WG477419
n-Propylbenzene	mg/l	5.48	5.42	110	6-150	1.10	2	L456917-06	WG477419
Naphthalene	mg/l	5.48	5.05	110.	24-160	8.15	37	L456917-06	WG477419
p-Isopropyltoluene	mg/l	5.76	5.41	115.	28-151	6.24	27	L456917-06	WG477419
sec-Butylbenzene	mg/l	5.66	5.57	113	2-149	1.60	26	L456917-06	WG477419
Styrene	mg/l	5.20	5.34	104.	38-149	2.67	23	L456917-06	WG477419
tert-Butylbenzene	mg/l	5.46	5.46	109.	36-149	0.0200	26	L456917-06	WG477419
Tetrachloroethene	mg/l	5.02	4.88	100	3-157	2.88	24	L456917-06	WG477419
Toluene	mg/l	4.92	4.83	98.4	22-152	1.90	22	L456917-06	WG477419
trans-1,2-Dichloroethene	mg/l	4.14	4.19	82.8	11-160	1.10	23	L456917-06	WG477419
trans-1,3-Dichloropropene	mg/l	4.76	4.71	95.2	3-153	1.01	22	L456917-06	WG477419
Trichloroethene	mg/l	7.81	7.62	92.2	18-163	2.44	21	L456917-06	WG477419
Trichlorofluoromethane	mg/l	6.81	6.49	136.	10-177	4.84	24	L456917-06	WG477419
Vinyl chloride	mg/l	5.53	5.58	104	-179	0.78	26	L456917-06	WG477419
Xylenes, Total	mg/l	15.9	15.7	106.	27-151	0.800	23	L456917-06	WG477419
4-Bromofluorobenzene				107.2	75-128				WG477419
Dibromofluoromethane				96.95	-125				WG477419
Toluene-d8				103.5	87-114				WG477419

Batch number / Run number / Sample number cross reference

WG477408: R1212511: L456919-05
WG477590: R1213750: L456919-06
WG477741: R1214968: L456919-03 04
WG477419: R1217068: L456919-01 02

* * Calculations are performed prior to rounding of reported values .
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L456919

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 13, 2010

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the Laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

1426 W. 29th Street
Indianapolis, IN 46208

Indianapolis, IN 46208

Page 7 of 6



Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

Email tyates@sescogroup.com

City/State
Collected

Client Project # 3872

Lab Project # _____
SESCOIN-HARMAN

Collected by (print): TIM BRANCH / C. BECKHAM

Site/Facility ID#

P.O.#

Collected by (signature): *Jim Brand*

Rush? (Lab MUST Be Notified)

Date Results Needed

Immediately
Packed on Ice N

Same Day	200%
Next Day	100%
Two Day	50%
Three Day	25%

Email? ☐ No ☐ Yes
FAX? ☐ No ☐ Yes

No. of Controls	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	

Accession: **SESCOIN** (lat use only)
Template/Prelogin: **T64700 P319703**
Cooler #: **5/12/10**
Shipped Via: **FedEX Ground**

Remarks/Contaminant	Sample # (lab only)
---------------------	---------------------

[illegible]

*Matrix SS - Soil GW - Groundwater WW - Waste Water DW - Drinking Water OT - Other

Remarks

pH Temp

Flow	Other
1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	28
29	30
31	32
33	34
35	36
37	38
39	40
41	42
43	44
45	46
47	48
49	50
51	52
53	54
55	56
57	58
59	60
61	62
63	64
65	66
67	68
69	70
71	72
73	74
75	76
77	78
79	80
81	82
83	84
85	86
87	88
89	90
91	92
93	94
95	96
97	98
99	100

Relinquished by: (Signature)
Tim Beuch
 Relinquished by:

Date: 5/2/10

Time

Received by: (Signature) _____

Samples returned via: ☐ UPS
☒ FedEx ☐ Courier ☐

Condition: (lab use only)

Relinquished by:

Date _____

1979

Received by: (Signature)

Temp:	Bottles Received
-------	------------------

COC Seal Intact: Y N ☒ NA

Relinquished by: (Signature)

Date.

LINE.

Received for lab by: (Signature)

1968

PH Checked

SESCO Group

1426 W. 29th Street
Indianapolis, IN 46208

Billing information

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Analysis/Container/Preservative

Chain of Custody

Page 3 of 6



12065 Lebanon Road
Mt Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

Report to: Mr. Tim Yates

Email: tyates@sescogroup.com

Project Description: Harman Becker

City/State Collected

Phone: (317) 347-9590
FAX: (317) 347-9591

Client Project #: 3872

Lab Project #: SESCOIN-HARMAN

Collected by (print): Tim Branch/c. BECKHAM

Site/Facility ID#

P.O.#

Collected by (signature): Tim Branch

Rush? (Lab MUST Be Notified)

Same Day 200%
Next Day 100%
Two Day 50%
Three Day 25%

Date Results Needed

Email? ___ No ___ Yes
FAX? ___ No ___ Yes

No. of Cntrs

Immediately Packed on Ice N ☒

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs	V8260-40mlAmb-HCl	V8260-40mlAmb-HCl-Blk	Remarks/Contaminant	Sample # (lab only)
MW-48B	GRAB	GW		5-21-10	9:45	2	X			L460652-14
MW-20R		GW			9:55	2	X			-15
MW-26R		GW			10:10	2	X			-16
MW-26C		GW			10:15	2	X			-17
MW-46A		GW			10:20	2	X			-18
MW-46C		GW			10:25	2	X			-19
MW-43A		GW			10:30	2	X			-20
MW-43B		GW			10:35	2	X			-21
MW-43C		GW			10:40	2	X			-22

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Relinquished by (Signature): <i>Tim Branch</i>	Date: 5/21/10	Time:	Received by (Signature):	Samples returned via: ☐ UPS ☐ FedEx ☐ Courier	Condition: (lab use only)
Relinquished by (Signature):	Date:	Time:	Received by (Signature):	Temp: 3.2°C Bottles Received: 76 ✓	COC Seal Intact: ☒ Y ☐ N ☒ NA
Relinquished by (Signature):	Date:	Time:	Received for lab by (Signature):	Date: 5-22-10 Time: 09:04	pH Checked: N/A

SESCO Group

1426 W. 29th Street
Indianapolis, IN 46208

Billing information:

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Report to:
Mr. Tim Yates

Email:
tyates@sescogroup.com

Project Description:
Harman Becker

City/State
Collected

Phone: (317) 347-9590
FAX: (317) 347-9591

Client Project #:

3872

Lab Project #

SESCOIN-HARMAN

Collected by (print):

TIM BRANCH / C. BECKHAM

Site/Facility ID#

P.O.#

Collected by (signature):

Tim Branch

Rush? (Lab MUST Be Notified)

Same Day 200%
Next Day 100%
Two Day 50%
Three Day 25%

Date Results Needed

Email? ☐ No ☐ Yes
FAX? ☐ No ☐ Yes

No.
of
Cntrs

Packed on Ice: ☒ N ☐ Y

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs	V8260 40ml Amb-HCI	V8260 40ml Amb-HCI-Blk	Analysis/Container/Preservative	Remarks/Contaminant	Sample # (lab only)
MW-43E	GAIB	GW		5-21-10	10:45	2	X				V460657 -23
MW-40A		GW			11:00	2	X				-24
MW-40B		GW			11:05	2	X				-25
MW-40C		GW			11:10	2	X				-26
MW-40E		GW			11:15	2	X				-27
MW-41B		GW			11:30	2	X				-28
MW-41E		GW			11:35	2	X				-29
MW-47C		GW			12:45	2	X				-30
MW-45A		GW			1:00	2	X				-31

*Matrix SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Chain of Custody

Page 4 of 6



12065 Lebanon Road
Mt. Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

Account: **SESCOIN** (lab use only)

Template/Prelogin: **T64700/P319703**

Cooler #: **5/12/10 JRC**

Shipped Via: **FedEX Ground**

Relinquished by (Signature): <i>Tim Branch</i>	Date: 5/21/10	Time:	Received by (Signature): <i>[Signature]</i>	Samples returned via: ☒ UPS ☐ FedEx ☐ Courier	Condition: (lab use only)
Relinquished by (Signature):	Date:	Time:	Received by (Signature):	Temp: 32°C Bottles Received: 78✓	COC Seal Intact: ☒ Y ☐ N ☒ NA
Relinquished by (Signature):	Date:	Time:	Received for lab by (Signature): <i>[Signature]</i>	Date: 5-22-10 Time: 0900	pH Checked: ☐ NCP

SESCO Group

1426 W. 29th Street
Indianapolis, IN 46208

Billing Information:

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Analysis/Container/Preservative

Chain of Custody

Page 5 of 6



12065 Lebanon Road
ML Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

Report to: Mr. Tim Yates

Email: tyates@sescogroup.com

Project Description: Harman Becker

City/State
Collected

Phone: (317) 347-9590
FAX: (317) 347-9591

Client Project #:

3872

Lab Project #:

SESCOIN-HARMAN

Collected by (print):

Tim Branch/C. Beckman

Site/Facility ID#:

P.O.#:

Collected by (signature):

Tim Branch

Rush? (Lab MUST Be Notified)

Same Day 200%

Next Day 100%

Two Day 50%

Three Day 25%

Date Results Needed

Email? ☐ No ☐ Yes

FAX? ☐ No ☐ Yes

No
of
Cntrs

Immediately
Packed on Ice N

☒

Account: SESCOIN (lab use only)

Template/Prelogin: T64700 P319703

Cooler #: 5/12/10 JPC

Shipped Via: FedEx Ground

Remarks/Contaminant Sample # (lab only)

Sample ID	Comp/Grab	Matrix	Depth	Date	Time	No of Cntrs	V8260 40ml Amb-HCl	V8260 40ml Amb-HCl-BIK												
MW-45C	GRAB	GW		5-21-10	1:05	2	X													1460652 -32
MW-13B		GW			1:30	2	X													-33
MW-13C		GW			1:35	2	X													-34
MW-13E		GW			1:40	2	X													-35
DMW-10AS		GW			1:55	2	X													-36
MW-42B		GW			2:10	2	X													-37
MW-42E		GW			2:15	2	X													-38
		GW				2	X													
		GW				2	X													

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Relinquished by (Signature): <i>Tim Branch</i>	Date: 5/21/10	Time:	Received by (Signature): <i>[Signature]</i>	Samples returned via: ☒ UPS ☐ FedEx ☐ Courier	Condition: <i>(lab use only)</i> <i>212</i>
Relinquished by (Signature): <i>[Signature]</i>	Date:	Time:	Received by (Signature): <i>[Signature]</i>	Temp: <i>32</i> Bottles Received: <i>78</i>	COC Seal Intact: ☐ Y ☒ N ☐ NA
Relinquished by (Signature): <i>[Signature]</i>	Date:	Time:	Received for lab by (Signature): <i>[Signature]</i>	Date: <i>5-22-10</i> Time: <i>0900</i>	pH Checked: ☐ NCF

1426 W. 29th Street
Indianapolis, IN 46208

Billing information:

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Email: tyates@sescogroup.com

Report to **Mr. Tim Yates**

Project Description:	Harman Becker
----------------------	---------------

Phone: (317) 347-9590
FAX: (317) 347-9591

Client Project #:

3872

City/State
Collected

Lab Project #

SESCOIN-HARMAN

P.O.#

Collected by (print)
Tim BRANCH / C. BECKHAM

Collected by (signature):

Fine Branch

Immediately
Packed on Ice N

Rush? (Lab MUST Be Notified)

Same Day	200%
Next Day	100%
Two Day	50%
Three Day	25%

Date Results Needed

Email? ☐ No ☐ Yes
FAX? ☐ No ☐ Yes

No.	of	Colts
1	1	1
2	1	1
3	1	1
4	1	1
5	1	1
6	1	1
7	1	1
8	1	1
9	1	1
10	1	1
11	1	1
12	1	1
13	1	1
14	1	1
15	1	1
16	1	1
17	1	1
18	1	1
19	1	1
20	1	1
21	1	1
22	1	1
23	1	1
24	1	1
25	1	1
26	1	1
27	1	1
28	1	1
29	1	1
30	1	1
31	1	1
32	1	1
33	1	1
34	1	1
35	1	1
36	1	1
37	1	1
38	1	1
39	1	1
40	1	1
41	1	1
42	1	1
43	1	1
44	1	1
45	1	1
46	1	1
47	1	1
48	1	1
49	1	1
50	1	1
51	1	1
52	1	1
53	1	1
54	1	1
55	1	1
56	1	1
57	1	1
58	1	1
59	1	1
60	1	1
61	1	1
62	1	1
63	1	1
64	1	1
65	1	1
66	1	1
67	1	1
68	1	1
69	1	1
70	1	1
71	1	1
72	1	1
73	1	1
74	1	1
75	1	1
76	1	1
77	1	1
78	1	1
79	1	1
80	1	1
81	1	1
82	1	1
83	1	1
84	1	1
85	1	1
86	1	1
87	1	1
88	1	1
89	1	1
90	1	1
91	1	1
92	1	1
93	1	1
94	1	1
95	1	1
96	1	1
97	1	1
98	1	1
99	1	1
100	1	1

V8260 40ml Amb-HCl

W8260 40ml Amb-HCl-Blk

Analysis/Container/Preservative

Chair of Custody

Page 4 of 6



12065 Lebanon Road
Mt. Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

Account **SESCOIN**

(lab use only)

Template/Protocol T64700 P319703

Cooler #: 57-1-10-100

Shipped Via **FedEX Ground**

Remarks/Contaminant	Sample # (lat: only)
---------------------	----------------------

1460652 -31
-40

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

Remarks

pH _____ Temp _____

Flow	Other
1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	28
29	30
31	32
33	34
35	36
37	38
39	40
41	42
43	44
45	46
47	48
49	50
51	52
53	54
55	56
57	58
59	60
61	62
63	64
65	66
67	68
69	70
71	72
73	74
75	76
77	78
79	80
81	82
83	84
85	86
87	88
89	90
91	92
93	94
95	96
97	98
99	100

Relinquished by: (Signature) <i>Tim Branch</i>	Date <i>5/21/10</i>	Time	Received by: (Signature) <i>[Signature]</i>	Samples returned via: ☐ UPS ☒ FedEx ☐ Courier	Condition: <i>OW</i> (lab use only)
Relinquished by: (Signature) <i>[Signature]</i>	Date	Time	Received by: (Signature) <i>[Signature]</i>	Temp: <i>32°C</i> Bottles Received: <i>78</i>	COC Seal Intact: <i>Y</i> <i>N</i> <i>NA</i>
Relinquished by: (Signature) <i>[Signature]</i>	Date	Time	Received for lab by: (Signature) <i>[Signature]</i>	Date: <i>5-22-10</i> Time: <i>0900</i>	pH Checked: <i>NEP</i>

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Tuesday May 10, 2011

Report Number: L460652


Samples Received: 05/22/10

Client Project: 3872

Description: Harman Becker

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:


Jimmy Hunt, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A,
TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-34

Collected By : Tim Branch
Collection Date : 05/20/10 12:05

ESC Sample # : L460652-01

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	0.013	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	0.0066	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	0.22	0.010	mg/l	8260B	06/03/10	10
trans-1,2-Dichloroethene	0.0071	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-34

Collected By : Tim Branch
Collection Date : 05/20/10 12:05

ESC Sample # : L460652-01

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	0.39	0.010	mg/l	8260B	06/03/10	10
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	0.17	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	0.13	0.010	mg/l	8260B	06/03/10	10
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	99.7		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	97.3		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	101.		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-35A

ESC Sample # : L460652-02

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 14:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-35A

Collected By : Tim Branch
Collection Date : 05/20/10 14:00

ESC Sample # : L460652-02

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	0.0014	0.0010	mg/l	8260B	06/03/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	96.0		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	99.9		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	97.0		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-35E

ESC Sample # : L460652-03

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 14:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-35E

ESC Sample # : L460652-03

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 14:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	97.4		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	101.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	91.5		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-36A

ESC Sample # : L460652-04

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 14:20

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	0.14	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-36A

Collected By : Tim Branch
Collection Date : 05/20/10 14:20

ESC Sample # : L460652-04

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	97.4		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	102.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	94.6		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-36E

ESC Sample # : L460652-05

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 14:20

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-36E

Collected By : Tim Branch
Collection Date : 05/20/10 14:20

ESC Sample # : L460652-05

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	96.0		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	97.9		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	96.5		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-37A

ESC Sample # : L460652-06

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 14:40

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker
Sample ID : MW-37A
Collected By : Tim Branch
Collection Date : 05/20/10 14:40

ESC Sample # : L460652-06

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.1		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	136.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	98.9		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-49E

ESC Sample # : L460652-07

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 15:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-49E

ESC Sample # : L460652-07

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 15:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	99.5		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	132.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	100.		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-50E

ESC Sample # : L460652-08

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 15:20

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-50E

Collected By : Tim Branch
Collection Date : 05/20/10 15:20

ESC Sample # : L460652-08

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	97.5		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	100.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	93.8		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-38A

Collected By : Tim Branch
Collection Date : 05/20/10 15:40

ESC Sample # : L460652-09

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-38A

Collected By : Tim Branch
Collection Date : 05/20/10 15:40

ESC Sample # : L460652-09

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	98.0		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	102.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	93.2		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-38E

ESC Sample # : L460652-10

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 15:40

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	0.053	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-38E

ESC Sample # : L460652-10

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 15:40

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	97.9		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	102.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	94.0		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-39A

ESC Sample # : L460652-11

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 16:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-39A

Collected By : Tim Branch
Collection Date : 05/20/10 16:00

ESC Sample # : L460652-11

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	98.5		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	102.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	93.7		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-39B

Collected By : Tim Branch
Collection Date : 05/20/10 16:00

ESC Sample # : L460652-12

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-39B

Collected By : Tim Branch
Collection Date : 05/20/10 16:00

ESC Sample # : L460652-12

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	0.012	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	0.0017	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	97.2		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	103.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	95.1		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-39E

ESC Sample # : L460652-13

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 16:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-39E

ESC Sample # : L460652-13

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 16:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	98.0		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	97.4		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	92.5		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

ESC Sample # : L460652-14

Date Received : May 22, 2010
Description : Harman Becker

Site ID :

Sample ID : MW-48B

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 09:45

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-48B

Collected By : Tim Branch
Collection Date : 05/21/10 09:45

ESC Sample # : L460652-14

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	0.023	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	86.2		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	108.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	124.		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-20R

ESC Sample # : L460652-15

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 09:55

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-20R

Collected By : Tim Branch
Collection Date : 05/21/10 09:55

ESC Sample # : L460652-15

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	0.0032	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	96.6		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	107.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	99.2		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-26R

Collected By : Tim Branch
Collection Date : 05/21/10 10:10

ESC Sample # : L460652-16

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-26R

Collected By : Tim Branch
Collection Date : 05/21/10 10:10

ESC Sample # : L460652-16

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.14	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	79.7		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	118.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	82.6		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-26C

ESC Sample # : L460652-17

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:15

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-26C

Collected By : Tim Branch
Collection Date : 05/21/10 10:15

ESC Sample # : L460652-17

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	116.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	89.5		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-46A

ESC Sample # : L460652-18

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:20

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	0.38	0.020	mg/l	8260B	06/03/10	20
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	0.0010	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	0.43	0.020	mg/l	8260B	06/03/10	20
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	0.018	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	0.0020	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-46A

Collected By : Tim Branch
Collection Date : 05/21/10 10:20

ESC Sample # : L460652-18

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	0.053	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	0.036	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	0.0053	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	0.49	0.020	mg/l	8260B	06/03/10	20
1,2,3-Trimethylbenzene	0.093	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	0.084	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	1.2	0.060	mg/l	8260B	06/03/10	20
Surrogate Recovery						
Toluene-d8	95.1		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	97.8		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	101.		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-46C

ESC Sample # : L460652-19

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:25

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	0.0054	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	0.010	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	1.5	0.050	mg/l	8260B	06/03/10	50
trans-1,2-Dichloroethene	0.011	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-46C

Collected By : Tim Branch
Collection Date : 05/21/10 10:25

ESC Sample # : L460652-19

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.016	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	0.097	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	0.025	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	96.9		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	106.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	89.6		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43A

ESC Sample # : L460652-20

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:30

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43A

ESC Sample # : L460652-20

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:30

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.8		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	113.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	88.2		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43B

Collected By : Tim Branch
Collection Date : 05/21/10 10:35

ESC Sample # : L460652-21

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43B

ESC Sample # : L460652-21

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:35

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	0.035	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	0.018	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	0.028	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	104.		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	122.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	97.8		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43C

Collected By : Tim Branch
Collection Date : 05/21/10 10:40

ESC Sample # : L460652-22

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	0.024	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	0.0059	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	0.010	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	0.0016	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43C

Collected By : Tim Branch
Collection Date : 05/21/10 10:40

ESC Sample # : L460652-22

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	0.069	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	0.22	0.010	mg/l	8260B	06/03/10	10
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	0.018	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	99.6		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	117.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	99.5		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43E

ESC Sample # : L460652-23

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:45

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43E

ESC Sample # : L460652-23

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:45

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.9		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	134.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	101.		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40A

ESC Sample # : L460652-24

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 11:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40A

Collected By : Tim Branch
Collection Date : 05/21/10 11:00

ESC Sample # : L460652-24

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.073	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.6		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	124.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	93.6		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40B

Collected By : Tim Branch
Collection Date : 05/21/10 11:05

ESC Sample # : L460652-25

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/03/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/03/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/03/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/03/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/03/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/03/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/03/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/03/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40B

Collected By : Tim Branch
Collection Date : 05/21/10 11:05

ESC Sample # : L460652-25

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/03/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/03/10	1
Tetrachloroethene	0.0037	0.0010	mg/l	8260B	06/03/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/03/10	1
Surrogate Recovery						
Toluene-d8	94.4		% Rec.	8260B	06/03/10	1
Dibromofluoromethane	96.4		% Rec.	8260B	06/03/10	1
4-Bromofluorobenzene	84.7		% Rec.	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40C

ESC Sample # : L460652-26

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 11:10

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/03/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/03/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/03/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/03/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/03/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/03/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/03/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/03/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40C

Collected By : Tim Branch
Collection Date : 05/21/10 11:10

ESC Sample # : L460652-26

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/03/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/03/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/03/10	1
Surrogate Recovery						
Toluene-d8	95.9		% Rec.	8260B	06/03/10	1
Dibromofluoromethane	97.4		% Rec.	8260B	06/03/10	1
4-Bromofluorobenzene	85.4		% Rec.	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40E

ESC Sample # : L460652-27

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 11:15

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/03/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/03/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/03/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/03/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/03/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/03/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/03/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/03/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40E

Collected By : Tim Branch
Collection Date : 05/21/10 11:15

ESC Sample # : L460652-27

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/03/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/03/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/03/10	1
Surrogate Recovery						
Toluene-d8	97.1		% Rec.	8260B	06/03/10	1
Dibromofluoromethane	101.		% Rec.	8260B	06/03/10	1
4-Bromofluorobenzene	99.5		% Rec.	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-41B

ESC Sample # : L460652-28

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 11:30

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/03/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/03/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/03/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/03/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/03/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/03/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/03/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/03/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-41B

Collected By : Tim Branch
Collection Date : 05/21/10 11:30

ESC Sample # : L460652-28

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/03/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/03/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/03/10	1
Surrogate Recovery						
Toluene-d8	89.3		% Rec.	8260B	06/03/10	1
Dibromofluoromethane	98.1		% Rec.	8260B	06/03/10	1
4-Bromofluorobenzene	107.		% Rec.	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-41E

ESC Sample # : L460652-29

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 11:35

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-41E

ESC Sample # : L460652-29

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 11:35

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	97.7		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	101.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	84.3		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-47C

Collected By : Tim Branch
Collection Date : 05/21/10 12:45

ESC Sample # : L460652-30

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	0.0017	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-47C

ESC Sample # : L460652-30

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 12:45

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.53	0.010	mg/l	8260B	06/03/10	10
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	0.0052	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	0.050	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.5		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	101.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	87.0		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-45A

ESC Sample # : L460652-31

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 13:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	0.0025	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	0.21	0.010	mg/l	8260B	06/03/10	10
trans-1,2-Dichloroethene	0.0036	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-45A

Collected By : Tim Branch
Collection Date : 05/21/10 13:00

ESC Sample # : L460652-31

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.14	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	0.14	0.010	mg/l	8260B	06/03/10	10
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	0.0085	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	91.1		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	101.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	98.8		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-45C

ESC Sample # : L460652-32

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 13:05

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.50	mg/l	8260B	06/02/10	10
Acrolein	BDL	0.50	mg/l	8260B	06/02/10	10
Acrylonitrile	BDL	0.10	mg/l	8260B	06/02/10	10
Benzene	BDL	0.010	mg/l	8260B	06/02/10	10
Bromobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Bromodichloromethane	BDL	0.010	mg/l	8260B	06/02/10	10
Bromoform	BDL	0.010	mg/l	8260B	06/02/10	10
Bromomethane	BDL	0.050	mg/l	8260B	06/02/10	10
n-Butylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
sec-Butylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
tert-Butylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Carbon tetrachloride	BDL	0.010	mg/l	8260B	06/02/10	10
Chlorobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Chlorodibromomethane	BDL	0.010	mg/l	8260B	06/02/10	10
Chloroethane	BDL	0.050	mg/l	8260B	06/02/10	10
2-Chloroethyl vinyl ether	BDL	0.50	mg/l	8260B	06/02/10	10
Chloroform	BDL	0.050	mg/l	8260B	06/02/10	10
Chloromethane	BDL	0.025	mg/l	8260B	06/02/10	10
2-Chlorotoluene	BDL	0.010	mg/l	8260B	06/02/10	10
4-Chlorotoluene	BDL	0.010	mg/l	8260B	06/02/10	10
1,2-Dibromo-3-Chloropropane	BDL	0.050	mg/l	8260B	06/02/10	10
1,2-Dibromoethane	BDL	0.010	mg/l	8260B	06/02/10	10
Dibromomethane	BDL	0.010	mg/l	8260B	06/02/10	10
1,2-Dichlorobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
1,3-Dichlorobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
1,4-Dichlorobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Dichlorodifluoromethane	BDL	0.050	mg/l	8260B	06/02/10	10
1,1-Dichloroethane	BDL	0.010	mg/l	8260B	06/02/10	10
1,2-Dichloroethane	BDL	0.010	mg/l	8260B	06/02/10	10
1,1-Dichloroethene	BDL	0.010	mg/l	8260B	06/02/10	10
cis-1,2-Dichloroethene	BDL	0.10	mg/l	8260B	06/03/10	100
trans-1,2-Dichloroethene	BDL	0.010	mg/l	8260B	06/02/10	10
1,2-Dichloropropane	BDL	0.010	mg/l	8260B	06/02/10	10
1,1-Dichloropropene	BDL	0.010	mg/l	8260B	06/02/10	10
1,3-Dichloropropane	BDL	0.010	mg/l	8260B	06/02/10	10
cis-1,3-Dichloropropene	BDL	0.010	mg/l	8260B	06/02/10	10
trans-1,3-Dichloropropene	BDL	0.010	mg/l	8260B	06/02/10	10
2,2-Dichloropropane	BDL	0.010	mg/l	8260B	06/02/10	10
Di-isopropyl ether	BDL	0.010	mg/l	8260B	06/02/10	10
Ethylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Hexachloro-1,3-butadiene	BDL	0.010	mg/l	8260B	06/02/10	10
Isopropylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
p-Isopropyltoluene	BDL	0.010	mg/l	8260B	06/02/10	10

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)
L460652-32 (V8260) - Dilution due to matrix



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-45C

Collected By : Tim Branch
Collection Date : 05/21/10 13:05

ESC Sample # : L460652-32

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.10	mg/l	8260B	06/02/10	10
Methylene Chloride	BDL	0.050	mg/l	8260B	06/02/10	10
4-Methyl-2-pentanone (MIBK)	BDL	0.10	mg/l	8260B	06/02/10	10
Methyl tert-butyl ether	BDL	0.010	mg/l	8260B	06/02/10	10
Naphthalene	BDL	0.050	mg/l	8260B	06/02/10	10
n-Propylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Styrene	BDL	0.010	mg/l	8260B	06/02/10	10
1,1,1,2-Tetrachloroethane	BDL	0.010	mg/l	8260B	06/02/10	10
1,1,2,2-Tetrachloroethane	BDL	0.010	mg/l	8260B	06/02/10	10
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.010	mg/l	8260B	06/02/10	10
Tetrachloroethene	5.7	0.10	mg/l	8260B	06/03/10	100
Toluene	BDL	0.050	mg/l	8260B	06/02/10	10
1,2,3-Trichlorobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
1,2,4-Trichlorobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
1,1,1-Trichloroethane	BDL	0.010	mg/l	8260B	06/02/10	10
1,1,2-Trichloroethane	BDL	0.010	mg/l	8260B	06/02/10	10
Trichloroethene	BDL	0.10	mg/l	8260B	06/03/10	100
Trichlorofluoromethane	BDL	0.050	mg/l	8260B	06/02/10	10
1,2,3-Trichloropropane	BDL	0.010	mg/l	8260B	06/02/10	10
1,2,4-Trimethylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
1,2,3-Trimethylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
1,3,5-Trimethylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Vinyl chloride	BDL	0.010	mg/l	8260B	06/02/10	10
Xylenes, Total	BDL	0.030	mg/l	8260B	06/02/10	10
Surrogate Recovery						
Toluene-d8	97.0		% Rec.	8260B	06/02/10	10
Dibromofluoromethane	104.		% Rec.	8260B	06/02/10	10
4-Bromofluorobenzene	92.6		% Rec.	8260B	06/02/10	10

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36
L460652-32 (V8260) - Dilution due to matrix



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-13B

Collected By : Tim Branch
Collection Date : 05/21/10 13:30

ESC Sample # : L460652-33

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-13B

ESC Sample # : L460652-33

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 13:30

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.22	0.010	mg/l	8260B	06/03/10	10
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.2		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	103.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	92.3		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:36

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-13C

ESC Sample # : L460652-34

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 13:35

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker
Sample ID : MW-13C
Collected By : Tim Branch
Collection Date : 05/21/10 13:35

ESC Sample # : L460652-34

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.0026	0.0010	mg/l	8260B	06/03/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	97.4		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	100.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	82.3		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:37

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-13E

ESC Sample # : L460652-35

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 13:40

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-13E

Collected By : Tim Branch
Collection Date : 05/21/10 13:40

ESC Sample # : L460652-35

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	97.8		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	98.1		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	79.2		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:37

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : DMW-10AS

Collected By : Tim Branch
Collection Date : 05/21/10 13:55

ESC Sample # : L460652-36

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : DMW-10AS

Collected By : Tim Branch
Collection Date : 05/21/10 13:55

ESC Sample # : L460652-36

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	96.9		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	95.6		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	97.4		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:37

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-42B

ESC Sample # : L460652-37

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 14:10

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

May 10, 2011

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-42B

Collected By : Tim Branch
Collection Date : 05/21/10 14:10

ESC Sample # : L460652-37

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	0.0095	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.1		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	99.7		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	95.1		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:37

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-42E

ESC Sample # : L460652-38

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 14:15

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

ESC Sample # : L460652-38

Sample ID : MW-42E

Site ID :

Collected By : Tim Branch
Collection Date : 05/21/10 14:15

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.8		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	103.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	95.6		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:37

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : TRIP BLANK

Collected By : Tim Branch
Collection Date : 05/20/10 00:00

ESC Sample # : L460652-39

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : TRIP BLANK

Collected By : Tim Branch
Collection Date : 05/20/10 00:00

ESC Sample # : L460652-39

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	96.5		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	98.8		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	96.0		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:37

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : TRIP BLANK

Collected By : Tim Branch
Collection Date : 05/20/10 00:00

ESC Sample # : L460652-40

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

May 10, 2011

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : TRIP BLANK

Collected By : Tim Branch
Collection Date : 05/20/10 00:00

ESC Sample # : L460652-40

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	94.6		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	98.2		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	97.2		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 05/10/11 10:37

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L460652-01	WG481197	SAMP	2-Chloroethyl vinyl ether	R1239588	J3
L460652-06	WG481355	SAMP	Acrolein	R1240308	J3
	WG481355	SAMP	1,1,1-Trichloroethane	R1240308	J4
	WG481355	SAMP	1,2,3-Trimethylbenzene	R1240308	J3
	WG481355	SAMP	Dibromofluoromethane	R1240308	J1
L460652-07	WG481355	SAMP	Acrolein	R1240308	J3
	WG481355	SAMP	1,1,1-Trichloroethane	R1240308	J4
	WG481355	SAMP	1,2,3-Trimethylbenzene	R1240308	J3
	WG481355	SAMP	Dibromofluoromethane	R1240308	J1
L460652-14	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
	WG481309	SAMP	Toluene-d8	R1239808	J2
L460652-15	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
L460652-16	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
	WG481309	SAMP	Toluene-d8	R1239808	J2
L460652-17	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
L460652-18	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
L460652-19	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
L460652-20	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
L460652-21	WG481355	SAMP	Acrolein	R1240308	J3
	WG481355	SAMP	1,1,1-Trichloroethane	R1240308	J4
	WG481355	SAMP	1,2,3-Trimethylbenzene	R1240308	J3
L460652-22	WG481355	SAMP	Acrolein	R1240308	J3
	WG481355	SAMP	1,2,3-Trimethylbenzene	R1240308	J3
L460652-23	WG481355	SAMP	Acrolein	R1240308	J3
	WG481355	SAMP	1,1,1-Trichloroethane	R1240308	J4
	WG481355	SAMP	1,2,3-Trimethylbenzene	R1240308	J3
	WG481355	SAMP	Dibromofluoromethane	R1240308	J1
L460652-24	WG481355	SAMP	Acrolein	R1240308	J3
	WG481355	SAMP	1,1,1-Trichloroethane	R1240308	J4
	WG481355	SAMP	1,2,3-Trimethylbenzene	R1240308	J3
L460652-27	WG481596	SAMP	Bromomethane	R1241808	J4 J3
	WG481596	SAMP	Chloroethane	R1241808	J3
	WG481596	SAMP	Chloromethane	R1241808	J3
	WG481596	SAMP	1,1-Dichloroethane	R1241808	J3
	WG481596	SAMP	1,1-Dichloroethene	R1241808	J3
	WG481596	SAMP	Naphthalene	R1241808	J3
	WG481596	SAMP	1,1,2-Trichloro-1,2,2-trifluoroethane	R1241808	J3
	WG481596	SAMP	1,2,3-Trichlorobenzene	R1241808	J3
L460652-28	WG481596	SAMP	Bromomethane	R1241808	J4 J3
	WG481596	SAMP	Chloroethane	R1241808	J3
	WG481596	SAMP	Chloromethane	R1241808	J3
	WG481596	SAMP	1,1-Dichloroethane	R1241808	J3
	WG481596	SAMP	1,1-Dichloroethene	R1241808	J3
	WG481596	SAMP	Naphthalene	R1241808	J3
	WG481596	SAMP	1,1,2-Trichloro-1,2,2-trifluoroethane	R1241808	J3
	WG481596	SAMP	1,2,3-Trichlorobenzene	R1241808	J3
L460652-29	WG481381	SAMP	2-Chloroethyl vinyl ether	R1240976	J3
	WG481381	SAMP	1,2-Dibromo-3-Chloropropane	R1240976	J3

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits
J2	Surrogate recovery limits have been exceeded; values are outside lower control limits
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy** - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision** - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate** - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC** - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,1,1-Trichloroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,1,2-Trichloroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,1-Dichloroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,1-Dichloroethene	< .001	mg/l			WG481197	06/01/10 13:17
1,1-Dichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
1,2,3-Trichlorobenzene	< .001	mg/l			WG481197	06/01/10 13:17
1,2,3-Trichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
1,2,3-Trimethylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
1,2,4-Trichlorobenzene	< .001	mg/l			WG481197	06/01/10 13:17
1,2,4-Trimethylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG481197	06/01/10 13:17
1,2-Dibromoethane	< .001	mg/l			WG481197	06/01/10 13:17
1,2-Dichlorobenzene	< .001	/l			WG481197	06/01/10 13:17
1,2-Dichloroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,2-Dichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
1,3,5-Trimethylbenzene	< .001	/l			WG481197	06/01/10 13:17
1,3-Dichlorobenzene	< .001	mg/l			WG481197	06/01/10 13:17
1,3-Dichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
1,4-Dichlorobenzene	< .001	mg/l			WG481197	06/01/10 13:17
2,2-Dichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
2-Butanone (MEK)	< .01	mg/l			WG481197	06/01/10 13:17
2-Chloroethyl vinyl ether	< .001	/l			WG481197	06/01/10 13:17
2-Chlorotoluene	< .001	mg/l			WG481197	06/01/10 13:17
4-Chlorotoluene	< .001	mg/l			WG481197	06/01/10 13:17
4-Methyl-2-pentanone (M	< .0	/l			WG481197	06/01/10 13:17
Acetone	< .05	mg/l			WG481197	06/01/10 13:17
Acrolein	< .05	mg/l			WG481197	06/01/10 13:17
Acrylonitrile	< .01	/l			WG481197	06/01/10 13:17
Benzene	< .001	mg/l			WG481197	06/01/10 13:17
Bromobenzene	< .001	mg/l			WG481197	06/01/10 13:17
Bromodichloromethane	< .001	/l			WG481197	06/01/10 13:17
Bromoform	< .001	mg/l			WG481197	06/01/10 13:17
Bromomethane	< .005	mg/l			WG481197	06/01/10 13:17
Carbon tetrachloride	< .001	/l			WG481197	06/01/10 13:17
Chlorobenzene	< .001	mg/l			WG481197	06/01/10 13:17
Chlorodibromomethane	< .001	mg/l			WG481197	06/01/10 13:17
Chloroethane	< .001	mg/l			WG481197	06/01/10 13:17
Chloroform	< .005	mg/l			WG481197	06/01/10 13:17
Chloromethane	< .001	mg/l			WG481197	06/01/10 13:17
cis-1,2-Dichloroethene	< .001	/l			WG481197	06/01/10 13:17
cis-1,3-Dichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
Di-isopropyl ether	< .001	mg/l			WG481197	06/01/10 13:17
Dibromomethane	< .001	/l			WG481197	06/01/10 13:17
Dichlorodifluoromethane	< .005	mg/l			WG481197	06/01/10 13:17
Ethylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
Hexachloro-1,3-butadiene	< .001	mg/l			WG481197	06/01/10 13:17
Isopropylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
Methyl tert-butyl ether	< .001	mg/l			WG481197	06/01/10 13:17
Methylene Chloride	< .005	mg/l			WG481197	06/01/10 13:17
n-Butylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
n-Propylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
Naphthalene	< .005	mg/l			WG481197	06/01/10 13:17
p-Isopropyltoluene	< .001	mg/l			WG481197	06/01/10 13:17
sec-Butylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
Styrene	< .005	mg/l			WG481197	06/01/10 13:17
tert-Butylbenzene	< .001	mg/l			WG481197	06/01/10 13:17

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L460652

May 10, 2011

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Tetrachloroethene	< .001	mg/l			WG481197	06/01/10 13:17
Toluene	< .005	mg/l			WG481197	06/01/10 13:17
trans-1,2-Dichloroethene	< .001	mg/l			WG481197	06/01/10 13:17
trans-1,3-Dichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
Trichloroethene	< .001	mg/l			WG481197	06/01/10 13:17
Trichlorofluoromethane	< .005	mg/l			WG481197	06/01/10 13:17
Vinyl chloride	< .001	mg/l			WG481197	06/01/10 13:17
Xylenes, Total	< .003	mg/l			WG481197	06/01/10 13:17
4-Bromofluorobenzene		% Rec.	95.81	75-128	WG481197	06/01/10 13:17
Dibromofluoromethane		% Rec.	9.38	79-128	WG481197	06/01/10 13:17
Toluene-d8		% Rec.	95.94	87-114	WG481197	06/01/10 13:17
1,1,1,2-Tetrachloroethane	.001	/l			WG481309	06/01/10 18:10
1,1,1-Trichloroethane	< .001	mg/l			WG481309	06/01/10 18:10
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG481309	06/01/10 18:10
1,1,2-Trichloroethane	< .001	/l			WG481309	06/01/10 18:10
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG481309	06/01/10 18:10
1,1-Dichloroethane	< .001	mg/l			WG481309	06/01/10 18:10
1,1-Dichloroethene	< .001	/l			WG481309	06/01/10 18:10
1,1-Dichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
1,2,3-Trichlorobenzene	< .001	mg/l			WG481309	06/01/10 18:10
1,2,3-Trichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
1,2,3-Trimethylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
1,2,4-Trichlorobenzene	< .001	mg/l			WG481309	06/01/10 18:10
1,2,4-Trimethylbenzene	< .001	/l			WG481309	06/01/10 18:10
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG481309	06/01/10 18:10
1,2-Dibromoethane	< .001	mg/l			WG481309	06/01/10 18:10
1,2-Dichlorobenzene	< .001	/l			WG481309	06/01/10 18:10
1,2-Dichloroethane	< .001	mg/l			WG481309	06/01/10 18:10
1,2-Dichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
1,3,5-Trimethylbenzene	< .001	/l			WG481309	06/01/10 18:10
1,3-Dichlorobenzene	< .001	mg/l			WG481309	06/01/10 18:10
1,3-Dichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
1,4-Dichlorobenzene	< .001	/l			WG481309	06/01/10 18:10
2,2-Dichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
2-Butanone (MEK)	< .01	mg/l			WG481309	06/01/10 18:10
2-Chloroethyl vinyl ether	< .001	/l			WG481309	06/01/10 18:10
2-Chlorotoluene	< .001	mg/l			WG481309	06/01/10 18:10
4-Chlorotoluene	< .001	mg/l			WG481309	06/01/10 18:10
4-Methyl-2-pentanone (MIBK)	< .	/l			WG481309	06/01/10 18:10
Acetone	< .05	mg/l			WG481309	06/01/10 18:10
Acrolein	< .05	mg/l			WG481309	06/01/10 18:10
Acrylonitrile	< .0	/l			WG481309	06/01/10 18:10
Benzene	< .001	mg/l			WG481309	06/01/10 18:10
Bromobenzene	< .001	mg/l			WG481309	06/01/10 18:10
Bromodichloromethane	< .001	/l			WG481309	06/01/10 18:10
Bromoform	< .001	mg/l			WG481309	06/01/10 18:10
Bromomethane	< .005	mg/l			WG481309	06/01/10 18:10
Carbon tetrachloride	< .001	mg/l			WG481309	06/01/10 18:10
Chlorobenzene	< .001	mg/l			WG481309	06/01/10 18:10
Chlorodibromomethane	< .001	mg/l			WG481309	06/01/10 18:10
Chloroethane	< .001	mg/l			WG481309	06/01/10 18:10
Chloroform	< .005	mg/l			WG481309	06/01/10 18:10
Chloromethane	< .001	mg/l			WG481309	06/01/10 18:10
cis-1,2-Dichloroethene	< .001	mg/l			WG481309	06/01/10 18:10
cis-1,3-Dichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
Di-isopropyl ether	< .001	mg/l			WG481309	06/01/10 18:10
Dibromomethane	< .001	mg/l			WG481309	06/01/10 18:10

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Dichlorodifluoromethane	< .005	/L			WG481309	06/01/10 18:10
Ethylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
Hexachloro-1,3-butadiene	< .001	mg/l			WG481309	06/01/10 18:10
Isopropylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
Methyl tert-butyl ether	< .001	mg/l			WG481309	06/01/10 18:10
Methylene Chloride	< .005	mg/l			WG481309	06/01/10 18:10
n-Butylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
n-Propylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
Naphthalene	< .005	mg/l			WG481309	06/01/10 18:10
p-Isopropyltoluene	< .001	mg/l			WG481309	06/01/10 18:10
sec-Butylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
Styrene	< .001	mg/l			WG481309	06/01/10 18:10
tert-Butylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
Tetrachloroethene	< .001	mg/l			WG481309	06/01/10 18:10
Toluene	< .005	mg/l			WG481309	06/01/10 18:10
trans-1,2-Dichloroethene	.001	/L			WG481309	06/01/10 18:10
trans-1,3-Dichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
Trichloroethene	< .001	mg/l			WG481309	06/01/10 18:10
Trichlorofluoromethane	< .005	mg/l			WG481309	06/01/10 18:10
Vinyl chloride	< .001	mg/l			WG481309	06/01/10 18:10
Xylenes, Total	< .003	mg/l			WG481309	06/01/10 18:10
4-Bromofluorobenzene		% Rec.	1.17	75-128	WG481309	06/01/10 18:10
Dibromofluoromethane		% Rec.	117.7	79-125	WG481309	06/01/10 18:10
Toluene-d8		% Rec.	96.80	87-114	WG481309	06/01/10 18:10
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG481355	06/01/10 20:49
1,1,1-Trichloroethane	< .001	mg/l			WG481355	06/01/10 20:49
1,1,2,2-Tetrachloroethane	< .001	/L			WG481355	06/01/10 20:49
1,1,2-Trichloroethane	< .001	mg/l			WG481355	06/01/10 20:49
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG481355	06/01/10 20:49
1,1-Dichloroethane	< .001	/L			WG481355	06/01/10 20:49
1,1-Dichloroethene	< .001	mg/l			WG481355	06/01/10 20:49
1,1-Dichloropropene	< .001	mg/l			WG481355	06/01/10 20:49
1,2,3-Trichlorobenzene	< .001	/L			WG481355	06/01/10 20:49
1,2,3-Trichloropropene	< .001	mg/l			WG481355	06/01/10 20:49
1,2,3-Trimethylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
1,2,4-Trichlorobenzene	< .001	/L			WG481355	06/01/10 20:49
1,2,4-Trimethylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG481355	06/01/10 20:49
1,2-Dibromoethane	< .001	/L			WG481355	06/01/10 20:49
1,2-Dichlorobenzene	< .001	mg/l			WG481355	06/01/10 20:49
1,2-Dichloroethane	< .001	mg/l			WG481355	06/01/10 20:49
1,2-Dichloropropene	< .001	/L			WG481355	06/01/10 20:49
1,3,5-Trimethylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
1,3-Dichlorobenzene	< .001	mg/l			WG481355	06/01/10 20:49
1,3-Dichloropropene	< .001	/L			WG481355	06/01/10 20:49
1,4-Dichlorobenzene	< .001	mg/l			WG481355	06/01/10 20:49
2,2-Dichloropropene	< .001	mg/l			WG481355	06/01/10 20:49
2-Butanone (MEK)	< .05	mg/l			WG481355	06/01/10 20:49
2-Chloroethyl vinyl ether	< .001	mg/l			WG481355	06/01/10 20:49
2-Chlorotoluene	< .001	mg/l			WG481355	06/01/10 20:49
4-Chlorotoluene	< .001	mg/l			WG481355	06/01/10 20:49
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG481355	06/01/10 20:49
Acetone	< .05	mg/l			WG481355	06/01/10 20:49
Acrolein	< .05	mg/l			WG481355	06/01/10 20:49
Acrylonitrile	< .01	mg/l			WG481355	06/01/10 20:49
Benzene	< .001	mg/l			WG481355	06/01/10 20:49
Bromobenzene	< .005	mg/l			WG481355	06/01/10 20:49

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Bromodichloromethane	< .001	mg/l			WG481355	06/01/10 20:49
Bromoform	< .001	mg/l			WG481355	06/01/10 20:49
Bromomethane	< .005	mg/l			WG481355	06/01/10 20:49
Carbon tetrachloride	< .001	mg/l			WG481355	06/01/10 20:49
Chlorobenzene	< .001	mg/l			WG481355	06/01/10 20:49
Chlorodibromomethane	< .001	mg/l			WG481355	06/01/10 20:49
Chloroethane	< .001	mg/l			WG481355	06/01/10 20:49
Chloroform	< .005	mg/l			WG481355	06/01/10 20:49
Chloromethane	< .001	mg/l			WG481355	06/01/10 20:49
cis-1,2-Dichloroethene	< .001	mg/l			WG481355	06/01/10 20:49
cis-1,3-Dichloropropene	< .001	mg/l			WG481355	06/01/10 20:49
Di-isopropyl ether	< .001	mg/l			WG481355	06/01/10 20:49
Dibromomethane	< .001	mg/l			WG481355	06/01/10 20:49
Dichlorodifluoromethane	< .005	mg/l			WG481355	06/01/10 20:49
Ethylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
Hexachloro-1,3-butadiene	< .001	/l			WG481355	06/01/10 20:49
Isopropylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
Methyl tert-butyl ether	< .001	mg/l			WG481355	06/01/10 20:49
Methylene Chloride	< .005	mg/l			WG481355	06/01/10 20:49
n-Butylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
n-Propylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
Naphthalene	< .005	/l			WG481355	06/01/10 20:49
p-Isopropyltoluene	< .001	mg/l			WG481355	06/01/10 20:49
sec-Butylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
Styrene	< .001	/l			WG481355	06/01/10 20:49
tert-Butylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
Tetrachloroethene	< .001	mg/l			WG481355	06/01/10 20:49
Toluene	< .005	/l			WG481355	06/01/10 20:49
trans-1,2-Dichloroethene	< .001	mg/l			WG481355	06/01/10 20:49
trans-1,3-Dichloropropene	< .001	mg/l			WG481355	06/01/10 20:49
Trichloroethene	< .001	/l			WG481355	06/01/10 20:49
Trichlorofluoromethane	< .005	mg/l			WG481355	06/01/10 20:49
Vinyl chloride	< .001	mg/l			WG481355	06/01/10 20:49
Xylenes, Total	< .003	/l			WG481355	06/01/10 20:49
4-Bromofluorobenzene		% Rec.	96.34	75-128	WG481355	06/01/10 20:49
Dibromofluoromethane		% Rec.	107.3	79-125	WG481355	06/01/10 20:49
Toluene-d8		% Rec.	7.15	87-114	WG481355	06/01/10 20:49
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG481382	06/02/10 01:19
1,1,1-Trichloroethane	< .001	/l			WG481382	06/02/10 01:19
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG481382	06/02/10 01:19
1,1,2-Trichloroethane	< .001	mg/l			WG481382	06/02/10 01:19
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	/l			WG481382	06/02/10 01:19
1,1-Dichloroethane	< .001	mg/l			WG481382	06/02/10 01:19
1,1-Dichloroethene	< .001	mg/l			WG481382	06/02/10 01:19
1,1 Dichloropropene	< .001	/l			WG481382	06/02/10 01:19
1,2,3-Trichlorobenzene	< .001	mg/l			WG481382	06/02/10 01:19
1,2,3-Trichloropropane	< .001	mg/l			WG481382	06/02/10 01:19
1,2,3-Trimethylbenzene	< .001	mg/l			WG481382	06/02/10 01:19
1,2,4-Trichlorobenzene	< .001	mg/l			WG481382	06/02/10 01:19
1,2,4-Trimethylbenzene	< .001	mg/l			WG481382	06/02/10 01:19
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG481382	06/02/10 01:19
1,2-Dibromoethane	< .001	mg/l			WG481382	06/02/10 01:19
1,2-Dichlorobenzene	< .001	mg/l			WG481382	06/02/10 01:19
1,2-Dichloroethane	< .005	mg/l			WG481382	06/02/10 01:19
1,2-Dichloropropane	< .001	mg/l			WG481382	06/02/10 01:19
1,3,5-Trimethylbenzene	< .001	mg/l			WG481382	06/02/10 01:19
1,3-Dichlorobenzene	< .005	mg/l			WG481382	06/02/10 01:19

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
1,3-Dichloropropane	< .001	mg/l			WG481382	06/02/10 01:19
1,4-Dichlorobenzene	< .001	mg/l			WG481382	06/02/10 01:19
2,2-Dichloropropane	< .001	mg/l			WG481382	06/02/10 01:19
2-Butanone (MEK)	< .001	mg/l			WG481382	06/02/10 01:19
2-Chloroethyl vinyl ether	< .001	mg/l			WG481382	06/02/10 01:19
2-Chlorotoluene	< .001	mg/l			WG481382	06/02/10 01:19
4-Chlorotoluene	< .001	mg/l			WG481382	06/02/10 01:19
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG481382	06/02/10 01:19
Acetone	< .05	mg/l			WG481382	06/02/10 01:19
Acrolein	< .05	mg/l			WG481382	06/02/10 01:19
Acrylonitrile	< .01	mg/l			WG481382	06/02/10 01:19
Benzene	< .001	mg/l			WG481382	06/02/10 01:19
Bromobenzene	< .001	mg/l			WG481382	06/02/10 01:19
Bromodichloromethane	< .001	mg/l			WG481382	06/02/10 01:19
Bromoform	< .001	mg/l			WG481382	06/02/10 01:19
Bromomethane	< .005	mg/l			WG481382	06/02/10 01:19
Carbon tetrachloride	< .001	mg/l			WG481382	06/02/10 01:19
Chlorobenzene	< .001	mg/l			WG481382	06/02/10 01:19
Chlorodibromomethane	< .001	/l			WG481382	06/02/10 01:19
Chloroethane	< .001	mg/l			WG481382	06/02/10 01:19
Chloroform	< .005	mg/l			WG481382	06/02/10 01:19
Chloromethane	< .001	mg/l			WG481382	06/02/10 01:19
cis-1,2-Dichloroethene	< .001	mg/l			WG481382	06/02/10 01:19
cis-1,3-Dichloropropene	< .001	mg/l			WG481382	06/02/10 01:19
Di-isopropyl ether	< .001	/l			WG481382	06/02/10 01:19
Dibromomethane	< .001	mg/l			WG481382	06/02/10 01:19
Dichlorodifluoromethane	< .005	mg/l			WG481382	06/02/10 01:19
Ethylbenzene	< .001	/l			WG481382	06/02/10 01:19
Hexachloro-1,3-butadiene	< .001	mg/l			WG481382	06/02/10 01:19
Isopropylbenzene	< .001	mg/l			WG481382	06/02/10 01:19
Methyl tert-butyl ether	< .001	/l			WG481382	06/02/10 01:19
Methylene Chloride	< .005	mg/l			WG481382	06/02/10 01:19
n-Butylbenzene	< .001	mg/l			WG481382	06/02/10 01:19
n-Propylbenzene	< .001	/l			WG481382	06/02/10 01:19
Naphthalene	< .005	mg/l			WG481382	06/02/10 01:19
p-Isopropyltoluene	< .001	mg/l			WG481382	06/02/10 01:19
sec-Butylbenzene	< .001	/l			WG481382	06/02/10 01:19
Styrene	< .001	mg/l			WG481382	06/02/10 01:19
tert-Butylbenzene	< .001	mg/l			WG481382	06/02/10 01:19
Tetrachloroethene	< .005	mg/l			WG481382	06/02/10 01:19
Toluene	< .005	mg/l			WG481382	06/02/10 01:19
trans-1,2-Dichloroethene	< .001	mg/l			WG481382	06/02/10 01:19
trans-1,3-Dichloropropene	< .001	/l			WG481382	06/02/10 01:19
Trichloroethene	< .001	mg/l			WG481382	06/02/10 01:19
Trichlorofluoromethane	< .005	mg/l			WG481382	06/02/10 01:19
Vinyl chloride	< .001	/l			WG481382	06/02/10 01:19
Xylenes, Total	< .003	mg/l			WG481382	06/02/10 01:19
4-Bromofluorobenzene		% Rec.	92.38	75-128	WG481382	06/02/10 01:19
Dibromofluoromethane		% Rec.	9.21	79-125	WG481382	06/02/10 01:19
Toluene-d8		% Rec.	97.85	87-114	WG481382	06/02/10 01:19
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG481381	06/02/10 13:55
1,1,1-Trichloroethane	< .001	mg/l			WG481381	06/02/10 13:55
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG481381	06/02/10 13:55
1,1,2-Trichloroethane	< .005	mg/l			WG481381	06/02/10 13:55
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG481381	06/02/10 13:55
1,1-Dichloroethane	< .001	mg/l			WG481381	06/02/10 13:55
1,2-Dichloroethane	< .005	mg/l			WG481381	06/02/10 13:55

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tex I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
1,1-Dichloropropene	< .001	mg/l			WG481381	06/02/10 13:55
1,2,3-Trichlorobenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,2,3-Trichloropropane	< .001	mg/l			WG481381	06/02/10 13:55
1,2,3-Trimethylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,2,4-Trichlorobenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,2,4-Trimethylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,2-Dibromo-3-Chloropropane	< .001	mg/l			WG481381	06/02/10 13:55
1,2-Dibromoethane	< .001	mg/l			WG481381	06/02/10 13:55
1,2-Dichlorobenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,2-Dichloroethane	< .001	mg/l			WG481381	06/02/10 13:55
1,2-Dichloropropane	< .001	mg/l			WG481381	06/02/10 13:55
1,3,5-Trimethylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,3-Dichlorobenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,3-Dichloropropane	< .001	mg/l			WG481381	06/02/10 13:55
1,4-Dichlorobenzene	< .001	mg/l			WG481381	06/02/10 13:55
2,2-Dichloropropane	< .001	/l			WG481381	06/02/10 13:55
2-Butanone (MEK)	< .01	mg/l			WG481381	06/02/10 13:55
2-Chloroethyl vinyl ether	< .001	mg/l			WG481381	06/02/10 13:55
2-Chlorotoluene	< .001	/l			WG481381	06/02/10 13:55
4-Chlorotoluene	< .001	mg/l			WG481381	06/02/10 13:55
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG481381	06/02/10 13:55
Acetone	< .01	/l			WG481381	06/02/10 13:55
Acrolein	< .05	mg/l			WG481381	06/02/10 13:55
Acrylonitrile	< .01	mg/l			WG481381	06/02/10 13:55
Benzene	< .001	/l			WG481381	06/02/10 13:55
Bromobenzene	< .001	mg/l			WG481381	06/02/10 13:55
Bromodichloromethane	< .001	mg/l			WG481381	06/02/10 13:55
Bromoform	< .001	/l			WG481381	06/02/10 13:55
Bromomethane	< .005	mg/l			WG481381	06/02/10 13:55
Carbon tetrachloride	< .001	mg/l			WG481381	06/02/10 13:55
Chlorobenzene	< .001	/l			WG481381	06/02/10 13:55
Chlorodibromomethane	< .001	mg/l			WG481381	06/02/10 13:55
Chloroethane	< .001	mg/l			WG481381	06/02/10 13:55
Chloroform	< .005	/l			WG481381	06/02/10 13:55
Chloromethane	< .001	mg/l			WG481381	06/02/10 13:55
cis-1,2-Dichloroethene	< .001	mg/l			WG481381	06/02/10 13:55
cis-1,3-Dichloropropene	< .001	/l			WG481381	06/02/10 13:55
Di-isopropyl ether	< .001	mg/l			WG481381	06/02/10 13:55
Dibromomethane	< .001	mg/l			WG481381	06/02/10 13:55
Dichlorodifluoromethane	< .005	/l			WG481381	06/02/10 13:55
Ethylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
Hexachloro-1,3-butadiene	< .001	mg/l			WG481381	06/02/10 13:55
Isopropylbenzene	< .001	/l			WG481381	06/02/10 13:55
Methyl tert-butyl ether	< .001	mg/l			WG481381	06/02/10 13:55
Methylene Chloride	< .005	mg/l			WG481381	06/02/10 13:55
n-Butylbenzene	< .001	/l			WG481381	06/02/10 13:55
n-Propylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
Naphthalene	< .005	mg/l			WG481381	06/02/10 13:55
p-Isopropyltoluene	< .001	mg/l			WG481381	06/02/10 13:55
sec-Butylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
Styrene	< .001	mg/l			WG481381	06/02/10 13:55
tert-Butylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
Tetrachloroethene	< .001	mg/l			WG481381	06/02/10 13:55
Toluene	< .005	mg/l			WG481381	06/02/10 13:55
trans-1,2-Dichloroethene	< .005	mg/l			WG481381	06/02/10 13:55
trans-1,3-Dichloropropene	< .001	mg/l			WG481381	06/02/10 13:55
Trichloroethene	< .001	mg/l			WG481381	06/02/10 13:55
Trichlorofluoromethane	< .005	mg/l			WG481381	06/02/10 13:55
Vinyl chloride	< .001	mg/l			WG481381	06/02/10 13:55

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Xylenes, Total	< .003	mg/l			WG481381	06/02/10 13:55
4-Bromofluorobenzene		% Rec.	99.00	75-128	WG481381	06/02/10 13:55
Dibromofluoromethane		% Rec.	102.2	79-125	WG481381	06/02/10 13:55
Toluene-d8		% Rec.	.20	114	WG481381	06/02/10 13:55
1,2,4-Trimethylbenzene	< .001	mg/l			WG481568	06/03/10 03:07
Benzene	< .001	mg/l			WG481568	06/03/10 03:07
cis-1,2-Dichloroethene	< .001	mg/l			WG481568	06/03/10 03:07
Ethylbenzene	< .001	mg/l			WG481568	06/03/10 03:07
Tetrachloroethene	< .001	mg/l			WG481568	06/03/10 03:07
Vinyl chloride	< .001	mg/l			WG481568	06/03/10 03:07
Xylenes, Total	< .003	mg/l			WG481568	06/03/10 03:07
4-Bromofluorobenzene		% Rec.	5.78	75-128	WG481568	06/03/10 03:07
Dibromofluoromethane		% Rec.	98.06	79-125	WG481568	06/03/10 03:07
Toluene-d8		% Rec.	105.9	87-114	WG481568	06/03/10 03:07
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG481596	06/03/10 00:48
1,1,1-Trichloroethane	< .001	mg/l			WG481596	06/03/10 00:48
1,1,2,2-Tetrachloroethane	< .001	/l			WG481596	06/03/10 00:48
1,1,2-Trichloroethane	< .001	mg/l			WG481596	06/03/10 00:48
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG481596	06/03/10 00:48
1,1-Dichloroethane	< .001	mg/l			WG481596	06/03/10 00:48
1,1-Dichloroethene	< .001	mg/l			WG481596	06/03/10 00:48
1,1-Dichloropropene	< .001	mg/l			WG481596	06/03/10 00:48
1,2,3-Trichlorobenzene	< .001	/l			WG481596	06/03/10 00:48
1,2,3-Trichloropropane	< .001	mg/l			WG481596	06/03/10 00:48
1,2,3-Trimethylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
1,2,4-Trichlorobenzene	< .001	/l			WG481596	06/03/10 00:48
1,2,4-Trimethylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG481596	06/03/10 00:48
1,2-Dibromoethane	< .001	/l			WG481596	06/03/10 00:48
1,2-Dichlorobenzene	< .001	mg/l			WG481596	06/03/10 00:48
1,2-Dichloroethane	< .001	mg/l			WG481596	06/03/10 00:48
1,2-Dichloropropane	< .001	/l			WG481596	06/03/10 00:48
1,3,5-Trimethylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
1,3-Dichlorobenzene	< .001	mg/l			WG481596	06/03/10 00:48
1,3-Dichloropropane	< .001	/l			WG481596	06/03/10 00:48
1,4-Dichlorobenzene	< .001	mg/l			WG481596	06/03/10 00:48
2,2-Dichloropropane	< .001	mg/l			WG481596	06/03/10 00:48
2-Butanone (MEK)	< .01	/l			WG481596	06/03/10 00:48
2-Chloroethyl vinyl ether	< .001	mg/l			WG481596	06/03/10 00:48
2-Chlorotoluene	< .001	mg/l			WG481596	06/03/10 00:48
4-Chlorotoluene	< .001	/l			WG481596	06/03/10 00:48
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG481596	06/03/10 00:48
Acetone	< .05	mg/l			WG481596	06/03/10 00:48
Acrolein	< .05	mg/l			WG481596	06/03/10 00:48
Acrylonitrile	< .01	mg/l			WG481596	06/03/10 00:48
Benzene	< .001	mg/l			WG481596	06/03/10 00:48
Bromobenzene	< .001	mg/l			WG481596	06/03/10 00:48
Bromodichloromethane	< .001	mg/l			WG481596	06/03/10 00:48
Bromoform	< .001	mg/l			WG481596	06/03/10 00:48
Bromomethane	< .005	mg/l			WG481596	06/03/10 00:48
Carbon tetrachloride	< .001	mg/l			WG481596	06/03/10 00:48
Chlorobenzene	< .001	mg/l			WG481596	06/03/10 00:48
Chlorodibromomethane	< .005	mg/l			WG481596	06/03/10 00:48
Chloroethane	< .001	mg/l			WG481596	06/03/10 00:48
Chloroform	< .005	mg/l			WG481596	06/03/10 00:48

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Chloromethane	< .001	mg/l			WG481596	06/03/10 00:48
cis-1,2-Dichloroethene	< .001	mg/l			WG481596	06/03/10 00:48
cis-1,3-Dichloropropene	< .001	mg/l			WG481596	06/03/10 00:48
Di-isopropyl ether	< .001	mg/l			WG481596	06/03/10 00:48
Dibromomethane	< .001	mg/l			WG481596	06/03/10 00:48
Dichlorodifluoromethane	< .005	mg/l			WG481596	06/03/10 00:48
Ethylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
Hexachloro-1,3-butadiene	< .001	mg/l			WG481596	06/03/10 00:48
Isopropylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
Methyl tert-butyl ether	< .001	mg/l			WG481596	06/03/10 00:48
Methylene Chloride	< .005	mg/l			WG481596	06/03/10 00:48
n-Butylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
n-Propylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
Naphthalene	< .005	mg/l			WG481596	06/03/10 00:48
p-Isopropyltoluene	< .001	mg/l			WG481596	06/03/10 00:48
sec-Butylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
Styrene	< .001	mg/l			WG481596	06/03/10 00:48
tert-Butylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
Tetrachloroethene	< .001	mg/l			WG481596	06/03/10 00:48
Toluene	< .005	mg/l			WG481596	06/03/10 00:48
trans-1,2-Dichloroethene	< .001	mg/l			WG481596	06/03/10 00:48
trans-1,3-Dichloropropene	< .001	mg/l			WG481596	06/03/10 00:48
Trichloroethene	< .001	mg/l			WG481596	06/03/10 00:48
Trichlorofluoromethane	< .005	mg/l			WG481596	06/03/10 00:48
Vinyl chloride	< .001	mg/l			WG481596	06/03/10 00:48
Xylenes, Total	< .003	mg/l			WG481596	06/03/10 00:48
4-Bromofluorobenzene		% Rec.	90.22	75-128	WG481596	06/03/10 00:48
Dibromofluoromethane		% Rec.	101.0	79-125	WG481596	06/03/10 00:48
Toluene-d8		% Rec.	95.69	87-114	WG481596	06/03/10 00:48
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG481667	06/03/10 14:27
1,1,1-Trichloroethane	< .001	mg/l			WG481667	06/03/10 14:27
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG481667	06/03/10 14:27
1,1,2-Trichloroethane	< .001	mg/l			WG481667	06/03/10 14:27
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG481667	06/03/10 14:27
1,1-Dichloroethane	< .001	mg/l			WG481667	06/03/10 14:27
1,1-Dichloroethene	< .001	mg/l			WG481667	06/03/10 14:27
1,1-Dichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
1,2,3-Trichlorobenzene	< .001	mg/l			WG481667	06/03/10 14:27
1,2,3-Trichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
1,2,3-Trimethylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
1,2,4-Trichlorobenzene	< .001	mg/l			WG481667	06/03/10 14:27
1,2,4-Trimethylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG481667	06/03/10 14:27
1,2-Dibromoethane	< .001	mg/l			WG481667	06/03/10 14:27
1,2-Dichlorobenzene	< .001	mg/l			WG481667	06/03/10 14:27
1,2-Dichloroethane	< .001	mg/l			WG481667	06/03/10 14:27
1,2-Dichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
1,3,5-Trimethylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
1,3-Dichlorobenzene	< .001	mg/l			WG481667	06/03/10 14:27
1,3-Dichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
1,4-Dichlorobenzene	< .001	mg/l			WG481667	06/03/10 14:27
2,2-Dichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
2-Butanone (MEK)	< .01	mg/l			WG481667	06/03/10 14:27
2-Chloroethyl vinyl ether	< .001	mg/l			WG481667	06/03/10 14:27
2-Chlorotoluene	< .001	mg/l			WG481667	06/03/10 14:27
4-Chlorotoluene	< .001	mg/l			WG481667	06/03/10 14:27
4-Methyl-2-pentanone (MIBK)	< .001	mg/l			WG481667	06/03/10 14:27

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Acetone	< .05	mg/l			WG481667	06/03/10 14:27
Acrolein	< .05	mg/l			WG481667	06/03/10 14:27
Acrylonitrile	< .01	mg/l			WG481667	06/03/10 14:27
Benzene	< .001	mg/l			WG481667	06/03/10 14:27
Bromobenzene	< .001	mg/l			WG481667	06/03/10 14:27
Bromodichloromethane	< .001	mg/l			WG481667	06/03/10 14:27
Bromoform	< .001	mg/l			WG481667	06/03/10 14:27
Bromomethane	< .005	mg/l			WG481667	06/03/10 14:27
Carbon tetrachloride	< .001	mg/l			WG481667	06/03/10 14:27
Chlorobenzene	< .001	mg/l			WG481667	06/03/10 14:27
Chlorodibromomethane	< .001	mg/l			WG481667	06/03/10 14:27
Chloroethane	< .001	mg/l			WG481667	06/03/10 14:27
Chloroform	< .001	mg/l			WG481667	06/03/10 14:27
Chloromethane	< .001	mg/l			WG481667	06/03/10 14:27
cis-1,2-Dichloroethene	< .001	mg/l			WG481667	06/03/10 14:27
cis-1,3-Dichloropropene	< .001	/l			WG481667	06/03/10 14:27
Di-isopropyl ether	< .001	mg/l			WG481667	06/03/10 14:27
Dibromomethane	< .001	mg/l			WG481667	06/03/10 14:27
Dichlorodifluoromethane	< .001	mg/l			WG481667	06/03/10 14:27
Ethylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
Hexachloro-1,3-butadiene	< .001	mg/l			WG481667	06/03/10 14:27
Isopropylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
Methyl tert-butyl ether	< .001	mg/l			WG481667	06/03/10 14:27
Methylene Chloride	< .005	mg/l			WG481667	06/03/10 14:27
n-Butylbenzene	< .001	/l			WG481667	06/03/10 14:27
n-Propylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
Naphthalene	< .005	mg/l			WG481667	06/03/10 14:27
p-Isopropyltoluene	< .001	/l			WG481667	06/03/10 14:27
sec-Butylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
Styrene	< .001	mg/l			WG481667	06/03/10 14:27
tert-Butylbenzene	< .001	/l			WG481667	06/03/10 14:27
Tetrachloroethene	< .001	mg/l			WG481667	06/03/10 14:27
Toluene	< .005	mg/l			WG481667	06/03/10 14:27
trans-1,2-Dichloroethene	< .001	/l			WG481667	06/03/10 14:27
trans-1,3-Dichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
Trichloroethene	< .001	mg/l			WG481667	06/03/10 14:27
Trichlorofluoromethane	< .005	/l			WG481667	06/03/10 14:27
Vinyl chloride	< .001	mg/l			WG481667	06/03/10 14:27
Xylenes, Total	< .003	mg/l			WG481667	06/03/10 14:27
4-Bromofluorobenzene		% Rec	5.96	75-128	WG481667	06/03/10 14:27
Dibromofluoromethane		% Rec.	92.73	79-125	WG481667	06/03/10 14:27
Toluene-d8		% Rec.	95.06	87-114	WG481667	06/03/10 14:27

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0275	110	75-128	WG481197
1,1,1-Trichloroethane	mg/l	.025	0.0229	91.7	67-137	WG481197
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0290	116	72-128	WG481197
1,1,2-Trichloroethane	mg/l	.025	0.0267	107	123	WG481197
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0237	94.7	51-149	WG481197
1,1-Dichloroethane	mg/l	.025	0.0233	93.3	67-133	WG481197
1,1-Dichloroethane	mg/l	.025	0.0212	84.8	130	WG481197
1,1-Dichloropropene	mg/l	.025	0.0240	95.9	68-132	WG481197
1,2,3-Trichlorobenzene	mg/l	.025	0.0274	110	63-138	WG481197
1,2,3-Trichloropropane	mg/l	.025	0.0276	110	68-130	WG481197
1,2,3-Trimethylbenzene	mg/l	.025	0.0259	104	70-127	WG481197
1,2,4-Trichlorobenzene	mg/l	.025	0.0314	125	65-137	WG481197
1,2,4-Trimethylbenzene	mg/l	.025	0.0288	115	72-135	WG481197

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0239	95.4	55-131	WG481197
1,2-Dibromoethane	mg/l	.025	0.0273	109.	75-126	WG481197
1,2-Dichlorobenzene	mg/l	.025	0.0268	107.	75-122	WG481197
1,2-Dichloroethane	mg/l	.025	0.0256	.	63-137	WG481197
1,2-Dichloropropane	mg/l	.025	0.0245	97.9	74-122	WG481197
1,3,5-Trimethylbenzene	mg/l	.025	0.0287	115.	73-134	WG481197
1,3-Dichlorobenzene	mg/l	5	0.0280	112	73-131	WG481197
1,3-Dichloropropane	mg/l	.025	0.0266	107.	77-119	WG481197
1,4-Dichlorobenzene	mg/l	.025	0.0253	101.	70-121	WG481197
2,2-Dichloropropane	mg/l	5	0.0244	97.8	6-151	WG481197
2-Butanone (MEK)	mg/l	.125	0.123	98.5	53-132	WG481197
2-Chloroethyl vinyl ether	mg/l	.125	0.141	113.	0-171	WG481197
2-Chlorotoluene	mg/l	5	0.026	106	74-128	WG481197
4-Chlorotoluene	mg/l	.025	0.0269	107.	74-130	WG481197
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.143	114.	60-142	WG481197
Acetone	mg/l	5	0.120	96.0	8-134	WG481197
Acrolein	mg/l	.125	0.129	103.	6-182	WG481197
Acrylonitrile	mg/l	.125	0.133	106.	60-140	WG481197
Benzene	mg/l	5	0.0243	97.3	67-126	WG481197
Bromobenzene	mg/l	.025	0.0275	110.	76-123	WG481197
Bromodichloromethane	mg/l	.025	0.0261	105.	68-133	WG481197
Bromoform	mg/l	5	0.0272	109.	60-139	WG481197
Bromomethane	mg/l	.025	0.0242	96.6	45-175	WG481197
Carbon tetrachloride	mg/l	.025	0.0246	98.6	64-141	WG481197
Chlorobenzene	mg/l	.025	0.0263	105	77-125	WG481197
Chlorodibromomethane	mg/l	.025	0.0277	111.	73-138	WG481197
Chloroethane	mg/l	.025	0.0215	86.0	49-155	WG481197
Chloroform	mg/l	.025	0.0240	96.	66-126	WG481197
Chloromethane	mg/l	.025	0.0176	70.3	45-152	WG481197
cis-1,2-Dichloroethene	mg/l	.025	0.0240	96.0	72-128	WG481197
cis-1,3-Dichloropropene	mg/l	.025	0.0242	96.8	73-131	WG481197
Di-isopropyl ether	mg/l	.025	0.0248	99.2	63-139	WG481197
Dibromomethane	mg/l	.025	0.0251	100.	73-125	WG481197
Dichlorodifluoromethane	mg/l	.025	0.0201	80.3	39-180	WG481197
Ethylbenzene	mg/l	.025	0.0260	104.	76-129	WG481197
Hexachloro-1,3-butadiene	mg/l	.025	0.0275	110.	67-135	WG481197
Isopropylbenzene	mg/l	.025	0.0274	110.	73-132	WG481197
Methyl tert-butyl ether	mg/l	.025	0.0250	99.8	51-142	WG481197
Methylene Chloride	mg/l	.025	0.0229	91.4	64-125	WG481197
n-Butylbenzene	mg/l	.025	0.0287	115	63-140	WG481197
n-Propylbenzene	mg/l	.025	0.0266	106.	71-132	WG481197
Naphthalene	mg/l	.025	0.0294	118.	56-145	WG481197
p-Isopropyltoluene	mg/l	.025	0.0300	120	68-138	WG481197
sec-Butylbenzene	mg/l	.025	0.0288	115.	70-135	WG481197
Styrene	mg/l	.025	0.0254	102.	78-130	WG481197
tert-Butylbenzene	mg/l	.025	0.0295	118	72-134	WG481197
Tetrachloroethene	mg/l	.025	0.0240	96.1	67-135	WG481197
Toluene	mg/l	.025	0.0243	97.1	72-122	WG481197
trans-1,2-Dichloroethane	mg/l	.025	0.0220	88.	67-129	WG481197
trans-1,3-Dichloropropene	mg/l	.025	0.0227	90.7	66-137	WG481197
Trichloroethene	mg/l	.025	0.0234	93.6	74-126	WG481197
Trichlorofluoromethane	mg/l	.025	0.023	4.8	54-156	WG481197
Vinyl chloride	mg/l	.025	0.0224	89.5	55-153	WG481197
Xylenes, Total	mg/l	.075	0.0821	109.	75-128	WG481197
4-Bromofluorobenzene				106	75-128	WG481197
Dibromofluoromethane				95.36	79-125	WG481197
Toluene-d8				96.60	87-114	WG481197

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0258	103.6	123	WG481309
1,1,1-Trichloroethane	mg/l	.025	0.0266	106.4	67-137	WG481309
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0271	108.4	72-128	WG481309
1,1,2-Trichloroethane	mg/l	.025	0.025	.	123	WG481309
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0249	99.4	51-149	WG481309
1,1-Dichloroethane	mg/l	.025	0.0272	109.	67-133	WG481309
1,1-Dichloroethene	mg/l	5	0.0236	94.4	60-130	WG481309
1,1-Dichloropropene	mg/l	.025	0.0269	108.	68-132	WG481309
1,2,3-Trichlorobenzene	mg/l	.025	0.0269	108.	63-138	WG481309
1,2,3-Trichloropropene	mg/l	5	0.0281	112	68-130	WG481309
1,2,3-Trimethylbenzene	mg/l	.025	0.0247	98.8	70-127	WG481309
1,2,4-Trichlorobenzene	mg/l	.025	0.0238	95.1	65-137	WG481309
1,2,4-Trimethylbenzene	mg/l	5	0.0246	98.5	72-135	WG481309
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0276	110.	55-134	WG481309
1,2-Dibromoethane	mg/l	.025	0.0272	109.	75-126	WG481309
1,2-Dichlorobenzene	mg/l	5	0.0251	100	75-122	WG481309
1,2-Dichloroethane	mg/l	.025	0.0265	106.	63-137	WG481309
1,2-Dichloropropene	mg/l	.025	0.0253	101.	74-122	WG481309
1,3,5-Trimethylbenzene	mg/l	5	0.0253	101	73-134	WG481309
1,3-Dichlorobenzene	mg/l	.025	0.0258	103.	73-131	WG481309
1,3-Dichloropropene	mg/l	.025	0.0251	100.	77-119	WG481309
1,4-Dichlorobenzene	mg/l	5	0.0259	103	70-121	WG481309
2,2-Dichloropropene	mg/l	.025	0.0256	102.	46-151	WG481309
2-Butanone (MEK)	mg/l	.125	0.148	119.	53-132	WG481309
2-Chloroethyl vinyl ether	mg/l	.125	0.120	95.8	0-171	81309
2-Chlorotoluene	mg/l	.025	0.0246	98.5	74-128	WG481309
4-Chlorotoluene	mg/l	.025	0.0249	99.7	74-130	WG481309
4-Methyl-2-pentanone (M	mg/l	.125	0.136	109	60-142	WG481309
Acetone	mg/l	.125	0.143	114.	48-134	WG481309
Acrolein	mg/l	.125	0.140	112.	6-182	WG481309
Acrylonitrile	mg/l	.125	0.153	122	60-140	WG481309
Benzene	mg/l	.025	0.0267	107.	67-126	WG481309
Bromobenzene	mg/l	.025	0.0238	95.3	76-123	WG481309
Bromodichloromethane	mg/l	.025	0.0259	104	68-133	WG481309
Bromoform	mg/l	.025	0.0279	111.	60-139	WG481309
Bromomethane	mg/l	.025	0.0252	101.	45-175	WG481309
Carbon tetrachloride	mg/l	.025	0.0276	110	64-141	WG481309
Chlorobenzene	mg/l	.025	0.0252	101.	77-125	WG481309
Chlorodibromomethane	mg/l	.025	0.0257	103.	73-138	WG481309
Chloroethane	mg/l	.025	0.0247	98.9	49-155	WG481309
Chloroform	mg/l	.025	0.0271	108.	66-126	WG481309
Chloromethane	mg/l	.025	0.0268	107.	45-152	WG481309
cis-1,2-Dichloroethene	mg/l	.025	0.0265	106	72-128	WG481309
cis-1,3-Dichloropropene	mg/l	.025	0.0269	108.	73-131	WG481309
Di-isopropyl ether	mg/l	.025	0.0239	95.7	63-139	WG481309
Dibromomethane	mg/l	.025	0.0269	107	73-125	WG481309
Dichlorodifluoromethane	mg/l	.025	0.0180	72.0	39-189	WG481309
Ethylbenzene	mg/l	.025	0.0252	101.	76-129	WG481309
Hexachloro-1,3-butadiene	mg/l	.025	0.0245	98.0	67-135	WG481309
Isopropylbenzene	mg/l	.025	0.0248	99.3	73-132	WG481309
Methyl tert-butyl ether	mg/l	.025	0.0277	111.	51-142	WG481309
Methylene Chloride	mg/l	.025	0.0269	108	64-125	WG481309
n-Butylbenzene	mg/l	.025	0.0255	102.	63-142	WG481309
n-Propylbenzene	mg/l	.025	0.0253	101.	71-132	WG481309
Naphthalene	mg/l	.02	0.0253	101.	56-145	WG481309
p-Isopropyltoluene	mg/l	.025	0.0248	99.2	68-138	WG481309
sec-Butylbenzene	mg/l	.025	0.0253	101.	70-135	WG481309
Styrene	mg/l	.02	0.0253	101.	78-130	WG481309
tert-Butylbenzene	mg/l	.025	0.0248	99.0	72-134	WG481309

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Tetrachloroethene	mg/l	.025	0.025	-	67-133	WG481309
Toluene	mg/l	.025	0.0230	91.8	72-122	WG481309
trans-1,2-Dichloroethene	mg/l	.025	0.0268	107.	67-129	WG481309
trans-1,3-Dichloropropene	mg/l	.025	0.0269	108.	66-137	WG481309
Trichloroethene	mg/l	.025	0.0261	104.	74-126	WG481309
Trichlorofluoromethane	mg/l	.025	0.0244	97.7	54-156	WG481309
Vinyl chloride	mg/l	.025	0.0214	85.8	55-153	WG481309
Xylenes, Total	mg/l	.075	0.0721	96.2	75-128	WG481309
4-Bromofluorobenzene				93.67	75-128	WG481309
Dibromofluoromethane				106.8	79-125	WG481309
Toluene-d8				97.38	87-114	WG481309
1,1,1,2-Tetrachloroethane	mg/l	5	0.0257	103	75-134	WG481355
1,1,1-Trichloroethane	mg/l	.025	0.0343	137.*	67-137	WG481355
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0241	96.3	72-128	WG481355
1,1,2-Trichloroethane	mg/l	5	0.0227	90.	79-123	WG481355
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0308	123.	51-149	WG481355
1,1-Dichloroethane	mg/l	.025	0.0287	115.	67-133	WG481355
1,1-Dichloroethene	mg/l	5	0.0268	107	60-130	WG481355
1,1-Dichloropropene	mg/l	.025	0.0314	125.	68-132	WG481355
1,2,3-Trichlorobenzene	mg/l	.025	0.0248	99.3	63-138	WG481355
1,2,3-Trichloropropene	mg/l	5	0.0243	97.2	68-130	WG481355
1,2,3-Trimethylbenzene	mg/l	.025	0.0250	100.	70-127	WG481355
1,2,4-Trichlorobenzene	mg/l	.025	0.0272	109.	65-137	WG481355
1,2,4-Trimethylbenzene	mg/l	.025	0.0268	107	72-135	WG481355
1,2-Dibromo-3-Chloropropene	mg/l	.025	0.0196	78.3	55-134	WG481355
1,2-Dibromoethane	mg/l	.025	0.0222	88.7	75-126	WG481355
1,2-Dichlorobenzene	mg/l	.025	0.0259	104	75-122	WG481355
1,2-Dichloroethane	mg/l	.025	0.0275	110.	63-137	WG481355
1,2-Dichloropropene	mg/l	.025	0.0237	94.9	74-122	WG481355
1,3,5-Trimethylbenzene	mg/l	.025	0.0269	108	73-134	WG481355
1,3-Dichlorobenzene	mg/l	.025	0.0270	108.	73-131	WG481355
1,3-Dichloropropene	mg/l	.025	0.0239	95.4	77-119	WG481355
1,4-Dichlorobenzene	mg/l	.025	0.0251	100	70-121	WG481355
2,2-Dichloropropene	mg/l	.025	0.0305	122.	46-151	WG481355
2-Butanone (MEK)	mg/l	.125	0.117	93.4	53-132	WG481355
2-Chloroethyl vinyl ether	mg/l	.125	0.125	8	0-100	WG481355
2-Chlorotoluene	mg/l	.025	0.0274	110.	74-128	WG481355
4-Chlorotoluene	mg/l	.025	0.0280	112.	74-130	WG481355
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.120	96.3	60-142	WG481355
Acetone	mg/l	.125	0.115	92.2	48-134	WG481355
Acrolein	mg/l	.125	0.119	95.5	6-182	WG481355
Acrylonitrile	mg/l	.125	0.125	7	60-140	WG481355
Benzene	mg/l	.025	0.0261	104.	67-126	WG481355
Bromobenzene	mg/l	.025	0.0277	111.	76-123	WG481355
Bromodichloromethane	mg/l	.025	0.0285	114	68-133	WG481355
Bromoform	mg/l	.025	0.0235	93.9	60-139	WG481355
Bromomethane	mg/l	.025	0.0337	135.	45-175	WG481355
Carbon tetrachloride	mg/l	.025	0.0332	133	64-141	WG481355
Chlorobenzene	mg/l	.025	0.0237	94.8	77-125	WG481355
Chlorodibromomethane	mg/l	.025	0.0258	103.	73-138	WG481355
Chloroethane	mg/l	.025	0.0307	123	49-155	WG481355
Chloroform	mg/l	.025	0.0253	101.	66-126	WG481355
Chloromethane	mg/l	.025	0.0237	94.9	45-152	WG481355
cis-1,2-Dichloroethene	mg/l	.02	0.0264	103	72-128	WG481355
cis-1,3-Dichloropropene	mg/l	.025	0.0252	101.	73-131	WG481355
Di-isopropyl ether	mg/l	.025	0.0297	119.	63-139	WG481355
Dibromomethane	mg/l	.02	0.0242	99.9	73-125	WG481355

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Dichlorodifluoromethane	mg/l	.025	0.0332		100	WG481355
Ethylbenzene	mg/l	.025	0.0243	97.1	76-129	WG481355
Hexachloro-1,3-butadiene	mg/l	.025	0.0257	103.	67-135	WG481355
Isopropylbenzene	mg/l	.025	0.0279		132	WG481355
Methyl tert-butyl ether	mg/l	.025	0.0253	101.	51-142	WG481355
Methylene Chloride	mg/l	.025	0.0235	93.8	64-125	WG481355
n-Butylbenzene	mg/l	5	0.0304	122	63-142	WG481355
n-Propylbenzene	mg/l	.025	0.0280	112.	71-132	WG481355
Naphthalene	mg/l	.025	0.0235	93.9	56-145	WG481355
p-Isopropyltoluene	mg/l	5	0.0278	111	68-138	WG481355
sec-Butylbenzene	mg/l	.025	0.0286	114.	70-135	WG481355
Styrene	mg/l	.025	0.0269	108.	78-130	WG481355
tert-Butylbenzene	mg/l	5	0.0279	112	72-134	WG481355
Tetrachloroethane	mg/l	.025	0.0258	103.	67-135	WG481355
Toluene	mg/l	.025	0.0257	103.	72-122	WG481355
trans-1,2-Dichloroethene	mg/l	5	0.0282	113	67-133	WG481355
trans-1,3-Dichloropropene	mg/l	.025	0.0280	112.	66-137	WG481355
Trichloroethene	mg/l	.025	0.0255	102.	74-126	WG481355
Trichlorofluoromethane	mg/l	5	0.0389	156	54-156	WG481355
Vinyl chloride	mg/l	.025	0.0281	113.	55-153	WG481355
Xylenes, Total	mg/l	.075	0.0754	101.	75-128	WG481355
4-Bromofluorobenzene				105.6	75-128	WG481355
Dibromofluoromethane				103.5	79-125	WG481355
Toluene-d8				102.5	87-114	WG481355
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0264	106.	75-134	WG481382
1,1,1-Trichloroethane	mg/l	.025	0.0251	100.	67-137	WG481382
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0275	110.	72-128	WG481382
1,1,2-Trichloroethane	mg/l	.025	0.0247	98.7	79-123	WG481382
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0249	99.6	51-149	WG481382
1,1-Dichloroethane	mg/l	.025	0.0251	100	67-133	WG481382
1,1-Dichloroethene	mg/l	.025	0.0225	90.0	60-130	WG481382
1,1-Dichloropropene	mg/l	.025	0.0259	104.	68-132	WG481382
1,2,3-Trichlorobenzene	mg/l	.025	0.0246	98.6	63-138	WG481382
1,2,3-Trichloropropene	mg/l	.025	0.0264	106.	68-130	WG481382
1,2,3-Trimethylbenzene	mg/l	.025	0.0269	108.	70-127	WG481382
1,2,4-Trichlorobenzene	mg/l	.025	0.0275	110.	65-137	WG481382
1,2,4-Trimethylbenzene	mg/l	.025	0.0280	112.	72-135	WG481382
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0246	98.2	55-134	WG481382
1,2-Dibromoethane	mg/l	.025	0.0260	104	75-126	WG481382
1,2-Dichlorobenzene	mg/l	.025	0.0267	107.	75-122	WG481382
1,2-Dichloroethane	mg/l	.025	0.0264	106.	63-137	WG481382
1,2-Dichloropropene	mg/l	.025	0.0264	106	74-122	WG481382
1,3,5-Trimethylbenzene	mg/l	.025	0.0282	113.	73-134	WG481382
1,3-Dichlorobenzene	mg/l	.025	0.0273	109.	73-131	WG481382
1,3-Dichloropropene	mg/l	.025	0.0252	101	77-119	WG481382
1,4-Dichlorobenzene	mg/l	.025	0.0258	103.	70-121	WG481382
2,2-Dichloropropene	mg/l	.025	0.0256	102.	46-151	WG481382
2-Butanone (MEK)	mg/l	.125	0.123	98.0	53-132	WG481382
2-Chloroethyl vinyl ether	mg/l	.125	0.144	116.	0-171	WG481382
2-Chlorotoluene	mg/l	.025	0.0260	104.	74-128	WG481382
4-Chlorotoluene	mg/l	.025	0.0266	107	74-130	WG481382
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.148	118.	60-142	WG481382
Acetone	mg/l	.125	0.120	96.2	48-134	WG481382
Acrolein	mg/l	.125	0.108	86.1	6-132	WG481382
Acrylonitrile	mg/l	.125	0.133	107.	60-140	WG481382
Benzene	mg/l	.025	0.0261	104.	67-126	WG481382
Bromobenzene	mg/l	.02	0.0272	100	76-123	WG481382

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Bromodichloromethane	mg/l	.025	0.0282	-	68-133	WG481382
Bromoform	mg/l	.025	0.0248	99.2	60-139	WG481382
Bromomethane	mg/l	.025	0.0221	88.4	45-175	WG481382
Carbon tetrachloride	mg/l	.025	0.0262	105.	64-141	WG481382
Chlorobenzene	mg/l	.025	0.0251	100.	77-125	WG481382
Chlorodibromomethane	mg/l	.025	0.0250	100.	73-138	WG481382
Chloroethane	mg/l	5	0.0278	111	155	WG481382
Chloroform	mg/l	.025	0.0253	101.	66-126	WG481382
Chloromethane	mg/l	.025	0.0162	64.9	45-152	WG481382
cis-1,2-Dichloroethene	mg/l	5	0.0240	99.2	72-128	WG481382
cis-1,3-Dichloropropene	mg/l	.025	0.0259	104.	73-131	WG481382
Di-isopropyl ether	mg/l	.025	0.0257	103.	63-139	WG481382
Dibromomethane	mg/l	5	0.0264	106	73-125	WG481382
Dichlorodifluoromethane	mg/l	.025	0.0232	93.0	39-189	WG481382
Ethylbenzene	mg/l	.025	0.0255	102.	76-129	WG481382
Hexachloro-1,3-butadiene	mg/l	5	0.0256	102	67-135	WG481382
Isopropylbenzene	mg/l	.025	0.0270	108.	73-132	WG481382
Methyl tert-butyl ether	mg/l	.025	0.0253	101.	51-142	WG481382
Methylene Chloride	mg/l	5	0.0238	95.	64-125	WG481382
n-Butylbenzene	mg/l	.025	0.0302	121.	63-142	WG481382
n-Propylbenzene	mg/l	.025	0.0263	105.	71-132	WG481382
Naphthalene	mg/l	5	0.0265	106	56-145	WG481382
p-Isopropyltoluene	mg/l	.025	0.0293	117.	68-138	WG481382
sec-Butylbenzene	mg/l	.025	0.0282	113.	70-135	WG481382
Styrene	mg/l	.025	0.0245	98.0	78-130	WG481382
tert-Butylbenzene	mg/l	.025	0.0283	113.	72-134	WG481382
Tetrachloroethene	mg/l	.025	0.0239	95.5	67-135	WG481382
Toluene	mg/l	.025	0.0255	102	72-122	WG481382
trans-1,2-Dichloroethene	mg/l	.025	0.0243	97.1	67-129	WG481382
trans-1,3-Dichloropropene	mg/l	.025	0.0239	95.8	66-137	WG481382
Trichloroethene	mg/l	.025	0.0244	97.6	74-126	WG481382
Trichlorofluoromethane	mg/l	.025	0.0277	111.	54-156	WG481382
Vinyl chloride	mg/l	.025	0.0239	95.5	55-153	WG481382
Xylenes, Total	mg/l	.075	0.0798	106.	75-128	WG481382
4-Bromofluorobenzene				100.1	75-128	WG481382
Dibromofluoromethane				100.5	79-125	WG481382
Toluene-d8				99.23	87-114	WG481382
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0253	101.	75-134	WG481381
1,1,1-Trichloroethane	mg/l	.025	0.0244	77.7	67-137	WG481381
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0271	108.	72-128	WG481381
1,1,2-Trichloroethane	mg/l	.025	0.0250	100.	79-123	WG481381
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0256	102	51-149	WG481381
1,1-Dichloroethane	mg/l	.025	0.0240	96.1	67-133	WG481381
1,1-Dichloroethene	mg/l	.025	0.0231	92.5	60-130	WG481381
1,1 Dichloropropene	mg/l	.025	0.0253	101	68-132	WG481381
1,2,3-Trichlorobenzene	mg/l	.025	0.0243	97.3	63-138	WG481381
1,2,3-Trichloropropene	mg/l	.025	0.0256	102.	68-130	WG481381
1,2,3-Trimethylbenzene	mg/l	.025	0.0283	113	70-127	WG481381
1,2,4-Trichlorobenzene	mg/l	.025	0.0273	109.	65-137	WG481381
1,2,4-Trimethylbenzene	mg/l	.025	0.0270	108.	72-135	WG481381
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0223	89.3	55-134	WG481381
1,2-Dibromoethane	mg/l	.025	0.0263	105.	75-126	WG481381
1,2-Dichlorobenzene	mg/l	.025	0.0280	112.	75-122	WG481381
1,2-Dichloroethane	mg/l	.02	0.0261	105.	63-137	WG481381
1,2-Dichloropropane	mg/l	.025	0.0249	99.6	74-122	WG481381
1,3,5-Trimethylbenzene	mg/l	.025	0.0272	109.	73-134	WG481381
1,3-Dichlorobenzene	mg/l	.02	0.0256	105.	73-131	WG481381

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,3-Dichloropropane	mg/l	.025	0.025		125	WG481381
1,4-Dichlorobenzene	mg/l	.025	0.0270	108.	70-121	WG481381
2,2-Dichloropropane	mg/l	.025	0.0252	101.	46-151	WG481381
2-Butanone (MEK)	mg/l	.125	0.128	102	138	WG481381
2-Chloroethyl vinyl ether	mg/l	.125	0.145	116.	0-171	WG481381
2-Chlorotoluene	mg/l	.025	0.0253	101.	74-128	WG481381
4-Chlorotoluene	mg/l	5	0.0246	98.5	74-130	WG481381
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.134	107.	60-142	WG481381
Acetone	mg/l	.125	0.120	96.2	48-134	WG481381
Acrolein	mg/l	5	0.131	10	6-188	WG481381
Acrylonitrile	mg/l	.125	0.132	105.	60-140	WG481381
Benzene	mg/l	.025	0.0261	104.	67-126	WG481381
Bromobenzene	mg/l	5	0.0269	108	76-123	WG481381
Bromodichloromethane	mg/l	.025	0.0268	107.	68-133	WG481381
Bromoform	mg/l	.025	0.0253	101.	60-139	WG481381
Bromomethane	mg/l	5	0.0363	145.	45-175	WG481381
Carbon tetrachloride	mg/l	.025	0.0261	104.	64-141	WG481381
Chlorobenzene	mg/l	.025	0.0243	97.3	77-125	WG481381
Chlorodibromomethane	mg/l	5	0.0247	98.	73-138	WG481381
Chloroethane	mg/l	.025	0.0298	119.	49-155	WG481381
Chloroform	mg/l	.025	0.0246	98.4	66-126	WG481381
Chloromethane	mg/l	5	0.0195	78.0	45-152	WG481381
cis-1,2-Dichloroethene	mg/l	.025	0.0242	96.8	72-128	WG481381
cis-1,3-Dichloropropene	mg/l	.025	0.0243	97.3	73-131	WG481381
Di-isopropyl ether	mg/l	.025	0.0252	101	63-139	WG481381
Dibromomethane	mg/l	.025	0.0253	101.	73-125	WG481381
Dichlorodifluoromethane	mg/l	.025	0.0247	98.9	39-189	WG481381
Ethylbenzene	mg/l	.025	0.0244	97.6	76-128	WG481381
Hexachloro-1,3-butadiene	mg/l	.025	0.0255	102.	67-135	WG481381
Isopropylbenzene	mg/l	.025	0.0243	97.2	73-132	WG481381
Methyl tert-butyl ether	mg/l	.025	0.0254	102.	51-142	WG481381
Methylene Chloride	mg/l	.025	0.0229	91.5	64-125	WG481381
n-Butylbenzene	mg/l	.025	0.0313	125.	63-142	WG481381
n-Propylbenzene	mg/l	.025	0.0258	103	71-132	WG481381
Naphthalene	mg/l	.025	0.0261	105.	56-145	WG481381
p-Isopropyltoluene	mg/l	.025	0.0278	111.	68-138	WG481381
sec-Butylbenzene	mg/l	.025	0.0256	102	70-1	WG481381
Styrene	mg/l	.025	0.0240	96.1	78-130	WG481381
tert-Butylbenzene	mg/l	.025	0.0272	109.	72-134	WG481381
Tetrachloroethene	mg/l	.025	0.0241	96.3	67-138	WG481381
Toluene	mg/l	.025	0.0227	90.8	72-122	WG481381
trans-1,2-Dichloroethene	mg/l	.025	0.0239	95.7	67-129	WG481381
trans-1,3-Dichloropropene	mg/l	.025	0.0218	87.0	66-137	WG481381
Trichloroethene	mg/l	.025	0.0239	95.4	74-126	WG481381
Trichlorofluoromethane	mg/l	.025	0.0289	116.	54-156	WG481381
Vinyl chloride	mg/l	.025	0.0272	109	55-153	WG481381
Xylenes, Total	mg/l	.075	0.0778	104.	75-128	WG481381
4-Bromofluorobenzene				98.01	75-128	WG481381
Dibromofluoromethane				97.12	79-125	WG481381
Toluene-d8				93.37	87-114	WG481381
1,2,4-Trimethylbenzene	mg/l	5	0.0239	5.7	72-135	481568
Benzene	mg/l	.025	0.0217	86.7	67-126	WG481568
cis-1,2-Dichloroethene	mg/l	.025	0.0232	93.0	72-128	WG481568
Ethylbenzene	mg/l	.02	0.0248	99.4	76-128	WG481568
Tetrachloroethene	mg/l	.025	0.0253	101.	67-135	WG481568
Vinyl chloride	mg/l	.025	0.0218	87.1	55-153	WG481568
Xylenes, Total	mg/l	.075	0.071	5.6	75-128	WG481568

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
4-Bromofluorobenzene	mg/l		100.5	100.5	75-128	WG481596
Dibromofluoromethane	mg/l		97.04	97.04	79-125	WG481596
Toluene-d8	mg/l		103.4	103.4	87-114	WG481596
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0254	101.6	101.6	WG481596
1,1,1-Trichloroethane	mg/l	.025	0.0294	117.	67-137	WG481596
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0244	97.7	72-128	WG481596
1,1,2-Trichloroethane	mg/l	5	0.0243	97.0	79-123	WG481596
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0352	141.	51-149	WG481596
1,1-Dichloroethane	mg/l	.025	0.0302	121.	67-133	WG481596
1,1-Dichloroethene	mg/l	5	0.0314	102.8	60-130	WG481596
1,1-Dichloropropene	mg/l	.025	0.0303	121.	68-132	WG481596
1,2,3-Trichlorobenzene	mg/l	.025	0.0207	82.8	63-138	WG481596
1,2,3-Trichloropropene	mg/l	5	0.0233	93.4	68-130	WG481596
1,2,3-Trimethylbenzene	mg/l	.025	0.0233	93.0	70-127	WG481596
1,2,4-Trichlorobenzene	mg/l	.025	0.0265	106.	65-137	WG481596
1,2,4-Trimethylbenzene	mg/l	5	0.025	102	72-135	WG481596
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0200	79.9	55-134	WG481596
1,2-Dibromoethane	mg/l	.025	0.0239	95.6	75-126	WG481596
1,2-Dichlorobenzene	mg/l	5	0.0260	104	75-122	WG481596
1,2-Dichloroethane	mg/l	.025	0.0290	116.	63-137	WG481596
1,2-Dichloropropene	mg/l	.025	0.0246	98.2	74-122	WG481596
1,3,5-Trimethylbenzene	mg/l	5	0.0268	107.	73-134	WG481596
1,3-Dichlorobenzene	mg/l	.025	0.0246	98.4	73-131	WG481596
1,3-Dichloropropene	mg/l	.025	0.0252	101.	77-119	WG481596
1,4-Dichlorobenzene	mg/l	.025	0.0233	93.2	70-121	WG481596
2,2-Dichloropropene	mg/l	.025	0.0308	123.	46-151	WG481596
2-Butanone (MEK)	mg/l	.125	0.126	101.	53-132	WG481596
2-Chloroethyl vinyl ether	mg/l	.125	0.132	106.	0-171	81596
2-Chlorotoluene	mg/l	.025	0.0241	96.6	74-128	WG481596
4-Chlorotoluene	mg/l	.025	0.0249	99.5	74-130	WG481596
4-Methyl-2-pentanone (M)	mg/l	.125	0.133	106	60-142	WG481596
Acetone	mg/l	.125	0.130	104.	48-134	WG481596
Acrolein	mg/l	.125	0.0295	23.6	6-182	WG481596
Acrylonitrile	mg/l	.025	0.151	120.	60-140	WG481596
Benzene	mg/l	.025	0.0288	115.	67-126	WG481596
Bromobenzene	mg/l	.025	0.0257	103.	76-123	WG481596
Bromodichloromethane	mg/l	.025	0.0256	10	68-133	WG481596
Bromoform	mg/l	.025	0.0207	82.9	60-139	WG481596
Bromomethane	mg/l	.025	0.0448	179.*	45-175	WG481596
Carbon tetrachloride	mg/l	.025	0.0309	124.	64-141	WG481596
Chlorobenzene	mg/l	.025	0.0243	97.2	77-125	WG481596
Chlorodibromomethane	mg/l	.025	0.0250	100.	73-138	WG481596
Chloroethane	mg/l	.025	0.0379	152	49-155	WG481596
Chloroform	mg/l	.025	0.0290	116.	66-126	WG481596
Chloromethane	mg/l	.025	0.0228	91.1	45-152	WG481596
cis-1,2-Dichloroethene	mg/l	.025	0.0283	113	72-128	WG481596
cis-1,3-Dichloropropene	mg/l	.025	0.0226	90.3	73-131	WG481596
Di-isopropyl ether	mg/l	.025	0.0302	121.	63-139	WG481596
Dibromomethane	mg/l	.025	0.0244	7.6	73-125	WG481596
Dichlorodifluoromethane	mg/l	.025	0.0308	123.	39-189	WG481596
Ethylbenzene	mg/l	.025	0.0252	101.	76-129	WG481596
Hexachloro-1,3-butadiene	mg/l	.025	0.0241	6.4	67-135	WG481596
Isopropylbenzene	mg/l	.025	0.0263	105.	73-132	WG481596
Methyl tert-butyl ether	mg/l	.025	0.0308	123.	51-142	WG481596
Methylene Chloride	mg/l	.02	0.0292	117	64-125	WG481596
n-Butylbenzene	mg/l	.025	0.0285	114.	63-142	WG481596
n-Propylbenzene	mg/l	.025	0.0253	101.	71-132	WG481596
Naphthalene	mg/l	.02	0.022	10.3	56-145	WG481596
p-Isopropyltoluene	mg/l	.025	0.0267	107.	68-138	WG481596

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
sec-Butylbenzene	mg/l	.025	0.0268	.	135	WG481596
Styrene	mg/l	.025	0.0210	84.2	78-130	WG481596
tert-Butylbenzene	mg/l	.025	0.0269	108.	72-134	WG481596
Tetrachloroethene	mg/l	.025	0.0220		67-135	WG481596
Toluene	mg/l	.025	0.0253	101.	72-122	WG481596
trans-1,2-Dichloroethene	mg/l	.025	0.0291	117.	67-129	WG481596
trans-1,3-Dichloropropene	mg/l	5	0.0222	88.8	66-137	WG481596
Trichloroethene	mg/l	.025	0.0234	93.5	74-126	WG481596
Trichlorofluoromethane	mg/l	.025	0.0326	130.	54-156	WG481596
Vinyl chloride	mg/l	5	0.0293	117	55-153	WG481596
Xylenes, Total	mg/l	.075	0.0725	96.6	75-128	WG481596
4-Bromofluorobenzene				93.53	75-128	WG481596
Dibromofluoromethane				112.2	79-125	WG481596
Toluene-d8				98.46	87-114	WG481596
1,1,1,2-Tetrachloroethane	mg/l	5	0.028	114	75-134	WG481667
1,1,1-Trichloroethane	mg/l	.025	0.0272	109.	67-137	WG481667
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0200	80.0	72-128	WG481667
1,1,2-Trichloroethane	mg/l	5	0.0263	10	79-123	WG481667
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0251	101.	51-149	WG481667
1,1-Dichloroethane	mg/l	.025	0.0222	88.9	67-133	WG481667
1,1-Dichloroethene	mg/l	5	0.0210	84.2	60-130	WG481667
1,1-Dichloropropene	mg/l	.025	0.0248	99.3	68-132	WG481667
1,2,3-Trichlorobenzene	mg/l	.025	0.0217	87.0	63-138	WG481667
1,2,3-Trichloropropane	mg/l	.025	0.0244	97.8	68-130	WG481667
1,2,3-Trimethylbenzene	mg/l	.025	0.0294	118.	70-127	WG481667
1,2,4-Trichlorobenzene	mg/l	.025	0.0213	85.2	65-137	WG481667
1,2,4-Trimethylbenzene	mg/l	.025	0.0285	114.	72-135	WG481667
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0226	90.4	55-134	WG481667
1,2-Dibromoethane	mg/l	.025	0.0283	113.	75-126	WG481667
1,2-Dichlorobenzene	mg/l	.025	0.0282	113	75-122	WG481667
1,2-Dichloroethane	mg/l	.025	0.0264	106.	63-137	WG481667
1,2-Dichloropropane	mg/l	.025	0.0241	96.5	74-122	WG481667
1,3,5-Trimethylbenzene	mg/l	.025	0.0286	11	73-134	WG481667
1,3-Dichlorobenzene	mg/l	.025	0.0269	107.	73-131	WG481667
1,3-Dichloropropane	mg/l	.025	0.0253	101.	77-119	WG481667
1,4-Dichlorobenzene	mg/l	.025	0.0283	113	70-121	WG481667
2,2-Dichloropropane	mg/l	.025	0.0261	105.	46-151	WG481667
2-Butanone (MEK)	mg/l	.125	0.0983	78.7	53-132	WG481667
2-Chloroethyl vinyl ether	mg/l	.125	0.128	102	0-175	WG481667
2-Chlorotoluene	mg/l	.025	0.0293	117.	74-128	WG481667
4-Chlorotoluene	mg/l	.025	0.0282	113.	74-130	WG481667
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.128	103	60-142	WG481667
Acetone	mg/l	.125	0.105	83.8	48-134	WG481667
Acrolein	mg/l	.125	0.0988	79.0	6-182	WG481667
Acrylonitrile	mg/l	.125	0.0892	71.3	60-140	WG481667
Benzene	mg/l	.025	0.0208	83.0	67-126	WG481667
Bromobenzene	mg/l	.025	0.0269	108.	76-123	WG481667
Bromodichloromethane	mg/l	.025	0.0284	114	68-133	WG481667
Bromoform	mg/l	.025	0.0289	116.	60-139	WG481667
Bromomethane	mg/l	.025	0.0277	111.	45-175	WG481667
Carbon tetrachloride	mg/l	.025	0.0265	106	64-141	WG481667
Chlorobenzene	mg/l	.025	0.0258	103.	77-125	WG481667
Chlorodibromomethane	mg/l	.025	0.0313	125.	73-138	WG481667
Chloroethane	mg/l	.02	0.028	99.5	49-155	WG481667
Chloroform	mg/l	.025	0.0249	99.5	66-126	WG481667
Chloromethane	mg/l	.025	0.0142	57.0	45-152	WG481667
cis-1,2-Dichloroethene	mg/l	.02	0.021	86.0	72-128	WG481667

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
cis-1,3-Dichloropropene	mg/l	.025	0.0268	-	131	WG481667
Di-isopropyl ether	mg/l	.025	0.0221	88.5	63-139	WG481667
Dibromomethane	mg/l	.025	0.0264	106.	73-125	WG481667
Dichlorodifluoromethane	mg/l	.025	0.0419	168.	39-189	WG481667
Ethylbenzene	mg/l	.025	0.0268	107.	76-129	WG481667
Hexachloro-1,3-butadiene	mg/l	.025	0.0292	117.	67-135	WG481667
Isopropylbenzene	mg/l	5	0.0278	111	73-132	WG481667
Methyl tert-butyl ether	mg/l	.025	0.0249	99.5	51-142	WG481667
Methylene Chloride	mg/l	.025	0.0198	79.1	64-125	WG481667
n-Butylbenzene	mg/l	5	0.0261	104	63-142	WG481667
n-Propylbenzene	mg/l	.025	0.0269	108.	71-132	WG481667
Naphthalene	mg/l	.025	0.0191	76.2	56-145	WG481667
p-Isopropyltoluene	mg/l	5	0.0287	11	68-138	WG481667
sec-Butylbenzene	mg/l	.025	0.0271	108.	70-135	WG481667
Styrene	mg/l	.025	0.0261	104.	78-130	WG481667
tert-Butylbenzene	mg/l	5	0.0291	116	72-134	WG481667
Tetrachloroethene	mg/l	.025	0.0305	122.	67-135	WG481667
Toluene	mg/l	.025	0.0242	96.8	72-122	WG481667
trans-1,2-Dichloroethene	mg/l	5	0.0223	89.0	67-128	WG481667
trans-1,3-Dichloropropene	mg/l	.025	0.0284	114.	66-137	WG481667
Trichloroethene	mg/l	.025	0.0268	107.	74-126	WG481667
Trichlorofluoromethane	mg/l	5	0.0347	139.	54-156	WG481667
Vinyl chloride	mg/l	.025	0.0196	78.6	55-153	WG481667
Xylenes, Total	mg/l	.075	0.0767	102.	75-128	WG481667
4-Bromofluorobenzene				92.83	75-128	WG481667
Dibromofluoromethane				88.31	79-125	WG481667
Toluene-d8				95.33	87-114	WG481667

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	%Rec				
1,1,1,2-Tetrachloroethane	mg/l	0.0232	0.0275	107.	73-125	2.92	20	WG481197
1,1,1-Trichloroethane	mg/l	0.0232	0.0229	93.0	67-137	1.30	20	WG481197
1,1,2,2-Tetrachloroethane	mg/l	0.0273	0.0290	109.	72-128	6.10	20	WG481197
1,1,2-Trichloroethane	mg/l	0.0249	0.0267	99.0	73-123	-	20	WG481197
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0225	0.0237	90.0	51-149	5.06	20	WG481197
1,1-Dichloroethane	mg/l	0.0229	0.0233	92.0	67-133	1.68	20	WG481197
1,1-Dichloroethene	mg/l	0.0197	0.0222	79.0	-	-	20	WG481197
1,1-Dichloropropene	mg/l	0.0228	0.0240	91.0	68-132	5.09	20	WG481197
1,2,3-Trichlorobenzene	mg/l	0.0260	0.0274	104.	63-138	5.47	20	WG481197
1,2,3-Trichloropropene	mg/l	0.0255	0.0276	102.	71-130	8.00	20	WG481197
1,2,3-Trimethylbenzene	mg/l	0.0244	0.0259	97.0	70-127	6.19	20	WG481197
1,2,4-Trichlorobenzene	mg/l	0.0287	0.0314	115.	65-137	8.69	20	WG481197
1,2,4-Trimethylbenzene	mg/l	0.0267	0.0288	107.	73-131	7.53	20	WG481197
1,2-Dibromo-3-Chloropropane	mg/l	0.0240	0.0239	96.0	55-134	0.600	20	WG481197
1,2-Dibromoethane	mg/l	0.0252	0.0273	101.	75-126	8.13	20	WG481197
1,2-Dichlorobenzene	mg/l	0.0256	0.0258	102.	2	4.50	20	WG481197
1,2-Dichloroethane	mg/l	0.0237	0.0256	95.0	63-137	7.62	20	WG481197
1,2-Dichloropropene	mg/l	0.0233	0.0245	93.0	74-122	4.87	20	WG481197
1,3,5-Trimethylbenzene	mg/l	0.0266	0.0287	106.	73-134	7.1	20	WG481197
1,3-Dichlorobenzene	mg/l	0.0259	0.0280	104.	73-131	7.53	20	WG481197
1,3-Dichloropropane	mg/l	0.0248	0.0266	99.0	77-119	6.93	20	WG481197
1,4-Dichlorobenzene	mg/l	0.0248	0.0253	90.	73-131	7.1	20	WG481197
2,2-Dichloropropene	mg/l	0.0236	0.0244	94.0	46-151	3.65	20	WG481197
2-Butanone (MEK)	mg/l	0.123	0.123	98.0	53-132	0.0700	20	WG481197
2-Chloroethyl vinyl ether	mg/l	1	0.141	8.	0-171	3.	27	WG481197
2-Chlorotoluene	mg/l	0.0242	0.0265	97.0	74-128	8.99	20	WG481197
4-Chlorotoluene	mg/l	0.0255	0.0269	102.	74-130	5.09	20	WG481197
4-Methyl-2-pentanone (MIBK)	mg/l	138	0.143	111.	60-142	3.20	20	WG481197

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	tRec				
Acetone	mg/l	0.11	0.120	93.0	48-134	3.	20	WG481197
Acrolein	mg/l	0.125	0.129	100.	6-182	3.13	39	WG481197
Acrylonitrile	mg/l	0.130	0.133	104.	60-140	2.07	20	WG481197
Benzene	mg/l	0.0240	0.0243	100.	37-126	2.07	20	WG481197
Bromobenzene	mg/l	0.0266	0.0275	106.	76-123	3.11	20	WG481197
Bromodichloromethane	mg/l	0.0251	0.0261	100.	68-133	4.20	20	WG481197
Bromoform	mg/l	0.0250	0.0272	100.	44-139	8.	0	WG481197
Bromomethane	mg/l	0.0216	0.0242	86.0	45-175	11.1	20	WG481197
Carbon tetrachloride	mg/l	0.0241	0.0246	96.0	64-141	2.07	20	WG481197
Chlorobenzene	mg/l	0.0252	0.0263	101.	7-125	.4	0	WG481197
Chlorodibromomethane	mg/l	0.0254	0.0277	102.	73-138	8.59	20	WG481197
Chloroethane	mg/l	0.0203	0.0215	81.0	49-155	5.72	20	WG481197
Chloroform	mg/l	0.02	0.0240	94.	6-126	2.6	0	WG481197
Chloromethane	mg/l	0.0165	0.0176	66.0	45-152	6.19	20	WG481197
cis-1,2-Dichloroethene	mg/l	0.0234	0.0240	93.0	72-128	2.72	20	WG481197
cis-1,3-Dichloropropene	mg/l	0.02	0.0242	93.	3-13	.6	0	WG481197
Di-isopropyl ether	mg/l	0.0247	0.0248	99.0	63-139	0.540	20	WG481197
Dibromomethane	mg/l	0.0235	0.0251	94.0	73-125	6.71	20	WG481197
Dichlorodifluoromethane	mg/l	0.0201	0.0201	100.	9-189	0.0100	0	WG481197
Ethylbenzene	mg/l	0.0255	0.0260	102.	76-129	1.94	20	WG481197
Hexachloro-1,3-butadiene	mg/l	0.0266	0.0275	106.	67-135	3.19	20	WG481197
Isopropylbenzene	mg/l	0.0260	0.0274	104.	3-132	2.07	20	WG481197
Methyl tert-butyl ether	mg/l	0.0246	0.0250	98.0	51-142	1.39	20	WG481197
Methylene Chloride	mg/l	0.0216	0.0229	86.0	64-125	5.41	20	WG481197
n-Butylbenzene	mg/l	0.0273	0.0287	109.	3-142	4.9	0	WG481197
n-Propylbenzene	mg/l	0.0248	0.0266	99.0	71-132	7.24	20	WG481197
Naphthalene	mg/l	0.0279	0.0294	112.	56-145	5.29	20	WG481197
p-Isopropyltoluene	mg/l	0.0281	0.0300	112.	33-138	6.7	0	WG481197
sec-Butylbenzene	mg/l	0.0269	0.0288	108.	70-135	6.84	20	WG481197
Styrene	mg/l	0.0244	0.0254	98.0	78-130	4.04	20	WG481197
tert-Butylbenzene	mg/l	0.0273	0.0295	109.	2-134	7.	0	WG481197
Tetrachloroethene	mg/l	0.0229	0.0240	92.0	67-135	4.71	20	WG481197
Toluene	mg/l	0.0237	0.0243	95.0	72-122	2.51	20	WG481197
trans-1,2-Dichloroethene	mg/l	0.0218	0.022	87.	7-129	1.39	20	WG481197
trans-1,3-Dichloropropene	mg/l	0.0216	0.0227	86.0	66-137	4.88	20	WG481197
Trichloroethene	mg/l	0.0223	0.0234	89.0	74-126	4.86	20	WG481197
Trichlorofluoromethane	mg/l	0.0226	0.0237	98.0	4-156	4.82	0	WG481197
Vinyl chloride	mg/l	0.0211	0.0224	84.0	55-153	6.07	20	WG481197
Xylenes, Total	mg/l	0.0776	0.0821	104.	75-128	5.58	20	WG481197
4-Bromofluorobenzene				104.	-128			WG481197
Dibromofluoromethane				96.79	79-125			WG481197
Toluene-d8				97.42	87-114			WG481197
1,1,1,2-Tetrachloroethane	mg/l	0.0268	0.0258	107.	75-134	3.46	20	WG481309
1,1,1-Trichloroethane	mg/l	0.0259	0.0266	104.	67-137	2.40	20	WG481309
1,1,2,2-Tetrachloroethane	mg/l	0.0250	0.0271	100.	2-128	7.	0	WG481309
1,1,2-Trichloroethane	mg/l	0.0269	0.0257	108.	79-123	4.60	20	WG481309
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0218	0.0249	87.0	51-149	13.3	20	WG481309
1,1-Dichloroethane	mg/l	0.0259	0.0272	102.	7-133	6.51	20	WG481309
1,1-Dichloroethene	mg/l	0.0197	0.0236	79.0	60-130	17.9	20	WG481309
1,1-Dichloropropene	mg/l	0.0249	0.0269	100.	68-132	7.96	20	WG481309
1,2,3-Trichlorobenzene	mg/l	0.02	0.0269	109.	3-138	1.2	20	WG481309
1,2,3-Trichloropropene	mg/l	0.0263	0.0281	105.	68-130	6.43	20	WG481309
1,2,3-Trimethylbenzene	mg/l	0.0265	0.0247	106.	70-127	6.98	20	WG481309
1,2,4-Trichlorobenzene	mg/l	0.0235	0.0238	98.0	73-137	0.950	20	WG481309
1,2,4-Trimethylbenzene	mg/l	0.0236	0.0246	94.0	72-135	4.07	20	WG481309
1,2-Dibromo-3-Chloropropane	mg/l	0.0256	0.0276	102.	55-134	7.47	20	WG481309
1,2-Dibromoethane	mg/l	0.0260	0.0272	104.	75-126	4.	20	WG481309

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control		Sample Duplicate		Limit	RPD	Limit	Batch
		Result	Ref	Rec	Rec				
1,2-Dichlorobenzene	mg/l	0.0251	0.0251	95.0	75-122	20	5.78	20	WG481309
1,2-Dichloroethane	mg/l	0.0251	0.0265	100.	63-137	20	5.78	20	WG481309
1,2-Dichloropropane	mg/l	0.0264	0.0253	106.	74-122	20	4.54	20	WG481309
1,3,5-Trimethylbenzene	mg/l	0.0253	0.0253	95.0	75-134	20	8.53	20	WG481309
1,3-Dichlorobenzene	mg/l	0.0256	0.0258	102.	73-131	20	0.570	20	WG481309
1,3-Dichloropropane	mg/l	0.0259	0.0251	104.	77-119	20	3.34	20	WG481309
1,4-Dichlorobenzene	mg/l	0.0274	0.0259	110.	0-12	20	5.73	0	WG481309
2,2-Dichloropropane	mg/l	0.0254	0.0256	101.	46-151	20	1.00	20	WG481309
2-Butanone (MEK)	mg/l	0.140	0.148	112.	53-132	20	6.04	20	WG481309
2-Chloroethyl vinyl ether	mg/l	0.11	0.120	94.	-171	20	2.2	0	WG481309
2-Chlorotoluene	mg/l	0.0232	0.0246	93.0	74-128	20	5.96	20	WG481309
4-Chlorotoluene	mg/l	0.0235	0.0249	94.0	74-130	20	5.78	20	WG481309
4-Methyl-2-pentanone (Methyl Ethyl Ketone)	mg/l	0.13	0.136	103.0	60-142	20	6	0	WG481309
Acetone	mg/l	0.122	0.143	98.0	48-134	20	15.7	20	WG481309
Acrolein	mg/l	0.113	0.140	91.0	6-182	39	21.0	0	WG481309
Acrylonitrile	mg/l	0.13	0.153	10	0-140	20	12	0	WG481309
Benzene	mg/l	0.0252	0.0267	101.	67-126	20	5.99	20	WG481309
Bromobenzene	mg/l	0.0234	0.0238	94.0	76-123	20	1.62	20	WG481309
Bromodichloromethane	mg/l	0.0273	0.0259	109.	60-133	20	5.2	0	WG481309
Bromoform	mg/l	0.0258	0.0279	103.	60-139	20	7.66	20	WG481309
Bromomethane	mg/l	0.0234	0.0252	93.0	45-175	20	7.36	20	WG481309
Carbon tetrachloride	mg/l	0.0262	0.0276	105.	4-1	20	5.2	0	WG481309
Chlorobenzene	mg/l	0.0247	0.0252	99.0	77-125	20	2.07	20	WG481309
Chlorodibromomethane	mg/l	0.0280	0.0257	112.	73-138	20	8.40	20	WG481309
Chloroethane	mg/l	0.0222	0.0247	89.	9-155	20	10.7	0	WG481309
Chloroform	mg/l	0.0258	0.0271	103.	66-126	20	4.96	20	WG481309
Chloromethane	mg/l	0.0233	0.0268	93.0	45-152	20	14.0	20	WG481309
cis-1,2-Dichloroethene	mg/l	0.02	0.0265	107.	2-128	0	0.890	0	WG481309
cis-1,3-Dichloropropene	mg/l	0.0285	0.0269	114.	73-131	20	5.84	20	WG481309
Di-isopropyl ether	mg/l	0.0215	0.0239	86.0	63-139	20	10.6	20	WG481309
Dibromomethane	mg/l	0.0281	0.026	112.	3-125	0	4.5	0	WG481309
Dichlorodifluoromethane	mg/l	0.0159	0.0180	63.0	39-189	24	12.7	20	WG481309
Ethylbenzene	mg/l	0.0256	0.0252	102.	76-129	20	1.63	20	WG481309
Hexachloro-1,3-butadiene	mg/l	0.0233	0.0245	93.	7-135	20	2.22	20	WG481309
Isopropylbenzene	mg/l	0.0194	0.0248	78.0	73-132	20	24.4*	20	WG481309
Methyl tert-butyl ether	mg/l	0.0254	0.0277	102.	51-142	20	8.63	20	WG481309
Methylene Chloride	mg/l	0.0217	0.0269	87.	4-12	0	21.3*	0	WG481309
n-Butylbenzene	mg/l	0.0265	0.0255	106.	63-142	20	3.82	20	WG481309
n-Propylbenzene	mg/l	0.0232	0.0253	93.0	71-132	20	8.85	20	WG481309
Naphthalene	mg/l	0.0245	0.0253	93.0	6-14	20	3.25	20	WG481309
p-Isopropyltoluene	mg/l	0.0244	0.0248	98.0	68-138	20	1.65	20	WG481309
sec-Butylbenzene	mg/l	0.0241	0.0253	96.0	70-135	20	5.20	20	WG481309
Styrene	mg/l	0.0240	0.0253	96.0	8-130	0	5.	0	WG481309
tert-Butylbenzene	mg/l	0.0219	0.0248	88.0	72-134	20	12.2	20	WG481309
Tetrachloroethene	mg/l	0.0254	0.0257	102.	67-135	20	1.20	20	WG481309
Toluene	mg/l	0.0243	0.0230	97.0	2-122	0	5.7	0	WG481309
trans-1,2-Dichloroethene	mg/l	0.0252	0.0268	101.	67-129	20	6.40	20	WG481309
trans-1,3-Dichloropropene	mg/l	0.0267	0.0269	107.	66-137	20	1.06	20	WG481309
Trichloroethene	mg/l	0.0264	0.0261	106.	4-126	20	1.33	20	WG481309
Trichlorofluoromethane	mg/l	0.0228	0.0244	91.0	54-156	20	7.04	20	WG481309
Vinyl chloride	mg/l	0.0188	0.0214	75.0	55-153	20	13.1	20	WG481309
Xylenes, Total	mg/l	0.0754	0.0721	100.	75-128	20	4.4	20	WG481309
4-Bromofluorobenzene				82.52	75-128				WG481309
Dibromofluoromethane				101.7	79-125				WG481309
Toluene-d8				101.3	75-114				WG481309
1,1,1,2-Tetrachloroethane	mg/l	0.0232	0.0257	93.0	75-134	20	10.1	20	WG481355
1,1,1-Trichloroethane	mg/l	0.0243	0.0343	115.	7-137	20	1.880	20	WG481355

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control		Sample Duplicate		Limit	RPD	Limit	Batch
		Result	Ref	tRec	tRec				
1,1,2,2-Tetrachloroethane	mg/l	0.0226	0.0241	81.0	81.0	-128	13.0	20	WG481355
1,1,2-Trichloroethane	mg/l	0.0203	0.0227	81.0	81.0	9-123	10.8	20	WG481355
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0354	0.0308	142.	142.	51-149	14.0	20	WG481355
1,1-Dichloroethane	mg/l	0.0274	0.0287	110.	110.	-133	20	20	WG481355
1,1-Dichloroethene	mg/l	0.0296	0.0268	118.	118.	60-130	10.1	20	WG481355
1,1-Dichloropropene	mg/l	0.0258	0.0314	103.	103.	68-132	19.4	20	WG481355
1,2,3-Trichlorobenzene	mg/l	0.0224	0.0248	91.0	91.0	43-138	8.87	0	WG481355
1,2,3-Trichloropropane	mg/l	0.0213	0.0243	85.0	85.0	68-130	13.0	20	WG481355
1,2,3-Trimethylbenzene	mg/l	0.0204	0.0250	82.0	82.0	70-127	20.3*	20	WG481355
1,2,4-Trichlorobenzene	mg/l	0.0248	0.0272	99.	99.	-13	8.8	0	WG481355
1,2,4-Trimethylbenzene	mg/l	0.0223	0.0268	89.0	89.0	72-135	18.3	20	WG481355
1,2-Dibromo-3-Chloropropane	mg/l	0.0168	0.0196	67.0	67.0	55-134	15.3	20	WG481355
1,2-Dibromoethane	mg/l	0.0200	0.0222	81.	81.	-126	10	0	WG481355
1,2-Dichlorobenzene	mg/l	0.0222	0.0259	89.0	89.0	75-122	15.6	20	WG481355
1,2-Dichloroethane	mg/l	0.0228	0.0275	91.0	91.0	63-137	18.7	20	WG481355
1,2-Dichloropropene	mg/l	0.0210	0.0237	81.	81.	-122	12.	0	WG481355
1,3,5-Trimethylbenzene	mg/l	0.0230	0.0269	92.0	92.0	73-134	16.0	20	WG481355
1,3-Dichlorobenzene	mg/l	0.0235	0.0270	94.0	94.0	73-131	13.9	20	WG481355
1,3-Dichloropropene	mg/l	0.0212	0.0239	85.	85.	7-119	12.	0	WG481355
1,4-Dichlorobenzene	mg/l	0.0227	0.0251	91.0	91.0	70-121	9.78	20	WG481355
2,2-Dichloropropane	mg/l	0.0287	0.0305	115.	115.	46-151	5.99	20	WG481355
2-Butanone (MEK)	mg/l	0.1	0.125	82.0	82.0	-132	13.	0	WG481355
2-Chloroethyl vinyl ether	mg/l	0.110	0.125	88.0	88.0	0-171	12.3	27	WG481355
2-Chlorotoluene	mg/l	0.0235	0.0274	94.0	94.0	74-128	15.2	20	WG481355
4-Chlorotoluene	mg/l	0.0238	0.0280	95.	95.	4-130	16.	0	WG481355
4-Methyl-2-pentanone (MIBK)	mg/l	0.110	0.120	88.0	88.0	60-142	9.39	20	WG481355
Acetone	mg/l	0.128	0.115	102.	102.	48-134	10.6	20	WG481355
Acrolein	mg/l	0.0225	0.119	23.	23.	-182	123.*	9	WG481355
Acrylonitrile	mg/l	0.126	0.125	100.	100.	60-140	0.750	20	WG481355
Benzene	mg/l	0.0237	0.0261	95.0	95.0	67-126	9.62	20	WG481355
Bromobenzene	mg/l	0.02	0.0277	95.	95.	6-123	15.	0	WG481355
Bromodichloromethane	mg/l	0.0236	0.0285	94.0	94.0	68-133	18.8	20	WG481355
Bromoform	mg/l	0.0211	0.0235	84.0	84.0	60-139	10.7	20	WG481355
Bromomethane	mg/l	0.0313	0.0337	125.	125.	5-175	7.42	20	WG481355
Carbon tetrachloride	mg/l	0.0273	0.0332	109.	109.	64-141	19.3	20	WG481355
Chlorobenzene	mg/l	0.0216	0.0237	86.0	86.0	77-125	9.18	20	WG481355
Chlorodibromomethane	mg/l	0.0230	0.0258	82.	82.	3-138	11.4	0	WG481355
Chloroethane	mg/l	0.0283	0.0307	113.	113.	49-155	8.23	20	WG481355
Chloroform	mg/l	0.0237	0.0253	95.0	95.0	66-126	6.33	20	WG481355
Chloromethane	mg/l	0.0196	0.0237	78.0	78.0	-152	18.0	20	WG481355
cis-1,2-Dichloroethene	mg/l	0.0251	0.0264	100.	100.	72-128	5.03	20	WG481355
cis-1,3-Dichloropropene	mg/l	0.0214	0.0252	86.0	86.0	73-131	16.1	20	WG481355
Di-isopropyl ether	mg/l	0.0225	0.0297	115.	115.	3-139	2.93	0	WG481355
Dibromomethane	mg/l	0.0207	0.0242	83.0	83.0	73-125	15.6	20	WG481355
Dichlorodifluoromethane	mg/l	0.0337	0.0332	135.	135.	39-189	1.42	24	WG481355
Ethylbenzene	mg/l	0.0222	0.0243	89.0	89.0	6-129	8.9	0	WG481355
Hexachloro-1,3-butadiene	mg/l	0.0223	0.0257	89.0	89.0	67-135	14.4	20	WG481355
Isopropylbenzene	mg/l	0.0266	0.0279	106.	106.	73-132	5.03	20	WG481355
Methyl tert-butyl ether	mg/l	0.0266	0.0253	106.	106.	-142	4.	20	WG481355
Methylene Chloride	mg/l	0.0257	0.0235	103.	103.	64-125	9.14	20	WG481355
n-Butylbenzene	mg/l	0.0261	0.0304	104.	104.	63-142	15.4	20	WG481355
n-Propylbenzene	mg/l	0.0243	0.0280	97.	97.	1-132	14.	20	WG481355
Naphthalene	mg/l	0.0207	0.0235	83.0	83.0	56-145	12.7	20	WG481355
p-Isopropyltoluene	mg/l	0.0239	0.0278	96.0	96.0	68-138	14.9	20	WG481355
sec-Butylbenzene	mg/l	0.0248	0.0286	99.	99.	70-135	14.	20	WG481355
Styrene	mg/l	0.0230	0.0269	92.0	92.0	78-130	15.7	20	WG481355
tert-Butylbenzene	mg/l	0.0242	0.0279	97.0	97.0	72-134	14.1	20	WG481355
Tetrachloroethene	mg/l	0.0232	0.0253	93.	93.	77-135	10.	20	WG481355
Toluene	mg/l	0.0226	0.0257	90.0	90.0	72-122	12.7	20	WG481355

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L460652

May 10, 2011

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	Rec				
trans-1,2-Dichloroethene	mg/l	0.0259	0.028	104.	7-128	1.38	20	WG481355
trans-1,3-Dichloropropene	mg/l	0.0238	0.0280	95.0	66-137	16.1	20	WG481355
Trichloroethene	mg/l	0.0225	0.0255	90.0	74-126	12.6	20	WG481355
Trichlorofluoromethane	mg/l	0.0319	0.0389	120.	75-128	12.6	20	WG481355
Vinyl chloride	mg/l	0.0247	0.0281	99.0	55-153	13.1	20	WG481355
Xylenes, Total	mg/l	0.0665	0.0754	89.0	75-128	12.6	20	WG481355
4-Bromofluorobenzene				103.2	-128			WG481355
Dibromofluoromethane				91.84	79-125			WG481355
Toluene-d8				99.61	87-114			WG481355
1,1,1,2-Tetrachloroethane	mg/l	0.0263	0.0264	105.	75-134	0.510	20	WG481382
1,1,1-Trichloroethane	mg/l	0.0261	0.0251	104.	67-137	3.83	20	WG481382
1,1,2,2-Tetrachloroethane	mg/l	0.0262	0.027	10	2-128		0	WG481382
1,1,2-Trichloroethane	mg/l	0.0251	0.0247	100.	79-123	1.77	20	WG481382
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0259	0.0249	104.	51-149	3.97	20	WG481382
1,1-Dichloroethane	mg/l	0.0255	0.0251	102.	7-133	1.52	0	WG481382
1,1-Dichloroethene	mg/l	0.0227	0.0225	91.0	60-130	0.880	20	WG481382
1,1-Dichloropropene	mg/l	0.0262	0.0259	105.	68-132	0.860	20	WG481382
1,2,3-Trichlorobenzene	mg/l	0.0241	0.0246	96.	3-138	2.	0	WG481382
1,2,3-Trichloropropene	mg/l	0.0256	0.0264	102.	68-130	3.27	20	WG481382
1,2,3-Trimethylbenzene	mg/l	0.0273	0.0269	109.	70-127	1.61	20	WG481382
1,2,4-Trichlorobenzene	mg/l	0.0281	0.0275	112.	5-137	1.9	0	WG481382
1,2,4-Trimethylbenzene	mg/l	0.0277	0.0280	111.	72-135	0.910	20	WG481382
1,2-Dibromo-3-Chloropropane	mg/l	0.0233	0.0246	93.0	55-134	5.13	20	WG481382
1,2-Dibromoethane	mg/l	0.02	0.026	102.	5-126	1.	0	WG481382
1,2-Dichlorobenzene	mg/l	0.0280	0.0267	112.	75-122	4.60	20	WG481382
1,2-Dichloroethane	mg/l	0.0267	0.0264	107.	63-137	0.800	20	WG481382
1,2-Dichloropropane	mg/l	0.02	0.0264	106.	5-122	0.460	0	WG481382
1,3,5-Trimethylbenzene	mg/l	0.0279	0.0282	112.	73-134	0.770	20	WG481382
1,3-Dichlorobenzene	mg/l	0.0267	0.0273	107.	73-131	2.13	20	WG481382
1,3-Dichloropropane	mg/l	0.0246	0.0252	98.	7-119	2.27	0	WG481382
1,4-Dichlorobenzene	mg/l	0.0271	0.0258	108.	70-121	4.64	20	WG481382
2,2-Dichloropropane	mg/l	0.0262	0.0256	105.	46-151	2.45	20	WG481382
2-Butanone (MEK)	mg/l	0.12	0.123	101.	-132	3.43	20	WG481382
2-Chloroethyl vinyl ether	mg/l	0.139	0.144	111.	0-171	3.99	27	WG481382
2-Chlorotoluene	mg/l	0.0256	0.0260	102.	74-128	1.40	20	WG481382
4-Chlorotoluene	mg/l	0.0264	0.0266	106.	4-130	0.920	0	WG481382
4-Methyl-2-pentanone (MIBK)	mg/l	0.141	0.148	113.	60-142	4.26	20	WG481382
Acetone	mg/l	0.120	0.120	96.0	48-134	0.500	20	WG481382
Acrolein	mg/l	0.12	0.108	100.	182	14	9	WG481382
Acrylonitrile	mg/l	0.131	0.133	104.	60-140	2.03	20	WG481382
Benzene	mg/l	0.0271	0.0261	108.	67-126	3.71	20	WG481382
Bromobenzene	mg/l	0.0265	0.0272	106.	6-123	2.68	0	WG481382
Bromodichloromethane	mg/l	0.0265	0.0282	106.	68-133	6.26	20	WG481382
Bromoform	mg/l	0.0232	0.0248	93.0	60-139	6.80	20	WG481382
Bromomethane	mg/l	0.0232	0.0221	93.0	5-17	4.	0	WG481382
Carbon tetrachloride	mg/l	0.0261	0.0262	104.	64-141	0.520	20	WG481382
Chlorobenzene	mg/l	0.0257	0.0251	103.	77-125	2.24	20	WG481382
Chlorodibromomethane	mg/l	0.0258	0.0250	103.	3-138	2.9	20	WG481382
Chloroethane	mg/l	0.0271	0.0278	108.	49-155	2.72	20	WG481382
Chloroform	mg/l	0.0258	0.0253	103.	66-126	2.06	20	WG481382
Chloromethane	mg/l	0.0162	0.0162	65.	5-152	0.270	20	WG481382
cis-1,2-Dichloroethene	mg/l	0.0251	0.0248	100.	72-128	1.32	20	WG481382
cis-1,3-Dichloropropene	mg/l	0.0253	0.0259	101.	73-131	2.68	20	WG481382
Di-isopropyl ether	mg/l	0.0266	0.0258	106.	3-139	3.	20	WG481382
Dibromomethane	mg/l	0.0257	0.0264	103.	73-125	2.68	20	WG481382
Dichlorodifluoromethane	mg/l	0.0220	0.0232	88.0	39-189	5.69	24	WG481382
Ethylbenzene	mg/l	0.0262	0.0255	105.	5-129		20	WG481382

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L460652

May 10, 2011

Analyte	Laboratory Control Sample Duplicate				Limit	RPD	Limit	Batch
	Units	Result	Ref	tRec				
Hexachloro-1,3-butadiene	mg/l	0.0265	0.0256	107.	3-132	0.560	20	WG481382
Isopropylbenzene	mg/l	0.0269	0.0270	107.	3-132	0.560	20	WG481382
Methyl tert-butyl ether	mg/l	0.0255	0.0253	102.	51-142	1.08	20	WG481382
Methylene Chloride	mg/l	0.0240	0.0238	102.	51-125	1.07	20	WG481382
n-Butylbenzene	mg/l	0.0308	0.0302	123.	63-142	1.98	20	WG481382
n-Propylbenzene	mg/l	0.0260	0.0263	104.	71-132	1.08	20	WG481382
Naphthalene	mg/l	0.0262	0.0265	103.	63-145	1.02	20	WG481382
p-Isopropyltoluene	mg/l	0.0291	0.0293	116.	68-138	0.650	20	WG481382
sec-Butylbenzene	mg/l	0.0282	0.0282	113.	70-135	0.270	20	WG481382
Styrene	mg/l	0.0248	0.0245	99.	8-130	1.	0	WG481382
tert-Butylbenzene	mg/l	0.0277	0.0283	111.	72-134	2.06	20	WG481382
Tetrachloroethene	mg/l	0.0241	0.0239	96.0	67-135	1.04	20	WG481382
Toluene	mg/l	0.0256	0.0255	102.	2-122	0.0700	0	WG481382
trans-1,2-Dichloroethene	mg/l	0.0244	0.0243	98.0	67-129	0.560	20	WG481382
trans-1,3-Dichloropropene	mg/l	0.0231	0.0239	92.0	66-137	3.78	20	WG481382
Trichloroethene	mg/l	0.02	0.024	95.	-126	2.73	0	WG481382
Trichlorofluoromethane	mg/l	0.0272	0.0277	109.	54-156	1.82	20	WG481382
Vinyl chloride	mg/l	0.0238	0.0239	95.0	55-153	0.350	20	WG481382
Xylenes, Total	mg/l	0.0790	0.0798	10	-128	1.	0	WG481382
4-Bromofluorobenzene				96.42	75-128			WG481382
Dibromofluoromethane				97.01	79-125			WG481382
Toluene-d8				96.98	7-114			WG481382
1,1,1,2-Tetrachloroethane	mg/l	0.0238	0.0253	95.0	75-134	5.97	20	WG481381
1,1 1-Trichloroethane	mg/l	0.0241	0.0244	96.	7-137	1.3	0	WG481381
1,1,2,2-Tetrachloroethane	mg/l	0.0262	0.0271	105.	72-128	3.29	20	WG481381
1,1,2-Trichloroethane	mg/l	0.0241	0.0250	96.0	79-123	3.65	20	WG481381
1,1 2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0235	0.0256	96.	1-149	6.72	0	WG481381
1,1-Dichloroethane	mg/l	0.0235	0.0240	94.0	67-133	2.38	20	WG481381
1,1-Dichloroethane	mg/l	0.0211	0.0231	84.0	60-130	8.98	20	WG481381
1,1-Dichloropropene	mg/l	0.0240	0.0253	96.	8-132	5.2	0	WG481381
1,2,3-Trichlorobenzene	mg/l	0.0254	0.0243	101.	63-138	4.17	20	WG481381
1,2,3-Trichloropropene	mg/l	0.0254	0.0256	101.	68-130	0.800	20	WG481381
1,2,3-Trimethylbenzene	mg/l	0.0252	0.0283	101.	0-127	11.4	20	WG481381
1,2,4-Trichlorobenzene	mg/l	0.0294	0.0273	118.	65-137	7.42	20	WG481381
1,2,4-Trimethylbenzene	mg/l	0.0246	0.0270	98.0	72-135	9.39	20	WG481381
1,2-Dibromo-3-Chloropropene	mg/l	0.0241	0.022	96.0	-134	7.5	0	WG481381
1,2-Dibromoethane	mg/l	0.0233	0.0263	93.0	75-126	12.0	20	WG481381
1,2-Dichlorobenzene	mg/l	0.0272	0.0280	109.	75-122	3.14	20	WG481381
1,2-Dichloroethane	mg/l	0.0235	0.0261	6.	3-137	1.71	0	WG481381
1,2-Dichloropropene	mg/l	0.0245	0.0249	98.0	74-122	1.48	20	WG481381
1,3,5-Trimethylbenzene	mg/l	0.0266	0.0272	106.	73-134	2.21	20	WG481381
1,3-Dichlorobenzene	mg/l	0.0236	0.0256	94.0	3-13	8.34	0	WG481381
1,3-Dichloropropene	mg/l	0.0251	0.0257	100.	77-119	2.52	20	WG481381
1,4-Dichlorobenzene	mg/l	0.0246	0.0270	98.0	70-121	9.21	20	WG481381
2,2-Dichloropropene	mg/l	0.0243	0.0252	97.0	6-15	3.7	0	WG481381
2-Butanone (MEK)	mg/l	0.123	0.128	99.0	53-132	3.75	20	WG481381
2-Chloroethyl vinyl ether	mg/l	0.139	0.145	111.	0-171	4.37	27	WG481381
2-Chlorotoluene	mg/l	0.0248	0.0253	99.0	4-128	2.2	20	WG481381
4-Chlorotoluene	mg/l	0.0261	0.0246	104.	74-130	6.00	20	WG481381
4-Methyl-2-pentanone (MIBK)	mg/l	0.149	0.134	119.	60-142	10.6	20	WG481381
Acetone	mg/l	0.125	0.120	96.	8-134	0.240	2	WG481381
Acrolein	mg/l	0.124	0.131	100.	6-182	4.82	39	WG481381
Acrylonitrile	mg/l	0.134	0.132	107.	60-140	1.61	20	WG481381
Benzene	mg/l	0.0246	0.0261	98.	7-126	5.80	20	WG481381
Bromobenzene	mg/l	0.0245	0.0269	98.0	76-123	9.32	20	WG481381
Bromodichloromethane	mg/l	0.0269	0.0268	108.	68-133	0.480	20	WG481381
Bromoforn	mg/l	0.0245	0.0253	100.	7-139	0.850	20	WG481381

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	Rec				
Bromomethane	mg/l	0.0302	0.0363	145.0	0.0302	2.10	20	WG481381
Carbon tetrachloride	mg/l	0.0258	0.0261	103.0	64-141	1.10	20	WG481381
Chlorobenzene	mg/l	0.0235	0.0243	94.0	77-125	3.43	20	WG481381
Chlorodibromomethane	mg/l	0.0247	0.0247	101.0	-138	2.05	20	WG481381
Chloroethane	mg/l	0.0317	0.0298	127.0	49-155	6.02	20	WG481381
Chloroform	mg/l	0.0247	0.0246	99.0	66-126	0.340	20	WG481381
Chloromethane	mg/l	0.0174	0.0195	69.0	5-152	11.0	0	WG481381
cis-1,2-Dichloroethene	mg/l	0.0236	0.0242	94.0	72-128	2.29	20	WG481381
cis-1,3-Dichloropropene	mg/l	0.0247	0.0243	99.0	73-131	1.74	20	WG481381
Di-isopropyl ether	mg/l	0.0241	0.0252	96.0	3-139	0	0	WG481381
Dibromomethane	mg/l	0.0239	0.0253	96.0	73-125	5.60	20	WG481381
Dichlorodifluoromethane	mg/l	0.0231	0.0247	92.0	39-189	6.62	24	WG481381
Ethylbenzene	mg/l	0.0236	0.024	94.0	6-129	2	0	WG481381
Hexachloro-1,3-butadiene	mg/l	0.0274	0.0255	109.0	67-135	6.86	20	WG481381
Isopropylbenzene	mg/l	0.0255	0.0243	102.0	73-132	4.77	20	WG481381
Methyl tert-butyl ether	mg/l	0.0241	0.025	96.0	-142	5.21	0	WG481381
Methylene Chloride	mg/l	0.0216	0.0229	86.0	64-125	5.88	20	WG481381
n-Butylbenzene	mg/l	0.0302	0.0313	121.0	63-142	3.63	20	WG481381
n-Propylbenzene	mg/l	0.0241	0.0258	96.0	1-132	6.0	0	WG481381
Naphthalene	mg/l	0.0296	0.0261	118.0	56-145	12.5	20	WG481381
p-Isopropyltoluene	mg/l	0.0261	0.0278	104.0	68-138	6.25	20	WG481381
sec-Butylbenzene	mg/l	0.0247	0.0256	99.0	-135	3.1	0	WG481381
Styrene	mg/l	0.0233	0.0240	93.0	78-130	3.00	20	WG481381
tert-Butylbenzene	mg/l	0.0270	0.0272	108.0	72-134	0.460	20	WG481381
Tetrachloroethene	mg/l	0.0231	0.0241	92.0	7-135	4.0	0	WG481381
Toluene	mg/l	0.0246	0.0227	98.0	72-122	8.00	20	WG481381
trans-1,2-Dichloroethene	mg/l	0.0219	0.0239	88.0	67-129	8.70	20	WG481381
trans-1,3-Dichloropropene	mg/l	0.0231	0.0218	92.0	6-137	5.0	0	WG481381
Trichloroethene	mg/l	0.0228	0.0239	91.0	74-126	4.62	20	WG481381
Trichlorofluoromethane	mg/l	0.0306	0.0289	122.0	54-156	5.53	20	WG481381
Vinyl chloride	mg/l	0.0248	0.0272	99.0	5-153	8.9	0	WG481381
Xylenes, Total	mg/l	0.0754	0.0778	100.0	75-128	3.20	20	WG481381
4-Bromofluorobenzene				92.01	75-128			WG481381
Dibromofluoromethane				97.02	-125			WG481381
Toluene-d8				98.32	87-114			WG481381
1,2,4-Trimethylbenzene	mg/l	0.0223	0.0239	89.0	2-1	7.1	0	WG481568
Benzene	mg/l	0.0208	0.0217	83.0	67-126	4.15	20	WG481568
cis-1,2-Dichloroethene	mg/l	0.0222	0.0232	89.0	72-128	4.51	20	WG481568
Ethylbenzene	mg/l	0.0227	0.0248	91.0	-129	8.92	0	WG481568
Tetrachloroethene	mg/l	0.0230	0.0253	92.0	67-135	9.61	20	WG481568
Vinyl chloride	mg/l	0.0195	0.0218	78.0	55-153	11.0	20	WG481568
Xylenes, Total	mg/l	0.0665	0.0717	89.0	5-128	7.54	0	WG481568
4-Bromofluorobenzene				98.87	75-128			WG481568
Dibromofluoromethane				94.78	79-125			WG481568
Toluene-d8				102.8	7-114			WG481568
1,1,1,2-Tetrachloroethane	mg/l	0.0228	0.0254	91.0	75-134	10.8	20	WG481596
1,1,1-Trichloroethane	mg/l	0.0248	0.0294	99.0	7-137	16.0	20	WG481596
1,1,2,2-Tetrachloroethane	mg/l	0.0228	0.0244	91.0	72-128	6.64	20	WG481596
1,1,2-Trichloroethane	mg/l	0.0225	0.0243	90.0	79-123	7.34	20	WG481596
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0283	0.0352	113.0	1-149	21.7*	20	WG481596
1,1-Dichloroethane	mg/l	0.0244	0.0302	98.0	67-133	21.2*	20	WG481596
1, -Dichloroethene	mg/l	0.0254	0.0314	102.0	60-130	21.0*	20	WG481596
1,1-Dichloropropene	mg/l	0.0256	0.0303	102.0	63-132	16.8	20	WG481596
1,2,3-Trichlorobenzene	mg/l	0.0278	0.0207	111.0	63-138	29.2*	20	WG481596
1,2,3-Trichloropropene	mg/l	0.0229	0.0233	92.0	68-130	1.78	20	WG481596

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tex I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Result	Ref	Sample	Duplicate	Limit	RPD	Limit	Batch
1,2,3-Trimethylbenzene	mg/l	0.0226	0.0233	91.		-127	1.55	20	WG481596
1,2,4-Trichlorobenzene	mg/l	0.0293	0.0265	117.		65-137	10.1	20	WG481596
1,2,4-Trimethylbenzene	mg/l	0.0228	0.0255	91.0		72-135	11.4	20	WG481596
1,2-Dibromo-3-Chloropropane	mg/l	0.0226	0.0200	90.0		55-134	12.2	20	WG481596
1,2-Dibromoethane	mg/l	0.0215	0.0239	86.0		75-126	10.7	20	WG481596
1,2-Dichlorobenzene	mg/l	0.0230	0.0260	92.0		75-122	12.3	20	WG481596
1,2-Dichloroethane	mg/l	0.0259	0.0290	103.		3-137	11.4	0	WG481596
1,2-Dichloropropane	mg/l	0.0239	0.0246	95.0		74-122	2.90	20	WG481596
1,3,5-Trimethylbenzene	mg/l	0.0234	0.0268	94.0		73-134	13.8	20	WG481596
1,3-Dichlorobenzene	mg/l	0.0220	0.0246	90.0		3-13	11.	0	WG481596
1,3-Dichloropropane	mg/l	0.0227	0.0252	91.0		77-119	10.8	20	WG481596
1,4-Dichlorobenzene	mg/l	0.0247	0.0233	99.0		70-121	5.76	20	WG481596
2,2-Dichloropropane	mg/l	0.0265	0.0308	106.		6-15	15.1	0	WG481596
2-Butanone (MEK)	mg/l	0.128	0.126	103.		53-132	2.16	20	WG481596
2-Chloroethyl vinyl ether	mg/l	0.143	0.132	114.		0-171	7.62	27	WG481596
2-Chlorotoluene	mg/l	0.0210	0.0241	94.0		-128	14.1	0	WG481596
4-Chlorotoluene	mg/l	0.0224	0.0249	90.0		74-130	10.5	20	WG481596
4-Methyl-2-pentanone (MIBK)	mg/l	0.139	0.133	111.		60-142	4.56	20	WG481596
Acetone	mg/l	0.12	0.130	101.		-134	2.38	0	WG481596
Acrolein	mg/l	0.0264	0.0295	21.0		6-182	11.0	39	WG481596
Acrylonitrile	mg/l	0.143	0.151	114.		60-140	5.27	20	WG481596
Benzene	mg/l	0.02	0.0265	102.		7-126	12.1	0	WG481596
Bromobenzene	mg/l	0.0229	0.0257	92.0		76-123	11.5	20	WG481596
Bromodichloromethane	mg/l	0.0241	0.0256	96.0		68-133	5.75	20	WG481596
Bromoform	mg/l	0.0222	0.0207	89.		0-139	6.9	0	WG481596
Bromomethane	mg/l	0.0359	0.0448	144.		45-175	22.1*	20	WG481596
Carbon tetrachloride	mg/l	0.0263	0.0309	105.		64-141	16.1	20	WG481596
Chlorobenzene	mg/l	0.0220	0.0243	88.		7-125	9.92	0	WG481596
Chlorodibromomethane	mg/l	0.0224	0.0250	89.0		73-138	11.2	20	WG481596
Chloroethane	mg/l	0.0302	0.0379	121.		49-155	22.8*	20	WG481596
Chloroform	mg/l	0.0245	0.0290	93.		6-126	16.8	20	WG481596
Chloromethane	mg/l	0.0186	0.0228	74.0		45-152	20.2*	20	WG481596
cis-1,2-Dichloroethene	mg/l	0.0237	0.0283	95.0		72-128	17.8	20	WG481596
cis-1,3-Dichloropropene	mg/l	0.0229	0.0226	91.		3-13	0.500	20	WG481596
Di-isopropyl ether	mg/l	0.0263	0.0302	105.		63-139	13.6	20	WG481596
Dibromomethane	mg/l	0.0240	0.0244	96.0		73-125	1.62	20	WG481596
Dichlorodifluoromethane	mg/l	0.0235	0.0308	100.		-189	0.		WG481596
Ethylbenzene	mg/l	0.0227	0.0252	91.0		76-129	10.6	20	WG481596
Hexachloro-1,3-butadiene	mg/l	0.0264	0.0241	106.		67-135	9.17	20	WG481596
Isopropylbenzene	mg/l	0.0245	0.0263	98.0		3-132	.		WG481596
Methyl tert-butyl ether	mg/l	0.0270	0.0308	108.		51-142	13.1	20	WG481596
Methylene Chloride	mg/l	0.0245	0.0292	98.0		64-125	17.5	20	WG481596
n-Butylbenzene	mg/l	0.0253	0.0285	101.		3-142	12.	0	WG481596
n-Propylbenzene	mg/l	0.0213	0.0253	85.0		71-132	17.3	20	WG481596
Naphthalene	mg/l	0.0297	0.0228	119.		56-145	26.1*	20	WG481596
p-Isopropyltoluene	mg/l	0.0248	0.0267	99.0		8-138	7.44	0	WG481596
sec-Butylbenzene	mg/l	0.0236	0.0268	94.0		70-135	12.4	20	WG481596
Styrene	mg/l	0.0201	0.0210	80.0		78-130	4.42	20	WG481596
tert-Butylbenzene	mg/l	0.0236	0.0269	94.		2-134	13.1	20	WG481596
Tetrachloroethene	mg/l	0.0211	0.0220	84.0		67-135	4.21	20	WG481596
Toluene	mg/l	0.0240	0.0253	96.0		72-122	5.26	20	WG481596
trans-1,2-Dichloroethene	mg/l	0.0251	0.0291	100.		7-129	14	20	WG481596
trans-1,3-Dichloropropene	mg/l	0.0215	0.0222	86.0		66-137	3.44	20	WG481596
Trichloroethene	mg/l	0.0233	0.0234	93.0		74-126	0.140	20	WG481596
Trichlorofluoromethane	mg/l	0.0233	0.0326	115.		4-156	12.7	20	WG481596
Vinyl chloride	mg/l	0.0261	0.0293	104.		55-153	11.9	20	WG481596
Xylenes, Total	mg/l	0.0672	0.0725	90.0		75-128	7.57	20	WG481596
4-Bromofluorobenzene				92.32		75-128			WG481596
Dibromofluoromethane				96.75		79-125			WG481596

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	Rec				
Toluene-d8				91.02	114			
1,1,1,2-Tetrachloroethane	mg/l	0.0287	0.0265	115.	75-134	0.950	20	WG481667
1,1,1-Trichloroethane	mg/l	0.0264	0.0272	106.	67-137	2.79	20	WG481667
1,1,2,2-Tetrachloroethane	mg/l	0.0195	0.0200	78.20	72-128	3.22	20	WG481667
1,1,2-Trichloroethane	mg/l	0.0259	0.0263	104.	79-123	1.45	20	WG481667
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0249	0.0251	100.	51-149	0.820	20	WG481667
1,1-Dichloroethane	mg/l	0.0223	0.0222	99.	7-133	0.320	0	WG481667
1,1-Dichloroethene	mg/l	0.0213	0.0210	85.0	60-130	1.17	20	WG481667
1,1-Dichloropropene	mg/l	0.0235	0.0248	94.0	68-132	5.66	20	WG481667
1,2,3-Trichlorobenzene	mg/l	0.0233	0.0217	93.	3-138	6.71	0	WG481667
1,2,3-Trichloropropane	mg/l	0.0243	0.0244	97.0	68-130	0.610	20	WG481667
1,2,3-Trimethylbenzene	mg/l	0.0287	0.0294	115.	70-127	2.55	20	WG481667
1,2,4-Trichlorobenzene	mg/l	0.0225	0.0213	90.	-13	5.	0	WG481667
1,2,4-Trimethylbenzene	mg/l	0.0264	0.0285	106.	72-135	7.78	20	WG481667
1,2-Dibromo-3-Chloropropane	mg/l	0.0244	0.0226	98.0	55-134	7.68	20	WG481667
1,2-Dibromoethane	mg/l	0.02	0.0283	10	-126	5.8	0	WG481667
1,2-Dichlorobenzene	mg/l	0.0276	0.0282	110.	75-122	1.92	20	WG481667
1,2-Dichloroethane	mg/l	0.0261	0.0264	104.	63-137	1.42	20	WG481667
1,2-Dichloropropene	mg/l	0.0232	0.0241	93.	-122	3.9	0	WG481667
1,3,5-Trimethylbenzene	mg/l	0.0272	0.0286	109.	73-134	5.30	20	WG481667
1,3-Dichlorobenzene	mg/l	0.0252	0.0269	101.	73-131	6.21	20	WG481667
1,3-Dichloropropane	mg/l	0.0246	0.0253	98.	7-119	2.	0	WG481667
1,4-Dichlorobenzene	mg/l	0.0270	0.0283	108.	70-121	4.73	20	WG481667
2,2-Dichloropropane	mg/l	0.0257	0.0261	103.	46-151	1.61	20	WG481667
2-Butanone (MEK)	mg/l	0.10	0.0983	85.	-132	7.58	0	WG481667
2-Chloroethyl vinyl ether	mg/l	0.128	0.128	102.	0-171	0.0500	27	WG481667
2-Chlorotoluene	mg/l	0.0275	0.0293	110.	74-128	6.43	20	WG481667
4-Chlorotoluene	mg/l	0.0268	0.0282	107.	4-130	5.24	0	WG481667
4-Methyl-2-pentanone (MIBK)	mg/l	0.135	0.129	108.	60-142	5.08	20	WG481667
Acetone	mg/l	0.114	0.105	91.0	48-134	8.07	20	WG481667
Acrolein	mg/l	0.11	0.0988	94.	-182	17.	9	WG481667
Acrylonitrile	mg/l	0.0912	0.0892	73.0	60-140	2.30	20	WG481667
Benzene	mg/l	0.0202	0.0208	81.0	67-126	2.90	20	WG481667
Bromobenzene	mg/l	0.0255	0.0269	101.	6-123	6.07	20	WG481667
Bromodichloromethane	mg/l	0.0280	0.0284	112.	68-133	1.64	20	WG481667
Bromoform	mg/l	0.0288	0.0289	115.	60-139	0.380	20	WG481667
Bromomethane	mg/l	0.02	0.027	118.	5-1	6.	0	WG481667
Carbon tetrachloride	mg/l	0.0271	0.0265	108.	64-141	2.38	20	WG481667
Chlorobenzene	mg/l	0.0265	0.0258	106.	77-125	2.83	20	WG481667
Chlorodibromomethane	mg/l	0.0306	0.0313	122.	3-138	2.35	20	WG481667
Chloroethane	mg/l	0.0273	0.0287	109.	49-155	5.13	20	WG481667
Chloroform	mg/l	0.0241	0.0249	96.0	66-126	3.21	20	WG481667
Chloromethane	mg/l	0.0140	0.0142	56.0	5-152	1.6	0	WG481667
cis-1,2-Dichloroethene	mg/l	0.0209	0.0215	83.0	72-128	2.99	20	WG481667
cis-1,3-Dichloropropene	mg/l	0.0260	0.0268	104.	73-131	2.99	20	WG481667
Di-isopropyl ether	mg/l	0.0214	0.0221	86.0	3-139	3.0	0	WG481667
Dibromomethane	mg/l	0.0264	0.0264	106.	73-125	0.100	20	WG481667
Dichlorodifluoromethane	mg/l	0.0416	0.0419	166.	39-189	0.820	24	WG481667
Ethylbenzene	mg/l	0.0269	0.0268	107.	6-129	0.200	20	WG481667
Hexachloro-1,3-butadiene	mg/l	0.0308	0.0292	123.	67-135	5.28	20	WG481667
Isopropylbenzene	mg/l	0.0260	0.0278	104.	73-132	6.67	20	WG481667
Methyl tert-butyl ether	mg/l	0.0251	0.0249	100.	1-142	0.970	20	WG481667
Methylene Chloride	mg/l	0.0189	0.0198	76.0	64-125	4.33	20	WG481667
n-Butylbenzene	mg/l	0.0257	0.0261	103.	63-142	1.50	20	WG481667
n-Propylbenzene	mg/l	0.0236	0.0269	102.	1-132	5.	20	WG481667
Naphthalene	mg/l	0.0211	0.0191	84.0	56-145	10.4	20	WG481667
p-Isopropyltoluene	mg/l	0.0276	0.0287	110.	68-138	3.92	20	WG481667
sec-Butylbenzene	mg/l	0.0237	0.0271	103.	73-135	.	20	WG481667
Styrene	mg/l	0.0240	0.0261	96.0	78-130	8.38	20	WG481667

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	% Rec				
tert-Butylbenzene	mg/l	0.0228	0.0291	112.	-134	3.07	20	WG481667
Tetrachloroethene	mg/l	0.0288	0.0305	115.	67-135	5.69	20	WG481667
Toluene	mg/l	0.0239	0.0242	96.0	72-122	1.32	20	WG481667
trans-1,2-Dichloroethene	mg/l	0.02	0.0223	111.5	63-129	5.57	20	WG481667
trans-1,3-Dichloropropene	mg/l	0.0284	0.0284	114.	66-137	0.0700	20	WG481667
Trichloroethene	mg/l	0.0260	0.0268	104.	74-126	3.05	20	WG481667
Trichlorofluoromethane	mg/l	0.0339	0.0347	133.8	53-156	2.65	20	WG481667
Vinyl chloride	mg/l	0.0191	0.0196	76.0	55-153	3.08	20	WG481667
Xylenes, Total	mg/l	0.0758	0.0767	101.	75-128	1.11	20	WG481667
4-Bromofluorobenzene				12.64	-128			WG481667
Dibromofluoromethane				91.59	79-125			WG481667
Toluene-d8				95.94	87-114			WG481667

Analyte	Units	MS Res	Matrix Spike			Limit	Ref Samp	Batch
			Ref Res	TV	% Rec			
1,1,1,2-Tetrachloroethane	mg/l	0.0292	0	.25	117.	45-152	L460652-01	WG481197
1,1,1-Trichloroethane	mg/l	0.0278	0	.025	111.	31-161	L460652-01	WG481197
1,1,2,2-Tetrachloroethane	mg/l	0.0276	0	.025	110.	49-149	L460652-01	WG481197
1,1,2-Trichloroethane	mg/l	0.026	0	.025	108.	46-145	L460652-01	WG481197
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0258	0	.025	103.	14-168	L460652-01	WG481197
1,1-Dichloroethane	mg/l	0.0267	0	.025	107.	30-159	L460652-01	WG481197
1,1-Dichloropropene	mg/l	0.0309	0.0066	.025	97.1	10-162	L460652-01	WG481197
1,1-Dichloropropene	mg/l	0.0274	0	.025	109.	14-162	L460652-01	WG481197
1,2,3-Trichlorobenzene	mg/l	0.0258	0	.025	103.	32-143	L460652-01	WG481197
1,2,3-Trichloropropene	mg/l	0.0258	0	.025	106.	48-148	L460652-01	WG481197
1,2,3-Trimethylbenzene	mg/l	0.0276	0	.025	110.	36-141	L460652-01	WG481197
1,2,4-Trichlorobenzene	mg/l	0.0298	0	.025	119.	27-142	L460652-01	WG481197
1,2,4-Trimethylbenzene	mg/l	0.0285	0	.025	109.	29-153	L460652-01	WG481197
1,2-Dibromo-3-Chloropropene	mg/l	0.0232	0	.025	92.6	37-148	L460652-01	WG481197
1,2-Dibromoethane	mg/l	0.0278	0	.025	111.	41-149	L460652-01	WG481197
1,2-Dichlorobenzene	mg/l	0.0285	0	.025	109.	40-139	L460652-01	WG481197
1,2-Dichloroethane	mg/l	0.0272	0	.025	109.	29-167	L460652-01	WG481197
1,2-Dichloropropene	mg/l	0.0272	0	.025	109.	39-148	L460652-01	WG481197
1,3,5-Trimethylbenzene	mg/l	0.029	0	.025	116.	33-149	L460652-01	WG481197
1,3-Dichlorobenzene	mg/l	0.0284	0	.025	114.	32-148	L460652-01	WG481197
1,3-Dichloropropene	mg/l	0.0273	0	.025	109.	44-142	L460652-01	WG481197
1,4-Dichlorobenzene	mg/l	0.0282	0	.025	113.	32-136	L460652-01	WG481197
2,2-Dichloropropene	mg/l	0.0281	0	.025	112.	14-158	L460652-01	WG481197
2-Butanone (MEK)	mg/l	0.124	0	.125	99.4	32-151	L460652-01	WG481197
2-Chloroethyl vinyl ether	mg/l	0.0192	0	.125	82.2		L460652-01	WG481197
2-Chlorotoluene	mg/l	0.0272	0	.025	109.	35-147	L460652-01	WG481197
4-Chlorotoluene	mg/l	0.0286	0	.025	114.	33-147	L460652-01	WG481197
4-Methyl-2-pentanone (MIBK)	mg/l	0.157	0	.125	125.	40-160	L460652-01	WG481197
Acetone	mg/l	0.114	0	.125	91.5	25-157	L460652-01	WG481197
Acrolein	mg/l	0.134	0	.125	108.	0-179	L460652-01	WG481197
Acrylonitrile	mg/l	0	0	.5	105.	37-162	L460652-01	WG481197
Benzene	mg/l	0.0275	0	.025	110.	16-158	L460652-01	WG481197
Bromobenzene	mg/l	0.0286	0	.025	114.	37-147	L460652-01	WG481197
Bromodichloromethane	mg/l	0.0285	0	.025	114.	45-147	L460652-01	WG481197
Bromoform	mg/l	0.0273	0	.025	109.	38-152	L460652-01	WG481197
Bromomethane	mg/l	0.0244	0	.025	97.7	0-191	L460652-01	WG481197
Carbon tetrachloride	mg/l	0.0283	0	.025	113.	22-168	L460652-01	WG481197
Chlorobenzene	mg/l	0.0279	0	.025	112.	33-148	L460652-01	WG481197
Chlorodibromomethane	mg/l	0.0296	0	.025	118.	48-151	L460652-01	WG481197
Chloroethane	mg/l	0.0348	0.0138	.025	87.	176	L460652-01	WG481197
Chloroform	mg/l	0.0264	0	.025	106.	37-147	L460652-01	WG481197
Chloromethane	mg/l	0.0191	0	.025	76.5	10-174	L460652-01	WG481197
cis-1,2-Dichloroethene	mg/l	0.388	0.400	.025	0*	29-156	L460652-01	WG481197

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	MS Res	Matrix Spike		TV	% Rec	Limit	Ref Samp	Batch
			Ref Res						
cis-1,3-Dichloropropene	mg/l	0.0264	0		0.025	105.	35-148	L460652-01	WG481197
Di-isopropyl ether	mg/l	0.0280	0		0.025	112.	39-160	L460652-01	WG481197
Dibromomethane	mg/l	0.0269	0		0.025	108.	36-152	L460652-01	WG481197
Dichlorodifluoromethane	mg/l	0.024	0		0.025	99.0	0-200	L460652-01	WG481197
Ethylbenzene	mg/l	0.0286	0		0.025	114.	29-150	L460652-01	WG481197
Hexachloro-1,3-butadiene	mg/l	0.0298	0		0.025	119.	28-144	L460652-01	WG481197
Isopropylbenzene	mg/l	0.0289	0		2	16.	33-147	L460652-01	WG481197
Methyl tert-butyl ether	mg/l	0.0264	0		0.025	106.	24-167	L460652-01	WG481197
Methylene Chloride	mg/l	0.0245	0		0.025	98.0	23-151	L460652-01	WG481197
n-Butylbenzene	mg/l	0.0313	0		2	25.	22-151	L460652-01	WG481197
n-Propylbenzene	mg/l	0.0275	0		0.025	110.	26-150	L460652-01	WG481197
Naphthalene	mg/l	0.0281	0		0.025	112.	24-160	L460652-01	WG481197
p-Isopropyltoluene	mg/l	0.030	0		2	23.	28-151	L460652-01	WG481197
sec-Butylbenzene	mg/l	0.0295	0		0.025	118.	32-149	L460652-01	WG481197
Styrene	mg/l	0.0264	0		0.025	106.	38-149	L460652-01	WG481197
tert-Butylbenzene	mg/l	0.0302	0		2	2	149	L460652-01	WG481197
Tetrachloroethene	mg/l	0.943	1.20		0.025	0*	13-157	L460652-01	WG481197
Toluene	mg/l	0.0272	0		0.025	109.	22-152	L460652-01	WG481197
trans-1,2-Dichloroethene	mg/l	0.031	0.00710		0.025	98.6	11-160	L460652-01	WG481197
trans-1,3-Dichloropropene	mg/l	0.0266	0		0.025	106.	33-153	L460652-01	WG481197
Trichloroethene	mg/l	0.180	0.170		0.025	40.8	18-163	L460652-01	WG481197
Trichlorofluoromethane	mg/l	0.025	0		2	100.	10-177	L460652-01	WG481197
Vinyl chloride	mg/l	0.239	0.260		0.025	0*	0-179	L460652-01	WG481197
Xylenes, Total	mg/l	0.0872	0		0.075	116.	27-151	L460652-01	WG481197
4-Bromofluorobenzene						97.62	75-128		WG481197
Dibromofluoromethane						97.91	79-125		WG481197
Toluene-d8						97.46	87-114		WG481197
1,1,1,2-Tetrachloroethane	mg/l	0.0214	0		0.025	85.7	45-152	L460294-17	WG481309
1,1,1-Trichloroethane	mg/l	0.0269	0.00360		0.025	93.2	31-161	L460294-17	WG481309
1,1,2,2-Tetrachloroethane	mg/l	0.0250	0		2	00.	49-149	L460294-17	WG481309
1,1,2-Trichloroethane	mg/l	0.0246	0		0.025	98.4	46-145	L460294-17	WG481309
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0218	0		0.025	87.3	14-168	L460294-17	WG481309
1,1-Dichloroethane	mg/l	0.0253	0.0017		0.025	94.	30-159	L460294-17	WG481309
1,1-Dichloroethene	mg/l	0.0192	0		0.025	76.8	10-162	L460294-17	WG481309
1,1-Dichloropropene	mg/l	0.0228	0		0.025	91.4	14-162	L460294-17	WG481309
1,2,3-Trichlorobenzene	mg/l	0.0279	0		2	12.	32-143	L460294-17	WG481309
1,2,3-Trichloropropene	mg/l	0.0249	0		0.025	99.4	48-148	L460294-17	WG481309
1,2,3-Trimethylbenzene	mg/l	0.0233	0		0.025	93.4	36-141	L460294-17	WG481309
1,2,4-Trichlorobenzene	mg/l	0.0268	0		0.02	07.	27-142	60294-17	WG481309
1,2,4-Trimethylbenzene	mg/l	0.0212	0		0.025	84.9	29-153	L460294-17	WG481309
1,2-Dibromo-3-Chloropropane	mg/l	0.0294	0		0.025	118.	37-148	L460294-17	WG481309
1,2-Dibromoethane	mg/l	0.021	0		0.025	85.7	41-14	L460294-17	WG481309
1,2-Dichlorobenzene	mg/l	0.0236	0		0.025	94.4	40-139	L460294-17	WG481309
1,2-Dichloroethane	mg/l	0.0242	0		0.025	97.0	29-167	L460294-17	WG481309
1,2-Dichloropropane	mg/l	0.0230	0		0.025	81.8	39-148	L460294-17	WG481309
1,3,5-Trimethylbenzene	mg/l	0.0205	0		0.025	82.0	33-149	L460294-17	WG481309
1,3-Dichlorobenzene	mg/l	0.0211	0		0.025	84.3	32-148	L460294-17	WG481309
1,3-Dichloropropene	mg/l	0.0223	0		0.025	89.2	44-142	L460294-17	WG481309
1,4-Dichlorobenzene	mg/l	0.0236	0		0.025	94.6	32-136	L460294-17	WG481309
2,2-Dichloropropene	mg/l	0.0222	0		0.025	88.7	14-158	L460294-17	WG481309
2-Butanone (MEK)	mg/l	0.129	0		0.125	0.	32-151	L460294-17	WG481309
2-Chloroethyl vinyl ether	mg/l	0	0		0.125	0	0-175	L460294-17	WG481309
2-Chlorotoluene	mg/l	0.0196	0		0.025	78.3	35-147	L460294-17	WG481309
4-Chlorotoluene	mg/l	0.0209	0		0.025	83.4	33-1	L460294-17	WG481309
4-Methyl-2-pentanone (MIBK)	mg/l	0.122	0		0.125	97.7	40-160	L460294-17	WG481309
Acetone	mg/l	0.127	0		0.125	102.	25-157	L460294-17	WG481309
Acrolein	mg/l	0.0969	0		0.125	87.5	0-179	L460294-17	WG481309

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Matrix Spike			TV	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV					
Acrylonitrile	mg/l	0.0238	0	0.125	100	37-162	L460294-17	WG481309	
Benzene	mg/l	0.0238	0	0.025	95.2	16-158	L460294-17	WG481309	
Bromobenzene	mg/l	0.0194	0	0.025	77.8	37-147	L460294-17	WG481309	
Bromodichloromethane	mg/l	0.024	0	0.025	97.3	45-147	L460294-17	WG481309	
Bromoform	mg/l	0.0205	0	0.025	82.1	38-152	L460294-17	WG481309	
Bromomethane	mg/l	0.0185	0	0.025	74.1	0-191	L460294-17	WG481309	
Carbon tetrachloride	mg/l	0.024	0	0.025	96.2	22-168	L460294-17	WG481309	
Chlorobenzene	mg/l	0.0217	0	0.025	86.8	33-148	L460294-17	WG481309	
Chlorodibromomethane	mg/l	0.0214	0	0.025	85.5	48-151	L460294-17	WG481309	
Chloroethane	mg/l	0.0218	0	0.025	87.2	4-176	L460294-17	WG481309	
Chloroform	mg/l	0.0241	0	0.025	96.2	37-147	L460294-17	WG481309	
Chloromethane	mg/l	0.0155	0	0.025	62.0	10-174	L460294-17	WG481309	
cis-1,2-Dichloroethene	mg/l	0.0249	0.000850	0.025	96.1	29-156	L460294-17	WG481309	
cis-1,3-Dichloropropene	mg/l	0.0214	0	0.025	85.6	35-148	L460294-17	WG481309	
Di-isopropyl ether	mg/l	0.0196	0	0.025	78.4	39-160	L460294-17	WG481309	
Dibromomethane	mg/l	0.0232	0	0.025	92.7	152	L460294-17	WG481309	
Dichlorodifluoromethane	mg/l	0.0132	0	0.025	52.8	0-200	L460294-17	WG481309	
Ethylbenzene	mg/l	0.0211	0	0.025	84.3	29-150	L460294-17	WG481309	
Hexachloro-1,3-butadiene	mg/l	0.0245	0	0.025	97.9	28-144	L460294-17	WG481309	
Isopropylbenzene	mg/l	0.0200	0	0.025	80.1	35-147	L460294-17	WG481309	
Methyl tert-butyl ether	mg/l	0.0241	0	0.025	96.5	24-167	L460294-17	WG481309	
Methylene Chloride	mg/l	0.0255	0	0.025	0	23-151	L460294-17	WG481309	
n-Butylbenzene	mg/l	0.0250	0	0.025	99.8	22-151	L460294-17	WG481309	
n-Propylbenzene	mg/l	0.0210	0	0.025	83.9	26-150	L460294-17	WG481309	
Naphthalene	mg/l	0.0288	0	0.025	0	24-160	L460294-17	WG481309	
p-Isopropyltoluene	mg/l	0.0202	0	0.025	80.9	28-151	L460294-17	WG481309	
sec-Butylbenzene	mg/l	0.0198	0	0.025	79.0	32-149	L460294-17	WG481309	
Styrene	mg/l	0.019	0	0.025	6.4	38-149	L460294-17	WG481309	
tert-Butylbenzene	mg/l	0.0208	0	0.025	83.3	36-149	L460294-17	WG481309	
Tetrachloroethene	mg/l	0.0224	0	0.025	89.6	13-157	L460294-17	WG481309	
Toluene	mg/l	0.0210	0	0.025	93.9	22-152	L460294-17	WG481309	
trans-1,2-Dichloroethene	mg/l	0.0239	0	0.025	95.8	11-160	L460294-17	WG481309	
trans-1,3-Dichloropropene	mg/l	0.0242	0	0.025	96.7	33-153	L460294-17	WG481309	
Trichloroethene	mg/l	0.0238	0.000550	0.025	93.0	18-153	L460294-17	WG481309	
Trichlorofluoromethane	mg/l	0.0223	0	0.025	89.0	10-177	L460294-17	WG481309	
Vinyl chloride	mg/l	0.00924	0	0.025	37.0	0-179	L460294-17	WG481309	
Xylenes, Total	mg/l	0.0599	0	0.025	79.9	27-151	L460294-17	WG481309	
4-Bromofluorobenzene					87.62	75-128		WG481309	
Dibromofluoromethane					106.2	79-125		WG481309	
Toluene-d8					97.47	87-114		WG481309	
1,1,1,2-Tetrachloroethane	mg/l	0.242	0	0.025	96.8	45-152	L460642-04	WG481355	
1,1,1-Trichloroethane	mg/l	0.302	0	0.02	21.	31-161	L460642-04	WG481355	
1,1,2,2-Tetrachloroethane	mg/l	0.217	0	0.025	86.7	49-149	L460642-04	WG481355	
1,1,2-Trichloroethane	mg/l	0.205	0	0.025	82.1	46-145	L460642-04	WG481355	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.365	0	0.02	4.	14-168	L460642-04	WG481355	
1,1-Dichloroethane	mg/l	0.277	0	0.025	111.	30-159	L460642-04	WG481355	
1,1-Dichloroethene	mg/l	0.302	0	0.025	121.	10-162	L460642-04	WG481355	
1,3-Dichloropropene	mg/l	0.268	0	0.02	07.	14-162	L460642-04	WG481355	
1,2,3-Trichlorobenzene	mg/l	0.227	0	0.025	90.9	32-143	L460642-04	WG481355	
1,2,3-Trichloropropene	mg/l	0.212	0	0.025	85.0	48-148	L460642-04	WG481355	
1,2,3-Trimethylbenzene	mg/l	0.212	0	0.025	90.	36-141	L460642-04	WG481355	
1,2,4-Trichlorobenzene	mg/l	0.251	0	0.025	100.	27-142	L460642-04	WG481355	
1,2,4-Trimethylbenzene	mg/l	0.234	0	0.025	93.6	29-153	L460642-04	WG481355	
1,2-Dibromo-3-Chloropropane	mg/l	0.171	0	0.025	98.2	37-148	L460642-04	WG481355	
1,2-Dibromoethane	mg/l	0.209	0	0.025	83.4	41-149	L460642-04	WG481355	
1,2-Dichlorobenzene	mg/l	0.226	0	0.025	90.5	40-139	L460642-04	WG481355	
1,2-Dichloroethane	mg/l	0.232	0	0.025	92.5	29-167	L460642-04	WG481355	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Matrix Spike			TV	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV					
1,2-Dichloropropane	mg/l	0.215	0	0.025	85	39-148	L460642-04	WG481355	
1,3,5-Trimethylbenzene	mg/l	0.239	0	0.025	95.8	33-149	L460642-04	WG481355	
1,3-Dichlorobenzene	mg/l	0.245	0	0.025	98.0	32-148	L460642-04	WG481355	
1,3-Dichloropropane	mg/l	0.245	0	0.025	89.0	44-142	L460642-04	WG481355	
1,4-Dichlorobenzene	mg/l	0.232	0	0.025	92.6	32-136	L460642-04	WG481355	
2,2-Dichloropropane	mg/l	0.299	0	0.025	120	14-158	L460642-04	WG481355	
2-Butanone (MEK)	mg/l	0.201	0	0.25	80.7	33-151	L460642-04	WG481355	
2-Chloroethyl vinyl ether	mg/l	0.598	0	0.125	47.8	0-175	L460642-04	WG481355	
2-Chlorotoluene	mg/l	0.243	0	0.025	97.4	35-147	L460642-04	WG481355	
4-Chlorotoluene	mg/l	0.251	0	2	00	3-147	L460642-04	WG481355	
4-Methyl-2-pentanone (MIBK)	mg/l	1.05	0	0.125	83.9	40-160	L460642-04	WG481355	
Acetone	mg/l	1.18	0	0.125	94.5	25-157	L460642-04	WG481355	
Acrolein	mg/l	0.265	0	2	11.2	0-17	L460642-04	WG481355	
Acrylonitrile	mg/l	1.19	0	0.125	95.5	37-162	L460642-04	WG481355	
Benzene	mg/l	0.245	0	0.025	97.8	16-158	L460642-04	WG481355	
Bromobenzene	mg/l	0.246	0	2	98.6	-147	L460642-04	WG481355	
Bromodichloromethane	mg/l	0.242	0	0.025	96.6	45-147	L460642-04	WG481355	
Bromoform	mg/l	0.211	0	0.025	84.4	38-152	L460642-04	WG481355	
Bromomethane	mg/l	0.325	0	2	30	0-191	L460642-04	WG481355	
Carbon tetrachloride	mg/l	0.299	0	0.025	120	22-168	L460642-04	WG481355	
Chlorobenzene	mg/l	0.226	0	0.025	90.3	33-148	L460642-04	WG481355	
Chlorodibromomethane	mg/l	0.236	0	0.25	84.3	48-151	L460642-04	WG481355	
Chloroethane	mg/l	0.297	0	0.025	119	4-176	L460642-04	WG481355	
Chloroform	mg/l	0.278	0	0.025	111	37-147	L460642-04	WG481355	
Chloromethane	mg/l	0.204	0	0.25	81.8	10-174	L460642-04	WG481355	
cis-1,2-Dichloroethene	mg/l	0.255	0.0110	0.025	97.6	29-156	L460642-04	WG481355	
cis-1,3-Dichloropropene	mg/l	0.216	0	0.025	86.4	35-148	L460642-04	WG481355	
Di-isopropyl ether	mg/l	0.291	0	2	1	39-160	L460642-04	WG481355	
Dibromomethane	mg/l	0.211	0	0.025	84.3	36-152	L460642-04	WG481355	
Dichlorodifluoromethane	mg/l	0.347	0	0.025	139	0-200	L460642-04	WG481355	
Ethylbenzene	mg/l	0.228	0	0.25	81.2	29-150	L460642-04	WG481355	
Hexachloro-1,3-butadiene	mg/l	0.236	0	0.025	94.2	28-144	L460642-04	WG481355	
Isopropylbenzene	mg/l	0.277	0	0.025	111	35-147	L460642-04	WG481355	
Methyl tert-butyl ether	mg/l	0.26	0	0.02	06	24-167	L460642-04	WG481355	
Methylene Chloride	mg/l	0.262	0	0.025	105	23-151	L460642-04	WG481355	
n-Butylbenzene	mg/l	0.270	0	0.025	108	22-151	L460642-04	WG481355	
n-Propylbenzene	mg/l	0.257	0	2	03	26-150	L460642-04	WG481355	
Naphthalene	mg/l	0.207	0	0.025	82.6	24-160	L460642-04	WG481355	
p-Isopropyltoluene	mg/l	0.252	0	0.025	101	28-151	L460642-04	WG481355	
sec-Butylbenzene	mg/l	0.25	0	0.025	80.3	-14	60642-04	WG481355	
Styrene	mg/l	0.239	0	0.025	95.8	38-149	L460642-04	WG481355	
tert-Butylbenzene	mg/l	0.252	0	0.025	101	36-149	L460642-04	WG481355	
Tetrachloroethene	mg/l	1.37	1.10	0.02	10	13-157	L460642-04	WG481355	
Toluene	mg/l	0.227	0	0.025	90.8	22-152	L460642-04	WG481355	
trans-1,2-Dichloroethene	mg/l	0.268	0	0.025	107	11-160	L460642-04	WG481355	
trans-1,3-Dichloropropene	mg/l	0.218	0	0.025	87.2	33-153	L460642-04	WG481355	
Trichloroethene	mg/l	0.240	0.0110	0.025	91.6	18-163	L460642-04	WG481355	
Trichlorofluoromethane	mg/l	0.326	0	0.025	130	10-177	L460642-04	WG481355	
Vinyl chloride	mg/l	0.261	0	0.02	04	0-17	L460642-04	WG481355	
Xylenes, Total	mg/l	0.692	0	0.075	92.3	27-151	L460642-04	WG481355	
4-Bromofluorobenzene					106.5	75-128		WG481355	
Dibromofluoromethane					100.8	79-125		WG481355	
Toluene-d8					97.90	87-114		WG481355	
1,1,1,2-Tetrachloroethane	mg/l	0.251	0	0.25	100	45-152	L460670-03	WG481382	
1,1,1-Trichloroethane	mg/l	0.263	0	0.025	105	31-161	L460670-03	WG481382	
1,1,2,2-Tetrachloroethane	mg/l	0.262	0	0.025	105	49-149	L460670-03	WG481382	
1,1,2-Trichloroethane	mg/l	0.242	0	0.025	86.6	46-145	L460670-03	WG481382	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Matrix Spike			% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.29	0	0.025	115	14-168	L460670-03	WG481382
1,1-Dichloroethane	mg/l	0.266	0	0.025	106	30-159	L460670-03	WG481382
1,1-Dichloroethene	mg/l	0.278	0	0.025	111	10-162	L460670-03	WG481382
1,1-Dichloropropene	mg/l	0.275	0	0.025	110	14-162	L460670-03	WG481382
1,2,3-Trichlorobenzene	mg/l	0.221	0	0.025	88.4	32-143	L460670-03	WG481382
1,2,3-Trichloropropane	mg/l	0.244	0	0.025	97.7	48-148	L460670-03	WG481382
1,2,3-Trimethylbenzene	mg/l	0.272	0.0280	0.025	102.5	27-142	L460670-03	WG481382
1,2,4-Trichlorobenzene	mg/l	0.267	0	0.025	107	27-142	L460670-03	WG481382
1,2,4-Trimethylbenzene	mg/l	0.511	0.220	0.025	116	29-153	L460670-03	WG481382
1,2-Dibromo-3-Chloropropane	mg/l	0.222	0	0.025	98.9	-148	L460670-03	WG481382
1,2-Dibromoethane	mg/l	0.246	0	0.025	98.4	41-149	L460670-03	WG481382
1,2-Dichlorobenzene	mg/l	0.247	0	0.025	99.0	40-139	L460670-03	WG481382
1,2-Dichloroethane	mg/l	0.270	0	2	08	29-167	L460670-03	WG481382
1,2-Dichloropropane	mg/l	0.251	0	0.025	100	39-148	L460670-03	WG481382
1,3,5-Trimethylbenzene	mg/l	0.356	0.0660	0.025	116	33-149	L460670-03	WG481382
1,3-Dichlorobenzene	mg/l	0.26	0	2	06	-148	L460670-03	WG481382
1,3-Dichloropropane	mg/l	0.244	0	0.025	97.7	44-142	L460670-03	WG481382
1,4-Dichlorobenzene	mg/l	0.254	0	0.025	102	32-136	L460670-03	WG481382
2,2-Dichloropropane	mg/l	0.240	0	2	10	14-158	L460670-03	WG481382
2-Butanone (MEK)	mg/l	1.28	0	0.125	102	32-151	L460670-03	WG481382
2-Chloroethyl vinyl ether	mg/l	0.451	0	0.125	36.1	0-175	L460670-03	WG481382
2-Chlorotoluene	mg/l	0.240	0	0.025	99.5	35-147	L460670-03	WG481382
4-Chlorotoluene	mg/l	0.258	0	0.025	103	33-147	L460670-03	WG481382
4-Methyl-2-pentanone (MIBK)	mg/l	1.44	0	0.125	115	40-160	L460670-03	WG481382
Acetone	mg/l	1	0	0.025	100	25-157	L460670-03	WG481382
Acrolein	mg/l	0.405	0	0.125	32.4	0-179	L460670-03	WG481382
Acrylonitrile	mg/l	1.42	0	0.125	114	37-162	L460670-03	WG481382
Benzene	mg/l	0.30	0.0310	0.025	10	16-158	L460670-03	WG481382
Bromobenzene	mg/l	0.272	0	0.025	109	37-147	L460670-03	WG481382
Bromodichloromethane	mg/l	0.253	0	0.025	101	45-147	L460670-03	WG481382
Bromoform	mg/l	0.236	0	0.025	94.6	38-152	L460670-03	WG481382
Bromomethane	mg/l	0.346	0	0.025	138	0-191	L460670-03	WG481382
Carbon tetrachloride	mg/l	0.262	0	0.025	105	22-168	L460670-03	WG481382
Chlorobenzene	mg/l	0.250	0	0.025	99.9	33-148	L460670-03	WG481382
Chlorodibromomethane	mg/l	0.233	0	0.025	93.4	48-151	L460670-03	WG481382
Chloroethane	mg/l	0.248	0	0.025	99.3	4-176	L460670-03	WG481382
Chloroform	mg/l	0.262	0	2	0	37-147	L460670-03	WG481382
Chloromethane	mg/l	0.171	0	0.025	68.6	10-174	L460670-03	WG481382
cis-1,2-Dichloroethene	mg/l	0.296	0.0400	0.025	102	29-156	L460670-03	WG481382
cis-1,3-Dichloropropene	mg/l	0.240	0	0.025	96.1	35-148	L460670-03	WG481382
Di-isopropyl ether	mg/l	0.268	0	0.025	107	39-160	L460670-03	WG481382
Dibromomethane	mg/l	0.249	0	0.025	99.5	36-152	L460670-03	WG481382
Dichlorodifluoromethane	mg/l	0.185	0	0.025	4.1	0-200	L460670-03	WG481382
Ethylbenzene	mg/l	0.442	0.180	0.025	105	29-150	L460670-03	WG481382
Hexachloro-1,3-butadiene	mg/l	0.223	0	0.025	89.4	28-144	L460670-03	WG481382
Isopropylbenzene	mg/l	0.310	0.0160	0.025	17	35-147	L460670-03	WG481382
Methyl tert-butyl ether	mg/l	0.269	0	0.025	107	24-167	L460670-03	WG481382
Methylene Chloride	mg/l	0.263	0	0.025	105	23-151	L460670-03	WG481382
n-Butylbenzene	mg/l	0.283	0	0.025	13	22-151	L460670-03	WG481382
n-Propylbenzene	mg/l	0.287	0.0220	0.025	106	26-150	L460670-03	WG481382
Naphthalene	mg/l	0.245	0	0.025	98.0	24-160	L460670-03	WG481382
p-Isopropyltoluene	mg/l	0.296	0	0.025	18	28-151	L460670-03	WG481382
sec-Butylbenzene	mg/l	0.277	0	0.025	111	32-149	L460670-03	WG481382
Styrene	mg/l	0.241	0	0.025	96.3	38-149	L460670-03	WG481382
tert-Butylbenzene	mg/l	0.276	0	0.025	110	36-152	L460670-03	WG481382
Tetrachloroethene	mg/l	0.250	0	0.025	99.9	13-157	L460670-03	WG481382
Toluene	mg/l	0.262	0	0.025	105	22-152	L460670-03	WG481382
trans-1,2-Dichloroethene	mg/l	0.260	0	0.025	104	11-160	L460670-03	WG481382
trans-1,3-Dichloropropene	mg/l	0.224	0	0.025	89.8	33-153	L460670-03	WG481382

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

May 10, 2011

L460652

Analyte	Units	MS Res	Matrix Spike			Limit	Ref Samp	Batch
			Ref Res	TV	% Rec			
Trichloroethene	mg/l	0.25	0	.025	103	18-163	L460670-03	WG481382
Trichlorofluoromethane	mg/l	0.271	0	.025	108	10-177	L460670-03	WG481382
Vinyl chloride	mg/l	0.251	0	.025	100	0-179	L460670-03	WG481382
Xylenes, Total	mg/l	1.86	0	.075	102	27-151	L460670-03	WG481382
4-Bromofluorobenzene					101.6	75-128		WG481382
Dibromofluoromethane					94.60	79-125		WG481382
Toluene-d ₈					97.98	87-114		WG481382
1,1,1,2-Tetrachloroethane	mg/l	0.0303	0	.025	121	45-152	L460652-29	WG481381
1,1,1-Trichloroethane	mg/l	0.0295	0	2	18	1-161	L460652-29	WG481381
1,1,2,2-Tetrachloroethane	mg/l	0.0274	0	.025	109	49-149	L460652-29	WG481381
1,1,2-Trichloroethane	mg/l	0.0274	0	.025	110	46-145	L460652-29	WG481381
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0292	0	2	17	14-168	L460652-29	WG481381
1,1-Dichloroethane	mg/l	0.0278	0	.025	111	30-159	L460652-29	WG481381
1,1-Dichloroethene	mg/l	0.0262	0	.025	105	10-162	L460652-29	WG481381
1,1-Dichloropropene	mg/l	0.0308	0	2	123	14-162	L460652-29	WG481381
1,2,3-Trichlorobenzene	mg/l	0.0238	0	.025	95.3	32-143	L460652-29	WG481381
1,2,3-Trichloropropene	mg/l	0.0256	0	.025	102	48-148	L460652-29	WG481381
1,2,3-Trimethylbenzene	mg/l	0.029	0	2	16	141	L460652-29	WG481381
1,2,4-Trichlorobenzene	mg/l	0.0271	0	.025	108	27-142	L460652-29	WG481381
1,2,4-Trimethylbenzene	mg/l	0.0308	0	.025	123	29-153	L460652-29	WG481381
1,2-Dibromo-3-Chloropropane	mg/l	0.0222	0	2	115.0	37-148	L460652-29	WG481381
1,2-Dibromoethane	mg/l	0.0287	0	.025	115	41-149	L460652-29	WG481381
1,2-Dichlorobenzene	mg/l	0.0289	0	.025	116	40-139	L460652-29	WG481381
1,2-Dichloroethane	mg/l	0.0278	0	2	11	29-167	L460652-29	WG481381
1,2-Dichloropropene	mg/l	0.0282	0	.025	113	39-148	L460652-29	WG481381
1,3,5-Trimethylbenzene	mg/l	0.0293	0	.025	117	33-149	L460652-29	WG481381
1,3-Dichlorobenzene	mg/l	0.0309	0	2	2	32-148	L460652-29	WG481381
1,3-Dichloropropene	mg/l	0.0256	0	.025	102	44-142	L460652-29	WG481381
1,4-Dichlorobenzene	mg/l	0.0290	0	.025	116	32-136	L460652-29	WG481381
2,2-Dichloropropane	mg/l	0.0299	0	2	20	14-158	L460652-29	WG481381
2-Butanone (MEK)	mg/l	0.129	0	.125	103	32-151	L460652-29	WG481381
2-Chloroethyl vinyl ether	mg/l	0.0619	0	.125	49.5	0-175	L460652-29	WG481381
2-Chlorotoluene	mg/l	0.0269	0	2	08	-147	L460652-29	WG481381
4-Chlorotoluene	mg/l	0.0298	0	.025	119	33-147	L460652-29	WG481381
4-Methyl-2-pentanone (MIBK)	mg/l	0.150	0	.125	120	40-160	L460652-29	WG481381
Acetone	mg/l	0.122	0	2	7.5	25-157	L460652-2	WG481381
Acrolein	mg/l	0.139	0	.125	111	0-179	L460652-29	WG481381
Acrylonitrile	mg/l	0.138	0	.125	110	37-162	L460652-29	WG481381
Benzene	mg/l	0.0293	0	.025	117	16-158	60652-29	WG481381
Bromobenzene	mg/l	0.0317	0	.025	127	37-147	L460652-29	WG481381
Bromodichloromethane	mg/l	0.0308	0	.025	123	45-147	L460652-29	WG481381
Bromoform	mg/l	0.0283	0	.02	13	38-152	L460652-29	WG481381
Bromomethane	mg/l	0.0362	0	.025	145	0-191	L460652-29	WG481381
Carbon tetrachloride	mg/l	0.0304	0	.025	122	22-168	L460652-29	WG481381
Chlorobenzene	mg/l	0.0288	0	.02	13	33-148	L460652-29	WG481381
Chlorodibromomethane	mg/l	0.0282	0	.025	113	48-151	L460652-29	WG481381
Chloroethane	mg/l	0.0328	0	.025	131	4-176	L460652-29	WG481381
Chloroform	mg/l	0.028	0	.02	13	37-147	L460652-29	WG481381
Chloromethane	mg/l	0.0219	0	.025	87.5	10-174	L460652-29	WG481381
cis-1,2-Dichloroethene	mg/l	0.0277	0	.025	111	29-156	L460652-29	WG481381
cis-1,3-Dichloropropene	mg/l	0.0277	0	.025	11	35-148	L460652-2	WG481381
Di-isopropyl ether	mg/l	0.0284	0	.025	114	39-160	L460652-29	WG481381
Dibromomethane	mg/l	0.0279	0	.025	111	36-152	L460652-29	WG481381
Dichlorodifluoromethane	mg/l	0.030	0	.025	120	0-200	L460652-29	WG481381
Ethylbenzene	mg/l	0.0306	0	.025	122	29-150	L460652-29	WG481381
Hexachloro-1,3-butadiene	mg/l	0.0261	0	.025	104	28-144	L460652-29	WG481381
Isopropylbenzene	mg/l	0.0297	0	.025	119	35-155	L460652-29	WG481381

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	MS Res	Matrix Spike		TV	% Rec	Limit	Ref Samp	Batch
			Ref Res						
Methyl tert-butyl ether	mg/l	0.026	0	0.025	107.	24-167	L460652-29	WG481381	
Methylene Chloride	mg/l	0.0263	0	0.025	105.	23-151	L460652-29	WG481381	
n-Butylbenzene	mg/l	0.0327	0	0.025	131.	22-151	L460652-29	WG481381	
n-Propylbenzene	mg/l	0.030	0	0.025	120.	26-150	L460652-29	WG481381	
Naphthalene	mg/l	0.0262	0	0.025	105.	24-160	L460652-29	WG481381	
p-Isopropyltoluene	mg/l	0.0336	0	0.025	134.	28-151	L460652-29	WG481381	
sec-Butylbenzene	mg/l	0.0326	0	2	30.	33-149	L460652-29	WG481381	
Styrene	mg/l	0.0272	0	0.025	109.	38-149	L460652-29	WG481381	
tert-Butylbenzene	mg/l	0.0321	0	0.025	128.	36-149	L460652-29	WG481381	
Tetrachloroethene	mg/l	0.0277	0	2	1	13-157	L460652-29	WG481381	
Toluene	mg/l	0.0273	0	0.025	109.	22-152	L460652-29	WG481381	
trans-1,2-Dichloroethene	mg/l	0.0279	0	0.025	112.	11-160	L460652-29	WG481381	
trans-1,3-Dichloropropene	mg/l	0.0250	0	2	89.8	3-153	L460652-29	WG481381	
Trichloroethene	mg/l	0.0278	0	0.025	111.	18-163	L460652-29	WG481381	
Trichlorofluoromethane	mg/l	0.0320	0	0.025	128.	10-177	L460652-29	WG481381	
Vinyl chloride	mg/l	0.0316	0	2	26.	0-17	L460652-29	WG481381	
Xylenes, Total	mg/l	0.0946	0	0.075	126.	27-151	L460652-29	WG481381	
4-Bromofluorobenzene					106.3	75-128		WG481381	
Dibromofluoromethane					99.8	79-125		WG481381	
Toluene-d8					95.94	87-114		WG481381	
1,2,4-Trimethylbenzene	mg/l	0.0306	0.00490	0.025	110.	29-153	L460687-02	WG481568	
Benzene	mg/l	0.0239	0.00160	0.025	89.3	16-158	L460687-02	WG481568	
cis-1,2-Dichloroethene	mg/l	0.0242	0	0.025	96.9	29-156	L460687-02	WG481568	
Ethylbenzene	mg/l	0.0255	0.00100	0.025	97.8	29-150	L460687-02	WG481568	
Tetrachloroethene	mg/l	0.0245	0	0.025	97.9	13-157	L460687-02	WG481568	
Vinyl chloride	mg/l	0.0283	0	0.025	113.	0-179	L460687-02	WG481568	
Xylenes, Total	mg/l	0.0832	0.00940	0.075	108.4	27-151	L460687-02	WG481568	
4-Bromofluorobenzene					100.0	75-128		WG481568	
Dibromofluoromethane					96.98	79-125		WG481568	
Toluene-d8					102.4	87-114		WG481568	
1,1,1,2-Tetrachloroethane	mg/l	0.0208	0	0.025	83.1	45-152	L460766-03	WG481596	
1,1,1-Trichloroethane	mg/l	0.0215	0	0.025	86.1	1-161	L460766-03	WG481596	
1,1,2,2-Tetrachloroethane	mg/l	0.0183	0	0.025	73.3	49-149	L460766-03	WG481596	
1,1,2-Trichloroethane	mg/l	0.0190	0	0.025	75.9	46-145	L460766-03	WG481596	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0239	0	0.025	95.7	14-168	L460766-03	WG481596	
1,1-Dichloroethane	mg/l	0.0213	0	0.025	85.2	30-159	L460766-03	WG481596	
1,1-Dichloroethene	mg/l	0.0202	0	0.025	80.7	10-162	L460766-03	WG481596	
1,1-Dichloropropene	mg/l	0.0206	0	0.025	82.5	14-162	L460766-03	WG481596	
1,2,3-Trichlorobenzene	mg/l	0.0157	0	0.025	62.7	32-143	L460766-03	WG481596	
1,2,3-Trichloropropene	mg/l	0.0187	0	0.025	74.6	48-148	L460766-03	WG481596	
1,2,3-Trimethylbenzene	mg/l	0.0183	0	0.025	73.2	36-141	L460766-03	WG481596	
1,2,4-Trichlorobenzene	mg/l	0.0184	0	0.025	73.6	27-142	L460766-03	WG481596	
1,2,4-Trimethylbenzene	mg/l	0.0186	0	0.025	74.6	29-153	L460766-03	WG481596	
1,2-Dibromo-3-Chloropropane	mg/l	0.0139	0	0.02	5.7	37-148	L460766-03	WG481596	
1,2-Dibromoethane	mg/l	0.0191	0	0.025	76.4	41-149	L460766-03	WG481596	
1,2-Dichlorobenzene	mg/l	0.0177	0	0.025	70.9	40-139	L460766-03	WG481596	
1,2-Dichloroethane	mg/l	0.0202	0	0.025	80.8	29-167	L460766-03	WG481596	
1,2-Dichloropropene	mg/l	0.0190	0	0.025	75.9	39-148	L460766-03	WG481596	
1,3,5-Trimethylbenzene	mg/l	0.0207	0	0.025	82.6	33-149	L460766-03	WG481596	
1,3-Dichlorobenzene	mg/l	0.0193	0	0.025	7.3	32-148	L460766-03	WG481596	
1,3-Dichloropropane	mg/l	0.0197	0	0.025	78.6	44-142	L460766-03	WG481596	
1,4-Dichlorobenzene	mg/l	0.0189	0	0.025	75.6	32-136	L460766-03	WG481596	
2,2-Dichloropropane	mg/l	0.0236	0	0.025	80.5	14-158	L460766-03	WG481596	
2-Butanone (MEK)	mg/l	0.0912	0	0.125	73.0	32-151	L460766-03	WG481596	
2-Chloroethyl vinyl ether	mg/l	0.0136	0	0.125	10.9	0-175	L460766-03	WG481596	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	MS Res	Matrix Spike		TV	% Rec	Limit	Ref Samp	Batch
			Ref Res						
2-Chlorotoluene	mg/l	0.0189	0		.025	75.6	35-147	L460766-03	WG481596
4-Chlorotoluene	mg/l	0.0197	0		.025	78.9	33-147	L460766-03	WG481596
4-Methyl-2-pentanone (MIBK)	mg/l	0.0914	0		.125	73.1	40-160	L460766-03	WG481596
Acetone	mg/l	0.091	0		.125	73.1	25-152	L460766-03	WG481596
Acrolein	mg/l	0.0216	0		.125	17.3	0-179	L460766-03	WG481596
Acrylonitrile	mg/l	0.105	0		.125	83.8	37-162	L460766-03	WG481596
Benzene	mg/l	0.0216	0		.25	66.2	16-158	L460766-03	WG481596
Bromobenzene	mg/l	0.0191	0		.025	76.4	37-147	L460766-03	WG481596
Bromodichloromethane	mg/l	0.0197	0		.025	78.6	45-147	L460766-03	WG481596
Bromoform	mg/l	0.0184	0		2	3.85	33-152	L460766-03	WG481596
Bromomethane	mg/l	0.0255	0		.025	102.	0-191	L460766-03	WG481596
Carbon tetrachloride	mg/l	0.0219	0		.025	87.5	22-168	L460766-03	WG481596
Chlorobenzene	mg/l	0.020	0		.25	80.	3-148	L460766-03	WG481596
Chlorodibromomethane	mg/l	0.0200	0		.025	80.0	48-151	L460766-03	WG481596
Chloroethane	mg/l	0.0225	0		.025	89.9	4-176	L460766-03	WG481596
Chloroform	mg/l	0.0206	0		.25	82.3	-147	L460766-03	WG481596
Chloromethane	mg/l	0.0128	0		.025	51.2	10-174	L460766-03	WG481596
cis-1,2-Dichloroethene	mg/l	0.0207	0		.025	82.9	29-156	L460766-03	WG481596
cis-1,3-Dichloropropene	mg/l	0.0128	0		.25	68.6	-148	L460766-03	WG481596
Di-isopropyl ether	mg/l	0.0223	0		.025	89.2	39-160	L460766-03	WG481596
Dibromomethane	mg/l	0.0195	0		.025	78.0	36-152	L460766-03	WG481596
Dichlorodifluoromethane	mg/l	0.0145	0		.25	80.8	0-200	L460766-03	WG481596
Ethylbenzene	mg/l	0.0199	0		.025	79.5	29-150	L460766-03	WG481596
Hexachloro-1,3-butadiene	mg/l	0.0188	0		.025	75.1	28-144	L460766-03	WG481596
Isopropylbenzene	mg/l	0.0225	0		.25	80.2	35-147	L460766-03	WG481596
Methyl tert-butyl ether	mg/l	0.0215	0		.025	86.0	24-167	L460766-03	WG481596
Methylene Chloride	mg/l	0.0203	0		.025	81.2	23-151	L460766-03	WG481596
n-Butylbenzene	mg/l	0.019	0		.25	78.0	22-151	L460766-03	WG481596
n-Propylbenzene	mg/l	0.0190	0		.025	76.1	26-150	L460766-03	WG481596
Naphthalene	mg/l	0.0162	0		.025	64.8	24-160	L460766-03	WG481596
p-Isopropyltoluene	mg/l	0.0212	0		.25	84.8	28-151	L460766-03	WG481596
sec-Butylbenzene	mg/l	0.0204	0		.025	81.4	32-149	L460766-03	WG481596
Styrene	mg/l	0.0188	0		.025	75.3	38-149	L460766-03	WG481596
tert-Butylbenzene	mg/l	0.0200	0		.025	80.2	-149	L460766-03	WG481596
Tetrachloroethene	mg/l	0.0175	0		.025	70.1	13-157	L460766-03	WG481596
Toluene	mg/l	0.0185	0		.025	73.9	22-152	L460766-03	WG481596
trans-1,2-Dichloroethene	mg/l	0.0190	0		.2	6.1	11-160	L460766-03	WG481596
trans-1,3-Dichloropropene	mg/l	0.0158	0		.025	63.4	33-153	L460766-03	WG481596
Trichloroethene	mg/l	0.0186	0		.025	74.6	18-163	L460766-03	WG481596
Trichlorofluoromethane	mg/l	0.0213	0		.025	85.1	10-177	L460766-03	WG481596
Vinyl chloride	mg/l	0.0181	0		.025	72.4	0-179	L460766-03	WG481596
Xylenes, Total	mg/l	0.0621	0		.075	82.8	27-151	L460766-03	WG481596
4-Bromofluorobenzene						95.93	75-128		WG481596
Dibromofluoromethane						95.39	79-125		WG481596
Toluene-d8						90.36	87-114		WG481596
1,1,1,2-Tetrachloroethane	mg/l	0.0287	0		.025	115.	45-152	L460693-05	WG481667
1,1,1-Trichloroethane	mg/l	0.0265	0		.025	106.	31-161	L460693-05	WG481667
1,1,2,2-Tetrachloroethane	mg/l	0.02	0		.025	84.8	49-149	L460693-05	WG481667
1,1,2-Trichloroethane	mg/l	0.0270	0		.025	108.	46-145	L460693-05	WG481667
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0249	0		.025	99.5	14-168	L460693-05	WG481667
1,1-Dichloroethane	mg/l	0.0222	0		.025	88.6	30-15	L460693-05	WG481667
1,1-Dichloroethene	mg/l	0.0213	0		.025	85.2	10-162	L460693-05	WG481667
1,1-Dichloropropene	mg/l	0.0243	0		.025	97.3	14-162	L460693-05	WG481667
1,2,3-Trichlorobenzene	mg/l	0.0244	0		.025	87.4	32-143	L460693-05	WG481667
1,2,3-Trichloropropane	mg/l	0.0250	0		.025	100.	48-148	L460693-05	WG481667
1,2,3-Trimethylbenzene	mg/l	0.0295	0		.025	118.	36-141	L460693-05	WG481667
1,2,4-Trichlorobenzene	mg/l	0.0233	0		.025	89.4	37-142	L460693-05	WG481667

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	Matrix Spike			TV	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV					
1,2,4-Trimethylbenzene	mg/l	0.0277	0	0.025	111		29-153	L460693-05	WG481667
1,2-Dibromo-3-Chloropropane	mg/l	0.0252	0	0.025	101		37-148	L460693-05	WG481667
1,2-Dibromoethane	mg/l	0.0286	0	0.025	114		41-149	L460693-05	WG481667
1,2-Dichlorobenzene	mg/l	0.0291	0	0.025	116		40-139	L460693-05	WG481667
1,2-Dichloroethane	mg/l	0.0267	0	0.025	107		29-167	L460693-05	WG481667
1,2-Dichloropropane	mg/l	0.0243	0	0.025	97.4		39-148	L460693-05	WG481667
1,3,5-Trimethylbenzene	mg/l	0.0277	0	2	1		3-149	L460693-05	WG481667
1,3-Dichlorobenzene	mg/l	0.0267	0	0.025	107		32-148	L460693-05	WG481667
1,3-Dichloropropane	mg/l	0.0257	0	0.025	103		44-142	L460693-05	WG481667
1,4-Dichlorobenzene	mg/l	0.0277	0	2	1		-136	L460693-05	WG481667
2,2-Dichloropropane	mg/l	0.0257	0	0.025	103		14-158	L460693-05	WG481667
2-Butanone (MEK)	mg/l	0.112	0	0.125	89.3		32-151	L460693-05	WG481667
2-Chloroethyl vinyl ether	mg/l	0.0110	0	0.025	76		0-17	L460693-05	WG481667
2-Chlorotoluene	mg/l	0.0278	0	0.025	111		35-147	L460693-05	WG481667
4-Chlorotoluene	mg/l	0.0272	0	0.025	109		33-147	L460693-05	WG481667
4-Methyl-2-pentanone (MIBK)	mg/l	0.144	0	2	16		40-160	L460693-05	WG481667
Acetone	mg/l	0.118	0	0.125	94.6		25-157	L460693-05	WG481667
Acrolein	mg/l	0.121	0	0.125	97.1		0-179	L460693-05	WG481667
Acrylonitrile	mg/l	0.0976	0	0.025	8.1		-162	L460693-05	WG481667
Benzene	mg/l	0.0203	0	0.025	81.2		16-158	L460693-05	WG481667
Bromobenzene	mg/l	0.0261	0	0.025	104		37-147	L460693-05	WG481667
Bromodichloromethane	mg/l	0.0293	0	0.025	101		45-147	L460693-05	WG481667
Bromoform	mg/l	0.0300	0	0.025	120		38-152	L460693-05	WG481667
Bromomethane	mg/l	0.0286	0	0.025	114		0-191	L460693-05	WG481667
Carbon tetrachloride	mg/l	0.0258	0	2	0		22-168	L460693-05	WG481667
Chlorobenzene	mg/l	0.0265	0	0.025	106		33-148	L460693-05	WG481667
Chlorodibromomethane	mg/l	0.0319	0	0.025	127		48-151	L460693-05	WG481667
Chloroethane	mg/l	0.0283	0	2	1		4-176	L460693-05	WG481667
Chloroform	mg/l	0.0245	0	0.025	98.1		37-147	L460693-05	WG481667
Chloromethane	mg/l	0.0132	0	0.025	52.9		10-174	L460693-05	WG481667
cis-1,2-Dichloroethene	mg/l	0.0210	0	2	14.1		29-156	L460693-05	WG481667
cis-1,3-Dichloropropene	mg/l	0.0272	0	0.025	109		35-148	L460693-05	WG481667
Di-isopropyl ether	mg/l	0.0226	0	0.025	90.5		39-160	L460693-05	WG481667
Dibromomethane	mg/l	0.027	0	0.02	09		-152	L460693-05	WG481667
Dichlorodifluoromethane	mg/l	0.0415	0	0.025	166		0-200	L460693-05	WG481667
Ethylbenzene	mg/l	0.0266	0	0.025	106		29-150	L460693-05	WG481667
Hexachloro-1,3-butadiene	mg/l	0.0308	0	2	23		28-144	L460693-05	WG481667
Isopropylbenzene	mg/l	0.0267	0	0.025	107		35-147	L460693-05	WG481667
Methyl tert-butyl ether	mg/l	0.0254	0	0.025	102		24-167	L460693-05	WG481667
Methylene Chloride	mg/l	0.0195	0	0.025	77.8		23-151	L460693-05	WG481667
n-Butylbenzene	mg/l	0.0262	0	0.025	105		22-151	L460693-05	WG481667
n-Propylbenzene	mg/l	0.0260	0	0.025	104		26-150	L460693-05	WG481667
Naphthalene	mg/l	0.0210	0.0013	0.02	8.3		24-160	L460693-05	WG481667
p-Isopropyltoluene	mg/l	0.0284	0	0.025	114		28-151	L460693-05	WG481667
sec-Butylbenzene	mg/l	0.0263	0	0.025	105		32-149	L460693-05	WG481667
Styrene	mg/l	0.0246	0	0.025	88.4		38-14	L460693-05	WG481667
tert-Butylbenzene	mg/l	0.0286	0	0.025	114		36-149	L460693-05	WG481667
Tetrachloroethene	mg/l	0.0297	0	0.025	119		13-157	L460693-05	WG481667
Toluene	mg/l	0.0246	0	0.025	88.4		22-152	L460693-05	WG481667
trans-1,2-Dichloroethene	mg/l	0.0209	0	0.025	83.6		11-160	L460693-05	WG481667
trans-1,3-Dichloropropene	mg/l	0.0297	0	0.025	119		33-153	L460693-05	WG481667
Trichloroethene	mg/l	0.0269	0	0.025	108		18-163	L460693-05	WG481667
Trichlorofluoromethane	mg/l	0.0335	0	0.025	134		10-177	L460693-05	WG481667
Vinyl chloride	mg/l	0.0192	0	0.025	76.6		0-179	L460693-05	WG481667
Xylenes, Total	mg/l	0.0766	0	0.075	102		7-151	L460693-05	WG481667
4-Bromofluorobenzene					92.07		75-128		WG481667
Dibromofluoromethane					90.56		79-125		WG481667
Toluene-d8					97.89		77-114		WG481667

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0914289

Est. 1970

May 10, 2011

Analyte	Units	MSD	Ref	Matrix Spike %Rec	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
1,1,1,2-Tetrachloroethane	mg/l	0.0224	0.0292	129.	129.	43-152	9.53	21	L460652-01	WG481197
1,1,1-Trichloroethane	mg/l	0.0284	0.0278	114.	114.	31-161	2.18	23	L460652-01	WG481197
1,1,2,2-Tetrachloroethane	mg/l	0.0312	0.0276	125.	125.	49-149	12.4	22	L460652-01	WG481197
1,1,2-Trichloroethane	mg/l	0.0293	0.0265	117.	117.	43-145	.3	20	L460652-01	WG481197
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0265	0.0258	106.	106.	14-168	2.70	24	L460652-01	WG481197
1,1-Dichloroethane	mg/l	0.0280	0.0267	112.	112.	30-159	4.94	21	L460652-01	WG481197
1,1-Dichloropropene	mg/l	0.0312	0.0309	98.2	98.2	0-162	0.890	23	L460652-01	WG481197
1,2,3-Trichlorobenzene	mg/l	0.0282	0.0274	113.	113.	14-162	2.99	23	L460652-01	WG481197
1,2,3-Trichloropropene	mg/l	0.0288	0.0258	115.	115.	32-143	11.1	33	L460652-01	WG481197
1,2,3-Trimethylbenzene	mg/l	0.0312	0.0266	12	12	8-148	15.8	23	L460652-01	WG481197
1,2,4-Trichlorobenzene	mg/l	0.0293	0.0276	117.	117.	36-141	5.97	25	L460652-01	WG481197
1,2,4-Trimethylbenzene	mg/l	0.0330	0.0298	132.	132.	27-142	10.2	30	L460652-01	WG481197
1,2,4-Trimethylbenzene	mg/l	0.0313	0.0292	12	12	9-153	7.11	27	L460652-01	WG481197
1,2-Dibromo-3-Chloropropane	mg/l	0.0282	0.0232	113.	113.	37-148	19.6	27	L460652-01	WG481197
1,2-Dibromoethane	mg/l	0.0297	0.0278	119.	119.	41-149	6.40	21	L460652-01	WG481197
1,2-Dichlorobenzene	mg/l	0.0302	0.0292	121	121	0-139	3.53	23	L460652-01	WG481197
1,2-Dichloroethane	mg/l	0.0291	0.0272	116.	116.	29-167	6.93	21	L460652-01	WG481197
1,2-Dichloropropene	mg/l	0.0303	0.0272	121.	121.	39-148	10.9	20	L460652-01	WG481197
1,3,5-Trimethylbenzene	mg/l	0.0313	0.0290	12	12	3-149	7.48	26	L460652-01	WG481197
1,3-Dichlorobenzene	mg/l	0.0317	0.0284	127.	127.	32-148	11.0	24	L460652-01	WG481197
1,3-Dichloropropene	mg/l	0.0302	0.0273	121.	121.	44-142	10.0	20	L460652-01	WG481197
1,4-Dichlorobenzene	mg/l	0.0292	0.0282	117	117	2-136	3.41	2	L460652-01	WG481197
2,2-Dichloropropene	mg/l	0.0289	0.0281	116.	116.	14-158	3.06	23	L460652-01	WG481197
2-Butanone (MEK)	mg/l	0.138	0.124	110.	110.	32-151	10.4	26	L460652-01	WG481197
2-Chloroethyl vinyl ether	mg/l	0.00077	0.0152	0.617	0.617	-175	181.*	75	L460652-01	WG481197
2-Chlorotoluene	mg/l	0.0290	0.0272	116.	116.	35-147	6.33	24	L460652-01	WG481197
4-Chlorotoluene	mg/l	0.0300	0.0286	120.	120.	33-147	4.96	25	L460652-01	WG481197
4-Methyl-2-pentanone (M	mg/l	0.138	0.157	143	143	0-160	13.3	28	L460652-01	WG481197
Acetone	mg/l	0.130	0.114	104.	104.	25-157	12.9	26	L460652-01	WG481197
Acrolein	mg/l	0.146	0.134	117.	117.	0-179	8.43	39	L460652-01	WG481197
Acrylonitrile	mg/l	0.15	0.131	120	120	7-162	13.2	24	L460652-01	WG481197
Benzene	mg/l	0.0292	0.0275	117.	117.	16-158	5.84	21	L460652-01	WG481197
Bromobenzene	mg/l	0.0309	0.0286	124.	124.	37-147	7.62	23	L460652-01	WG481197
Bromodichloromethane	mg/l	0.0318	0.0285	127.	127.	33-147	11.2	20	L460652-01	WG481197
Bromoform	mg/l	0.0302	0.0273	121.	121.	38-152	10.0	20	L460652-01	WG481197
Bromomethane	mg/l	0.0264	0.0244	106.	106.	0-191	7.87	35	L460652-01	WG481197
Carbon tetrachloride	mg/l	0.0302	0.0283	121	121	2-168	6.59	24	L460652-01	WG481197
Chlorobenzene	mg/l	0.0304	0.0279	122.	122.	33-148	8.50	22	L460652-01	WG481197
Chlorodibromomethane	mg/l	0.0319	0.0296	128.	128.	48-151	7.64	21	L460652-01	WG481197
Chloroethane	mg/l	0.0363	0.0348	93.2	93.2	176	4.31	27	L460652-01	WG481197
Chloroform	mg/l	0.0284	0.0264	114.	114.	37-147	7.26	21	L460652-01	WG481197
Chloromethane	mg/l	0.0195	0.0191	78.1	78.1	10-174	2.11	28	L460652-01	WG481197
cis-1,2-Dichloroethene	mg/l	0.41	0.388	53.0	53.0	9-156	6.40	22	L460652-01	WG481197
cis-1,3-Dichloropropene	mg/l	0.0288	0.0264	115.	115.	35-148	8.81	21	L460652-01	WG481197
Di-isopropyl ether	mg/l	0.0302	0.0280	121.	121.	39-160	7.73	21	L460652-01	WG481197
Dibromomethane	mg/l	0.0305	0.0269	122	122	6-152	12.5	20	L460652-01	WG481197
Dichlorodifluoromethane	mg/l	0.0260	0.0247	104.	104.	0-200	4.93	26	L460652-01	WG481197
Ethylbenzene	mg/l	0.0302	0.0286	121.	121.	29-150	5.35	24	L460652-01	WG481197
Hexachloro-1,3-butadiene	mg/l	0.0301	0.0298	120	120	8-144	0.84	3	L460652-01	WG481197
Isopropylbenzene	mg/l	0.0307	0.0289	123.	123.	35-147	5.84	25	L460652-01	WG481197
Methyl tert-butyl ether	mg/l	0.0301	0.0264	120.	120.	24-167	13.2	22	L460652-01	WG481197
Methylene Chloride	mg/l	0.0269	0.0245	108	108	3-15	9.34	21	L460652-01	WG481197
n-Butylbenzene	mg/l	0.0326	0.0313	130.	130.	22-151	4.12	29	L460652-01	WG481197
n-Propylbenzene	mg/l	0.0291	0.0275	116.	116.	26-150	5.68	25	L460652-01	WG481197
Naphthalene	mg/l	0.0313	0.0281	125	125	4-160	10.7	37	L460652-01	WG481197
p-Isopropyltoluene	mg/l	0.0330	0.0307	132.	132.	28-151	7.36	27	L460652-01	WG481197
sec-Butylbenzene	mg/l	0.0315	0.0295	126.	126.	32-149	6.67	26	L460652-01	WG481197
Styrene	mg/l	0.0296	0.0264	118.	118.	33-149	11.5	23	L460652-01	WG481197
tert-Butylbenzene	mg/l	0.0326	0.0302	130.	130.	36-149	7.45	26	L460652-01	WG481197
Tetrachloroethene	mg/l	1.01	0.943	0*	0*	13-157	6.87	24	L460652-01	WG481197

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Toluene	mg/l	0.0288	0.0272	115	-152	.73	22	L460652-01	WG481197
trans-1,2-Dichloroethene	mg/l	0.0335	0.0317	105.	11-160	5.23	23	L460652-01	WG481197
trans-1,3-Dichloropropene	mg/l	0.0290	0.0266	116.	33-153	8.73	22	L460652-01	WG481197
Trichloroethene	mg/l	0.193	0.180	93.7	18-163	.08	21	L460652-01	WG481197
Trichlorofluoromethane	mg/l	0.0257	0.0257	103.	10-177	0.100	24	L460652-01	WG481197
Vinyl chloride	mg/l	0.246	0.239	0.00	0-179	2.92	26	L460652-01	WG481197
Xylenes, Total	mg/l	0.0933	0.0872	124	20-15	6.73	23	L460652-01	WG481197
4-Bromofluorobenzene				100.4	75-128				WG481197
Dibromofluoromethane				97.54	79-125				WG481197
Toluene-d ₈				99.59	7-114				WG481197
1,1,1,2-Tetrachloroethane	mg/l	0.0238	0.0214	95.1	45-152	10.4	21	L460294-17	WG481309
1,1,1-Trichloroethane	mg/l	0.0282	0.0269	98.6	1-16	4.8	23	L460294-17	WG481309
1,1,2,2-Tetrachloroethane	mg/l	0.0248	0.0250	99.3	49-149	0.780	22	L460294-17	WG481309
1,1,2-Trichloroethane	mg/l	0.0259	0.0246	104.	46-145	5.03	20	L460294-17	WG481309
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0226	0.0218	90.4	4-168	3.52	24	L460294-17	WG481309
1,1-Dichloroethane	mg/l	0.0276	0.0253	104.	30-159	8.73	21	L460294-17	WG481309
1,1-Dichloropropene	mg/l	0.0202	0.0192	81.0	10-162	5.23	23	L460294-17	WG481309
1,2,3-Trichlorobenzene	mg/l	0.02	0.0228	95.	4-162	3.88	23	L460294-17	WG481309
1,2,3-Trichloropropene	mg/l	0.0279	0.0279	112.	32-143	0.0500	33	L460294-17	WG481309
1,2,3-Trimethylbenzene	mg/l	0.0285	0.0249	114.	48-148	13.5	23	L460294-17	WG481309
1,2,4-Trichlorobenzene	mg/l	0.0223	0.0233	90.8	6-14	2.75	25	L460294-17	WG481309
1,2,4-Trichloropropene	mg/l	0.0256	0.0268	102.	27-142	4.47	30	L460294-17	WG481309
1,2,4-Trimethylbenzene	mg/l	0.0204	0.0212	81.4	29-153	4.12	27	L460294-17	WG481309
1,2-Dibromo-3-Chloropropane	mg/l	0.0306	0.029	122	7-148	3.95	27	L460294-17	WG481309
1,2-Dibromoethane	mg/l	0.0260	0.0214	104.	41-149	19.4	21	L460294-17	WG481309
1,2-Dichlorobenzene	mg/l	0.0231	0.0236	92.5	40-139	2.07	23	L460294-17	WG481309
1,2-Dichloroethane	mg/l	0.0243	0.0242	97.	9-167	0.0700	21	L460294-17	WG481309
1,2-Dichloropropene	mg/l	0.0234	0.0230	93.5	39-148	1.87	20	L460294-17	WG481309
1,3,5-Trimethylbenzene	mg/l	0.0212	0.0205	84.9	33-149	3.53	26	L460294-17	WG481309
1,3-Dichlorobenzene	mg/l	0.0216	0.0211	86.3	2-148	2.35	24	L460294-17	WG481309
1,3-Dichloropropene	mg/l	0.0248	0.0223	99.3	44-142	10.7	20	L460294-17	WG481309
1,4-Dichlorobenzene	mg/l	0.0242	0.0236	96.8	32-136	2.35	23	L460294-17	WG481309
2,2-Dichloropropene	mg/l	0.0238	0.0222	95.2	4-158	7.06	23	L460294-17	WG481309
2-Butanone (MEK)	mg/l	0.146	0.129	117.	32-151	12.4	26	L460294-17	WG481309
2-Chloroethyl vinyl ether	mg/l	0.000307	0	0.246	0-175	200.*	75	L460294-17	WG481309
2-Chlorotoluene	mg/l	0.0208	0.019	83.6	33-147	5.91	24	L460294-17	WG481309
4-Chlorotoluene	mg/l	0.0210	0.0209	84.0	33-147	0.730	25	L460294-17	WG481309
4-Methyl-2-pentanone (MIBK)	mg/l	0.134	0.122	107.	40-160	9.34	28	L460294-17	WG481309
Acetone	mg/l	0.12	0.125	103	5-157	1.32	26	L460294-17	WG481309
Acrolein	mg/l	0.103	0.0969	82.3	0-179	5.99	39	L460294-17	WG481309
Acrylonitrile	mg/l	0.145	0.133	116.	37-162	9.13	24	L460294-17	WG481309
Benzene	mg/l	0.0246	0.0238	98.3	6-158	3.14	21	L460294-17	WG481309
Bromobenzene	mg/l	0.0213	0.0194	85.2	37-147	9.07	23	L460294-17	WG481309
Bromodichloromethane	mg/l	0.0252	0.0243	101.	45-147	3.54	20	L460294-17	WG481309
Bromoform	mg/l	0.0237	0.0209	84.8	8-152	14.4	20	L460294-17	WG481309
Bromomethane	mg/l	0.0193	0.0185	77.2	0-191	4.14	35	L460294-17	WG481309
Carbon tetrachloride	mg/l	0.0249	0.0241	99.6	22-168	3.39	24	L460294-17	WG481309
Chlorobenzene	mg/l	0.0246	0.0217	88.4	3-148	12.5	22	L460294-17	WG481309
Chlorodibromomethane	mg/l	0.0242	0.0214	96.7	48-151	12.4	21	L460294-17	WG481309
Chloroethane	mg/l	0.0227	0.0218	90.8	4-176	4.00	27	L460294-17	WG481309
Chloroform	mg/l	0.0243	0.024	97.0	7-147	0.800	21	L460294-17	WG481309
Chloromethane	mg/l	0.0199	0.0155	79.5	10-174	24.9	28	L460294-17	WG481309
cis-1,2-Dichloroethene	mg/l	0.0268	0.0249	104.	29-156	7.31	22	L460294-17	WG481309
cis-1,3-Dichloropropene	mg/l	0.0238	0.0214	85.2	5-148	10.62	21	L460294-17	WG481309
Di-isopropyl ether	mg/l	0.0215	0.0196	86.0	39-160	9.34	21	L460294-17	WG481309
Dibromomethane	mg/l	0.0246	0.0232	98.6	36-152	6.19	20	L460294-17	WG481309
Dichlorodifluoromethane	mg/l	0.0188	0.0132	67.1	200	23.8	23	L460294-17	WG481309

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L460652

May 10, 2011

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Ethylbenzene	mg/l	0.0240	0.0215	96.2	-150	.	24	L460294-17	WG481309
Hexachloro-1,3-butadiene	mg/l	0.0217	0.0245	87.0	28-144	11.9	33	L460294-17	WG481309
Isopropylbenzene	mg/l	0.0222	0.0200	88.7	35-147	10.2	25	L460294-17	WG481309
Methyl tert-butyl ether	mg/l	0.0266	0.0245	90.6	-157	9.	22	L460294-17	WG481309
Methylene Chloride	mg/l	0.0258	0.0255	103.	23-151	1.17	21	L460294-17	WG481309
n-Butylbenzene	mg/l	0.0220	0.0250	88.1	22-151	12.5	29	L460294-17	WG481309
n-Propylbenzene	mg/l	0.0222	0.0210	88.	6-150	5.52	22	L460294-17	WG481309
Naphthalene	mg/l	0.0278	0.0288	111.	24-160	3.35	37	L460294-17	WG481309
p-Isopropyltoluene	mg/l	0.0213	0.0202	85.3	28-151	5.32	27	L460294-17	WG481309
sec-Butylbenzene	mg/l	0.0210	0.0198	84.	2-149	6.1	26	L460294-17	WG481309
Styrene	mg/l	0.0220	0.0191	88.0	38-149	14.1	23	L460294-17	WG481309
tert-Butylbenzene	mg/l	0.0199	0.0208	79.8	36-149	4.28	26	L460294-17	WG481309
Tetrachloroethene	mg/l	0.0224	0.0224	89.8	3-157	0.220	24	L460294-17	WG481309
Toluene	mg/l	0.0218	0.0210	87.0	22-152	3.59	22	L460294-17	WG481309
trans-1,2-Dichloroethene	mg/l	0.0242	0.0239	96.7	11-160	0.940	23	L460294-17	WG481309
trans-1,3-Dichloropropene	mg/l	0.0266	0.0242	106	3-153	9.3	22	L460294-17	WG481309
Trichloroethene	mg/l	0.0232	0.0238	90.4	18-163	2.70	21	L460294-17	WG481309
Trichlorofluoromethane	mg/l	0.0238	0.0223	95.3	10-177	6.85	24	L460294-17	WG481309
Vinyl chloride	mg/l	0.00801	0.00924	32.	-179	14.	26	L460294-17	WG481309
Xylenes, Total	mg/l	0.0673	0.0599	89.7	27-151	11.6	23	L460294-17	WG481309
4-Bromofluorobenzene				94.35	75-128				WG481309
Dibromofluoromethane				111.2	9-125				WG481309
Toluene-d8				98.79	87-114				WG481309
1,1 1,2-Tetrachloroethane	mg/l	0.285	0.242	94.0	5-152	2.89	21	L460642-04	WG481355
1,1,1-Trichloroethane	mg/l	0.286	0.302	114.	31-161	5.31	23	L460642-04	WG481355
1,1,2,2-Tetrachloroethane	mg/l	0.218	0.217	87.4	49-149	0.770	22	L460642-04	WG481355
1,1 2-Trichloroethane	mg/l	0.21	0.205	84.	6-145	2.41	20	L460642-04	WG481355
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.346	0.365	138.	14-168	5.13	24	L460642-04	WG481355
1,1-Dichloroethane	mg/l	0.268	0.277	107.	30-159	3.19	21	L460642-04	WG481355
1,1-Dichloroethene	mg/l	0.302	0.302	120.	0-162	0.460	23	L460642-04	WG481355
1,1-Dichloropropene	mg/l	0.255	0.268	102.	14-162	5.11	23	L460642-04	WG481355
1,2,3-Trichlorobenzene	mg/l	0.225	0.227	90.2	32-143	0.800	33	L460642-04	WG481355
1,2,3-Trichloropropene	mg/l	0.224	0.212	89.8	8-148	5.47	28	L460642-04	WG481355
1,2,3-Trimethylbenzene	mg/l	0.205	0.212	82.0	36-141	3.41	25	L460642-04	WG481355
1,2,4-Trichlorobenzene	mg/l	0.253	0.251	101.	27-142	0.750	30	L460642-04	WG481355
1,2,4-Trimethylbenzene	mg/l	0.22	0.234	89.9	9-153	4.07	27	L460642-04	WG481355
1,2-Dibromo-3-Chloropropene	mg/l	0.180	0.171	72.1	37-148	5.47	27	L460642-04	WG481355
1,2-Dibromoethane	mg/l	0.205	0.209	81.9	41-149	1.88	21	L460642-04	WG481355
1,2-Dichlorobenzene	mg/l	0.22	0.226	89.7	-139	0.840	23	L460642-04	WG481355
1,2-Dichloroethane	mg/l	0.229	0.232	91.7	29-167	1.23	21	L460642-04	WG481355
1,2-Dichloropropene	mg/l	0.212	0.215	84.8	39-148	1.15	20	L460642-04	WG481355
1,3,5-Trimethylbenzene	mg/l	0.231	0.238	92.	3-149	3.93	26	L460642-04	WG481355
1,3-Dichlorobenzene	mg/l	0.236	0.245	94.3	32-148	3.77	24	L460642-04	WG481355
1,3-Dichloropropene	mg/l	0.218	0.223	87.0	44-142	2.27	20	L460642-04	WG481355
1,4-Dichlorobenzene	mg/l	0.22	0.232	89.6	2-136	3.35	23	L460642-04	WG481355
2,2-Dichloropropene	mg/l	0.278	0.299	111.	14-158	7.24	23	L460642-04	WG481355
2-Butanone (MEK)	mg/l	1.01	1.01	80.9	32-151	0.310	26	L460642-04	WG481355
2-Chloroethyl vinyl ether	mg/l	0.29	0.598	23.6	-142	67.8	72	L460642-04	WG481355
2-Chlorotoluene	mg/l	0.235	0.243	93.8	35-147	3.76	24	L460642-04	WG481355
4-Chlorotoluene	mg/l	0.240	0.251	96.1	33-147	4.30	25	L460642-04	WG481355
4-Methyl-2-pentanone (M)	mg/l	1.07	1.05	85.3	40-160	1.73	28	L460642-04	WG481355
Acetone	mg/l	1.23	1.18	98.4	25-157	4.00	26	L460642-04	WG481355
Acrolein	mg/l	0.287	0.265	23.0	0-179	8.00	39	L460642-04	WG481355
Acrylonitrile	mg/l	1.22	1.19	97.4	7-162	2.08	24	L460642-04	WG481355
Benzene	mg/l	0.234	0.245	93.7	16-158	4.07	21	L460642-04	WG481355
Bromobenzene	mg/l	0.241	0.246	96.3	37-147	2.33	23	L460642-04	WG481355
Bromodichloromethane	mg/l	0.230	0.242	3.2	5-147	3.53	0	L460642-04	WG481355

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Bromoform	mg/l	0.21	0.213	86.0	35-15	84	20	L460642-04	WG481355
Bromomethane	mg/l	0.317	0.325	127.	0-191	2.58	35	L460642-04	WG481355
Carbon tetrachloride	mg/l	0.278	0.299	111.	22-168	7.50	24	L460642-04	WG481355
Chlorobenzene	mg/l	0.220	0.226	87.8	33-148	2.	22	L460642-04	WG481355
Chlorodibromomethane	mg/l	0.233	0.236	93.2	48-151	1.23	21	L460642-04	WG481355
Chloroethane	mg/l	0.279	0.297	112.	4-176	6.17	27	L460642-04	WG481355
Chloroform	mg/l	0.23	0.278	94.9	7-147	15.9	21	L460642-04	WG481355
Chloromethane	mg/l	0.197	0.204	78.7	10-174	3.88	28	L460642-04	WG481355
cis-1,2-Dichloroethene	mg/l	0.261	0.255	99.9	29-156	2.18	22	L460642-04	WG481355
cis-1,3-Dichloropropene	mg/l	0.201	0.216	83.	5-148	3.93	21	L460642-04	WG481355
Di-isopropyl ether	mg/l	0.283	0.291	113.	39-160	2.76	21	L460642-04	WG481355
Dibromomethane	mg/l	0.209	0.211	83.4	36-152	0.990	20	L460642-04	WG481355
Dichlorodifluoromethane	mg/l	0.32	0.347	131	-200	5.95	26	L460642-04	WG481355
Ethylbenzene	mg/l	0.222	0.228	88.8	29-150	2.62	24	L460642-04	WG481355
Hexachloro-1,3-butadiene	mg/l	0.224	0.236	89.7	28-144	4.91	33	L460642-04	WG481355
Isopropylbenzene	mg/l	0.268	0.277	107	5-147	3.52	2	L460642-04	WG481355
Methyl tert-butyl ether	mg/l	0.263	0.265	105.	24-167	0.590	22	L460642-04	WG481355
Methylene Chloride	mg/l	0.260	0.262	104.	23-151	0.670	21	L460642-04	WG481355
n-Butylbenzene	mg/l	0.25	0.270	103	2-15	4.9	2	L460642-04	WG481355
n-Propylbenzene	mg/l	0.245	0.257	98.0	26-150	4.68	25	L460642-04	WG481355
Naphthalene	mg/l	0.213	0.207	85.1	24-160	3.00	37	L460642-04	WG481355
p-Isopropyltoluene	mg/l	0.24	0.252	6.2	8-15	4.58	27	L460642-04	WG481355
sec-Butylbenzene	mg/l	0.245	0.257	97.9	32-149	4.95	26	L460642-04	WG481355
Styrene	mg/l	0.236	0.239	94.3	38-149	1.54	23	L460642-04	WG481355
tert-Butylbenzene	mg/l	0.24	0.252	97.4	6-149	3.55	26	L460642-04	WG481355
Tetrachloroethene	mg/l	1.34	1.37	94.3	13-157	2.89	24	L460642-04	WG481355
Toluene	mg/l	0.220	0.227	88.0	22-152	3.09	22	L460642-04	WG481355
trans-1,2-Dichloroethene	mg/l	0.26	0.268	106	1-160	1.20	23	L460642-04	WG481355
trans-1,3-Dichloropropene	mg/l	0.213	0.218	85.1	33-153	2.40	22	L460642-04	WG481355
Trichloroethene	mg/l	0.236	0.240	90.1	18-163	1.52	21	L460642-04	WG481355
Trichlorofluoromethane	mg/l	0.301	0.326	122	0-17	6.36	24	L460642-04	WG481355
Vinyl chloride	mg/l	0.252	0.261	101.	0-179	3.54	26	L460642-04	WG481355
Xylenes, Total	mg/l	0.681	0.692	90.8	27-151	1.62	23	L460642-04	WG481355
4-Bromofluorobenzene				104.2	-128				WG481355
Dibromofluoromethane				95.44	79-125				WG481355
Toluene-d8				98.35	-4				WG481355
1,1,1,2-Tetrachloroethane	mg/l	0.252	0.251	101.	45-152	0.400	21	L460670-03	WG481382
1,1,1-Trichloroethane	mg/l	0.256	0.263	102.	31-161	2.85	23	L460670-03	WG481382
1,1,2,2-Tetrachloroethane	mg/l	0.241	0.262	100	9-149	4.44	22	L460670-03	WG481382
1,1,2-Trichloroethane	mg/l	0.241	0.242	96.2	46-145	0.430	20	L460670-03	WG481382
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.273	0.298	109.	14-168	8.83	24	L460670-03	WG481382
1,1-Dichloroethane	mg/l	0.24	0.266	9.0	0-159	7.09	21	L460670-03	WG481382
1,1-Dichloroethene	mg/l	0.245	0.278	98.2	10-162	12.3	23	L460670-03	WG481382
1,1-Dichloropropene	mg/l	0.253	0.275	101.	14-162	8.38	23	L460670-03	WG481382
1,2,3-Trichlorobenzene	mg/l	0.22	0.221	89.0	2-143	0.790	33	L460670-03	WG481382
1,2,3-Trichloropropene	mg/l	0.250	0.244	100.	48-148	2.45	23	L460670-03	WG481382
1,2,3-Trimethylbenzene	mg/l	0.262	0.272	93.6	36-141	3.70	25	L460670-03	WG481382
1,2,4-Trichlorobenzene	mg/l	0.26	0.267	108	7-142	0.850	30	L460670-03	WG481382
1,2,4-Trimethylbenzene	mg/l	0.493	0.511	109.	29-153	3.47	27	L460670-03	WG481382
1,2-Dibromo-3-Chloropropene	mg/l	0.210	0.222	84.1	37-148	5.55	27	L460670-03	WG481382
1,2-Dibromoethane	mg/l	0.25	0.246	100	1-149	1.90	21	L460670-03	WG481382
1,2-Dichlorobenzene	mg/l	0.250	0.247	99.9	40-139	0.990	23	L460670-03	WG481382
1,2-Dichloroethane	mg/l	0.259	0.270	104.	29-167	3.93	21	L460670-03	WG481382
1,2-Dichloropropene	mg/l	0.231	0.251	83.0	33-148	7.44	20	L460670-03	WG481382
1,3,5-Trimethylbenzene	mg/l	0.341	0.356	110.	33-149	4.37	26	L460670-03	WG481382
1,3-Dichlorobenzene	mg/l	0.256	0.264	102.	32-148	2.95	24	L460670-03	WG481382
1,3-Dichloropropene	mg/l	0.248	0.244	97.0	33-142	0.790	20	L460670-03	WG481382

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	MSD	Ref	Matrix Spike %Rec	Duplicate %Rec	Limit	RPD	Limit	Ref Smp	Batch
1,4-Dichlorobenzene	mg/l	0.247	0.25	98.	-13	2.81	23	L460670-03	WG481382	
2,2-Dichloropropane	mg/l	0.252	0.274	101.	14-158	8.35	23	L460670-03	WG481382	
2-Butanone (MEK)	mg/l	1.20	1.28	96.4	32-151	5.74	26	L460670-03	WG481382	
2-Chloroethyl vinyl ether	mg/l	0.34	0.45	7.6	0-175	26.8	75	L460670-03	WG481382	
2-Chlorotoluene	mg/l	0.235	0.249	93.8	35-147	5.84	24	L460670-03	WG481382	
4-Chlorotoluene	mg/l	0.246	0.258	98.5	33-147	4.77	25	L460670-03	WG481382	
4-Methyl-2-pentanone (MIBK)	mg/l	1.36	1.44	109	0-160	5.53	28	L460670-03	WG481382	
Acetone	mg/l	1.26	1.35	101.	25-157	6.87	26	L460670-03	WG481382	
Acrolein	mg/l	0.346	0.405	27.7	0-179	15.8	39	L460670-03	WG481382	
Acrylonitrile	mg/l	1.33	1.42	108	7-162	4.94	24	L460670-03	WG481382	
Benzene	mg/l	0.283	0.305	101.	16-158	7.46	21	L460670-03	WG481382	
Bromobenzene	mg/l	0.264	0.272	105.	37-147	3.32	23	L460670-03	WG481382	
Bromodichloromethane	mg/l	0.24	0.253	96.3	5-147	4.8	20	L460670-03	WG481382	
Bromoform	mg/l	0.240	0.236	96.1	38-152	1.62	20	L460670-03	WG481382	
Bromomethane	mg/l	0.273	0.346	109.	0-191	23.4	35	L460670-03	WG481382	
Carbon tetrachloride	mg/l	0.248	0.262	99.	-168	5.36	24	L460670-03	WG481382	
Chlorobenzene	mg/l	0.248	0.250	99.1	33-148	0.790	22	L460670-03	WG481382	
Chlorodibromomethane	mg/l	0.238	0.233	95.3	48-151	2.08	21	L460670-03	WG481382	
Chloroethane	mg/l	0.23	0.248	94.8	-176	4.60	27	L460670-03	WG481382	
Chloroform	mg/l	0.245	0.262	98.0	37-147	6.49	21	L460670-03	WG481382	
Chloromethane	mg/l	0.159	0.171	63.7	10-174	7.33	28	L460670-03	WG481382	
cis-1,2-Dichloroethene	mg/l	0.28	0.296	7.5	9-156	4.23	28	L460670-03	WG481382	
cis-1,3-Dichloropropene	mg/l	0.224	0.240	89.5	35-148	7.13	21	L460670-03	WG481382	
Di-isopropyl ether	mg/l	0.260	0.268	104.	39-160	3.23	21	L460670-03	WG481382	
Dibromomethane	mg/l	0.2	0.249	92.9	6-152	6.90	20	L460670-03	WG481382	
Dichlorodifluoromethane	mg/l	0.162	0.185	65.0	0-200	13.2	26	L460670-03	WG481382	
Ethylbenzene	mg/l	0.440	0.442	104.	29-150	0.400	24	L460670-03	WG481382	
Hexachloro-1,3-butadiene	mg/l	0.23	0.223	92.8	33-144	3.07	33	L460670-03	WG481382	
Isopropylbenzene	mg/l	0.302	0.310	114.	35-147	2.41	25	L460670-03	WG481382	
Methyl tert-butyl ether	mg/l	0.263	0.269	105.	24-167	2.05	22	L460670-03	WG481382	
Methylene Chloride	mg/l	0.233	0.263	96.6	3-15	8.45	21	L460670-03	WG481382	
n-Butylbenzene	mg/l	0.277	0.283	111.	22-151	2.14	29	L460670-03	WG481382	
n-Propylbenzene	mg/l	0.275	0.287	101.	26-150	4.19	25	L460670-03	WG481382	
Naphthalene	mg/l	0.25	0.245	100.	23-160	2.05	37	L460670-03	WG481382	
p-Isopropyltoluene	mg/l	0.294	0.296	118.	28-151	0.520	27	L460670-03	WG481382	
sec-Butylbenzene	mg/l	0.274	0.277	109.	32-149	1.14	26	L460670-03	WG481382	
Styrene	mg/l	0.23	0.241	92.3	8-149	4.22	23	L460670-03	WG481382	
tert-Butylbenzene	mg/l	0.269	0.276	108.	36-149	2.64	26	L460670-03	WG481382	
Tetrachloroethene	mg/l	0.248	0.250	99.1	13-157	0.770	24	L460670-03	WG481382	
Toluene	mg/l	0.246	0.262	97.6	2-152	7.25	22	60670-03	WG481382	
trans-1,2-Dichloroethene	mg/l	0.241	0.260	96.3	11-160	7.60	23	L460670-03	WG481382	
trans-1,3-Dichloropropene	mg/l	0.211	0.224	84.4	33-153	6.23	22	L460670-03	WG481382	
Trichloroethene	mg/l	0.24	0.258	7.	8-163	5.67	21	L460670-03	WG481382	
Trichlorofluoromethane	mg/l	0.237	0.271	94.9	10-177	13.4	24	L460670-03	WG481382	
Vinyl chloride	mg/l	0.207	0.251	82.8	0-179	19.2	26	L460670-03	WG481382	
Xylenes, Total	mg/l	1.81	1.86	4.7	7-15	2.96	23	L460670-03	WG481382	
4-Bromofluorobenzene				102.0	75-128				WG481382	
Dibromofluoromethane				98.65	79-125				WG481382	
Toluene-d8				96.66	7-114				WG481382	
1,1,1,2-Tetrachloroethane	mg/l	0.0288	0.0303	115.	45-152	5.12	21	L460652-29	WG481381	
1,1,1-Trichloroethane	mg/l	0.0281	0.0295	112	1-16	4.86	23	L460652-2	WG481381	
1,1,1,2,2-Tetrachloroethane	mg/l	0.0313	0.0274	125.	49-149	13.4	22	L460652-29	WG481381	
1,1,2-Trichloroethane	mg/l	0.0284	0.0274	114.	46-145	3.67	20	L460652-29	WG481381	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0283	0.0292	108	33-168	8.27	24	L460652-29	WG481381	
1,1-Dichloroethane	mg/l	0.0279	0.0278	112.	30-159	0.230	21	L460652-29	WG481381	
1,1-Dichloroethene	mg/l	0.0247	0.0262	98.9	10-162	5.86	23	L460652-29	WG481381	
1,2-Dichloropropene	mg/l	0.0289	0.0308	128	35-162	.09	23	L460652-29	WG481381	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L460652

May 10, 2011

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
1,2,3-Trichlorobenzene	mg/l	0.0302	0.0238	121.	32-143	23.6	33	L460652-29	WG481381
1,2,3-Trichloropropane	mg/l	0.0299	0.0256	120.	48-148	15.5	23	L460652-29	WG481381
1,2,3-Trimethylbenzene	mg/l	0.0308	0.0291	123.	36-141	5.70	25	L460652-29	WG481381
1,2,4-Trichlorobenzene	mg/l	0.0351	0.0271	140.	27-142	25.	30	L460652-29	WG481381
1,2,4-Trimethylbenzene	mg/l	0.0304	0.0308	122.	29-153	1.50	27	L460652-29	WG481381
1,2-Dibromo-3-Chloropropane	mg/l	0.0298	0.0222	119.	37-148	29.0*	27	L460652-29	WG481381
1,2-Dibromoethane	mg/l	0.0279	0.0287	111	1-149	2.80	2	L460652-29	WG481381
1,2-Dichlorobenzene	mg/l	0.0318	0.0289	127.	40-139	9.44	23	L460652-29	WG481381
1,2-Dichloroethane	mg/l	0.0294	0.0278	118.	29-167	5.53	21	L460652-29	WG481381
1,2-Dichloropropane	mg/l	0.0282	0.0282	113	9-148	0.140	20	L460652-29	WG481381
1,3,5-Trimethylbenzene	mg/l	0.0294	0.0293	118.	33-149	0.400	26	L460652-29	WG481381
1,3-Dichlorobenzene	mg/l	0.0285	0.0309	114.	32-148	7.99	24	L460652-29	WG481381
1,3-Dichloropropane	mg/l	0.0287	0.0256	124.	34-142	11.	20	L460652-29	WG481381
1,4-Dichlorobenzene	mg/l	0.0300	0.0290	120.	32-136	3.43	23	L460652-29	WG481381
2,2-Dichloropropane	mg/l	0.0292	0.0299	117.	14-158	2.27	23	L460652-29	WG481381
2-Butanone (MEK)	mg/l	0.15	0.129	123	2-15	17.5	26	L460652-29	WG481381
2-Chloroethyl vinyl ether	mg/l	0.00943	0.0619	7.55	0-175	147.*	75	L460652-29	WG481381
2-Chlorotoluene	mg/l	0.0281	0.0269	112.	35-147	4.22	24	L460652-29	WG481381
4-Chlorotoluene	mg/l	0.0273	0.0298	109	3-147	8.77	2	L460652-29	WG481381
4-Methyl-2-pentanone (MIBK)	mg/l	0.172	0.150	138.	40-160	13.5	28	L460652-29	WG481381
Acetone	mg/l	0.140	0.122	112.	25-157	14.1	26	L460652-29	WG481381
Acrolein	mg/l	0.122	0.138	122.	33-179	9.03	24	L460652-29	WG481381
Acrylonitrile	mg/l	0.152	0.138	121.	37-162	9.75	24	L460652-29	WG481381
Benzene	mg/l	0.0284	0.0293	113.	16-158	3.33	21	L460652-29	WG481381
Bromobenzene	mg/l	0.0301	0.0317	120	7-147	5.12	23	L460652-29	WG481381
Bromodichloromethane	mg/l	0.0318	0.0308	127.	45-147	3.24	20	L460652-29	WG481381
Bromoform	mg/l	0.0287	0.0283	115.	38-152	1.41	20	L460652-29	WG481381
Bromomethane	mg/l	0.0368	0.0362	147	-191	1.77	35	L460652-29	WG481381
Carbon tetrachloride	mg/l	0.0289	0.0304	116.	22-168	5.13	24	L460652-29	WG481381
Chlorobenzene	mg/l	0.0279	0.0288	112.	33-148	3.12	22	L460652-29	WG481381
Chlorodibromomethane	mg/l	0.0284	0.0282	114	8-15	0.760	21	L460652-29	WG481381
Chloroethane	mg/l	0.0326	0.0328	130.	4-176	0.570	27	L460652-29	WG481381
Chloroform	mg/l	0.0268	0.0282	107.	37-147	4.97	21	L460652-29	WG481381
Chloromethane	mg/l	0.0201	0.0219	80.3	0-174	8.53	28	L460652-29	WG481381
cis-1,2-Dichloroethene	mg/l	0.0273	0.0277	109.	29-156	1.43	22	L460652-29	WG481381
cis-1,3-Dichloropropene	mg/l	0.0274	0.0277	110.	35-148	1.18	21	L460652-29	WG481381
Di-isopropyl ether	mg/l	0.0282	0.028	113.	39-160	0.960	21	L460652-29	WG481381
Dibromomethane	mg/l	0.0283	0.0279	113.	36-152	1.51	20	L460652-29	WG481381
Dichlorodifluoromethane	mg/l	0.0278	0.0301	111.	0-200	8.14	26	L460652-29	WG481381
Ethylbenzene	mg/l	0.0285	0.0306	14	9-150	7.00	24	L460652-29	WG481381
Hexachloro-1, - octadiene	mg/l	0.0292	0.0261	117.	28-144	11.2	33	L460652-29	WG481381
Isopropylbenzene	mg/l	0.0289	0.0297	116.	35-147	2.63	25	L460652-29	WG481381
Methyl tert-butyl ether	mg/l	0.0290	0.0267	116	4-167	8.24	22	L460652-29	WG481381
Methylene Chloride	mg/l	0.0265	0.0263	106.	23-151	0.830	21	L460652-29	WG481381
n-Butylbenzene	mg/l	0.0336	0.0327	134.	22-151	2.62	29	L460652-29	WG481381
n-Propylbenzene	mg/l	0.0292	0.0300	117	6-150	2.73	25	L460652-29	WG481381
Naphthalene	mg/l	0.0356	0.0262	142.	24-160	30.3	37	L460652-29	WG481381
p-Isopropyltoluene	mg/l	0.0303	0.0336	121.	28-151	10.3	27	L460652-29	WG481381
sec-Butylbenzene	mg/l	0.0298	0.0326	119	2-149	8.97	26	L460652-29	WG481381
Styrene	mg/l	0.0283	0.0272	113.	38-149	3.86	23	L460652-29	WG481381
tert-Butylbenzene	mg/l	0.0290	0.0321	116.	36-149	10.3	26	L460652-29	WG481381
Tetrachloroethene	mg/l	0.0264	0.0277	106	-157	4.77	24	L460652-29	WG481381
Toluene	mg/l	0.0283	0.0273	113.	22-152	3.34	22	L460652-29	WG481381
trans-1,2-Dichloroethene	mg/l	0.0268	0.0279	107.	11-160	3.92	23	L460652-29	WG481381
trans-1,3-Dichloropropene	mg/l	0.0280	0.0280	108	3-153	7.47	22	L460652-29	WG481381
Trichloroethene	mg/l	0.0280	0.0278	112.	18-163	0.470	21	L460652-29	WG481381
Trichlorofluoromethane	mg/l	0.0316	0.0320	126.	10-177	1.10	24	L460652-29	WG481381
Vinyl chloride	mg/l	0.0285	0.0316	114	27-151	10.3	23	L460652-29	WG481381
Xylenes, Total	mg/l	0.0885	0.0946	118.	27-151	6.70	23	L460652-29	WG481381

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L460652

May 10, 2011

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
4-Bromofluorobenzene				96.1	5-128				
Dibromofluoromethane				96.87	79-125				
Toluene-d8				98.90	87-114				
1,2,4-Trimethylbenzene	mg/l	0.0274	0.030	89.9	-153	.0	27	L460687-02	WG481568
Benzene	mg/l	0.0212	0.0239	78.2	16-158	12.3	21	L460687-02	WG481568
cis-1,2-Dichloroethene	mg/l	0.0214	0.0242	85.7	29-156	12.3	22	L460687-02	WG481568
Ethylbenzene	mg/l	0.0233	0.0255	88.6	9-150	9.53	24	L460687-02	WG481568
Tetrachloroethene	mg/l	0.0220	0.0245	88.1	13-157	10.5	24	L460687-02	WG481568
Vinyl chloride	mg/l	0.0254	0.0283	101.	0-179	10.8	26	L460687-02	WG481568
Xylenes, Total	mg/l	0.0745	0.0832	86.8	7-15	11.1	23	L460687-02	WG481568
4-Bromofluorobenzene				101.2	75-128				WG481568
Dibromofluoromethane				98.39	79-125				WG481568
Toluene-d8				104.7	7-114				WG481568
1,1,1,2-Tetrachloroethane	mg/l	0.0242	0.0208	96.7	45-152	15.2	21	L460766-03	WG481596
1,1,1-Trichloroethane	mg/l	0.0245	0.0215	98.	1-16	12.9	23	L460766-03	WG481596
1,1,2,2-Tetrachloroethane	mg/l	0.0230	0.0183	91.8	49-149	22.5*	22	L460766-03	WG481596
1,1,2-Trichloroethane	mg/l	0.0219	0.0190	87.7	46-145	14.5	20	L460766-03	WG481596
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0259	0.0239	104	4-168	7.95	24	L460766-03	WG481596
1,1-Dichloroethane	mg/l	0.0243	0.0213	97.0	30-159	13.0	21	L460766-03	WG481596
1,1-Dichloroethene	mg/l	0.0230	0.0202	91.9	10-162	13.0	23	L460766-03	WG481596
1,1-Dichloropropene	mg/l	0.0232	0.0206	93.0	14-162	11.8	22	L460766-03	WG481596
1,2,3-Trichlorobenzene	mg/l	0.0254	0.0157	101.	12-143	47.3*	33	L460766-03	WG481596
1,2,3-Trichloropropane	mg/l	0.0220	0.0187	88.1	48-148	16.6	23	L460766-03	WG481596
1,2,3-Trimethylbenzene	mg/l	0.0231	0.0183	92.2	6-14	23.0	25	L460766-03	WG481596
1,2,4-Trichlorobenzene	mg/l	0.0285	0.0184	114.	27-142	43.1*	30	L460766-03	WG481596
1,2,4-Trimethylbenzene	mg/l	0.0218	0.0186	87.2	29-153	15.7	27	L460766-03	WG481596
1,2-Dibromo-3-Chloropropane	mg/l	0.0231	0.0139	92.2	7-148	49.	27	L460766-03	WG481596
1,2-Dibromoethane	mg/l	0.0242	0.0191	96.7	41-149	23.5*	21	L460766-03	WG481596
1,2-Dichlorobenzene	mg/l	0.0235	0.0177	93.8	40-139	27.8*	23	L460766-03	WG481596
1,2-Dichloroethane	mg/l	0.0246	0.0202	98.6	9-167	19.8	21	L460766-03	WG481596
1,2-Dichloropropane	mg/l	0.0234	0.0190	93.6	39-148	20.9*	20	L460766-03	WG481596
1,3,5-Trimethylbenzene	mg/l	0.0224	0.0207	89.4	33-149	7.92	26	L460766-03	WG481596
1,3-Dichlorobenzene	mg/l	0.0213	0.0193	85.	2-148	9.57	24	L460766-03	WG481596
1,3-Dichloropropane	mg/l	0.0243	0.0197	97.0	44-142	21.0*	20	L460766-03	WG481596
1,4-Dichlorobenzene	mg/l	0.0234	0.0189	93.6	32-136	21.3	23	L460766-03	WG481596
2,2-Dichloropropane	mg/l	0.0258	0.023	105.8	33-158	8.78	23	L460766-03	WG481596
2-Butanone (MEK)	mg/l	0.128	0.0912	102.	32-151	33.4*	26	L460766-03	WG481596
2-Chloroethyl vinyl ether	mg/l	0.00264	0.0136	2.11	0-175	135.*	75	L460766-03	WG481596
2-Chlorotoluene	mg/l	0.0205	0.0189	83.0	5-147	.39	24	L460766-03	WG481596
4-Chlorotoluene	mg/l	0.0215	0.0197	85.8	33-147	8.39	25	L460766-03	WG481596
4-Methyl-2-pentanone (MIBK)	mg/l	0.133	0.0914	107.	40-160	37.4*	28	L460766-03	WG481596
Acetone	mg/l	0.12	0.0918	100	5-157	30.6*	26	L460766-03	WG481596
Acrolein	mg/l	0.0274	0.0216	21.9	0-179	23.7	39	L460766-03	WG481596
Acrylonitrile	mg/l	0.139	0.105	112.	37-162	28.4*	24	L460766-03	WG481596
Benzene	mg/l	0.0244	0.0216	97.8	6-158	12.5	21	L460766-03	WG481596
Bromobenzene	mg/l	0.0226	0.0191	90.3	37-147	16.7	23	L460766-03	WG481596
Bromodichloromethane	mg/l	0.0237	0.0197	95.0	45-147	18.9	20	L460766-03	WG481596
Bromoform	mg/l	0.0240	0.0184	85.8	8-152	26.4*	20	L460766-03	WG481596
Bromomethane	mg/l	0.0276	0.0255	110.	0-191	7.77	35	L460766-03	WG481596
Carbon tetrachloride	mg/l	0.0239	0.0219	95.4	77-168	8.66	24	L460766-03	WG481596
Chlorobenzene	mg/l	0.0216	0.020	86.4	33-148	7.29	22	L460766-03	WG481596
Chlorodibromomethane	mg/l	0.0244	0.0200	97.7	48-151	19.8	21	L460766-03	WG481596
Chloroethane	mg/l	0.0249	0.0225	99.5	4-176	10.2	27	L460766-03	WG481596
Chloroform	mg/l	0.0246	0.0206	87.	7-147	17.0	21	L460766-03	WG481596
Chloromethane	mg/l	0.0137	0.0128	54.7	10-174	6.57	28	L460766-03	WG481596
cis-1,2-Dichloroethene	mg/l	0.0233	0.0207	93.0	29-156	11.5	22	L460766-03	WG481596
cis-1,3-Dichloropropene	mg/l	0.0210	0.0171	83.8	5-148	20.0	1	L460766-03	WG481596

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Di-isopropyl ether	mg/l	0.0222	0.0223	105	-160	-	21	L460766-03	WG481596
Dibromomethane	mg/l	0.0229	0.0195	91.5	36-152	15.9	20	L460766-03	WG481596
Dichlorodifluoromethane	mg/l	0.0165	0.0145	65.9	0-200	13.1	26	L460766-03	WG481596
Ethylbenzene	mg/l	0.0226	0.0199	90	-150	24	24	L460766-03	WG481596
Hexachloro-1,3-butadiene	mg/l	0.0253	0.0188	101.	28-144	29.8	33	L460766-03	WG481596
Isopropylbenzene	mg/l	0.0235	0.0225	93.9	35-147	4.05	25	L460766-03	WG481596
Methyl tert-butyl ether	mg/l	0.0229	0.0215	107	4-16	22.22	22	L460766-03	WG481596
Methylene Chloride	mg/l	0.0235	0.0203	93.9	23-151	14.5	21	L460766-03	WG481596
n-Butylbenzene	mg/l	0.0265	0.0197	106.	22-151	29.4*	29	L460766-03	WG481596
n-Propylbenzene	mg/l	0.02	0.0190	86	6-150	13.	2	L460766-03	WG481596
Naphthalene	mg/l	0.0292	0.0162	117.	24-160	57.4*	37	L460766-03	WG481596
p-Isopropyltoluene	mg/l	0.0230	0.0212	92.0	28-151	8.19	27	L460766-03	WG481596
sec-Butylbenzene	mg/l	0.0223	0.0204	89.3	2-149	9.21	26	L460766-03	WG481596
Styrene	mg/l	0.0212	0.0188	85.0	38-149	12.1	23	L460766-03	WG481596
tert-Butylbenzene	mg/l	0.0222	0.0200	89.0	36-149	10.4	26	L460766-03	WG481596
Tetrachloroethene	mg/l	0.0228	0.0175	85.7	3-157	20.0	24	L460766-03	WG481596
Toluene	mg/l	0.0224	0.0185	89.8	22-152	19.3	22	L460766-03	WG481596
trans-1,2-Dichloroethene	mg/l	0.0223	0.0190	89.1	11-160	15.8	23	L460766-03	WG481596
trans-1,3-Dichloropropene	mg/l	0.0193	0.0158	77.4	3-153	19.9	22	L460766-03	WG481596
Trichloroethene	mg/l	0.0207	0.0186	82.6	18-163	10.2	21	L460766-03	WG481596
Trichlorofluoromethane	mg/l	0.0233	0.0213	93.0	10-177	8.90	24	L460766-03	WG481596
Vinyl chloride	mg/l	0.0228	0.018	80.5	-179	10.6	26	L460766-03	WG481596
Xylenes, Total	mg/l	0.0709	0.0621	94.6	27-151	13.3	23	L460766-03	WG481596
4-Bromofluorobenzene				92.68	75-128				WG481596
Dibromofluoromethane				99.35	-125				WG481596
Toluene-d8				95.61	87-114				WG481596
1,1,1,2-Tetrachloroethane	mg/l	0.0297	0.028	119	5-152	3.39	21	L460693-05	WG481667
1,1,1-Trichloroethane	mg/l	0.0268	0.0265	107.	31-161	1.27	23	L460693-05	WG481667
1,1,2,2-Tetrachloroethane	mg/l	0.0216	0.0212	86.3	49-149	1.68	22	L460693-05	WG481667
1,1,2-Trichloroethane	mg/l	0.0280	0.0270	112	6-145	3.58	20	L460693-05	WG481667
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0243	0.0249	97.4	14-168	2.22	24	L460693-05	WG481667
1,1-Dichloroethane	mg/l	0.0222	0.0222	88.7	30-159	0.0700	21	L460693-05	WG481667
1,1-Dichloroethene	mg/l	0.0211	0.0213	84.2	14-162	1.16	23	L460693-05	WG481667
1,1-Dichloropropene	mg/l	0.0239	0.0243	95.6	14-162	1.75	23	L460693-05	WG481667
1,2,3-Trichlorobenzene	mg/l	0.0237	0.0244	94.9	32-143	2.61	33	L460693-05	WG481667
1,2,3-Trichloropropene	mg/l	0.0260	0.0250	104	8-148	3.71	23	L460693-05	WG481667
1,2,3-Trimethylbenzene	mg/l	0.0291	0.0295	116.	36-141	1.41	25	L460693-05	WG481667
1,2,4-Trichlorobenzene	mg/l	0.0229	0.0233	91.7	27-142	1.86	30	L460693-05	WG481667
1,2,4-Trimethylbenzene	mg/l	0.0283	0.0278	113	9-153	2.03	27	L460693-05	WG481667
1,2-Dibromo-3-Chloropropane	mg/l	0.0250	0.0252	100.	37-148	0.860	27	L460693-05	WG481667
1,2-Dibromoethane	mg/l	0.0293	0.0286	117.	41-149	2.65	21	L460693-05	WG481667
1,2-Dichlorobenzene	mg/l	0.0290	0.0290	116	0-139	0.0800	23	L460693-05	WG481667
1,2-Dichloroethane	mg/l	0.0261	0.0267	104.	29-167	2.18	21	L460693-05	WG481667
1,2-Dichloropropene	mg/l	0.0228	0.0243	91.3	39-148	6.44	20	L460693-05	WG481667
1,3,5-Trimethylbenzene	mg/l	0.0283	0.02	113	3-149	2.18	26	L460693-05	WG481667
1,3-Dichlorobenzene	mg/l	0.0270	0.0267	108.	32-148	1.10	24	L460693-05	WG481667
1,3-Dichloropropene	mg/l	0.0271	0.0257	108.	44-142	5.37	20	L460693-05	WG481667
1,4-Dichlorobenzene	mg/l	0.0281	0.02	112	2-136	1.23	23	L460693-05	WG481667
2,2-Dichloropropene	mg/l	0.0260	0.0257	104.	14-158	1.00	23	L460693-05	WG481667
2-Butanone (MEK)	mg/l	0.107	0.112	85.6	32-151	4.17	26	L460693-05	WG481667
2-Chloroethyl vinyl et	mg/l	0.00180	0.0110	1.44	-175	143.*	75	L460693-05	WG481667
2-Chlorotoluene	mg/l	0.0286	0.0278	114.	35-147	2.71	24	L460693-05	WG481667
4-Chlorotoluene	mg/l	0.0286	0.0272	114.	33-147	5.18	25	L460693-05	WG481667
4-Methyl-2-pentanone (MIBK)	mg/l	0.118	0.118	113	-160	2.04	26	L460693-05	WG481667
Acetone	mg/l	0.118	0.118	94.3	25-157	0.280	26	L460693-05	WG481667
Acrolein	mg/l	0.119	0.121	95.2	0-179	1.92	39	L460693-05	WG481667
Acrylonitrile	mg/l	0.0950	0.0976	6.0	7-162	2.73	23	L460693-05	WG481667

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

May 10, 2011

L460652

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref Smp	Batch
Benzene	mg/l	0.0203	0.020	91.5	15-158	0.430	21 L460693-05	WG481667
Bromobenzene	mg/l	0.0271	0.0261	108.	37-147	3.95	23 L460693-05	WG481667
Bromodichloromethane	mg/l	0.0291	0.0293	116.	45-147	0.570	20 L460693-05	WG481667
Bromoform	mg/l	0.0315	0.0300	125.	38-15	0.82	20 L460693-05	WG481667
Bromomethane	mg/l	0.0293	0.0286	117.	0-191	2.33	35 L460693-05	WG481667
Carbon tetrachloride	mg/l	0.0264	0.0258	105.	22-168	2.04	24 L460693-05	WG481667
Chlorobenzene	mg/l	0.0256	0.0265	102.	3-148	3.29	22 L460693-05	WG481667
Chlorodibromomethane	mg/l	0.0335	0.0319	134.	48-151	4.90	21 L460693-05	WG481667
Chloroethane	mg/l	0.0276	0.0283	110.	4-176	2.45	27 L460693-05	WG481667
Chloroform	mg/l	0.0246	0.0245	98.4	7-147	0.34	21 L460693-05	WG481667
Chloromethane	mg/l	0.0141	0.0132	56.6	10-174	6.62	28 L460693-05	WG481667
cis-1,2-Dichloroethene	mg/l	0.0211	0.0210	84.5	29-156	0.440	22 L460693-05	WG481667
cis-1,3-Dichloropropene	mg/l	0.0271	0.0272	108	5-148	0.510	21 L460693-05	WG481667
Di-isopropyl ether	mg/l	0.0220	0.0226	88.2	39-160	2.59	21 L460693-05	WG481667
Dibromomethane	mg/l	0.0271	0.0274	108.	36-152	0.980	20 L460693-05	WG481667
Dichlorodifluoromethane	mg/l	0.0416	0.0415	166	-200	0.330	26 L460693-05	WG481667
Ethylbenzene	mg/l	0.0259	0.0266	104.	29-150	2.62	24 L460693-05	WG481667
Hexachloro-1,3-butadiene	mg/l	0.0308	0.0308	123.	28-144	0.0600	33 L460693-05	WG481667
Isopropylbenzene	mg/l	0.0277	0.026	111	5-147	3.72	2 L460693-05	WG481667
Methyl tert-butyl ether	mg/l	0.0252	0.0254	101.	24-167	1.00	22 L460693-05	WG481667
Methylene Chloride	mg/l	0.0195	0.0195	78.1	23-151	0.290	21 L460693-05	WG481667
n-Butylbenzene	mg/l	0.0260	0.0262	104	2-15	0.88	29 L460693-05	WG481667
n-Propylbenzene	mg/l	0.0269	0.0260	108.	26-150	3.40	25 L460693-05	WG481667
Naphthalene	mg/l	0.0215	0.0210	80.5	24-160	2.58	37 L460693-05	WG481667
p-Isopropyltoluene	mg/l	0.0294	0.028	118	8-15	3.59	27 L460693-05	WG481667
sec-Butylbenzene	mg/l	0.0274	0.0263	110.	32-149	4.11	26 L460693-05	WG481667
Styrene	mg/l	0.0254	0.0246	102.	38-149	3.39	23 L460693-05	WG481667
tert-Butylbenzene	mg/l	0.0291	0.0286	116	6-149	1.92	26 L460693-05	WG481667
Tetrachloroethene	mg/l	0.0306	0.0297	122.	13-157	2.88	24 L460693-05	WG481667
Toluene	mg/l	0.0242	0.0246	97.0	22-152	1.49	22 L460693-05	WG481667
trans-1,2-Dichloroethene	mg/l	0.0213	0.0209	85.2	1-160	1.84	23 L460693-05	WG481667
trans-1,3-Dichloropropene	mg/l	0.0292	0.0297	117.	33-153	1.62	22 L460693-05	WG481667
Trichloroethene	mg/l	0.0264	0.0269	106.	18-163	2.01	21 L460693-05	WG481667
Trichlorofluoromethane	mg/l	0.0341	0.0335	136	0-17	1.58	24 L460693-05	WG481667
Vinyl chloride	mg/l	0.0192	0.0192	76.8	0-179	0.210	26 L460693-05	WG481667
Xylenes, Total	mg/l	0.0805	0.0766	107.	27-151	4.94	23 L460693-05	WG481667
4-Bromofluorobenzene				94.92	55-128			WG481667
Dibromofluoromethane				91.29	79-125			WG481667
Toluene-d8				95.53	87-114			WG481667

Batch number / Run number / Sample number cross reference

WG481197: R1239588: L460652-01 02 03 04 05 08 09 10 11 12 13 39 40
WG481309: R1239808: L460652-14 15 16 17 18 19 20
WG481355: R1240308: L460652-06 07 21 22 23 24
WG481382: R1240448: L460652-36 37 38
WG481381: R1240976: L460652-29 30 31 32 33 34 35
WG481568: R1241328: L460652-01 02 18 19 20
WG481596: R1241808: L460652-27 28 30 31 32 33 34
WG481667: R1242528: L460652-22 25 26

* * Calculations are performed prior to rounding of reported values.
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

May 10, 2011

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.

SESCO Group

1426 W. 29th Street
Indianapolis, IN 46208

Billing information:

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Analysis/Container/Preservative

F2'40

Chain of Custody
age ____ of ____



12065 Lebanon Road
Mt Juliet, TN 37122

Phone: (800) 767-5859
Phones: (615) 758-5858
Fax: (615) 758-5859

Report to: **Mr. Jesse Wright** Email: **jwright@sescogroup.com**

Project Description: **Harman Becker** City/State Collected: **Maestinsville**

Phone: (317) 347-9590 Client Project #: **3872** Lab Project #: **SESCOIN-325733**
FAX: (317) 347-9591

Collected by (print): **Andy Taylor** Site/Facility ID#: P.O.#:

Collected by (signature): *[Signature]* Rush? (Lab MUST Be Notified)
Same Day 200% Date Results Needed
Next Day 100% Email? ☐ No ☐ Yes
Two Day 50% FAX? ☐ No ☐ Yes
Three Day 25% No. of Cntrs

Immediately Packed on Ice N ☒

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs	V8260 40mlAmb-HCl	V8260 40mlAmb-HCl-Bik	Remarks/Contaminant	Sample # (lab only)
MW-44E	G	GW	-	10-14-10	1630	2	X			6484249 -01
MW-44B	G	GW	-	↓	1650	2	X			-02
D.p-1	G	GW	-	↓	-	2	X			-03
Trig Blank	-	GW	-	-	-	2	X			-04
		GW				2	X			
		GW				2	X			
		GW				2	X			
		GW				2	X			
		GW				2	X			
		GW				2	X			

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water CT - Other _____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Relinquished by: (Signature) <i>[Signature]</i>	Date: 10-14-10 Time: 1200	Received by: (Signature) _____	Samples returned via: ☐ UPS ☒ FedEx ☐ Courier	Condition: (lab use only) OK
Relinquished by: (Signature) <i>[Signature]</i>	Date: _____ Time: _____	Received by: (Signature) _____	Temp: 28°C Bottles Received: 7 ✓	COC Seal Intact: ☒ Y ☐ N ☐ NA
Relinquished by: (Signature) <i>[Signature]</i>	Date: _____ Time: _____	Received for lab by: (Signature) <i>[Signature]</i>	Date: 10-15-10 Time: 9:00	pH Checked: _____ NCF: _____

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Tuesday October 19, 2010

Report Number: L484249

Samples Received: 10/15/10

Client Project: 3872

Description: Harman Becker

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:



T. Alan Harvill , ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A,
TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

October 19, 2010

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

ESC Sample # : L484249-01

Date Received : October 15, 2010
Description : Harman Becker

Site ID :

Sample ID : MW-44E

Project # : 3872

Collected By : Andy Taylor
Collection Date : 10/14/10 16:30

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	10/16/10	1
Acrolein	BDL	0.050	mg/l	8260B	10/16/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	10/16/10	1
Benzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromoform	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	10/16/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	10/16/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	10/16/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	10/16/10	1
Chloroform	BDL	0.0050	mg/l	8260B	10/16/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	10/16/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	10/16/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	10/16/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	10/16/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	10/16/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	10/16/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	10/16/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	10/16/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	10/16/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

October 19, 2010

Date Received : October 15, 2010
Description : Harman Becker
Sample ID : MW-44E
Collected By : Andy Taylor
Collection Date : 10/14/10 16:30

ESC Sample # : L484249-01

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	10/16/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	10/16/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	10/16/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	10/16/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	10/16/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Styrene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	10/16/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
Toluene	BDL	0.0050	mg/l	8260B	10/16/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	10/16/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	10/16/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	10/16/10	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	10/16/10	1
Dibromofluoromethane	96.1		% Rec.	8260B	10/16/10	1
4-Bromofluorobenzene	101.		% Rec.	8260B	10/16/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 10/19/10 15:13 Printed: 10/19/10 15:58

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

October 19, 2010

Date Received : October 15, 2010
Description : Harman Becker
Sample ID : MW-44B
Collected By : Andy Taylor
Collection Date : 10/14/10 16:50

ESC Sample # : L484249-02

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	10/16/10	1
Acrolein	BDL	0.050	mg/l	8260B	10/16/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	10/16/10	1
Benzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromoform	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	10/16/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	10/16/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	10/16/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	10/16/10	1
Chloroform	BDL	0.0050	mg/l	8260B	10/16/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	10/16/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	10/16/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	10/16/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	10/16/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
cis-1,2-Dichloroethene	0.017	0.0010	mg/l	8260B	10/16/10	1
trans-1,2-Dichloroethene	0.0012	0.0010	mg/l	8260B	10/16/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	10/16/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	10/16/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	10/16/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	10/16/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	10/16/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

October 19, 2010

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : October 15, 2010
Description : Harman Becker
Sample ID : MW-44B
Collected By : Andy Taylor
Collection Date : 10/14/10 16:50

ESC Sample # : L484249-02

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	10/16/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	10/16/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	10/16/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	10/16/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	10/16/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Styrene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	10/16/10	1
Tetrachloroethene	0.68	0.020	mg/l	8260B	10/18/10	20
Toluene	BDL	0.0050	mg/l	8260B	10/16/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Trichloroethene	0.039	0.0010	mg/l	8260B	10/16/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	10/16/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Vinyl chloride	0.0080	0.0010	mg/l	8260B	10/16/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	10/16/10	1
Surrogate Recovery						
Toluene-d8	100.		% Rec.	8260B	10/16/10	1
Dibromofluoromethane	94.8		% Rec.	8260B	10/16/10	1
4-Bromofluorobenzene	101.		% Rec.	8260B	10/16/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 10/19/10 15:13 Printed: 10/19/10 15:58

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

October 19, 2010

Date Received : October 15, 2010
Description : Harman Becker
Sample ID : DUP-1
Collected By : Andy Taylor
Collection Date : 10/14/10 00:00

ESC Sample # : L484249-03

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	10/16/10	1
Acrolein	BDL	0.050	mg/l	8260B	10/16/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	10/16/10	1
Benzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromoform	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	10/16/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	10/16/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	10/16/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	10/16/10	1
Chloroform	BDL	0.0050	mg/l	8260B	10/16/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	10/16/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	10/16/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	10/16/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	10/16/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	10/16/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	10/16/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	10/16/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	10/16/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	10/16/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

October 19, 2010

Date Received : October 15, 2010
Description : Harman Becker
Sample ID : DUP-1
Collected By : Andy Taylor
Collection Date : 10/14/10 00:00

ESC Sample # : L484249-03

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	10/16/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	10/16/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	10/16/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	10/16/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	10/16/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Styrene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	10/16/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	10/18/10	1
Toluene	BDL	0.0050	mg/l	8260B	10/16/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	10/16/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	10/16/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	10/16/10	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	10/16/10	1
Dibromofluoromethane	95.2		% Rec.	8260B	10/16/10	1
4-Bromofluorobenzene	101.		% Rec.	8260B	10/16/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 10/19/10 15:13 Printed: 10/19/10 15:58

REPORT OF ANALYSIS

October 19, 2010

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

ESC Sample # : L484249-04

Date Received : October 15, 2010
Description : Harman Becker

Sample ID : TRIP BLANK

Site ID :

Project # : 3872

Collected By : Andy Taylor
Collection Date : 10/14/10 16:30

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	10/16/10	1
Acrolein	BDL	0.050	mg/l	8260B	10/16/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	10/16/10	1
Benzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromoform	BDL	0.0010	mg/l	8260B	10/16/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	10/16/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	10/16/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	10/16/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	10/16/10	1
Chloroform	BDL	0.0050	mg/l	8260B	10/16/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	10/16/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	10/16/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	10/16/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	10/16/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	10/16/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	10/16/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	10/16/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	10/16/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	10/16/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Jesse Wright
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

October 19, 2010

Date Received : October 15, 2010
Description : Harman Becker
Sample ID : TRIP BLANK
Collected By : Andy Taylor
Collection Date : 10/14/10 16:30

ESC Sample # : L484249-04

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	10/16/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	10/16/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	10/16/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	10/16/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	10/16/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Styrene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	10/16/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
Toluene	BDL	0.0050	mg/l	8260B	10/16/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	10/16/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	10/16/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	10/16/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	10/16/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	10/16/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	10/16/10	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	10/16/10	1
Dibromofluoromethane	96.6		% Rec.	8260B	10/16/10	1
4-Bromofluorobenzene	102.		% Rec.	8260B	10/16/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 10/19/10 15:13 Printed: 10/19/10 15:58

Summary of Remarks For Samples Printed
10/19/10 at 15:58:46

TSR Signing Reports: 364
R5 - Desired TAT

No hard copy of reports per Jesse. In 6/12/06 Only CD for QC pkgs. - no paper. In 6/6/05 All
soils in Dry wt. In 5/9/05 client requires purchase orders for each project.

Sample: L484249-01 Account: SESCOIN Received: 10/15/10 09:00 Due Date: 10/22/10 00:00 RPT Date: 10/19/10 15:13

Sample: L484249-02 Account: SESCOIN Received: 10/15/10 09:00 Due Date: 10/22/10 00:00 RPT Date: 10/19/10 15:13

Sample: L484249-03 Account: SESCOIN Received: 10/15/10 09:00 Due Date: 10/22/10 00:00 RPT Date: 10/19/10 15:13

Sample: L484249-04 Account: SESCOIN Received: 10/15/10 09:00 Due Date: 10/22/10 00:00 RPT Date: 10/19/10 15:13



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L484249

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

October 19, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG503659	10/16/10 13:28
1,1,1-Trichloroethane	< .001	mg/l			WG503659	10/16/10 13:28
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG503659	10/16/10 13:28
1,1,2-Trichloroethane	< .001	mg/l			WG503659	10/16/10 13:28
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG503659	10/16/10 13:28
1,1-Dichloroethane	< .001	mg/l			WG503659	10/16/10 13:28
1,1-Dichloroethene	< .001	mg/l			WG503659	10/16/10 13:28
1,1-Dichloropropene	< .001	mg/l			WG503659	10/16/10 13:28
1,2,3-Trichlorobenzene	< .001	mg/l			WG503659	10/16/10 13:28
1,2,3-Trichloropropene	< .001	mg/l			WG503659	10/16/10 13:28
1,2,3-Trimethylbenzene	< .001	mg/l			WG503659	10/16/10 13:28
1,2,4-Trichlorobenzene	< .001	mg/l			WG503659	10/16/10 13:28
1,2,4-Trimethylbenzene	< .001	mg/l			WG503659	10/16/10 13:28
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG503659	10/16/10 13:28
1,2-Dibromoethane	< .001	mg/l			WG503659	10/16/10 13:28
1,2-Dichlorobenzene	< .001	/l			WG503659	10/16/10 13:28
1,2-Dichloroethane	< .001	mg/l			WG503659	10/16/10 13:28
1,2-Dichloropropene	< .001	mg/l			WG503659	10/16/10 13:28
1,3,5-Trimethylbenzene	< .001	/l			WG503659	10/16/10 13:28
1,3-Dichlorobenzene	< .001	mg/l			WG503659	10/16/10 13:28
1,3-Dichloropropene	< .001	mg/l			WG503659	10/16/10 13:28
1,4-Dichlorobenzene	< .001	mg/l			WG503659	10/16/10 13:28
2,2-Dichloropropene	< .001	mg/l			WG503659	10/16/10 13:28
2-Butanone (MEK)	< .01	mg/l			WG503659	10/16/10 13:28
2-Chloroethyl vinyl ether	< .0	/l			WG503659	10/16/10 13:28
2-Chlorotoluene	< .001	mg/l			WG503659	10/16/10 13:28
4-Chlorotoluene	< .001	mg/l			WG503659	10/16/10 13:28
4-Methyl-2-pentanone (M	< .0	/l			WG503659	10/16/10 13:28
Acetone	< .05	mg/l			WG503659	10/16/10 13:28
Acrolein	< .05	mg/l			WG503659	10/16/10 13:28
Acrylonitrile	< .01	/l			WG503659	10/16/10 13:28
Benzene	< .001	mg/l			WG503659	10/16/10 13:28
Bromobenzene	< .001	mg/l			WG503659	10/16/10 13:28
Bromodichloromethane	< .001	/l			WG503659	10/16/10 13:28
Bromoform	< .001	mg/l			WG503659	10/16/10 13:28
Bromomethane	< .005	mg/l			WG503659	10/16/10 13:28
Carbon tetrachloride	< .001	/l			WG503659	10/16/10 13:28
Chlorobenzene	< .001	mg/l			WG503659	10/16/10 13:28
Chlorodibromomethane	< .001	mg/l			WG503659	10/16/10 13:28
Chloroethane	< .001	mg/l			WG503659	10/16/10 13:28
Chloroform	< .005	mg/l			WG503659	10/16/10 13:28
Chloromethane	< .001	mg/l			WG503659	10/16/10 13:28
cis-1,2-Dichloroethene	< .001	/l			WG503659	10/16/10 13:28
cis-1,3-Dichloropropene	< .001	mg/l			WG503659	10/16/10 13:28
Di-isopropyl ether	< .001	mg/l			WG503659	10/16/10 13:28
Dibromomethane	< .001	/l			WG503659	10/16/10 13:28
Dichlorodifluoromethane	< .005	mg/l			WG503659	10/16/10 13:28
Ethylbenzene	< .001	mg/l			WG503659	10/16/10 13:28
Hexachloro-1,3-butadiene	< .001	mg/l			WG503659	10/16/10 13:28
Isopropylbenzene	< .001	mg/l			WG503659	10/16/10 13:28
Methyl tert-butyl ether	< .001	mg/l			WG503659	10/16/10 13:28
Methylene Chloride	< .005	mg/l			WG503659	10/16/10 13:28
n-Butylbenzene	< .001	mg/l			WG503659	10/16/10 13:28
n-Propylbenzene	< .001	mg/l			WG503659	10/16/10 13:28
Naphthalene	< .005	mg/l			WG503659	10/16/10 13:28
p-Isopropyltoluene	< .001	mg/l			WG503659	10/16/10 13:28
sec-Butylbenzene	< .001	mg/l			WG503659	10/16/10 13:28
Styrene	< .005	mg/l			WG503659	10/16/10 13:28
tert-Butylbenzene	< .001	mg/l			WG503659	10/16/10 13:28

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L484249

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

October 19, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Tetrachloroethene	< .001	mg/l			WG503659	10/16/10 13:28
Toluene	< .005	mg/l			WG503659	10/16/10 13:28
trans-1,2-Dichloroethene	< .001	mg/l			WG503659	10/16/10 13:28
trans-1,3-Dichloropropene	< .001	mg/l			WG503659	10/16/10 13:28
Trichloroethene	< .001	mg/l			WG503659	10/16/10 13:28
Trichlorofluoromethane	< .005	mg/l			WG503659	10/16/10 13:28
Vinyl chloride	< .003	mg/l			WG503659	10/16/10 13:28
Xylenes, Total	< .003	mg/l			WG503659	10/16/10 13:28
4-Bromofluorobenzene		% Rec.	104.6	75-128	WG503659	10/16/10 13:28
Dibromofluoromethane		% Rec.	9.81	79-125	WG503659	10/16/10 13:28
Toluene-d8		% Rec.	102.9	87-114	WG503659	10/16/10 13:28
Tetrachloroethene	< .001	/l			WG503916	10/18/10 18:22
4-Bromofluorobenzene		% Rec.	102.5	75-128	WG503916	10/18/10 18:22
Dibromofluoromethane		% Rec.	97.88	79-125	WG503916	10/18/10 18:22
Toluene-d8		% Rec.	5.84	87-114	3916	10/18/10 18:22

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0246	98.4	75-133	WG503659
1,1,1-Trichloroethane	mg/l	.025	0.0230	91.9	67-137	WG503659
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0233	93.3	72-128	WG503659
1,1,2-Trichloroethane	mg/l	.025	0.0239	95.7	123	WG503659
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0246	98.5	51-149	WG503659
1,1-Dichloroethane	mg/l	.025	0.0238	95.1	67-133	WG503659
1,1-Dichloroethane	mg/l	.025	0.0253	100.6	130	WG503659
1,1-Dichloropropene	mg/l	.025	0.0229	91.5	68-132	WG503659
1,2,3-Trichlorobenzene	mg/l	.025	0.0251	100.	63-138	WG503659
1,2,3-Trichloropropene	mg/l	.025	0.0236	94.4	130	WG503659
1,2,3-Trimethylbenzene	mg/l	.025	0.0239	95.7	70-127	WG503659
1,2,4-Trichlorobenzene	mg/l	.025	0.0249	99.6	65-137	WG503659
1,2,4-Trimethylbenzene	mg/l	.025	0.0236	94.4	2-135	WG503659
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0223	89.1	55-134	WG503659
1,2-Dibromoethane	mg/l	.025	0.0240	96.0	75-126	WG503659
1,2-Dichlorobenzene	mg/l	.025	0.0245	97.8	122	WG503659
1,2-Dichloroethane	mg/l	.025	0.0234	93.6	63-137	WG503659
1,2-Dichloropropene	mg/l	.025	0.0241	96.6	74-122	WG503659
1,3,5-Trimethylbenzene	mg/l	.025	0.0238	95.2	134	WG503659
1,3-Dichlorobenzene	mg/l	.025	0.0244	97.7	73-131	WG503659
1,3-Dichloropropene	mg/l	.025	0.0238	95.3	77-119	WG503659
1,4-Dichlorobenzene	mg/l	.025	0.0239	95.5	70-121	503659
2,2-Dichloropropene	mg/l	.025	0.0213	85.1	46-151	WG503659
2-Butanone (MEK)	mg/l	.125	0.110	88.3	53-132	WG503659
2-Chloroethyl vinyl ether	mg/l	.125	0.105	84.0	171	WG503659
2-Chlorotoluene	mg/l	.025	0.0244	97.6	74-128	WG503659
4-Chlorotoluene	mg/l	.025	0.0243	97.4	74-130	WG503659
4-Methyl-2-pentanone (MIBK)	mg/l	5	0.111	60-142	WG503659	
Acetone	mg/l	.125	0.110	87.8	48-134	WG503659
Acrolein	mg/l	.125	0.125	99.7	6-182	WG503659
Acrylonitrile	mg/l	5	0.108	86.3	60-140	WG503659
Benzene	mg/l	.025	0.0226	90.4	67-126	WG503659
Bromobenzene	mg/l	.025	0.0238	95.0	76-123	WG503659
Bromodichloromethane	mg/l	5	0.0243	97.2	68-133	WG503659
Bromoform	mg/l	.025	0.0235	94.1	60-139	WG503659
Bromomethane	mg/l	.025	0.0249	99.5	45-175	WG503659
Carbon tetrachloride	mg/l	5	0.0213	85.2	64-141	WG503659
Chlorobenzene	mg/l	.025	0.0246	98.3	77-125	WG503659

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L484249

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

October 19, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Chlorodibromomethane	mg/l	.025	0.0251	101.	138	503659
Chloroethane	mg/l	.025	0.0190	75.9	49-155	WG503659
Chloroform	mg/l	.025	0.0236	94.2	66-126	WG503659
Chloromethane	mg/l	.025	0.0235	94.1	125	WG503659
cis-1,2-Dichloroethene	mg/l	.025	0.0235	93.9	72-128	WG503659
cis-1,3-Dichloropropene	mg/l	.025	0.0238	95.1	73-131	WG503659
Di-isopropyl ether	mg/l	5	0.0237	95.0	63-130	WG503659
Dibromomethane	mg/l	.025	0.0236	94.3	73-125	WG503659
Dichlorodifluoromethane	mg/l	.025	0.0240	95.9	39-189	WG503659
Ethylbenzene	mg/l	5	0.023	94.0	76-130	WG503659
Hexachloro-1,3-butadiene	mg/l	.025	0.0243	97.2	67-135	WG503659
Isopropylbenzene	mg/l	.025	0.0238	95.3	73-132	WG503659
Methyl tert-butyl ether	mg/l	5	0.0226	90.4	51-142	WG503659
Methylene Chloride	mg/l	.025	0.0236	94.5	64-125	WG503659
n-Butylbenzene	mg/l	.025	0.0239	95.6	63-142	WG503659
n-Propylbenzene	mg/l	5	0.0240	95.9	71-132	WG503659
Naphthalene	mg/l	.025	0.0235	94.1	56-145	WG503659
p-Isopropyltoluene	mg/l	.025	0.0244	97.5	68-138	WG503659
sec-Butylbenzene	mg/l	5	0.0238	95.0	70-135	WG503659
Styrene	mg/l	.025	0.0236	94.3	78-130	WG503659
tert-Butylbenzene	mg/l	.025	0.0244	97.6	72-134	WG503659
Tetrachloroethene	mg/l	5	0.0244	97.5	67-135	WG503659
Toluene	mg/l	.025	0.0225	90.0	72-122	WG503659
trans-1,2-Dichloroethene	mg/l	.025	0.0228	91.1	67-129	WG503659
trans-1,3-Dichloropropene	mg/l	.025	0.0235	94.	66-137	503659
Trichloroethene	mg/l	.025	0.0238	95.4	74-126	WG503659
Trichlorofluoromethane	mg/l	.025	0.0263	105.	54-156	WG503659
Vinyl chloride	mg/l	.025	0.0230	92.2	55-153	503659
Xylenes, Total	mg/l	.075	0.0716	95.4	75-128	WG503659
4-Bromofluorobenzene				103.2	75-128	WG503659
Dibromofluoromethane				100.3	79-125	503659
Toluene-d8				102.4	87-114	WG503659
Tetrachloroethene	mg/l	5	0.0273	109.	67-135	WG503916
4-Bromofluorobenzene				100.7	75-128	WG503916
Dibromofluoromethane				93.85	79-125	WG503916
Toluene-d8				97.82	87-114	WG503916

Analyte	Units	Laboratory Control Sample		Duplicate	Limit	RPD	Limit	Batch
		Result	Ref					
1,1,1,2-Tetrachloroethane	mg/l	0.0255	0.0246	102.		3.77	20	WG503659
1,1,1-Trichloroethane	mg/l	0.0235	0.0230	94.0	67-137	2.11	20	WG503659
1,1,2,2-Tetrachloroethane	mg/l	0.0247	0.0233	99.0	72-128	5.80	20	WG503659
1,1,2-Trichloroethane	mg/l	0.0253	0.0239	101.	-123	4.89	20	WG503659
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0236	0.0246	94.0	51-149	4.27	20	WG503659
1,1-Dichloroethane	mg/l	0.0246	0.0238	98.0	67-133	3.38	20	WG503659
1,1-Dichloroethene	mg/l	0.02	0.0253	101.	-130	3.60	20	WG503659
1,1-Dichloropropene	mg/l	0.0229	0.0229	92.0	68-132	0.290	20	WG503659
1,2,3-Trichlorobenzene	mg/l	0.0258	0.0251	103.	63-138	2.75	20	WG503659
1,2,3-Trichloropropene	mg/l	0.0253	0.0236	102.	70-130	7.44	0	WG503659
1,2,3-Trimethylbenzene	mg/l	0.0251	0.0239	100.	70-127	4.74	20	WG503659
1,2,4-Trichlorobenzene	mg/l	0.0258	0.0249	103.	65-137	3.47	20	WG503659
1,2,4-Trimethylbenzene	mg/l	0.0242	0.0238	97.	2-135	1.74	0	WG503659
1,2-Dibromo-3-Chloropropane	mg/l	0.0245	0.0223	98.0	55-134	9.69	20	WG503659
1,2-Dibromoethane	mg/l	0.0254	0.0240	102.	75-126	5.68	20	WG503659
1,2-Dichlorobenzene	mg/l	0.02	0.0245	102.	-122	4.81	20	WG503659
1,2-Dichloroethane	mg/l	0.0244	0.0234	98.0	63-137	4.36	20	WG503659

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L484249

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

October 19, 2010

Analyte	Laboratory Control Sample Duplicate				Limit	RPD	Limit	Batch
	Units	Result	Ref	Rec				
1,2-Dichloropropane	mg/l	0.0253	0.0241	101.	-122	1.88	20	WG503659
1,3,5-Trimethylbenzene	mg/l	0.0242	0.0238	97.0	3-134	1.88	20	WG503659
1,3-Dichlorobenzene	mg/l	0.0257	0.0244	103.	73-131	4.88	20	WG503659
1,3-Dichloropropane	mg/l	0.0250	0.0238	100.	-119	4.88	20	WG503659
1,4-Dichlorobenzene	mg/l	0.0255	0.0239	102.	0-121	6.51	20	WG503659
2,2-Dichloropropane	mg/l	0.0231	0.0213	92.0	46-151	8.00	20	WG503659
2-Butanone (MEK)	mg/l	0.12	0.110	96.	-132	8.44	20	WG503659
2-Chloroethyl vinyl ether	mg/l	0.124	0.105	99.0	0-171	16.2	27	WG503659
2-Chlorotoluene	mg/l	0.0249	0.0244	100.	74-128	2.14	20	WG503659
4-Chlorotoluene	mg/l	0.0243	0.0243	101.	-130	.7	0	WG503659
4-Methyl-2-pentanone (MIBK)	mg/l	0.122	0.111	97.0	60-142	9.26	20	WG503659
Acetone	mg/l	0.116	0.110	92.0	48-134	5.26	20	WG503659
Acrolein	mg/l	0.12	0.125	101.	182	1.11	0	WG503659
Acrylonitrile	mg/l	0.118	0.108	94.0	60-140	8.98	20	WG503659
Benzene	mg/l	0.0233	0.0226	93.0	67-126	3.01	20	WG503659
Bromobenzene	mg/l	0.0248	0.0238	99.	6-123	.11	0	WG503659
Bromodichloromethane	mg/l	0.0255	0.0243	102.	68-133	4.70	20	WG503659
Bromoform	mg/l	0.0252	0.0235	101.	60-139	6.86	20	WG503659
Bromomethane	mg/l	0.02	0.024	103.	5-175	.38	0	WG503659
Carbon tetrachloride	mg/l	0.0213	0.0213	85.0	64-141	0.0700	20	WG503659
Chlorobenzene	mg/l	0.0255	0.0246	102.	77-125	3.55	20	WG503659
Chlorodibromomethane	mg/l	0.0259	0.025	104.	-138	3.0	0	WG503659
Chloroethane	mg/l	0.0216	0.0190	86.0	49-155	13.0	20	WG503659
Chloroform	mg/l	0.0244	0.0236	97.0	66-126	3.37	20	WG503659
Chloromethane	mg/l	0.02	0.0235	95.	5-152	0.620	0	WG503659
cis-1,2-Dichloroethene	mg/l	0.0246	0.0235	98.0	72-128	4.70	20	WG503659
cis-1,3-Dichloropropene	mg/l	0.0255	0.0238	102.	73-131	7.06	20	WG503659
Di-isopropyl ether	mg/l	0.0252	0.0237	101.	3-139	6.0	0	WG503659
Dibromomethane	mg/l	0.0253	0.0236	101.	73-125	7.21	20	WG503659
Dichlorodifluoromethane	mg/l	0.0235	0.0240	94.0	39-189	1.97	24	WG503659
Ethylbenzene	mg/l	0.0242	0.0235	97.	6-129	2.93	0	WG503659
Hexachloro-1,3-butadiene	mg/l	0.0244	0.0243	98.0	67-135	0.560	20	WG503659
Isopropylbenzene	mg/l	0.0242	0.0238	97.0	73-132	1.49	20	WG503659
Methyl tert-butyl ether	mg/l	0.0244	0.0226	98.	1-142	7.70	20	WG503659
Methylene Chloride	mg/l	0.0244	0.0236	98.0	64-125	3.38	20	WG503659
n-Butylbenzene	mg/l	0.0244	0.0239	97.0	63-142	1.89	20	WG503659
n-Propylbenzene	mg/l	0.0245	0.0240	98.0	1-132	2.38	20	WG503659
Naphthalene	mg/l	0.0247	0.0235	99.0	56-145	4.82	20	WG503659
p-Isopropyltoluene	mg/l	0.0247	0.0244	99.0	68-138	1.19	20	WG503659
sec-Butylbenzene	mg/l	0.02	0.023	95.0	-1	0.460	0	WG503659
Styrene	mg/l	0.0246	0.0236	98.0	78-130	4.09	20	WG503659
tert-Butylbenzene	mg/l	0.0245	0.0244	98.0	72-134	0.470	20	WG503659
Tetrachloroethene	mg/l	0.0244	0.0244	98.0	7-1	0.190	0	WG503659
Toluene	mg/l	0.0236	0.0225	94.0	72-122	4.58	20	WG503659
trans-1,2-Dichloroethene	mg/l	0.0234	0.0228	94.0	67-129	2.71	20	WG503659
trans-1,3-Dichloropropene	mg/l	0.0254	0.0235	101.	-137	.7	0	WG503659
Trichloroethene	mg/l	0.0246	0.0238	98.0	74-126	2.99	20	WG503659
Trichlorofluoromethane	mg/l	0.0265	0.0263	106.	54-156	0.760	20	WG503659
Vinyl chloride	mg/l	0.0233	0.0230	93.0	-153	0.990	20	WG503659
Xylenes, Total	mg/l	0.0736	0.0716	98.0	75-128	2.78	20	WG503659
4-Bromofluorobenzene				102.4	75-128			WG503659
Dibromofluoromethane				101.0	9-125			WG503659
Toluene-d8				103.4	87-114			WG503659
Tetrachloroethene	mg/l	0.0243	0.0273	107.	7-13	1.	0	WG503916
4-Bromofluorobenzene				97.95	75-128			WG503916
Dibromofluoromethane				94.75	79-125			WG503916
Toluene-d8				98.50	87-114			WG503916

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L484249

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

October 19, 2010

Analyte	Units	MS Res	Matrix Spike		TV	% Rec	Limit	Ref Samp	Batch
			Ref Res						
1,1,1,2-Tetrachloroethane	mg/l	0.023	0	0.025	94.2	35-142	L483988-07	WG503659	
1,1,1-Trichloroethane	mg/l	0.0240	0	0.025	96.1	31-161	L483988-07	WG503659	
1,1,2,2-Tetrachloroethane	mg/l	0.0243	0	0.025	97.2	49-149	L483988-07	WG503659	
1,1,2-Trichloroethane	mg/l	0.023	0	0.025	94.2	46-145	L483988-07	WG503659	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0256	0	0.025	102.	14-168	L483988-07	WG503659	
1,1-Dichloroethane	mg/l	0.0237	0	0.025	94.8	30-159	L483988-07	WG503659	
1,1-Dichloropropene	mg/l	0.0258	0	0.025	93.3	10-162	L483988-07	WG503659	
1,1-Dichloropropene	mg/l	0.0239	0	0.025	95.7	14-162	L483988-07	WG503659	
1,2,3-Trichlorobenzene	mg/l	0.0236	0	0.025	94.6	32-143	L483988-07	WG503659	
1,2,3-Trichloropropene	mg/l	0.0250	0	2	00.	48-148	L483988-07	WG503659	
1,2,3-Trimethylbenzene	mg/l	0.0227	0	0.025	90.8	36-141	L483988-07	WG503659	
1,2,4-Trichlorobenzene	mg/l	0.0232	0	0.025	92.7	27-142	L483988-07	WG503659	
1,2,4-Trimethylbenzene	mg/l	0.0230	0	0.025	91.9	29-153	L483988-07	WG503659	
1,2-Dibromo-3-Chloropropane	mg/l	0.0242	0	0.025	96.6	37-148	L483988-07	WG503659	
1,2-Dibromoethane	mg/l	0.0241	0	0.025	96.4	41-149	L483988-07	WG503659	
1,2-Dichlorobenzene	mg/l	0.0230	0	0.025	92.1	40-139	L483988-07	WG503659	
1,2-Dichloroethane	mg/l	0.0234	0	0.025	93.4	29-167	L483988-07	WG503659	
1,2-Dichloropropene	mg/l	0.0235	0	0.025	94.0	39-148	L483988-07	WG503659	
1,3,5-Trimethylbenzene	mg/l	0.0234	0	0.025	93.6	33-149	L483988-07	WG503659	
1,3-Dichlorobenzene	mg/l	0.0236	0	0.025	94.3	32-148	L483988-07	WG503659	
1,3-Dichloropropene	mg/l	0.0234	0	0.025	93.6	44-142	L483988-07	WG503659	
1,4-Dichlorobenzene	mg/l	0.0231	0	0.025	92.2	32-136	L483988-07	WG503659	
2,2-Dichloropropene	mg/l	0.0232	0	0.025	92.7	14-158	L483988-07	WG503659	
2-Butanone (MEK)	mg/l	0.121	0	0.125	96.5	32-151	L483988-07	WG503659	
2-Chloroethyl vinyl ether	mg/l	0.00422	0	0.025	93.38	0-175	L483988-07	WG503659	
2-Chlorotoluene	mg/l	0.0234	0	0.025	93.8	35-147	L483988-07	WG503659	
4-Chlorotoluene	mg/l	0.0234	0	0.025	93.6	33-147	L483988-07	WG503659	
4-Methyl-2-pentanone (M	mg/l	0.122	0	0.025	97.7	40-160	L483988-07	WG503659	
Acetone	mg/l	0.105	0	0.125	84.0	25-157	L483988-07	WG503659	
Acrolein	mg/l	0.131	0	0.125	105.	0-179	L483988-07	WG503659	
Acrylonitrile	mg/l	0.121	0	0.025	96.7	37-162	L483988-07	WG503659	
Benzene	mg/l	0.0225	0	0.025	89.8	16-158	L483988-07	WG503659	
Bromobenzene	mg/l	0.0228	0	0.025	91.3	37-147	L483988-07	WG503659	
Bromodichloromethane	mg/l	0.0236	0	0.025	94.4	45-147	L483988-07	WG503659	
Bromoform	mg/l	0.0237	0	0.025	94.9	38-152	L483988-07	WG503659	
Bromomethane	mg/l	0.0219	0	0.025	87.8	0-191	L483988-07	WG503659	
Carbon tetrachloride	mg/l	0.0223	0	0.025	99.0	22-168	L483988-07	WG503659	
Chlorobenzene	mg/l	0.0238	0	0.025	95.3	33-148	L483988-07	WG503659	
Chlorodibromomethane	mg/l	0.0241	0	0.025	96.4	48-151	L483988-07	WG503659	
Chloroethane	mg/l	0.020	0	0.025	94.4	4-176	L483988-07	WG503659	
Chloroform	mg/l	0.0231	0	0.025	92.6	37-147	L483988-07	WG503659	
Chloromethane	mg/l	0.0226	0	0.025	90.3	10-174	L483988-07	WG503659	
cis-1,2-Dichloroethene	mg/l	0.0232	0	0.025	93.0	29-156	L483988-07	WG503659	
cis-1,3-Dichloropropene	mg/l	0.0234	0	0.025	93.8	35-148	L483988-07	WG503659	
Di-isopropyl ether	mg/l	0.0235	0	0.025	93.9	39-160	L483988-07	WG503659	
Dibromomethane	mg/l	0.0240	0	0.025	95.9	36-152	L483988-07	WG503659	
Dichlorodifluoromethane	mg/l	0.0243	0	0.025	97.2	0-200	L483988-07	WG503659	
Ethylbenzene	mg/l	0.0233	0	0.025	93.0	29-150	L483988-07	WG503659	
Hexachloro-1,3-butadiene	mg/l	0.0242	0	0.025	98.7	28-144	L483988-07	WG503659	
Isopropylbenzene	mg/l	0.0237	0	0.025	94.7	35-147	L483988-07	WG503659	
Methyl tert-butyl ether	mg/l	0.0233	0	0.025	93.2	24-167	L483988-07	WG503659	
Methylene Chloride	mg/l	0.0227	0	0.025	0.7	23-151	L483988-07	WG503659	
n-Butylbenzene	mg/l	0.0236	0	0.025	94.5	22-151	L483988-07	WG503659	
n-Propylbenzene	mg/l	0.0240	0	0.025	96.2	26-150	L483988-07	WG503659	
Naphthalene	mg/l	0.0234	0	0.025	95.6	28-160	L483988-07	WG503659	
p-Isopropyltoluene	mg/l	0.0240	0	0.025	96.0	28-151	L483988-07	WG503659	
sec-Butylbenzene	mg/l	0.0239	0	0.025	95.5	32-149	L483988-07	WG503659	
Styrene	mg/l	0.0226	0	0.025	90.3	38-155	L483988-07	WG503659	
tert-Butylbenzene	mg/l	0.0242	0	0.025	96.7	36-149	L483988-07	WG503659	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L484249

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

October 19, 2010

Analyte	Units	Matrix Spike				Limit	Ref Samp	Batch
		MS Res	Ref Res	TV	% Rec			
Tetrachloroethene	mg/l	0.024	0	0.025	91.2	13-157	L483988-07	WG503659
Toluene	mg/l	0.0222	0	0.025	88.8	22-152	L483988-07	WG503659
trans-1,2-Dichloroethene	mg/l	0.0231	0	0.025	92.3	11-160	L483988-07	WG503659
trans-1,3-Dichloropropene	mg/l	0.0239	0	0.025	95.	-153	L483988-07	WG503659
Trichloroethene	mg/l	0.0247	0.00110	0.025	94.5	18-163	L483988-07	WG503659
Trichlorofluoromethane	mg/l	0.0284	0	0.025	114.	10-177	L483988-07	WG503659
Vinyl chloride	mg/l	0.0233	0	0.025	93.2	0-17	L483988-07	WG503659
Xylenes, Total	mg/l	0.0700	0	0.075	93.3	27-151	L483988-07	WG503659
4-Bromofluorobenzene					103.1	75-128		WG503659
Dibromofluoromethane					103.1	79-125		WG503659
Toluene-d8					103.3	87-114		WG503659
Tetrachloroethene	mg/l	0.0276	0	2	10.	13-157	L484323-15	WG503916
4-Bromofluorobenzene					98.03	75-128		WG503916
Dibromofluoromethane					92.86	79-125		WG503916
Toluene-d8					97.06	87-114		WG503916

Analyte	Units	Matrix Spike Duplicate				Limit	RPD	Limit Ref Samp	Batch
		MSD	Ref	%Rec					
1,1,1,2-Tetrachloroethane	mg/l	0.0255	0.0235	100.	93.2	9.97	21	L483988-07	WG503659
1,1,1-Trichloroethane	mg/l	0.0255	0.0240	102.	31-161	5.97	23	L483988-07	WG503659
1,1,2-Tetrachloroethane	mg/l	0.0282	0.0243	113.	49-149	14.8	22	L483988-07	WG503659
1,1,2-Trichloroethane	mg/l	0.0267	0.0235	107.	-145	12	20	L483988-07	WG503659
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0274	0.0256	110.	14-168	6.83	24	L483988-07	WG503659
1,1-Dichloroethane	mg/l	0.0259	0.0237	103.	30-159	8.75	21	L483988-07	WG503659
1,1-Dichloroethene	mg/l	0.0276	0.0258	110.	10-162	6.74	23	L483988-07	WG503659
1,1-Dichloropropene	mg/l	0.0254	0.0239	102.	14-162	5.92	23	L483988-07	WG503659
1,2,3-Trichlorobenzene	mg/l	0.0261	0.0236	104.	32-143	9.92	33	L483988-07	WG503659
1,2,3-Trichloropropene	mg/l	0.0289	0.0256	115.	48-148	14.2	23	L483988-07	WG503659
1,2,3-Trimethylbenzene	mg/l	0.0250	0.0227	100.	36-141	9.81	25	L483988-07	WG503659
1,2,4-Trichlorobenzene	mg/l	0.0253	0.0232	101.	27-142	8.92	30	L483988-07	WG503659
1,2,4-Trimethylbenzene	mg/l	0.0245	0.023	98.	-153	.44	27	L483988-07	WG503659
1,2-Dibromo-3-Chloropropane	mg/l	0.0278	0.0242	111.	37-148	13.8	27	L483988-07	WG503659
1,2-Dibromoethane	mg/l	0.0272	0.0241	109.	41-149	12.2	21	L483988-07	WG503659
1,2-Dichlorobenzene	mg/l	0.0259	0.0230	103.	30-139	.5	23	L483988-07	WG503659
1,2-Dichloroethane	mg/l	0.0264	0.0234	106.	29-167	12.4	21	L483988-07	WG503659
1,2-Dichloropropene	mg/l	0.0260	0.0235	104.	39-148	10.1	20	L483988-07	WG503659
1,3,5-Trimethylbenzene	mg/l	0.0249	0.0234	99.5	33-149	.18	26	L483988-07	WG503659
1,3-Dichlorobenzene	mg/l	0.0259	0.0236	104.	32-148	9.41	24	L483988-07	WG503659
1,3-Dichloropropane	mg/l	0.0265	0.0234	106.	44-142	12.2	20	L483988-07	WG503659
1,4-Dichlorobenzene	mg/l	0.0255	0.0231	92.	-136	10.0	23	L483988-07	WG503659
2,2-Dichloropropene	mg/l	0.0236	0.0232	94.4	14-158	1.84	23	L483988-07	WG503659
2-Butanone (MEK)	mg/l	0.143	0.121	114.	32-151	16.9	26	L483988-07	WG503659
2-Chloroethyl vinyl ether	mg/l	0.00119	0.00422	0.955	0-175	112.	75	L483988-07	WG503659
2-Chlorotoluene	mg/l	0.0251	0.0234	100.	35-147	6.72	24	L483988-07	WG503659
4-Chlorotoluene	mg/l	0.0250	0.0234	100.	33-147	6.78	25	L483988-07	WG503659
4-Methyl-2-pentanone (MIBK)	mg/l	0.14	0.122	118.	40-160	19.2	2	L483988-07	WG503659
Acetone	mg/l	0.122	0.105	97.9	25-157	15.2	26	L483988-07	WG503659
Acrolein	mg/l	0.149	0.131	119.	0-179	12.7	39	L483988-07	WG503659
Acrylonitrile	mg/l	0.14	0.12	113	7-162	15.6	24	L483988-07	WG503659
Benzene	mg/l	0.0244	0.0225	97.7	16-158	8.36	21	L483988-07	WG503659
Bromobenzene	mg/l	0.0250	0.0228	100.	37-147	9.00	23	L483988-07	WG503659
Bromodichloromethane	mg/l	0.0266	0.0236	10	5-147	11.1	20	L483988-07	WG503659
Bromoform	mg/l	0.0271	0.0237	108.	38-152	13.4	20	L483988-07	WG503659
Bromomethane	mg/l	0.0247	0.0219	98.8	0-191	11.8	35	L483988-07	WG503659
Carbon tetrachloride	mg/l	0.02	0.0223	94.	-168	6.19	24	L483988-07	WG503659
Chlorobenzene	mg/l	0.0256	0.0238	102.	33-148	7.12	22	L483988-07	WG503659

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L484249

October 19, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Chlorodibromomethane	mg/l	0.0224	0.0241	08.6	40-151	11.0	21	L483988-07	WG503659
Chloroethane	mg/l	0.0224	0.0204	89.6	4-176	9.54	27	L483988-07	WG503659
Chloroform	mg/l	0.0253	0.0231	101.	37-147	9.06	21	L483988-07	WG503659
Chloromethane	mg/l	0.0253	0.0226	95.	-174	.51	28	L483988-07	WG503659
cis-1,2-Dichloroethene	mg/l	0.0255	0.0232	102.	29-156	9.34	22	L483988-07	WG503659
cis-1,3-Dichloropropene	mg/l	0.0262	0.0234	105.	35-148	11.3	21	L483988-07	WG503659
Di-isopropyl ether	mg/l	0.0262	0.0235	105.3	33-160	11.2	21	L483988-07	WG503659
Dibromomethane	mg/l	0.0271	0.0240	108.	36-152	12.2	20	L483988-07	WG503659
Dichlorodifluoromethane	mg/l	0.0254	0.0243	102.	0-200	4.51	26	L483988-07	WG503659
Ethylbenzene	mg/l	0.0267	0.0233	98.9	9-150	6.15	24	L483988-07	WG503659
Hexachloro-1,3-butadiene	mg/l	0.0252	0.0242	101.	28-144	4.34	33	L483988-07	WG503659
Isopropylbenzene	mg/l	0.0251	0.0237	100.	35-147	5.86	25	L483988-07	WG503659
Methyl tert-butyl ether	mg/l	0.0266	0.0233	106	4-16	13.4	22	L483988-07	WG503659
Methylene Chloride	mg/l	0.0251	0.0227	100.	23-151	10.1	21	L483988-07	WG503659
n-Butylbenzene	mg/l	0.0254	0.0236	102.	22-151	7.42	29	L483988-07	WG503659
n-Propylbenzene	mg/l	0.0254	0.0240	101	6-150	5.34	2	L483988-07	WG503659
Naphthalene	mg/l	0.0264	0.0234	106.	24-160	12.2	37	L483988-07	WG503659
p-Isopropyltoluene	mg/l	0.0253	0.0240	101.	28-151	5.29	27	L483988-07	WG503659
sec-Butylbenzene	mg/l	0.0251	0.0239	100	2-149	5.02	26	L483988-07	WG503659
Styrene	mg/l	0.0248	0.0226	99.3	38-149	9.43	23	L483988-07	WG503659
tert-Butylbenzene	mg/l	0.0255	0.0242	102.	36-149	5.42	26	L483988-07	WG503659
Tetrachloroethene	mg/l	0.0260	0.0243	104.	3-157	6.58	24	L483988-07	WG503659
Toluene	mg/l	0.0240	0.0222	96.2	22-152	7.95	22	L483988-07	WG503659
trans-1,2-Dichloroethene	mg/l	0.0247	0.0231	99.0	11-160	6.99	23	L483988-07	WG503659
trans-1,3-Dichloropropene	mg/l	0.0268	0.0239	107	3-153	11.8	22	L483988-07	WG503659
Trichloroethene	mg/l	0.0269	0.0247	103.	18-163	8.45	21	L483988-07	WG503659
Trichlorofluoromethane	mg/l	0.0295	0.0284	118.	10-177	3.91	24	L483988-07	WG503659
Vinyl chloride	mg/l	0.0248	0.0233	99.2	-17	6.21	26	L483988-07	WG503659
Xylenes, Total	mg/l	0.0744	0.0700	99.2	27-151	6.15	23	L483988-07	WG503659
4-Bromofluorobenzene				101.9	75-128				WG503659
Dibromofluoromethane				103.0	73-125				WG503659
Toluene-d8				102.9	87-114				WG503659
Tetrachloroethene	mg/l	0.02	0.0276	107.	3-15	3.22	24	L484323-15	WG503916
4-Bromofluorobenzene				100.3	75-128				WG503916
Dibromofluoromethane				95.71	79-125				WG503916
Toluene-d8				96.85	7-114				WG503916

Batch number / Run number / Sample number cross reference

WG503659: R1431969: L484249-01 02 03 04
WG503916: R1433249: L484249-02 03

* * Calculations are performed prior to rounding of reported values .
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Jesse Wright
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L484249

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

October 19, 2010

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the Laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Mr. Jesse Wright
SESCO Group
1426 W. 29th St.
Indianapolis, IN 46208

June 30, 2010

ENVision Project Number: 2010-1452
Client Project Name: 3872 – Harman Becker

Dear Mr. Wright,

Please find the attached analytical report for the samples received June 19, 2010. All test methods performed were fully compliant with local, state, and federal EPA methods unless otherwise noted. The project was analyzed as requested on the enclosed chain of custody record. Please review the comments section for additional information about your results or Quality Control data.

Feel free to contact me if you have any questions or comments regarding your analytical report or service.

Thank you for your business. ENVision Laboratories looks forward to working with you on your next project.

Yours Sincerely,

A handwritten signature in black ink that reads 'David Norris'.

David Norris

Client Services Manager
ENVision Laboratories, Inc.

IL ELAP / NELAC Accreditation # 100454





ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
www.envisionlaboratories.com

Client Name: SESCO Group
Project ID: 3872 - Harman Becker
Client Project Manager: Jesse Wright
ENVision Project Number: 2010-1452

Sample Summary

<u>Laboratory Sample</u>			<u>Date</u>	<u>Time</u>	<u>Date</u>	<u>Time</u>
<u>Number:</u>	<u>Sample Description:</u>	<u>Matrix:</u>	<u>Collected:</u>	<u>Collected:</u>	<u>Received:</u>	<u>Received</u>
10-11029	B-124 GW 21-25	water	6/14/10	12:20	6/19/10	8:30
10-11030	B-123 GW 9-13	water	6/14/10	15:05	6/19/10	8:30
10-11031	B-126 GW 9-13	water	6/14/10	16:40	6/19/10	8:30
10-11032	B-127 GW 9-13	water	6/15/10	12:30	6/19/10	8:30
10-11033	B-130 GW 9-13	water	6/15/10	14:00	6/19/10	8:30
10-11034	B-129 GW 9-13	water	6/15/10	15:00	6/19/10	8:30
10-11035	B-131 GW 36-40	water	6/15/10	15:34	6/19/10	8:30
10-11036	B-131 GW 26-30	water	6/15/10	15:55	6/19/10	8:30
10-11037	B-132 GW 9-13	water	6/15/10	17:10	6/19/10	8:30
10-11038	B-134 GW 9-13	water	6/16/10	9:35	6/19/10	8:30
10-11039	B-133 GW 9-13	water	6/16/10	12:05	6/19/10	8:30
10-11040	B-136 GW 9-13	water	6/16/10	15:25	6/19/10	8:30
10-11041	B-135 GW 26-30	water	6/16/10	16:25	6/19/10	8:30
10-11042	B-135 GW 9-13	water	6/16/10	16:45	6/19/10	8:30
10-11043	B-137 GW 12-16	water	6/17/10	11:25	6/19/10	8:30
10-11044	B-138 GW 26-30	water	6/17/10	11:35	6/19/10	8:30
10-11045	B-138 GW 9-13	water	6/17/10	11:55	6/19/10	8:30
10-11046	B-140 GW 36-40	water	6/17/10	13:40	6/19/10	8:30
10-11047	B-139 GW 36-40	water	6/17/10	13:50	6/19/10	8:30
10-11048	B-140 GW 9-13	water	6/17/10	14:15	6/19/10	8:30
10-11049	B-142 GW 46-50	water	6/17/10	14:55	6/19/10	8:30
10-11050	B-141 GW 9-13	water	6/17/10	16:10	6/19/10	8:30
10-11051	B-144 GW 36-40	water	6/18/10	8:00	6/19/10	8:30
10-11052	B-145 GW 9-13	water	6/18/10	9:40	6/19/10	8:30
10-11053	MW-10	water	6/14/10		6/19/10	8:30
10-11054	MW-17	water	6/14/10		6/19/10	8:30
10-11055	AS-5	water	6/14/10		6/19/10	8:30



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-124 GW 21-25

Envision Sample Number: 10-11029

Sample Matrix: water

Sample Collection Date/Time: 6/14/10 12:20

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	6.42	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	111%		
1,2-Dichloroethane-d4 (surrogate)	117%		
Toluene-d8 (surrogate)	89%		
4-bromofluorobenzene (surrogate)	82%		

Analysis Date/Time: 06-23-10/13:44

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-123 GW 9-13

Envision Sample Number: 10-11030

Sample Matrix: water

Sample Collection Date/Time: 6/14/10 15:05

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	10.3	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	106%		
1,2-Dichloroethane-d4 (surrogate)	121%		
Toluene-d8 (surrogate)	86%		
4-bromofluorobenzene (surrogate)	81%		

Analysis Date/Time: 06-23-10/14:09

Analyst Initials tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-126 GW 9-13

Envision Sample Number: 10-11031

Sample Matrix: water

Sample Collection Date/Time: 6/14/10 16:40

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	108%		
1,2-Dichloroethane-d4 (surrogate)	118%		
Toluene-d8 (surrogate)	89%		
4-bromofluorobenzene (surrogate)	84%		

Analysis Date/Time: 06-23-10/14:33

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-127 GW 9-13

Envision Sample Number: 10-11032

Sample Matrix: water

Sample Collection Date/Time: 6/15/10 12:30

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	12.5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	6.84	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	104%		
1,2-Dichloroethane-d4 (surrogate)	111%		
Toluene-d8 (surrogate)	90%		
4-bromofluorobenzene (surrogate)	87%		

Analysis Date/Time: 06-23-10/14:56

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062410VW

Client Sample ID: B-130 GW 9-13

Envision Sample Number: 10-11033

Sample Matrix: water

Sample Collection Date/Time: 6/15/10 14:00

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	102%		
1,2-Dichloroethane-d4 (surrogate)	107%		
Toluene-d8 (surrogate)	92%		
4-bromofluorobenzene (surrogate)	82%		

Analysis Date/Time: 06-24-10/04:54

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062410VW

Client Sample ID: B-129 GW 9-13

Envision Sample Number: 10-11034

Sample Matrix: water

Sample Collection Date/Time: 6/15/10 15:00

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	20.3	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	35.4	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	101%		
1,2-Dichloroethane-d4 (surrogate)	110%		
Toluene-d8 (surrogate)	92%		
4-bromofluorobenzene (surrogate)	84%		

Analysis Date/Time: 06-24-10/05:17

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-131 GW 36-40

Envision Sample Number: 10-11035

Sample Matrix: water

Sample Collection Date/Time: 6/15/10 15:34

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	5.34	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	19.6	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	45.9	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	86%		
1,2-Dichloroethane-d4 (surrogate)	105%		
Toluene-d8 (surrogate)	88%		
4-bromofluorobenzene (surrogate)	84%		

Analysis Date/Time: 06-23-10/16:06

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-131 GW 26-30

Envision Sample Number: 10-11036

Sample Matrix: water

Sample Collection Date/Time: 6/15/10 15:55

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	6.50	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	6.27	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	84%		
1,2-Dichloroethane-d4 (surrogate)	102%		
Toluene-d8 (surrogate)	83%		
4-bromofluorobenzene (surrogate)	82%		

Analysis Date/Time: 06-23-10/17:39

Analyst Initials tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-132 GW 9-13

Envision Sample Number: 10-11037

Sample Matrix: water

Sample Collection Date/Time: 6/15/10 17:10

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



Analytical Report

ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	93%		
1,2-Dichloroethane-d4 (surrogate)	103%		
Toluene-d8 (surrogate)	87%		
4-bromofluorobenzene (surrogate)	88%		

Analysis Date/Time: 06-23-10/18:03

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO
Project ID: 3872 HARMAN BECKER
Client Project Manager: JESSE WRIGHT
ENVision Project Number: 2010-1452
Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 062310VW

Client Sample ID: B-134 GW 9-13
Envision Sample Number: 10-11038
Sample Matrix: water

Sample Collection Date/Time: 6/16/10 9:35
Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



Analytical Report

ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	99%		
1,2-Dichloroethane-d4 (surrogate)	107%		
Toluene-d8 (surrogate)	90%		
4-bromofluorobenzene (surrogate)	84%		

Analysis Date/Time: 06-23-10/18:26

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-133 GW 9-13

Envision Sample Number: 10-11039

Sample Matrix: water

Sample Collection Date/Time: 6/16/10 12:05

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	90%		
1,2-Dichloroethane-d4 (surrogate)	100%		
Toluene-d8 (surrogate)	90%		
4-bromofluorobenzene (surrogate)	85%		

Analysis Date/Time: 06-23-10/19:59

Analyst Initials tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-136 GW 9-13

Envision Sample Number: 10-11040

Sample Matrix: water

Sample Collection Date/Time: 6/16/10 15:25

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



Analytical Report

ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	5.00	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	97%		
1,2-Dichloroethane-d4 (surrogate)	111%		
Toluene-d8 (surrogate)	90%		
4-bromofluorobenzene (surrogate)	86%		

Analysis Date/Time: 06-23-10/20:23

Analyst Initials: tjg

Your Projects. Our Passion.



Analytical Report

ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-135 GW 26-30

Envision Sample Number: 10-11041

Sample Matrix: water

Sample Collection Date/Time: 6/16/10 16:25

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	382	50	1
trans-1,2-Dichloroethene	11.6	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	13.0	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	2,000	50	1
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	86.4	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	27.1	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	98%		
1,2-Dichloroethane-d4 (surrogate)	111%		
Toluene-d8 (surrogate)	89%		
4-bromofluorobenzene (surrogate)	80%		

Analysis Date/Time: 06-23-10/20:46

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-135 GW 9-13

Envision Sample Number: 10-11042

Sample Matrix: water

Sample Collection Date/Time: 6/16/10 16:45

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



Analytical Report

ENVISION Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	85.0	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	109	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	8.33	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	97%		
1,2-Dichloroethane-d4 (surrogate)	106%		
Toluene-d8 (surrogate)	87%		
4-bromofluorobenzene (surrogate)	83%		

Analysis Date/Time: 06-23-10/21:09

Analyst Initials: tjg

Your Projects. Our Passion.

Page 30 of 60



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-137 GW 12-16

Envision Sample Number: 10-11043

Sample Matrix: water

Sample Collection Date/Time: 6/17/10 11:25

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	99%		
1,2-Dichloroethane-d4 (surrogate)	106%		
Toluene-d8 (surrogate)	88%		
4-bromofluorobenzene (surrogate)	86%		

Analysis Date/Time: 06-23-10/21:32

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-138 GW 26-30

Envision Sample Number: 10-11044

Sample Matrix: water

Sample Collection Date/Time: 6/17/10 11:35

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	5.96	5	
cis-1,2-Dichloroethene	717	50	1
trans-1,2-Dichloroethene	12.2	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	5.71	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	1,330	50	1
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	194	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	50.9	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	101%		
1,2-Dichloroethane-d4 (surrogate)	110%		
Toluene-d8 (surrogate)	89%		
4-bromofluorobenzene (surrogate)	82%		

Analysis Date/Time: 06-23-10/21:56

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-138 GW 9-13

Envision Sample Number: 10-11045

Sample Matrix: water

Sample Collection Date/Time: 6/17/10 11:55

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	39.3	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	93.1	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	10.3	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	103%		
1,2-Dichloroethane-d4 (surrogate)	109%		
Toluene-d8 (surrogate)	87%		
4-bromofluorobenzene (surrogate)	81%		

Analysis Date/Time: 06-23-10/22:19

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-140 GW 36-40

Envision Sample Number: 10-11046

Sample Matrix: water

Sample Collection Date/Time: 6/17/10 13:40

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	557	50	1
trans-1,2-Dichloroethene	21.5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	14.2	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	97.3	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	93.5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	436	50	1
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	38.6	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	107%		
1,2-Dichloroethane-d4 (surrogate)	118%		
Toluene-d8 (surrogate)	90%		
4-bromofluorobenzene (surrogate)	86%		

Analysis Date/Time: 06-23-10/22:42

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-139 GW 36-40

Envision Sample Number: 10-11047

Sample Matrix: water

Sample Collection Date/Time: 6/17/10 13:50

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	24.4	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	6.93	5	
cis-1,2-Dichloroethene	478	50	1
trans-1,2-Dichloroethene	37.2	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	101	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	49.2	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	2.65	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	103%		
1,2-Dichloroethane-d4 (surrogate)	117%		
Toluene-d8 (surrogate)	89%		
4-bromofluorobenzene (surrogate)	81%		

Analysis Date/Time: 06-23-10/23:05

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-140 GW 9-13

Envision Sample Number: 10-11048

Sample Matrix: water

Sample Collection Date/Time: 6/17/10 14:15

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	104%		
1,2-Dichloroethane-d4 (surrogate)	109%		
Toluene-d8 (surrogate)	89%		
4-bromofluorobenzene (surrogate)	88%		

Analysis Date/Time: 06-23-10/23:29

Analyst Initials tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062310VW

Client Sample ID: B-142 GW 46-50

Envision Sample Number: 10-11049

Sample Matrix: water

Sample Collection Date/Time: 6/17/10 14:55

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



Analytical Report

ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	5.32	5	
cis-1,2-Dichloroethene	19.4	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	42.3	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	40.5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	108%		
1,2-Dichloroethane-d4 (surrogate)	114%		
Toluene-d8 (surrogate)	90%		
4-bromofluorobenzene (surrogate)	83%		

Analysis Date/Time: 06-23-10/23:52

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062410VW

Client Sample ID: B-141 GW 9-13

Envision Sample Number: 10-11050

Sample Matrix: water

Sample Collection Date/Time: 6/17/10 16:10

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



Analytical Report

ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	68.3	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	11.0	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	8.58	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	5.58	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	104%		
1,2-Dichloroethane-d4 (surrogate)	106%		
Toluene-d8 (surrogate)	89%		
4-bromofluorobenzene (surrogate)	86%		

Analysis Date/Time: 06-24-10/00:15

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO
Project ID: 3872 HARMAN BECKER
Client Project Manager: JESSE WRIGHT
ENVision Project Number: 2010-1452
Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 062410VW

Client Sample ID: B-144 GW 36-40
Envision Sample Number: 10-11051
Sample Matrix: water

Sample Collection Date/Time: 6/18/10 8:00
Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	8.19	5	
cis-1,2-Dichloroethene	58.2	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	146	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	89.6	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	110%		
1,2-Dichloroethane-d4 (surrogate)	122%		
Toluene-d8 (surrogate)	93%		
4-bromofluorobenzene (surrogate)	81%		

Analysis Date/Time: 06-24-10/00:38

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062410VW

Client Sample ID: B-145 GW 9-13

Envision Sample Number: 10-11052

Sample Matrix: water

Sample Collection Date/Time: 6/18/10 9:40

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVISION Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	108%		
1,2-Dichloroethane-d4 (surrogate)	112%		
Toluene-d8 (surrogate)	90%		
4-bromofluorobenzene (surrogate)	83%		

Analysis Date/Time: 06-24-10/01:01

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO
Project ID: 3872 HARMAN BECKER
Client Project Manager: JESSE WRIGHT
ENVision Project Number: 2010-1452
Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 062410VW

Client Sample ID: MW-10
Envision Sample Number: 10-11053
Sample Matrix: water
Sample Collection Date/Time: 6/14/10
Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



Analytical Report

ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	< 5	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	< 5	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	108%		
1,2-Dichloroethane-d4 (surrogate)	111%		
Toluene-d8 (surrogate)	91%		
4-bromofluorobenzene (surrogate)	83%		

Analysis Date/Time: 06-24-10/01:25

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO

Project ID: 3872 HARMAN BECKER

Client Project Manager: JESSE WRIGHT

ENVision Project Number: 2010-1452

Analytical Method: 8260

Prep Method: 5030B

Analytical Batch: 062410VW

Client Sample ID: MW-17

Envision Sample Number: 10-11054

Sample Matrix: water

Sample Collection Date/Time: 6/14/10

Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	17.3	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	191	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	13.9	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	2.09	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	107%		
1,2-Dichloroethane-d4 (surrogate)	111%		
Toluene-d8 (surrogate)	95%		
4-bromofluorobenzene (surrogate)	84%		

Analysis Date/Time: 06-24-10/01:48

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Analytical Report

Client Name: SESCO
Project ID: 3872 HARMAN BECKER
Client Project Manager: JESSE WRIGHT
ENVision Project Number: 2010-1452
Analytical Method: 8260
Prep Method: 5030B
Analytical Batch: 062410VW

Client Sample ID: AS-5
Envision Sample Number: 10-11055
Sample Matrix: water
Sample Collection Date/Time: 6/14/10
Sample Received Date/Time: 6/19/10 8:30

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethylvinylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

Analytical Report

8260 continued...

<u>Compounds</u>	<u>Sample Results (ug/L)</u>	<u>Reporting Limit (ug/L)</u>	<u>Flags</u>
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	
Hexachloro-1,3-butadiene	< 5	5	
n-Hexane	< 10	10	
2-Hexanone	< 10	10	
Iodomethane	< 10	10	
Isopropylbenzene (Cumene)	< 5	5	
p-Isopropyltoluene	< 5	5	
Methylene chloride	< 5	5	
4-Methyl-2-pentanone (MIBK)	< 10	10	
Methyl-tert-butyl-ether	< 5	5	
Naphthalene	< 5	5	
n-Propylbenzene	< 5	5	
Styrene	< 5	5	
1,1,1,2-Tetrachloroethane	< 5	5	
1,1,2,2-Tetrachloroethane	< 5	5	
Tetrachloroethene	87.1	5	
Toluene	< 5	5	
1,2,3-Trichlorobenzene	< 5	5	
1,2,4-Trichlorobenzene	< 5	5	
1,1,1-Trichloroethane	< 5	5	
1,1,2-Trichloroethane	< 5	5	
Trichloroethene	6.92	5	
Trichlorofluoromethane	< 5	5	
1,2,3-Trichloropropane	< 5	5	
1,2,4-Trimethylbenzene	< 5	5	
1,3,5-Trimethylbenzene	< 5	5	
Vinyl acetate	< 10	10	
Vinyl chloride	< 2	2	
Xylene, M&P	< 5	5	
Xylene, Ortho	< 5	5	
Xylene (Total)	< 10	10	
Dibromofluoromethane (surrogate)	111%		
1,2-Dichloroethane-d4 (surrogate)	111%		
Toluene-d8 (surrogate)	93%		
4-bromofluorobenzene (surrogate)	84%		

Analysis Date/Time: 06-24-10/02:11

Analyst Initials: tjg

Your Projects. Our Passion.



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
 www.envisionlaboratories.com

8260 Quality Control Data

ENVision Batch Number: 062310VW

<u>Method Blank (MB):</u>	<u>MB Results (ug/L)</u>	<u>Rep Lim (ug/L)</u>	<u>Flag</u>
Acetone	< 100	100	
Acrolein	< 100	100	
Acrylonitrile	< 100	100	
Benzene	< 5	5	
Bromobenzene	< 5	5	
Bromochloromethane	< 5	5	
Bromodichloromethane	< 5	5	
Bromoform	< 5	5	
Bromomethane	< 5	5	
n-Butanol	< 50	50	
2-Butanone (MEK)	< 10	10	
n-Butylbenzene	< 5	5	
sec-Butylbenzene	< 5	5	
tert-Butylbenzene	< 5	5	
Carbon Disulfide	< 5	5	
Carbon Tetrachloride	< 5	5	
Chlorobenzene	< 5	5	
Chloroethane	< 5	5	
2-Chloroethynylether	< 50	50	
Chloroform	< 5	5	
Chloromethane	< 5	5	
2-Chlorotoluene	< 5	5	
4-Chlorotoluene	< 5	5	
1,2-Dibromo-3-chloropropane	< 5	5	
Dibromochloromethane	< 5	5	
1,2-Dibromoethane (EDB)	< 5	5	
Dibromomethane	< 5	5	
1,2-Dichlorobenzene	< 5	5	
1,3-Dichlorobenzene	< 5	5	
1,4-Dichlorobenzene	< 5	5	
trans-1,4-Dichloro-2-butene	< 100	100	
Dichlorodifluoromethane	< 5	5	
1,1-Dichloroethane	< 5	5	
1,2-Dichloroethane	< 5	5	
1,1-Dichloroethene	< 5	5	
cis-1,2-Dichloroethene	< 5	5	
trans-1,2-Dichloroethene	< 5	5	
1,2-Dichloropropane	< 5	5	
1,3-Dichloropropane	< 5	5	
2,2-Dichloropropane	< 5	5	
1,1-Dichloropropene	< 5	5	
cis-1,3-Dichloropropene	< 5	5	
trans-1,3-Dichloropropene	< 5	5	
Ethylbenzene	< 5	5	
Ethyl methacrylate	< 100	100	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
www.envisionlaboratories.com

8260 QC Continued...

Method Blank (MB):	MB Results (ug/L)	Rep Lim (ug/L)
Hexachloro-1,3-butadiene	< 5	5
2-Hexanone	< 10	10
n-Hexane	< 10	10
Iodomethane	< 10	10
Isopropylbenzene (Cumene)	< 5	5
p-Isopropyltoluene	< 5	5
Methylene chloride	< 5	5
4-Methyl-2-pentanone (MIBK)	< 10	10
Methyl-tert-butyl-ether	< 5	5
Naphthalene	< 5	5
n-Propylbenzene	< 5	5
Styrene	< 5	5
1,1,1,2-Tetrachloroethane	< 5	5
1,1,2,2-Tetrachloroethane	< 5	5
Tetrachloroethene	< 5	5
Toluene	< 5	5
1,2,3-Trichlorobenzene	< 5	5
1,2,4-Trichlorobenzene	< 5	5
1,1,1-Trichloroethane	< 5	5
1,1,2-Trichloroethane	< 5	5
Trichloroethene	< 5	5
Trichlorofluoromethane	< 5	5
1,2,3-Trichloropropane	< 5	5
1,2,4-Trimethylbenzene	< 5	5
1,3,5-Trimethylbenzene	< 5	5
Vinyl acetate	< 10	10
Vinyl chloride	< 2	2
Xylene, M&P	< 5	5
Xylene, Ortho	< 5	5
Xylene (total)	< 10	10
Dibromofluoromethane (surrogate)	89%	
1,2-Dichloroethane-d4 (surrogate)	99%	
Toluene-d8 (surrogate)	99%	
4-bromofluorobenzene (surrogate)	83%	
Analysis Date/Time:	06-23-10/07:31	
Analyst Initials	ijg	



ENVision Laboratories, Inc.
 1439 Sadler Circle West Drive
 Indianapolis, IN 46239
 Tel: 317.351.8632
 Fax: 317.351.8639
www.envisionlaboratories.com

8260 QC Continued...

<u>Laboratory Control Standard (LCS):</u>	<u>LCS Results (ug/L)</u>	<u>LCS Conc(ug/L)</u>	<u>% Rec</u>	<u>Flag</u>
Vinyl Chloride	48.2	50	96%	
1,1-Dichloroethene	50.0	50	100%	
trans-1,2-Dichloroethene	51.3	50	103%	
Methyltert-butylether	53.3	50	107%	
1,1-Dichloroethane	51.4	50	103%	
cis-1,2-Dichloroethene	48.7	50	97%	
Chloroform	53.0	50	106%	
1,1,1-Trichloroethane	52.1	50	104%	
Benzene	53.3	50	107%	
Trichloroethene	58.2	50	116%	
Toluene	48.3	50	97%	
1,1,1,2-Tetrachloroethane	57.1	50	114%	
Chlorobenzene	52.9	50	106%	
Ethylbenzene	52.7	50	105%	
o-Xylene	53.2	50	106%	
N-propylbenzene	52.5	50	105%	
Dibromofluoromethane (surrogate)	86%			
1,2-Dichloroethane-d4 (surrogate)	108%			
Toluene-d8 (surrogate)	100%			
4-bromofluorobenzene (surrogate)	106%			
Analysis Date/Time:	06-23-10/07:08			
Analyst Initials	tjg			



ENVision Laboratories, Inc.
1439 Sadler Circle West Drive
Indianapolis, IN 46239
Tel: 317.351.8632
Fax: 317.351.8639
www.envisionlaboratories.com

Flag Number

1

Comments

Reported value is from a 10x dilution. TJG 06-30-10



CHAIN OF CUSTODY RECORD

Comments:

Time

100



CHAIN OF CUSTODY RECORD

ENVision Laboratories, Inc. | 1439 Sadlier Circle West Drive | Indianapolis, IN 46239 | Phone: (317) 351-8632 | Fax: (317) 351-8639

ENVision Proj#:

2010-145a

Page

2 of 3

REQUESTED PARAMETERS

Sample Integrity:

Cooler Temp: 3 °C

(check) Samples on Ice? ☒ Yes ☐ No

Samples Intact? ☒ Yes ☐ No

Custody Seal: ☒ Yes ☐ No

ENVision provided bottles: ☒ Yes ☐ No

VOC vials free of head-space: ☒ Yes ☐ No

pH checked? Yes ☐ No ☒ N/A

Please indicate number of containers per preservative below.

Client:	Invoice Address:	Project Name:	Report Address:	Report To:	Lab Contact:	Phone:	Sampled by:	Fax:	P.O. Number:	Desired TAT: (Please Circle One) 1-2 days 3-6 days Std (7 bus. days)	QA/QC Required: (circle if applicable) Level III Level IV	Sample ID	Coll. Date	Coll. Time	Coast (g) Grab (g)	Matrix	PH	HNO ₃	H ₂ SO ₄	NaOH	Other	None	ENVision Sample ID	
		(3872)										B-132 6w 9-13	6-15-10	17:10	6	6w	X							10-11037
												B-134 6w 9-13	6-16-10	09:35			X							11038
												B-133 6w 9-13		12:05			X							11039
												B-136 6w 9-13		15:25			X							11040
												B-135 6w 9-13		16:25			X							11041
												B-135 6w 9-13		16:45			X							11042
												B-137 6w 12-16	6-17-10	11:25			X							11043
												B-138 6w 26-30		11:35			X							11044
												B-138 6w 9-13		11:55			X							11045
												B-140 6w 36-46		13:40			X							11046
												B-139 6w 36-40		13:50			X							11047

Comments:

Relinquished by:

Date

Time

Received by:

Date

Time

[Signature]
6/18/10 08:30
Tad B. [Signature]

6/18/10 15:46

6/18/10 15:46

6/18/10 15:46

6/18/10 15:46

6/18/10 15:46



CHAIN OF CUSTODY RECORD

ENVision Laboratories, Inc. | 1439 Sadlier Circle West Drive | Indianapolis, IN 46239 | Phone: (317) 351-8632 | Fax: (317) 351-8639

ENVision Proj #: 2010-1452

Page 2 of 3

Client: Invoice Address:

Report Address: Project Name: 3872

Report To: Lab Contact:

Phone: Sampled by:

Fax: P.O. Number:

Desired TAT: (Please Circle One)
1-2 days 3-6 days Std (7 bus. days)
QA/QC Required: (circle if applicable)
Level III Level IV

REQUESTED PARAMETERS

LOG 8260

Please indicate number of containers per preservative below

Sample Integrity:

Cooler Temp: 3 °C
(Circle)
Samples on Ice? Yes No
Samples Intact? Yes No
Custody Seal: Yes No
ENVision provided bottles? Yes No
VOC vials free of head-space? Yes No N/A
pH checked? Yes No N/A

Sample ID	Coll. Date	Coll. Time	Comp (g) Grab (g)	Matrix	PH	HNO ₃	H ₂ SO ₄	NaOH	Other	None	ENVision Sample ID
B-140 6w 9-13	6-17-10	14:15	6	6w	X						10-11048
B-142 6w 46-50		14:35			X						11049
B-141 6w 9-13		16:10			X						11050
B-144 6w 36-40	6-18-10	08:00			X						11051
B-145 6w 9-13		09:40			X						11052
MW-10	6/14/10				X						11053
MW-17					X						11054
AS-5					X						11055

Comments:

Requested by:	Date	Time	Received by:	Date	Time
	6/18/10	1540		6/18/10	1540
	6-19-10	0830		6/19/10	0830

1426 W. 29th Street
Indianapolis, IN 46208

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

W8260 40ml Amb-HCl

V8260 40ml Amb-ICC1-Blk

Page 1 of 6



12065 Lebanon Road
Mt Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

E189

Accnum: **SESCOIN** (lab use only)
Template/Prelogin **T64700 P319703**
Cooler #: **5/12/10** **HS**
Shipped Via **FedEX Ground**

Remarks/Contaminant	Sample # (lab only)
---------------------	---------------------

L460652-01

- 57

03

11

100

—

— 06

67

08

- 09

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

Remarks:

pH _____ Temp _____

Flow	Other
1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	28
29	30
31	32
33	34
35	36
37	38
39	40
41	42
43	44
45	46
47	48
49	50
51	52
53	54
55	56
57	58
59	60
61	62
63	64
65	66
67	68
69	70
71	72
73	74
75	76
77	78
79	80
81	82
83	84
85	86
87	88
89	90
91	92
93	94
95	96
97	98
99	100

Relinquished by: (Signature) <i>Jim Bruch</i>	Date: 5/21/10	Time:	Received by: (Signature)	Date:	Time:	Samples returned via: ☐ UPS ☒ FedEx ☐ Courier	Condition: (lab use only)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Date:	Time:	Temp: 32° Bottles Received: 78✓	COC Sent Intact: Y ___ N ✓ NA
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Date:	Time:	pH Checked	NCF

1426 W. 29th Street
Indianapolis, IN 46208

Indianapolis, IN 46208

Page 7 of 6



Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

Email tyates@sescogroup.com

City/State
Collected

Client Project #
3872

Lab Project # **SESCOIN-HARMAN**

Collected by (print): TIM BRANCH / C. BECKHAM

Site/Facility ID#

P.O.#:

Collected by (signature): *Jim Brand*

Rush? (Lab MUST Be Notified)

Date Results Needed _____

Immediately
Packed on Ice N 2

Same Day	200%
Next Day	100%
Two Day	50%
Three Day	25%

Email? ☐ No ☐ Yes
FAX? ☐ No ☐ Yes

No. of Controls	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	

Account: **SESCOIN** (lat use only)
Template/Prelogin: **T64700 P319703**
Cooler #: **5/12/10**
Shipped Via: **FedEX Ground**

Remarks/Contaminant	Sample # (lab only)
---------------------	---------------------

[illegible]

*Matrix SS - Soil GW - Groundwater WW - Waste Water DW - Drinking Water OT - Other

Remarks

pH Temp

Flow	Other
1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	28
29	30
31	32
33	34
35	36
37	38
39	40
41	42
43	44
45	46
47	48
49	50
51	52
53	54
55	56
57	58
59	60
61	62
63	64
65	66
67	68
69	70
71	72
73	74
75	76
77	78
79	80
81	82
83	84
85	86
87	88
89	90
91	92
93	94
95	96
97	98
99	100

Relinquished by: (Signature)
Tim Beuch
 Relinquished by:

Date: 5/2/10

Time

Received by: (Signature) _____

Samples returned via: ☐ UPS
☒ FedEx ☐ Courier ☐

Condition: (lab use only)

Relinquished By (Signature) _____

Date.	Time.
-------	-------

Received for lab by: (Signature)

Temp.	Bottles Received
32°	78✓
Date	Time
5-12-10	11:00

COC Seal Intact	Y	N	NA
-----------------	---	---	----

PH Check

SESCO Group

1426 W. 29th Street
Indianapolis, IN 46208

Billing information

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Analysis/Container/Preservative

Chain of Custody

Page 3 of 6



12065 Lebanon Road
Mt Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

Report to: Mr. Tim Yates
Email: tyates@sescogroup.com

Project Description: Harman Becker
City/State Collected:
Client Project #: 3872
Lab Project #: SESCOIN-HARMAN

Phone: (317) 347-9590
FAX: (317) 347-9591
Collected by (print): Tim Branch/c. BECKHAM
Collected by (signature): Tim Branch
Immediately Packed on Ice N ☒
Site/Facility ID:
P.O.#:
Rush? (Lab MUST Be Notified)
Same Day 200%
Next Day 100%
Two Day 50%
Three Day 25%
Date Results Needed
Email? ☐ No ☐ Yes
FAX? ☐ No ☐ Yes
No. of Cntrs

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs	V8260-40mlAmb-HCl	V8260-40mlAmb-HCl-Blk	Remarks/Contaminant	Sample # (lab only)
MW-48B	GRAB	GW		5-21-10	9:45	2	X			L460652-14
MW-20R		GW			9:55	2	X			-15
MW-26R		GW			10:10	2	X			-16
MW-26C		GW			10:15	2	X			-17
MW-46A		GW			10:20	2	X			-18
MW-46C		GW			10:25	2	X			-19
MW-43A		GW			10:30	2	X			-20
MW-43B		GW			10:35	2	X			-21
MW-43C		GW			10:40	2	X			-22

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Relinquished by (Signature): <i>Tim Branch</i>	Date: 5/21/10	Time:	Received by (Signature):	Samples returned via: ☐ UPS ☐ FedEx ☐ Courier	Condition: (lab use only)
Relinquished by (Signature):	Date:	Time:	Received by (Signature):	Temp: 3.2°C Bottles Received: 76 ✓	COC Seal Intact: ☒ Y ☐ N ☒ NA
Relinquished by (Signature):	Date:	Time:	Received for lab by (Signature):	Date: 5-22-10 Time: 09:04	pH Checked: N/A

SESCO Group

1426 W. 29th Street
Indianapolis, IN 46208

Billing information:

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Report to:
Mr. Tim Yates

Email:
tyates@sescogroup.com

Project Description:
Harman Becker

City/State
Collected

Phone: (317) 347-9590
FAX: (317) 347-9591

Client Project #:

3872

Lab Project #

SESCOIN-HARMAN

Collected by (print):

TIM BRANCH / C. BECKHAM

Site/Facility ID#

P.O.#

Collected by (signature):

Tim Branch

Rush? (Lab MUST Be Notified)

Same Day 200%
Next Day 100%
Two Day 50%
Three Day 25%

Date Results Needed

Email? ☐ No ☐ Yes
FAX? ☐ No ☐ Yes

No.
of
Cntrs

Packed on Ice: ☒ N ☐ Y

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs	V8260 40ml Amb-HCI	V8260 40ml Amb-HCI-Blk	Analysis/Container/Preservative	Remarks/Contaminant	Sample # (lab only)
MW-43E	GAIB	GW		5-21-10	10:45	2	X				V460657 -23
MW-40A		GW			11:00	2	X				-24
MW-40B		GW			11:05	2	X				-25
MW-40C		GW			11:10	2	X				-26
MW-40E		GW			11:15	2	X				-27
MW-41B		GW			11:30	2	X				-28
MW-41E		GW			11:35	2	X				-29
MW-47C		GW			12:45	2	X				-30
MW-45A		GW			1:00	2	X				-31

*Matrix SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Chain of Custody

Page 4 of 6



12065 Lebanon Road
Mt. Juliet, TN 37122

Phone: (800) 767-5859
Phone: (615) 758-5858
Fax: (615) 758-5859

Account: **SESCOIN** (lab use only)

Template/Prelogin: **T64700 P319703**

Cooler #: **5/12/10 JRC**

Shipped Via: **FedEX Ground**

Relinquished by (Signature): <i>Tim Branch</i>	Date: 5/21/10	Time:	Received by (Signature): <i>[Signature]</i>	Samples returned via: ☒ UPS ☐ FedEx ☐ Courier	Condition: (lab use only)
Relinquished by (Signature): <i>[Signature]</i>	Date:	Time:	Received by (Signature): <i>[Signature]</i>	Temp: 32°C Bottles Received: 78✓	COC Seal Intact: ☒ Y ☐ N ☒ NA
Relinquished by (Signature): <i>[Signature]</i>	Date:	Time:	Received for lab by (Signature): <i>[Signature]</i>	Date: 5-22-10 Time: 0900	pH Checked: ☐ NCP

1426 W. 29th Street
Indianapolis, IN 46208

Jennifer Foxworthy/ A/P
1426 W. 29th Street
Indianapolis, IN 46208

Project Description:	Harman Becker
----------------------	---------------

Phone: (317) 347-9590
FAX: (317) 347-9591

Client Project #:

3872

City/State
Collected

Lab Project #

SESCOIN-HARMAN

P.O.#

Collected by (print)
Tim BRANCH / C. BECKHAM

Collected by (signature):

Fine Branch

Immediately
Packed on Ice N

Rush? (Lab MUST Be Notified)

Same Day	200%
Next Day	100%
Two Day	50%
Three Day	25%

Date Results Needed

Email? ☐ No ☒ Yes
FAX? ☐ No ☒ Yes

No.	of	Colts
1	1	1
2	1	1
3	1	1
4	1	1
5	1	1
6	1	1
7	1	1
8	1	1
9	1	1
10	1	1
11	1	1
12	1	1
13	1	1
14	1	1
15	1	1
16	1	1
17	1	1
18	1	1
19	1	1
20	1	1
21	1	1
22	1	1
23	1	1
24	1	1
25	1	1
26	1	1
27	1	1
28	1	1
29	1	1
30	1	1
31	1	1
32	1	1
33	1	1
34	1	1
35	1	1
36	1	1
37	1	1
38	1	1
39	1	1
40	1	1
41	1	1
42	1	1
43	1	1
44	1	1
45	1	1
46	1	1
47	1	1
48	1	1
49	1	1
50	1	1
51	1	1
52	1	1
53	1	1
54	1	1
55	1	1
56	1	1
57	1	1
58	1	1
59	1	1
60	1	1
61	1	1
62	1	1
63	1	1
64	1	1
65	1	1
66	1	1
67	1	1
68	1	1
69	1	1
70	1	1
71	1	1
72	1	1
73	1	1
74	1	1
75	1	1
76	1	1
77	1	1
78	1	1
79	1	1
80	1	1
81	1	1
82	1	1
83	1	1
84	1	1
85	1	1
86	1	1
87	1	1
88	1	1
89	1	1
90	1	1
91	1	1
92	1	1
93	1	1
94	1	1
95	1	1
96	1	1
97	1	1
98	1	1
99	1	1
100	1	1

V8260 40ml Amb-HCl

W8260 40ml Amb-HCl-Blk

Account **SESCOIN** (lab use only)
 Temperature/Protocol **T64700 P319703**
 Cooler # **5/12/10 pc**
 Shipped Via **FedEx Ground**

Remarks/Contaminant	Sample # (lab only)
---------------------	---------------------

1460652 -31
-40

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

Remarks

pH _____ Temp _____

Flow	Other
1	2
3	4
5	6
7	8
9	10
11	12
13	14
15	16
17	18
19	20
21	22
23	24
25	26
27	28
29	30
31	32
33	34
35	36
37	38
39	40
41	42
43	44
45	46
47	48
49	50
51	52
53	54
55	56
57	58
59	60
61	62
63	64
65	66
67	68
69	70
71	72
73	74
75	76
77	78
79	80
81	82
83	84
85	86
87	88
89	90
91	92
93	94
95	96
97	98
99	100

Relinquished by: (Signature) <i>Tim Branch</i>	Date <i>5/21/10</i>	Time	Received by: (Signature) <i>[Signature]</i>	Samples returned via: ☐ UPS ☒ FedEx ☐ Courier	Condition: <i>OW</i> (lab use only)
Relinquished by: (Signature) <i>[Signature]</i>	Date	Time	Received by: (Signature) <i>[Signature]</i>	Temp: <i>3-20C</i> Bottles Received: <i>78C</i>	COC Seal Intact: <i>Y</i> <i>N</i> <i>NA</i>
Relinquished by: (Signature) <i>[Signature]</i>	Date	Time	Received for lab by: (Signature) <i>[Signature]</i>	Date: <i>5-22-10</i> Time: <i>0900</i>	pH Checked: <i>NEP</i>



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Report Summary

Monday June 07, 2010

Report Number: L460652

Samples Received: 05/22/10

Client Project: 3872

Description: Harman Becker

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:


Jimmy Hunt, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140
NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-34

Collected By : Tim Branch
Collection Date : 05/20/10 12:05

ESC Sample # : L460652-01

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	0.013	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	0.0066	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	0.22	0.010	mg/l	8260B	06/03/10	10
trans-1,2-Dichloroethene	0.0071	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-34

Collected By : Tim Branch
Collection Date : 05/20/10 12:05

ESC Sample # : L460652-01

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	0.39	0.010	mg/l	8260B	06/03/10	10
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	0.17	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	0.13	0.010	mg/l	8260B	06/03/10	10
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	99.7		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	97.3		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	101.		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-35A

ESC Sample # : L460652-02

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 14:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-35A

Collected By : Tim Branch
Collection Date : 05/20/10 14:00

ESC Sample # : L460652-02

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	0.0014	0.0010	mg/l	8260B	06/03/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	96.0		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	99.9		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	97.0		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-35E

ESC Sample # : L460652-03

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 14:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-35E

ESC Sample # : L460652-03

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 14:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	97.4		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	101.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	91.5		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-36A

ESC Sample # : L460652-04

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 14:20

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	0.14	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-36A

Collected By : Tim Branch
Collection Date : 05/20/10 14:20

ESC Sample # : L460652-04

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	97.4		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	102.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	94.6		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-36E

ESC Sample # : L460652-05

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 14:20

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-36E

Collected By : Tim Branch
Collection Date : 05/20/10 14:20

ESC Sample # : L460652-05

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	96.0		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	97.9		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	96.5		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-37A

ESC Sample # : L460652-06

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 14:40

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-37A

Collected By : Tim Branch
Collection Date : 05/20/10 14:40

ESC Sample # : L460652-06

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.1		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	136.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	98.9		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-49E

ESC Sample # : L460652-07

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 15:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-49E

Collected By : Tim Branch
Collection Date : 05/20/10 15:00

ESC Sample # : L460652-07

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	99.5		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	132.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	100.		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-50E

ESC Sample # : L460652-08

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 15:20

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-50E

Collected By : Tim Branch
Collection Date : 05/20/10 15:20

ESC Sample # : L460652-08

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	97.5		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	100.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	93.8		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-38A

ESC Sample # : L460652-09

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 15:40

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-38A

Collected By : Tim Branch
Collection Date : 05/20/10 15:40

ESC Sample # : L460652-09

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	98.0		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	102.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	93.2		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-38E

ESC Sample # : L460652-10

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 15:40

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	0.053	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-38E

Collected By : Tim Branch
Collection Date : 05/20/10 15:40

ESC Sample # : L460652-10

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	97.9		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	102.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	94.0		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-39A

ESC Sample # : L460652-11

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 16:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-39A

Collected By : Tim Branch
Collection Date : 05/20/10 16:00

ESC Sample # : L460652-11

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	98.5		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	102.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	93.7		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-39B

ESC Sample # : L460652-12

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 16:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-39B

ESC Sample # : L460652-12

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 16:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	0.012	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	0.0017	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	97.2		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	103.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	95.1		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-39E

ESC Sample # : L460652-13

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/20/10 16:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-39E

Collected By : Tim Branch
Collection Date : 05/20/10 16:00

ESC Sample # : L460652-13

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	98.0		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	97.4		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	92.5		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-48B

ESC Sample # : L460652-14

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 09:45

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-48B

Collected By : Tim Branch
Collection Date : 05/21/10 09:45

ESC Sample # : L460652-14

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	0.023	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	86.2		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	108.		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	124.		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-20R

ESC Sample # : L460652-15

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 09:55

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-20R

Collected By : Tim Branch
Collection Date : 05/21/10 09:55

ESC Sample # : L460652-15

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	0.0032	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	96.6		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	107.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	99.2		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker
Sample ID : MW-26R
Collected By : Tim Branch
Collection Date : 05/21/10 10:10

ESC Sample # : L460652-16

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-26R

Collected By : Tim Branch
Collection Date : 05/21/10 10:10

ESC Sample # : L460652-16

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.14	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	79.7		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	118.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	82.6		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-26C

ESC Sample # : L460652-17

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:15

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-26C

Collected By : Tim Branch
Collection Date : 05/21/10 10:15

ESC Sample # : L460652-17

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	116.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	89.5		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-46A

ESC Sample # : L460652-18

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:20

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	0.38	0.020	mg/l	8260B	06/03/10	20
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	0.36	0.020	mg/l	8260B	06/02/10	1
sec-Butylbenzene	0.0010	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	0.43	0.020	mg/l	8260B	06/03/10	20
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	0.018	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-46A

Collected By : Tim Branch
Collection Date : 05/21/10 10:20

ESC Sample # : L460652-18

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
p-Isopropyltoluene	0.0020	0.0010	mg/l	8260B	06/02/10	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	0.053	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	0.036	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	0.0053	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	0.49	0.020	mg/l	8260B	06/03/10	20
1,2,3-Trimethylbenzene	0.093	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	0.084	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	1.2	0.060	mg/l	8260B	06/03/10	20
Surrogate Recovery						
Toluene-d8	95.1		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	97.8		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	101.		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-46C

ESC Sample # : L460652-19

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:25

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	0.0054	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	0.010	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	1.5	0.050	mg/l	8260B	06/03/10	50
trans-1,2-Dichloroethene	0.011	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-46C

Collected By : Tim Branch
Collection Date : 05/21/10 10:25

ESC Sample # : L460652-19

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.016	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	0.097	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	0.025	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	96.9		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	106.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	89.6		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43A

ESC Sample # : L460652-20

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:30

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43A

Collected By : Tim Branch
Collection Date : 05/21/10 10:30

ESC Sample # : L460652-20

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.8		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	113.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	88.2		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43B

ESC Sample # : L460652-21

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:35

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43B

Collected By : Tim Branch
Collection Date : 05/21/10 10:35

ESC Sample # : L460652-21

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	0.035	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	0.018	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	0.028	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	104.		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	122.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	97.8		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43C

ESC Sample # : L460652-22

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:40

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	0.024	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	0.0059	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	0.010	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	0.0016	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43C

Collected By : Tim Branch
Collection Date : 05/21/10 10:40

ESC Sample # : L460652-22

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	0.069	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	0.22	0.010	mg/l	8260B	06/03/10	10
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	0.018	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	99.6		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	117.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	99.5		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43E

ESC Sample # : L460652-23

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:45

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-43E

ESC Sample # : L460652-23

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 10:45

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.9		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	134.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	101.		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40A

ESC Sample # : L460652-24

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 11:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40A

Collected By : Tim Branch
Collection Date : 05/21/10 11:00

ESC Sample # : L460652-24

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.073	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.6		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	124.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	93.6		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40B

Collected By : Tim Branch
Collection Date : 05/21/10 11:05

ESC Sample # : L460652-25

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/03/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/03/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/03/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/03/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/03/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/03/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/03/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/03/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40B

Collected By : Tim Branch
Collection Date : 05/21/10 11:05

ESC Sample # : L460652-25

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/03/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/03/10	1
Tetrachloroethene	0.0037	0.0010	mg/l	8260B	06/03/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/03/10	1
Surrogate Recovery						
Toluene-d8	94.4		% Rec.	8260B	06/03/10	1
Dibromofluoromethane	96.4		% Rec.	8260B	06/03/10	1
4-Bromofluorobenzene	84.7		% Rec.	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40C

ESC Sample # : L460652-26

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 11:10

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/03/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/03/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/03/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/03/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/03/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/03/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/03/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/03/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/03/10	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40C

ESC Sample # : L460652-26

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 11:10

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/03/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/03/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/03/10	1
Surrogate Recovery						
Toluene-d8	95.9		% Rec.	8260B	06/03/10	1
Dibromofluoromethane	97.4		% Rec.	8260B	06/03/10	1
4-Bromofluorobenzene	85.4		% Rec.	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40E

ESC Sample # : L460652-27

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 11:15

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/03/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/03/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/03/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/03/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/03/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/03/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/03/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/03/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-40E

Collected By : Tim Branch
Collection Date : 05/21/10 11:15

ESC Sample # : L460652-27

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/03/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/03/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/03/10	1
Surrogate Recovery						
Toluene-d8	97.1		% Rec.	8260B	06/03/10	1
Dibromofluoromethane	101.		% Rec.	8260B	06/03/10	1
4-Bromofluorobenzene	99.5		% Rec.	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-41B

ESC Sample # : L460652-28

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 11:30

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/03/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/03/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/03/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/03/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/03/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/03/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/03/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/03/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/03/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/03/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-41B

Collected By : Tim Branch
Collection Date : 05/21/10 11:30

ESC Sample # : L460652-28

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/03/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/03/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/03/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/03/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/03/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/03/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/03/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/03/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/03/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/03/10	1
Surrogate Recovery						
Toluene-d8	89.3		% Rec.	8260B	06/03/10	1
Dibromofluoromethane	98.1		% Rec.	8260B	06/03/10	1
4-Bromofluorobenzene	107.		% Rec.	8260B	06/03/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-41E

ESC Sample # : L460652-29

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 11:35

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-41E

Collected By : Tim Branch
Collection Date : 05/21/10 11:35

ESC Sample # : L460652-29

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	97.7		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	101.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	84.3		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-47C

ESC Sample # : L460652-30

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 12:45

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	0.0017	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-47C

Collected By : Tim Branch
Collection Date : 05/21/10 12:45

ESC Sample # : L460652-30

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.53	0.010	mg/l	8260B	06/03/10	10
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	0.0052	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	0.050	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.5		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	101.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	87.0		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-45A

ESC Sample # : L460652-31

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 13:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	0.0025	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	0.21	0.010	mg/l	8260B	06/03/10	10
trans-1,2-Dichloroethene	0.0036	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-45A

Collected By : Tim Branch
Collection Date : 05/21/10 13:00

ESC Sample # : L460652-31

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.14	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	0.14	0.010	mg/l	8260B	06/03/10	10
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	0.0085	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	91.1		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	101.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	98.8		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-45C

ESC Sample # : L460652-32

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 13:05

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.50	mg/l	8260B	06/02/10	10
Acrolein	BDL	0.50	mg/l	8260B	06/02/10	10
Acrylonitrile	BDL	0.10	mg/l	8260B	06/02/10	10
Benzene	BDL	0.010	mg/l	8260B	06/02/10	10
Bromobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Bromodichloromethane	BDL	0.010	mg/l	8260B	06/02/10	10
Bromoform	BDL	0.010	mg/l	8260B	06/02/10	10
Bromomethane	BDL	0.050	mg/l	8260B	06/02/10	10
n-Butylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
sec-Butylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
tert-Butylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Carbon tetrachloride	BDL	0.010	mg/l	8260B	06/02/10	10
Chlorobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Chlorodibromomethane	BDL	0.010	mg/l	8260B	06/02/10	10
Chloroethane	BDL	0.050	mg/l	8260B	06/02/10	10
2-Chloroethyl vinyl ether	BDL	0.50	mg/l	8260B	06/02/10	10
Chloroform	BDL	0.050	mg/l	8260B	06/02/10	10
Chloromethane	BDL	0.025	mg/l	8260B	06/02/10	10
2-Chlorotoluene	BDL	0.010	mg/l	8260B	06/02/10	10
4-Chlorotoluene	BDL	0.010	mg/l	8260B	06/02/10	10
1,2-Dibromo-3-Chloropropane	BDL	0.050	mg/l	8260B	06/02/10	10
1,2-Dibromoethane	BDL	0.010	mg/l	8260B	06/02/10	10
Dibromomethane	BDL	0.010	mg/l	8260B	06/02/10	10
1,2-Dichlorobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
1,3-Dichlorobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
1,4-Dichlorobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Dichlorodifluoromethane	BDL	0.050	mg/l	8260B	06/02/10	10
1,1-Dichloroethane	BDL	0.010	mg/l	8260B	06/02/10	10
1,2-Dichloroethane	BDL	0.010	mg/l	8260B	06/02/10	10
1,1-Dichloroethene	BDL	0.010	mg/l	8260B	06/02/10	10
cis-1,2-Dichloroethene	BDL	0.10	mg/l	8260B	06/03/10	100
trans-1,2-Dichloroethene	BDL	0.010	mg/l	8260B	06/02/10	10
1,2-Dichloropropane	BDL	0.010	mg/l	8260B	06/02/10	10
1,1-Dichloropropene	BDL	0.010	mg/l	8260B	06/02/10	10
1,3-Dichloropropane	BDL	0.010	mg/l	8260B	06/02/10	10
cis-1,3-Dichloropropene	BDL	0.010	mg/l	8260B	06/02/10	10
trans-1,3-Dichloropropene	BDL	0.010	mg/l	8260B	06/02/10	10
2,2-Dichloropropane	BDL	0.010	mg/l	8260B	06/02/10	10
Di-isopropyl ether	BDL	0.010	mg/l	8260B	06/02/10	10
Ethylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Hexachloro-1,3-butadiene	BDL	0.010	mg/l	8260B	06/02/10	10
Isopropylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
p-Isopropyltoluene	BDL	0.010	mg/l	8260B	06/02/10	10

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)
L460652-32 (V8260) - Dilution due to matrix



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-45C

Collected By : Tim Branch
Collection Date : 05/21/10 13:05

ESC Sample # : L460652-32

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.10	mg/l	8260B	06/02/10	10
Methylene Chloride	BDL	0.050	mg/l	8260B	06/02/10	10
4-Methyl-2-pentanone (MIBK)	BDL	0.10	mg/l	8260B	06/02/10	10
Methyl tert-butyl ether	BDL	0.010	mg/l	8260B	06/02/10	10
Naphthalene	BDL	0.050	mg/l	8260B	06/02/10	10
n-Propylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Styrene	BDL	0.010	mg/l	8260B	06/02/10	10
1,1,1,2-Tetrachloroethane	BDL	0.010	mg/l	8260B	06/02/10	10
1,1,2,2-Tetrachloroethane	BDL	0.010	mg/l	8260B	06/02/10	10
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.010	mg/l	8260B	06/02/10	10
Tetrachloroethene	5.7	0.10	mg/l	8260B	06/03/10	100
Toluene	BDL	0.050	mg/l	8260B	06/02/10	10
1,2,3-Trichlorobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
1,2,4-Trichlorobenzene	BDL	0.010	mg/l	8260B	06/02/10	10
1,1,1-Trichloroethane	BDL	0.010	mg/l	8260B	06/02/10	10
1,1,2-Trichloroethane	BDL	0.010	mg/l	8260B	06/02/10	10
Trichloroethene	BDL	0.10	mg/l	8260B	06/03/10	100
Trichlorofluoromethane	BDL	0.050	mg/l	8260B	06/02/10	10
1,2,3-Trichloropropane	BDL	0.010	mg/l	8260B	06/02/10	10
1,2,4-Trimethylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
1,2,3-Trimethylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
1,3,5-Trimethylbenzene	BDL	0.010	mg/l	8260B	06/02/10	10
Vinyl chloride	BDL	0.010	mg/l	8260B	06/02/10	10
Xylenes, Total	BDL	0.030	mg/l	8260B	06/02/10	10
Surrogate Recovery						
Toluene-d8	97.0		% Rec.	8260B	06/02/10	10
Dibromofluoromethane	104.		% Rec.	8260B	06/02/10	10
4-Bromofluorobenzene	92.6		% Rec.	8260B	06/02/10	10

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46
L460652-32 (V8260) - Dilution due to matrix

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-13B

ESC Sample # : L460652-33

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 13:30

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-13B

Collected By : Tim Branch
Collection Date : 05/21/10 13:30

ESC Sample # : L460652-33

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.22	0.010	mg/l	8260B	06/03/10	10
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.2		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	103.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	92.3		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-13C

ESC Sample # : L460652-34

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 13:35

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker
Sample ID : MW-13C
Collected By : Tim Branch
Collection Date : 05/21/10 13:35

ESC Sample # : L460652-34

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	0.0026	0.0010	mg/l	8260B	06/03/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	97.4		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	100.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	82.3		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-13E

ESC Sample # : L460652-35

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 13:40

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-13E

Collected By : Tim Branch
Collection Date : 05/21/10 13:40

ESC Sample # : L460652-35

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	97.8		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	98.1		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	79.2		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : DMW-10AS

Collected By : Tim Branch
Collection Date : 05/21/10 13:55

ESC Sample # : L460652-36

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : DMW-10AS

Collected By : Tim Branch
Collection Date : 05/21/10 13:55

ESC Sample # : L460652-36

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	96.9		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	95.6		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	97.4		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-42B

ESC Sample # : L460652-37

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 14:10

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



YOUR LAB OF CHOICE

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-42B

Collected By : Tim Branch
Collection Date : 05/21/10 14:10

ESC Sample # : L460652-37

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	0.0095	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.1		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	99.7		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	95.1		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-42E

ESC Sample # : L460652-38

Site ID :

Project # : 3872

Collected By : Tim Branch
Collection Date : 05/21/10 14:15

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/02/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/02/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/02/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/02/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/02/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/02/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/02/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/02/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/02/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/02/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : MW-42E

Collected By : Tim Branch
Collection Date : 05/21/10 14:15

ESC Sample # : L460652-38

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/02/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/02/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/02/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/02/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/02/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/02/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/02/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/02/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/02/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/02/10	1
Surrogate Recovery						
Toluene-d8	98.8		% Rec.	8260B	06/02/10	1
Dibromofluoromethane	103.		% Rec.	8260B	06/02/10	1
4-Bromofluorobenzene	95.6		% Rec.	8260B	06/02/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : TRIP BLANK

Collected By : Tim Branch
Collection Date : 05/20/10 00:00

ESC Sample # : L460652-39

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : TRIP BLANK

Collected By : Tim Branch
Collection Date : 05/20/10 00:00

ESC Sample # : L460652-39

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	96.5		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	98.8		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	96.0		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

REPORT OF ANALYSIS

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

June 07, 2010

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : TRIP BLANK

Collected By : Tim Branch
Collection Date : 05/20/10 00:00

ESC Sample # : L460652-40

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	06/01/10	1
Acrolein	BDL	0.050	mg/l	8260B	06/01/10	1
Acrylonitrile	BDL	0.010	mg/l	8260B	06/01/10	1
Benzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromoform	BDL	0.0010	mg/l	8260B	06/01/10	1
Bromomethane	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Chloroethane	BDL	0.0050	mg/l	8260B	06/01/10	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	06/01/10	1
Chloroform	BDL	0.0050	mg/l	8260B	06/01/10	1
Chloromethane	BDL	0.0025	mg/l	8260B	06/01/10	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Dibromomethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	06/01/10	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	06/01/10	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

June 07, 2010

Mr. Tim Yates
SESCO Group
1426 W. 29th Street
Indianapolis, IN 46208

Date Received : May 22, 2010
Description : Harman Becker

Sample ID : TRIP BLANK

Collected By : Tim Branch
Collection Date : 05/20/10 00:00

ESC Sample # : L460652-40

Site ID :

Project # : 3872

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	06/01/10	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	06/01/10	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	06/01/10	1
Naphthalene	BDL	0.0050	mg/l	8260B	06/01/10	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Styrene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	06/01/10	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Toluene	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichloroethene	BDL	0.0010	mg/l	8260B	06/01/10	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	06/01/10	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	06/01/10	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	06/01/10	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	06/01/10	1
Surrogate Recovery						
Toluene-d8	94.6		% Rec.	8260B	06/01/10	1
Dibromofluoromethane	98.2		% Rec.	8260B	06/01/10	1
4-Bromofluorobenzene	97.2		% Rec.	8260B	06/01/10	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 06/04/10 08:25 Revised: 06/07/10 13:46

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L460652-01	WG481197	SAMP	2-Chloroethyl vinyl ether	R1239588	J3
L460652-06	WG481355	SAMP	Acrolein	R1240308	J3
	WG481355	SAMP	1,1,1-Trichloroethane	R1240308	J4
	WG481355	SAMP	1,2,3-Trimethylbenzene	R1240308	J3
	WG481355	SAMP	Dibromofluoromethane	R1240308	J1
L460652-07	WG481355	SAMP	Acrolein	R1240308	J3
	WG481355	SAMP	1,1,1-Trichloroethane	R1240308	J4
	WG481355	SAMP	1,2,3-Trimethylbenzene	R1240308	J3
	WG481355	SAMP	Dibromofluoromethane	R1240308	J1
L460652-14	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
	WG481309	SAMP	Toluene-d8	R1239808	J2
L460652-15	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
L460652-16	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
	WG481309	SAMP	Toluene-d8	R1239808	J2
L460652-17	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
L460652-18	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
L460652-19	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
L460652-20	WG481309	SAMP	Isopropylbenzene	R1239808	J3
	WG481309	SAMP	Methylene Chloride	R1239808	J3
L460652-21	WG481355	SAMP	Acrolein	R1240308	J3
	WG481355	SAMP	1,1,1-Trichloroethane	R1240308	J4
	WG481355	SAMP	1,2,3-Trimethylbenzene	R1240308	J3
L460652-22	WG481355	SAMP	Acrolein	R1240308	J3
	WG481355	SAMP	1,2,3-Trimethylbenzene	R1240308	J3
L460652-23	WG481355	SAMP	Acrolein	R1240308	J3
	WG481355	SAMP	1,1,1-Trichloroethane	R1240308	J4
	WG481355	SAMP	1,2,3-Trimethylbenzene	R1240308	J3
	WG481355	SAMP	Dibromofluoromethane	R1240308	J1
L460652-24	WG481355	SAMP	Acrolein	R1240308	J3
	WG481355	SAMP	1,1,1-Trichloroethane	R1240308	J4
	WG481355	SAMP	1,2,3-Trimethylbenzene	R1240308	J3
L460652-27	WG481596	SAMP	Bromomethane	R1241808	J4 J3
	WG481596	SAMP	Chloroethane	R1241808	J3
	WG481596	SAMP	Chloromethane	R1241808	J3
	WG481596	SAMP	1,1-Dichloroethane	R1241808	J3
	WG481596	SAMP	1,1-Dichloroethene	R1241808	J3
	WG481596	SAMP	Naphthalene	R1241808	J3
	WG481596	SAMP	1,1,2-Trichloro-1,2,2-trifluoroethane	R1241808	J3
	WG481596	SAMP	1,2,3-Trichlorobenzene	R1241808	J3
L460652-28	WG481596	SAMP	Bromomethane	R1241808	J4 J3
	WG481596	SAMP	Chloroethane	R1241808	J3
	WG481596	SAMP	Chloromethane	R1241808	J3
	WG481596	SAMP	1,1-Dichloroethane	R1241808	J3
	WG481596	SAMP	1,1-Dichloroethene	R1241808	J3
	WG481596	SAMP	Naphthalene	R1241808	J3
	WG481596	SAMP	1,1,2-Trichloro-1,2,2-trifluoroethane	R1241808	J3
	WG481596	SAMP	1,2,3-Trichlorobenzene	R1241808	J3
L460652-29	WG481381	SAMP	2-Chloroethyl vinyl ether	R1240976	J3
	WG481381	SAMP	1,2-Dibromo-3-Chloropropane	R1240976	J3

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J1	Surrogate recovery limits have been exceeded; values are outside upper control limits
J2	Surrogate recovery limits have been exceeded; values are outside lower control limits
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable "unless qualified as 'R' (Rejected)."

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Quality Assurance Report
Level II

Indianapolis, IN 46208

L460652

June 07, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,1,1-Trichloroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,1,2-Trichloroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,1-Dichloroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,1-Dichloroethene	< .001	mg/l			WG481197	06/01/10 13:17
1,1-Dichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
1,2,3-Trichlorobenzene	< .001	mg/l			WG481197	06/01/10 13:17
1,2,3-Trichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
1,2,3-Trimethylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
1,2,4-Trichlorobenzene	< .001	mg/l			WG481197	06/01/10 13:17
1,2,4-Trimethylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG481197	06/01/10 13:17
1,2-Dibromoethane	< .001	mg/l			WG481197	06/01/10 13:17
1,2-Dichlorobenzene	< .001	/l			WG481197	06/01/10 13:17
1,2-Dichloroethane	< .001	mg/l			WG481197	06/01/10 13:17
1,2-Dichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
1,3,5-Trimethylbenzene	< .001	/l			WG481197	06/01/10 13:17
1,3-Dichlorobenzene	< .001	mg/l			WG481197	06/01/10 13:17
1,3-Dichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
1,4-Dichlorobenzene	< .001	mg/l			WG481197	06/01/10 13:17
2,2-Dichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
2-Butanone (MEK)	< .01	mg/l			WG481197	06/01/10 13:17
2-Chloroethyl vinyl ether	< .001	/l			WG481197	06/01/10 13:17
2-Chlorotoluene	< .001	mg/l			WG481197	06/01/10 13:17
4-Chlorotoluene	< .001	mg/l			WG481197	06/01/10 13:17
4-Methyl-2-pentanone (M	< .0	/l			WG481197	06/01/10 13:17
Acetone	< .05	mg/l			WG481197	06/01/10 13:17
Acrolein	< .05	mg/l			WG481197	06/01/10 13:17
Acrylonitrile	< .01	/l			WG481197	06/01/10 13:17
Benzene	< .001	mg/l			WG481197	06/01/10 13:17
Bromobenzene	< .001	mg/l			WG481197	06/01/10 13:17
Bromodichloromethane	< .001	/l			WG481197	06/01/10 13:17
Bromoform	< .001	mg/l			WG481197	06/01/10 13:17
Bromomethane	< .005	mg/l			WG481197	06/01/10 13:17
Carbon tetrachloride	< .001	/l			WG481197	06/01/10 13:17
Chlorobenzene	< .001	mg/l			WG481197	06/01/10 13:17
Chlorodibromomethane	< .001	mg/l			WG481197	06/01/10 13:17
Chloroethane	< .001	mg/l			WG481197	06/01/10 13:17
Chloroform	< .005	mg/l			WG481197	06/01/10 13:17
Chloromethane	< .001	mg/l			WG481197	06/01/10 13:17
cis-1,2-Dichloroethene	< .001	/l			WG481197	06/01/10 13:17
cis-1,3-Dichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
Di-isopropyl ether	< .001	mg/l			WG481197	06/01/10 13:17
Dibromomethane	< .001	/l			WG481197	06/01/10 13:17
Dichlorodifluoromethane	< .005	mg/l			WG481197	06/01/10 13:17
Ethylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
Hexachloro-1,3-butadiene	< .001	mg/l			WG481197	06/01/10 13:17
Isopropylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
Methyl tert-butyl ether	< .001	mg/l			WG481197	06/01/10 13:17
Methylene Chloride	< .005	mg/l			WG481197	06/01/10 13:17
n-Butylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
n-Propylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
Naphthalene	< .005	mg/l			WG481197	06/01/10 13:17
p-Isopropyltoluene	< .001	mg/l			WG481197	06/01/10 13:17
sec-Butylbenzene	< .001	mg/l			WG481197	06/01/10 13:17
Styrene	< .005	mg/l			WG481197	06/01/10 13:17
tert-Butylbenzene	< .001	mg/l			WG481197	06/01/10 13:17

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Tetrachloroethene	< .001	mg/l			WG481197	06/01/10 13:17
Toluene	< .005	mg/l			WG481197	06/01/10 13:17
trans-1,2-Dichloroethene	< .001	mg/l			WG481197	06/01/10 13:17
trans-1,3-Dichloropropene	< .001	mg/l			WG481197	06/01/10 13:17
Trichloroethene	< .001	mg/l			WG481197	06/01/10 13:17
Trichlorofluoromethane	< .005	mg/l			WG481197	06/01/10 13:17
Vinyl chloride	< .001	mg/l			WG481197	06/01/10 13:17
Xylenes, Total	< .003	mg/l			WG481197	06/01/10 13:17
4-Bromofluorobenzene		% Rec.	95.81	75-128	WG481197	06/01/10 13:17
Dibromofluoromethane		% Rec.	9.38	79-128	WG481197	06/01/10 13:17
Toluene-d8		% Rec.	95.94	87-114	WG481197	06/01/10 13:17
1,1,1,2-Tetrachloroethane	.001	/l			WG481309	06/01/10 18:10
1,1,1-Trichloroethane	< .001	mg/l			WG481309	06/01/10 18:10
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG481309	06/01/10 18:10
1,1,2-Trichloroethane	< .001	/l			WG481309	06/01/10 18:10
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG481309	06/01/10 18:10
1,1-Dichloroethane	< .001	mg/l			WG481309	06/01/10 18:10
1,1-Dichloroethene	< .001	/l			WG481309	06/01/10 18:10
1,1-Dichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
1,2,3-Trichlorobenzene	< .001	mg/l			WG481309	06/01/10 18:10
1,2,3-Trichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
1,2,3-Trimethylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
1,2,4-Trichlorobenzene	< .001	mg/l			WG481309	06/01/10 18:10
1,2,4-Trimethylbenzene	< .001	/l			WG481309	06/01/10 18:10
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG481309	06/01/10 18:10
1,2-Dibromoethane	< .001	mg/l			WG481309	06/01/10 18:10
1,2-Dichlorobenzene	< .001	/l			WG481309	06/01/10 18:10
1,2-Dichloroethane	< .001	mg/l			WG481309	06/01/10 18:10
1,2-Dichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
1,3,5-Trimethylbenzene	< .001	/l			WG481309	06/01/10 18:10
1,3-Dichlorobenzene	< .001	mg/l			WG481309	06/01/10 18:10
1,3-Dichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
1,4-Dichlorobenzene	< .001	/l			WG481309	06/01/10 18:10
2,2-Dichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
2-Butanone (MEK)	< .01	mg/l			WG481309	06/01/10 18:10
2-Chloroethyl vinyl ether	< .001	/l			WG481309	06/01/10 18:10
2-Chlorotoluene	< .001	mg/l			WG481309	06/01/10 18:10
4-Chlorotoluene	< .001	mg/l			WG481309	06/01/10 18:10
4-Methyl-2-pentanone (MIBK)	< .	/l			WG481309	06/01/10 18:10
Acetone	< .05	mg/l			WG481309	06/01/10 18:10
Acrolein	< .05	mg/l			WG481309	06/01/10 18:10
Acrylonitrile	< .0	/l			WG481309	06/01/10 18:10
Benzene	< .001	mg/l			WG481309	06/01/10 18:10
Bromobenzene	< .001	mg/l			WG481309	06/01/10 18:10
Bromodichloromethane	< .001	/l			WG481309	06/01/10 18:10
Bromoform	< .001	mg/l			WG481309	06/01/10 18:10
Bromomethane	< .005	mg/l			WG481309	06/01/10 18:10
Carbon tetrachloride	< .001	mg/l			WG481309	06/01/10 18:10
Chlorobenzene	< .001	mg/l			WG481309	06/01/10 18:10
Chlorodibromomethane	< .001	mg/l			WG481309	06/01/10 18:10
Chloroethane	< .001	mg/l			WG481309	06/01/10 18:10
Chloroform	< .005	mg/l			WG481309	06/01/10 18:10
Chloromethane	< .001	mg/l			WG481309	06/01/10 18:10
cis-1,2-Dichloroethene	< .001	mg/l			WG481309	06/01/10 18:10
cis-1,3-Dichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
Di-isopropyl ether	< .001	mg/l			WG481309	06/01/10 18:10
Dibromomethane	< .001	mg/l			WG481309	06/01/10 18:10

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Dichlorodifluoromethane	< .005	/L			WG481309	06/01/10 18:10
Ethylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
Hexachloro-1,3-butadiene	< .001	mg/l			WG481309	06/01/10 18:10
Isopropylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
Methyl tert-butyl ether	< .001	mg/l			WG481309	06/01/10 18:10
Methylene Chloride	< .005	mg/l			WG481309	06/01/10 18:10
n-Butylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
n-Propylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
Naphthalene	< .005	mg/l			WG481309	06/01/10 18:10
p-Isopropyltoluene	< .001	mg/l			WG481309	06/01/10 18:10
sec-Butylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
Styrene	< .001	mg/l			WG481309	06/01/10 18:10
tert-Butylbenzene	< .001	mg/l			WG481309	06/01/10 18:10
Tetrachloroethene	< .001	mg/l			WG481309	06/01/10 18:10
Toluene	< .005	mg/l			WG481309	06/01/10 18:10
trans-1,2-Dichloroethene	.001	/L			WG481309	06/01/10 18:10
trans-1,3-Dichloropropene	< .001	mg/l			WG481309	06/01/10 18:10
Trichloroethene	< .001	mg/l			WG481309	06/01/10 18:10
Trichlorofluoromethane	< .005	mg/l			WG481309	06/01/10 18:10
Vinyl chloride	< .001	mg/l			WG481309	06/01/10 18:10
Xylenes, Total	< .003	mg/l			WG481309	06/01/10 18:10
4-Bromofluorobenzene		% Rec.	1.17	75-128	WG481309	06/01/10 18:10
Dibromofluoromethane		% Rec.	117.7	79-125	WG481309	06/01/10 18:10
Toluene-d8		% Rec.	96.80	87-114	WG481309	06/01/10 18:10
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG481355	06/01/10 20:49
1,1,1-Trichloroethane	< .001	mg/l			WG481355	06/01/10 20:49
1,1,2,2-Tetrachloroethane	< .001	/L			WG481355	06/01/10 20:49
1,1,2-Trichloroethane	< .001	mg/l			WG481355	06/01/10 20:49
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG481355	06/01/10 20:49
1,1-Dichloroethane	< .001	/L			WG481355	06/01/10 20:49
1,1-Dichloroethene	< .001	mg/l			WG481355	06/01/10 20:49
1,1-Dichloropropene	< .001	mg/l			WG481355	06/01/10 20:49
1,2,3-Trichlorobenzene	< .001	/L			WG481355	06/01/10 20:49
1,2,3-Trichloropropene	< .001	mg/l			WG481355	06/01/10 20:49
1,2,3-Trimethylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
1,2,4-Trichlorobenzene	< .001	/L			WG481355	06/01/10 20:49
1,2,4-Trimethylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG481355	06/01/10 20:49
1,2-Dibromoethane	< .001	/L			WG481355	06/01/10 20:49
1,2-Dichlorobenzene	< .001	mg/l			WG481355	06/01/10 20:49
1,2-Dichloroethane	< .001	mg/l			WG481355	06/01/10 20:49
1,2-Dichloropropene	< .001	/L			WG481355	06/01/10 20:49
1,3,5-Trimethylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
1,3-Dichlorobenzene	< .001	mg/l			WG481355	06/01/10 20:49
1,3-Dichloropropene	< .001	/L			WG481355	06/01/10 20:49
1,4-Dichlorobenzene	< .001	mg/l			WG481355	06/01/10 20:49
2,2-Dichloropropene	< .001	mg/l			WG481355	06/01/10 20:49
2-Butanone (MEK)	< .05	mg/l			WG481355	06/01/10 20:49
2-Chloroethyl vinyl ether	< .001	mg/l			WG481355	06/01/10 20:49
2-Chlorotoluene	< .001	mg/l			WG481355	06/01/10 20:49
4-Chlorotoluene	< .001	mg/l			WG481355	06/01/10 20:49
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG481355	06/01/10 20:49
Acetone	< .05	mg/l			WG481355	06/01/10 20:49
Acrolein	< .05	mg/l			WG481355	06/01/10 20:49
Acrylonitrile	< .01	mg/l			WG481355	06/01/10 20:49
Benzene	< .001	mg/l			WG481355	06/01/10 20:49
Bromobenzene	< .005	mg/l			WG481355	06/01/10 20:49

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Bromodichloromethane	< .001	mg/l			WG481355	06/01/10 20:49
Bromoform	< .001	mg/l			WG481355	06/01/10 20:49
Bromomethane	< .005	mg/l			WG481355	06/01/10 20:49
Carbon tetrachloride	< .001	mg/l			WG481355	06/01/10 20:49
Chlorobenzene	< .001	mg/l			WG481355	06/01/10 20:49
Chlorodibromomethane	< .001	mg/l			WG481355	06/01/10 20:49
Chloroethane	< .001	mg/l			WG481355	06/01/10 20:49
Chloroform	< .005	mg/l			WG481355	06/01/10 20:49
Chloromethane	< .001	mg/l			WG481355	06/01/10 20:49
cis-1,2-Dichloroethene	< .001	mg/l			WG481355	06/01/10 20:49
cis-1,3-Dichloropropene	< .001	mg/l			WG481355	06/01/10 20:49
Di-isopropyl ether	< .001	mg/l			WG481355	06/01/10 20:49
Dibromomethane	< .001	mg/l			WG481355	06/01/10 20:49
Dichlorodifluoromethane	< .005	mg/l			WG481355	06/01/10 20:49
Ethylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
Hexachloro-1,3-butadiene	< .001	/l			WG481355	06/01/10 20:49
Isopropylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
Methyl tert-butyl ether	< .001	mg/l			WG481355	06/01/10 20:49
Methylene Chloride	< .005	mg/l			WG481355	06/01/10 20:49
n-Butylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
n-Propylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
Naphthalene	< .005	/l			WG481355	06/01/10 20:49
p-Isopropyltoluene	< .001	mg/l			WG481355	06/01/10 20:49
sec-Butylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
Styrene	< .001	/l			WG481355	06/01/10 20:49
tert-Butylbenzene	< .001	mg/l			WG481355	06/01/10 20:49
Tetrachloroethene	< .001	mg/l			WG481355	06/01/10 20:49
Toluene	< .005	/l			WG481355	06/01/10 20:49
trans-1,2-Dichloroethene	< .001	mg/l			WG481355	06/01/10 20:49
trans-1,3-Dichloropropene	< .001	mg/l			WG481355	06/01/10 20:49
Trichloroethene	< .001	/l			WG481355	06/01/10 20:49
Trichlorofluoromethane	< .005	mg/l			WG481355	06/01/10 20:49
Vinyl chloride	< .001	mg/l			WG481355	06/01/10 20:49
Xylenes, Total	< .003	/l			WG481355	06/01/10 20:49
4-Bromofluorobenzene		% Rec.	96.34	75-128	WG481355	06/01/10 20:49
Dibromofluoromethane		% Rec.	107.3	79-125	WG481355	06/01/10 20:49
Toluene-d8		% Rec.	7.15	87-114	WG481355	06/01/10 20:49
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG481382	06/02/10 01:19
1,1,1-Trichloroethane	< .001	/l			WG481382	06/02/10 01:19
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG481382	06/02/10 01:19
1,1,2-Trichloroethane	< .001	mg/l			WG481382	06/02/10 01:19
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	/l			WG481382	06/02/10 01:19
1,1-Dichloroethane	< .001	mg/l			WG481382	06/02/10 01:19
1,1-Dichloroethene	< .001	mg/l			WG481382	06/02/10 01:19
1,1 Dichloropropene	< .001	/l			WG481382	06/02/10 01:19
1,2,3-Trichlorobenzene	< .001	mg/l			WG481382	06/02/10 01:19
1,2,3-Trichloropropane	< .001	mg/l			WG481382	06/02/10 01:19
1,2,3-Trimethylbenzene	< .001	mg/l			WG481382	06/02/10 01:19
1,2,4-Trichlorobenzene	< .001	mg/l			WG481382	06/02/10 01:19
1,2,4-Trimethylbenzene	< .001	mg/l			WG481382	06/02/10 01:19
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG481382	06/02/10 01:19
1,2-Dibromoethane	< .001	mg/l			WG481382	06/02/10 01:19
1,2-Dichlorobenzene	< .001	mg/l			WG481382	06/02/10 01:19
1,2-Dichloroethane	< .001	mg/l			WG481382	06/02/10 01:19
1,2-Dichloropropane	< .001	mg/l			WG481382	06/02/10 01:19
1,3,5-Trimethylbenzene	< .001	mg/l			WG481382	06/02/10 01:19
1,3-Dichlorobenzene	< .001	mg/l			WG481382	06/02/10 01:19

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
1,3-Dichloropropane	< .001	mg/l			WG481382	06/02/10 01:19
1,4-Dichlorobenzene	< .001	mg/l			WG481382	06/02/10 01:19
2,2-Dichloropropane	< .001	mg/l			WG481382	06/02/10 01:19
2-Butanone (MEK)	< .01	mg/l			WG481382	06/02/10 01:19
2-Chloroethyl vinyl ether	< .001	mg/l			WG481382	06/02/10 01:19
2-Chlorotoluene	< .001	mg/l			WG481382	06/02/10 01:19
4-Chlorotoluene	< .001	mg/l			WG481382	06/02/10 01:19
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG481382	06/02/10 01:19
Acetone	< .05	mg/l			WG481382	06/02/10 01:19
Acrolein	< .05	mg/l			WG481382	06/02/10 01:19
Acrylonitrile	< .01	mg/l			WG481382	06/02/10 01:19
Benzene	< .001	mg/l			WG481382	06/02/10 01:19
Bromobenzene	< .001	mg/l			WG481382	06/02/10 01:19
Bromodichloromethane	< .001	mg/l			WG481382	06/02/10 01:19
Bromoform	< .001	mg/l			WG481382	06/02/10 01:19
Bromomethane	< .005	mg/l			WG481382	06/02/10 01:19
Carbon tetrachloride	< .001	mg/l			WG481382	06/02/10 01:19
Chlorobenzene	< .001	mg/l			WG481382	06/02/10 01:19
Chlorodibromomethane	< .001	/l			WG481382	06/02/10 01:19
Chloroethane	< .001	mg/l			WG481382	06/02/10 01:19
Chloroform	< .005	mg/l			WG481382	06/02/10 01:19
Chloromethane	< .001	mg/l			WG481382	06/02/10 01:19
cis-1,2-Dichloroethene	< .001	mg/l			WG481382	06/02/10 01:19
cis-1,3-Dichloropropene	< .001	mg/l			WG481382	06/02/10 01:19
Di-isopropyl ether	< .001	/l			WG481382	06/02/10 01:19
Dibromomethane	< .001	mg/l			WG481382	06/02/10 01:19
Dichlorodifluoromethane	< .005	mg/l			WG481382	06/02/10 01:19
Ethylbenzene	< .001	/l			WG481382	06/02/10 01:19
Hexachloro-1,3-butadiene	< .001	mg/l			WG481382	06/02/10 01:19
Isopropylbenzene	< .001	mg/l			WG481382	06/02/10 01:19
Methyl tert-butyl ether	< .001	/l			WG481382	06/02/10 01:19
Methylene Chloride	< .005	mg/l			WG481382	06/02/10 01:19
n-Butylbenzene	< .001	mg/l			WG481382	06/02/10 01:19
n-Propylbenzene	< .001	/l			WG481382	06/02/10 01:19
Naphthalene	< .005	mg/l			WG481382	06/02/10 01:19
p-Isopropyltoluene	< .001	mg/l			WG481382	06/02/10 01:19
sec-Butylbenzene	< .001	/l			WG481382	06/02/10 01:19
Styrene	< .001	mg/l			WG481382	06/02/10 01:19
tert-Butylbenzene	< .001	mg/l			WG481382	06/02/10 01:19
Tetrachloroethene	< .005	mg/l			WG481382	06/02/10 01:19
Toluene	< .005	mg/l			WG481382	06/02/10 01:19
trans-1,2-Dichloroethene	< .001	mg/l			WG481382	06/02/10 01:19
trans-1,3-Dichloropropene	< .001	/l			WG481382	06/02/10 01:19
Trichloroethene	< .001	mg/l			WG481382	06/02/10 01:19
Trichlorofluoromethane	< .005	mg/l			WG481382	06/02/10 01:19
Vinyl chloride	< .001	/l			WG481382	06/02/10 01:19
Xylenes, Total	< .003	mg/l			WG481382	06/02/10 01:19
4-Bromofluorobenzene		% Rec.	92.38	75-128	WG481382	06/02/10 01:19
Dibromofluoromethane		% Rec.	9.21	79-125	WG481382	06/02/10 01:19
Toluene-d8		% Rec.	97.85	87-114	WG481382	06/02/10 01:19
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG481381	06/02/10 13:55
1,1,1-Trichloroethane	< .001	mg/l			WG481381	06/02/10 13:55
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG481381	06/02/10 13:55
1,1,2-Trichloroethane	< .005	mg/l			WG481381	06/02/10 13:55
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG481381	06/02/10 13:55
1,1-Dichloroethane	< .001	mg/l			WG481381	06/02/10 13:55
1,2-Dichloroethane	< .005	mg/l			WG481381	06/02/10 13:55

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tex I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Result	Units	Laboratory Blank % Rec	Limit	Batch	Date Analyzed
1,1-Dichloropropene	< .001	mg/l			WG481381	06/02/10 13:55
1,2,3-Trichlorobenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,2,3-Trichloropropane	< .001	mg/l			WG481381	06/02/10 13:55
1,2,3-Trimethylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,2,4-Trichlorobenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,2,4-Trimethylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,2-Dibromo-3-Chloropropane	< .001	mg/l			WG481381	06/02/10 13:55
1,2-Dibromoethane	< .001	mg/l			WG481381	06/02/10 13:55
1,2-Dichlorobenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,2-Dichloroethane	< .001	mg/l			WG481381	06/02/10 13:55
1,2-Dichloropropane	< .001	mg/l			WG481381	06/02/10 13:55
1,3,5-Trimethylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,3-Dichlorobenzene	< .001	mg/l			WG481381	06/02/10 13:55
1,3-Dichloropropane	< .001	mg/l			WG481381	06/02/10 13:55
1,4-Dichlorobenzene	< .001	mg/l			WG481381	06/02/10 13:55
2,2-Dichloropropane	< .001	/l			WG481381	06/02/10 13:55
2-Butanone (MEK)	< .01	mg/l			WG481381	06/02/10 13:55
2-Chloroethyl vinyl ether	< .001	mg/l			WG481381	06/02/10 13:55
2-Chlorotoluene	< .001	/l			WG481381	06/02/10 13:55
4-Chlorotoluene	< .001	mg/l			WG481381	06/02/10 13:55
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG481381	06/02/10 13:55
Acetone	< .0	/l			WG481381	06/02/10 13:55
Acrolein	< .05	mg/l			WG481381	06/02/10 13:55
Acrylonitrile	< .01	mg/l			WG481381	06/02/10 13:55
Benzene	< .001	/l			WG481381	06/02/10 13:55
Bromobenzene	< .001	mg/l			WG481381	06/02/10 13:55
Bromodichloromethane	< .001	mg/l			WG481381	06/02/10 13:55
Bromoform	< .001	/l			WG481381	06/02/10 13:55
Bromomethane	< .005	mg/l			WG481381	06/02/10 13:55
Carbon tetrachloride	< .001	mg/l			WG481381	06/02/10 13:55
Chlorobenzene	< .001	/l			WG481381	06/02/10 13:55
Chlorodibromomethane	< .001	mg/l			WG481381	06/02/10 13:55
Chloroethane	< .001	mg/l			WG481381	06/02/10 13:55
Chloroform	< .005	/l			WG481381	06/02/10 13:55
Chloromethane	< .001	mg/l			WG481381	06/02/10 13:55
cis-1,2-Dichloroethene	< .001	mg/l			WG481381	06/02/10 13:55
cis-1,3-Dichloropropane	< .001	/l			WG481381	06/02/10 13:55
Di-isopropyl ether	< .001	mg/l			WG481381	06/02/10 13:55
Dibromomethane	< .001	mg/l			WG481381	06/02/10 13:55
Dichlorodifluoromethane	< .005	/l			WG481381	06/02/10 13:55
Ethylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
Hexachloro-1,3-butadiene	< .001	mg/l			WG481381	06/02/10 13:55
Isopropylbenzene	< .001	/l			WG481381	06/02/10 13:55
Methyl tert-butyl ether	< .001	mg/l			WG481381	06/02/10 13:55
Methylene Chloride	< .005	mg/l			WG481381	06/02/10 13:55
n-Butylbenzene	< .001	/l			WG481381	06/02/10 13:55
n-Propylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
Naphthalene	< .005	mg/l			WG481381	06/02/10 13:55
p-Isopropyltoluene	< .001	mg/l			WG481381	06/02/10 13:55
sec-Butylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
Styrene	< .001	mg/l			WG481381	06/02/10 13:55
tert-Butylbenzene	< .001	mg/l			WG481381	06/02/10 13:55
Tetrachloroethene	< .001	mg/l			WG481381	06/02/10 13:55
Toluene	< .005	mg/l			WG481381	06/02/10 13:55
trans-1,2-Dichloroethene	< .005	mg/l			WG481381	06/02/10 13:55
trans-1,3-Dichloropropane	< .001	mg/l			WG481381	06/02/10 13:55
Trichloroethene	< .001	mg/l			WG481381	06/02/10 13:55
Trichlorofluoromethane	< .005	mg/l			WG481381	06/02/10 13:55
Vinyl chloride	< .001	mg/l			WG481381	06/02/10 13:55

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
Xylenes, Total	< .003	mg/l			WG481381	06/02/10 13:55
4-Bromofluorobenzene		% Rec.	99.00	75-128	WG481381	06/02/10 13:55
Dibromofluoromethane		% Rec.	102.2	79-125	WG481381	06/02/10 13:55
Toluene-d8		% Rec	.20	114	WG481381	06/02/10 13:55
1,2,4-Trimethylbenzene	< .001	mg/l			WG481568	06/03/10 03:07
Benzene	< .001	mg/l			WG481568	06/03/10 03:07
cis-1,2-Dichloroethene	< .001	mg/l			WG481568	06/03/10 03:07
Ethylbenzene	< .001	mg/l			WG481568	06/03/10 03:07
sec-Butylbenzene	< .001	mg/l			WG481568	06/03/10 03:07
Tetrachloroethene	< .001	mg/l			WG481568	06/03/10 03:07
Vinyl chloride	< .001	mg/l			WG481568	06/03/10 03:07
Xylenes, Total	< .003	mg/l			WG481568	06/03/10 03:07
4-Bromofluorobenzene		% Rec.	95.78	75-128	WG481568	06/03/10 03:07
Dibromofluoromethane		% Rec.	98.06	79-125	WG481568	06/03/10 03:07
Toluene-d8		% Rec	103.9	87-114	WG481568	06/03/10 03:07
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG481596	06/03/10 00:48
1,1,1-Trichloroethane	< .001	/l			WG481596	06/03/10 00:48
1,1,2,2-Tetrachloroethane	< .001	mg/l			WG481596	06/03/10 00:48
1,1,2-Trichloroethane	< .001	mg/l			WG481596	06/03/10 00:48
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG481596	06/03/10 00:48
1,1-Dichloroethane	< .001	mg/l			WG481596	06/03/10 00:48
1,1-Dichloroethene	< .001	mg/l			WG481596	06/03/10 00:48
1,1-Dichloropropene	< .001	/l			WG481596	06/03/10 00:48
1,2,3-Trichlorobenzene	< .001	mg/l			WG481596	06/03/10 00:48
1,2,3-Trichloropropene	< .001	mg/l			WG481596	06/03/10 00:48
1,2,3-Trimethylbenzene	< .001	/l			WG481596	06/03/10 00:48
1,2,4-Trichlorobenzene	< .001	mg/l			WG481596	06/03/10 00:48
1,2,4-Trimethylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
1,2-Dibromo-3-Chloropropane	< .005	/l			WG481596	06/03/10 00:48
1,2-Dibromoethane	< .001	mg/l			WG481596	06/03/10 00:48
1,2-Dichlorobenzene	< .001	mg/l			WG481596	06/03/10 00:48
1,2-Dichloroethane	< .001	/l			WG481596	06/03/10 00:48
1,2-Dichloropropene	< .001	mg/l			WG481596	06/03/10 00:48
1,3,5-Trimethylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
1,3-Dichlorobenzene	< .001	/l			WG481596	06/03/10 00:48
1,3-Dichloropropene	< .001	mg/l			WG481596	06/03/10 00:48
1,4-Dichlorobenzene	< .001	mg/l			WG481596	06/03/10 00:48
2,2-Dichloropropene	< .001	/l			WG481596	06/03/10 00:48
2-Butanone (MEK)	< .01	mg/l			WG481596	06/03/10 00:48
2-Chloroethyl vinyl ether	< .001	mg/l			WG481596	06/03/10 00:48
2-Chlorotoluene	< .001	/l			WG481596	06/03/10 00:48
4-Chlorotoluene	< .001	mg/l			WG481596	06/03/10 00:48
4-Methyl-2-pentanone (MIBK)	< .01	mg/l			WG481596	06/03/10 00:48
Acetone	< .05	mg/l			WG481596	06/03/10 00:48
Acrolein	< .05	mg/l			WG481596	06/03/10 00:48
Acrylonitrile	< .01	mg/l			WG481596	06/03/10 00:48
Benzene	< .001	mg/l			WG481596	06/03/10 00:48
Bromobenzene	< .001	mg/l			WG481596	06/03/10 00:48
Bromodichloromethane	< .001	mg/l			WG481596	06/03/10 00:48
Bromoform	< .001	mg/l			WG481596	06/03/10 00:48
Bromomethane	< .005	mg/l			WG481596	06/03/10 00:48
Carbon tetrachloride	< .001	mg/l			WG481596	06/03/10 00:48
Chlorobenzene	< .003	mg/l			WG481596	06/03/10 00:48
Chlorodibromomethane	< .001	mg/l			WG481596	06/03/10 00:48
Chloroethane	< .001	mg/l			WG481596	06/03/10 00:48

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Result	Laboratory Blank Units	% Rec	Limit	Batch	Date Analyzed
Chloroform	< .005	/1			WG481596	06/03/10 00:48
Chloromethane	< .001	mg/l			WG481596	06/03/10 00:48
cis-1,2-Dichloroethene	< .001	mg/l			WG481596	06/03/10 00:48
cis-1,3-Dichloropropene	< .001	mg/l			WG481596	06/03/10 00:48
Di-isopropyl ether	< .001	mg/l			WG481596	06/03/10 00:48
Dibromomethane	< .001	mg/l			WG481596	06/03/10 00:48
Dichlorodifluoromethane	< .005	mg/l			WG481596	06/03/10 00:48
Ethylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
Hexachloro-1,3-butadiene	< .001	mg/l			WG481596	06/03/10 00:48
Isopropylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
Methyl tert-butyl ether	< .001	mg/l			WG481596	06/03/10 00:48
Methylene Chloride	< .005	mg/l			WG481596	06/03/10 00:48
n-Butylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
n-Propylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
Naphthalene	< .005	mg/l			WG481596	06/03/10 00:48
p-Isopropyltoluene	< .001	/1			WG481596	06/03/10 00:48
sec-Butylbenzene	< .001	mg/l			WG481596	06/03/10 00:48
Styrene	< .001	mg/l			WG481596	06/03/10 00:48
tert-Butylbenzene	< .001	/1			WG481596	06/03/10 00:48
Tetrachloroethene	< .001	mg/l			WG481596	06/03/10 00:48
Toluene	< .005	mg/l			WG481596	06/03/10 00:48
trans-1,2-Dichloroethene	< .001	mg/l			WG481596	06/03/10 00:48
trans-1,3-Dichloropropene	< .001	mg/l			WG481596	06/03/10 00:48
Trichloroethene	< .001	mg/l			WG481596	06/03/10 00:48
Trichlorofluoromethane	< .005	/1			WG481596	06/03/10 00:48
Vinyl chloride	< .001	mg/l			WG481596	06/03/10 00:48
Xylenes, Total	< .003	mg/l			WG481596	06/03/10 00:48
4-Bromofluorobenzene		% Rec.	0.22	75-128	WG481596	06/03/10 00:48
Dibromofluoromethane		% Rec.	101.0	79-125	WG481596	06/03/10 00:48
Toluene-d8		% Rec.	95.69	87-114	WG481596	06/03/10 00:48
1,1,1,2-Tetrachloroethane	< .001	mg/l			WG481667	06/03/10 14:27
1,1,1-Trichloroethane	< .001	mg/l			WG481667	06/03/10 14:27
1,1,2,2-Tetrachloroethane	< .001	/1			WG481667	06/03/10 14:27
1,1,2-Trichloroethane	< .001	mg/l			WG481667	06/03/10 14:27
1,1,2-Trichloro-1,2,2-trifluoroethane	< .001	mg/l			WG481667	06/03/10 14:27
1,1-Dichloroethane	< .001	/1			WG481667	06/03/10 14:27
1,1-Dichloroethene	< .001	mg/l			WG481667	06/03/10 14:27
1,1-Dichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
1,2,3-Trichlorobenzene	< .001	/1			WG481667	06/03/10 14:27
1,2,3-Trichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
1,2,3-Trimethylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
1,2,4-Trichlorobenzene	< .001	/1			WG481667	06/03/10 14:27
1,2,4-Trimethylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
1,2-Dibromo-3-Chloropropane	< .005	mg/l			WG481667	06/03/10 14:27
1,2-Dibromoethane	< .001	/1			WG481667	06/03/10 14:27
1,2-Dichlorobenzene	< .001	mg/l			WG481667	06/03/10 14:27
1,2-Dichloroethane	< .001	mg/l			WG481667	06/03/10 14:27
1,2-Dichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
1,3,5-Trimethylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
1,3-Dichlorobenzene	< .001	mg/l			WG481667	06/03/10 14:27
1,3-Dichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
1,4-Dichlorobenzene	< .001	mg/l			WG481667	06/03/10 14:27
2,2-Dichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
2-Butanone (MEK)	< .005	mg/l			WG481667	06/03/10 14:27
2-Chloroethyl vinyl ether	< .001	mg/l			WG481667	06/03/10 14:27
2-Chlorotoluene	< .001	mg/l			WG481667	06/03/10 14:27
4-Chlorotoluene	< .005	mg/l			WG481667	06/03/10 14:27

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Result	Laboratory Blank		Limit	Batch	Date Analyzed
		Units	% Rec			
4-Methyl-2-pentanone (MIBK)	< .05	mg/l			WG481667	06/03/10 14:27
Acetone	< .05	mg/l			WG481667	06/03/10 14:27
Acrolein	< .05	mg/l			WG481667	06/03/10 14:27
Acrylonitrile	< .05	mg/l			WG481667	06/03/10 14:27
Benzene	< .001	mg/l			WG481667	06/03/10 14:27
Bromobenzene	< .001	mg/l			WG481667	06/03/10 14:27
Bromodichloromethane	< .001	mg/l			WG481667	06/03/10 14:27
Bromoform	< .001	mg/l			WG481667	06/03/10 14:27
Bromomethane	< .005	mg/l			WG481667	06/03/10 14:27
Carbon tetrachloride	< .001	mg/l			WG481667	06/03/10 14:27
Chlorobenzene	< .001	mg/l			WG481667	06/03/10 14:27
Chlorodibromomethane	< .001	mg/l			WG481667	06/03/10 14:27
Chloroethane	< .001	mg/l			WG481667	06/03/10 14:27
Chloroform	< .005	mg/l			WG481667	06/03/10 14:27
Chloromethane	< .001	mg/l			WG481667	06/03/10 14:27
cis-1,2-Dichloroethene	< .001	/l			WG481667	06/03/10 14:27
cis-1,3-Dichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
Di-isopropyl ether	< .001	mg/l			WG481667	06/03/10 14:27
Dibromomethane	< .001	/l			WG481667	06/03/10 14:27
Dichlorodifluoromethane	< .005	mg/l			WG481667	06/03/10 14:27
Ethylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
Hexachloro-1,3-butadiene	< .001	mg/l			WG481667	06/03/10 14:27
Isopropylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
Methyl tert-butyl ether	< .001	mg/l			WG481667	06/03/10 14:27
Methylene Chloride	< .005	/l			WG481667	06/03/10 14:27
n-Butylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
n-Propylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
Naphthalene	< .005	/l			WG481667	06/03/10 14:27
p-Isopropyltoluene	< .001	mg/l			WG481667	06/03/10 14:27
sec-Butylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
Styrene	< .001	/l			WG481667	06/03/10 14:27
tert-Butylbenzene	< .001	mg/l			WG481667	06/03/10 14:27
Tetrachloroethene	< .001	mg/l			WG481667	06/03/10 14:27
Toluene	< .005	/l			WG481667	06/03/10 14:27
trans-1,2-Dichloroethene	< .001	mg/l			WG481667	06/03/10 14:27
trans-1,3-Dichloropropene	< .001	mg/l			WG481667	06/03/10 14:27
Trichloroethene	< .001	/l			WG481667	06/03/10 14:27
Trichlorofluoromethane	< .005	mg/l			WG481667	06/03/10 14:27
Vinyl chloride	< .001	mg/l			WG481667	06/03/10 14:27
Xylenes, Total	< .003	/l			WG481667	06/03/10 14:27
4-Bromofluorobenzene		% Rec.	85.96	75-128	WG481667	06/03/10 14:27
Dibromofluoromethane		% Rec.	92.73	79-125	WG481667	06/03/10 14:27
Toluene-d8		% Rec.	5.06	87-114	WG481667	06/03/10 14:27

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,1,1,2-Tetrachloroethane	mg/l	5	0.0	110	134	WG481197
1,1,1-Trichloroethane	mg/l	.025	0.0229	91.7	67-137	WG481197
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0290	116.	72-128	WG481197
1,1,2-Trichloroethane	mg/l	5	0.0267	107	79-123	WG481197
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0237	94.7	51-149	WG481197
1,1-Dichloroethane	mg/l	.025	0.0233	93.3	67-133	WG481197
1,1-Dichloropropene	mg/l	5	0.0212	84.9	60-130	WG481197
1,2,3-Trichlorobenzene	mg/l	.025	0.0240	95.9	68-132	WG481197
1,2,3-Trichloropropene	mg/l	.025	0.0274	110.	63-138	WG481197
1,2,3-Trimethylbenzene	mg/l	5	0.0276	110	68-130	WG481197
1,2,4-Trichlorobenzene	mg/l	.025	0.0259	104.	70-127	WG481197
	mg/l	.025	0.0314	125.	65-137	WG481197

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,2,4-Trimethylbenzene	mg/l	.025	0.0288		72-135	WG481197
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0239	95.4	55-134	WG481197
1,2-Dibromoethane	mg/l	.025	0.0273	109.	75-126	WG481197
1,2-Dichlorobenzene	mg/l	.025	0.0268		120	WG481197
1,2-Dichloroethane	mg/l	.025	0.0256	102.	63-137	WG481197
1,2-Dichloropropane	mg/l	.025	0.0245	97.9	74-122	WG481197
1,3,5-Trimethylbenzene	mg/l	5	0.0287	11	73-134	WG481197
1,3-Dichlorobenzene	mg/l	.025	0.0280	112.	73-131	WG481197
1,3-Dichloropropane	mg/l	.025	0.0266	107.	77-119	WG481197
1,4-Dichlorobenzene	mg/l	5	0.0253	101	70-121	WG481197
2,2-Dichloropropane	mg/l	.025	0.0244	97.8	46-151	WG481197
2-Butanone (MEK)	mg/l	.125	0.123	98.5	53-132	WG481197
2-Chloroethyl vinyl ether	mg/l	5	0.141	113	0-171	WG481197
2-Chlorotoluene	mg/l	.025	0.0265	106.	74-128	WG481197
4-Chlorotoluene	mg/l	.025	0.0269	107.	74-130	WG481197
4-Methyl-2-pentanone (MIBK)	mg/l	5	0.143	114	60-142	WG481197
Acetone	mg/l	.125	0.120	96.0	48-134	WG481197
Acrolein	mg/l	.125	0.129	103.	6-182	WG481197
Acrylonitrile	mg/l	5	0.133	106	60-140	WG481197
Benzene	mg/l	.025	0.0243	97.3	67-126	WG481197
Bromobenzene	mg/l	.025	0.0275	110.	76-123	WG481197
Bromodichloromethane	mg/l	5	0.0261	105	68-133	WG481197
Bromoform	mg/l	.025	0.0272	109.	60-139	WG481197
Bromomethane	mg/l	.025	0.0242	96.6	45-175	WG481197
Carbon tetrachloride	mg/l	.025	0.0246	98.6	64-141	WG481197
Chlorobenzene	mg/l	.025	0.0263	105.	77-125	WG481197
Chlorodibromomethane	mg/l	.025	0.0277	111.	73-138	WG481197
Chloroethane	mg/l	.025	0.0215	86.0	49-155	WG481197
Chloroform	mg/l	.025	0.0240	96.1	66-126	WG481197
Chloromethane	mg/l	.025	0.0176	70.3	45-152	WG481197
cis-1,2-Dichloroethene	mg/l	.025	0.0240	96.0	72-128	WG481197
cis-1,3-Dichloropropene	mg/l	.025	0.0242	96.8	73-131	WG481197
Di-isopropyl ether	mg/l	.025	0.0248	99.2	63-139	WG481197
Dibromomethane	mg/l	.025	0.0251	100.	73-125	WG481197
Dichlorodifluoromethane	mg/l	.025	0.0201	80.3	39-189	WG481197
Ethylbenzene	mg/l	.025	0.0260	104.	76-129	WG481197
Hexachloro-1,3-butadiene	mg/l	.025	0.0275	110	67-135	WG481197
Isopropylbenzene	mg/l	.025	0.0274	110.	73-132	WG481197
Methyl tert-butyl ether	mg/l	.025	0.0250	99.8	51-142	WG481197
Methylene Chloride	mg/l	.025	0.0229	1.4	64-125	WG481197
n-Butylbenzene	mg/l	.025	0.0287	115.	63-142	WG481197
n-Propylbenzene	mg/l	.025	0.0266	106.	71-132	WG481197
Naphthalene	mg/l	.025	0.0294	118	56-145	WG481197
p-Isopropyltoluene	mg/l	.025	0.0300	120.	68-138	WG481197
sec-Butylbenzene	mg/l	.025	0.0288	115.	70-135	WG481197
Styrene	mg/l	.025	0.0254	102	78-130	WG481197
tert-Butylbenzene	mg/l	.025	0.0295	118.	72-134	WG481197
Tetrachloroethene	mg/l	.025	0.0240	96.1	67-135	WG481197
Toluene	mg/l	.025	0.0243	7.	72-122	WG481197
trans-1,2-Dichloroethene	mg/l	.025	0.0220	88.1	67-129	WG481197
trans-1,3-Dichloropropene	mg/l	.025	0.0227	90.7	66-137	WG481197
Trichloroethene	mg/l	.025	0.0234	13.6	74-126	WG481197
Trichlorofluoromethane	mg/l	.025	0.0237	94.8	54-156	WG481197
Vinyl chloride	mg/l	.025	0.0224	89.5	55-153	WG481197
Xylenes, Total	mg/l	.075	0.0821	109.	75-128	WG481197
4-Bromofluorobenzene				106.7	75-128	WG481197
Dibromofluoromethane				95.36	79-125	WG481197
Toluene-d8				94.60	87-122	WG481197

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

**Quality Assurance Report
Level II**

L460652

June 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0258	103.6	123	WG481309
1,1,1-Trichloroethane	mg/l	.025	0.0266	106.4	67-137	WG481309
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0271	108.4	72-128	WG481309
1,1,2-Trichloroethane	mg/l	.025	0.025	.	123	WG481309
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0249	99.4	51-149	WG481309
1,1-Dichloroethane	mg/l	.025	0.0272	109.	67-133	WG481309
1,1-Dichloropropene	mg/l	5	0.0236	94.4	60-130	WG481309
1,2,3-Trichlorobenzene	mg/l	.025	0.0269	108.	68-132	WG481309
1,2,3-Trichloropropene	mg/l	5	0.0281	112	63-138	WG481309
1,2,4-Trichlorobenzene	mg/l	.025	0.0238	95.1	68-130	WG481309
1,2,4-Trichloropropene	mg/l	5	0.0246	98.5	70-127	WG481309
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0276	110.	65-137	WG481309
1,2-Dibromoethane	mg/l	.025	0.0272	109.	72-135	WG481309
1,2-Dichlorobenzene	mg/l	5	0.0251	100	55-134	WG481309
1,2-Dichloroethane	mg/l	.025	0.0265	106.	75-126	WG481309
1,2-Dichloropropene	mg/l	.025	0.0253	101.	75-122	WG481309
1,3,5-Trimethylbenzene	mg/l	5	0.0253	101	63-137	WG481309
1,3-Dichlorobenzene	mg/l	.025	0.0258	103.	74-122	WG481309
1,3-Dichloropropene	mg/l	.025	0.0251	100.	73-134	WG481309
1,4-Dichlorobenzene	mg/l	5	0.0259	103	73-131	WG481309
2,2-Dichloropropene	mg/l	.025	0.0256	102.	77-119	WG481309
2-Butanone (MEK)	mg/l	.125	0.148	119.	70-121	WG481309
2-Chloroethyl vinyl ether	mg/l	.125	0.120	95.8	46-151	WG481309
2-Chlorotoluene	mg/l	.025	0.0246	98.5	53-132	WG481309
4-Chlorotoluene	mg/l	.025	0.0249	99.7	81-171	WG481309
4-Methyl-2-pentanone (M	mg/l	.125	0.136	109	74-128	WG481309
Acetone	mg/l	.125	0.143	114.	74-130	WG481309
Acrolein	mg/l	.125	0.140	112.	60-142	WG481309
Acrylonitrile	mg/l	.125	0.153	122	48-134	WG481309
Benzene	mg/l	.025	0.0267	107.	6-182	WG481309
Bromobenzene	mg/l	.025	0.0238	95.3	67-126	WG481309
Bromodichloromethane	mg/l	.025	0.0259	104	76-123	WG481309
Bromoform	mg/l	.025	0.0279	111.	68-133	WG481309
Bromomethane	mg/l	.025	0.0252	101.	60-139	WG481309
Carbon tetrachloride	mg/l	.025	0.0276	110	45-175	WG481309
Chlorobenzene	mg/l	.025	0.0252	101.	64-141	WG481309
Chlorodibromomethane	mg/l	.025	0.0257	103.	77-125	WG481309
Chloroethane	mg/l	.025	0.0247	98.9	73-138	WG481309
Chloroform	mg/l	.025	0.0271	108.	49-155	WG481309
Chloromethane	mg/l	.025	0.0268	107.	66-126	WG481309
cis-1,2-Dichloroethene	mg/l	.025	0.0265	106	45-152	WG481309
cis-1,3-Dichloropropene	mg/l	.025	0.0269	108.	72-128	WG481309
Di-isopropyl ether	mg/l	.025	0.0239	95.7	73-131	WG481309
Dibromomethane	mg/l	.025	0.0269	107	63-139	WG481309
Dichlorodifluoromethane	mg/l	.025	0.0180	72.0	73-125	WG481309
Ethylbenzene	mg/l	.025	0.0252	101.	39-189	WG481309
Hexachloro-1,3-butadiene	mg/l	.025	0.0245	98.0	76-129	WG481309
Isopropylbenzene	mg/l	.025	0.0248	99.3	67-135	WG481309
Methyl tert-butyl ether	mg/l	.025	0.0277	111.	73-132	WG481309
Methylene Chloride	mg/l	.025	0.0269	108	51-142	WG481309
n-Butylbenzene	mg/l	.025	0.0255	102.	64-125	WG481309
n-Propylbenzene	mg/l	.025	0.0253	101.	63-142	WG481309
Naphthalene	mg/l	.02	0.0253	101.	71-132	WG481309
p-Isopropyltoluene	mg/l	.025	0.0248	99.2	56-145	WG481309
sec-Butylbenzene	mg/l	.025	0.0253	101.	68-138	WG481309
Styrene	mg/l	.02	0.0253	101.	70-135	WG481309

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
tert-Butylbenzene	mg/l	.025	0.0248		2-134	WG481309
Tetrachloroethene	mg/l	.025	0.0257	103.	67-135	WG481309
Toluene	mg/l	.025	0.0230	91.8	72-122	WG481309
trans-1,2-Dichloroethene	mg/l	.025	0.0268		67-129	WG481309
trans-1,3-Dichloropropene	mg/l	.025	0.0269	108.	66-137	WG481309
Trichloroethene	mg/l	.025	0.0261	104.	74-126	WG481309
Trichlorofluoromethane	mg/l	5	0.0244	97.7	54-156	WG481309
Vinyl chloride	mg/l	.025	0.0214	85.8	55-153	WG481309
Xylenes, Total	mg/l	.075	0.0721	96.2	75-128	WG481309
4-Bromofluorobenzene				93.67	75-128	WG481309
Dibromofluoromethane				106.8	79-125	WG481309
Toluene-d8				97.38	87-114	WG481309
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0257	103.	75-134	WG481355
1,1,1-Trichloroethane	mg/l	.025	0.0343	137.*	67-137	WG481355
1,1,2,2-Tetrachloroethane	mg/l	5	0.0241	96.3	72-128	WG481355
1,1,2-Trichloroethane	mg/l	.025	0.0227	90.7	79-123	WG481355
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0308	123.	51-149	WG481355
1,1-Dichloroethane	mg/l	5	0.0287	11	67-133	WG481355
1,1-Dichloroethene	mg/l	.025	0.0268	107.	60-130	WG481355
1,1-Dichloropropene	mg/l	.025	0.0314	125.	68-132	WG481355
1,2,3-Trichlorobenzene	mg/l	5	0.0248	99.3	63-138	WG481355
1,2,3-Trichloropropene	mg/l	.025	0.0243	97.2	68-130	WG481355
1,2,3-Trimethylbenzene	mg/l	.025	0.0250	100.	70-127	WG481355
1,2,4-Trichlorobenzene	mg/l	.025	0.0272	109	65-137	WG481355
1,2,4-Trimethylbenzene	mg/l	.025	0.0268	107.	72-135	WG481355
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0196	78.3	55-134	WG481355
1,2-Dibromoethane	mg/l	.025	0.0222	88.7	75-126	WG481355
1,2-Dichlorobenzene	mg/l	.025	0.0259	104.	75-122	WG481355
1,2-Dichloroethane	mg/l	.025	0.0275	110.	63-137	WG481355
1,2-Dichloropropane	mg/l	.025	0.0237	94.9	74-122	WG481355
1,3,5-Trimethylbenzene	mg/l	.025	0.0269	108.	73-134	WG481355
1,3-Dichlorobenzene	mg/l	.025	0.0270	108.	73-131	WG481355
1,3-Dichloropropane	mg/l	.025	0.0239	95.4	77-119	WG481355
1,4-Dichlorobenzene	mg/l	.025	0.0251	100.	70-121	WG481355
2,2-Dichloropropane	mg/l	.025	0.0305	122.	46-151	WG481355
2-Butanone (MEK)	mg/l	.125	0.117	.4	53-132	WG481355
2-Chloroethyl vinyl ether	mg/l	.125	0.125	99.8	0-171	WG481355
2-Chlorotoluene	mg/l	.025	0.0274	110.	74-128	WG481355
4-Chlorotoluene	mg/l	.025	0.0280	112.	74-130	WG481355
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.120	96.3	60-142	WG481355
Acetone	mg/l	.125	0.115	92.2	48-134	WG481355
Acrolein	mg/l	.125	0.119	.5	6-1	WG481355
Acrylonitrile	mg/l	.125	0.125	99.7	60-140	WG481355
Benzene	mg/l	.025	0.0261	104.	67-126	WG481355
Bromobenzene	mg/l	.025	0.0277	111	76-123	WG481355
Bromodichloromethane	mg/l	.025	0.0285	114.	68-133	WG481355
Bromoform	mg/l	.025	0.0235	93.9	60-139	WG481355
Bromomethane	mg/l	.025	0.0337	135	45-175	WG481355
Carbon tetrachloride	mg/l	.025	0.0332	133.	64-141	WG481355
Chlorobenzene	mg/l	.025	0.0237	94.8	77-125	WG481355
Chlorodibromomethane	mg/l	.025	0.0250	103	73-138	WG481355
Chloroethane	mg/l	.025	0.0307	123.	49-155	WG481355
Chloroform	mg/l	.025	0.0253	101.	66-126	WG481355
Chloromethane	mg/l	.02	0.0238	97.9	45-152	WG481355
cis-1,2-Dichloroethene	mg/l	.025	0.0264	105.	72-128	WG481355
cis-1,3-Dichloropropene	mg/l	.025	0.0252	101.	73-131	WG481355
Di-isopropyl ether	mg/l	.02	0.0255	111	63-135	WG481355

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Dibromomethane	mg/l	.025	0.0242		125	WG481355
Dichlorodifluoromethane	mg/l	.025	0.0332	133.	39-189	WG481355
Ethylbenzene	mg/l	.025	0.0243	97.1	76-129	WG481355
Hexachloro-1,3-butadiene	mg/l	.025	0.025		67-135	WG481355
Isopropylbenzene	mg/l	.025	0.0279	112.	73-132	WG481355
Methyl tert-butyl ether	mg/l	.025	0.0253	101.	51-142	WG481355
Methylene Chloride	mg/l	5	0.023	93.8	64-125	WG481355
n-Butylbenzene	mg/l	.025	0.0304	122.	63-142	WG481355
n-Propylbenzene	mg/l	.025	0.0280	112.	71-132	WG481355
Naphthalene	mg/l	5	0.023	93.	56-145	WG481355
p-Isopropyltoluene	mg/l	.025	0.0278	111.	68-138	WG481355
sec-Butylbenzene	mg/l	.025	0.0286	114.	70-135	WG481355
Styrene	mg/l	5	0.0269	108	78-130	WG481355
tert-Butylbenzene	mg/l	.025	0.0279	112.	72-134	WG481355
Tetrachloroethene	mg/l	.025	0.0258	103.	67-135	WG481355
Toluene	mg/l	5	0.0257	103	72-122	WG481355
trans-1,2-Dichloroethene	mg/l	.025	0.0282	113.	67-129	WG481355
trans-1,3-Dichloropropene	mg/l	.025	0.0280	112.	66-137	WG481355
Trichloroethene	mg/l	5	0.025	102	74-126	WG481355
Trichlorofluoromethane	mg/l	.025	0.0389	156.	54-156	WG481355
Vinyl chloride	mg/l	.025	0.0281	113.	55-153	WG481355
Xylenes, Total	mg/l	.75	0.0754	101.	75-128	WG481355
4-Bromofluorobenzene				105.6	75-128	WG481355
Dibromofluoromethane				103.5	79-125	WG481355
Toluene-d8				102.5	87-114	WG481355
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0264	106.	75-134	WG481382
1,1 1-Trichloroethane	mg/l	.025	0.0251	100	67-137	WG481382
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0275	110.	72-128	WG481382
1,1,2-Trichloroethane	mg/l	.025	0.0247	98.7	79-123	WG481382
1,1 2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0249	99.6	51-142	WG481382
1,1-Dichloroethane	mg/l	.025	0.0251	100.	67-133	WG481382
1,1-Dichloroethane	mg/l	.025	0.0225	90.0	60-130	WG481382
1,1-Dichloropropene	mg/l	.025	0.0259	104.	68-132	WG481382
1,2,3-Trichlorobenzene	mg/l	.025	0.0246	98.6	63-138	WG481382
1,2,3-Trichloropropene	mg/l	.025	0.0264	106.	68-130	WG481382
1,2,3-Trimethylbenzene	mg/l	.025	0.0269	108	70-127	WG481382
1,2,4-Trichlorobenzene	mg/l	.025	0.0275	110.	65-137	WG481382
1,2,4-Trimethylbenzene	mg/l	.025	0.0280	112.	72-135	WG481382
1,2-Dibromo-3-Chloropropene	mg/l	.025	0.0246	8.2	55-134	WG481382
1,2-Dibromoethane	mg/l	.025	0.0260	104.	75-126	WG481382
1,2-Dichlorobenzene	mg/l	.025	0.0267	107.	75-122	WG481382
1,2-Dichloroethane	mg/l	.025	0.0264	106	63-137	WG481382
1,2-Dichloropropene	mg/l	.025	0.0264	106.	74-122	WG481382
1,3,5-Trimethylbenzene	mg/l	.025	0.0282	113.	73-134	WG481382
1,3-Dichlorobenzene	mg/l	.025	0.0273	109	73-131	WG481382
1,3-Dichloropropene	mg/l	.025	0.0252	101.	77-119	WG481382
1,4-Dichlorobenzene	mg/l	.025	0.0258	103.	70-121	WG481382
2,2-Dichloropropene	mg/l	.025	0.0256	102	46-151	WG481382
2-Butanone (MEK)	mg/l	.125	0.123	98.0	53-132	WG481382
2-Chloroethyl vinyl ether	mg/l	.125	0.144	116.	0-171	WG481382
2-Chlorotoluene	mg/l	.025	0.0260	104	74-128	WG481382
4-Chlorotoluene	mg/l	.025	0.0266	107.	74-130	WG481382
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.148	118.	60-142	WG481382
Acetone	mg/l	.125	0.120	96.2	48-130	WG481382
Acrolein	mg/l	.125	0.108	86.1	6-182	WG481382
Acrylonitrile	mg/l	.125	0.133	107.	60-140	WG481382
Benzene	mg/l	.02	0.0261	10	67-126	WG481382

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Bromobenzene	mg/l	.025	0.0272	109.	76-123	WG481382
Bromodichloromethane	mg/l	.025	0.0282	113.	68-133	WG481382
Bromoform	mg/l	.025	0.0248	99.2	60-139	WG481382
Bromomethane	mg/l	.025	0.0221	88.4	45-125	WG481382
Carbon tetrachloride	mg/l	.025	0.0262	105.	64-141	WG481382
Chlorobenzene	mg/l	.025	0.0251	100.	77-125	WG481382
Chlorodibromomethane	mg/l	5	0.0250	100	73-138	WG481382
Chloroethane	mg/l	.025	0.0278	111.	49-155	WG481382
Chloroform	mg/l	.025	0.0253	101.	66-126	WG481382
Chloromethane	mg/l	5	0.0162	64.9	152	WG481382
cis-1,2-Dichloroethene	mg/l	.025	0.0248	99.2	72-128	WG481382
cis-1,3-Dichloropropene	mg/l	.025	0.0259	104.	73-131	WG481382
Di-isopropyl ether	mg/l	5	0.0257	103	63-130	WG481382
Dibromomethane	mg/l	.025	0.0264	106.	73-125	WG481382
Dichlorodifluoromethane	mg/l	.025	0.0232	93.0	39-189	WG481382
Ethylbenzene	mg/l	5	0.025	102	76-129	WG481382
Hexachloro-1,3-butadiene	mg/l	.025	0.0256	102.	67-135	WG481382
Isopropylbenzene	mg/l	.025	0.0270	108.	73-132	WG481382
Methyl tert-butyl ether	mg/l	5	0.0253	101	51-142	WG481382
Methylene Chloride	mg/l	.025	0.0238	95.1	64-125	WG481382
n-Butylbenzene	mg/l	.025	0.0302	121.	63-142	WG481382
n-Propylbenzene	mg/l	5	0.0263	105	71-132	WG481382
Naphthalene	mg/l	.025	0.0265	106.	56-145	WG481382
p-Isopropyltoluene	mg/l	.025	0.0293	117.	68-138	WG481382
sec-Butylbenzene	mg/l	.025	0.0282	113	70-135	WG481382
Styrene	mg/l	.025	0.0245	98.0	78-130	WG481382
tert-Butylbenzene	mg/l	.025	0.0283	113.	72-134	WG481382
Tetrachloroethene	mg/l	.025	0.0239	95.5	67-135	WG481382
Toluene	mg/l	.025	0.0255	102.	72-122	WG481382
trans-1,2-Dichloroethene	mg/l	.025	0.0243	97.1	67-129	WG481382
trans-1,3-Dichloropropene	mg/l	.025	0.0239	95.8	66-137	WG481382
Trichloroethene	mg/l	.025	0.0244	97.6	74-126	WG481382
Trichlorofluoromethane	mg/l	.025	0.0277	111.	54-156	WG481382
Vinyl chloride	mg/l	.025	0.0239	95.5	55-153	WG481382
Xylenes, Total	mg/l	.075	0.0798	106.	75-128	WG481382
4-Bromofluorobenzene				100.1	75-128	WG481382
Dibromofluoromethane				100.5	79-122	WG481382
Toluene-d8				99.23	87-114	WG481382
1,1,1,2-Tetrachloroethane	mg/l	5	0.0253	101.	75-134	WG481381
1,1,1-Trichloroethane	mg/l	.025	0.0244	97.7	67-137	WG481381
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0271	108.	72-128	WG481381
1,1,2-Trichloroethane	mg/l	.025	0.0250	100	79-123	WG481381
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0256	102.	51-149	WG481381
1,1-Dichloroethane	mg/l	.025	0.0240	96.1	67-133	WG481381
1,1-Dichloroethene	mg/l	.025	0.0231	92.	60-130	WG481381
1,1-Dichloropropene	mg/l	.025	0.0253	101.	68-132	WG481381
1,2,3-Trichlorobenzene	mg/l	.025	0.0243	97.3	63-138	WG481381
1,2,3-Trichloropropane	mg/l	.025	0.0256	102	68-130	WG481381
1,2,3-Trimethylbenzene	mg/l	.025	0.0283	113.	70-127	WG481381
1,2,4-Trichlorobenzene	mg/l	.025	0.0273	109.	65-137	WG481381
1,2,4-Trimethylbenzene	mg/l	.025	0.0270	108	72-135	WG481381
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0223	89.3	55-134	WG481381
1,2-Dibromoethane	mg/l	.025	0.0263	105.	75-126	WG481381
1,2-Dichlorobenzene	mg/l	.02	0.0280	11	75-122	WG481381
1,2-Dichloroethane	mg/l	.025	0.0261	104.	63-137	WG481381
1,2-Dichloropropane	mg/l	.025	0.0249	99.6	74-122	WG481381
1,3,5-Trimethylbenzene	mg/l	.02	0.0272	109.	73-130	WG481381

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
1,3-Dichlorobenzene	mg/l	.025	0.0256		131	WG481381
1,3-Dichloropropane	mg/l	.025	0.0257	103.	77-119	WG481381
1,4-Dichlorobenzene	mg/l	.025	0.0270	108.	70-121	WG481381
2,2-Dichloropropane	mg/l	.025	0.0252	101.	46-151	WG481381
2-Butanone (MEK)	mg/l	.125	0.128	102.	53-132	WG481381
2-Chloroethyl vinyl ether	mg/l	.125	0.145	116.	0-171	WG481381
2-Chlorotoluene	mg/l	5	0.0253	101	74-128	WG481381
4-Chlorotoluene	mg/l	.025	0.0246	98.5	74-130	WG481381
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.134	107.	60-142	WG481381
Acetone	mg/l	5	0.120	96.2	8-134	WG481381
Acrolein	mg/l	.125	0.131	105.	6-182	WG481381
Acrylonitrile	mg/l	.125	0.132	105.	60-140	WG481381
Benzene	mg/l	5	0.0261	104	67-126	WG481381
Bromobenzene	mg/l	.025	0.0269	108.	76-123	WG481381
Bromodichloromethane	mg/l	.025	0.0268	107.	68-133	WG481381
Bromoform	mg/l	5	0.0253	101	60-138	WG481381
Bromomethane	mg/l	.025	0.0363	145.	45-175	WG481381
Carbon tetrachloride	mg/l	.025	0.0261	104.	64-141	WG481381
Chlorobenzene	mg/l	5	0.0243	97.3	77-125	WG481381
Chlorodibromomethane	mg/l	.025	0.0247	98.9	73-138	WG481381
Chloroethane	mg/l	.025	0.0298	119.	49-155	WG481381
Chloroform	mg/l	5	0.0246	98.4	66-126	WG481381
Chloromethane	mg/l	.025	0.0195	78.0	45-152	WG481381
cis-1,2-Dichloroethene	mg/l	.025	0.0242	96.8	72-128	WG481381
cis-1,3-Dichloropropene	mg/l	.025	0.0243	97.3	73-131	WG481381
Di-isopropyl ether	mg/l	.025	0.0252	101.	63-139	WG481381
Dibromomethane	mg/l	.025	0.0253	101.	73-125	WG481381
Dichlorodifluoromethane	mg/l	.025	0.0247	98.9	39-189	WG481381
Ethylbenzene	mg/l	.025	0.0244	97.6	76-129	WG481381
Hexachloro-1,3-butadiene	mg/l	.025	0.0255	102.	67-135	WG481381
Isopropylbenzene	mg/l	.025	0.0243	97.2	73-132	WG481381
Methyl tert-butyl ether	mg/l	.025	0.0254	102.	51-142	WG481381
Methylene Chloride	mg/l	.025	0.0229	91.5	64-125	WG481381
n-Butylbenzene	mg/l	.025	0.031	104.	63-142	WG481381
n-Propylbenzene	mg/l	.025	0.0258	103.	71-132	WG481381
Naphthalene	mg/l	.025	0.0261	105.	56-145	WG481381
p-Isopropyltoluene	mg/l	.025	0.0278	111	68-138	WG481381
sec-Butylbenzene	mg/l	.025	0.0256	102.	70-135	WG481381
Styrene	mg/l	.025	0.0240	96.1	78-130	WG481381
tert-Butylbenzene	mg/l	.025	0.0272	109.	72-134	WG481381
Tetrachloroethene	mg/l	.025	0.0241	96.3	67-135	WG481381
Toluene	mg/l	.025	0.0227	90.8	72-122	WG481381
trans-1,2-Dichloroethene	mg/l	.025	0.0239	95.7	67-129	WG481381
trans-1,3-Dichloropropene	mg/l	.025	0.0218	87.0	66-137	WG481381
Trichloroethene	mg/l	.025	0.0239	95.4	74-126	WG481381
Trichlorofluoromethane	mg/l	.025	0.0289	116	54-156	WG481381
Vinyl chloride	mg/l	.025	0.0272	109.	55-153	WG481381
Xylenes, Total	mg/l	.075	0.0778	104.	75-128	WG481381
4-Bromofluorobenzene				98.01	75-128	WG481381
Dibromofluoromethane				97.12	79-125	WG481381
Toluene-d8				93.37	87-114	WG481381
1,2,4-Trimethylbenzene	mg/l	.025	0.0239	95.7	72-135	WG481568
Benzene	mg/l	.025	0.0217	86.7	67-126	WG481568
cis-1,2-Dichloroethene	mg/l	.02	0.0232	93.0	72-128	WG481568
Ethylbenzene	mg/l	.025	0.0248	99.4	76-129	WG481568
sec-Butylbenzene	mg/l	.025	0.0252	101.	70-135	WG481568
Tetrachloroethene	mg/l	.02	0.0253	101.	67-135	WG481568

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

June 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Vinyl chloride	mg/l	.025	0.0218		153	WG481568
Xylenes, Total	mg/l	.075	0.0717	95.6	75-128	WG481568
4-Bromofluorobenzene				100.8	75-128	WG481568
Dibromofluoromethane				97	125	WG481568
Toluene-d8				103.4	87-114	WG481568
1,1,1,2-Tetrachloroethane	mg/l	5	0.0254	102	75-134	WG481596
1,1,1-Trichloroethane	mg/l	.025	0.0294	117.	67-137	WG481596
1,1,2,2-Tetrachloroethane	mg/l	.025	0.0244	97.7	72-128	WG481596
1,1,2-Trichloroethane	mg/l	5	0.0243	97.0	79-123	WG481596
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0352	141.	51-149	WG481596
1,1-Dichloroethane	mg/l	.025	0.0302	121.	67-133	WG481596
1,1-Dichloroethene	mg/l	5	0.0314	103	60-130	WG481596
1,1-Dichloropropene	mg/l	.025	0.0303	121.	68-132	WG481596
1,2,3-Trichlorobenzene	mg/l	.025	0.0207	82.8	63-138	WG481596
1,2,3-Trichloropropene	mg/l	5	0.0233	93.4	68-130	WG481596
1,2,3-Trimethylbenzene	mg/l	.025	0.0233	93.0	70-127	WG481596
1,2,4-Trichlorobenzene	mg/l	.025	0.0265	106.	65-137	WG481596
1,2,4-Trimethylbenzene	mg/l	5	0.025	102	72-135	WG481596
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0200	79.9	55-134	WG481596
1,2-Dibromoethane	mg/l	.025	0.0239	95.6	75-126	WG481596
1,2-Dichlorobenzene	mg/l	5	0.0260	104	75-122	WG481596
1,2-Dichloroethane	mg/l	.025	0.0290	116.	63-137	WG481596
1,2-Dichloropropane	mg/l	.025	0.0246	98.2	74-122	WG481596
1,3,5-Trimethylbenzene	mg/l	.025	0.0268	107.	73-134	WG481596
1,3-Dichlorobenzene	mg/l	.025	0.0246	98.4	73-131	WG481596
1,3-Dichloropropane	mg/l	.025	0.0252	101.	77-119	WG481596
1,4-Dichlorobenzene	mg/l	.025	0.0233	93.2	70-121	WG481596
2,2-Dichloropropane	mg/l	.025	0.0308	123.	46-151	WG481596
2-Butanone (MEK)	mg/l	.125	0.126	101.	53-132	WG481596
2-Chloroethyl vinyl ether	mg/l	.125	0.132	106.	0-171	81596
2-Chlorotoluene	mg/l	.025	0.0241	96.6	74-128	WG481596
4-Chlorotoluene	mg/l	.025	0.0249	99.5	74-130	WG481596
4-Methyl-2-pentanone (M	mg/l	.025	0.133	106	60-142	WG481596
Acetone	mg/l	.125	0.130	104.	48-134	WG481596
Acrolein	mg/l	.125	0.0295	23.6	6-182	WG481596
Acrylonitrile	mg/l	.125	0.151	120	60-140	WG481596
Benzene	mg/l	.025	0.0288	115.	67-126	WG481596
Bromobenzene	mg/l	.025	0.0257	103.	76-123	WG481596
Bromodichloromethane	mg/l	.025	0.0256	102.	68-133	WG481596
Bromoform	mg/l	.025	0.0207	82.9	60-139	WG481596
Bromomethane	mg/l	.025	0.0448	179.*	45-175	WG481596
Carbon tetrachloride	mg/l	.025	0.0309	124	64-141	WG481596
Chlorobenzene	mg/l	.025	0.0243	97.2	77-125	WG481596
Chlorodibromomethane	mg/l	.025	0.0250	100.	73-138	WG481596
Chloroethane	mg/l	.025	0.0379	152	49-155	WG481596
Chloroform	mg/l	.025	0.0290	116.	66-126	WG481596
Chloromethane	mg/l	.025	0.0228	91.1	45-152	WG481596
cis-1,2-Dichloroethene	mg/l	.025	0.0283	113	72-128	WG481596
cis-1,3-Dichloropropene	mg/l	.025	0.0226	90.3	73-131	WG481596
Di-isopropyl ether	mg/l	.025	0.0302	121.	63-139	WG481596
Dibromomethane	mg/l	.025	0.0244	7.6	73-125	WG481596
Dichlorodifluoromethane	mg/l	.025	0.0308	123.	39-189	WG481596
Ethylbenzene	mg/l	.025	0.0252	101.	76-129	WG481596
Hexachloro-1,3-butadiene	mg/l	.02	0.0241	106.4	67-135	WG481596
Isopropylbenzene	mg/l	.025	0.0263	105.	73-132	WG481596
Methyl tert-butyl ether	mg/l	.025	0.0308	123.	51-142	WG481596
Methylene Chloride	mg/l	.02	0.0292	117	64-125	WG481596

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
n-Butylbenzene	mg/l	.025	0.0285	114.	63-132	WG481596
n-Propylbenzene	mg/l	.025	0.0253	101.	71-132	WG481596
Naphthalene	mg/l	.025	0.0228	91.3	56-145	WG481596
p-Isopropyltoluene	mg/l	.025	0.026		68-138	WG481596
sec-Butylbenzene	mg/l	.025	0.0268	107.	70-135	WG481596
Styrene	mg/l	.025	0.0210	84.2	78-130	WG481596
tert-Butylbenzene	mg/l	5	0.0269	108	72-134	WG481596
Tetrachloroethene	mg/l	.025	0.0220	87.9	67-135	WG481596
Toluene	mg/l	.025	0.0253	101.	72-122	WG481596
trans-1,2-Dichloroethene	mg/l	5	0.0291	117	67-132	WG481596
trans-1,3-Dichloropropene	mg/l	.025	0.0222	88.8	66-137	WG481596
Trichloroethene	mg/l	.025	0.0234	93.5	74-126	WG481596
Trichlorofluoromethane	mg/l	5	0.0326	130	54-156	WG481596
Vinyl chloride	mg/l	.025	0.0293	117.	55-153	WG481596
Xylenes, Total	mg/l	.075	0.0725	96.6	75-128	WG481596
4-Bromofluorobenzene				93.53	75-128	WG481596
Dibromofluoromethane				112.2	79-125	WG481596
Toluene-d8				98.46	87-114	WG481596
1,1,1,2-Tetrachloroethane	mg/l	.025	0.0285	114.	75-134	WG481667
1,1,1-Trichloroethane	mg/l	.025	0.0272	109.	67-137	WG481667
1,1,2,2-Tetrachloroethane	mg/l	5	0.0200	80.0	72-128	WG481667
1,1,2-Trichloroethane	mg/l	.025	0.0263	105.	79-123	WG481667
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	.025	0.0251	101.	51-149	WG481667
1,1-Dichloroethane	mg/l	.025	0.0222	88.9	67-133	WG481667
1,1-Dichloroethene	mg/l	.025	0.0210	84.2	60-130	WG481667
1,1-Dichloropropene	mg/l	.025	0.0248	99.3	68-132	WG481667
1,2,3-Trichlorobenzene	mg/l	.025	0.0217	87.0	63-138	WG481667
1,2,3-Trichloropropane	mg/l	.025	0.0244	97.8	68-130	WG481667
1,2,3-Trimethylbenzene	mg/l	.025	0.0294	118.	70-127	WG481667
1,2,4-Trichlorobenzene	mg/l	.025	0.0213	85.2	65-137	WG481667
1,2,4-Trimethylbenzene	mg/l	.025	0.0285	114.	72-135	WG481667
1,2-Dibromo-3-Chloropropane	mg/l	.025	0.0226	90.4	55-134	WG481667
1,2-Dibromoethane	mg/l	.025	0.028	113	75-126	WG481667
1,2-Dichlorobenzene	mg/l	.025	0.0282	113.	75-122	WG481667
1,2-Dichloroethane	mg/l	.025	0.0264	106.	63-137	WG481667
1,2-Dichloropropane	mg/l	.025	0.0241	96.	74-122	WG481667
1,3,5-Trimethylbenzene	mg/l	.025	0.0286	115.	73-134	WG481667
1,3-Dichlorobenzene	mg/l	.025	0.0269	107.	73-131	WG481667
1,3-Dichloropropane	mg/l	.025	0.0253	101	77-135	WG481667
1,4-Dichlorobenzene	mg/l	.025	0.0283	113.	70-121	WG481667
2,2-Dichloropropane	mg/l	.025	0.0261	105.	46-151	WG481667
2-Butanone (MEK)	mg/l	.125	0.0983	78.7	53-132	WG481667
2-Chloroethyl vinyl ether	mg/l	.125	0.128	102.	0-171	WG481667
2-Chlorotoluene	mg/l	.025	0.0293	117.	74-128	WG481667
4-Chlorotoluene	mg/l	.025	0.0282	113	74-130	WG481667
4-Methyl-2-pentanone (MIBK)	mg/l	.125	0.129	103.	60-142	WG481667
Acetone	mg/l	.125	0.105	83.8	48-134	WG481667
Acrolein	mg/l	.125	0.0988	79.0	6-1	WG481667
Acrylonitrile	mg/l	.125	0.0892	71.3	60-140	WG481667
Benzene	mg/l	.025	0.0208	83.0	67-126	WG481667
Bromobenzene	mg/l	.025	0.0269	108	76-123	WG481667
Bromodichloromethane	mg/l	.025	0.0284	114.	68-133	WG481667
Bromoform	mg/l	.025	0.0289	116.	60-139	WG481667
Bromomethane	mg/l	.02	0.0252	111.	45-175	WG481667
Carbon tetrachloride	mg/l	.025	0.0265	106.	64-141	WG481667
Chlorobenzene	mg/l	.025	0.0258	103.	77-125	WG481667
Chlorodibromomethane	mg/l	.02	0.0313	12	73-138	WG481667

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control Sample		% Rec	Limit	Batch
		Known Val	Result			
Chloroethane	mg/l	.025	0.0287	115	125	WG481667
Chloroform	mg/l	.025	0.0249	99.5	66-126	WG481667
Chloromethane	mg/l	.025	0.0142	57.0	45-152	WG481667
cis-1,2-Dichloroethane	mg/l	.025	0.0215	86.0	72-128	WG481667
cis-1,3-Dichloropropene	mg/l	.025	0.0268	107.	73-131	WG481667
Di-isopropyl ether	mg/l	.025	0.0221	88.5	63-139	WG481667
Dibromomethane	mg/l	5	0.0264	106	73-125	WG481667
Dichlorodifluoromethane	mg/l	.025	0.0419	168.	39-189	WG481667
Ethylbenzene	mg/l	.025	0.0268	107.	76-129	WG481667
Hexachloro-1,3-butadiene	mg/l	5	0.0292	117	67-135	WG481667
Isopropylbenzene	mg/l	.025	0.0278	111.	73-132	WG481667
Methyl tert-butyl ether	mg/l	.025	0.0249	99.5	51-142	WG481667
Methylene Chloride	mg/l	5	0.0198	79.	64-125	WG481667
n-Butylbenzene	mg/l	.025	0.0261	104.	63-142	WG481667
n-Propylbenzene	mg/l	.025	0.0269	108.	71-132	WG481667
Naphthalene	mg/l	5	0.0191	76.2	56-145	WG481667
p-Isopropyltoluene	mg/l	.025	0.0287	115.	68-138	WG481667
sec-Butylbenzene	mg/l	.025	0.0271	108.	70-135	WG481667
Styrene	mg/l	5	0.0261	104	78-130	WG481667
tert-Butylbenzene	mg/l	.025	0.0291	116.	72-134	WG481667
Tetrachloroethane	mg/l	.025	0.0305	122.	67-135	WG481667
Toluene	mg/l	5	0.0242	96.8	72-122	WG481667
trans-1,2-Dichloroethane	mg/l	.025	0.0223	89.0	67-129	WG481667
trans-1,3-Dichloropropene	mg/l	.025	0.0284	114.	66-137	WG481667
Trichloroethane	mg/l	.025	0.0268	107	74-126	WG481667
Trichlorofluoromethane	mg/l	.025	0.0347	139.	54-156	WG481667
Vinyl chloride	mg/l	.025	0.0196	78.6	55-153	WG481667
Xylenes, Total	mg/l	.75	0.0767	102.	75-128	WG481667
4-Bromofluorobenzene				92.83	75-128	WG481667
Dibromofluoromethane				88.31	79-125	WG481667
Toluene-d8				95.33	87-114	81667

Analyte	Units	Laboratory Control Sample Duplicates			Limit	RPD	Limit	Batch
		Result	Ref	%Rec				
1,1,1,2-Tetrachloroethane	mg/l	0.0267	0.0275	107.	92	20	20	WG481197
1,1,1-Trichloroethane	mg/l	0.0232	0.0229	93.0	67-137	1.30	20	WG481197
1,1,2,2-Tetrachloroethane	mg/l	0.0273	0.0290	109.	72-128	6.10	20	WG481197
1,1,2-Trichloroethane	mg/l	0.0249	0.0267	10	-123	32	20	WG481197
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0225	0.0237	90.0	51-149	5.06	20	WG481197
1,1-Dichloroethane	mg/l	0.0229	0.0233	92.0	67-133	1.68	20	WG481197
1,1-Dichloroethane	mg/l	0.0197	0.021	79.0	67-133	3.33	20	WG481197
1,1-Dichloropropene	mg/l	0.0228	0.0240	91.0	68-132	5.09	20	WG481197
1,2,3-Trichlorobenzene	mg/l	0.0260	0.0274	104.	63-138	5.47	20	WG481197
1,2,3-Trichloropropene	mg/l	0.0255	0.0276	102.	68-130	8.00	20	WG481197
1,2,3-Trimethylbenzene	mg/l	0.0244	0.0259	97.0	70-127	6.19	20	WG481197
1,2,4-Trichlorobenzene	mg/l	0.0287	0.0314	115.	65-137	8.69	20	WG481197
1,2,4-Trimethylbenzene	mg/l	0.021	0.0288	10	-135		20	WG481197
1,2-Dibromo-3-Chloropropene	mg/l	0.0240	0.0239	96.0	55-134	0.600	20	WG481197
1,2-Dibromoethane	mg/l	0.0252	0.0273	101.	75-126	8.13	20	WG481197
1,2-Dichlorobenzene	mg/l	0.0256	0.0268	102.	-122		20	WG481197
1,2-Dichloroethane	mg/l	0.0237	0.0256	95.0	63-137	7.62	20	WG481197
1,2-Dichloropropene	mg/l	0.0233	0.0245	93.0	74-122	4.87	20	WG481197
1,3,5-Trimethylbenzene	mg/l	0.0266	0.0287	106.	3-134	7.3	20	WG481197
1,3-Dichlorobenzene	mg/l	0.0259	0.0280	104.	73-131	7.53	20	WG481197
1,3-Dichloropropene	mg/l	0.0248	0.0266	99.0	77-119	6.93	20	WG481197
1,4-Dichlorobenzene	mg/l	0.0249	0.0253	100.	0-12	1.4	20	WG481197
2,2-Dichloropropene	mg/l	0.0236	0.0244	94.0	46-151	3.65	20	WG481197
2-Butanone (MEK)	mg/l	0.123	0.123	98.0	53-132	0.0700	20	WG481197

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Laboratory Control Sample Duplicate									
Analyte	Units	Result	Ref	Rec	Limit	RPD	Limit	Batch	
2-Chloroethyl vinyl ether	mg/l	0.136	0.1	108.	0-171	3.75	20	WG481197	
2-Chlorotoluene	mg/l	0.0242	0.0265	97.0	74-128	8.99	20	WG481197	
4-Chlorotoluene	mg/l	0.0255	0.0269	102.	74-130	5.09	20	WG481197	
4-Methyl-2-pentanone (MIBK)	mg/l	0.13	0.143	111.	-142	3.20	20	WG481197	
Acetone	mg/l	0.116	0.120	93.0	48-134	3.33	20	WG481197	
Acrolein	mg/l	0.125	0.129	100.	6-182	3.13	39	WG481197	
Acrylonitrile	mg/l	0.130	0.133	104.	100-140	2.0	20	WG481197	
Benzene	mg/l	0.0240	0.0243	96.0	67-126	1.28	20	WG481197	
Bromobenzene	mg/l	0.0266	0.0275	106.	76-123	3.11	20	WG481197	
Bromodichloromethane	mg/l	0.0251	0.0261	100.	100-133	.2	0	WG481197	
Bromoform	mg/l	0.0250	0.0272	100.	60-139	8.16	20	WG481197	
Bromomethane	mg/l	0.0216	0.0242	86.0	45-175	11.1	20	WG481197	
Carbon tetrachloride	mg/l	0.0241	0.0246	96.	4-14	2.0	0	WG481197	
Chlorobenzene	mg/l	0.0252	0.0263	101.	77-125	4.43	20	WG481197	
Chlorodibromomethane	mg/l	0.0254	0.0277	102.	73-138	8.59	20	WG481197	
Chloroethane	mg/l	0.0203	0.0215	90.	70-155	5.7	0	WG481197	
Chloroform	mg/l	0.0234	0.0240	94.0	66-126	2.63	20	WG481197	
Chloromethane	mg/l	0.0165	0.0176	66.0	45-152	6.19	20	WG481197	
cis-1,2-Dichloroethene	mg/l	0.02	0.0240	93.	2-128	2.7	0	WG481197	
cis-1,3-Dichloropropene	mg/l	0.0233	0.0242	93.0	73-131	3.69	20	WG481197	
Di-isopropyl ether	mg/l	0.0247	0.0248	99.0	63-139	0.540	20	WG481197	
Dibromomethane	mg/l	0.02	0.0251	94.0	3-125	7.00	20	WG481197	
Dichlorodifluoromethane	mg/l	0.0201	0.0201	80.0	39-189	0.0100	24	WG481197	
Ethylbenzene	mg/l	0.0255	0.0260	102.	76-129	1.94	20	WG481197	
Hexachloro-1,3-butadiene	mg/l	0.0266	0.0275	106.	7-135	3.1	0	WG481197	
Isopropylbenzene	mg/l	0.0260	0.0274	104.	73-132	5.40	20	WG481197	
Methyl tert-butyl ether	mg/l	0.0246	0.0250	98.0	51-142	1.39	20	WG481197	
Methylene Chloride	mg/l	0.0216	0.0229	86.	4-125	5.41	0	WG481197	
n-Butylbenzene	mg/l	0.0273	0.0287	109.	63-142	4.95	20	WG481197	
n-Propylbenzene	mg/l	0.0248	0.0266	99.0	71-132	7.24	20	WG481197	
Naphthalene	mg/l	0.0279	0.0294	112.	6-145	5.20	20	WG481197	
p-Isopropyltoluene	mg/l	0.0281	0.0300	112.	68-138	6.75	20	WG481197	
sec-Butylbenzene	mg/l	0.0269	0.0288	108.	70-135	6.84	20	WG481197	
Styrene	mg/l	0.0244	0.0254	98.	-130	4.04	20	WG481197	
tert-Butylbenzene	mg/l	0.0273	0.0295	109.	72-134	7.52	20	WG481197	
Tetrachloroethene	mg/l	0.0229	0.0240	92.0	67-135	4.71	20	WG481197	
Toluene	mg/l	0.02	0.024	95.0	2-122	.51	20	WG481197	
trans-1,2-Dichloroethene	mg/l	0.0218	0.0220	87.0	67-129	1.19	20	WG481197	
trans-1,3-Dichloropropene	mg/l	0.0216	0.0227	86.0	66-137	4.88	20	WG481197	
Trichloroethene	mg/l	0.0223	0.0234	95.0	4-126	4.88	20	WG481197	
Trichlorofluoromethane	mg/l	0.0226	0.0237	90.0	54-156	4.82	20	WG481197	
Vinyl chloride	mg/l	0.0211	0.0224	84.0	55-153	6.07	20	WG481197	
Xylenes, Total	mg/l	0.0776	0.0821	104.	5-128	5.51	0	WG481197	
4-Bromofluorobenzene				104.9	75-128			WG481197	
Dibromofluoromethane				96.79	79-125			WG481197	
Toluene-d8				97.42	7-114			WG481197	
1,1,1,2-Tetrachloroethane	mg/l	0.0268	0.0258	107.	75-134	3.46	20	WG481309	
1,1,1-Trichloroethane	mg/l	0.0259	.0266	104.	7-137	2.4	20	WG481309	
1,1,2,2-Tetrachloroethane	mg/l	0.0250	0.0271	100.	72-128	7.99	20	WG481309	
1,1,2-Trichloroethane	mg/l	0.0269	0.0257	108.	79-123	4.60	20	WG481309	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0218	0.0249	87.	1-149	13.	2	WG481309	
1,1-Dichloroethane	mg/l	0.0255	0.0272	102.	67-133	6.58	20	WG481309	
1, -Dichloroethene	mg/l	0.0197	0.0236	79.0	60-130	17.9	20	WG481309	
1,1-Dichloropropene	mg/l	0.0249	0.0269	100.	60-132	7.50	20	WG481309	
1,2,3-Trichlorobenzene	mg/l	0.0272	0.0269	109.	61-138	1.29	20	WG481309	
1,2,3-Trichloropropene	mg/l	0.0263	0.0281	105.	68-130	6.43	20	WG481309	
1,2,3-Trimethylbenzene	mg/l	0.0265	0.0287	106.	70-127	.80	20	WG481309	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Result	Ref	Sample	Duplicate	Limit	RPD	Limit	Batch
1,2,4-Trichlorobenzene	mg/l	0.0235	0.0238	0	0.0237	0.950	20	WG481309	
1,2,4-Trimethylbenzene	mg/l	0.0236	0.0246	94.0	72-135	4.07	20	WG481309	
1,2-Dibromo-3-Chloropropane	mg/l	0.0256	0.0276	102.	55-134	7.47	20	WG481309	
1,2-Dibromomethane	mg/l	0.0260	0.027	104.3	75-126	5.60	20	WG481309	
1,2-Dichlorobenzene	mg/l	0.0237	0.0251	95.0	75-122	5.60	20	WG481309	
1,2-Dichloroethane	mg/l	0.0251	0.0265	100.	63-137	5.78	20	WG481309	
1,2-Dichloropropane	mg/l	0.0253	0.0253	106.	-122	.	0	WG481309	
1,3,5-Trimethylbenzene	mg/l	0.0233	0.0253	93.0	73-134	8.53	20	WG481309	
1,3-Dichlorobenzene	mg/l	0.0256	0.0258	102.	73-131	0.570	20	WG481309	
1,3-Dichloropropane	mg/l	0.0259	0.0251	104.	7-119	.	0	WG481309	
1,4-Dichlorobenzene	mg/l	0.0274	0.0259	110.	70-121	5.73	20	WG481309	
2,2-Dichloropropane	mg/l	0.0254	0.0256	101.	46-151	1.00	20	WG481309	
2-Butanone (MEK)	mg/l	0.14	0.148	112.	-132	6.04	0	WG481309	
2-Chloroethyl vinyl ether	mg/l	0.117	0.120	94.0	0-171	2.25	27	WG481309	
2-Chlorotoluene	mg/l	0.0232	0.0246	93.0	74-128	5.96	20	WG481309	
4-Chlorotoluene	mg/l	0.0235	0.0249	94.	-130	5.	0	WG481309	
4-Methyl-2-pentanone (MIBK)	mg/l	0.131	0.136	105.	60-142	3.65	20	WG481309	
Acetone	mg/l	0.122	0.143	98.0	48-134	15.7	20	WG481309	
Acrolein	mg/l	0.11	0.140	91.0	66-182	21.	0	WG481309	
Acrylonitrile	mg/l	0.134	0.153	107.	60-140	12.9	20	WG481309	
Benzene	mg/l	0.0252	0.0267	101.	67-126	5.99	20	WG481309	
Bromobenzene	mg/l	0.0238	0.0238	94.	6-123	1.00	20	WG481309	
Bromodichloromethane	mg/l	0.0273	0.0259	109.	68-133	5.25	20	WG481309	
Bromoform	mg/l	0.0258	0.0279	103.	60-139	7.66	20	WG481309	
Bromomethane	mg/l	0.0234	0.0252	93.	5-175	7.33	20	WG481309	
Carbon tetrachloride	mg/l	0.0262	0.0276	105.	64-141	5.20	20	WG481309	
Chlorobenzene	mg/l	0.0247	0.0252	99.0	77-125	2.07	20	WG481309	
Chlorodibromomethane	mg/l	0.0280	0.0257	112.	3-138	8.4	0	WG481309	
Chloroethane	mg/l	0.0222	0.0247	89.0	49-155	10.7	20	WG481309	
Chloroform	mg/l	0.0258	0.0271	103.	66-126	4.96	20	WG481309	
Chloromethane	mg/l	0.0233	0.0268	93.	5-152	14.	0	WG481309	
cis-1,2-Dichloroethene	mg/l	0.0267	0.0265	107.	72-128	0.890	20	WG481309	
cis-1,3-Dichloropropene	mg/l	0.0285	0.0269	114.	73-131	5.84	20	WG481309	
Di-isopropyl ether	mg/l	0.021	0.0239	86.	3-139	10.6	20	WG481309	
Dibromomethane	mg/l	0.0281	0.0269	112.	73-125	4.50	20	WG481309	
Dichlorodifluoromethane	mg/l	0.0159	0.0180	63.0	39-189	12.7	24	WG481309	
Ethylbenzene	mg/l	0.0256	0.0252	102.	6-129	1.6	0	WG481309	
Hexachloro-1,3-butadiene	mg/l	0.0233	0.0245	93.0	67-135	5.22	20	WG481309	
Isopropylbenzene	mg/l	0.0194	0.0248	78.0	73-132	24.4*	20	WG481309	
Methyl tert-butyl ether	mg/l	0.02	0.0277	102	1-142	8.00	20	WG481309	
Methylene Chloride	mg/l	0.0217	0.0269	87.0	64-125	21.3*	20	WG481309	
n-Butylbenzene	mg/l	0.0265	0.0255	106.	63-142	3.82	20	WG481309	
n-Propylbenzene	mg/l	0.0232	0.0253	93.0	1-132	8.8	0	WG481309	
Naphthalene	mg/l	0.0245	0.0253	98.0	56-145	3.25	20	WG481309	
p-Isopropyltoluene	mg/l	0.0244	0.0248	98.0	68-138	1.65	20	WG481309	
sec-Butylbenzene	mg/l	0.0241	0.0253	96.0	0-1	5.21	0	WG481309	
Styrene	mg/l	0.0240	0.0253	96.0	78-130	5.53	20	WG481309	
tert-Butylbenzene	mg/l	0.0219	0.0248	88.0	72-134	12.2	20	WG481309	
Tetrachloroethene	mg/l	0.0254	0.0257	102.	7-135	1.2	20	WG481309	
Toluene	mg/l	0.0243	0.0230	97.0	72-122	5.72	20	WG481309	
trans-1,2-Dichloroethene	mg/l	0.0252	0.0268	101.	67-129	6.40	20	WG481309	
trans-1,3-Dichloropropene	mg/l	0.02	0.0269	107.	6-137	1.0	20	WG481309	
Trichloroethene	mg/l	0.0264	0.0261	106.	74-126	1.33	20	WG481309	
Trichlorofluoromethane	mg/l	0.0228	0.0244	91.0	54-156	7.04	20	WG481309	
Vinyl chloride	mg/l	0.0188	0.0214	85.0	55-153	13.1	20	WG481309	
Xylenes, Total	mg/l	0.0754	0.0721	100.	75-128	4.40	20	WG481309	
4-Bromofluorobenzene				82.52	75-128			WG481309	
Dibromofluoromethane				101.	-125			WG481309	
Toluene-d8				101.3	87-114			WG481309	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control		Sample Duplicate		Limit	RPD	Limit	Batch
		Result	Ref	tRec	tRec				
1,1,1,2-Tetrachloroethane	mg/l	0.0257	0.0257	93.0	75-134	10.0	20	WG481355	
1,1,1-Trichloroethane	mg/l	0.0287	0.0343	115.	67-137	10.0	20	WG481355	
1,1,2,2-Tetrachloroethane	mg/l	0.0211	0.0241	84.0	72-128	13.0	20	WG481355	
1,1,2-Trichloroethane	mg/l	0.0227	0.0227	91.0	72-123	10.0	20	WG481355	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0354	0.0308	142.	51-149	14.0	20	WG481355	
1,1-Dichloroethane	mg/l	0.0274	0.0287	110.	67-133	4.38	20	WG481355	
1,1-Dichloroethene	mg/l	0.0296	0.0268	103.	60-130	10.1	0	WG481355	
1,1-Dichloropropene	mg/l	0.0258	0.0314	103.	68-132	19.4	20	WG481355	
1,2,3-Trichlorobenzene	mg/l	0.0227	0.0248	91.0	63-138	8.87	20	WG481355	
1,2,3-Trichloropropene	mg/l	0.0213	0.0243	85.0	-130	13.	0	WG481355	
1,2,3-Trimethylbenzene	mg/l	0.0204	0.0250	82.0	70-127	20.3*	20	WG481355	
1,2,4-Trichlorobenzene	mg/l	0.0248	0.0272	99.0	65-137	8.88	20	WG481355	
1,2,4-Trimethylbenzene	mg/l	0.0223	0.0268	90.0	2-135	18	0	WG481355	
1,2-Dibromo-3-Chloropropane	mg/l	0.0168	0.0196	67.0	55-134	15.3	20	WG481355	
1,2-Dibromoethane	mg/l	0.0200	0.0222	80.0	75-126	10.3	20	WG481355	
1,2-Dichlorobenzene	mg/l	0.0222	0.0259	88.0	-122	15.	0	WG481355	
1,2-Dichloroethane	mg/l	0.0228	0.0275	91.0	63-137	18.7	20	WG481355	
1,2-Dichloropropene	mg/l	0.0210	0.0237	84.0	74-122	12.3	20	WG481355	
1,3,5-Trimethylbenzene	mg/l	0.0230	0.0269	92.	3-134	16.	0	WG481355	
1,3-Dichlorobenzene	mg/l	0.0235	0.0270	94.0	73-131	13.9	20	WG481355	
1,3-Dichloropropene	mg/l	0.0212	0.0239	85.0	77-119	12.0	20	WG481355	
1,4-Dichlorobenzene	mg/l	0.0227	0.0251	91.0	60-112	9.7	20	WG481355	
2,2-Dichloropropene	mg/l	0.0287	0.0305	115.	46-151	5.99	20	WG481355	
2-Butanone (MEK)	mg/l	0.102	0.117	82.0	53-132	13.2	20	WG481355	
2-Chloroethyl vinyl ether	mg/l	0.11	0.125	88.	-171	12.	0	WG481355	
2-Chlorotoluene	mg/l	0.0235	0.0274	94.0	74-128	15.2	20	WG481355	
4-Chlorotoluene	mg/l	0.0238	0.0280	95.0	74-130	16.3	20	WG481355	
4-Methyl-2-pentanone (M)	mg/l	0.11	0.120	88.	0-142	9.3*	0	WG481355	
Acetone	mg/l	0.128	0.115	102.	48-134	10.6	20	WG481355	
Acrolein	mg/l	0.0285	0.119	23.0	6-182	123.*	39	WG481355	
Acrylonitrile	mg/l	0.12	0.125	100.	0-140	0.750	0	WG481355	
Benzene	mg/l	0.0237	0.0261	95.0	67-126	9.62	20	WG481355	
Bromobenzene	mg/l	0.0237	0.0277	95.0	76-123	15.0	20	WG481355	
Bromodichloromethane	mg/l	0.0236	0.028	94.	8-133	18.0	20	WG481355	
Bromoform	mg/l	0.0211	0.0235	84.0	60-139	10.7	20	WG481355	
Bromomethane	mg/l	0.0313	0.0337	125.	45-175	7.42	20	WG481355	
Carbon tetrachloride	mg/l	0.0273	0.0332	109.	60-140	19.	0	WG481355	
Chlorobenzene	mg/l	0.0216	0.0237	86.0	77-125	9.18	20	WG481355	
Chlorodibromomethane	mg/l	0.0230	0.0258	92.0	73-138	11.4	20	WG481355	
Chloroethane	mg/l	0.021	0.0300	93.	-1	8.0	20	WG481355	
Chloroform	mg/l	0.0237	0.0253	95.0	66-126	6.33	20	WG481355	
Chloromethane	mg/l	0.0196	0.0237	78.0	45-152	18.9	20	WG481355	
cis-1,2-Dichloroethene	mg/l	0.0251	0.0264	100.	2-128	5.03	0	WG481355	
cis-1,3-Dichloropropene	mg/l	0.0214	0.0252	86.0	73-131	16.1	20	WG481355	
Di-isopropyl ether	mg/l	0.0289	0.0297	115.	63-139	2.93	20	WG481355	
Dibromomethane	mg/l	0.0207	0.0242	83.0	3-1	15.	0	WG481355	
Dichlorodifluoromethane	mg/l	0.0337	0.0332	135.	39-189	1.42	20	WG481355	
Ethylbenzene	mg/l	0.0222	0.0243	89.0	76-129	8.90	20	WG481355	
Hexachloro-1,3-butadiene	mg/l	0.0223	0.0257	89.	7-135	14.4	20	WG481355	
Isopropylbenzene	mg/l	0.0266	0.0279	106.	73-132	5.03	20	WG481355	
Methyl tert-butyl ether	mg/l	0.0266	0.0253	106.	51-142	4.92	20	WG481355	
Methylene Chloride	mg/l	0.0257	0.0235	103.	4-125	14	20	WG481355	
n-Butylbenzene	mg/l	0.0261	0.0304	104.	63-142	15.4	20	WG481355	
n-Propylbenzene	mg/l	0.0243	0.0280	97.0	71-132	14.2	20	WG481355	
Naphthalene	mg/l	0.0237	0.0235	96.	6-145	12.	20	WG481355	
p-Isopropyltoluene	mg/l	0.0239	0.0278	96.0	68-138	14.9	20	WG481355	
sec-Butylbenzene	mg/l	0.0248	0.0286	99.0	70-135	14.3	20	WG481355	
Styrene	mg/l	0.0230	0.0269	92.0	60-130	15.7	20	WG481355	
tert-Butylbenzene	mg/l	0.0242	0.0279	97.0	72-134	14.1	20	WG481355	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control		Sample	Duplicate	Limit	RPD	Limit	Batch
		Result	Ref	Rec	Rec				
Tetrachloroethene	mg/l	0.0226	0.0258	93.0	7-13	10.2	20	WG481355	
Toluene	mg/l	0.0226	0.0257	90.0	2-122	12.7	20	WG481355	
trans-1,2-Dichloroethene	mg/l	0.0259	0.0282	104.	67-129	8.36	20	WG481355	
trans-1,3-Dichloropropene	mg/l	0.0226	0.0280	95.0	68-137	10.2	20	WG481355	
Trichloroethene	mg/l	0.0225	0.0255	90.0	74-126	12.6	20	WG481355	
Trichlorofluoromethane	mg/l	0.0319	0.0389	128.	54-156	19.8	20	WG481355	
Vinyl chloride	mg/l	0.02	0.0281	99.	-153	13.1	0	WG481355	
Xylenes, Total	mg/l	0.0665	0.0754	89.0	75-128	12.6	20	WG481355	
4-Bromofluorobenzene				103.2	75-128			WG481355	
Dibromofluoromethane				11.84	9-125			WG481355	
Toluene-d8				99.61	87-114			WG481355	
1,1,1,2-Tetrachloroethane	mg/l	0.0261	0.026	10	-134	0.510	0	WG481382	
1,1,1-Trichloroethane	mg/l	0.0261	0.0251	104.	67-137	3.83	20	WG481382	
1,1,2,2-Tetrachloroethane	mg/l	0.0262	0.0275	105.	72-128	4.79	20	WG481382	
1,1,2-Trichloroethane	mg/l	0.0251	0.0247	100.	9-123	1.7	0	WG481382	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0259	0.0249	104.	51-149	3.97	20	WG481382	
1,1-Dichloroethane	mg/l	0.0255	0.0251	102.	67-133	1.52	20	WG481382	
1,1-Dichloroethene	mg/l	0.0227	0.0225	91.	-130	0.880	0	WG481382	
1,1-Dichloropropene	mg/l	0.0262	0.0259	105.	68-132	0.860	20	WG481382	
1,2,3-Trichlorobenzene	mg/l	0.0241	0.0246	96.0	63-138	2.12	20	WG481382	
1,2,3-Trichloropropene	mg/l	0.0256	0.0264	102.	67-130	3.27	0	WG481382	
1,2,3-Trimethylbenzene	mg/l	0.0273	0.0269	109.	70-127	1.61	20	WG481382	
1,2,4-Trichlorobenzene	mg/l	0.0281	0.0275	112.	65-137	1.95	20	WG481382	
1,2,4-Trimethylbenzene	mg/l	0.02	0.0280	111.	2-135	0.910	0	WG481382	
1,2-Dibromo-3-Chloropropane	mg/l	0.0233	0.0246	93.0	55-134	5.13	20	WG481382	
1,2-Dibromoethane	mg/l	0.0255	0.0260	102.	75-126	1.76	20	WG481382	
1,2-Dichlorobenzene	mg/l	0.0280	0.0267	112.	5-122	4.	0	WG481382	
1,2-Dichloroethane	mg/l	0.0267	0.0264	107.	63-137	0.800	20	WG481382	
1,2-Dichloropropene	mg/l	0.0265	0.0264	106.	74-122	0.460	20	WG481382	
1,3,5-Trimethylbenzene	mg/l	0.0279	0.0282	112.	3-134	0.770	0	WG481382	
1,3-Dichlorobenzene	mg/l	0.0267	0.0273	107.	73-131	2.13	20	WG481382	
1,3-Dichloropropene	mg/l	0.0246	0.0252	98.0	77-119	2.27	20	WG481382	
1,4-Dichlorobenzene	mg/l	0.0271	0.0258	108.	0-12	4.64	20	WG481382	
2,2-Dichloropropene	mg/l	0.0262	0.0256	105.	46-151	2.45	20	WG481382	
2-Butanone (MEK)	mg/l	0.127	0.123	101.	53-132	3.43	20	WG481382	
2-Chloroethyl vinyl ether	mg/l	0.13	0.144	111.	-171	3.99	27	WG481382	
2-Chlorotoluene	mg/l	0.0256	0.0260	102.	74-128	1.40	20	WG481382	
4-Chlorotoluene	mg/l	0.0264	0.0266	106.	74-130	0.920	20	WG481382	
4-Methyl-2-pentanone (MIBK)	mg/l	0.127	0.148	3.	0-142	4.26	20	WG481382	
Acetone	mg/l	0.120	0.120	96.0	48-134	0.500	20	WG481382	
Acrolein	mg/l	0.125	0.108	100.	6-182	14.7	39	WG481382	
Acrylonitrile	mg/l	0.13	0.133	104.	0-140	2.0	0	WG481382	
Benzene	mg/l	0.0271	0.0261	108.	67-126	3.71	20	WG481382	
Bromobenzene	mg/l	0.0265	0.0272	106.	76-123	2.68	20	WG481382	
Bromodichloromethane	mg/l	0.0265	0.0282	106.	8-133	6.2	0	WG481382	
Bromoform	mg/l	0.0232	0.0248	93.0	60-139	6.80	20	WG481382	
Bromomethane	mg/l	0.0232	0.0221	93.0	45-175	4.94	20	WG481382	
Carbon tetrachloride	mg/l	0.0261	0.0262	104.	4-14	0.520	20	WG481382	
Chlorobenzene	mg/l	0.0257	0.0251	103.	77-125	2.24	20	WG481382	
Chlorodibromomethane	mg/l	0.0258	0.0250	103.	73-138	2.96	20	WG481382	
Chloroethane	mg/l	0.0271	0.0278	108.	68-155	2.7	20	WG481382	
Chloroform	mg/l	0.0258	0.0253	103.	66-126	2.06	20	WG481382	
Chloromethane	mg/l	0.0162	0.0162	65.0	45-152	0.270	20	WG481382	
cis-1,2-Dichloroethene	mg/l	0.0226	0.0228	100	2-128	1.	20	WG481382	
cis-1,3-Dichloropropene	mg/l	0.0253	0.0259	101.	73-131	2.68	20	WG481382	
Di-isopropyl ether	mg/l	0.0266	0.0257	106.	63-139	3.17	20	WG481382	
Dibromomethane	mg/l	0.0227	0.0264	103.	68-125	2.06	20	WG481382	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Laboratory Control Sample Duplicate								
Analyte	Units	Result	Ref	Rec	Limit	RPD	Limit	Batch
Dichlorodifluoromethane	mg/l	0.0220	0.0232	105.0	33-189	5.39	20	WG481382
Ethylbenzene	mg/l	0.0262	0.0255	105.	76-129	2.49	20	WG481382
Hexachloro-1,3-butadiene	mg/l	0.0268	0.0256	107.	67-135	4.73	20	WG481382
Isopropylbenzene	mg/l	0.0268	0.0270	107.	-132	0.560	20	WG481382
Methyl tert-butyl ether	mg/l	0.0255	0.0253	102.	51-142	1.08	20	WG481382
Methylene Chloride	mg/l	0.0240	0.0238	96.0	64-125	1.07	20	WG481382
n-Butylbenzene	mg/l	0.0308	0.0302	12	3-142	1.91	0	WG481382
n-Propylbenzene	mg/l	0.0260	0.0263	104.	71-132	1.08	20	WG481382
Naphthalene	mg/l	0.0262	0.0265	105.	56-145	1.42	20	WG481382
p-Isopropyltoluene	mg/l	0.0291	0.0293	113.	73-138	0.650	0	WG481382
sec-Butylbenzene	mg/l	0.0282	0.0282	113.	70-135	0.270	20	WG481382
Styrene	mg/l	0.0248	0.0245	99.0	78-130	1.30	20	WG481382
tert-Butylbenzene	mg/l	0.0270	0.0283	111.	2-134	2.01	0	WG481382
Tetrachloroethene	mg/l	0.0241	0.0239	96.0	67-135	1.04	20	WG481382
Toluene	mg/l	0.0256	0.0255	102.	72-122	0.0700	20	WG481382
trans-1,2-Dichloroethene	mg/l	0.0243	0.0243	98.	7-129	0.560	0	WG481382
trans-1,3-Dichloropropene	mg/l	0.0231	0.0239	92.0	66-137	3.78	20	WG481382
Trichloroethene	mg/l	0.0237	0.0244	95.0	74-126	2.73	20	WG481382
Trichlorofluoromethane	mg/l	0.0272	0.0277	109.	53-156	1.82	0	WG481382
Vinyl chloride	mg/l	0.0238	0.0239	95.0	55-153	0.350	20	WG481382
Xylenes, Total	mg/l	0.0790	0.0798	105.	75-128	1.02	20	WG481382
4-Bromofluorobenzene				96.42	5-128			WG481382
Dibromofluoromethane				97.01	79-125			WG481382
Toluene-d8				96.98	87-114			WG481382
1,1,1,2-Tetrachloroethane	mg/l	0.0238	0.0253	95.0	75-134	5.97	20	WG481381
1,1,1-Trichloroethane	mg/l	0.0241	0.0244	96.0	67-137	1.30	20	WG481381
1,1,2,2-Tetrachloroethane	mg/l	0.0262	0.0271	105.	2-128	3.21	20	WG481381
1,1,2-Trichloroethane	mg/l	0.0241	0.0250	96.0	79-123	3.65	20	WG481381
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0239	0.0256	96.0	51-149	6.72	20	WG481381
1,1-Dichloroethane	mg/l	0.02	0.0240	94.	7-133	2.	0	WG481381
1,1-Dichloroethene	mg/l	0.0211	0.0231	84.0	60-130	8.98	20	WG481381
1,1-Dichloropropene	mg/l	0.0240	0.0253	96.0	68-132	5.25	20	WG481381
1,2,3-Trichlorobenzene	mg/l	0.0254	0.0243	101.	3-138	4.33	20	WG481381
1,2,3-Trichloropropene	mg/l	0.0254	0.0256	101.	68-130	0.800	20	WG481381
1,2,3-Trimethylbenzene	mg/l	0.0252	0.0283	101.	70-127	11.4	20	WG481381
1,2,4-Trichlorobenzene	mg/l	0.0294	0.0273	118.	53-137	7.42	0	WG481381
1,2,4-Trimethylbenzene	mg/l	0.0246	0.0270	98.0	72-135	9.39	20	WG481381
1,2-Dibromo-3-Chloropropane	mg/l	0.0241	0.0223	96.0	55-134	7.56	20	WG481381
1,2-Dibromoethane	mg/l	0.0233	0.0263	93.0	53-126	12.	20	WG481381
1,2-Dichlorobenzene	mg/l	0.0272	0.0280	109.	75-122	3.14	20	WG481381
1,2-Dichloroethane	mg/l	0.0266	0.0261	106.	63-137	1.71	20	WG481381
1,2-Dichloropropene	mg/l	0.0245	0.0249	98.0	4-122	1.48	0	WG481381
1,3,5-Trimethylbenzene	mg/l	0.0266	0.0272	106.	73-134	2.21	20	WG481381
1,3-Dichlorobenzene	mg/l	0.0236	0.0256	94.0	73-131	8.34	20	WG481381
1,3-Dichloropropene	mg/l	0.0251	0.0257	100.	7-119	2.52	0	WG481381
1,4-Dichlorobenzene	mg/l	0.0246	0.0270	98.0	70-121	9.21	20	WG481381
2,2-Dichloropropane	mg/l	0.0243	0.0252	97.0	46-151	3.70	20	WG481381
2-Butanone (MEK)	mg/l	0.12	.128	99.	-132	3.7	20	WG481381
2-Chloroethyl vinyl ether	mg/l	0.139	0.145	111.	0-171	4.37	27	WG481381
2-Chlorotoluene	mg/l	0.0248	0.0253	99.0	74-128	2.25	20	WG481381
4-Chlorotoluene	mg/l	0.0261	0.0246	104	4-130	6.	21	WG481381
4-Methyl-2-pentanone (MIBK)	mg/l	0.149	0.134	119.	60-142	10.6	20	WG481381
Acetone	mg/l	0.121	0.120	96.0	41-134	0.240	20	WG481381
Acrolein	mg/l	0.12	0.131	100.	6-182	4.82	39	WG481381
Acrylonitrile	mg/l	0.134	0.132	107.	60-140	1.61	20	WG481381
Benzene	mg/l	0.0246	0.0261	98.0	67-126	5.94	20	WG481381
Bromobenzene	mg/l	0.0245	0.0269	98.0	53-123	3.22	20	WG481381

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	tRec				
Bromodichloromethane	mg/l	0.02	0.0268	108.	65-133	4.80	20	WG481381
Bromoform	mg/l	0.0251	0.0253	100.	60-139	0.850	20	WG481381
Bromomethane	mg/l	0.0364	0.0363	146.	45-175	0.410	20	WG481381
Carbon tetrachloride	mg/l	0.0258	0.0261	103.	62-141	3.00	20	WG481381
Chlorobenzene	mg/l	0.0235	0.0243	94.0	77-125	3.43	20	WG481381
Chlorodibromomethane	mg/l	0.0252	0.0247	101.	73-138	2.05	20	WG481381
Chloroethane	mg/l	0.03	0.0298	12	-155	6.0	0	WG481381
Chloroform	mg/l	0.0247	0.0246	99.0	66-126	0.340	20	WG481381
Chloromethane	mg/l	0.0174	0.0195	69.0	45-152	11.6	20	WG481381
cis-1,2-Dichloroethene	mg/l	0.0236	0.0242	94.	2-128	2.2	0	WG481381
cis-1,3-Dichloropropene	mg/l	0.0247	0.0243	99.0	73-131	1.74	20	WG481381
Di-isopropyl ether	mg/l	0.0241	0.0252	96.0	63-139	4.19	20	WG481381
Dibromomethane	mg/l	0.0239	0.0253	96.	3-125	5.	0	WG481381
Dichlorodifluoromethane	mg/l	0.0231	0.0247	92.0	39-189	6.62	24	WG481381
Ethylbenzene	mg/l	0.0236	0.0244	94.0	76-129	3.28	20	WG481381
Hexachloro-1,3-butadiene	mg/l	0.0233	0.0255	109.	7-135	6.8	0	WG481381
Isopropylbenzene	mg/l	0.0255	0.0243	102.	73-132	4.77	20	WG481381
Methyl tert-butyl ether	mg/l	0.0241	0.0254	96.0	51-142	5.21	20	WG481381
Methylene Chloride	mg/l	0.0216	0.0228	95.	4-125	5.81	0	WG481381
n-Butylbenzene	mg/l	0.0302	0.0313	121.	63-142	3.63	20	WG481381
n-Propylbenzene	mg/l	0.0241	0.0258	96.0	71-132	6.65	20	WG481381
Naphthalene	mg/l	0.0296	0.026	118	6-145	12.	0	WG481381
p-Isopropyltoluene	mg/l	0.0261	0.0278	104.	68-138	6.25	20	WG481381
sec-Butylbenzene	mg/l	0.0248	0.0256	99.0	70-135	3.19	20	WG481381
Styrene	mg/l	0.0233	0.0240	93.	-130	3.0	0	WG481381
tert-Butylbenzene	mg/l	0.0270	0.0272	108.	72-134	0.460	20	WG481381
Tetrachloroethene	mg/l	0.0231	0.0241	92.0	67-135	4.13	20	WG481381
Toluene	mg/l	0.0246	0.0227	98.	2-122	8.0	0	WG481381
trans-1,2-Dichloroethene	mg/l	0.0219	0.0239	88.0	67-129	8.70	20	WG481381
trans-1,3-Dichloropropene	mg/l	0.0231	0.0218	92.0	66-137	5.96	20	WG481381
Trichloroethene	mg/l	0.0228	0.0239	91.	4-126	4.62	0	WG481381
Trichlorofluoromethane	mg/l	0.0306	0.0289	122.	54-156	5.53	20	WG481381
Vinyl chloride	mg/l	0.0248	0.0272	99.0	55-153	8.98	20	WG481381
Xylenes, Total	mg/l	0.0754	0.0778	100.	5-128	2.0	20	WG481381
4-Bromofluorobenzene				92.01	75-128			WG481381
Dibromofluoromethane				97.02	79-125			WG481381
Toluene-d8				98.32	7-114			WG481381
1,2,4-Trimethylbenzene	mg/l	0.0223	0.0239	89.0	72-135	7.10	20	WG481568
Benzene	mg/l	0.0208	0.0217	99.0	63-126	4.1	20	WG481568
cis-1,2-Dichloroethene	mg/l	0.0222	0.0232	89.0	72-128	4.51	20	WG481568
Ethylbenzene	mg/l	0.0227	0.0248	91.0	76-129	8.92	20	WG481568
sec-Butylbenzene	mg/l	0.0225	0.0252	91.0	0-135	.62	0	WG481568
Tetrachloroethene	mg/l	0.0230	0.0253	92.0	67-135	9.61	20	WG481568
Vinyl chloride	mg/l	0.0195	0.0218	78.0	55-153	11.0	20	WG481568
Xylenes, Total	mg/l	0.0665	0.0717	89.0	5-128	7.54	0	WG481568
4-Bromofluorobenzene				98.87	75-128			WG481568
Dibromofluoromethane				94.78	79-125			WG481568
Toluene-d8				102.8	7-114			WG481568
1,1,1,2-Tetrachloroethane	mg/l	0.0228	0.0254	91.0	75-134	10.8	20	WG481596
1,1,1-Trichloroethane	mg/l	0.0248	0.0294	99.	7-137	16.7	20	WG481596
1,1,2,2-Tetrachloroethane	mg/l	0.0228	0.0244	91.0	72-128	6.64	20	WG481596
1,1,2-Trichloroethane	mg/l	0.0225	0.0243	90.0	79-123	7.34	20	WG481596
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0233	0.0352	113.	55-149	21.7*	20	WG481596
1,1-Dichloroethane	mg/l	0.0244	0.0302	98.0	67-133	21.2*	20	WG481596
1,1-Dichloroethene	mg/l	0.0254	0.0314	102.	60-130	21.0*	20	WG481596

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	tRec				
1,1-Dichloropropene	mg/l	0.0256	0.0303	102.	58-132	18.5	20	WG481596
1,2,3-Trichlorobenzene	mg/l	0.0278	0.0207	111.	63-138	29.2*	20	WG481596
1,2,3-Trichloropropane	mg/l	0.0229	0.0233	92.0	68-130	1.78	20	WG481596
1,2,3-Trimethylbenzene	mg/l	0.0226	0.0233		-127	58	20	WG481596
1,2,4-Trichlorobenzene	mg/l	0.0293	0.0265	117.	65-137	10.1	20	WG481596
1,2,4-Trimethylbenzene	mg/l	0.0228	0.0255	91.0	72-135	11.4	20	WG481596
1,2-Dibromo-3-Chloropropane	mg/l	0.0226	0.0200	90.	-134	12.	0	WG481596
1,2-Dibromoethane	mg/l	0.0215	0.0239	86.0	75-126	10.7	20	WG481596
1,2-Dichlorobenzene	mg/l	0.0230	0.0260	92.0	75-122	12.3	20	WG481596
1,2-Dichloroethane	mg/l	0.0259	0.0290	103.	3-137	11.4	0	WG481596
1,2-Dichloropropane	mg/l	0.0239	0.0246	95.0	74-122	2.90	20	WG481596
1,3,5-Trimethylbenzene	mg/l	0.0234	0.0268	94.0	73-134	13.8	20	WG481596
1,3-Dichlorobenzene	mg/l	0.0220	0.0246	98.5	3-13	11.	0	WG481596
1,3-Dichloropropane	mg/l	0.0227	0.0252	91.0	77-119	10.8	20	WG481596
1,4-Dichlorobenzene	mg/l	0.0247	0.0233	99.0	70-121	5.76	20	WG481596
2,2-Dichloropropane	mg/l	0.0265	0.0308	106.	6-15	15.1	0	WG481596
2-Butanone (MEK)	mg/l	0.128	0.126	103.	53-132	2.16	20	WG481596
2-Chloroethyl vinyl ether	mg/l	0.143	0.132	114.	0-171	7.62	27	WG481596
2-Chlorotoluene	mg/l	0.0210	0.0241	94.	-128	14.1	0	WG481596
4-Chlorotoluene	mg/l	0.0224	0.0249	90.0	74-130	10.5	20	WG481596
4-Methyl-2-pentanone (MIBK)	mg/l	0.139	0.133	111.	60-142	4.56	20	WG481596
Acetone	mg/l	0.12	0.130	101.	58-134	18.5	0	WG481596
Acrolein	mg/l	0.0264	0.0295	21.0	6-182	11.0	39	WG481596
Acrylonitrile	mg/l	0.143	0.151	114.	60-140	5.27	20	WG481596
Benzene	mg/l	0.02	0.0288	102.	7-126	12.1	0	WG481596
Bromobenzene	mg/l	0.0229	0.0257	92.0	76-123	11.5	20	WG481596
Bromodichloromethane	mg/l	0.0241	0.0256	96.0	68-133	5.75	20	WG481596
Bromoform	mg/l	0.0222	0.0207	89.	0-139	6.9	0	WG481596
Bromomethane	mg/l	0.0359	0.0448	144.	45-175	22.1*	20	WG481596
Carbon tetrachloride	mg/l	0.0263	0.0309	105.	64-141	16.1	20	WG481596
Chlorobenzene	mg/l	0.0220	0.0243	88.	7-125	9.92	0	WG481596
Chlorodibromomethane	mg/l	0.0224	0.0250	89.0	73-138	11.2	20	WG481596
Chloroethane	mg/l	0.0302	0.0379	121.	49-155	22.8*	20	WG481596
Chloroform	mg/l	0.0245	0.0290	94.	6-126	16.8	20	WG481596
Chloromethane	mg/l	0.0186	0.0228	74.0	45-152	20.2*	20	WG481596
cis-1,2-Dichloroethene	mg/l	0.0237	0.0283	95.0	72-128	17.8	20	WG481596
cis-1,3-Dichloropropene	mg/l	0.0227	0.0226	91.0	3-13	0.500	0	WG481596
Di-isopropyl ether	mg/l	0.0263	0.0302	105.	63-139	13.6	20	WG481596
Dibromomethane	mg/l	0.0240	0.0244	96.0	73-125	1.62	20	WG481596
Dichlorodifluoromethane	mg/l	0.02	0.0308	0.	9-189	20.2	24	WG481596
Ethylbenzene	mg/l	0.0227	0.0252	91.0	76-129	10.6	20	WG481596
Hexachloro-1,3-butadiene	mg/l	0.0264	0.0241	106.	67-135	9.17	20	WG481596
Isopropylbenzene	mg/l	0.0245	0.0263	98.0	3-132	6.7	0	WG481596
Methyl tert-butyl ether	mg/l	0.0270	0.0308	108.	51-142	13.1	20	WG481596
Methylene Chloride	mg/l	0.0245	0.0292	98.0	64-125	17.5	20	WG481596
n-Butylbenzene	mg/l	0.0253	0.0285	101.	3-142	12.	0	WG481596
n-Propylbenzene	mg/l	0.0213	0.0253	85.0	71-132	17.3	20	WG481596
Naphthalene	mg/l	0.0297	0.0228	119.	56-145	26.1*	20	WG481596
p-Isopropyltoluene	mg/l	0.0248	0.0267	99.0	8-138	7.44	20	WG481596
sec-Butylbenzene	mg/l	0.0236	0.0268	94.0	70-135	12.4	20	WG481596
Styrene	mg/l	0.0201	0.0210	80.0	78-130	4.42	20	WG481596
tert-Butylbenzene	mg/l	0.0236	0.0269	94.	2-134	13.1	20	WG481596
Tetrachloroethene	mg/l	0.0211	0.0220	84.0	67-135	4.21	20	WG481596
Toluene	mg/l	0.0240	0.0253	96.0	72-122	5.26	20	WG481596
trans-1,2-Dichloroethene	mg/l	0.0225	0.0291	100.	7-129	18.8	20	WG481596
trans-1,3-Dichloropropene	mg/l	0.0215	0.0222	86.0	66-137	3.44	20	WG481596
Trichloroethene	mg/l	0.0233	0.0234	93.0	74-126	0.140	20	WG481596
Trichlorofluoromethane	mg/l	0.0225	0.0326	115.	4-156	12.7	20	WG481596
Vinyl chloride	mg/l	0.0261	0.0293	104.	55-153	11.9	20	WG481596

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control		Sample Duplicate		Limit	RPD	Limit	Batch
		Result	Ref	tRec	tRec				
Xylenes, Total	mg/l	0.06	0.0725	90.0	90.0	75-128	7.57	20	WG481596
4-Bromofluorobenzene				92.32	92.32	75-128			WG481596
Dibromofluoromethane				96.75	96.75	79-125			WG481596
Toluene-d8				99.02	99.02	87-114			WG481596
1,1,1,2-Tetrachloroethane	mg/l	0.0287	0.0285	115.	115.	75-134	0.950	20	WG481667
1,1,1-Trichloroethane	mg/l	0.0287	0.0272	106.	106.	7-137	2.	0	WG481667
1,1,2,2-Tetrachloroethane	mg/l	0.0195	0.0200	78.0	78.0	72-128	2.32	20	WG481667
1,1,2-Trichloroethane	mg/l	0.0259	0.0263	104.	104.	79-123	1.45	20	WG481667
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0249	0.0251	100.	100.	-149	0.820	0	WG481667
1,1-Dichloroethane	mg/l	0.0223	0.0222	89.0	89.0	67-133	0.320	20	WG481667
1,1-Dichloroethane	mg/l	0.0213	0.0210	85.0	85.0	60-130	1.17	20	WG481667
1,1-Dichloropropene	mg/l	0.0235	0.0248	94.	94.	-132	5.	0	WG481667
1,2,3-Trichlorobenzene	mg/l	0.0233	0.0217	93.0	93.0	63-138	6.71	20	WG481667
1,2,3-Trichloropropene	mg/l	0.0243	0.0244	97.0	97.0	68-130	0.610	20	WG481667
1,2,3-Trimethylbenzene	mg/l	0.021	0.029	100.	100.	60-127	2.	0	WG481667
1,2,4-Trichlorobenzene	mg/l	0.0225	0.0213	90.0	90.0	65-137	5.70	20	WG481667
1,2,4-Trimethylbenzene	mg/l	0.0264	0.0285	106.	106.	72-135	7.78	20	WG481667
1,2-Dibromo-3-Chloropropene	mg/l	0.0244	0.0226	98.	98.	-134	7.6	0	WG481667
1,2-Dibromoethane	mg/l	0.0267	0.0283	107.	107.	75-126	5.86	20	WG481667
1,2-Dichlorobenzene	mg/l	0.0276	0.0282	110.	110.	75-122	1.92	20	WG481667
1,2-Dichloroethane	mg/l	0.0266	0.0264	104.	104.	3-137	1.42	0	WG481667
1,2-Dichloropropene	mg/l	0.0232	0.0241	93.0	93.0	74-122	3.96	20	WG481667
1,3,5-Trimethylbenzene	mg/l	0.0272	0.0286	109.	109.	73-134	5.30	20	WG481667
1,3-Dichlorobenzene	mg/l	0.0252	0.0269	101.	101.	-13	6.21	0	WG481667
1,3-Dichloropropene	mg/l	0.0246	0.0253	98.0	98.0	77-119	2.51	20	WG481667
1,4-Dichlorobenzene	mg/l	0.0270	0.0283	108.	108.	70-121	4.73	20	WG481667
2,2-Dichloropropene	mg/l	0.02	0.0261	103.	103.	6-15	1.61	0	WG481667
2-Butanone (MEK)	mg/l	0.106	0.0983	85.0	85.0	53-132	7.58	20	WG481667
2-Chloroethyl vinyl ether	mg/l	0.128	0.128	102.	102.	0-171	0.0500	27	WG481667
2-Chlorotoluene	mg/l	0.0275	0.0293	110.	110.	4-128	6.4	0	WG481667
4-Chlorotoluene	mg/l	0.0268	0.0282	107.	107.	74-130	5.24	20	WG481667
4-Methyl-2-pentanone (MIBK)	mg/l	0.135	0.129	108.	108.	60-142	5.08	20	WG481667
Acetone	mg/l	0.11	0.105	91.	91.	8-134	8.0	0	WG481667
Acrolein	mg/l	0.118	0.0988	94.0	94.0	6-182	17.6	39	WG481667
Acrylonitrile	mg/l	0.0912	0.0892	73.0	73.0	60-140	2.30	20	WG481667
Benzene	mg/l	0.0202	0.0208	81.0	81.0	7-12	2.91	0	WG481667
Bromobenzene	mg/l	0.0253	0.0269	101.	101.	76-123	6.07	20	WG481667
Bromodichloromethane	mg/l	0.0280	0.0284	112.	112.	68-133	1.64	20	WG481667
Bromoform	mg/l	0.0288	0.0289	115.	115.	60-139	0.380	0	WG481667
Bromomethane	mg/l	0.0295	0.0277	118.	118.	45-175	6.33	20	WG481667
Carbon tetrachloride	mg/l	0.0271	0.0265	108.	108.	64-141	2.38	20	WG481667
Chlorobenzene	mg/l	0.0265	0.0258	106.	106.	7-12	2.83	0	WG481667
Chlorodibromomethane	mg/l	0.0306	0.0313	122.	122.	73-138	2.45	20	WG481667
Chloroethane	mg/l	0.0273	0.0287	109.	109.	49-155	5.13	20	WG481667
Chloroform	mg/l	0.0241	0.0249	96.0	96.0	-126	3.21	0	WG481667
Chloromethane	mg/l	0.0140	0.0142	56.0	56.0	45-152	1.65	20	WG481667
cis-1,2-Dichloroethene	mg/l	0.0209	0.0215	83.0	83.0	72-128	2.99	20	WG481667
cis-1,3-Dichloropropene	mg/l	0.0260	0.0268	104.	104.	3-13	2.	20	WG481667
Di-isopropyl ether	mg/l	0.0214	0.0221	86.0	86.0	63-139	3.09	20	WG481667
Dibromomethane	mg/l	0.0264	0.0264	106.	106.	73-125	0.100	20	WG481667
Dichlorodifluoromethane	mg/l	0.0416	0.0419	166.	166.	-189	0.820	2	WG481667
Ethylbenzene	mg/l	0.0269	0.0268	107.	107.	76-129	0.200	20	WG481667
Hexachloro-1,3-butadiene	mg/l	0.0308	0.0292	123.	123.	67-135	5.28	20	WG481667
Isopropylbenzene	mg/l	0.0260	0.0278	104.	104.	-132	0.970	20	WG481667
Methyl tert-butyl ether	mg/l	0.0251	0.0249	100.	100.	51-142	0.970	20	WG481667
Methylene Chloride	mg/l	0.0189	0.0198	76.0	76.0	64-125	4.33	20	WG481667
n-Butylbenzene	mg/l	0.0267	0.0261	103.	103.	60-142	1.50	20	WG481667

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Laboratory Control Sample Duplicate			Limit	RPD	Limit	Batch
		Result	Ref	%Rec				
n-Propylbenzene	mg/l	0.0269	0.0269	102.	-132	20	20	WG481667
Naphthalene	mg/l	0.0211	0.0191	84.0	56-145	10.4	20	WG481667
p-Isopropyltoluene	mg/l	0.0276	0.0287	110.	68-138	3.92	20	WG481667
sec-Butylbenzene	mg/l	0.0257	0.0271	103.	-135	5.38	20	WG481667
Styrene	mg/l	0.0240	0.0261	96.0	8-130	8.38	20	WG481667
tert-Butylbenzene	mg/l	0.0279	0.0291	112.	72-134	3.97	20	WG481667
Tetrachloroethene	mg/l	0.0288	0.0305	1	7-135	5.60	20	WG481667
Toluene	mg/l	0.0239	0.0242	96.0	72-122	1.32	20	WG481667
trans-1,2-Dichloroethene	mg/l	0.0211	0.0223	84.0	67-129	5.57	20	WG481667
trans-1,3-Dichloropropene	mg/l	0.0288	0.0284	114.	6-137	0.0700	0	WG481667
Trichloroethene	mg/l	0.0260	0.0268	104.	74-126	3.05	20	WG481667
Trichlorofluoromethane	mg/l	0.0339	0.0347	136.	54-156	2.15	20	WG481667
Vinyl chloride	mg/l	0.0191	0.0196	76.	-153	.01	0	WG481667
Xylenes, Total	mg/l	0.0758	0.0767	101.	75-128	1.11	20	WG481667
4-Bromofluorobenzene				92.64	75-128			WG481667
Dibromofluoromethane				91.59	9-125			WG481667
Toluene-d8				95.94	87-114			WG481667

Analyte	Units	Matrix Spike				Limit	Ref Samp	Batch
		MS Res	Ref Res	TV	% Rec			
1,1,1,2-Tetrachloroethane	mg/l	0.0292	0	.28	101.	45-152	L460652-01	WG481197
1,1,1-Trichloroethane	mg/l	0.0278	0	.025	111.	31-161	L460652-01	WG481197
1,1,2,2-Tetrachloroethane	mg/l	0.0276	0	.025	110.	49-149	L460652-01	WG481197
1,1,2-Trichloroethane	mg/l	0.0265	0	.2	0.	46-145	L460652-01	WG481197
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0258	0	.025	103.	14-168	L460652-01	WG481197
1,1-Dichloroethane	mg/l	0.0267	0	.025	107.	30-159	L460652-01	WG481197
1,1-Dichloroethene	mg/l	0.0309	0.0066	.025	97.1	10-162	L460652-01	WG481197
1,1-Dichloropropene	mg/l	0.0274	0	.025	109.	14-162	L460652-01	WG481197
1,2,3-Trichlorobenzene	mg/l	0.0258	0	.025	103.	32-143	L460652-01	WG481197
1,2,3-Trichloropropene	mg/l	0.0266	0	.2	0.	48-148	L460652-01	WG481197
1,2,3-Trimethylbenzene	mg/l	0.0276	0	.025	110.	36-141	L460652-01	WG481197
1,2,4-Trichlorobenzene	mg/l	0.0298	0	.025	119.	27-142	L460652-01	WG481197
1,2,4-Trimethylbenzene	mg/l	0.0292	0	.02	17.	29-153	L460652-01	WG481197
1,2-Dibromo-3-Chloropropene	mg/l	0.0232	0	.025	92.6	37-148	L460652-01	WG481197
1,2-Dibromoethane	mg/l	0.0278	0	.025	111.	41-149	L460652-01	WG481197
1,2-Dichlorobenzene	mg/l	0.0292	0	.2	17.	40-139	L460652-01	WG481197
1,2-Dichloroethane	mg/l	0.0272	0	.025	109.	29-167	L460652-01	WG481197
1,2-Dichloropropene	mg/l	0.0272	0	.025	109.	39-148	L460652-01	WG481197
1,3,5-Trimethylbenzene	mg/l	0.0290	0	.02	16.	33-14	L460652-01	WG481197
1,3-Dichlorobenzene	mg/l	0.0284	0	.025	114.	32-148	L460652-01	WG481197
1,3-Dichloropropene	mg/l	0.0273	0	.025	109.	44-142	L460652-01	WG481197
1,4-Dichlorobenzene	mg/l	0.028	0	.02	13.	32-136	L460652-01	WG481197
2,2-Dichloropropene	mg/l	0.0281	0	.025	112.	14-158	L460652-01	WG481197
2-Butanone (MEK)	mg/l	0.124	0	.125	99.4	32-151	L460652-01	WG481197
2-Chloroethyl vinyl ether	mg/l	0.0152	0	.12	2.2	0-175	L460652-01	WG481197
2-Chlorotoluene	mg/l	0.0272	0	.025	109.	35-147	L460652-01	WG481197
4-Chlorotoluene	mg/l	0.0286	0	.025	114.	33-147	L460652-01	WG481197
4-Methyl-2-pentanone (MIBK)	mg/l	0.157	0	.12	25.	40-160	L460652-01	WG481197
Acetone	mg/l	0.114	0	.125	91.5	25-157	L460652-01	WG481197
Acrolein	mg/l	0.134	0	.125	108.	0-179	L460652-01	WG481197
Acrylonitrile	mg/l	0.131	0	.125	05.	37-162	L460652-01	WG481197
Benzene	mg/l	0.0275	0	.025	110.	16-158	L460652-01	WG481197
Bromobenzene	mg/l	0.0286	0	.025	114.	37-147	L460652-01	WG481197
Bromodichloromethane	mg/l	0.028	0	.025	114.	45-1	L460652-01	WG481197
Bromoform	mg/l	0.0273	0	.025	109.	38-152	L460652-01	WG481197
Bromomethane	mg/l	0.0244	0	.025	97.7	0-191	L460652-01	WG481197
Carbon tetrachloride	mg/l	0.0283	0	.025	98.	-168	L460652-01	WG481197
Chlorobenzene	mg/l	0.0279	0	.025	112.	33-148	L460652-01	WG481197

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Matrix Spike			TV	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV					
Chlorodibromomethane	mg/l	0.029	0	0.025	119	48-151	L460652-01	WG481197	
Chloroethane	mg/l	0.0348	0.0130	0.025	87.0	4-176	L460652-01	WG481197	
Chloroform	mg/l	0.0264	0	0.025	106	37-147	L460652-01	WG481197	
Chloromethane	mg/l	0.0185	0	0.025	78	10-174	L460652-01	WG481197	
cis-1,2-Dichloroethene	mg/l	0.388	0.400	0.025	0*	29-156	L460652-01	WG481197	
cis-1,3-Dichloropropene	mg/l	0.0264	0	0.025	105	35-148	L460652-01	WG481197	
Di-isopropyl ether	mg/l	0.0280	0	2	1	-160	L460652-01	WG481197	
Dibromomethane	mg/l	0.0269	0	0.025	108	36-152	L460652-01	WG481197	
Dichlorodifluoromethane	mg/l	0.0247	0	0.025	99.0	0-200	L460652-01	WG481197	
Ethylbenzene	mg/l	0.0286	0	2		29-150	L460652-01	WG481197	
Hexachloro-1,3-butadiene	mg/l	0.0298	0	0.025	119	28-144	L460652-01	WG481197	
Isopropylbenzene	mg/l	0.0289	0	0.025	116	35-147	L460652-01	WG481197	
Methyl tert-butyl ether	mg/l	0.0264	0	2	06	24-167	L460652-01	WG481197	
Methylene Chloride	mg/l	0.0245	0	0.025	98.0	23-151	L460652-01	WG481197	
n-Butylbenzene	mg/l	0.0313	0	0.025	125	22-151	L460652-01	WG481197	
n-Propylbenzene	mg/l	0.0275	0	2	10	26-150	L460652-01	WG481197	
Naphthalene	mg/l	0.0281	0	0.025	112	24-160	L460652-01	WG481197	
p-Isopropyltoluene	mg/l	0.0307	0	0.025	123	28-151	L460652-01	WG481197	
sec-Butylbenzene	mg/l	0.0295	0	2	18	-149	L460652-01	WG481197	
Styrene	mg/l	0.0264	0	0.025	106	38-149	L460652-01	WG481197	
tert-Butylbenzene	mg/l	0.0302	0	0.025	121	36-149	L460652-01	WG481197	
Tetrachloroethene	mg/l	0.943	1.20	0.025	109	13-157	L460652-01	WG481197	
Toluene	mg/l	0.0272	0	0.025	109	22-152	L460652-01	WG481197	
trans-1,2-Dichloroethene	mg/l	0.0317	0.00710	0.025	98.6	11-160	L460652-01	WG481197	
trans-1,3-Dichloropropene	mg/l	0.0266	0	2	0	33-153	L460652-01	WG481197	
Trichloroethene	mg/l	0.180	0.170	0.025	40.8	18-163	L460652-01	WG481197	
Trichlorofluoromethane	mg/l	0.0257	0	0.025	103	10-177	L460652-01	WG481197	
Vinyl chloride	mg/l	0.239	0.260	0.025	0*	0-17	L460652-01	WG481197	
Xylenes, Total	mg/l	0.0872	0	0.075	116	27-151	L460652-01	WG481197	
4-Bromofluorobenzene					97.62	75-128		WG481197	
Dibromofluoromethane					97.9	79-125		WG481197	
Toluene-d8					97.46	87-114		WG481197	
1,1,1,2-Tetrachloroethane	mg/l	0.021	0	0.025	85.7	45-152	L460294-17	WG481309	
1,1,1-Trichloroethane	mg/l	0.0269	0.00360	0.025	93.2	31-161	L460294-17	WG481309	
1,1,2,2-Tetrachloroethane	mg/l	0.0250	0	0.025	100	49-149	L460294-17	WG481309	
1,1,2-Trichloroethane	mg/l	0.024	0	2	8.4	46-145	L460294-17	WG481309	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0218	0	0.025	87.3	14-168	L460294-17	WG481309	
1,1-Dichloroethane	mg/l	0.0253	0.00170	0.025	94.5	30-159	L460294-17	WG481309	
1,1-Dichloropropene	mg/l	0.0192	0	0.025	78.8	10-162	L460294-17	WG481309	
1,1-Dichloropropane	mg/l	0.0228	0	0.025	91.4	14-162	L460294-17	WG481309	
1,2,3-Trichlorobenzene	mg/l	0.0279	0	0.025	112	32-143	L460294-17	WG481309	
1,2,3-Trichloropropane	mg/l	0.0249	0	0.025	89.4	48-148	L460294-17	WG481309	
1,2,3-Trimethylbenzene	mg/l	0.0233	0	0.025	93.4	36-141	L460294-17	WG481309	
1,2,4-Trichlorobenzene	mg/l	0.0268	0	0.025	107	27-142	L460294-17	WG481309	
1,2,4-Trimethylbenzene	mg/l	0.02	0	0.025	84.9	29-153	L460294-17	WG481309	
1,2-Dibromo-3-Chloropropane	mg/l	0.0294	0	0.025	118	37-148	L460294-17	WG481309	
1,2-Dibromoethane	mg/l	0.0214	0	0.025	85.7	41-149	L460294-17	WG481309	
1,2-Dichlorobenzene	mg/l	0.0236	0	0.025	94.4	40-158	L460294-17	WG481309	
1,2-Dichloroethane	mg/l	0.0242	0	0.025	97.0	29-167	L460294-17	WG481309	
1,2-Dichloropropane	mg/l	0.0230	0	0.025	91.8	39-148	L460294-17	WG481309	
1,3,5-Trimethylbenzene	mg/l	0.020	0	0.025	2.0	33-14	L460294-17	WG481309	
1,3-Dichlorobenzene	mg/l	0.0211	0	0.025	84.3	32-148	L460294-17	WG481309	
1,3-Dichloropropane	mg/l	0.0223	0	0.025	89.2	44-142	L460294-17	WG481309	
1,4-Dichlorobenzene	mg/l	0.0236	0	0.025	84.6	32-137	L460294-17	WG481309	
2,2-Dichloropropane	mg/l	0.0222	0	0.025	88.7	14-158	L460294-17	WG481309	
2-Butanone (MEK)	mg/l	0.129	0	0.125	103	32-151	L460294-17	WG481309	
2-Chloroethyl vinyl ether	mg/l	0	0	0.125	0	0-175	L460294-17	WG481309	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	MS Res	Matrix Spike		TV	% Rec	Limit	Ref Samp	Batch
			Ref Res						
2-Chlorotoluene	mg/l	0.019	0	0.025	100.3	35-147	L460294-17	WG481309	
4-Chlorotoluene	mg/l	0.0209	0	0.025	83.4	33-147	L460294-17	WG481309	
4-Methyl-2-pentanone (MIBK)	mg/l	0.122	0	0.125	97.7	40-160	L460294-17	WG481309	
Acetone	mg/l	0.127	0	0.125	102.	25-157	L460294-17	WG481309	
Acrolein	mg/l	0.0969	0	0.125	77.5	0-179	L460294-17	WG481309	
Acrylonitrile	mg/l	0.133	0	0.125	106.	37-162	L460294-17	WG481309	
Benzene	mg/l	0.0238	0	0.025	95.2	16-158	L460294-17	WG481309	
Bromobenzene	mg/l	0.0194	0	0.025	77.8	37-147	L460294-17	WG481309	
Bromodichloromethane	mg/l	0.0243	0	0.025	97.3	45-147	L460294-17	WG481309	
Bromoform	mg/l	0.0205	0	0.025	82.1	33-152	L460294-17	WG481309	
Bromomethane	mg/l	0.0185	0	0.025	74.1	0-191	L460294-17	WG481309	
Carbon tetrachloride	mg/l	0.0241	0	0.025	96.2	22-168	L460294-17	WG481309	
Chlorobenzene	mg/l	0.021	0	0.025	86.8	3-148	L460294-17	WG481309	
Chlorodibromomethane	mg/l	0.0214	0	0.025	85.5	48-151	L460294-17	WG481309	
Chloroethane	mg/l	0.0218	0	0.025	87.2	4-176	L460294-17	WG481309	
Chloroform	mg/l	0.0235	0	0.025	96.2	-147	L460294-17	WG481309	
Chloromethane	mg/l	0.0155	0	0.025	62.0	10-174	L460294-17	WG481309	
cis-1,2-Dichloroethene	mg/l	0.0249	0.000850	0.025	96.4	29-156	L460294-17	WG481309	
cis-1,3-Dichloropropene	mg/l	0.0214	0	0.025	95.6	-148	L460294-17	WG481309	
Di-isopropyl ether	mg/l	0.0196	0	0.025	78.4	39-160	L460294-17	WG481309	
Dibromomethane	mg/l	0.0232	0	0.025	92.7	36-152	L460294-17	WG481309	
Dichlorodifluoromethane	mg/l	0.0132	0	0.025	92.8	0-200	L460294-17	WG481309	
Ethylbenzene	mg/l	0.0211	0	0.025	84.3	29-150	L460294-17	WG481309	
Hexachloro-1,3-butadiene	mg/l	0.0245	0	0.025	97.9	28-144	L460294-17	WG481309	
Isopropylbenzene	mg/l	0.0200	0	0.025	90.1	35-147	L460294-17	WG481309	
Methyl tert-butyl ether	mg/l	0.0241	0	0.025	96.5	24-167	L460294-17	WG481309	
Methylene Chloride	mg/l	0.0255	0	0.025	102.	23-151	L460294-17	WG481309	
n-Butylbenzene	mg/l	0.0250	0	0.025	99.8	22-151	L460294-17	WG481309	
n-Propylbenzene	mg/l	0.0210	0	0.025	83.9	26-150	L460294-17	WG481309	
Naphthalene	mg/l	0.0288	0	0.025	115.	24-160	L460294-17	WG481309	
p-Isopropyltoluene	mg/l	0.0202	0	0.025	90.9	28-151	L460294-17	WG481309	
sec-Butylbenzene	mg/l	0.0198	0	0.025	79.0	32-149	L460294-17	WG481309	
Styrene	mg/l	0.0191	0	0.025	76.4	38-149	L460294-17	WG481309	
tert-Butylbenzene	mg/l	0.0208	0	0.025	95.3	-149	L460294-17	WG481309	
Tetrachloroethene	mg/l	0.0224	0	0.025	89.6	13-157	L460294-17	WG481309	
Toluene	mg/l	0.0210	0	0.025	83.9	22-152	L460294-17	WG481309	
trans-1,2-Dichloroethene	mg/l	0.0239	0	0.025	95.8	11-160	L460294-17	WG481309	
trans-1,3-Dichloropropene	mg/l	0.0242	0	0.025	96.7	33-153	L460294-17	WG481309	
Trichloroethene	mg/l	0.0238	0.000550	0.025	93.0	18-163	L460294-17	WG481309	
Trichlorofluoromethane	mg/l	0.0223	0	0.025	99.0	10-177	L460294-17	WG481309	
Vinyl chloride	mg/l	0.00924	0	0.025	37.0	0-179	L460294-17	WG481309	
Xylenes, Total	mg/l	0.0599	0	0.075	79.9	27-151	L460294-17	WG481309	
4-Bromofluorobenzene					87.62	75-128		WG481309	
Dibromofluoromethane					106.2	79-125		WG481309	
Toluene-d8					97.47	87-114		WG481309	
1,1,1,2-Tetrachloroethane	mg/l	0.242	0	0.025	96.8	45-152	L460642-04	WG481355	
1,1,1-Trichloroethane	mg/l	0.302	0	0.025	121.	31-161	L460642-04	WG481355	
1,1,2,2-Tetrachloroethane	mg/l	0.217	0	0.025	96.7	49-149	L460642-04	WG481355	
1,1,2-Trichloroethane	mg/l	0.205	0	0.025	82.1	46-145	L460642-04	WG481355	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.365	0	0.025	146.	14-168	L460642-04	WG481355	
1,1-Dichloroethane	mg/l	0.277	0	0.025	11.	30-15	L460642-04	WG481355	
1,1-Dichloroethene	mg/l	0.302	0	0.025	121.	10-162	L460642-04	WG481355	
1,1-Dichloropropene	mg/l	0.268	0	0.025	107.	14-162	L460642-04	WG481355	
1,2,3-Trichlorobenzene	mg/l	0.225	0	0.025	90.5	32-143	L460642-04	WG481355	
1,2,3-Trichloropropane	mg/l	0.212	0	0.025	85.0	48-148	L460642-04	WG481355	
1,2,4-Trimethylbenzene	mg/l	0.212	0	0.025	84.9	36-141	L460642-04	WG481355	
1,2,4-Trichlorobenzene	mg/l	0.251	0	0.025	90.6	37-142	L460642-04	WG481355	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Matrix Spike			TV	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV					
1,2,4-Trimethylbenzene	mg/l	0.226	0	0.025	93.6	29-153	L460642-04	WG481355	
1,2-Dibromo-3-Chloropropane	mg/l	0.171	0	0.025	68.2	37-148	L460642-04	WG481355	
1,2-Dibromoethane	mg/l	0.209	0	0.025	83.4	41-149	L460642-04	WG481355	
1,2-Dichlorobenzene	mg/l	0.226	0	0.025	90.5	40-139	L460642-04	WG481355	
1,2-Dichloroethane	mg/l	0.232	0	0.025	92.9	29-167	L460642-04	WG481355	
1,2-Dichloropropane	mg/l	0.215	0	0.025	85.8	39-148	L460642-04	WG481355	
1,3,5-Trimethylbenzene	mg/l	0.239	0	0.025	95.8	3-149	L460642-04	WG481355	
1,3-Dichlorobenzene	mg/l	0.245	0	0.025	98.0	32-148	L460642-04	WG481355	
1,3-Dichloropropane	mg/l	0.223	0	0.025	89.0	44-142	L460642-04	WG481355	
1,4-Dichlorobenzene	mg/l	0.232	0	0.025	92.6	-136	L460642-04	WG481355	
2,2-Dichloropropane	mg/l	0.299	0	0.025	120.	14-158	L460642-04	WG481355	
2-Butanone (MEK)	mg/l	1.01	0	0.125	80.7	32-151	L460642-04	WG481355	
2-Chloroethyl vinyl ether	mg/l	0.598	0	0.025	97.8	0-17	L460642-04	WG481355	
2-Chlorotoluene	mg/l	0.243	0	0.025	97.4	35-147	L460642-04	WG481355	
4-Chlorotoluene	mg/l	0.251	0	0.025	100.	33-147	L460642-04	WG481355	
4-Methyl-2-pentanone (MIBK)	mg/l	1.05	0	0.025	93.9	40-160	L460642-04	WG481355	
Acetone	mg/l	1.18	0	0.125	94.5	25-157	L460642-04	WG481355	
Acrolein	mg/l	0.265	0	0.125	21.2	0-179	L460642-04	WG481355	
Acrylonitrile	mg/l	1.19	0	0.025	95.	-162	L460642-04	WG481355	
Benzene	mg/l	0.245	0	0.025	97.8	16-158	L460642-04	WG481355	
Bromobenzene	mg/l	0.246	0	0.025	98.6	37-147	L460642-04	WG481355	
Bromodichloromethane	mg/l	0.243	0	0.025	96.6	45-147	L460642-04	WG481355	
Bromoform	mg/l	0.211	0	0.025	84.4	38-152	L460642-04	WG481355	
Bromomethane	mg/l	0.325	0	0.025	130.	0-191	L460642-04	WG481355	
Carbon tetrachloride	mg/l	0.299	0	0.025	20.	22-168	L460642-04	WG481355	
Chlorobenzene	mg/l	0.226	0	0.025	90.3	33-148	L460642-04	WG481355	
Chlorodibromomethane	mg/l	0.236	0	0.025	94.3	48-151	L460642-04	WG481355	
Chloroethane	mg/l	0.297	0	0.025	19.	4-176	L460642-04	WG481355	
Chloroform	mg/l	0.278	0	0.025	111.	37-147	L460642-04	WG481355	
Chloromethane	mg/l	0.204	0	0.025	81.8	10-174	L460642-04	WG481355	
cis-1,2-Dichloroethene	mg/l	0.255	0.0110	0.025	87.6	29-156	L460642-04	WG481355	
cis-1,3-Dichloropropene	mg/l	0.216	0	0.025	86.4	35-148	L460642-04	WG481355	
Di-isopropyl ether	mg/l	0.291	0	0.025	116.	39-160	L460642-04	WG481355	
Dibromomethane	mg/l	0.211	0	0.025	84.3	-152	L460642-04	WG481355	
Dichlorodifluoromethane	mg/l	0.347	0	0.025	139.	0-200	L460642-04	WG481355	
Ethylbenzene	mg/l	0.228	0	0.025	91.2	29-150	L460642-04	WG481355	
Hexachloro-1,3-butadiene	mg/l	0.236	0	0.025	4.2	28-144	L460642-04	WG481355	
Isopropylbenzene	mg/l	0.277	0	0.025	111.	35-147	L460642-04	WG481355	
Methyl tert-butyl ether	mg/l	0.265	0	0.025	106.	24-167	L460642-04	WG481355	
Methylene Chloride	mg/l	0.262	0	0.025	105.	23-151	L460642-04	WG481355	
n-Butylbenzene	mg/l	0.270	0	0.025	108.	22-151	L460642-04	WG481355	
n-Propylbenzene	mg/l	0.257	0	0.025	103.	26-150	L460642-04	WG481355	
Naphthalene	mg/l	0.207	0	0.025	82.6	24-160	L460642-04	WG481355	
p-Isopropyltoluene	mg/l	0.252	0	0.025	101.	28-151	L460642-04	WG481355	
sec-Butylbenzene	mg/l	0.257	0	0.025	103.	32-149	L460642-04	WG481355	
Styrene	mg/l	0.239	0	0.025	95.8	38-14	L460642-04	WG481355	
tert-Butylbenzene	mg/l	0.252	0	0.025	101.	36-149	L460642-04	WG481355	
Tetrachloroethene	mg/l	1.37	1.10	0.025	110.	13-157	L460642-04	WG481355	
Toluene	mg/l	0.227	0	0.025	80.8	22-152	L460642-04	WG481355	
trans-1,2-Dichloroethene	mg/l	0.268	0	0.025	107.	11-160	L460642-04	WG481355	
trans-1,3-Dichloropropene	mg/l	0.218	0	0.025	87.2	33-153	L460642-04	WG481355	
Trichloroethene	mg/l	0.240	0.0110	0.025	1.6	18-163	L460642-04	WG481355	
Trichlorofluoromethane	mg/l	0.326	0	0.025	130.	10-177	L460642-04	WG481355	
Vinyl chloride	mg/l	0.261	0	0.025	104.	0-179	L460642-04	WG481355	
Xylenes, Total	mg/l	0.692	0	0.075	92.3	7-151	L460642-04	WG481355	
4-Bromofluorobenzene					106.5	75-128		WG481355	
Dibromofluoromethane					100.8	79-125		WG481355	
Toluene-d8					97.90	77-114		WG481355	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Matrix Spike			TV	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV					
1,1,1,2-Tetrachloroethane	mg/l	0.25	0	0.025	100	100	35-161	L460670-03	WG481382
1,1,1-Trichloroethane	mg/l	0.263	0	0.025	105	31-161	35-161	L460670-03	WG481382
1,1,2,2-Tetrachloroethane	mg/l	0.262	0	0.025	105	49-149	35-161	L460670-03	WG481382
1,1,2-Trichloroethane	mg/l	0.262	0	0.025	98.6	46-145	35-161	L460670-03	WG481382
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.298	0	0.025	119	14-168	35-161	L460670-03	WG481382
1,1-Dichloroethane	mg/l	0.266	0	0.025	106	30-159	35-161	L460670-03	WG481382
1,1-Dichloropropene	mg/l	0.278	0	2	1	10-162	35-161	L460670-03	WG481382
1,1-Dichloropropene	mg/l	0.275	0	0.025	110	14-162	35-161	L460670-03	WG481382
1,2,3-Trichlorobenzene	mg/l	0.221	0	0.025	88.4	32-143	35-161	L460670-03	WG481382
1,2,3-Trichloropropene	mg/l	0.244	0	2	17.7	48-148	35-161	L460670-03	WG481382
1,2,3-Trimethylbenzene	mg/l	0.272	0.0280	0.025	97.5	36-141	35-161	L460670-03	WG481382
1,2,4-Trichlorobenzene	mg/l	0.267	0	0.025	107	27-142	35-161	L460670-03	WG481382
1,2,4-Trimethylbenzene	mg/l	0.511	0.220	2	16	29-153	35-161	L460670-03	WG481382
1,2-Dibromo-3-Chloropropane	mg/l	0.222	0	0.025	88.9	37-148	35-161	L460670-03	WG481382
1,2-Dibromoethane	mg/l	0.246	0	0.025	98.4	41-149	35-161	L460670-03	WG481382
1,2-Dichlorobenzene	mg/l	0.247	0	2	99.0	40-139	35-161	L460670-03	WG481382
1,2-Dichloroethane	mg/l	0.270	0	0.025	108	29-167	35-161	L460670-03	WG481382
1,2-Dichloropropene	mg/l	0.251	0	0.025	100	39-148	35-161	L460670-03	WG481382
1,3,5-Trimethylbenzene	mg/l	0.356	0.0660	2	16	33-149	35-161	L460670-03	WG481382
1,3-Dichlorobenzene	mg/l	0.264	0	0.025	106	32-148	35-161	L460670-03	WG481382
1,3-Dichloropropane	mg/l	0.244	0	0.025	97.7	44-142	35-161	L460670-03	WG481382
1,4-Dichlorobenzene	mg/l	0.254	0	2	10	32-136	35-161	L460670-03	WG481382
2,2-Dichloropropane	mg/l	0.274	0	0.025	110	14-158	35-161	L460670-03	WG481382
2-Butanone (MEK)	mg/l	1.28	0	0.125	102	32-151	35-161	L460670-03	WG481382
2-Chloroethyl vinyl ether	mg/l	0.451	0	2	36.1	0-175	35-161	L460670-03	WG481382
2-Chlorotoluene	mg/l	0.249	0	0.025	99.5	35-147	35-161	L460670-03	WG481382
4-Chlorotoluene	mg/l	0.258	0	0.025	103	33-147	35-161	L460670-03	WG481382
4-Methyl-2-pentanone (M	mg/l	1.44	0	2	1	40-160	35-161	L460670-03	WG481382
Acetone	mg/l	1.35	0	0.125	108	25-157	35-161	L460670-03	WG481382
Acrolein	mg/l	0.405	0	0.125	32.4	0-179	35-161	L460670-03	WG481382
Acrylonitrile	mg/l	1.42	0	2	11	37-162	35-161	L460670-03	WG481382
Benzene	mg/l	0.305	0.0310	0.025	110	16-158	35-161	L460670-03	WG481382
Bromobenzene	mg/l	0.272	0	0.025	109	37-147	35-161	L460670-03	WG481382
Bromodichloromethane	mg/l	0.253	0	0.02	01	45-147	35-161	L460670-03	WG481382
Bromoform	mg/l	0.236	0	0.025	94.6	38-152	35-161	L460670-03	WG481382
Bromomethane	mg/l	0.346	0	0.025	138	0-191	35-161	L460670-03	WG481382
Carbon tetrachloride	mg/l	0.262	0	2	105	22-168	35-161	L460670-03	WG481382
Chlorobenzene	mg/l	0.250	0	0.025	99.9	33-148	35-161	L460670-03	WG481382
Chlorodibromomethane	mg/l	0.233	0	0.025	93.4	48-151	35-161	L460670-03	WG481382
Chloroethane	mg/l	0.248	0	0.025	99.3	4-176	35-161	L460670-03	WG481382
Chloroform	mg/l	0.262	0	0.025	105	37-147	35-161	L460670-03	WG481382
Chloromethane	mg/l	0.171	0	0.025	68.6	10-174	35-161	L460670-03	WG481382
cis-1,2-Dichloroethene	mg/l	0.296	0.0400	0.02	0	29-156	35-161	L460670-03	WG481382
cis-1,3-Dichloropropene	mg/l	0.240	0	0.025	96.1	35-148	35-161	L460670-03	WG481382
Di-isopropyl ether	mg/l	0.268	0	0.025	107	39-160	35-161	L460670-03	WG481382
Dibromomethane	mg/l	0.24	0	0.025	99.5	36-152	35-161	L460670-03	WG481382
Dichlorodifluoromethane	mg/l	0.185	0	0.025	74.1	0-200	35-161	L460670-03	WG481382
Ethylbenzene	mg/l	0.442	0.180	0.025	105	29-150	35-161	L460670-03	WG481382
Hexachloro-1,3-butadiene	mg/l	0.223	0	0.025	99.4	28-144	35-161	L460670-03	WG481382
Isopropylbenzene	mg/l	0.310	0.60	0.025	117	35-147	35-161	L460670-03	WG481382
Methyl tert-butyl ether	mg/l	0.269	0	0.025	107	24-167	35-161	L460670-03	WG481382
Methylene Chloride	mg/l	0.26	0	0.025	05	23-151	35-161	L460670-03	WG481382
n-Butylbenzene	mg/l	0.283	0	0.025	113	22-151	35-161	L460670-03	WG481382
n-Propylbenzene	mg/l	0.287	0.0220	0.025	106	26-150	35-161	L460670-03	WG481382
Naphthalene	mg/l	0.245	0	0.025	98.0	22-160	35-161	L460670-03	WG481382
p-Isopropyltoluene	mg/l	0.296	0	0.025	118	28-151	35-161	L460670-03	WG481382
sec-Butylbenzene	mg/l	0.277	0	0.025	111	32-149	35-161	L460670-03	WG481382
Styrene	mg/l	0.241	0	0.025	98.3	38-152	35-161	L460670-03	WG481382

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	MS Res	Matrix Spike			Limit	Ref Samp	Batch
			Ref Res	TV	% Rec			
tert-Butylbenzene	mg/l	0.276	0	0.025	100	36-149	L460670-03	WG481382
Tetrachloroethene	mg/l	0.250	0	0.025	99.9	13-157	L460670-03	WG481382
Toluene	mg/l	0.262	0	0.025	105	22-152	L460670-03	WG481382
trans-1,2-Dichloroethene	mg/l	0.260	0	0.025	104	11-160	L460670-03	WG481382
trans-1,3-Dichloropropene	mg/l	0.224	0	0.025	99.8	33-153	L460670-03	WG481382
Trichloroethene	mg/l	0.258	0	0.025	103	18-163	L460670-03	WG481382
Trichlorofluoromethane	mg/l	0.271	0	2	08	10-177	L460670-03	WG481382
Vinyl chloride	mg/l	0.251	0	0.025	100	0-179	L460670-03	WG481382
Xylenes, Total	mg/l	1.86	1.10	0.075	102	27-151	L460670-03	WG481382
4-Bromofluorobenzene					101.6	75-128		WG481382
Dibromofluoromethane					94.60	79-125		WG481382
Toluene-d8					97.98	87-114		WG481382
1,1,1,2-Tetrachloroethane	mg/l	0.0303	0	0.025	121	45-152	L460652-29	WG481381
1,1,1-Trichloroethane	mg/l	0.0295	0	0.025	118	31-161	L460652-29	WG481381
1,1,2,2-Tetrachloroethane	mg/l	0.0274	0	2	09	49-149	L460652-29	WG481381
1,1,2-Trichloroethane	mg/l	0.0274	0	0.025	110	46-145	L460652-29	WG481381
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0292	0	0.025	117	14-168	L460652-29	WG481381
1,1-Dichloroethane	mg/l	0.0278	0	2	1	-159	L460652-29	WG481381
1,1-Dichloroethene	mg/l	0.0262	0	0.025	105	10-162	L460652-29	WG481381
1,1-Dichloropropene	mg/l	0.0308	0	0.025	123	14-162	L460652-29	WG481381
1,2,3-Trichlorobenzene	mg/l	0.0238	0	2	55.3	32-143	L460652-29	WG481381
1,2,3-Trichloropropene	mg/l	0.0256	0	0.025	102	48-148	L460652-29	WG481381
1,2,3-Trimethylbenzene	mg/l	0.0291	0	0.025	116	36-141	L460652-29	WG481381
1,2,4-Trichlorobenzene	mg/l	0.0278	0	2	00	27-142	L460652-29	WG481381
1,2,4-Trimethylbenzene	mg/l	0.0308	0	0.025	123	29-153	L460652-29	WG481381
1,2-Dibromo-3-Chloropropane	mg/l	0.0222	0	0.025	89.0	37-148	L460652-29	WG481381
1,2-Dibromoethane	mg/l	0.028	0	2		41-149	L460652-29	WG481381
1,2-Dichlorobenzene	mg/l	0.0289	0	0.025	116	40-139	L460652-29	WG481381
1,2-Dichloroethane	mg/l	0.0278	0	0.025	111	29-167	L460652-29	WG481381
1,2-Dichloropropene	mg/l	0.0282	0	2	1	39-148	L460652-29	WG481381
1,3,5-Trimethylbenzene	mg/l	0.0293	0	0.025	117	33-149	L460652-29	WG481381
1,3-Dichlorobenzene	mg/l	0.0309	0	0.025	123	32-148	L460652-29	WG481381
1,3-Dichloropropene	mg/l	0.0256	0	0.02	02	44-142	L460652-29	WG481381
1,4-Dichlorobenzene	mg/l	0.0290	0	0.025	116	32-136	L460652-29	WG481381
2,2-Dichloropropene	mg/l	0.0299	0	0.025	120	14-158	L460652-29	WG481381
2-Butanone (MEK)	mg/l	0.125	0	2	03	32-151	L460652-2	WG481381
2-Chloroethyl vinyl ether	mg/l	0.0619	0	0.125	49.5	0-175	L460652-29	WG481381
2-Chlorotoluene	mg/l	0.0269	0	0.025	108	35-147	L460652-29	WG481381
4-Chlorotoluene	mg/l	0.0298	0	0.025	109	33-147	L460652-29	WG481381
4-Methyl-2-pentanone (MIBK)	mg/l	0.150	0	0.125	120	40-160	L460652-29	WG481381
Acetone	mg/l	0.122	0	0.125	97.5	25-157	L460652-29	WG481381
Acrolein	mg/l	0.139	0	0.12	11	0-17	L460652-29	WG481381
Acrylonitrile	mg/l	0.138	0	0.125	110	37-162	L460652-29	WG481381
Benzene	mg/l	0.0293	0	0.025	117	16-158	L460652-29	WG481381
Bromobenzene	mg/l	0.031	0	0.02	27	37-147	L460652-29	WG481381
Bromodichloromethane	mg/l	0.0308	0	0.025	123	45-147	L460652-29	WG481381
Bromoform	mg/l	0.0283	0	0.025	113	38-152	L460652-29	WG481381
Bromomethane	mg/l	0.0362	0	0.02	45	0-191	L460652-29	WG481381
Carbon tetrachloride	mg/l	0.0304	0	0.025	122	22-168	L460652-29	WG481381
Chlorobenzene	mg/l	0.0288	0	0.025	115	33-148	L460652-29	WG481381
Chlorodibromomethane	mg/l	0.0282	0	0.025	13	48-151	L460652-2	WG481381
Chloroethane	mg/l	0.0328	0	0.025	131	4-176	L460652-29	WG481381
Chloroform	mg/l	0.0282	0	0.025	113	37-147	L460652-29	WG481381
Chloromethane	mg/l	0.0219	0	0.025	57.5	10-174	L460652-29	WG481381
cis-1,2-Dichloroethene	mg/l	0.0277	0	0.025	111	29-156	L460652-29	WG481381
cis-1,3-Dichloropropene	mg/l	0.0277	0	0.025	111	35-148	L460652-29	WG481381
Di-isopropyl ether	mg/l	0.028	0	0.025	100	39-160	L460652-29	WG481381

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Matrix Spike			% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res	TV				
Dibromomethane	mg/l	0.027	0	.025	100	36-152	L460652-29	WG481381
Dichlorodifluoromethane	mg/l	0.0301	0	.025	120	0-200	L460652-29	WG481381
Ethylbenzene	mg/l	0.0306	0	.025	122	29-150	L460652-29	WG481381
Hexachloro-1,3-butadiene	mg/l	0.0261	0	.025	104	28-144	L460652-29	WG481381
Isopropylbenzene	mg/l	0.0297	0	.025	119	35-147	L460652-29	WG481381
Methyl tert-butyl ether	mg/l	0.0267	0	.025	107	24-167	L460652-29	WG481381
Methylene Chloride	mg/l	0.0263	0	2	05	23-151	L460652-29	WG481381
n-Butylbenzene	mg/l	0.0327	0	.025	131	22-151	L460652-29	WG481381
n-Propylbenzene	mg/l	0.0300	0	.025	120	26-150	L460652-29	WG481381
Naphthalene	mg/l	0.0262	0	2	05	24-160	L460652-29	WG481381
p-Isopropyltoluene	mg/l	0.0336	0	.025	134	28-151	L460652-29	WG481381
sec-Butylbenzene	mg/l	0.0326	0	.025	130	32-149	L460652-29	WG481381
Styrene	mg/l	0.0272	0	2	09	33-149	L460652-29	WG481381
tert-Butylbenzene	mg/l	0.0321	0	.025	128	36-149	L460652-29	WG481381
Tetrachloroethene	mg/l	0.0277	0	.025	111	13-157	L460652-29	WG481381
Toluene	mg/l	0.0273	0	2	09	22-152	L460652-29	WG481381
trans-1,2-Dichloroethene	mg/l	0.0279	0	.025	112	11-160	L460652-29	WG481381
trans-1,3-Dichloropropene	mg/l	0.0250	0	.025	99.8	33-153	L460652-29	WG481381
Trichloroethene	mg/l	0.0278	0	2	1	18-163	L460652-29	WG481381
Trichlorofluoromethane	mg/l	0.0320	0	.025	128	10-177	L460652-29	WG481381
Vinyl chloride	mg/l	0.0316	0	.025	126	0-179	L460652-29	WG481381
Xylenes, Total	mg/l	0.0946	0	.75	102.3	27-151	L460652-29	WG481381
4-Bromofluorobenzene					106.3	75-128		WG481381
Dibromofluoromethane					99.81	79-125		WG481381
Toluene-d8					95.94	87-114		WG481381
1,2,4-Trimethylbenzene	mg/l	0.0306	0.00490	.025	103	29-153	L460687-02	WG481568
Benzene	mg/l	0.0239	0.00160	.025	99.3	16-158	L460687-02	WG481568
cis-1,2-Dichloroethene	mg/l	0.0242	0	.025	96.9	29-156	L460687-02	WG481568
Ethylbenzene	mg/l	0.0255	0.00100	.025	97.8	29-150	L460687-02	WG481568
sec-Butylbenzene	mg/l	0.024	0	.25	97.6	32-149	L460687-02	WG481568
Tetrachloroethene	mg/l	0.0245	0	.025	97.9	13-157	L460687-02	WG481568
Vinyl chloride	mg/l	0.0283	0	.025	113	0-179	L460687-02	WG481568
Xylenes, Total	mg/l	0.0832	0.0094	.075	108.4	27-151	L460687-02	WG481568
4-Bromofluorobenzene					100.0	75-128		WG481568
Dibromofluoromethane					96.98	79-125		WG481568
Toluene-d8					102.4	87-114		WG481568
1,1,1,2-Tetrachloroethane	mg/l	0.0208	0	.025	83.1	45-152	L460766-03	WG481596
1,1,1-Trichloroethane	mg/l	0.021	0	.025	88.1	31-161	60766-03	WG481596
1,1,2,2-Tetrachloroethane	mg/l	0.0183	0	.025	73.3	49-149	L460766-03	WG481596
1,1,2-Trichloroethane	mg/l	0.0190	0	.025	75.9	46-145	L460766-03	WG481596
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0239	0	.025	85.7	14-168	L460766-03	WG481596
1,1-Dichloroethane	mg/l	0.0213	0	.025	85.2	30-159	L460766-03	WG481596
1,1-Dichloroethene	mg/l	0.0202	0	.025	80.7	10-162	L460766-03	WG481596
1,1 Dichloropropene	mg/l	0.0206	0	.025	82.5	14-162	L460766-03	WG481596
1,2,3-Trichlorobenzene	mg/l	0.0157	0	.025	62.7	32-143	L460766-03	WG481596
1,2,3-Trichloropropane	mg/l	0.0187	0	.025	74.6	48-148	L460766-03	WG481596
1,2,3-Trimethylbenzene	mg/l	0.0183	0	.025	73.2	36-141	L460766-03	WG481596
1,2,4-Trichlorobenzene	mg/l	0.0184	0	.025	73.6	27-142	L460766-03	WG481596
1,2,4-Trimethylbenzene	mg/l	0.0186	0	.025	74.6	29-153	L460766-03	WG481596
1,2-Dibromo-3-Chloropropane	mg/l	0.0139	0	.025	5.7	37-148	L460766-03	WG481596
1,2-Dibromoethane	mg/l	0.0191	0	.025	76.4	41-149	L460766-03	WG481596
1,2-Dichlorobenzene	mg/l	0.0177	0	.025	70.9	40-139	L460766-03	WG481596
1,2-Dichloroethane	mg/l	0.0202	0	.025	80.8	33-167	L460766-03	WG481596
1,2-Dichloropropane	mg/l	0.0190	0	.025	75.9	39-148	L460766-03	WG481596
1,3,5-Trimethylbenzene	mg/l	0.0207	0	.025	82.6	33-149	L460766-03	WG481596

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	MS Res	Matrix Spike		TV	% Rec	Limit	Ref Samp	Batch
			Ref Res						
1,3-Dichlorobenzene	mg/l	0.0193	0	.025	73.3	32-148	L460766-03	WG481596	
1,3-Dichloropropane	mg/l	0.0197	0	.025	78.6	44-142	L460766-03	WG481596	
1,4-Dichlorobenzene	mg/l	0.0189	0	.025	75.6	32-136	L460766-03	WG481596	
2,2-Dichloropropane	mg/l	0.023	0	.025	54.	14-158	L460766-03	WG481596	
2-Butanone (MEK)	mg/l	0.0912	0	.125	73.0	32-151	L460766-03	WG481596	
2-Chloroethyl vinyl ether	mg/l	0.0136	0	.125	10.9	0-175	L460766-03	WG481596	
2-Chlorotoluene	mg/l	0.0189	0	2	5.6	-147	L460766-03	WG481596	
4-Chlorotoluene	mg/l	0.0197	0	.025	78.9	33-147	L460766-03	WG481596	
4-Methyl-2-pentanone (MIBK)	mg/l	0.0914	0	.125	73.1	40-160	L460766-03	WG481596	
Acetone	mg/l	0.0918	0	.125	73.1	25-157	L460766-03	WG481596	
Acrolein	mg/l	0.0216	0	.125	17.3	0-179	L460766-03	WG481596	
Acrylonitrile	mg/l	0.105	0	.125	83.8	37-162	L460766-03	WG481596	
Benzene	mg/l	0.0216	0	.125	86.2	16-158	L460766-03	WG481596	
Bromobenzene	mg/l	0.0191	0	.025	76.4	37-147	L460766-03	WG481596	
Bromodichloromethane	mg/l	0.0197	0	.025	78.6	45-147	L460766-03	WG481596	
Bromoform	mg/l	0.0184	0	2	3.	-152	L460766-03	WG481596	
Bromomethane	mg/l	0.0255	0	.025	102.	0-191	L460766-03	WG481596	
Carbon tetrachloride	mg/l	0.0219	0	.025	87.5	22-168	L460766-03	WG481596	
Chlorobenzene	mg/l	0.020	0	.125	80.	3-148	L460766-03	WG481596	
Chlorodibromomethane	mg/l	0.0200	0	.025	80.0	48-151	L460766-03	WG481596	
Chloroethane	mg/l	0.0225	0	.025	89.9	4-176	L460766-03	WG481596	
Chloroform	mg/l	0.0206	0	.125	80.3	37-147	L460766-03	WG481596	
Chloromethane	mg/l	0.0128	0	.025	51.2	10-174	L460766-03	WG481596	
cis-1,2-Dichloroethene	mg/l	0.0207	0	.025	82.9	29-156	L460766-03	WG481596	
cis-1,3-Dichloropropene	mg/l	0.017	0	.125	88.6	35-148	L460766-03	WG481596	
Di-isopropyl ether	mg/l	0.0223	0	.025	89.2	39-160	L460766-03	WG481596	
Dibromomethane	mg/l	0.0195	0	.025	78.0	36-152	L460766-03	WG481596	
Dichlorodifluoromethane	mg/l	0.0145	0	.125	80.8	0-200	L460766-03	WG481596	
Ethylbenzene	mg/l	0.0199	0	.025	79.5	29-150	L460766-03	WG481596	
Hexachloro-1,3-butadiene	mg/l	0.0188	0	.025	75.1	28-144	L460766-03	WG481596	
Isopropylbenzene	mg/l	0.0225	0	.125	80.2	35-147	L460766-03	WG481596	
Methyl tert-butyl ether	mg/l	0.0215	0	.025	86.0	24-167	L460766-03	WG481596	
Methylene Chloride	mg/l	0.0203	0	.025	81.2	23-151	L460766-03	WG481596	
n-Butylbenzene	mg/l	0.019	0	.025	78.0	22-151	L460766-03	WG481596	
n-Propylbenzene	mg/l	0.0190	0	.025	76.1	26-150	L460766-03	WG481596	
Naphthalene	mg/l	0.0162	0	.025	64.8	24-160	L460766-03	WG481596	
p-Isopropyltoluene	mg/l	0.0212	0	.125	84.8	28-151	L460766-03	WG481596	
sec-Butylbenzene	mg/l	0.0204	0	.025	81.4	32-149	L460766-03	WG481596	
Styrene	mg/l	0.0188	0	.025	75.3	38-149	L460766-03	WG481596	
tert-Butylbenzene	mg/l	0.0200	0	.025	80.2	36-14	L460766-03	WG481596	
Tetrachloroethene	mg/l	0.0175	0	.025	70.1	13-157	L460766-03	WG481596	
Toluene	mg/l	0.0185	0	.025	73.9	22-152	L460766-03	WG481596	
trans-1,2-Dichloroethen	mg/l	0.0190	0	.02	6.1	11-160	L460766-03	WG481596	
trans-1,3-Dichloropropene	mg/l	0.0158	0	.025	63.4	33-153	L460766-03	WG481596	
Trichloroethene	mg/l	0.0186	0	.025	74.6	18-163	L460766-03	WG481596	
Trichlorofluoromethane	mg/l	0.0213	0	.025	75.1	10-177	L460766-03	WG481596	
Vinyl chloride	mg/l	0.0181	0	.025	72.4	0-179	L460766-03	WG481596	
Xylenes, Total	mg/l	0.0621	0	.075	82.8	27-151	L460766-03	WG481596	
4-Bromofluorobenzene					95.93	75-128		WG481596	
Dibromofluoromethane					95.39	79-125		WG481596	
Toluene-d8					90.36	87-114		WG481596	
1,1,1,2-Tetrachloroethane	mg/l	0.0287	0	.025	115.	43-152	L460693-05	WG481667	
1,1,1-Trichloroethane	mg/l	0.0265	0	.025	106.	31-161	L460693-05	WG481667	
1,1,2,2-Tetrachloroethane	mg/l	0.0212	0	.025	89.8	49-163	L460693-05	WG481667	
1,1,2-Trichloroethane	mg/l	0.0270	0	.025	108.	46-145	L460693-05	WG481667	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0249	0	.025	99.5	14-168	L460693-05	WG481667	
1,1-Dichloroethane	mg/l	0.0222	0	.025	88.6	30-152	L460693-05	WG481667	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tex I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	Matrix Spike		TV	% Rec	Limit	Ref Samp	Batch
		MS Res	Ref Res					
1,1-Dichloroethene	mg/l	0.0243	0	0.025	95.2	10-162	L460693-05	WG481667
1,1-Dichloropropene	mg/l	0.0243	0	0.025	97.3	14-162	L460693-05	WG481667
1,2,3-Trichlorobenzene	mg/l	0.0244	0	0.025	97.4	32-143	L460693-05	WG481667
1,2,3-Trichloropropene	mg/l	0.0250	0	0.025	100.	48-148	L460693-05	WG481667
1,2,3-Trimethylbenzene	mg/l	0.0295	0	0.025	118.	36-141	L460693-05	WG481667
1,2,4-Trichlorobenzene	mg/l	0.0233	0	0.025	93.4	27-142	L460693-05	WG481667
1,2,4-Trimethylbenzene	mg/l	0.0278	0	2	1	29-153	L460693-05	WG481667
1,2-Dibromo-3-Chloropropane	mg/l	0.0252	0	0.025	101.	37-148	L460693-05	WG481667
1,2-Dibromoethane	mg/l	0.0286	0	0.025	114.	41-149	L460693-05	WG481667
1,2-Dichlorobenzene	mg/l	0.0290	0	2	16.	40-139	L460693-05	WG481667
1,2-Dichloroethane	mg/l	0.0267	0	0.025	107.	29-167	L460693-05	WG481667
1,2-Dichloropropane	mg/l	0.0243	0	0.025	97.4	39-148	L460693-05	WG481667
1,3,5-Trimethylbenzene	mg/l	0.0277	0	2	1	3-149	L460693-05	WG481667
1,3-Dichlorobenzene	mg/l	0.0267	0	0.025	107.	32-148	L460693-05	WG481667
1,3-Dichloropropane	mg/l	0.0257	0	0.025	103.	44-142	L460693-05	WG481667
1,4-Dichlorobenzene	mg/l	0.0277	0	2	1	-136	L460693-05	WG481667
2,2-Dichloropropane	mg/l	0.0257	0	0.025	103.	14-158	L460693-05	WG481667
2-Butanone (MEK)	mg/l	0.112	0	0.125	89.3	32-151	L460693-05	WG481667
2-Chloroethyl vinyl ether	mg/l	0.0110	0	0.125	94.6	0-17	L460693-05	WG481667
2-Chlorotoluene	mg/l	0.0278	0	0.025	111.	35-147	L460693-05	WG481667
4-Chlorotoluene	mg/l	0.0272	0	0.025	109.	33-147	L460693-05	WG481667
4-Methyl-2-pentanone (M	mg/l	0.144	0	0.125	94.6	40-160	L460693-05	WG481667
Acetone	mg/l	0.118	0	0.125	94.6	25-157	L460693-05	WG481667
Acrolein	mg/l	0.121	0	0.125	97.1	0-179	L460693-05	WG481667
Acrylonitrile	mg/l	0.0976	0	0.125	78.1	37-162	L460693-05	WG481667
Benzene	mg/l	0.0203	0	0.025	81.2	16-158	L460693-05	WG481667
Bromobenzene	mg/l	0.0261	0	0.025	104.	37-147	L460693-05	WG481667
Bromodichloromethane	mg/l	0.0293	0	2	1.	45-147	L460693-05	WG481667
Bromoform	mg/l	0.0300	0	0.025	120.	38-152	L460693-05	WG481667
Bromomethane	mg/l	0.0286	0	0.025	114.	0-191	L460693-05	WG481667
Carbon tetrachloride	mg/l	0.0258	0	2	0.	22-168	L460693-05	WG481667
Chlorobenzene	mg/l	0.0265	0	0.025	106.	33-148	L460693-05	WG481667
Chlorodibromomethane	mg/l	0.0319	0	0.025	127.	48-151	L460693-05	WG481667
Chloroethane	mg/l	0.0283	0	0.02	13.	4-176	L460693-05	WG481667
Chloroform	mg/l	0.0245	0	0.025	98.1	37-147	L460693-05	WG481667
Chloromethane	mg/l	0.0132	0	0.025	52.9	10-174	L460693-05	WG481667
cis-1,2-Dichloroethene	mg/l	0.0210	0	0.025	84.1	29-156	L460693-05	WG481667
cis-1,3-Dichloropropene	mg/l	0.0272	0	0.025	109.	35-148	L460693-05	WG481667
Di-isopropyl ether	mg/l	0.0226	0	0.025	90.5	39-160	L460693-05	WG481667
Dibromomethane	mg/l	0.02	0	0.025	100.	36-152	L460693-05	WG481667
Dichlorodifluoromethane	mg/l	0.0415	0	0.025	166.	0-200	L460693-05	WG481667
Ethylbenzene	mg/l	0.0266	0	0.025	106.	29-150	L460693-05	WG481667
Hexachloro-1,3-butadiene	mg/l	0.0308	0	0.02	23.	28-144	L460693-05	WG481667
Isopropylbenzene	mg/l	0.0267	0	0.025	107.	35-147	L460693-05	WG481667
Methyl tert-butyl ether	mg/l	0.0254	0	0.025	102.	24-167	L460693-05	WG481667
Methylene Chloride	mg/l	0.019	0	0.02	7.8	23-151	L460693-05	WG481667
n-Butylbenzene	mg/l	0.0262	0	0.025	105.	22-151	L460693-05	WG481667
n-Propylbenzene	mg/l	0.0260	0	0.025	104.	26-150	L460693-05	WG481667
Naphthalene	mg/l	0.0210	0.0013	0.02	8.3	24-160	L460693-05	WG481667
p-Isopropyltoluene	mg/l	0.0284	0	0.025	114.	28-151	L460693-05	WG481667
sec-Butylbenzene	mg/l	0.0263	0	0.025	105.	32-149	L460693-05	WG481667
Styrene	mg/l	0.0246	0	0.025	8.4	38-14	L460693-05	WG481667
tert-Butylbenzene	mg/l	0.0286	0	0.025	114.	36-149	L460693-05	WG481667
Tetrachloroethene	mg/l	0.0297	0	0.025	119.	13-157	L460693-05	WG481667
Toluene	mg/l	0.0246	0	0.025	98.4	22-152	L460693-05	WG481667
trans-1,2-Dichloroethene	mg/l	0.0209	0	0.025	83.6	11-160	L460693-05	WG481667
trans-1,3-Dichloropropene	mg/l	0.0297	0	0.025	119.	33-153	L460693-05	WG481667
Trichloroethene	mg/l	0.0269	0	0.025	108.	18-163	L460693-05	WG481667
Trichlorofluoromethane	mg/l	0.0335	0	0.025	134.	10-177	L460693-05	WG481667

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L460652

June 07, 2010

Analyte	Units	MS Res	Ref Res	TV	% Rec	Limit	Ref Samp	Batch
Vinyl chloride	mg/l	0.0185	0	0.025	78.6	179	L460693-05	WG481667
Xylenes, Total	mg/l	0.0766	0	0.075	102.	27-151	L460693-05	WG481667
4-Bromofluorobenzene					92.07	75-128		WG481667
Dibromofluoromethane					90.56	79-125		WG481667
Toluene-d8					97.89	87-114		WG481667

Analyte	Units	MSD	Ref	Duplicate %Rec	Limit	RPD	Limit	Ref Samp	Batch
1,1,1,2-Tetrachloroethane	mg/l	0.0322	0.0292	129	5-152	9.55	21	L460652-01	WG481197
1,1,1-Trichloroethane	mg/l	0.0284	0.0278	114.	31-161	2.18	23	L460652-01	WG481197
1,1,2,2-Tetrachloroethane	mg/l	0.0312	0.0276	125.	49-149	12.4	22	L460652-01	WG481197
1,1,2-Trichloroethane	mg/l	0.0293	0.0265	117	6-145	10.	20	L460652-01	WG481197
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0265	0.0258	106.	14-168	2.70	24	L460652-01	WG481197
1,1-Dichloroethane	mg/l	0.0280	0.0267	112.	30-159	4.94	21	L460652-01	WG481197
1,1-Dichloroethene	mg/l	0.0312	0.0309	98.2	0-162	0.890	23	L460652-01	WG481197
1,1-Dichloropropene	mg/l	0.0282	0.0274	113.	14-162	2.99	23	L460652-01	WG481197
1,2,3-Trichlorobenzene	mg/l	0.0288	0.0258	115.	32-143	11.1	33	L460652-01	WG481197
1,2,3-Trichloropropene	mg/l	0.0312	0.0266	12	8-148	15.8	23	L460652-01	WG481197
1,2,3-Trimethylbenzene	mg/l	0.0293	0.0276	117.	36-141	5.97	25	L460652-01	WG481197
1,2,4-Trichlorobenzene	mg/l	0.0330	0.0298	132.	27-142	10.2	30	L460652-01	WG481197
1,2,4-Trimethylbenzene	mg/l	0.03	0.0292	125	9-153	7.11	27	L460652-01	WG481197
1,2-Dibromo-3-Chloropropene	mg/l	0.0282	0.0232	113.	37-148	19.6	27	L460652-01	WG481197
1,2-Dibromoethane	mg/l	0.0297	0.0278	119.	41-149	6.40	21	L460652-01	WG481197
1,2-Dichlorobenzene	mg/l	0.0302	0.0292	121	0-139	3.53	23	L460652-01	WG481197
1,2-Dichloroethane	mg/l	0.0291	0.0272	116.	29-167	6.93	21	L460652-01	WG481197
1,2-Dichloropropene	mg/l	0.0303	0.0272	121.	39-148	10.9	20	L460652-01	WG481197
1,3,5-Trimethylbenzene	mg/l	0.0313	0.0290	125	3-149	7.48	26	L460652-01	WG481197
1,3-Dichlorobenzene	mg/l	0.0317	0.0284	127.	32-148	11.0	24	L460652-01	WG481197
1,3-Dichloropropene	mg/l	0.0302	0.0273	121.	44-142	10.0	20	L460652-01	WG481197
1,4-Dichlorobenzene	mg/l	0.0292	0.0282	117	2-136	3.41	23	L460652-01	WG481197
2,2-Dichloropropene	mg/l	0.0289	0.0281	116.	14-158	3.06	23	L460652-01	WG481197
2-Butanone (MEK)	mg/l	0.138	0.124	110.	32-151	10.4	26	L460652-01	WG481197
2-Chloroethyl vinyl ether	mg/l	0.000774	0.0152	0.617	-175	181.	7	L460652-01	WG481197
2-Chlorotoluene	mg/l	0.0290	0.0272	116.	35-147	6.33	24	L460652-01	WG481197
4-Chlorotoluene	mg/l	0.0300	0.0286	120.	33-147	4.96	25	L460652-01	WG481197
4-Methyl-2-pentanone (MIBK)	mg/l	0.17	0.157	143	40-160	13.3	28	L460652-01	WG481197
Acetone	mg/l	0.130	0.114	104.	25-157	12.9	26	L460652-01	WG481197
Acrolein	mg/l	0.146	0.134	117.	0-179	8.43	39	L460652-01	WG481197
Acrylonitrile	mg/l	0.15	0.131	120	7-162	13.2	24	L460652-01	WG481197
Benzene	mg/l	0.0292	0.0275	117.	16-158	5.84	21	L460652-01	WG481197
Bromobenzene	mg/l	0.0309	0.0286	124.	37-147	7.62	23	L460652-01	WG481197
Bromodichloromethane	mg/l	0.0318	0.028	127	5-147	11.2	20	L460652-01	WG481197
Bromoform	mg/l	0.0302	0.0273	121.	38-152	10.0	20	L460652-01	WG481197
Bromomethane	mg/l	0.0264	0.0244	106.	0-191	7.87	35	L460652-01	WG481197
Carbon tetrachloride	mg/l	0.0302	0.0283	121	2-168	6.59	24	L460652-01	WG481197
Chlorobenzene	mg/l	0.0304	0.0279	122.	33-148	8.50	22	L460652-01	WG481197
Chlorodibromomethane	mg/l	0.0319	0.0296	128.	48-151	7.64	21	L460652-01	WG481197
Chloroethane	mg/l	0.0363	0.0348	133.2	-176	4.31	27	L460652-01	WG481197
Chloroform	mg/l	0.0284	0.0264	114.	37-147	7.26	21	L460652-01	WG481197
Chloromethane	mg/l	0.0195	0.0191	78.1	10-174	2.11	28	L460652-01	WG481197
cis-1,2-Dichloroethene	mg/l	0.41	0.388	53.0	9-156	6.40	22	L460652-01	WG481197
cis-1,3-Dichloropropene	mg/l	0.0288	0.0264	115.	35-148	8.81	21	L460652-01	WG481197
Di-isopropyl ether	mg/l	0.0302	0.0280	121.	39-160	7.73	21	L460652-01	WG481197
Dibromomethane	mg/l	0.0305	0.0269	122	31-15	12.5	20	L460652-01	WG481197
Dichlorodifluoromethane	mg/l	0.0260	0.0247	104.	0-200	4.93	26	L460652-01	WG481197
Ethylbenzene	mg/l	0.0302	0.0286	121.	29-150	5.35	24	L460652-01	WG481197
Hexachloro-1,3-butadiene	mg/l	0.0365	0.0298	20	33-144	0.40	3	L460652-01	WG481197
Isopropylbenzene	mg/l	0.0307	0.0289	123.	35-147	5.84	25	L460652-01	WG481197

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L460652

June 07, 2010

Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate	Limit	RPD	Limit Ref	Samp	Batch
Methyl tert-butyl ether	mg/l	0.0301	0.0264	120	-16	-	22	L460652-01	WG481197	
Methylene Chloride	mg/l	0.0269	0.0245	108.	23-151	9.34	21	L460652-01	WG481197	
n-Butylbenzene	mg/l	0.0326	0.0313	130.	22-151	4.12	29	L460652-01	WG481197	
n-Propylbenzene	mg/l	0.0291	0.0275	122	-150	5.08	25	L460652-01	WG481197	
Naphthalene	mg/l	0.0313	0.0281	125.	24-160	10.7	37	L460652-01	WG481197	
p-Isopropyltoluene	mg/l	0.0330	0.0307	132.	28-151	7.36	27	L460652-01	WG481197	
sec-Butylbenzene	mg/l	0.0315	0.0295	126	2-149	6.67	26	L460652-01	WG481197	
Styrene	mg/l	0.0296	0.0264	118.	38-149	11.5	23	L460652-01	WG481197	
tert-Butylbenzene	mg/l	0.0326	0.0302	130.	36-149	7.45	26	L460652-01	WG481197	
Tetrachloroethene	mg/l	1.01	0.943		3-157	6.87	24	L460652-01	WG481197	
Toluene	mg/l	0.0288	0.0272	115.	22-152	5.73	22	L460652-01	WG481197	
trans-1,2-Dichloroethene	mg/l	0.0335	0.0317	105.	11-160	5.23	23	L460652-01	WG481197	
trans-1,3-Dichloropropene	mg/l	0.0290	0.0266	116	3-153	8.73	22	L460652-01	WG481197	
Trichloroethene	mg/l	0.193	0.180	93.7	18-163	7.08	21	L460652-01	WG481197	
Trichlorofluoromethane	mg/l	0.0257	0.0257	103.	10-177	0.100	24	L460652-01	WG481197	
Vinyl chloride	mg/l	0.24	0.239	0.00	-179	2.92	26	L460652-01	WG481197	
Xylenes, Total	mg/l	0.0933	0.0872	124.	27-151	6.73	23	L460652-01	WG481197	
4-Bromofluorobenzene				100.4	75-128				WG481197	
Dibromofluoromethane				97	9-125				WG481197	
Toluene-d8				99.59	87-114				WG481197	
1,1,1,2-Tetrachloroethane	mg/l	0.0238	0.0214	95.1	5-152	10.4	21	L460294-17	WG481309	
1,1,1-Trichloroethane	mg/l	0.0282	0.0269	98.6	31-161	4.86	23	L460294-17	WG481309	
1,1,2,2-Tetrachloroethane	mg/l	0.0248	0.0250	99.3	49-149	0.780	22	L460294-17	WG481309	
1,1,2-Trichloroethane	mg/l	0.0259	0.0246	104	6-145	5.03	20	L460294-17	WG481309	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0226	0.0218	90.4	14-168	3.52	24	L460294-17	WG481309	
1,1-Dichloroethane	mg/l	0.0276	0.0253	104.	30-159	8.73	21	L460294-17	WG481309	
1,1-Dichloroethene	mg/l	0.0202	0.0192	81.0	0-162	5.23	23	L460294-17	WG481309	
1,1-Dichloropropene	mg/l	0.0237	0.0228	95.0	14-162	3.88	23	L460294-17	WG481309	
1,2,3-Trichlorobenzene	mg/l	0.0279	0.0279	112.	32-143	0.0500	33	L460294-17	WG481309	
1,2,3-Trichloropropene	mg/l	0.0285	0.0249	114	8-148	13.5	23	L460294-17	WG481309	
1,2,3-Trimethylbenzene	mg/l	0.0227	0.0233	90.8	36-141	2.75	25	L460294-17	WG481309	
1,2,4-Trichlorobenzene	mg/l	0.0256	0.0268	102.	27-142	4.47	30	L460294-17	WG481309	
1,2,4-Trimethylbenzene	mg/l	0.0234	0.0212	81.4	9-153	4.12	27	L460294-17	WG481309	
1,2-Dibromo-3-Chloropropane	mg/l	0.0306	0.0294	122.	37-148	3.95	27	L460294-17	WG481309	
1,2-Dibromoethane	mg/l	0.0260	0.0214	104.	41-149	19.4	21	L460294-17	WG481309	
1,2-Dichlorobenzene	mg/l	0.0231	0.0236	92.	0-139	2.07	23	L460294-17	WG481309	
1,2-Dichloroethane	mg/l	0.0243	0.0242	97.1	29-167	0.0700	21	L460294-17	WG481309	
1,2-Dichloropropane	mg/l	0.0234	0.0230	93.5	39-148	1.87	20	L460294-17	WG481309	
1,3,5-Trimethylbenzene	mg/l	0.0212	0.020	84.9	3-149	3.53	26	L460294-17	WG481309	
1,3-Dichlorobenzene	mg/l	0.0216	0.0211	86.3	32-148	2.35	24	L460294-17	WG481309	
1,3-Dichloropropene	mg/l	0.0248	0.0223	99.3	44-142	10.7	20	L460294-17	WG481309	
1,4-Dichlorobenzene	mg/l	0.0242	0.0236	96.8	2-136	2.35	23	L460294-17	WG481309	
2,2-Dichloropropene	mg/l	0.0238	0.0222	95.2	14-158	7.06	23	L460294-17	WG481309	
2-Butanone (MEK)	mg/l	0.146	0.129	117.	32-151	12.4	26	L460294-17	WG481309	
2-Chloroethyl vinyl ether	mg/l	0.000307	0	0.246	-175	200.*	75	L460294-17	WG481309	
2-Chlorotoluene	mg/l	0.0208	0.0196	83.1	35-147	5.91	24	L460294-17	WG481309	
4-Chlorotoluene	mg/l	0.0210	0.0209	84.0	33-147	0.730	25	L460294-17	WG481309	
4-Methyl-2-pentanone (MIBK)	mg/l	0.13	0.122	107	0-160	9.34	28	L460294-17	WG481309	
Acetone	mg/l	0.129	0.127	103.	25-157	1.32	26	L460294-17	WG481309	
Acrolein	mg/l	0.103	0.0969	82.3	0-179	5.99	39	L460294-17	WG481309	
Acrylonitrile	mg/l	0.14	0.133	116	7-162	9.13	24	L460294-17	WG481309	
Benzene	mg/l	0.0246	0.0238	98.3	16-158	3.14	21	L460294-17	WG481309	
Bromobenzene	mg/l	0.0213	0.0194	85.2	37-147	9.07	23	L460294-17	WG481309	
Bromodichloromethane	mg/l	0.0252	0.0243	101	5-147	3.54	20	L460294-17	WG481309	
Bromoform	mg/l	0.0237	0.0205	94.8	38-152	14.4	20	L460294-17	WG481309	
Bromomethane	mg/l	0.0193	0.0185	77.2	0-191	4.14	35	L460294-17	WG481309	
Carbon tetrachloride	mg/l	0.0249	0.0241	99.	2-168	3.39	22	L460294-17	WG481309	

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Chlorobenzene	mg/l	0.0246	0.0217	98.4	33-148	12.	22	L460294-17	WG481309
Chlorodibromomethane	mg/l	0.0242	0.021	96.7	48-151	12.4	21	L460294-17	WG481309
Chloroethane	mg/l	0.0227	0.0218	90.8	4-176	4.00	27	L460294-17	WG481309
Chloroform	mg/l	0.0243	0.0243	97.	-147	0.800	21	L460294-17	WG481309
Chloromethane	mg/l	0.0199	0.0155	79.5	10-174	24.9	28	L460294-17	WG481309
cis-1,2-Dichloroethene	mg/l	0.0268	0.0249	104.	29-156	7.31	22	L460294-17	WG481309
cis-1,3-Dichloropropene	mg/l	0.0239	0.0214	95.2	5-148	10.6	21	L460294-17	WG481309
Di-isopropyl ether	mg/l	0.0215	0.0196	86.0	39-160	9.34	21	L460294-17	WG481309
Dibromomethane	mg/l	0.0246	0.0232	98.6	36-152	6.19	20	L460294-17	WG481309
Dichlorodifluoromethane	mg/l	0.0168	0.0132	67.	-200	23.8	26	L460294-17	WG481309
Ethylbenzene	mg/l	0.0240	0.0211	96.2	29-150	13.2	24	L460294-17	WG481309
Hexachloro-1,3-butadiene	mg/l	0.0217	0.0245	87.0	28-144	11.9	33	L460294-17	WG481309
Isopropylbenzene	mg/l	0.0222	0.0200	88.	5-147	10.2	2	L460294-17	WG481309
Methyl tert-butyl ether	mg/l	0.0266	0.0241	106.	24-167	9.78	22	L460294-17	WG481309
Methylene Chloride	mg/l	0.0258	0.0255	103.	23-151	1.17	21	L460294-17	WG481309
n-Butylbenzene	mg/l	0.0220	0.0250	88.	2-15	12.5	2	L460294-17	WG481309
n-Propylbenzene	mg/l	0.0222	0.0210	88.7	26-150	5.53	25	L460294-17	WG481309
Naphthalene	mg/l	0.0278	0.0288	111.	24-160	3.35	37	L460294-17	WG481309
p-Isopropyltoluene	mg/l	0.0213	0.0202	85.3	33-15	5.32	27	L460294-17	WG481309
sec-Butylbenzene	mg/l	0.0210	0.0198	84.0	32-149	6.16	26	L460294-17	WG481309
Styrene	mg/l	0.0220	0.0191	88.0	38-149	14.1	23	L460294-17	WG481309
tert-Butylbenzene	mg/l	0.0199	0.0208	79.8	6-149	4.28	26	L460294-17	WG481309
Tetrachloroethene	mg/l	0.0224	0.0224	89.8	13-157	0.220	24	L460294-17	WG481309
Toluene	mg/l	0.0218	0.0210	87.0	22-152	3.59	22	L460294-17	WG481309
trans-1,2-Dichloroethene	mg/l	0.0242	0.0239	96.	1-160	0.940	23	L460294-17	WG481309
trans-1,3-Dichloropropene	mg/l	0.0266	0.0242	106.	33-153	9.36	22	L460294-17	WG481309
Trichloroethene	mg/l	0.0232	0.0238	90.4	18-163	2.70	21	L460294-17	WG481309
Trichlorofluoromethane	mg/l	0.0238	0.0223	95.3	0-17	6.85	24	L460294-17	WG481309
Vinyl chloride	mg/l	0.00801	0.00924	32.0	0-179	14.3	26	L460294-17	WG481309
Xylenes, Total	mg/l	0.0673	0.0599	89.7	27-151	11.6	23	L460294-17	WG481309
4-Bromofluorobenzene				94.35	-128				WG481309
Dibromofluoromethane				111.2	79-125				WG481309
Toluene-d8				98.79	-4				WG481309
1,1,1,2-Tetrachloroethane	mg/l	0.235	0.242	94.0	45-152	2.89	21	L460642-04	WG481355
1,1,1-Trichloroethane	mg/l	0.286	0.302	114.	31-161	5.31	23	L460642-04	WG481355
1,1,2,2-Tetrachloroethane	mg/l	0.21	0.217	87.4	9-149	0.770	22	L460642-04	WG481355
1,1,2-Trichloroethane	mg/l	0.210	0.205	84.1	46-145	2.41	20	L460642-04	WG481355
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.346	0.365	138.	14-168	5.13	24	L460642-04	WG481355
1,1-Dichloroethane	mg/l	0.26	0.277	107	0-159	3.19	21	L460642-04	WG481355
1,1-Dichloroethene	mg/l	0.301	0.302	120.	10-162	0.460	23	L460642-04	WG481355
1,1-Dichloropropene	mg/l	0.255	0.268	102.	14-162	5.11	23	L460642-04	WG481355
1,2,3-Trichlorobenzene	mg/l	0.22	0.227	0.2	2-143	0.800	33	L460642-04	WG481355
1,2,3-Trichloropropene	mg/l	0.224	0.212	89.8	48-148	5.47	23	L460642-04	WG481355
1,2,3-Trimethylbenzene	mg/l	0.205	0.212	82.0	36-141	3.41	25	L460642-04	WG481355
1,2,4-Trichlorobenzene	mg/l	0.25	0.251	101	7-142	0.750	30	L460642-04	WG481355
1,2,4-Trimethylbenzene	mg/l	0.225	0.234	89.9	29-153	4.07	27	L460642-04	WG481355
1,2-Dibromo-3-Chloropropane	mg/l	0.180	0.171	72.1	37-148	5.47	27	L460642-04	WG481355
1,2-Dibromoethane	mg/l	0.205	0.209	81.9	1-149	1.88	21	L460642-04	WG481355
1,2-Dichlorobenzene	mg/l	0.224	0.226	89.7	40-139	0.840	23	L460642-04	WG481355
1,2-Dichloroethane	mg/l	0.229	0.232	91.7	29-167	1.23	21	L460642-04	WG481355
1,2-Dichloropropene	mg/l	0.2	0.215	84.8	9-148	1.15	20	L460642-04	WG481355
1,3,5-Trimethylbenzene	mg/l	0.230	0.239	92.1	33-149	3.93	26	L460642-04	WG481355
1,3-Dichlorobenzene	mg/l	0.236	0.245	94.3	32-148	3.77	24	L460642-04	WG481355
1,3-Dichloropropene	mg/l	0.215	0.223	87.0	44-142	2.27	20	L460642-04	WG481355
1,4-Dichlorobenzene	mg/l	0.224	0.232	89.6	32-136	3.35	23	L460642-04	WG481355
2,2-Dichloropropene	mg/l	0.278	0.299	111.	14-158	7.24	23	L460642-04	WG481355
2-Butanone (MEK)	mg/l	1.01	1.01	80.9	35-151	0.300	26	L460642-04	WG481355

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Quality Assurance Report
Level II

L460652

June 07, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
2-Chloroethyl vinyl ether	mg/l	0.29	0.598	3.6	0-175	67.8	75	L460642-04	WG481355
2-Chlorotoluene	mg/l	0.235	0.243	93.8	35-147	3.76	24	L460642-04	WG481355
4-Chlorotoluene	mg/l	0.240	0.251	96.1	33-147	4.30	25	L460642-04	WG481355
4-Methyl-2-pentanone (MIBK)	mg/l	1.0	05	85.3	-160	.73	28	L460642-04	WG481355
Acetone	mg/l	1.23	1.18	98.4	25-157	4.00	26	L460642-04	WG481355
Acrolein	mg/l	0.287	0.265	23.0	0-179	8.00	39	L460642-04	WG481355
Acrylonitrile	mg/l	1.00	1.19	97.4	7-162	2.0	24	L460642-04	WG481355
Benzene	mg/l	0.234	0.245	93.7	16-158	4.37	21	L460642-04	WG481355
Bromobenzene	mg/l	0.241	0.246	96.3	37-147	2.33	23	L460642-04	WG481355
Bromodichloromethane	mg/l	0.23	0.242	93.2	5-147	3.59	20	L460642-04	WG481355
Bromoform	mg/l	0.215	0.211	86.0	38-152	1.84	20	L460642-04	WG481355
Bromomethane	mg/l	0.317	0.325	127.	0-191	2.58	35	L460642-04	WG481355
Carbon tetrachloride	mg/l	0.271	0.299	111	-168	7.50	24	L460642-04	WG481355
Chlorobenzene	mg/l	0.220	0.226	87.8	33-148	2.76	22	L460642-04	WG481355
Chlorodibromomethane	mg/l	0.233	0.236	93.2	48-151	1.23	21	L460642-04	WG481355
Chloroethane	mg/l	0.271	0.297	112	-176	6.17	27	L460642-04	WG481355
Chloroform	mg/l	0.237	0.278	94.9	37-147	15.9	21	L460642-04	WG481355
Chloromethane	mg/l	0.197	0.204	78.7	10-174	3.88	28	L460642-04	WG481355
cis-1,2-Dichloroethene	mg/l	0.26	0.25	99	9-156	2.18	22	L460642-04	WG481355
cis-1,3-Dichloropropene	mg/l	0.208	0.216	83.1	35-148	3.93	21	L460642-04	WG481355
Di-isopropyl ether	mg/l	0.283	0.291	113.	39-160	2.76	21	L460642-04	WG481355
Dibromomethane	mg/l	0.20	0.21	83.4	6-152	0.99	20	L460642-04	WG481355
Dichlorodifluoromethane	mg/l	0.327	0.347	131.	0-200	5.95	26	L460642-04	WG481355
Ethylbenzene	mg/l	0.222	0.228	88.8	29-150	2.62	24	L460642-04	WG481355
Hexachloro-1,3-butadiene	mg/l	0.22	0.236	89.0	28-144	4.91	33	L460642-04	WG481355
Isopropylbenzene	mg/l	0.268	0.277	107.	35-147	3.52	25	L460642-04	WG481355
Methyl tert-butyl ether	mg/l	0.263	0.265	105.	24-167	0.590	22	L460642-04	WG481355
Methylene Chloride	mg/l	0.26	0.262	104	3-15	0.670	21	L460642-04	WG481355
n-Butylbenzene	mg/l	0.257	0.270	103.	22-151	4.96	29	L460642-04	WG481355
n-Propylbenzene	mg/l	0.245	0.257	98.0	26-150	4.68	25	L460642-04	WG481355
Naphthalene	mg/l	0.21	0.207	85.8	28-160	3.00	37	L460642-04	WG481355
p-Isopropyltoluene	mg/l	0.240	0.252	96.2	28-151	4.58	27	L460642-04	WG481355
sec-Butylbenzene	mg/l	0.245	0.257	97.9	32-149	4.95	26	L460642-04	WG481355
Styrene	mg/l	0.23	0.239	94.3	8-149	1.54	2	L460642-04	WG481355
tert-Butylbenzene	mg/l	0.243	0.252	97.4	36-149	3.55	26	L460642-04	WG481355
Tetrachloroethene	mg/l	1.34	1.37	94.3	13-157	2.89	24	L460642-04	WG481355
Toluene	mg/l	0.221	0.227	88.0	2-152	3.09	22	L460642-04	WG481355
trans-1,2-Dichloroethene	mg/l	0.265	0.268	106.	11-160	1.20	23	L460642-04	WG481355
trans-1,3-Dichloropropene	mg/l	0.213	0.218	85.1	33-153	2.40	22	L460642-04	WG481355
Trichloroethene	mg/l	0.23	0.240	90.	8-163	1.52	21	60642-04	WG481355
Trichlorofluoromethane	mg/l	0.306	0.326	122.	10-177	6.36	24	L460642-04	WG481355
Vinyl chloride	mg/l	0.252	0.261	101.	0-179	3.54	26	L460642-04	WG481355
Xylenes, Total	mg/l	0.68	0.692	0.8	7-15	1.62	23	L460642-04	WG481355
4-Bromofluorobenzene				104.2	75-128				WG481355
Dibromofluoromethane				95.44	79-125				WG481355
Toluene-d8				98.35	7-114				WG481355
1,1,1,2-Tetrachloroethane	mg/l	0.252	0.251	101.	45-152	0.400	21	L460670-03	WG481382
1,1,1-Trichloroethane	mg/l	0.251	0.263	102	1-16	2.85	23	L460670-03	WG481382
1,1,2,2-Tetrachloroethane	mg/l	0.251	0.262	100.	49-149	4.44	22	L460670-03	WG481382
1,1,2-Trichloroethane	mg/l	0.241	0.242	96.2	46-145	0.430	20	L460670-03	WG481382
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.27	0.298	109	4-168	8.83	24	L460670-03	WG481382
1,1-Dichloroethane	mg/l	0.247	0.266	99.0	30-159	7.09	21	L460670-03	WG481382
1, -Dichloroethene	mg/l	0.245	0.278	98.2	10-162	12.3	23	L460670-03	WG481382
1,1-Dichloropropene	mg/l	0.25	0.275	101	3-162	8.38	21	L460670-03	WG481382
1,2,3-Trichlorobenzene	mg/l	0.223	0.221	89.0	32-143	0.790	33	L460670-03	WG481382
1,2,3-Trichloropropene	mg/l	0.250	0.244	100.	48-148	2.45	23	L460670-03	WG481382
1,2,3-Trimethylbenzene	mg/l	0.26	0.272	3.8	28-141	3.70	22	L460670-03	WG481382

* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

June 07, 2010

Analyte	Units	MSD	Matrix Ref	Spike %Rec	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
1,2,4-Trichlorobenzene	mg/l	0.269	0.267	08.	27-142	0.850	30	L460670-03	WG481382	
1,2,4-Trimethylbenzene	mg/l	0.493	0.511	109.	29-153	3.47	27	L460670-03	WG481382	
1,2-Dibromo-3-Chloropropane	mg/l	0.210	0.222	84.1	37-148	5.55	27	L460670-03	WG481382	
1,2-Dibromomethane	mg/l	0.25	0.246	00.	-149	.90	22	L460670-03	WG481382	
1,2-Dichlorobenzene	mg/l	0.250	0.247	99.9	40-139	0.990	23	L460670-03	WG481382	
1,2-Dichloroethane	mg/l	0.259	0.270	104.	29-167	3.93	21	L460670-03	WG481382	
1,2-Dichloropropane	mg/l	0.23	0.251	93.8	33-148	7.44	20	L460670-03	WG481382	
1,3,5-Trimethylbenzene	mg/l	0.341	0.356	110.	33-149	4.37	26	L460670-03	WG481382	
1,3-Dichlorobenzene	mg/l	0.256	0.264	102.	32-148	2.95	24	L460670-03	WG481382	
1,3-Dichloropropane	mg/l	0.24	0.244	97.8	33-142	0.780	20	L460670-03	WG481382	
1,4-Dichlorobenzene	mg/l	0.247	0.254	98.9	32-136	2.81	23	L460670-03	WG481382	
2,2-Dichloropropane	mg/l	0.252	0.274	101.	14-158	8.35	23	L460670-03	WG481382	
2-Butanone (MEK)	mg/l	1.20	1.28	96.4	2-15	5.74	26	L460670-03	WG481382	
2-Chloroethyl vinyl ether	mg/l	0.345	0.451	27.6	0-175	26.8	75	L460670-03	WG481382	
2-Chlorotoluene	mg/l	0.235	0.249	93.8	35-147	5.84	24	L460670-03	WG481382	
4-Chlorotoluene	mg/l	0.24	0.258	98.5	3-147	4.77	2	L460670-03	WG481382	
4-Methyl-2-pentanone (MIBK)	mg/l	1.36	1.44	109.	40-160	5.53	28	L460670-03	WG481382	
Acetone	mg/l	1.26	1.35	101.	25-157	6.87	26	L460670-03	WG481382	
Acrolein	mg/l	0.34	0.40	27.	-179	15.8	3	L460670-03	WG481382	
Acrylonitrile	mg/l	1.35	1.42	108.	37-162	4.94	24	L460670-03	WG481382	
Benzene	mg/l	0.283	0.305	101.	16-158	7.46	21	L460670-03	WG481382	
Bromobenzene	mg/l	0.288	0.272	105.	7-147	3.32	23	L460670-03	WG481382	
Bromodichloromethane	mg/l	0.241	0.253	96.3	45-147	4.86	20	L460670-03	WG481382	
Bromoform	mg/l	0.240	0.236	96.1	38-152	1.62	20	L460670-03	WG481382	
Bromomethane	mg/l	0.27	0.346	109	-191	23.4	35	L460670-03	WG481382	
Carbon tetrachloride	mg/l	0.248	0.262	99.0	22-168	5.56	24	L460670-03	WG481382	
Chlorobenzene	mg/l	0.248	0.250	99.1	33-148	0.790	22	L460670-03	WG481382	
Chlorodibromomethane	mg/l	0.231	0.233	95.3	8-15	2.08	21	L460670-03	WG481382	
Chloroethane	mg/l	0.237	0.248	94.8	4-176	4.60	27	L460670-03	WG481382	
Chloroform	mg/l	0.245	0.262	98.0	37-147	6.49	21	L460670-03	WG481382	
Chloromethane	mg/l	0.15	0.171	63.	0-174	7.33	28	L460670-03	WG481382	
cis-1,2-Dichloroethene	mg/l	0.284	0.296	97.5	29-156	4.23	22	L460670-03	WG481382	
cis-1,3-Dichloropropene	mg/l	0.224	0.240	89.5	35-148	7.13	21	L460670-03	WG481382	
Di-isopropyl ether	mg/l	0.261	0.268	104	9-160	3.23	21	L460670-03	WG481382	
Dibromomethane	mg/l	0.232	0.249	92.9	36-152	6.90	20	L460670-03	WG481382	
Dichlorodifluoromethane	mg/l	0.162	0.185	65.0	0-200	13.2	26	L460670-03	WG481382	
Ethylbenzene	mg/l	0.44	0.44	104	9-150	0.400	24	L460670-03	WG481382	
Hexachloro-1,3-butadiene	mg/l	0.230	0.223	92.1	28-144	3.07	33	L460670-03	WG481382	
Isopropylbenzene	mg/l	0.302	0.310	114.	35-147	2.41	25	L460670-03	WG481382	
Methyl tert-butyl ether	mg/l	0.26	0.269	105	4-167	2.05	22	L460670-03	WG481382	
Methylene Chloride	mg/l	0.241	0.263	96.6	23-151	8.45	21	L460670-03	WG481382	
n-Butylbenzene	mg/l	0.277	0.283	111.	22-151	2.14	29	L460670-03	WG481382	
n-Propylbenzene	mg/l	0.27	0.287	101	6-150	4.19	25	L460670-03	WG481382	
Naphthalene	mg/l	0.250	0.245	100.	24-160	2.05	37	L460670-03	WG481382	
p-Isopropyltoluene	mg/l	0.294	0.296	118.	28-151	0.520	27	L460670-03	WG481382	
sec-Butylbenzene	mg/l	0.288	0.277	109	2-149	1.14	26	L460670-03	WG481382	
Styrene	mg/l	0.231	0.241	92.3	38-149	4.22	23	L460670-03	WG481382	
tert-Butylbenzene	mg/l	0.269	0.276	108.	36-149	2.64	26	L460670-03	WG481382	
Tetrachloroethene	mg/l	0.24	0.250	9.	-157	0.770	24	L460670-03	WG481382	
Toluene	mg/l	0.244	0.262	97.6	22-152	7.25	22	L460670-03	WG481382	
trans-1,2-Dichloroethene	mg/l	0.241	0.260	96.3	11-160	7.60	23	L460670-03	WG481382	
trans-1,3-Dichloropropene	mg/l	0.21	0.22	84.4	3-153	.23	22	L460670-03	WG481382	
Trichloroethene	mg/l	0.244	0.258	97.5	18-163	5.67	21	L460670-03	WG481382	
Trichlorofluoromethane	mg/l	0.237	0.271	94.9	10-177	13.4	24	L460670-03	WG481382	
Vinyl chloride	mg/l	0.20	0.251	82.8	179	19.2	23	L460670-03	WG481382	
Xylenes, Total	mg/l	1.81	1.86	94.7	27-151	2.96	23	L460670-03	WG481382	
4-Bromofluorobenzene				102.0	75-128				WG481382	
Dibromofluoromethane				98.65	88-125				WG481382	
Toluene-d8				96.66	87-114				WG481382	

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
1,1,1,2-Tetrachloroethane	mg/l	0.0286	0.0303	113	43-15	21	L460652-29	WG481381	
1,1,1-Trichloroethane	mg/l	0.0281	0.0295	112	31-161	4.86	23	L460652-29	WG481381
1,1,2,2-Tetrachloroethane	mg/l	0.0313	0.0274	125	49-149	13.4	22	L460652-29	WG481381
1,1,2-Trichloroethane	mg/l	0.0284	0.0274	114	-145	20	L460652-29	WG481381	
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0269	0.0292	108	14-168	8.27	24	L460652-29	WG481381
1,1-Dichloroethane	mg/l	0.0279	0.0278	112	30-159	0.230	21	L460652-29	WG481381
1,1-Dichloropropene	mg/l	0.02	0.0262	98	0-162	5.8	23	L460652-29	WG481381
1,2,3-Trichlorobenzene	mg/l	0.0289	0.0308	116	14-162	6.09	23	L460652-29	WG481381
1,2,3-Trichloropropene	mg/l	0.0302	0.0238	121	32-143	23.6	33	L460652-29	WG481381
1,2,3-Trimethylbenzene	mg/l	0.0299	0.0256	120	8-148	15.5	23	L460652-29	WG481381
1,2,4-Trichlorobenzene	mg/l	0.0308	0.0291	123	36-141	5.70	25	L460652-29	WG481381
1,2,4-Trimethylbenzene	mg/l	0.0351	0.0271	140	27-142	25.7	30	L460652-29	WG481381
1,2,4-Trimethylbenzene	mg/l	0.0304	0.0308	122	9-153	1.30	27	L460652-29	WG481381
1,2-Dibromo-3-Chloropropane	mg/l	0.0298	0.0222	119	37-148	29.0*	27	L460652-29	WG481381
1,2-Dibromoethane	mg/l	0.0279	0.0287	111	41-149	2.80	21	L460652-29	WG481381
1,2-Dichlorobenzene	mg/l	0.0318	0.0289	127	0-139	9.44	23	L460652-29	WG481381
1,2-Dichloroethane	mg/l	0.0294	0.0278	118	29-167	5.53	21	L460652-29	WG481381
1,2-Dichloropropene	mg/l	0.0282	0.0282	113	39-148	0.150	20	L460652-29	WG481381
1,3,5-Trimethylbenzene	mg/l	0.0294	0.0293	118	3-149	0.40	26	L460652-29	WG481381
1,3-Dichlorobenzene	mg/l	0.0285	0.0309	114	32-148	7.99	24	L460652-29	WG481381
1,3-Dichloropropene	mg/l	0.0287	0.0256	115	44-142	11.3	20	L460652-29	WG481381
1,4-Dichlorobenzene	mg/l	0.0300	0.0290	120	2-136	3.43	2	L460652-29	WG481381
2,2-Dichloropropene	mg/l	0.0292	0.0299	117	14-158	2.27	23	L460652-29	WG481381
2-Butanone (MEK)	mg/l	0.154	0.129	123	32-151	17.5	26	L460652-29	WG481381
2-Chloroethyl vinyl ether	mg/l	0.00943	0.0619	7.55	-175	147.*	75	L460652-29	WG481381
2-Chlorotoluene	mg/l	0.0281	0.0269	112	35-147	4.22	24	L460652-29	WG481381
4-Chlorotoluene	mg/l	0.0273	0.0298	109	33-147	8.77	25	L460652-29	WG481381
4-Methyl-2-pentanone (M	mg/l	0.17	0.150	138	0-160	13.5	28	L460652-29	WG481381
Acetone	mg/l	0.140	0.122	112	25-157	14.1	26	L460652-29	WG481381
Acrolein	mg/l	0.152	0.139	122	0-179	9.03	39	L460652-29	WG481381
Acrylonitrile	mg/l	0.152	0.138	121	7-162	9.75	24	L460652-29	WG481381
Benzene	mg/l	0.0284	0.0293	113	16-158	3.33	21	L460652-29	WG481381
Bromobenzene	mg/l	0.0301	0.0317	120	37-147	5.12	23	L460652-29	WG481381
Bromodichloromethane	mg/l	0.0318	0.0308	127	33-147	3.24	20	L460652-29	WG481381
Bromoform	mg/l	0.0287	0.0283	115	38-152	1.41	20	L460652-29	WG481381
Bromomethane	mg/l	0.0368	0.0362	147	0-191	1.77	35	L460652-29	WG481381
Carbon tetrachloride	mg/l	0.0289	0.030	116	2-168	5.13	24	L460652-29	WG481381
Chlorobenzene	mg/l	0.0279	0.0288	112	33-148	3.12	22	L460652-29	WG481381
Chlorodibromomethane	mg/l	0.0284	0.0282	114	48-151	0.760	21	L460652-29	WG481381
Chloroethane	mg/l	0.0326	0.0328	130	176	0.300	27	L460652-29	WG481381
Chloroform	mg/l	0.0268	0.0282	107	37-147	4.97	21	L460652-29	WG481381
Chloromethane	mg/l	0.0201	0.0219	80.3	10-174	8.53	28	L460652-29	WG481381
cis-1,2-Dichloroethene	mg/l	0.0273	0.0277	109	9-156	1.43	22	L460652-29	WG481381
cis-1,3-Dichloropropene	mg/l	0.0274	0.0277	110	35-148	1.18	21	L460652-29	WG481381
Di-isopropyl ether	mg/l	0.0282	0.0284	113	39-160	0.960	21	L460652-29	WG481381
Dibromomethane	mg/l	0.0283	0.0279	113	6-152	1.51	20	L460652-29	WG481381
Dichlorodifluoromethane	mg/l	0.0278	0.0301	111	0-200	8.14	26	L460652-29	WG481381
Ethylbenzene	mg/l	0.0285	0.0306	114	29-150	7.00	24	L460652-29	WG481381
Hexachloro-1,3-butadiene	mg/l	0.0292	0.026	117	8-144	11.2	3	L460652-29	WG481381
Isopropylbenzene	mg/l	0.0289	0.0297	116	35-147	2.63	25	L460652-29	WG481381
Methyl tert-butyl ether	mg/l	0.0290	0.0267	116	24-167	8.24	22	L460652-29	WG481381
Methylene Chloride	mg/l	0.0285	0.0263	106	3-15	0.83	21	L460652-29	WG481381
n-Butylbenzene	mg/l	0.0336	0.0327	134	22-151	2.62	29	L460652-29	WG481381
n-Propylbenzene	mg/l	0.0292	0.0300	117	26-150	2.73	25	L460652-29	WG481381
Naphthalene	mg/l	0.0356	0.0262	142	4-160	30.3	37	L460652-29	WG481381
p-Isopropyltoluene	mg/l	0.0303	0.0336	121	28-151	10.3	27	L460652-29	WG481381
sec-Butylbenzene	mg/l	0.0298	0.0326	119	32-149	8.97	26	L460652-29	WG481381
Styrene	mg/l	0.0285	0.0272	113	33-149	3.06	23	L460652-29	WG481381
tert-Butylbenzene	mg/l	0.0290	0.0321	116	36-149	10.3	26	L460652-29	WG481381

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

June 07, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Tetrachloroethene	mg/l	0.0277	0.0277	06	-157	-	24	L460652-29	WG481381
Toluene	mg/l	0.0283	0.0273	113.	22-152	3.34	22	L460652-29	WG481381
trans-1,2-Dichloroethene	mg/l	0.0268	0.0279	107.	11-160	3.92	23	L460652-29	WG481381
trans-1,3-Dichloropropene	mg/l	0.0258	0.0250	108.	33-153	-	22	L460652-29	WG481381
Trichloroethene	mg/l	0.0280	0.0278	112.	18-163	0.470	21	L460652-29	WG481381
Trichlorofluoromethane	mg/l	0.0316	0.0320	126.	10-177	1.10	24	L460652-29	WG481381
Vinyl chloride	mg/l	0.0285	0.0316	114	-179	10.	26	L460652-29	WG481381
Xylenes, Total	mg/l	0.0885	0.0946	118.	27-151	6.70	23	L460652-29	WG481381
4-Bromofluorobenzene				98.15	75-128				WG481381
Dibromofluoromethane				96.87	9-125				WG481381
Toluene-d8				98.90	87-114				WG481381
1,2,4-Trimethylbenzene	mg/l	0.0278	0.0306	89.9	9-153	11.0	27	L460687-02	WG481568
Benzene	mg/l	0.0212	0.0239	78.2	16-158	12.3	21	L460687-02	WG481568
cis-1,2-Dichloroethene	mg/l	0.0214	0.0242	85.7	29-156	12.3	22	L460687-02	WG481568
Ethylbenzene	mg/l	0.0231	0.0255	88.6	9-150	9.55	24	L460687-02	WG481568
sec-Butylbenzene	mg/l	0.0222	0.0244	88.7	32-149	9.55	26	L460687-02	WG481568
Tetrachloroethene	mg/l	0.0220	0.0245	88.1	13-157	10.5	24	L460687-02	WG481568
Vinyl chloride	mg/l	0.0258	0.0283	101	-179	10.8	26	L460687-02	WG481568
Xylenes, Total	mg/l	0.0745	0.0832	86.8	27-151	11.1	23	L460687-02	WG481568
4-Bromofluorobenzene				101.2	75-128				WG481568
Dibromofluoromethane				98.39	9-125				WG481568
Toluene-d8				104.7	87-114				WG481568
1,1,1,2-Tetrachloroethane	mg/l	0.0242	0.0208	96.	5-152	15.2	21	L460766-03	WG481596
1,1,1-Trichloroethane	mg/l	0.0245	0.0215	98.0	31-161	12.9	23	L460766-03	WG481596
1,1,2,2-Tetrachloroethane	mg/l	0.0230	0.0183	91.8	49-149	22.5*	22	L460766-03	WG481596
1,1,2-Trichloroethane	mg/l	0.0218	0.0190	87.	6-145	14.5	20	L460766-03	WG481596
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0259	0.0239	104.	14-168	7.95	24	L460766-03	WG481596
1,1-Dichloroethane	mg/l	0.0243	0.0213	97.0	30-159	13.0	21	L460766-03	WG481596
1,1-Dichlorobenzene	mg/l	0.0230	0.0202	91.9	0-162	13.0	23	L460766-03	WG481596
1,1-Dichloropropene	mg/l	0.0232	0.0206	93.0	14-162	11.9	23	L460766-03	WG481596
1,2,3-Trichlorobenzene	mg/l	0.0254	0.0157	101.	32-143	47.3*	33	L460766-03	WG481596
1,2,3-Trichloropropene	mg/l	0.0220	0.018	88.	8-148	16.6	28	L460766-03	WG481596
1,2,3-Trimethylbenzene	mg/l	0.0231	0.0183	92.2	36-141	23.0	25	L460766-03	WG481596
1,2,4-Trichlorobenzene	mg/l	0.0285	0.0184	114.	27-142	43.1*	30	L460766-03	WG481596
1,2,4-Trimethylbenzene	mg/l	0.0218	0.0186	87.2	9-153	15.7	27	L460766-03	WG481596
1,2-Dibromo-3-Chloropropane	mg/l	0.0231	0.0139	92.2	37-148	49.5*	27	L460766-03	WG481596
1,2-Dibromoethane	mg/l	0.0242	0.0191	96.7	41-149	23.5*	21	L460766-03	WG481596
1,2-Dichlorobenzene	mg/l	0.0235	0.0177	93.8	-139	27.8*	23	L460766-03	WG481596
1,2-Dichloroethane	mg/l	0.0246	0.0202	98.6	29-167	19.8	21	L460766-03	WG481596
1,2-Dichloropropene	mg/l	0.0234	0.0190	93.6	39-148	20.9*	20	L460766-03	WG481596
1,3,5-Trimethylbenzene	mg/l	0.0224	0.0207	89.4	3-149	7.92	26	L460766-03	WG481596
1,3-Dichlorobenzene	mg/l	0.0213	0.0193	85.1	32-148	9.57	24	L460766-03	WG481596
1,3-Dichloropropene	mg/l	0.0243	0.0197	97.0	44-142	21.0*	20	L460766-03	WG481596
1,4-Dichlorobenzene	mg/l	0.0234	0.0189	93.6	2-136	21.3	23	L460766-03	WG481596
2,2-Dichloropropene	mg/l	0.0258	0.0236	103.	14-158	8.78	23	L460766-03	WG481596
2-Butanone (MEK)	mg/l	0.128	0.0912	102.	32-151	33.4*	26	L460766-03	WG481596
2-Chloroethyl vinyl ether	mg/l	0.00264	0.0136	2.1	-135.5*	135.5*	78	L460766-03	WG481596
2-Chlorotoluene	mg/l	0.0207	0.0189	83.0	35-147	9.39	24	L460766-03	WG481596
4-Chlorotoluene	mg/l	0.0215	0.0197	85.8	33-147	8.39	25	L460766-03	WG481596
4-Methyl-2-pentanone (MIBK)	mg/l	0.13	0.091	107.	40-160	37.4*	28	L460766-03	WG481596
Acetone	mg/l	0.125	0.0918	100.	25-157	30.6*	26	L460766-03	WG481596
Acrolein	mg/l	0.0274	0.0216	21.9	0-179	23.7	39	L460766-03	WG481596
Acrylonitrile	mg/l	0.139	0.105	112	7-162	28.4*	24	L460766-03	WG481596
Benzene	mg/l	0.0244	0.0216	97.8	16-158	12.5	21	L460766-03	WG481596
Bromobenzene	mg/l	0.0226	0.0191	90.3	37-147	16.7	23	L460766-03	WG481596

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	MSD	Ref	Matrix Spike %Rec	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
Bromodichloromethane	mg/l	0.0232	0.0197	95.0	95.0	43-147	-	20	L460766-03	WG481596
Bromoform	mg/l	0.0240	0.0184	95.8	95.8	38-152	26.4*	20	L460766-03	WG481596
Bromomethane	mg/l	0.0276	0.0255	110.	110.	0-191	7.77	35	L460766-03	WG481596
Carbon tetrachloride	mg/l	0.0239	0.021	95.4	95.4	-168	-65	24	L460766-03	WG481596
Chlorobenzene	mg/l	0.0216	0.0201	86.4	86.4	33-148	7.29	22	L460766-03	WG481596
Chlorodibromomethane	mg/l	0.0244	0.0200	97.7	97.7	48-151	19.8	21	L460766-03	WG481596
Chloroethane	mg/l	0.0249	0.0225	99.5	99.5	-176	10.2	27	L460766-03	WG481596
Chloroform	mg/l	0.0244	0.0206	97.6	97.6	37-147	17.0	21	L460766-03	WG481596
Chloromethane	mg/l	0.0137	0.0128	54.7	54.7	10-174	6.57	28	L460766-03	WG481596
cis-1,2-Dichloroethene	mg/l	0.0233	0.020	93.	93.	9-156	11.5	22	L460766-03	WG481596
cis-1,3-Dichloropropene	mg/l	0.0210	0.0171	83.8	83.8	35-148	20.0	21	L460766-03	WG481596
Di-isopropyl ether	mg/l	0.0262	0.0223	105.	105.	39-160	15.9	21	L460766-03	WG481596
Dibromomethane	mg/l	0.0229	0.0195	91.5	91.5	6-152	15.9	20	L460766-03	WG481596
Dichlorodifluoromethane	mg/l	0.0165	0.0145	65.9	65.9	0-200	13.1	26	L460766-03	WG481596
Ethylbenzene	mg/l	0.0226	0.0199	90.5	90.5	29-150	13.0	24	L460766-03	WG481596
Hexachloro-1,3-butadiene	mg/l	0.0253	0.0188	101.8	101.8	33-144	29.8	3	L460766-03	WG481596
Isopropylbenzene	mg/l	0.0235	0.0225	93.9	93.9	35-147	4.05	25	L460766-03	WG481596
Methyl tert-butyl ether	mg/l	0.0269	0.0215	107.	107.	24-167	22.2*	22	L460766-03	WG481596
Methylene Chloride	mg/l	0.0235	0.0203	93	93	3-15	14.5	21	L460766-03	WG481596
n-Butylbenzene	mg/l	0.0265	0.0197	106.	106.	22-151	29.4*	29	L460766-03	WG481596
n-Propylbenzene	mg/l	0.0217	0.0190	86.9	86.9	26-150	13.3	25	L460766-03	WG481596
Naphthalene	mg/l	0.0292	0.0162	117.	117.	4-160	57.4*	27	L460766-03	WG481596
p-Isopropyltoluene	mg/l	0.0230	0.0212	92.0	92.0	28-151	8.19	27	L460766-03	WG481596
sec-Butylbenzene	mg/l	0.0223	0.0204	89.3	89.3	32-149	9.21	26	L460766-03	WG481596
Styrene	mg/l	0.0212	0.0188	85.0	85.0	8-149	12.1	23	L460766-03	WG481596
tert-Butylbenzene	mg/l	0.0222	0.0200	89.0	89.0	36-149	10.4	26	L460766-03	WG481596
Tetrachloroethene	mg/l	0.0214	0.0175	85.7	85.7	13-157	20.0	24	L460766-03	WG481596
Toluene	mg/l	0.0224	0.0185	89.8	89.8	2-152	19.3	22	L460766-03	WG481596
trans-1,2-Dichloroethene	mg/l	0.0223	0.0190	89.1	89.1	11-160	15.8	23	L460766-03	WG481596
trans-1,3-Dichloropropene	mg/l	0.0193	0.0158	77.4	77.4	33-153	19.9	22	L460766-03	WG481596
Trichloroethene	mg/l	0.021	0.0186	82.6	82.6	8-163	10.2	21	L460766-03	WG481596
Trichlorofluoromethane	mg/l	0.0233	0.0213	93.0	93.0	10-177	8.90	24	L460766-03	WG481596
Vinyl chloride	mg/l	0.0201	0.0181	80.5	80.5	0-179	10.6	26	L460766-03	WG481596
Xylenes, Total	mg/l	0.0709	0.062	94.6	94.6	27-15	13.3	2	L460766-03	WG481596
4-Bromofluorobenzene				92.68	92.68	75-128				WG481596
Dibromofluoromethane				98.35	98.35	79-125				WG481596
Toluene-d8				95.61	95.61	7-114				WG481596
1,1,1,2-Tetrachloroethane	mg/l	0.0297	0.0287	119.	119.	45-152	3.39	21	L460693-05	WG481667
1,1,1-Trichloroethane	mg/l	0.0268	0.0263	107	107	1-16	1.27	23	L460693-05	WG481667
1,1,2,2-Tetrachloroethane	mg/l	0.0216	0.0212	86.3	86.3	49-149	1.68	22	L460693-05	WG481667
1,1,2-Trichloroethane	mg/l	0.0280	0.0270	112.	112.	46-145	3.58	20	L460693-05	WG481667
1,1,2-Trichloro-1,2,2-trifluoroethane	mg/l	0.0243	0.0249	97.4	97.4	4-168	2.22	24	L460693-05	WG481667
1,1-Dichloroethane	mg/l	0.0222	0.0222	88.7	88.7	30-159	0.0700	21	L460693-05	WG481667
1,1-Dichloroethene	mg/l	0.0211	0.0213	84.2	84.2	10-162	1.16	23	L460693-05	WG481667
1,1-Dichloropropene	mg/l	0.0235	0.0243	95.6	95.6	4-162	1.75	23	L460693-05	WG481667
1,2,3-Trichlorobenzene	mg/l	0.0237	0.0244	94.9	94.9	32-143	2.61	33	L460693-05	WG481667
1,2,3-Trichloropropene	mg/l	0.0260	0.0250	104.	104.	48-148	3.71	23	L460693-05	WG481667
1,2,3-Trimethylbenzene	mg/l	0.0291	0.0295	116	116	6-14	1.41	2	L460693-05	WG481667
1,2,4-Trichlorobenzene	mg/l	0.0229	0.0233	91.7	91.7	27-142	1.86	30	L460693-05	WG481667
1,2,4-Trimethylbenzene	mg/l	0.0283	0.0278	113.	113.	29-153	2.03	27	L460693-05	WG481667
1,2-Dibromo-3-Chloropropane	mg/l	0.0250	0.0252	100	100	7-148	0.800	27	L460693-05	WG481667
1,2-Dibromoethane	mg/l	0.0293	0.0286	117.	117.	41-149	2.65	21	L460693-05	WG481667
1,2-Dichlorobenzene	mg/l	0.0290	0.0290	116.	116.	40-139	0.0800	23	L460693-05	WG481667
1,2-Dichloroethane	mg/l	0.0233	0.0267	104	104	9-167	2.18	21	L460693-05	WG481667
1,2-Dichloropropene	mg/l	0.0228	0.0243	91.3	91.3	39-148	6.44	20	L460693-05	WG481667
1,3,5-Trimethylbenzene	mg/l	0.0283	0.0277	113.	113.	33-149	2.18	26	L460693-05	WG481667
1,3-Dichlorobenzene	mg/l	0.0270	0.0267	108	108	10-148	1.10	23	L460693-05	WG481667

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

Analyte	Units	MSD	Matrix Spike Ref	Duplicate %Rec	Limit	RPD	Limit Ref	Samp	Batch
1,3-Dichloropropane	mg/l	0.0271	0.0257	085	6-142	.	20	L460693-05	WG481667
1,4-Dichlorobenzene	mg/l	0.0281	0.0277	112.	32-136	1.23	23	L460693-05	WG481667
2,2-Dichloropropane	mg/l	0.0260	0.0257	104.	14-158	1.00	23	L460693-05	WG481667
2-Butanone (MEK)	mg/l	0.107	0.112	85.	~151	4.	26	L460693-05	WG481667
2-Chloroethyl vinyl ether	mg/l	0.00180	0.0110	1.44	0-175	143.*	75	L460693-05	WG481667
2-Chlorotoluene	mg/l	0.0286	0.0278	114.	35-147	2.71	24	L460693-05	WG481667
4-Chlorotoluene	mg/l	0.0286	0.0272	114	3-147	5.18	2	L460693-05	WG481667
4-Methyl-2-pentanone (MIBK)	mg/l	0.142	0.144	113.	40-160	2.04	28	L460693-05	WG481667
Acetone	mg/l	0.118	0.118	94.3	25-157	0.280	26	L460693-05	WG481667
Acrolein	mg/l	0.11	0.12	95.2	-179	1.92	23	L460693-05	WG481667
Acrylonitrile	mg/l	0.0950	0.0976	76.0	37-162	2.73	24	L460693-05	WG481667
Benzene	mg/l	0.0204	0.0203	81.5	16-158	0.430	21	L460693-05	WG481667
Bromobenzene	mg/l	0.0271	0.026	108	7-147	3.95	23	L460693-05	WG481667
Bromodichloromethane	mg/l	0.0291	0.0293	116.	45-147	0.570	20	L460693-05	WG481667
Bromoform	mg/l	0.0315	0.0300	126.	38-152	4.82	20	L460693-05	WG481667
Bromomethane	mg/l	0.0293	0.0286	117	-191	2.33	35	L460693-05	WG481667
Carbon tetrachloride	mg/l	0.0264	0.0258	105.	22-168	2.04	24	L460693-05	WG481667
Chlorobenzene	mg/l	0.0256	0.0265	102.	33-148	3.29	22	L460693-05	WG481667
Chlorodibromomethane	mg/l	0.0335	0.0319	134	8-15	4.90	21	L460693-05	WG481667
Chloroethane	mg/l	0.0276	0.0283	110.	4-176	2.45	27	L460693-05	WG481667
Chloroform	mg/l	0.0246	0.0245	98.4	37-147	0.340	21	L460693-05	WG481667
Chloromethane	mg/l	0.0141	0.0132	56.6	0-174	6.62	28	L460693-05	WG481667
cis-1,2-Dichloroethene	mg/l	0.0211	0.0210	84.5	29-156	0.440	22	L460693-05	WG481667
cis-1,3-Dichloropropene	mg/l	0.0271	0.0272	108.	35-148	0.510	21	L460693-05	WG481667
Di-isopropyl ether	mg/l	0.0220	0.0226	88.2	9-160	2.59	21	L460693-05	WG481667
Dibromomethane	mg/l	0.0271	0.0274	108.	36-152	0.980	20	L460693-05	WG481667
Dichlorodifluoromethane	mg/l	0.0416	0.0415	166.	0-200	0.370	26	L460693-05	WG481667
Ethylbenzene	mg/l	0.0259	0.0266	104	9-150	2.62	24	L460693-05	WG481667
Hexachloro-1,3-butadiene	mg/l	0.0308	0.0308	123.	28-144	0.0600	33	L460693-05	WG481667
Isopropylbenzene	mg/l	0.0277	0.0267	111.	35-147	3.72	25	L460693-05	WG481667
Methyl tert-butyl ether	mg/l	0.0252	0.025	101	~16	1.00	22	L460693-05	WG481667
Methylene Chloride	mg/l	0.0195	0.0195	78.1	23-151	0.290	21	L460693-05	WG481667
n-Butylbenzene	mg/l	0.0260	0.0262	104.	22-151	0.880	29	L460693-05	WG481667
n-Propylbenzene	mg/l	0.0259	0.0260	108	6-150	3.40	22	L460693-05	WG481667
Naphthalene	mg/l	0.0215	0.0210	80.5	24-160	2.58	37	L460693-05	WG481667
p-Isopropyltoluene	mg/l	0.0294	0.0284	118.	28-151	3.59	27	L460693-05	WG481667
sec-Butylbenzene	mg/l	0.0274	0.0263	110	~149	4.11	26	L460693-05	WG481667
Styrene	mg/l	0.0254	0.0246	102.	38-149	3.39	23	L460693-05	WG481667
tert-Butylbenzene	mg/l	0.0291	0.0286	116.	36-149	1.92	26	L460693-05	WG481667
Tetrachloroethene	mg/l	0.0306	0.0297	102	~157	2.88	24	L460693-05	WG481667
Toluene	mg/l	0.0242	0.0246	97.0	22-152	1.49	22	L460693-05	WG481667
trans-1,2-Dichloroethene	mg/l	0.0213	0.0209	85.2	11-160	1.84	23	L460693-05	WG481667
trans-1,3-Dichloropropene	mg/l	0.0292	0.0297	117	3-153	1.62	22	L460693-05	WG481667
Trichloroethene	mg/l	0.0264	0.0269	106.	18-163	2.01	21	L460693-05	WG481667
Trichlorofluoromethane	mg/l	0.0341	0.0335	136.	10-177	1.58	24	L460693-05	WG481667
Vinyl chloride	mg/l	0.0192	0.0192	76.8	-179	0.21	26	L460693-05	WG481667
Xylenes, Total	mg/l	0.0805	0.0766	107.	27-151	4.94	23	L460693-05	WG481667
4-Bromofluorobenzene				94.92	75-128				WG481667
Dibromofluoromethane				91.29	9-125				WG481667
Toluene-d8				95.53	87-114				WG481667

Batch number / Run number / Sample number cross reference

WG481197: R1239588: L460652-01 02 03 04 05 08 09 10 11 12 13 39 40

WG481309: R1239808: L460652-14 15 16 17 18 19 20

WG481355: R1240308: L460652-06 07 21 22 23 24

WG481382: R1240448: L460652-36 37 38

WG481381: R1240976: L460652-29 30 31 32 33 34 35

* Performance of this Analyte is outside of established criteria.

For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

WG481568: R1241328: L460652-01 02 18 19 20
WG481596: R1241808: L460652-27 28 30 31 32 33 34
WG481667: R1242528: L460652-22 25 26

* * Calculations are performed prior to rounding of reported values .
* Performance of this Analyte is outside of established criteria.
For additional information, please see Attachment A 'List of Analytes with QC Qualifiers.'



YOUR LAB OF CHOICE

SESCO Group
Mr. Tim Yates
1426 W. 29th Street

Indianapolis, IN 46208

Quality Assurance Report
Level II

L460652

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

June 07, 2010

The data package includes a summary of the analytic results of the quality control samples required by the SW-846 or CWA methods. The quality control samples include a method blank, a laboratory control sample, and the matrix spike/matrix spike duplicate analysis. If a target parameter is outside the method limits, every sample that is effected is flagged with the appropriate qualifier in Appendix B of the analytic report.

Method Blank - an aliquot of reagent water carried through the entire analytic process. The method blank results indicate if any possible contamination exposure during the sample handling, digestion or extraction process, and analysis. Concentrations of target analytes above the reporting limit in the method blank are qualified with the "B" qualifier.

Laboratory Control Sample - is a sample of known concentration that is carried through the digestion/extraction and analysis process. The percent recovery, expressed as a percentage of the theoretical concentration, has statistical control limits indicating that the analytic process is "in control". If a target analyte is outside the control limits for the Laboratory control sample or any other control sample, the parameter is flagged with a "J4" qualifier for all effected samples.

Matrix Spike and Matrix Spike Duplicate - is two aliquots of an environmental sample that is spiked with known concentrations of target analytes. The percent recovery of the target analytes also has statistical control limits. If any recoveries that are outside the method control limits, the sample that was selected for matrix spike/matrix spike duplicate analysis is flagged with either a "J5" or a "J6". The relative percent difference (%RPD) between the matrix spike and the matrix spike duplicate recoveries is all calculated. If the RPD is above the method limit, the effected samples are flagged with a "J3" qualifier.



Certificate of Analysis

Project Name:	GW SAMPLES - SAMPLES FROM	Workorder:	9874872
Purchase Order:	3872-6E	Workorder ID:	EFH001 Former Harman Becker

Mr. Steve Alves
Economic Realty Group-ERG

Harrisburg, PA

November 16, 2010

Dear Mr. Alves,

Enclosed are the analytical results for samples received by the laboratory on Friday, November 05, 2010

ALSI is a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory and as such, certifies that all applicable test results meet the requirements of NELAP.

If you have any questions regarding this certificate of analysis, please contact Susan Baer (Project Coordinator) or Anna G Milliken (Laboratory Manager) at (717) 944-5541.

Please visit us at www.analyticalab.com for a listing of ALSI's NELAP accreditations and Scope of Work, as well as other links to Water Quality documentation on the internet.

This laboratory report may not be reproduced, except in full, without the written approval of ALSI.

NOTE: ALSI has changed the report generation tool and while we have tried to retain the existing format, you will notice some changes in the laboratory report. Please feel free to contact ALSI in case you have any questions.

Analytical Laboratory Services, Inc.

This page is included as part of the Analytical Report and must be retained as a permanent record thereof.


Anna G Milliken
Laboratory Manager



SAMPLE SUMMARY

Workorder: 9874872 EFH001|Former Haman Becker

Discard Date: 11/30/2010

Sample ID	Sample ID	Matrix	Date Collected	Date Received	Collected By
9874872001	MW-50E	Ground Water	11/2/10 11:05	11/5/10 09:35	Customer
9874872002	MW-37A	Ground Water	11/2/10 11:35	11/5/10 09:35	Customer
9874872003	MW-36A	Ground Water	11/2/10 11:40	11/5/10 09:35	Customer
9874872004	MW-36E	Ground Water	11/2/10 11:50	11/5/10 09:35	Customer
9874872005	MW-49E	Ground Water	11/2/10 12:05	11/5/10 09:35	Customer
9874872006	MW-35A	Ground Water	11/2/10 12:15	11/5/10 09:35	Customer
9874872007	MW-35E	Ground Water	11/2/10 12:25	11/5/10 09:35	Customer
9874872008	DUP-1	Ground Water	11/2/10 00:00	11/5/10 09:35	Customer
9874872009	MW-38A	Ground Water	11/2/10 12:45	11/5/10 09:35	Customer
9874872010	MW-38E	Ground Water	11/2/10 12:55	11/5/10 09:35	Customer
9874872011	MW-39A	Ground Water	11/2/10 13:10	11/5/10 09:35	Customer
9874872012	MW-39B	Ground Water	11/2/10 13:20	11/5/10 09:35	Customer
9874872013	MW-39E	Ground Water	11/2/10 13:35	11/5/10 09:35	Customer
9874872014	MW-40A	Ground Water	11/2/10 13:49	11/5/10 09:35	Customer
9874872015	MW-40B	Ground Water	11/2/10 14:00	11/5/10 09:35	Customer
9874872016	MW-40C	Ground Water	11/2/10 14:05	11/5/10 09:35	Customer
9874872017	MW-40E	Ground Water	11/2/10 14:10	11/5/10 09:35	Customer
9874872018	MW-41B	Ground Water	11/2/10 14:40	11/5/10 09:35	Customer
9874872019	MW-41E	Ground Water	11/2/10 14:50	11/5/10 09:35	Customer
9874872020	MW-20R	Ground Water	11/3/10 09:35	11/5/10 09:35	Customer
9874872021	MW-26R	Ground Water	11/3/10 09:50	11/5/10 09:35	Customer
9874872022	MW-26C	Ground Water	11/3/10 10:05	11/5/10 09:35	Customer
9874872023	MW-42B	Ground Water	11/3/10 10:15	11/5/10 09:35	Customer
9874872024	MW-42E	Ground Water	11/3/10 10:25	11/5/10 09:35	Customer
9874872025	MW-46A	Ground Water	11/3/10 11:40	11/5/10 09:35	Customer
9874872026	MW-46C	Ground Water	11/3/10 11:50	11/5/10 09:35	Customer
9874872027	MW-43A	Ground Water	11/3/10 12:05	11/5/10 09:35	Customer
9874872028	MW-43B	Ground Water	11/3/10 12:15	11/5/10 09:35	Customer
9874872029	MW-43C	Ground Water	11/3/10 12:20	11/5/10 09:35	Customer
9874872030	MW-43E	Ground Water	11/3/10 12:25	11/5/10 09:35	Customer
9874872031	DUP-2	Ground Water	11/3/10 00:00	11/5/10 09:35	Customer
9874872032	MW-48B	Ground Water	11/3/10 12:45	11/5/10 09:35	Customer
9874872033	MW-13B	Ground Water	11/3/10 13:20	11/5/10 09:35	Customer
9874872034	MW-13C	Ground Water	11/3/10 13:30	11/5/10 09:35	Customer
9874872035	MW-13E	Ground Water	11/3/10 13:45	11/5/10 09:35	Customer
9874872036	MW-45B	Ground Water	11/3/10 14:10	11/5/10 09:35	Customer
9874872037	MW-45C	Ground Water	11/3/10 14:20	11/5/10 09:35	Customer
9874872038	MW-47C	Ground Water	11/3/10 14:35	11/5/10 09:35	Customer



SAMPLE SUMMARY

Workorder: 9874872 EFH001|Former Haman Becker

Discard Date: 11/30/2010

Workorder	Sample ID	Matrix	Date Collected	Date Received	Collected By
9874872039	Trip Blank [110310]	Ground Water	11/3/10 00:00	11/5/10 09:35	Customer

Workorder Comments:

Notes

- Samples collected by ALSI personnel are done so in accordance with the procedures set forth in the ALSI Field Sampling Plan (20 - Field Services Sampling Plan).
- All Waste Water analyses comply with methodology requirements of 40 CFR Part 136.
- All Drinking Water analyses comply with methodology requirements of 40 CFR Part 141.
- Unless otherwise noted, all quantitative results for soils are reported on a dry weight basis.
- The Chain of Custody document is included as part of this report.

Standard Acronyms/Flags

J, B	Indicates an estimated value between the Method Detection Limit (MDL) and the Practical Quantitation Limit (PQL) for the analyte
U	Indicates that the analyte was Not Detected (ND)
N	Indicates presumptive evidence of the presence of a compound
MDL	Method Detection Limit
PQL	Practical Quantitation Limit
RDL	Reporting Detection Limit
ND	Not Detected - indicates that the analyte was Not Detected at the RDL
Cnr	Analysis was performed using this container
RegLmt	Regulatory Limit
LCS	Laboratory Control Sample
MS	Matrix Spike
MSD	Matrix Spike Duplicate
DUP	Sample Duplicate
%Rec	Percent Recovery
RPD	Relative Percent Difference



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872001

Date Collected: 11/2/2010 11:05

Matrix: Ground Water

Sample ID: MW-50E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/9/10 21:08	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 21:08	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 21:08	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 21:08	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/9/10 21:08	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 21:08	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/9/10 21:08	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/9/10 21:08	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/9/10 21:08	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 21:08	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/9/10 21:08	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 21:08	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 21:08	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 21:08	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/9/10 21:08	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/9/10 21:08	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/9/10 21:08	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 21:08	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 21:08	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 21:08	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/9/10 21:08	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 21:08	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/9/10 21:08	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/9/10 21:08	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 21:08	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/9/10 21:08	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/9/10 21:08	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/9/10 21:08	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/9/10 21:08	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/9/10 21:08	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/9/10 21:08	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 21:08	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/9/10 21:08	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 21:08	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 21:08	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 21:08	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 21:08	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 21:08	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/9/10 21:08	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	91.5	%		62-133		SW846 8260B		11/9/10 21:08	DJB	A
4-Bromofluorobenzene (S)	114	%		79-114		SW846 8260B		11/9/10 21:08	DJB	A
Dibromofluoromethane (S)	104	%		78-116		SW846 8260B		11/9/10 21:08	DJB	A
Toluene-d8 (S)	109	%		76-127		SW846 8260B		11/9/10 21:08	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872001

Date Collected: 11/2/2010 11:05

Matrix: Ground Water

Sample ID: MW-50E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872002

Date Collected: 11/2/2010 11:35

Matrix: Ground Water

Sample ID: MW-37A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/9/10 21:37	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 21:37	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 21:37	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 21:37	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/9/10 21:37	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 21:37	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/9/10 21:37	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/9/10 21:37	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/9/10 21:37	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 21:37	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/9/10 21:37	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 21:37	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 21:37	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 21:37	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/9/10 21:37	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/9/10 21:37	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/9/10 21:37	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 21:37	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 21:37	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 21:37	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/9/10 21:37	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 21:37	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/9/10 21:37	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/9/10 21:37	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 21:37	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/9/10 21:37	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/9/10 21:37	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/9/10 21:37	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/9/10 21:37	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/9/10 21:37	DJB	A
Tetrachloroethene	0.64J	ug/L		1.0	0.28	SW846 8260B		11/9/10 21:37	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 21:37	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/9/10 21:37	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 21:37	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 21:37	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 21:37	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 21:37	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 21:37	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/9/10 21:37	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	89.8	%		62-133		SW846 8260B		11/9/10 21:37	DJB	A
4-Bromofluorobenzene (S)	109	%		79-114		SW846 8260B		11/9/10 21:37	DJB	A
Dibromofluoromethane (S)	100	%		78-116		SW846 8260B		11/9/10 21:37	DJB	A
Toluene-d8 (S)	108	%		76-127		SW846 8260B		11/9/10 21:37	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872002

Date Collected: 11/2/2010 11:35

Matrix: Ground Water

Sample ID: MW-37A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872003

Date Collected: 11/2/2010 11:40

Matrix: Ground Water

Sample ID: MW-36A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/9/10 22:07	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 22:07	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 22:07	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 22:07	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/9/10 22:07	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 22:07	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/9/10 22:07	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/9/10 22:07	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/9/10 22:07	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 22:07	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/9/10 22:07	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 22:07	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 22:07	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 22:07	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/9/10 22:07	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/9/10 22:07	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/9/10 22:07	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 22:07	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 22:07	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 22:07	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/9/10 22:07	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 22:07	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/9/10 22:07	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/9/10 22:07	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 22:07	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/9/10 22:07	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/9/10 22:07	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/9/10 22:07	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/9/10 22:07	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/9/10 22:07	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/9/10 22:07	DJB	A
Toluene	0.30J	ug/L		1.0	0.19	SW846 8260B		11/9/10 22:07	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/9/10 22:07	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 22:07	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 22:07	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 22:07	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 22:07	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 22:07	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/9/10 22:07	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	90.7	%		62-133		SW846 8260B		11/9/10 22:07	DJB	A
4-Bromofluorobenzene (S)	112	%		79-114		SW846 8260B		11/9/10 22:07	DJB	A
Dibromofluoromethane (S)	103	%		78-116		SW846 8260B		11/9/10 22:07	DJB	A
Toluene-d8 (S)	110	%		76-127		SW846 8260B		11/9/10 22:07	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872003

Date Collected: 11/2/2010 11:40

Matrix: Ground Water

Sample ID: MW-36A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Harman Becker

Lab ID: 9874872004

Date Collected: 11/2/2010 11:50

Matrix: Ground Water

Sample ID: MW-36E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	12.5	ug/L		10.0	3.1	SW846 8260B		11/9/10 22:36	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 22:36	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 22:36	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 22:36	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/9/10 22:36	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 22:36	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/9/10 22:36	DJB	A
Carbon Disulfide	0.50J	ug/L		1.0	0.12	SW846 8260B		11/9/10 22:36	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/9/10 22:36	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 22:36	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/9/10 22:36	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 22:36	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 22:36	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 22:36	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/9/10 22:36	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/9/10 22:36	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/9/10 22:36	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 22:36	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 22:36	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 22:36	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/9/10 22:36	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 22:36	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/9/10 22:36	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/9/10 22:36	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 22:36	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/9/10 22:36	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/9/10 22:36	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/9/10 22:36	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/9/10 22:36	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/9/10 22:36	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/9/10 22:36	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 22:36	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/9/10 22:36	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 22:36	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 22:36	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 22:36	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 22:36	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 22:36	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/9/10 22:36	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	89.2	%		62-133		SW846 8260B		11/9/10 22:36	DJB	A
4-Bromofluorobenzene (S)	111	%		79-114		SW846 8260B		11/9/10 22:36	DJB	A
Dibromofluoromethane (S)	101	%		78-116		SW846 8260B		11/9/10 22:36	DJB	A
Toluene-d8 (S)	112	%		76-127		SW846 8260B		11/9/10 22:36	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872004

Date Collected: 11/2/2010 11:50

Matrix: Ground Water

Sample ID: MW-36E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Harman Becker

Lab ID: 9874872005

Date Collected: 11/2/2010 12:05

Matrix: Ground Water

Sample ID: MW-49E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/9/10 23:06	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 23:06	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 23:06	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 23:06	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/9/10 23:06	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 23:06	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/9/10 23:06	DJB	A
Carbon Disulfide	0.21J	ug/L		1.0	0.12	SW846 8260B		11/9/10 23:06	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/9/10 23:06	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 23:06	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/9/10 23:06	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 23:06	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 23:06	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 23:06	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/9/10 23:06	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/9/10 23:06	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/9/10 23:06	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 23:06	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 23:06	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 23:06	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/9/10 23:06	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 23:06	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/9/10 23:06	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/9/10 23:06	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 23:06	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/9/10 23:06	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/9/10 23:06	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/9/10 23:06	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/9/10 23:06	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/9/10 23:06	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/9/10 23:06	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 23:06	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/9/10 23:06	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 23:06	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 23:06	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 23:06	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 23:06	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 23:06	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/9/10 23:06	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	90.2	%		62-133		SW846 8260B		11/9/10 23:06	DJB	A
4-Bromofluorobenzene (S)	110	%		79-114		SW846 8260B		11/9/10 23:06	DJB	A
Dibromofluoromethane (S)	104	%		78-116		SW846 8260B		11/9/10 23:06	DJB	A
Toluene-d8 (S)	109	%		76-127		SW846 8260B		11/9/10 23:06	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872005

Date Collected: 11/2/2010 12:05

Matrix: Ground Water

Sample ID: MW-49E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872006

Date Collected: 11/2/2010 12:15

Matrix: Ground Water

Sample ID: MW-35A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 00:05	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 00:05	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 00:05	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 00:05	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 00:05	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 00:05	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 00:05	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 00:05	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 00:05	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 00:05	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 00:05	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 00:05	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 00:05	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 00:05	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 00:05	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 00:05	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 00:05	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 00:05	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 00:05	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 00:05	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 00:05	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 00:05	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 00:05	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 00:05	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 00:05	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 00:05	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 00:05	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 00:05	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 00:05	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 00:05	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 00:05	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 00:05	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 00:05	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 00:05	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 00:05	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 00:05	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 00:05	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 00:05	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 00:05	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	91.4	%		62-133		SW846 8260B		11/10/10 00:05	DJB	A
4-Bromofluorobenzene (S)	109	%		79-114		SW846 8260B		11/10/10 00:05	DJB	A
Dibromofluoromethane (S)	103	%		78-116		SW846 8260B		11/10/10 00:05	DJB	A
Toluene-d8 (S)	109	%		76-127		SW846 8260B		11/10/10 00:05	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872006

Date Collected: 11/2/2010 12:15

Matrix: Ground Water

Sample ID: MW-35A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken
Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872007

Date Collected: 11/2/2010 12:25

Matrix: Ground Water

Sample ID: MW-35E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 00:35	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 00:35	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 00:35	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 00:35	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 00:35	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 00:35	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 00:35	DJB	A
Carbon Disulfide	0.37J	ug/L		1.0	0.12	SW846 8260B		11/10/10 00:35	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 00:35	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 00:35	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 00:35	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 00:35	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 00:35	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 00:35	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 00:35	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 00:35	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 00:35	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 00:35	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 00:35	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 00:35	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 00:35	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 00:35	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 00:35	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 00:35	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 00:35	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 00:35	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 00:35	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 00:35	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 00:35	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 00:35	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 00:35	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 00:35	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 00:35	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 00:35	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 00:35	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 00:35	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 00:35	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 00:35	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 00:35	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	87.6	%		62-133		SW846 8260B		11/10/10 00:35	DJB	A
4-Bromofluorobenzene (S)	110	%		79-114		SW846 8260B		11/10/10 00:35	DJB	A
Dibromofluoromethane (S)	99.9	%		78-116		SW846 8260B		11/10/10 00:35	DJB	A
Toluene-d8 (S)	110	%		76-127		SW846 8260B		11/10/10 00:35	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872007

Date Collected: 11/2/2010 12:25

Matrix: Ground Water

Sample ID: MW-35E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Harman Becker

Lab ID: 9874872008

Date Collected: 11/2/2010 00:00

Matrix: Ground Water

Sample ID: DUP-1

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/9/10 20:38	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 20:38	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 20:38	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 20:38	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/9/10 20:38	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 20:38	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/9/10 20:38	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/9/10 20:38	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/9/10 20:38	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 20:38	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/9/10 20:38	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 20:38	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 20:38	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 20:38	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/9/10 20:38	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/9/10 20:38	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/9/10 20:38	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 20:38	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 20:38	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 20:38	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/9/10 20:38	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 20:38	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/9/10 20:38	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/9/10 20:38	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 20:38	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/9/10 20:38	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/9/10 20:38	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/9/10 20:38	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/9/10 20:38	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/9/10 20:38	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/9/10 20:38	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 20:38	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/9/10 20:38	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 20:38	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 20:38	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 20:38	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 20:38	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 20:38	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/9/10 20:38	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	90.4	%		62-133		SW846 8260B		11/9/10 20:38	DJB	A
4-Bromofluorobenzene (S)	108	%		79-114		SW846 8260B		11/9/10 20:38	DJB	A
Dibromofluoromethane (S)	104	%		78-116		SW846 8260B		11/9/10 20:38	DJB	A
Toluene-d8 (S)	110	%		76-127		SW846 8260B		11/9/10 20:38	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872008

Date Collected: 11/2/2010 00:00

Matrix: Ground Water

Sample ID: DUP-1

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872009

Date Collected: 11/2/2010 12:45

Matrix: Ground Water

Sample ID: MW-38A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 01:04	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 01:04	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 01:04	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 01:04	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 01:04	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 01:04	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 01:04	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 01:04	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 01:04	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 01:04	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 01:04	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 01:04	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 01:04	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 01:04	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 01:04	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 01:04	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 01:04	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 01:04	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 01:04	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 01:04	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 01:04	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 01:04	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 01:04	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 01:04	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 01:04	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 01:04	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 01:04	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 01:04	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 01:04	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 01:04	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 01:04	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 01:04	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 01:04	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 01:04	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 01:04	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 01:04	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 01:04	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 01:04	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 01:04	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	90.4	%		62-133		SW846 8260B		11/10/10 01:04	DJB	A
4-Bromofluorobenzene (S)	108	%		79-114		SW846 8260B		11/10/10 01:04	DJB	A
Dibromofluoromethane (S)	102	%		78-116		SW846 8260B		11/10/10 01:04	DJB	A
Toluene-d8 (S)	109	%		76-127		SW846 8260B		11/10/10 01:04	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872009

Date Collected: 11/2/2010 12:45

Matrix: Ground Water

Sample ID: MW-38A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872010

Date Collected: 11/2/2010 12:55

Matrix: Ground Water

Sample ID: MW-38E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 01:34	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 01:34	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 01:34	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 01:34	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 01:34	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 01:34	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 01:34	DJB	A
Carbon Disulfide	0.16J	ug/L		1.0	0.12	SW846 8260B		11/10/10 01:34	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 01:34	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 01:34	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 01:34	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 01:34	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 01:34	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 01:34	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 01:34	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 01:34	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 01:34	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 01:34	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 01:34	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 01:34	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 01:34	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 01:34	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 01:34	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 01:34	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 01:34	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 01:34	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 01:34	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 01:34	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 01:34	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 01:34	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 01:34	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 01:34	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 01:34	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 01:34	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 01:34	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 01:34	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 01:34	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 01:34	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 01:34	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	89.7	%		62-133		SW846 8260B		11/10/10 01:34	DJB	A
4-Bromofluorobenzene (S)	113	%		79-114		SW846 8260B		11/10/10 01:34	DJB	A
Dibromofluoromethane (S)	101	%		78-116		SW846 8260B		11/10/10 01:34	DJB	A
Toluene-d8 (S)	111	%		76-127		SW846 8260B		11/10/10 01:34	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872010

Date Collected: 11/2/2010 12:55

Matrix: Ground Water

Sample ID: MW-38E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872011

Date Collected: 11/2/2010 13:10

Matrix: Ground Water

Sample ID: MW-39A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 07:38	MES	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 07:38	MES	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 07:38	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 07:38	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 07:38	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 07:38	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 07:38	MES	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 07:38	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 07:38	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 07:38	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 07:38	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 07:38	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 07:38	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 07:38	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 07:38	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 07:38	MES	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 07:38	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 07:38	MES	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 07:38	MES	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 07:38	MES	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 07:38	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 07:38	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 07:38	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 07:38	MES	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 07:38	MES	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 07:38	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 07:38	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 07:38	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 07:38	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 07:38	MES	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 07:38	MES	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 07:38	MES	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 07:38	MES	A
1,1,1-Trichloroethane	0.81J	ug/L		1.0	0.29	SW846 8260B		11/10/10 07:38	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 07:38	MES	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 07:38	MES	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 07:38	MES	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 07:38	MES	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 07:38	MES	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	83.9	%		62-133		SW846 8260B		11/10/10 07:38	MES	A
4-Bromofluorobenzene (S)	93	%		79-114		SW846 8260B		11/10/10 07:38	MES	A
Dibromofluoromethane (S)	95.8	%		78-116		SW846 8260B		11/10/10 07:38	MES	A
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/10/10 07:38	MES	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872011

Date Collected: 11/2/2010 13:10

Matrix: Ground Water

Sample ID: MW-39A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Harman Becker

Lab ID: 9874872012

Date Collected: 11/2/2010 13:20

Matrix: Ground Water

Sample ID: MW-39B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/9/10 23:36	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 23:36	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 23:36	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 23:36	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/9/10 23:36	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 23:36	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/9/10 23:36	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/9/10 23:36	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/9/10 23:36	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 23:36	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/9/10 23:36	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 23:36	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 23:36	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 23:36	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/9/10 23:36	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/9/10 23:36	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/9/10 23:36	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 23:36	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 23:36	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/9/10 23:36	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/9/10 23:36	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 23:36	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/9/10 23:36	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/9/10 23:36	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/9/10 23:36	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/9/10 23:36	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/9/10 23:36	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/9/10 23:36	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/9/10 23:36	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/9/10 23:36	DJB	A
Tetrachloroethene	13.4	ug/L	1	1.0	0.28	SW846 8260B		11/9/10 23:36	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/9/10 23:36	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/9/10 23:36	DJB	A
1,1,1-Trichloroethane	1.4	ug/L		1.0	0.29	SW846 8260B		11/9/10 23:36	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/9/10 23:36	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/9/10 23:36	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/9/10 23:36	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/9/10 23:36	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/9/10 23:36	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	91.5	%		62-133		SW846 8260B		11/9/10 23:36	DJB	A
4-Bromofluorobenzene (S)	108	%		79-114		SW846 8260B		11/9/10 23:36	DJB	A
Dibromofluoromethane (S)	103	%		78-116		SW846 8260B		11/9/10 23:36	DJB	A
Toluene-d8 (S)	109	%		76-127		SW846 8260B		11/9/10 23:36	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872012

Date Collected: 11/2/2010 13:20

Matrix: Ground Water

Sample ID: MW-39B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872013

Date Collected: 11/2/2010 13:35

Matrix: Ground Water

Sample ID: MW-39E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 02:04	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 02:04	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 02:04	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 02:04	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 02:04	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 02:04	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 02:04	DJB	A
Carbon Disulfide	0.40J	ug/L		1.0	0.12	SW846 8260B		11/10/10 02:04	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 02:04	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 02:04	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 02:04	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 02:04	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 02:04	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 02:04	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 02:04	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 02:04	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 02:04	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 02:04	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 02:04	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 02:04	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 02:04	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 02:04	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 02:04	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 02:04	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 02:04	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 02:04	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 02:04	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 02:04	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 02:04	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 02:04	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 02:04	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 02:04	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 02:04	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 02:04	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 02:04	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 02:04	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 02:04	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 02:04	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 02:04	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	90.3	%		62-133		SW846 8260B		11/10/10 02:04	DJB	A
4-Bromofluorobenzene (S)	111	%		79-114		SW846 8260B		11/10/10 02:04	DJB	A
Dibromofluoromethane (S)	101	%		78-116		SW846 8260B		11/10/10 02:04	DJB	A
Toluene-d8 (S)	109	%		76-127		SW846 8260B		11/10/10 02:04	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872013

Date Collected: 11/2/2010 13:35

Matrix: Ground Water

Sample ID: MW-39E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken
Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872014

Date Collected: 11/2/2010 13:49

Matrix: Ground Water

Sample ID: MW-40A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 08:07	MES	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 08:07	MES	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 08:07	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 08:07	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 08:07	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 08:07	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 08:07	MES	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 08:07	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 08:07	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 08:07	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 08:07	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 08:07	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 08:07	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 08:07	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 08:07	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 08:07	MES	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 08:07	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 08:07	MES	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 08:07	MES	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 08:07	MES	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 08:07	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 08:07	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 08:07	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 08:07	MES	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 08:07	MES	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 08:07	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 08:07	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 08:07	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 08:07	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 08:07	MES	A
Tetrachloroethene	33.6	ug/L		1.0	0.28	SW846 8260B		11/10/10 08:07	MES	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 08:07	MES	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 08:07	MES	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 08:07	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 08:07	MES	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 08:07	MES	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 08:07	MES	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 08:07	MES	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 08:07	MES	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	85.7	%		62-133		SW846 8260B		11/10/10 08:07	MES	A
4-Bromofluorobenzene (S)	92.4	%		79-114		SW846 8260B		11/10/10 08:07	MES	A
Dibromofluoromethane (S)	96.5	%		78-116		SW846 8260B		11/10/10 08:07	MES	A
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/10/10 08:07	MES	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872014

Date Collected: 11/2/2010 13:49

Matrix: Ground Water

Sample ID: MW-40A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872015

Date Collected: 11/2/2010 14:00

Matrix: Ground Water

Sample ID: MW-40B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 08:37	MES	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 08:37	MES	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 08:37	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 08:37	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 08:37	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 08:37	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 08:37	MES	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 08:37	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 08:37	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 08:37	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 08:37	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 08:37	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 08:37	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 08:37	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 08:37	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 08:37	MES	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 08:37	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 08:37	MES	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 08:37	MES	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 08:37	MES	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 08:37	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 08:37	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 08:37	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 08:37	MES	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 08:37	MES	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 08:37	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 08:37	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 08:37	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 08:37	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 08:37	MES	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 08:37	MES	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 08:37	MES	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 08:37	MES	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 08:37	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 08:37	MES	A
Trichloroethene	0.56J	ug/L		1.0	0.33	SW846 8260B		11/10/10 08:37	MES	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 08:37	MES	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 08:37	MES	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 08:37	MES	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	82.3	%		62-133		SW846 8260B		11/10/10 08:37	MES	A
4-Bromofluorobenzene (S)	94.4	%		79-114		SW846 8260B		11/10/10 08:37	MES	A
Dibromofluoromethane (S)	92.4	%		78-116		SW846 8260B		11/10/10 08:37	MES	A
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/10/10 08:37	MES	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872015

Date Collected: 11/2/2010 14:00

Matrix: Ground Water

Sample ID: MW-40B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872016

Date Collected: 11/2/2010 14:05

Matrix: Ground Water

Sample ID: MW-40C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 15:03	MES	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 15:03	MES	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 15:03	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 15:03	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 15:03	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 15:03	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 15:03	MES	A
Carbon Disulfide	0.22J	ug/L		1.0	0.12	SW846 8260B		11/10/10 15:03	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 15:03	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 15:03	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 15:03	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 15:03	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 15:03	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 15:03	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 15:03	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 15:03	MES	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 15:03	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 15:03	MES	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 15:03	MES	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 15:03	MES	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 15:03	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 15:03	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 15:03	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 15:03	MES	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 15:03	MES	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 15:03	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 15:03	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 15:03	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 15:03	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 15:03	MES	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 15:03	MES	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 15:03	MES	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 15:03	MES	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 15:03	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 15:03	MES	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 15:03	MES	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 15:03	MES	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 15:03	MES	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 15:03	MES	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	86.4	%		62-133		SW846 8260B		11/10/10 15:03	MES	A
4-Bromofluorobenzene (S)	90.9	%		79-114		SW846 8260B		11/10/10 15:03	MES	A
Dibromofluoromethane (S)	95.3	%		78-116		SW846 8260B		11/10/10 15:03	MES	A
Toluene-d8 (S)	103	%		76-127		SW846 8260B		11/10/10 15:03	MES	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872016

Date Collected: 11/2/2010 14:05

Matrix: Ground Water

Sample ID: MW-40C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872017

Date Collected: 11/2/2010 14:10

Matrix: Ground Water

Sample ID: MW-40E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/11/10 09:43	MES	B
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 09:43	MES	B
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 09:43	MES	B
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 09:43	MES	B
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 09:43	MES	B
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 09:43	MES	B
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/11/10 09:43	MES	B
Carbon Disulfide	0.30J	ug/L		1.0	0.12	SW846 8260B		11/11/10 09:43	MES	B
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/11/10 09:43	MES	B
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 09:43	MES	B
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/11/10 09:43	MES	B
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 09:43	MES	B
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 09:43	MES	B
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 09:43	MES	B
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/11/10 09:43	MES	B
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/11/10 09:43	MES	B
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/11/10 09:43	MES	B
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 09:43	MES	B
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/11/10 09:43	MES	B
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/11/10 09:43	MES	B
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/11/10 09:43	MES	B
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 09:43	MES	B
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/11/10 09:43	MES	B
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/11/10 09:43	MES	B
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 09:43	MES	B
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/11/10 09:43	MES	B
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/11/10 09:43	MES	B
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/11/10 09:43	MES	B
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/11/10 09:43	MES	B
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/11/10 09:43	MES	B
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 09:43	MES	B
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 09:43	MES	B
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/11/10 09:43	MES	B
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 09:43	MES	B
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 09:43	MES	B
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 09:43	MES	B
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 09:43	MES	B
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 09:43	MES	B
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/11/10 09:43	MES	B
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	83.6	%		62-133		SW846 8260B		11/11/10 09:43	MES	B
4-Bromofluorobenzene (S)	96.1	%		79-114		SW846 8260B		11/11/10 09:43	MES	B
Dibromofluoromethane (S)	95.3	%		78-116		SW846 8260B		11/11/10 09:43	MES	B
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/11/10 09:43	MES	B



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872017

Date Collected: 11/2/2010 14:10

Matrix: Ground Water

Sample ID: MW-40E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken
Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872018

Date Collected: 11/2/2010 14:40

Matrix: Ground Water

Sample ID: MW-41B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 09:07	MES	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 09:07	MES	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 09:07	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 09:07	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 09:07	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 09:07	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 09:07	MES	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 09:07	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 09:07	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 09:07	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 09:07	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 09:07	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 09:07	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 09:07	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 09:07	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 09:07	MES	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 09:07	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 09:07	MES	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 09:07	MES	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 09:07	MES	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 09:07	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 09:07	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 09:07	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 09:07	MES	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 09:07	MES	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 09:07	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 09:07	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 09:07	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 09:07	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 09:07	MES	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 09:07	MES	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 09:07	MES	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 09:07	MES	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 09:07	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 09:07	MES	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 09:07	MES	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 09:07	MES	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 09:07	MES	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 09:07	MES	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	85	%		62-133		SW846 8260B		11/10/10 09:07	MES	A
4-Bromofluorobenzene (S)	90.3	%		79-114		SW846 8260B		11/10/10 09:07	MES	A
Dibromofluoromethane (S)	94.2	%		78-116		SW846 8260B		11/10/10 09:07	MES	A
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/10/10 09:07	MES	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872018

Date Collected: 11/2/2010 14:40

Matrix: Ground Water

Sample ID: MW-41B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken
Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872019

Date Collected: 11/2/2010 14:50

Matrix: Ground Water

Sample ID: MW-41E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/15/10 06:14	MES	B
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/15/10 06:14	MES	B
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/15/10 06:14	MES	B
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/15/10 06:14	MES	B
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/15/10 06:14	MES	B
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/15/10 06:14	MES	B
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/15/10 06:14	MES	B
Carbon Disulfide	0.86J	ug/L		1.0	0.12	SW846 8260B		11/15/10 06:14	MES	B
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/15/10 06:14	MES	B
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/15/10 06:14	MES	B
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/15/10 06:14	MES	B
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/15/10 06:14	MES	B
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/15/10 06:14	MES	B
Chloromethane	0.22J	ug/L		1.0	0.16	SW846 8260B		11/15/10 06:14	MES	B
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/15/10 06:14	MES	B
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/15/10 06:14	MES	B
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/15/10 06:14	MES	B
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/15/10 06:14	MES	B
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/15/10 06:14	MES	B
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/15/10 06:14	MES	B
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/15/10 06:14	MES	B
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/15/10 06:14	MES	B
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/15/10 06:14	MES	B
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/15/10 06:14	MES	B
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/15/10 06:14	MES	B
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/15/10 06:14	MES	B
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/15/10 06:14	MES	B
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/15/10 06:14	MES	B
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/15/10 06:14	MES	B
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/15/10 06:14	MES	B
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/15/10 06:14	MES	B
Toluene	0.21J	ug/L		1.0	0.19	SW846 8260B		11/15/10 06:14	MES	B
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/15/10 06:14	MES	B
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/15/10 06:14	MES	B
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/15/10 06:14	MES	B
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/15/10 06:14	MES	B
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/15/10 06:14	MES	B
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/15/10 06:14	MES	B
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/15/10 06:14	MES	B
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	77.6	%		62-133		SW846 8260B		11/15/10 06:14	MES	B
4-Bromofluorobenzene (S)	95	%		79-114		SW846 8260B		11/15/10 06:14	MES	B
Dibromofluoromethane (S)	95.8	%		78-116		SW846 8260B		11/15/10 06:14	MES	B
Toluene-d8 (S)	94.7	%		76-127		SW846 8260B		11/15/10 06:14	MES	B



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872019

Date Collected: 11/2/2010 14:50

Matrix: Ground Water

Sample ID: MW-41E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872020

Date Collected: 11/3/2010 09:35

Matrix: Ground Water

Sample ID: MW-20R

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 09:36	MES	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 09:36	MES	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 09:36	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 09:36	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 09:36	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 09:36	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 09:36	MES	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 09:36	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 09:36	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 09:36	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 09:36	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 09:36	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 09:36	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 09:36	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 09:36	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 09:36	MES	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 09:36	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 09:36	MES	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 09:36	MES	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 09:36	MES	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 09:36	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 09:36	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 09:36	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 09:36	MES	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 09:36	MES	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 09:36	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 09:36	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 09:36	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 09:36	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 09:36	MES	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 09:36	MES	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 09:36	MES	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 09:36	MES	A
1,1,1-Trichloroethane	1.8	ug/L		1.0	0.29	SW846 8260B		11/10/10 09:36	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 09:36	MES	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 09:36	MES	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 09:36	MES	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 09:36	MES	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 09:36	MES	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	85.3	%		62-133		SW846 8260B		11/10/10 09:36	MES	A
4-Bromofluorobenzene (S)	93.9	%		79-114		SW846 8260B		11/10/10 09:36	MES	A
Dibromofluoromethane (S)	94.4	%		78-116		SW846 8260B		11/10/10 09:36	MES	A
Toluene-d8 (S)	100	%		76-127		SW846 8260B		11/10/10 09:36	MES	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872020

Date Collected: 11/3/2010 09:35

Matrix: Ground Water

Sample ID: MW-20R

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872021

Date Collected: 11/3/2010 09:50

Matrix: Ground Water

Sample ID: MW-26R

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 10:06	MES	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 10:06	MES	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 10:06	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 10:06	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 10:06	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 10:06	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 10:06	MES	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 10:06	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 10:06	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 10:06	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 10:06	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 10:06	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 10:06	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 10:06	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 10:06	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 10:06	MES	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 10:06	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 10:06	MES	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 10:06	MES	A
cis-1,2-Dichloroethene	6.4	ug/L		1.0	0.17	SW846 8260B		11/10/10 10:06	MES	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 10:06	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 10:06	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 10:06	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 10:06	MES	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 10:06	MES	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 10:06	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 10:06	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 10:06	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 10:06	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 10:06	MES	A
Tetrachloroethene	671	ug/L		10.0	2.8	SW846 8260B		11/11/10 11:42	MES	B
Toluene	0.43J	ug/L		1.0	0.19	SW846 8260B		11/10/10 10:06	MES	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 10:06	MES	A
1,1,1-Trichloroethane	0.58J	ug/L		1.0	0.29	SW846 8260B		11/10/10 10:06	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 10:06	MES	A
Trichloroethene	2.6	ug/L		1.0	0.33	SW846 8260B		11/10/10 10:06	MES	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 10:06	MES	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 10:06	MES	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 10:06	MES	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	84.8	%		62-133		SW846 8260B		11/10/10 10:06	MES	A
4-Bromofluorobenzene (S)	91.8	%		79-114		SW846 8260B		11/10/10 10:06	MES	A
Dibromofluoromethane (S)	96.4	%		78-116		SW846 8260B		11/10/10 10:06	MES	A
Toluene-d8 (S)	101	%		76-127		SW846 8260B		11/10/10 10:06	MES	A



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872021

Date Collected: 11/3/2010 09:50

Matrix: Ground Water

Sample ID: MW-26R

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	84.3	%		62-133		SW846 8260B		11/11/10 11:42	MES	B
4-Bromofluorobenzene (S)	93.4	%		79-114		SW846 8260B		11/11/10 11:42	MES	B
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/11/10 11:42	MES	B
Dibromofluoromethane (S)	95.9	%		78-116		SW846 8260B		11/11/10 11:42	MES	B

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872022

Date Collected: 11/3/2010 10:05

Matrix: Ground Water

Sample ID: MW-26C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/11/10 10:13	MES	B
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 10:13	MES	B
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 10:13	MES	B
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 10:13	MES	B
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 10:13	MES	B
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 10:13	MES	B
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/11/10 10:13	MES	B
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/11/10 10:13	MES	B
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/11/10 10:13	MES	B
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 10:13	MES	B
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/11/10 10:13	MES	B
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 10:13	MES	B
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 10:13	MES	B
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 10:13	MES	B
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/11/10 10:13	MES	B
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/11/10 10:13	MES	B
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/11/10 10:13	MES	B
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 10:13	MES	B
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/11/10 10:13	MES	B
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/11/10 10:13	MES	B
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/11/10 10:13	MES	B
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 10:13	MES	B
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/11/10 10:13	MES	B
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/11/10 10:13	MES	B
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 10:13	MES	B
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/11/10 10:13	MES	B
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/11/10 10:13	MES	B
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/11/10 10:13	MES	B
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/11/10 10:13	MES	B
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/11/10 10:13	MES	B
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 10:13	MES	B
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 10:13	MES	B
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/11/10 10:13	MES	B
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 10:13	MES	B
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 10:13	MES	B
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 10:13	MES	B
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 10:13	MES	B
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 10:13	MES	B
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/11/10 10:13	MES	B
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	81.5	%		62-133		SW846 8260B		11/11/10 10:13	MES	B
4-Bromofluorobenzene (S)	95	%		79-114		SW846 8260B		11/11/10 10:13	MES	B
Dibromofluoromethane (S)	94.4	%		78-116		SW846 8260B		11/11/10 10:13	MES	B
Toluene-d8 (S)	101	%		76-127		SW846 8260B		11/11/10 10:13	MES	B



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872022

Date Collected: 11/3/2010 10:05

Matrix: Ground Water

Sample ID: MW-26C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken
Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872023

Date Collected: 11/3/2010 10:15

Matrix: Ground Water

Sample ID: MW-42B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 11:05	MES	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 11:05	MES	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 11:05	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 11:05	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 11:05	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 11:05	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 11:05	MES	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 11:05	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 11:05	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 11:05	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 11:05	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 11:05	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 11:05	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 11:05	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 11:05	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 11:05	MES	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 11:05	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 11:05	MES	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 11:05	MES	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 11:05	MES	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 11:05	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 11:05	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 11:05	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 11:05	MES	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 11:05	MES	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 11:05	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 11:05	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 11:05	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 11:05	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 11:05	MES	A
Tetrachloroethene	0.49J	ug/L		1.0	0.28	SW846 8260B		11/10/10 11:05	MES	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 11:05	MES	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 11:05	MES	A
1,1,1-Trichloroethane	9.3	ug/L		1.0	0.29	SW846 8260B		11/10/10 11:05	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 11:05	MES	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 11:05	MES	A
Vinyl Chloride	2.2	ug/L		1.0	0.16	SW846 8260B		11/10/10 11:05	MES	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 11:05	MES	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 11:05	MES	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	87.7	%		62-133		SW846 8260B		11/10/10 11:05	MES	A
4-Bromofluorobenzene (S)	94.6	%		79-114		SW846 8260B		11/10/10 11:05	MES	A
Dibromofluoromethane (S)	97.5	%		78-116		SW846 8260B		11/10/10 11:05	MES	A
Toluene-d8 (S)	101	%		76-127		SW846 8260B		11/10/10 11:05	MES	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872023

Date Collected: 11/3/2010 10:15

Matrix: Ground Water

Sample ID: MW-42B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken
Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872024

Date Collected: 11/3/2010 10:25

Matrix: Ground Water

Sample ID: MW-42E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 11:35	MES	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 11:35	MES	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 11:35	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 11:35	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 11:35	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 11:35	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 11:35	MES	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 11:35	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 11:35	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 11:35	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 11:35	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 11:35	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 11:35	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 11:35	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 11:35	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 11:35	MES	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 11:35	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 11:35	MES	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 11:35	MES	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 11:35	MES	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 11:35	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 11:35	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 11:35	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 11:35	MES	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 11:35	MES	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 11:35	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 11:35	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 11:35	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 11:35	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 11:35	MES	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 11:35	MES	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 11:35	MES	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 11:35	MES	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 11:35	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 11:35	MES	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 11:35	MES	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 11:35	MES	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 11:35	MES	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 11:35	MES	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	84.7	%		62-133		SW846 8260B		11/10/10 11:35	MES	A
4-Bromofluorobenzene (S)	93.6	%		79-114		SW846 8260B		11/10/10 11:35	MES	A
Dibromofluoromethane (S)	96.8	%		78-116		SW846 8260B		11/10/10 11:35	MES	A
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/10/10 11:35	MES	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872024

Date Collected: 11/3/2010 10:25

Matrix: Ground Water

Sample ID: MW-42E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872025

Date Collected: 11/3/2010 11:40

Matrix: Ground Water

Sample ID: MW-46A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 13:04	MES	A
Benzene	237	ug/L		20.0	3.2	SW846 8260B		11/11/10 11:12	MES	B
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 13:04	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 13:04	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 13:04	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 13:04	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 13:04	MES	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 13:04	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 13:04	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 13:04	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 13:04	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 13:04	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 13:04	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 13:04	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 13:04	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 13:04	MES	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 13:04	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 13:04	MES	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 13:04	MES	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 13:04	MES	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 13:04	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 13:04	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 13:04	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 13:04	MES	A
Ethylbenzene	535	ug/L		20.0	4.6	SW846 8260B		11/11/10 11:12	MES	B
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 13:04	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 13:04	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 13:04	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 13:04	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 13:04	MES	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 13:04	MES	A
Toluene	5.0	ug/L		1.0	0.19	SW846 8260B		11/10/10 13:04	MES	A
Total Xylenes	1330	ug/L		60.0	12.2	SW846 8260B		11/11/10 11:12	MES	B
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 13:04	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 13:04	MES	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 13:04	MES	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 13:04	MES	A
o-Xylene	ND	ug/L		20.0	4.8	SW846 8260B		11/11/10 11:12	MES	B
mp-Xylene	1330	ug/L		40.0	10.2	SW846 8260B		11/11/10 11:12	MES	B
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	85.6	%		62-133		SW846 8260B		11/10/10 13:04	MES	A
Dibromofluoromethane (S)	94.1	%		78-116		SW846 8260B		11/10/10 13:04	MES	A
Toluene-d8 (S)	104	%		76-127		SW846 8260B		11/10/10 13:04	MES	A
4-Bromofluorobenzene (S)	95.2	%		79-114		SW846 8260B		11/10/10 13:04	MES	A



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872025

Date Collected: 11/3/2010 11:40

Matrix: Ground Water

Sample ID: MW-46A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	85.4	%		62-133		SW846 8260B		11/11/10 11:12	MES	B
Dibromofluoromethane (S)	96.4	%		78-116		SW846 8260B		11/11/10 11:12	MES	B
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/11/10 11:12	MES	B
4-Bromofluorobenzene (S)	94.1	%		79-114		SW846 8260B		11/11/10 11:12	MES	B

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Harman Becker

Lab ID: 9874872026

Date Collected: 11/3/2010 11:50

Matrix: Ground Water

Sample ID: MW-46C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 14:03	MES	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 14:03	MES	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 14:03	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 14:03	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 14:03	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 14:03	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 14:03	MES	A
Carbon Disulfide	0.76J	ug/L		1.0	0.12	SW846 8260B		11/10/10 14:03	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 14:03	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 14:03	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 14:03	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 14:03	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 14:03	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 14:03	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 14:03	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 14:03	MES	A
1,1-Dichloroethane	3.5	ug/L		1.0	0.15	SW846 8260B		11/10/10 14:03	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 14:03	MES	A
1,1-Dichloroethene	5.4	ug/L		1.0	0.17	SW846 8260B		11/10/10 14:03	MES	A
cis-1,2-Dichloroethene	698	ug/L		25.0	4.3	SW846 8260B		11/12/10 02:56	DJB	B
trans-1,2-Dichloroethene	15.1	ug/L		1.0	0.20	SW846 8260B		11/10/10 14:03	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 14:03	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 14:03	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 14:03	MES	A
Ethylbenzene	0.35J	ug/L		1.0	0.23	SW846 8260B		11/10/10 14:03	MES	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 14:03	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 14:03	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 14:03	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 14:03	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 14:03	MES	A
Tetrachloroethene	1.8	ug/L		1.0	0.28	SW846 8260B		11/10/10 14:03	MES	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 14:03	MES	A
Total Xylenes	0.75J	ug/L		3.0	0.61	SW846 8260B		11/10/10 14:03	MES	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 14:03	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 14:03	MES	A
Trichloroethene	1.2	ug/L		1.0	0.33	SW846 8260B		11/10/10 14:03	MES	A
Vinyl Chloride	11.6	ug/L		1.0	0.16	SW846 8260B		11/10/10 14:03	MES	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 14:03	MES	A
mp-Xylene	0.75J	ug/L		2.0	0.51	SW846 8260B		11/10/10 14:03	MES	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	84.3	%		62-133		SW846 8260B		11/10/10 14:03	MES	A
4-Bromofluorobenzene (S)	93.4	%		79-114		SW846 8260B		11/10/10 14:03	MES	A
Toluene-d8 (S)	103	%		76-127		SW846 8260B		11/10/10 14:03	MES	A
Dibromofluoromethane (S)	94.9	%		78-116		SW846 8260B		11/10/10 14:03	MES	A



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872026

Date Collected: 11/3/2010 11:50

Matrix: Ground Water

Sample ID: MW-46C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	83.2	%		62-133		SW846 8260B		11/12/10 02:56	DJB	B
4-Bromofluorobenzene (S)	91.8	%		79-114		SW846 8260B		11/12/10 02:56	DJB	B
Dibromofluoromethane (S)	94.9	%		78-116		SW846 8260B		11/12/10 02:56	DJB	B
Toluene-d8 (S)	99	%		76-127		SW846 8260B		11/12/10 02:56	DJB	B

Sample Comments:

The diluted sample analyzed for the volatiles analysis contained headspace, which was introduced during the primary run. The method requires that the samples not have headspace in order to prevent the loss of VOC's.

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872027

Date Collected: 11/3/2010 12:05

Matrix: Ground Water

Sample ID: MW-43A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 12:05	MES	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 12:05	MES	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 12:05	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 12:05	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 12:05	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 12:05	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 12:05	MES	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 12:05	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 12:05	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 12:05	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 12:05	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 12:05	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 12:05	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 12:05	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 12:05	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 12:05	MES	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 12:05	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 12:05	MES	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 12:05	MES	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 12:05	MES	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 12:05	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 12:05	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 12:05	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 12:05	MES	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 12:05	MES	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 12:05	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 12:05	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 12:05	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 12:05	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 12:05	MES	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 12:05	MES	A
Toluene	0.38J	ug/L		1.0	0.19	SW846 8260B		11/10/10 12:05	MES	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 12:05	MES	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 12:05	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 12:05	MES	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 12:05	MES	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 12:05	MES	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 12:05	MES	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 12:05	MES	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	85.7	%		62-133		SW846 8260B		11/10/10 12:05	MES	A
4-Bromofluorobenzene (S)	94.6	%		79-114		SW846 8260B		11/10/10 12:05	MES	A
Dibromofluoromethane (S)	96.1	%		78-116		SW846 8260B		11/10/10 12:05	MES	A
Toluene-d8 (S)	104	%		76-127		SW846 8260B		11/10/10 12:05	MES	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872027

Date Collected: 11/3/2010 12:05

Matrix: Ground Water

Sample ID: MW-43A

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872028

Date Collected: 11/3/2010 12:15

Matrix: Ground Water

Sample ID: MW-43B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 23:17	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 23:17	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 23:17	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 23:17	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 23:17	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 23:17	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 23:17	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 23:17	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 23:17	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 23:17	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 23:17	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 23:17	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 23:17	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 23:17	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 23:17	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 23:17	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 23:17	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 23:17	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 23:17	DJB	A
cis-1,2-Dichloroethene	0.27J	ug/L		1.0	0.17	SW846 8260B		11/10/10 23:17	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 23:17	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 23:17	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 23:17	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 23:17	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 23:17	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 23:17	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 23:17	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 23:17	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 23:17	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 23:17	DJB	A
Tetrachloroethene	0.51J	ug/L		1.0	0.28	SW846 8260B		11/10/10 23:17	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 23:17	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 23:17	DJB	A
1,1,1-Trichloroethane	9.0	ug/L		1.0	0.29	SW846 8260B		11/10/10 23:17	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 23:17	DJB	A
Trichloroethene	25.4	ug/L		1.0	0.33	SW846 8260B		11/10/10 23:17	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 23:17	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 23:17	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 23:17	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	84.4	%		62-133		SW846 8260B		11/10/10 23:17	DJB	A
4-Bromofluorobenzene (S)	92.8	%		79-114		SW846 8260B		11/10/10 23:17	DJB	A
Dibromofluoromethane (S)	95.1	%		78-116		SW846 8260B		11/10/10 23:17	DJB	A
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/10/10 23:17	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872028

Date Collected: 11/3/2010 12:15

Matrix: Ground Water

Sample ID: MW-43B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken
Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872029

Date Collected: 11/3/2010 12:20

Matrix: Ground Water

Sample ID: MW-43C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 23:47	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 23:47	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 23:47	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 23:47	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 23:47	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 23:47	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 23:47	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 23:47	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 23:47	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 23:47	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 23:47	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 23:47	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 23:47	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 23:47	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 23:47	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 23:47	DJB	A
1,1-Dichloroethane	9.4	ug/L		1.0	0.15	SW846 8260B		11/10/10 23:47	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 23:47	DJB	A
1,1-Dichloroethene	3.4	ug/L		1.0	0.17	SW846 8260B		11/10/10 23:47	DJB	A
cis-1,2-Dichloroethene	6.3	ug/L		1.0	0.17	SW846 8260B		11/10/10 23:47	DJB	A
trans-1,2-Dichloroethene	0.96J	ug/L		1.0	0.20	SW846 8260B		11/10/10 23:47	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 23:47	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 23:47	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 23:47	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 23:47	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 23:47	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 23:47	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 23:47	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 23:47	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 23:47	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 23:47	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 23:47	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 23:47	DJB	A
1,1,1-Trichloroethane	189	ug/L		1.0	0.29	SW846 8260B		11/10/10 23:47	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 23:47	DJB	A
Trichloroethene	19.2	ug/L		1.0	0.33	SW846 8260B		11/10/10 23:47	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 23:47	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 23:47	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 23:47	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	84.1	%		62-133		SW846 8260B		11/10/10 23:47	DJB	A
4-Bromofluorobenzene (S)	94.1	%		79-114		SW846 8260B		11/10/10 23:47	DJB	A
Dibromofluoromethane (S)	95.6	%		78-116		SW846 8260B		11/10/10 23:47	DJB	A
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/10/10 23:47	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872029

Date Collected: 11/3/2010 12:20

Matrix: Ground Water

Sample ID: MW-43C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872030

Date Collected: 11/3/2010 12:25

Matrix: Ground Water

Sample ID: MW-43E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/11/10 23:28	DJB	B
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 23:28	DJB	B
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 23:28	DJB	B
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 23:28	DJB	B
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 23:28	DJB	B
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 23:28	DJB	B
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/11/10 23:28	DJB	B
Carbon Disulfide	0.46J	ug/L		1.0	0.12	SW846 8260B		11/11/10 23:28	DJB	B
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/11/10 23:28	DJB	B
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 23:28	DJB	B
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/11/10 23:28	DJB	B
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 23:28	DJB	B
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 23:28	DJB	B
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 23:28	DJB	B
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/11/10 23:28	DJB	B
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/11/10 23:28	DJB	B
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/11/10 23:28	DJB	B
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 23:28	DJB	B
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/11/10 23:28	DJB	B
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/11/10 23:28	DJB	B
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/11/10 23:28	DJB	B
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 23:28	DJB	B
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/11/10 23:28	DJB	B
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/11/10 23:28	DJB	B
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 23:28	DJB	B
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/11/10 23:28	DJB	B
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/11/10 23:28	DJB	B
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/11/10 23:28	DJB	B
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/11/10 23:28	DJB	B
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/11/10 23:28	DJB	B
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 23:28	DJB	B
Toluene	0.35J	ug/L		1.0	0.19	SW846 8260B		11/11/10 23:28	DJB	B
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/11/10 23:28	DJB	B
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 23:28	DJB	B
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 23:28	DJB	B
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 23:28	DJB	B
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 23:28	DJB	B
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 23:28	DJB	B
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/11/10 23:28	DJB	B
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	83.7	%		62-133		SW846 8260B		11/11/10 23:28	DJB	B
4-Bromofluorobenzene (S)	93.7	%		79-114		SW846 8260B		11/11/10 23:28	DJB	B
Dibromofluoromethane (S)	95.7	%		78-116		SW846 8260B		11/11/10 23:28	DJB	B
Toluene-d8 (S)	100	%		76-127		SW846 8260B		11/11/10 23:28	DJB	B



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872030

Date Collected: 11/3/2010 12:25

Matrix: Ground Water

Sample ID: MW-43E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872031

Date Collected: 11/3/2010 00:00

Matrix: Ground Water

Sample ID: DUP-2

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		50.0	15.5	SW846 8260B		11/11/10 10:42	MES	B
Benzene	251	ug/L		5.0	0.80	SW846 8260B		11/11/10 10:42	MES	B
Bromochloromethane	ND	ug/L		5.0	1.7	SW846 8260B		11/11/10 10:42	MES	B
Bromodichloromethane	ND	ug/L		5.0	1.2	SW846 8260B		11/11/10 10:42	MES	B
Bromoform	ND	ug/L		5.0	1.4	SW846 8260B		11/11/10 10:42	MES	B
Bromomethane	ND	ug/L		5.0	1.2	SW846 8260B		11/11/10 10:42	MES	B
2-Butanone	ND	ug/L		50.0	10.5	SW846 8260B		11/11/10 10:42	MES	B
Carbon Disulfide	ND	ug/L		5.0	0.60	SW846 8260B		11/11/10 10:42	MES	B
Carbon Tetrachloride	ND	ug/L		5.0	1.3	SW846 8260B		11/11/10 10:42	MES	B
Chlorobenzene	ND	ug/L		5.0	0.80	SW846 8260B		11/11/10 10:42	MES	B
Chlorodibromomethane	ND	ug/L		5.0	1.3	SW846 8260B		11/11/10 10:42	MES	B
Chloroethane	ND	ug/L		5.0	0.95	SW846 8260B		11/11/10 10:42	MES	B
Chloroform	2.7J	ug/L		5.0	1.2	SW846 8260B		11/11/10 10:42	MES	B
Chloromethane	ND	ug/L		5.0	0.80	SW846 8260B		11/11/10 10:42	MES	B
1,2-Dibromo-3-chloropropane	ND	ug/L		35.0	4.8	SW846 8260B		11/11/10 10:42	MES	B
1,2-Dibromoethane	ND	ug/L		5.0	1.5	SW846 8260B		11/11/10 10:42	MES	B
1,1-Dichloroethane	ND	ug/L		5.0	0.75	SW846 8260B		11/11/10 10:42	MES	B
1,2-Dichloroethane	ND	ug/L		5.0	1.7	SW846 8260B		11/11/10 10:42	MES	B
1,1-Dichloroethene	ND	ug/L		5.0	0.85	SW846 8260B		11/11/10 10:42	MES	B
cis-1,2-Dichloroethene	ND	ug/L		5.0	0.85	SW846 8260B		11/11/10 10:42	MES	B
trans-1,2-Dichloroethene	ND	ug/L		5.0	1.0	SW846 8260B		11/11/10 10:42	MES	B
1,2-Dichloropropane	ND	ug/L		5.0	1.2	SW846 8260B		11/11/10 10:42	MES	B
cis-1,3-Dichloropropene	ND	ug/L		5.0	0.90	SW846 8260B		11/11/10 10:42	MES	B
trans-1,3-Dichloropropene	ND	ug/L		5.0	0.70	SW846 8260B		11/11/10 10:42	MES	B
Ethylbenzene	584	ug/L		5.0	1.2	SW846 8260B		11/11/10 10:42	MES	B
2-Hexanone	ND	ug/L		25.0	3.9	SW846 8260B		11/11/10 10:42	MES	B
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		25.0	2.1	SW846 8260B		11/11/10 10:42	MES	B
Methylene Chloride	ND	ug/L		5.0	1.6	SW846 8260B		11/11/10 10:42	MES	B
Styrene	ND	ug/L		5.0	0.50	SW846 8260B		11/11/10 10:42	MES	B
1,1,2,2-Tetrachloroethane	ND	ug/L		5.0	1.1	SW846 8260B		11/11/10 10:42	MES	B
Tetrachloroethene	ND	ug/L		5.0	1.4	SW846 8260B		11/11/10 10:42	MES	B
Toluene	4.9J	ug/L		5.0	0.95	SW846 8260B		11/11/10 10:42	MES	B
Total Xylenes	1410	ug/L		15.0	3.1	SW846 8260B		11/11/10 10:42	MES	B
1,1,1-Trichloroethane	ND	ug/L		5.0	1.5	SW846 8260B		11/11/10 10:42	MES	B
1,1,2-Trichloroethane	ND	ug/L		5.0	1.5	SW846 8260B		11/11/10 10:42	MES	B
Trichloroethene	ND	ug/L		5.0	1.7	SW846 8260B		11/11/10 10:42	MES	B
Vinyl Chloride	ND	ug/L		5.0	0.80	SW846 8260B		11/11/10 10:42	MES	B
o-Xylene	ND	ug/L		5.0	1.2	SW846 8260B		11/11/10 10:42	MES	B
mp-Xylene	1410	ug/L		10.0	2.6	SW846 8260B		11/11/10 10:42	MES	B
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	86.7	%		62-133		SW846 8260B		11/11/10 10:42	MES	B
4-Bromofluorobenzene (S)	92.8	%		79-114		SW846 8260B		11/11/10 10:42	MES	B
Dibromofluoromethane (S)	97.5	%		78-116		SW846 8260B		11/11/10 10:42	MES	B
Toluene-d8 (S)	101	%		76-127		SW846 8260B		11/11/10 10:42	MES	B



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872031

Date Collected: 11/3/2010 00:00

Matrix: Ground Water

Sample ID: DUP-2

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	-------------	------

Sample Comments:

The GCMS volatiles analysis was performed at a dilution due to the level of target compounds.

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872032

Date Collected: 11/3/2010 12:45

Matrix: Ground Water

Sample ID: MW-48B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/11/10 00:16	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 00:16	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 00:16	DJB	A
Bromodichloromethane	0.32J	ug/L		1.0	0.23	SW846 8260B		11/11/10 00:16	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 00:16	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 00:16	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/11/10 00:16	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/11/10 00:16	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/11/10 00:16	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 00:16	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/11/10 00:16	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 00:16	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 00:16	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 00:16	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/11/10 00:16	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/11/10 00:16	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/11/10 00:16	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 00:16	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/11/10 00:16	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/11/10 00:16	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/11/10 00:16	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 00:16	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/11/10 00:16	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/11/10 00:16	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 00:16	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/11/10 00:16	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/11/10 00:16	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/11/10 00:16	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/11/10 00:16	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/11/10 00:16	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 00:16	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 00:16	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/11/10 00:16	DJB	A
1,1,1-Trichloroethane	24.7	ug/L		1.0	0.29	SW846 8260B		11/11/10 00:16	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 00:16	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 00:16	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 00:16	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 00:16	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/11/10 00:16	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	85.2	%		62-133		SW846 8260B		11/11/10 00:16	DJB	A
4-Bromofluorobenzene (S)	91.5	%		79-114		SW846 8260B		11/11/10 00:16	DJB	A
Dibromofluoromethane (S)	97.2	%		78-116		SW846 8260B		11/11/10 00:16	DJB	A
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/11/10 00:16	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872032

Date Collected: 11/3/2010 12:45

Matrix: Ground Water

Sample ID: MW-48B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872033

Date Collected: 11/3/2010 13:20

Matrix: Ground Water

Sample ID: MW-13B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/11/10 01:15	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 01:15	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 01:15	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 01:15	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 01:15	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 01:15	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/11/10 01:15	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/11/10 01:15	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/11/10 01:15	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 01:15	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/11/10 01:15	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 01:15	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 01:15	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 01:15	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/11/10 01:15	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/11/10 01:15	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/11/10 01:15	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 01:15	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/11/10 01:15	DJB	A
cis-1,2-Dichloroethene	8.4	ug/L		1.0	0.17	SW846 8260B		11/11/10 01:15	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/11/10 01:15	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 01:15	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/11/10 01:15	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/11/10 01:15	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 01:15	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/11/10 01:15	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/11/10 01:15	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/11/10 01:15	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/11/10 01:15	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/11/10 01:15	DJB	A
Tetrachloroethene	200	ug/L		5.0	1.4	SW846 8260B		11/12/10 03:26	DJB	B
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 01:15	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/11/10 01:15	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 01:15	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 01:15	DJB	A
Trichloroethene	2.0	ug/L		1.0	0.33	SW846 8260B		11/11/10 01:15	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 01:15	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 01:15	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/11/10 01:15	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	85.8	%		62-133		SW846 8260B		11/11/10 01:15	DJB	A
4-Bromofluorobenzene (S)	93.4	%		79-114		SW846 8260B		11/11/10 01:15	DJB	A
Dibromofluoromethane (S)	95.2	%		78-116		SW846 8260B		11/11/10 01:15	DJB	A
Toluene-d8 (S)	103	%		76-127		SW846 8260B		11/11/10 01:15	DJB	A



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872033

Date Collected: 11/3/2010 13:20

Matrix: Ground Water

Sample ID: MW-13B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	83.9	%		62-133		SW846 8260B		11/12/10 03:26	DJB	B
4-Bromofluorobenzene (S)	95.9	%		79-114		SW846 8260B		11/12/10 03:26	DJB	B
Dibromofluoromethane (S)	95.6	%		78-116		SW846 8260B		11/12/10 03:26	DJB	B
Toluene-d8 (S)	101	%		76-127		SW846 8260B		11/12/10 03:26	DJB	B

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872034

Date Collected: 11/3/2010 13:30

Matrix: Ground Water

Sample ID: MW-13C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/11/10 00:46	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 00:46	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 00:46	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 00:46	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 00:46	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 00:46	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/11/10 00:46	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/11/10 00:46	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/11/10 00:46	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 00:46	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/11/10 00:46	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 00:46	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 00:46	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 00:46	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/11/10 00:46	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/11/10 00:46	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/11/10 00:46	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 00:46	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/11/10 00:46	DJB	A
cis-1,2-Dichloroethene	0.73J	ug/L		1.0	0.17	SW846 8260B		11/11/10 00:46	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/11/10 00:46	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 00:46	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/11/10 00:46	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/11/10 00:46	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 00:46	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/11/10 00:46	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/11/10 00:46	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/11/10 00:46	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/11/10 00:46	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/11/10 00:46	DJB	A
Tetrachloroethene	0.98J	ug/L		1.0	0.28	SW846 8260B		11/11/10 00:46	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 00:46	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/11/10 00:46	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 00:46	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 00:46	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 00:46	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 00:46	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 00:46	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/11/10 00:46	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	86	%		62-133		SW846 8260B		11/11/10 00:46	DJB	A
4-Bromofluorobenzene (S)	92.7	%		79-114		SW846 8260B		11/11/10 00:46	DJB	A
Dibromofluoromethane (S)	97.4	%		78-116		SW846 8260B		11/11/10 00:46	DJB	A
Toluene-d8 (S)	103	%		76-127		SW846 8260B		11/11/10 00:46	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872034

Date Collected: 11/3/2010 13:30

Matrix: Ground Water

Sample ID: MW-13C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken
Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872035

Date Collected: 11/3/2010 13:45

Matrix: Ground Water

Sample ID: MW-13E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 12:34	MES	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 12:34	MES	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 12:34	MES	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 12:34	MES	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 12:34	MES	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 12:34	MES	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 12:34	MES	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 12:34	MES	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 12:34	MES	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 12:34	MES	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 12:34	MES	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 12:34	MES	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 12:34	MES	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 12:34	MES	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 12:34	MES	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 12:34	MES	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 12:34	MES	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 12:34	MES	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 12:34	MES	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 12:34	MES	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 12:34	MES	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 12:34	MES	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 12:34	MES	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 12:34	MES	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 12:34	MES	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 12:34	MES	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 12:34	MES	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 12:34	MES	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 12:34	MES	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 12:34	MES	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 12:34	MES	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 12:34	MES	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 12:34	MES	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 12:34	MES	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 12:34	MES	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 12:34	MES	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 12:34	MES	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 12:34	MES	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 12:34	MES	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	83.8	%		62-133		SW846 8260B		11/10/10 12:34	MES	A
4-Bromofluorobenzene (S)	93.5	%		79-114		SW846 8260B		11/10/10 12:34	MES	A
Dibromofluoromethane (S)	95	%		78-116		SW846 8260B		11/10/10 12:34	MES	A
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/10/10 12:34	MES	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872035

Date Collected: 11/3/2010 13:45

Matrix: Ground Water

Sample ID: MW-13E

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872036

Date Collected: 11/3/2010 14:10

Matrix: Ground Water

Sample ID: MW-45B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/11/10 01:45	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 01:45	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 01:45	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 01:45	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 01:45	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 01:45	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/11/10 01:45	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/11/10 01:45	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/11/10 01:45	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 01:45	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/11/10 01:45	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 01:45	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 01:45	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 01:45	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/11/10 01:45	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/11/10 01:45	DJB	A
1,1-Dichloroethane	0.63J	ug/L		1.0	0.15	SW846 8260B		11/11/10 01:45	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 01:45	DJB	A
1,1-Dichloroethene	1.6	ug/L		1.0	0.17	SW846 8260B		11/11/10 01:45	DJB	A
cis-1,2-Dichloroethene	167	ug/L		1.0	0.17	SW846 8260B		11/11/10 01:45	DJB	A
trans-1,2-Dichloroethene	3.5	ug/L		1.0	0.20	SW846 8260B		11/11/10 01:45	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 01:45	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/11/10 01:45	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/11/10 01:45	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 01:45	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/11/10 01:45	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/11/10 01:45	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/11/10 01:45	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/11/10 01:45	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/11/10 01:45	DJB	A
Tetrachloroethene	180	ug/L		5.0	1.4	SW846 8260B		11/12/10 03:56	DJB	B
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 01:45	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/11/10 01:45	DJB	A
1,1,1-Trichloroethane	0.73J	ug/L		1.0	0.29	SW846 8260B		11/11/10 01:45	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 01:45	DJB	A
Trichloroethene	186	ug/L		5.0	1.7	SW846 8260B		11/12/10 03:56	DJB	B
Vinyl Chloride	2.0	ug/L		1.0	0.16	SW846 8260B		11/11/10 01:45	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 01:45	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/11/10 01:45	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	85.1	%		62-133		SW846 8260B		11/11/10 01:45	DJB	A
4-Bromofluorobenzene (S)	91.1	%		79-114		SW846 8260B		11/11/10 01:45	DJB	A
Dibromofluoromethane (S)	95.3	%		78-116		SW846 8260B		11/11/10 01:45	DJB	A
Toluene-d8 (S)	101	%		76-127		SW846 8260B		11/11/10 01:45	DJB	A



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872036

Date Collected: 11/3/2010 14:10

Matrix: Ground Water

Sample ID: MW-45B

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	84.8	%		62-133		SW846 8260B		11/12/10 03:56	DJB	B
4-Bromofluorobenzene (S)	92.8	%		79-114		SW846 8260B		11/12/10 03:56	DJB	B
Dibromofluoromethane (S)	97.5	%		78-116		SW846 8260B		11/12/10 03:56	DJB	B
Toluene-d8 (S)	99.7	%		76-127		SW846 8260B		11/12/10 03:56	DJB	B

Sample Comments:

A positive residual chlorine result was detected in the preservation check for the volatile organics analysis of this sample. This may be due to the presence of residual chlorine or another oxidizing agent.

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872037

Date Collected: 11/3/2010 14:20

Matrix: Ground Water

Sample ID: MW-45C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/11/10 02:15	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 02:15	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 02:15	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 02:15	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 02:15	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 02:15	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/11/10 02:15	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/11/10 02:15	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/11/10 02:15	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 02:15	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/11/10 02:15	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 02:15	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 02:15	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 02:15	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/11/10 02:15	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/11/10 02:15	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/11/10 02:15	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 02:15	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/11/10 02:15	DJB	A
cis-1,2-Dichloroethene	48.3	ug/L		1.0	0.17	SW846 8260B		11/11/10 02:15	DJB	A
trans-1,2-Dichloroethene	1.6	ug/L		1.0	0.20	SW846 8260B		11/11/10 02:15	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 02:15	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/11/10 02:15	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/11/10 02:15	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 02:15	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/11/10 02:15	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/11/10 02:15	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/11/10 02:15	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/11/10 02:15	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/11/10 02:15	DJB	A
Tetrachloroethene	7640	ug/L		100	28.0	SW846 8260B		11/12/10 02:27	DJB	B
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 02:15	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/11/10 02:15	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 02:15	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 02:15	DJB	A
Trichloroethene	100	ug/L		1.0	0.33	SW846 8260B		11/11/10 02:15	DJB	A
Vinyl Chloride	0.36J	ug/L		1.0	0.16	SW846 8260B		11/11/10 02:15	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 02:15	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/11/10 02:15	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	84.5	%		62-133		SW846 8260B		11/11/10 02:15	DJB	A
Dibromofluoromethane (S)	95.1	%		78-116		SW846 8260B		11/11/10 02:15	DJB	A
Toluene-d8 (S)	98.4	%		76-127		SW846 8260B		11/11/10 02:15	DJB	A
4-Bromofluorobenzene (S)	95.4	%		79-114		SW846 8260B		11/11/10 02:15	DJB	A



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872037

Date Collected: 11/3/2010 14:20

Matrix: Ground Water

Sample ID: MW-45C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	84.6	%		62-133		SW846 8260B		11/12/10 02:27	DJB	B
Dibromofluoromethane (S)	96.5	%		78-116		SW846 8260B		11/12/10 02:27	DJB	B
Toluene-d8 (S)	102	%		76-127		SW846 8260B		11/12/10 02:27	DJB	B
4-Bromofluorobenzene (S)	95.5	%		79-114		SW846 8260B		11/12/10 02:27	DJB	B

Sample Comments:

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872038

Date Collected: 11/3/2010 14:35

Matrix: Ground Water

Sample ID: MW-47C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	10.1	ug/L		10.0	3.1	SW846 8260B		11/11/10 23:58	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 23:58	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 23:58	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 23:58	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/11/10 23:58	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 23:58	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/11/10 23:58	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/11/10 23:58	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/11/10 23:58	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 23:58	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/11/10 23:58	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 23:58	DJB	A
Chloroform	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 23:58	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 23:58	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/11/10 23:58	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/11/10 23:58	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/11/10 23:58	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/11/10 23:58	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/11/10 23:58	DJB	A
cis-1,2-Dichloroethene	103	ug/L		1.0	0.17	SW846 8260B		11/11/10 23:58	DJB	A
trans-1,2-Dichloroethene	2.5	ug/L		1.0	0.20	SW846 8260B		11/11/10 23:58	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 23:58	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/11/10 23:58	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/11/10 23:58	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/11/10 23:58	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/11/10 23:58	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/11/10 23:58	DJB	A
Methylene Chloride	0.72J	ug/L		1.0	0.32	SW846 8260B		11/11/10 23:58	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/11/10 23:58	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/11/10 23:58	DJB	A
Tetrachloroethene	86.0	ug/L		1.0	0.28	SW846 8260B		11/11/10 23:58	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/11/10 23:58	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/11/10 23:58	DJB	A
1,1,1-Trichloroethane	3.2	ug/L		1.0	0.29	SW846 8260B		11/11/10 23:58	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/11/10 23:58	DJB	A
Trichloroethene	28.9	ug/L		1.0	0.33	SW846 8260B		11/11/10 23:58	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/11/10 23:58	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/11/10 23:58	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/11/10 23:58	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	84.8	%		62-133		SW846 8260B		11/11/10 23:58	DJB	A
4-Bromofluorobenzene (S)	95.5	%		79-114		SW846 8260B		11/11/10 23:58	DJB	A
Dibromofluoromethane (S)	92	%		78-116		SW846 8260B		11/11/10 23:58	DJB	A
Toluene-d8 (S)	99.3	%		76-127		SW846 8260B		11/11/10 23:58	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872038

Date Collected: 11/3/2010 14:35

Matrix: Ground Water

Sample ID: MW-47C

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

The sample analyzed for the volatiles analysis contained headspace, which was introduced during the primary run. The method requires that the samples not have headspace in order to prevent the loss of VOC's.

Anna G Milliken

Laboratory Manager



ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Harman Becker

Lab ID: 9874872039

Date Collected: 11/3/2010 00:00

Matrix: Ground Water

Sample ID: Trip Blank [110310]

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
VOLATILE ORGANICS										
Acetone	ND	ug/L		10.0	3.1	SW846 8260B		11/10/10 20:19	DJB	A
Benzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 20:19	DJB	A
Bromochloromethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 20:19	DJB	A
Bromodichloromethane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 20:19	DJB	A
Bromoform	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 20:19	DJB	A
Bromomethane	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 20:19	DJB	A
2-Butanone	ND	ug/L		10.0	2.1	SW846 8260B		11/10/10 20:19	DJB	A
Carbon Disulfide	ND	ug/L		1.0	0.12	SW846 8260B		11/10/10 20:19	DJB	A
Carbon Tetrachloride	ND	ug/L		1.0	0.25	SW846 8260B		11/10/10 20:19	DJB	A
Chlorobenzene	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 20:19	DJB	A
Chlorodibromomethane	ND	ug/L		1.0	0.26	SW846 8260B		11/10/10 20:19	DJB	A
Chloroethane	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 20:19	DJB	A
Chloroform	0.39J	ug/L		1.0	0.23	SW846 8260B		11/10/10 20:19	DJB	A
Chloromethane	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 20:19	DJB	A
1,2-Dibromo-3-chloropropane	ND	ug/L		7.0	0.96	SW846 8260B		11/10/10 20:19	DJB	A
1,2-Dibromoethane	ND	ug/L		1.0	0.30	SW846 8260B		11/10/10 20:19	DJB	A
1,1-Dichloroethane	ND	ug/L		1.0	0.15	SW846 8260B		11/10/10 20:19	DJB	A
1,2-Dichloroethane	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 20:19	DJB	A
1,1-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 20:19	DJB	A
cis-1,2-Dichloroethene	ND	ug/L		1.0	0.17	SW846 8260B		11/10/10 20:19	DJB	A
trans-1,2-Dichloroethene	ND	ug/L		1.0	0.20	SW846 8260B		11/10/10 20:19	DJB	A
1,2-Dichloropropane	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 20:19	DJB	A
cis-1,3-Dichloropropene	ND	ug/L		1.0	0.18	SW846 8260B		11/10/10 20:19	DJB	A
trans-1,3-Dichloropropene	ND	ug/L		1.0	0.14	SW846 8260B		11/10/10 20:19	DJB	A
Ethylbenzene	ND	ug/L		1.0	0.23	SW846 8260B		11/10/10 20:19	DJB	A
2-Hexanone	ND	ug/L		5.0	0.78	SW846 8260B		11/10/10 20:19	DJB	A
4-Methyl-2-Pentanone(MIBK)	ND	ug/L		5.0	0.41	SW846 8260B		11/10/10 20:19	DJB	A
Methylene Chloride	ND	ug/L		1.0	0.32	SW846 8260B		11/10/10 20:19	DJB	A
Styrene	ND	ug/L		1.0	0.10	SW846 8260B		11/10/10 20:19	DJB	A
1,1,2,2-Tetrachloroethane	ND	ug/L		1.0	0.22	SW846 8260B		11/10/10 20:19	DJB	A
Tetrachloroethene	ND	ug/L		1.0	0.28	SW846 8260B		11/10/10 20:19	DJB	A
Toluene	ND	ug/L		1.0	0.19	SW846 8260B		11/10/10 20:19	DJB	A
Total Xylenes	ND	ug/L		3.0	0.61	SW846 8260B		11/10/10 20:19	DJB	A
1,1,1-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 20:19	DJB	A
1,1,2-Trichloroethane	ND	ug/L		1.0	0.29	SW846 8260B		11/10/10 20:19	DJB	A
Trichloroethene	ND	ug/L		1.0	0.33	SW846 8260B		11/10/10 20:19	DJB	A
Vinyl Chloride	ND	ug/L		1.0	0.16	SW846 8260B		11/10/10 20:19	DJB	A
o-Xylene	ND	ug/L		1.0	0.24	SW846 8260B		11/10/10 20:19	DJB	A
mp-Xylene	ND	ug/L		2.0	0.51	SW846 8260B		11/10/10 20:19	DJB	A
Surrogate Recoveries	Results	Units	Footnotes	Limits		Method	Prepared By	Analyzed	By	Cntr
1,2-Dichloroethane-d4 (S)	85	%		62-133		SW846 8260B		11/10/10 20:19	DJB	A
4-Bromofluorobenzene (S)	94.9	%		79-114		SW846 8260B		11/10/10 20:19	DJB	A
Dibromofluoromethane (S)	94.6	%		78-116		SW846 8260B		11/10/10 20:19	DJB	A
Toluene-d8 (S)	100	%		76-127		SW846 8260B		11/10/10 20:19	DJB	A



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS

Workorder: 9874872 EFH001|Former Haman Becker

Lab ID: 9874872039

Date Collected: 11/3/2010 00:00

Matrix: Ground Water

Sample ID: Trip Blank [110310]

Date Received: 11/5/2010 09:35

Parameters	Results	Units	Footnotes	RDL	MDL	Method	Prepared By	Analyzed	By	Cntr
------------	---------	-------	-----------	-----	-----	--------	-------------	----------	----	------

Sample Comments:

Anna G Milliken

Laboratory Manager



**ANALYTICAL
LABORATORY
SERVICES, INC.**

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

ANALYTICAL RESULTS QUALIFIERS\FLAGS

Workorder: 9874872 EFH001|Former Haman Becker

PARAMETER QUALIFIERS\FLAGS


- [1] The QC sample type MSD for method SW846 8260B was outside the control limits for the analyte Tetrachloroethene. The % Recovery was reported as 69.6 and the control limits were 72 to 124.



1999



Co. Name: SESCO		Phone: 317 347 9590	
Contact Name: Tina Yates		x27	
Address: 1426 W 29th St			
Indianapolis, IN 46208			
PO#: 3872-6E			
Project Name: Former Turner Becker/3872 ALSI Quote #:			
TAT: ☒ Normal Standard TAT is 14-12 business days		Due Required:	
☐ Rush Subject to ALSI approval and surcharge.		Approved By:	
Envt?	Y	N	
Fab?	Y	N	
Simple Description/Location		COC Comments	Sample Date
1 MW-42E			1-3-10 10:25
2 MW-42E			1-3-10 11:40
3 MW-42E			1-3-10 11:50
4 MW-43A			1-3-10 12:05
5 MW-43B			1-3-10 12:15
6 MW-43C			1-3-10 12:20
7 MW-43E			1-3-10 12:25
8 MW-2			1-3-10 12:25
9			
SAMPLED BY (Please Print)		LOGGED BY (Signature):	
Craig Brown		[Signature]	
Relinquished By / Company Name		Received By / Company Name	
Date		Date	
Time		Time	
1		2	
3		4	
5		6	
7		8	
9		10	



ANALYTICAL LABORATORY SERVICES, INC.

www.analyticallab.com

NELAP Accredited

PA 22-293 NJ PA010



34 Dogwood Lane - Middletown, PA 17057 Phone: 717-944-5541 Fax: 717-944-1430

CHAIN OF CUSTODY/

REQUEST FOR ANALYSIS

ALL SHADED AREAS MUST BE COMPLETED BY THE
CLIENT/SAMPLER. INSTRUCTIONS ON THE BACK.

Analytical
Laboratory Services, Inc.

Environmental • Industrial Hygiene • Field Services

34 Dogwood Lane • Middletown, PA 17057 • 717-944-5541 • Fax: 717-944-1430

Co. Name: **SESCO**

Contact: **Tim Yates**

Address: **1406 W 29th St**

Indianapolis IN 46208

Phone: **317-347-9580**

x27

PO# **3872-6E**

Project Name: **Former Arthur Barker 3872** ALSI Quote #:

TAT: ☒ Normal Standard TAT is 10-15 business days

Rate Subject to ALSI approval and surcharges.

Approved By:

Email: **TYates@secoinc.com**

Fax: **717**

Sample Description/Location

(See it all packed on the bag report)

Sample Date

Sample Time

Matrix

Enter Number of Containers Per Analysis

ANALYSIS METHOD REQUESTED

Receipt Information

Location/Signature

Date

Correct containers?

Correct sample volume?

Correct preservation?

Headspace/Volume?

Container in good condition?

COC Labels complete/accurate?

Received on (date)?

(If present) Seals intact?

Custody seals present?

ALS FIELD SERVICES

Analysis

Field

Lab

Composite Sampling

Retail Environment

Other

State

City

Zip

Country

POC Criteria Required?

POC Criteria Required?

POC Criteria Required?

POC Criteria Required?

POC Criteria Required?

POC Criteria Required?

