


Watershed Restoration Action Strategy for the Whitewater Watershed



Prepared for
**Indiana Department of Environmental Management
Office of Water Quality
Watershed Management Section**

Prepared by
WITTMAN HYDRO PLANNING ASSOCIATES, INC.

320 WEST 8TH STREET, SUITE 201

BLOOMINGTON, IN 47404

PHONE: 812-333-9399

FAX: 812-333-9399

www.wittmanhydro.com

Table of Contents

Table of Contents.....	1
FOREWORD	4
EXECUTIVE SUMMARY.....	5
Overview of the Whitewater Watershed	5
Current Status of Water Quality in the Whitewater Watershed	5
Water Quality Goal	5
Part I, Chapter 1: Characterization and Responsibilities.....	6
1. Introduction.....	6
1.1 Purpose of This Document.....	6
1.2 Guide to the Use of This Document.....	6
1.3 Stakeholder Groups in the Watershed	7
Part I, Chapter 2: General Watershed Description.....	9
2.1 Whitewater Watershed Overview	9
2.2 Land Cover, Population, and Growth Trends.....	9
2.3 Agricultural Activities in the Whitewater Watershed	10
2.4 Significant Natural Areas in the Whitewater Watershed.....	11
2.5 Surface Water Use Designations and Classifications.....	11
2.5.1 Surface Water Classifications in the Whitewater Watershed.....	12
2.6 US Geological Survey Water Use Information for the Whitewater Watershed	12
2.7 Superfund Sites in the Whitewater Watershed.....	12
Part I, Chapter 3: Causes and Sources of Water Pollution.....	13
3.1 Causes of Pollution	13
3.2 Point Sources of Pollution.....	16
3.3 Nonpoint Sources of Pollution	17
Part I, Chapter 4: Water Quality and Use Support Ratings in the Whitewater Watershed.....	19

Whitewater Watershed Restoration Action Strategy

4.1 Water Quality Monitoring Programs.....	19
4.2 Summary of Ambient Monitoring Data for the Whitewater Watershed	23
4.3 Fish Consumption Advisories	23
4.4 Clean Water Act Section 305(b) Report.....	24
4.5 Clean Water Act Section 305(b) Assessment and Use-Support: Methodology	24
Part I, Chapter 5: State and Federal Water Programs.....	25
5.1 Indiana Department of Environmental Management Water Quality Programs	25
5.2 Indiana Department of Natural Resources Water Programs	30
5.3 USDA/Natural Resources Conservation Service Water Quality Programs.....	31
REFERENCES	34
Part I Tables	36
TABLE 2-4: CROPS PRODUCED IN THE WHITEWATER WATERSHED	41
Part II, FOREWORD	61
Part II, Chapter 1: Concerns and Recommendations	62
1. Water Quality Concerns and Priority Issues Identified by Stakeholder Groups	62
Part II, Chapter 2: Water Quality Concerns and Priority Issues Identified by State and Federal Agencies	65
Indiana's Unified Watershed Assessment (UWA)	65
Part II, Chapter 3: Identification of Impaired Waters	67
Part II, Chapter 4: Priority Issues and Recommended Management Strategies	68
4.1 Data/Information and Targeting.....	68
4.2 Streambank Erosion and Stabilization	68
4.3 Failing Septic Systems and Straight Pipe Discharges	69
4.4 Water Quality - General	69
4.5 Fish Consumption Advisories	69
4.6 Nonpoint Source Pollution - General	69
4.7 Point Sources - General.....	70
Part II, Chapter 5: Future Expectations and Actions.....	71

Whitewater Watershed Restoration Action Strategy

5.1 Expectations and Measuring Progress.....	71
5.2 Expected Revisions and Amendments	71
5.3 Review of the Watershed Restoration Action Strategy	71
Part II Tables.....	72
Figures	74
General Comments.....	103
Specific Comments	103

FOREWORD

The Whitewater Watershed Restoration Action Strategy (WRAS) is intended to be a living document designed to assist restoration and protection efforts of stakeholders in their sub-watersheds. As a "living document" information contained within the WRAS will need to be revised and updated periodically.

The WRAS is divided into two parts: Part I, Characterization and Responsibilities and Part II, Concerns and Recommendations.

The first draft of the Whitewater WRAS was released for public review during the spring of 2002. A 60-day public comment period followed the public meetings at which this WRAS document was introduced. A final version of the WRAS includes public comments received during the 60-day comment period. For comments to be included in the final version, they were required to be written and submitted to WHPA, Inc. (the firm contracted to produce this WRAS) during the comment period.

Wittman Hydro Planning Associates, Inc.
320 West Eighth Street
Showers Plaza, Suite 201
Bloomington, IN 47404

812-333-9399

inquiry@wittmanhydro.com

EXECUTIVE SUMMARY

The overall goal and purpose of Part I of the Watershed Restoration Action Strategy (WRAS) is to provide a reference point and map to assist local citizens with improving water quality. The major water quality concerns and recommended management strategies will be addressed in Part II: Concerns and Recommendations of the WRAS.

This Strategy broadly covers the entire watershed; therefore, it is intended to be an overall strategy and does not dictate management and activities at the stream site or segment level. Water quality management decisions and activities for individual portions of the watershed are most effective and efficient when managed through sub-watershed plans. However, these sub-watershed plans must also consider the impact on the watershed as a whole.

This Strategy is intended to be a fluid document in order to respond to the changing and dynamic quality of our environment. Therefore, this Strategy will require revision when updated information becomes available. Additionally, the reader may notice that some of the information in this Strategy is provided in duplicate. This is a result of the interconnectedness of the issues discussed and an assumption made by the authors that many readers may only be interested in a few sections of this Strategy.

Overview of the Whitewater Watershed

The Whitewater River rises in southern Randolph and Wayne Counties and flows in two main branches which are just 10 miles apart as they flow southward before joining at Brookville. From here the Whitewater flows southeasterly into Ohio where it eventually joins the Miami River, a tributary of the Ohio River. A dam on the East Fork of the Whitewater near Brookville created a 5,260 acre reservoir, providing many recreational opportunities. While there is no true white water on the river, there are many rapids due to the steep gradient. The Whitewater is the swiftest river in Indiana, falling an average of six feet per mile.

The watershed is generally steep, dissected land with farming taking place in the bottomlands and gently rolling uplands. Natural forest vegetation is limited to the banks of the watercourses and other slopes too steep to cultivate. The river was formed as the retreating glacial ice sheet dumped its meltwater to flow toward the Ohio River. Thick deposits of sand and gravel resulted and still characterize the river's bottom today (IDNR 1999).

Current Status of Water Quality in the Whitewater Watershed

Section 303(d) of the Clean Water Act requires states to identify waters that do not meet, or are not expected to meet, applicable water quality standards. The Clean Water Act Section 303(d) list for Indiana provides a basis for understanding the current status of water quality in the Whitewater Watershed. The waterbodies listed in Table 0-1 are on Indiana's 1998 Clean Water Act Section 303(d) list submitted to and approved by EPA (IDEM 1998). The 2002 draft 303(d) list has been completed and the final list will be released in October 2002. The draft 2002 list is not included in this document, but is available from IDEM's Office of Water Quality (<http://www.state.in.us/idem/water/planbr/wqs/303d.html>).

Water Quality Goal

The overall water quality goal for the Whitewater Watershed is that all waterbodies meet the applicable water quality standards for their designated uses as determined by the State of Indiana, under the provisions of the Clean Water Act.

Part I, Chapter 1: Characterization and Responsibilities

1. Introduction

The Clean Water Action Plan was developed by federal agencies in 1998 to commemorate the 25th anniversary of the Clean Water Act and to "help revitalize the nation's commitment to our valuable water resources." The Plan proposed that "states and tribes should work with public agencies and private-sector organizations and citizens to develop, based on the initial schedule for the first two years, Watershed Restoration Action Strategies, for watersheds most in need of restoration" (USEPA 1998). A WRAS is essentially a large-scale coordination plan for an eight-digit hydrologic unit watershed. Each year, more assessments and data may become available. This will require amendments to the WRAS, which must be flexible and broad enough to accommodate change. The WRAS will also foster greater cooperation among State and Federal agencies, which should result in more effective use of personnel and resources.

The WRAS provides an opportunity to assemble, in one place, projects and monitoring that have been completed or are on-going within a watershed. It also allows agencies and stakeholders to compare watershed goals and provides a guide for future work within a watershed.

The WRAS for the Whitewater watershed contains two parts. Part I provides a characterization of water quality in the watershed and agency responsibilities. Part II provides a discussion of resource concerns and recommended strategies.

1.1 Purpose of This Document

The overall goal and purpose of the Watershed Restoration Action Strategy Part I is to provide a reference point and roadmap to assist with improving water quality. Part I is a compilation of information, facts, and local concerns in this watershed. It will serve as a reference document for watershed groups and others involved in the assessment and planning of watershed restoration activities.

Part I of the Strategy is intended to be a fluid document in order to respond to the changing and dynamic quality of our environment. Therefore, it will require revision when updated information becomes available.

1.2 Guide to the Use of This Document

Chapter 1: Introduction - This Chapter provides a non-technical description of the purpose of Part 1 of the Strategy. This Chapter also provides an overview of stakeholder groups in the Whitewater watershed.

Chapter 2: General Watershed Description - Some of the specific topics covered in this chapter include:

- An overview of the watershed
- Hydrology of the watershed
- A summary of land use within the watershed
- Natural resources in the watershed
- Population statistics

Whitewater Watershed Restoration Action Strategy

- Major water uses in the watershed
- Water quality classifications and standards

Chapter 3: Causes and Sources of Water Pollution - This Chapter describes a number of important causes of water quality impacts including biochemical oxygen demand (BOD), toxic substances, nutrients, *E. coli* bacteria and others. This Chapter also describes both point and nonpoint sources of pollution.

Chapter 4: Water Quality and Use Support Ratings - This Chapter describes the various types of water quality monitoring conducted by IDEM. It summarizes water quality in the watershed based on Office of Water Quality data, and presents a summary of use support ratings for those surface waters that have been monitored or evaluated.

Chapter 5: State and Federal Water Quality Programs - Chapter 5 summarizes the existing State and Federal point and nonpoint source pollution control programs available to address water quality problems. These programs are management tools available for addressing the priority water quality concerns and issues that are discussed in Part II of the Strategy. Chapter 5 also describes the concept of Total Maximum Daily Loads (TMDLs). TMDLs represent management strategies aimed at controlling point and nonpoint source pollutants. IDEM's TMDL Strategy will also be discussed.

1.3 Stakeholder Groups in the Watershed

The Whitewater watershed contains several stakeholder groups that have different missions (Appendix C). Many of these groups have a long history of conservation work in the Whitewater watershed. The following discussions briefly describe some of the watershed groups.

Natural Resources Conservation Service

The Natural Resources Conservation Service (NRCS), under the U.S. Department of Agriculture (USDA), provides leadership in a partnership effort to help people conserve, maintain, and improve our natural resources and environment. The NRCS offers landowners financial, technical, and educational assistance to implement conservation practices on privately owned land. Using this help, farmers, ranchers, and forest landowners apply practices that reduce soil erosion, improve water quality, and enhance crop land, forest land, wetlands, grazing lands, and wildlife habitat. Incentives offered by USDA promote sustainable agricultural and forestry practices, which protect and conserve valuable farm and forest land for future generations. USDA assistance also helps individuals and communities restore natural resources after floods, fires, or other natural disasters.

Soil and Water Conservation Districts

Local Soil and Water Conservation Districts (SWCD) assist land users and residents in the protection and improvement of the local environment. SWCDs can provide technical and financial assistance to local watershed conservation groups.

Central Indiana Land Trust, Inc.

The Central Indiana Land Trust (CILTI) is a nonprofit 501(c)(3) corporation formed in 1990. CILTI maintains that development must be balanced with adequate greenspace. It operates in a regional capacity throughout central Indiana, and actively seeks to protect a broad array of natural areas from small urban greenspaces to pristine nature preserves of high biological integrity.

Historic Hoosier Hills RC & D, Inc.

The vision of Historic Hoosier Hills Resource Conservation and Development is to serve as a catalyst to motivate local people to solve overall economic and natural resources problems of the area, and to properly develop, utilize, and conserve our natural and human resources. Projects have included implementing an EQIP Grant to provide alternative livestock watering systems as a tool to promote Management Intensive Grazing in southeastern Indiana, and educational activities such as development of a short video which encourages proper harvesting techniques for Southern Indiana hardwoods.

Hoosier River Watch

Hoosier Riverwatch is a state-sponsored water quality monitoring initiative. The program was started in 1994 to increase public awareness of water quality issues and concerns by training volunteers to monitor stream water quality. Hoosier Riverwatch collaborates with agencies and volunteers to:

- Increase public involvement in water quality issues through hands-on training of volunteers in stream monitoring and cleanup activities.
- Educate local communities about the relationship between land use and water quality.
- Provide water quality information to citizens and governmental agencies working to protect Indiana's rivers and streams.

Fayette County Watershed Initiative

A water quality initiative has been launched in Fayette County for two subwatersheds that drain to the Whitewater River. The effort, funded by a Section 319 Grant from the Indiana Department of Environmental Management (IDEM) and the United States Environmental Protection Agency (USEPA), will tap public input to develop two "Subwatershed Management Plans." The subwatersheds of focus are the Garrison Creek and Lick Creek Watersheds.

The Fayette County Soil and Water Conservation District (SWCD) received this grant to work with citizens, businesses, agriculture, and other "stakeholders" to identify causes and effects of water quality problems in the watershed and to develop recommendations to curb any problems that may exist. The intent is to identify concerns and remedies and apply for funding to implement those remedies.

Grant funding became effective in September of 2001 and a professional watershed coordination firm, Goode & Associates, Inc., was hired in January of 2002 to help the process move toward a long-term plan. The plans must be completed by September of 2003.

Fayette/Union County Soil and Water Conservation District

The Union County Soil and Water Conservation District has almost completed a watershed diagnostic study on the Silver Creek and Hanna's Creek watersheds. The study is being conducted through a grant from the Lake and River Enhancement Program, funded through the Department of Natural Resources. The final report is currently undergoing a review process by the Department of Natural Resources. Based on the final results, the SWCD plans to apply for funding to provide cost-share for land treatment practices and to implement other water quality practices that will benefit these areas.

Wayne County Soil and Water Conservation District

In 1997, Indiana Department of Natural Resources in conjunction with Wayne County Soil and Water Conservation District provided cost share funds in the watershed of the Middlefork of the Whitewater River. The funds come from the Lake and River Enhancement program to install conservation practices that help reduce sediment and nutrients entering the Middlefork Reservoir. In addition, the Natural Resource Conservation Service administers the Environmental Quality Incentives Program, which provides cost share funds to install conservation practices in the watershed.

At the present time, the Wayne County SWCD has been accepted for a 319 grant through the Indiana Department of Environmental Management. They will be hiring a watershed coordinator for the Middlefork Watershed who will be in charge of developing a watershed management plan. The grant starts July of 2002 and ends October 2004.

Part I, Chapter 2: General Watershed Description

This Chapter provides a general description of the Whitewater Watershed and includes the following:

Section 2.1 Whitewater Watershed Overview

Section 2.2 Land Cover, Population, and Growth Trends

Section 2.3 Agricultural Activities in the Whitewater Watershed

Section 2.4 Significant Natural Areas in the Whitewater Watershed

Section 2.5 Surface Water Use Designations and Classifications

Section 2.6 US Geological Survey Water Use Information for the Whitewater Watershed

Section 2.7 Superfund Sites in the Whitewater Watershed

2.1 Whitewater Watershed Overview

The Whitewater watershed includes three 8 digit (05080001, 05080002, 05080003) hydrologic unit code (HUC) watersheds located in east-central Indiana and southwestern Ohio (Figure 2-1). The Indiana portion of the watershed encompasses approximately 1530 square miles in ten different counties and approximately 1010 miles of perennial streams (USEPA 2002a). It is subdivided into 100 subbasins represented on the map by 14 digit HUCs (Figure 2-2). Nearly one-quarter of the watershed is classified as forested and over 70% is agricultural. The majority of the soils in the northern part of the watershed (Wayne and Randolph counties) have medium erosion potential, while the soils in the southern part of the watershed (Fayette, Union and Franklin counties) have high to very high erosion potential (Figure 2-3).

The Whitewater River rises in southern Randolph and Wayne Counties and flows in two main branches which are just 10 miles apart as they flow southward before joining at Brookville. From here the Whitewater flows southeasterly into Ohio where it eventually joins the Miami River, a tributary of the Ohio River. A dam on the East Fork of the Whitewater near Brookville created a 5,260 acre reservoir, providing many recreational opportunities. While there is no true white water on the river, there are many rapids due to the steep gradient. The Whitewater is the swiftest river in Indiana, falling an average of six feet per mile.

The watershed is generally steep, dissected land with farming taking place in the bottomlands and gently rolling uplands. Natural forest vegetation is limited to the banks of the watercourses and other slopes too steep to cultivate. The river was formed as the retreating glacial ice sheet dumped its meltwater to flow toward the Ohio River. Thick deposits of sand and gravel resulted and still characterize the river's bottom today (IDNR 1999).

The Whitewater Watershed is located primarily in the Eastern Corn Belt plains ecoregion, which is characterized by rolling plains, with beech/maple vegetation, and soils that are good for cropland. The southern portion of the watershed is located in the Interior Plateau ecoregion, which is characterized by open hills, irregular plains, and tablelands. Oak-hickory forest dominates, with some areas of bluestem prairie and cedar glades, and a diverse fish fauna is present (US EPA 1999).

2.2 Land Cover, Population, and Growth Trends

2.2.1 General Land Cover

Native vegetation in the Whitewater watershed is an upland mixed hardwood forest in varied stages of succession. The U.S.

Whitewater Watershed Restoration Action Strategy

Geological Survey - Biological Resources Division and the U.S. Fish and Wildlife Service are overseeing the National Gap Analysis Program (GAP). In Indiana, Indiana State University and Indiana University are carrying out the Indiana GAP Project which involves an analysis of current vegetative land cover through remote sensing (ISU 2001). This analysis provides vegetative land cover data in 30 by 30-meter grids (Figure 2-4). The following is a summary of vegetative cover in the watershed determined from the GAP image:

1.4% Urban (impervious, low and high density)
73.2% Agricultural vegetation (row crop and pasture)
22.7% Forest vegetation (shrubland, woodland, forest)
1.9% Wetland vegetation (Palustrine: forest, shrubland, herbaceous)
0.8% Open Water

2.2.2 Population

The 1990 total population in the ten counties that have land portions in the watershed was 305,034 (IRBC 1998). Table 2-1 shows a break down of population by county and estimated population projections. It should be noted that these numbers do not reflect the actual population living in the Whitewater watershed. For example, only a portion of Henry and Rush counties are within the land area of the Whitewater watershed (Figure 2-1). A better estimate of the population within the Whitewater watershed may be the 1995 U.S. Geological Survey Water Use Reports, which show a total population in the watershed of 146,420 in 1995 (Table 2-7).

The U.S. Census and the Indiana Business Research Center also provide information about the population in cities and towns (IBRC 1997). Table 2-2 contains population estimates for various cities and towns located within the watershed.

2.3 Agricultural Activities in the Whitewater Watershed

Agriculture is the dominant land use in the Whitewater Watershed. Section 2.2.1 shows that 73.2 percent of land cover in the watershed is agricultural vegetation. This section provides an overview of the agricultural activities in the watershed.

2.3.1 Livestock Operations

Livestock production within the watershed encompasses several species, and the overall composition changes from county to county. Hogs, cattle, and sheep are produced in all ten counties, and significant numbers of horses and ponies are produced in nine of the ten counties in the watershed. See Table 2-3 for livestock inventory numbers. Some animals are raised in open lots or pastures and some are raised in confined feeding lots or buildings.

Confined feeding is the raising of animals for food, fur or recreation in lots, pens, ponds, sheds or buildings, where they are confined, fed and maintained for at least 45 days during any year, and where there is no ground cover or vegetation present over at least half of the animals' confinement area. Livestock markets and sale barns are generally excluded (IDEM 1999a).

Indiana law defines a confined feeding operation as any livestock operation engaged in the confined feeding of at least 300 cattle, or 600 swine or sheep, or 30,000 fowl, such as chickens, ducks and other poultry. The IDEM regulates these confined feeding operations, as well as smaller livestock operations which have violated water pollution rules or laws, under IC 13-18-10.

As of October 1999, there were 204 livestock producers operating under the Confined Feeding Rules in the ten counties of the watershed (IDEM 1999). Table 2-3 shows livestock numbers from the USDA Agricultural Census "inventory" animals in each county (USDA 1997).

2.3.2 Crop Production

The soils of the Whitewater watershed are good for crop production. Table 2-4 lists the acres of the major crops produced in 1997 throughout the ten counties in the watershed. For 1997, total acres of corn for grain edged out total acres of soybeans for beans as

the number one crop produced in the ten counties. Corn and soybeans are clearly the primary crops produced in the watershed on the basis of total acres.

2.4 Significant Natural Areas in the Whitewater Watershed

In 1993, the Indiana Natural Resources Commission (NRC) adopted its "Outstanding Rivers" List for Indiana. This listing is referenced in the standards for utility line crossings within floodways, formerly governed by IC 14-28-2 and now controlled by 310 IAC 6-1-16 through 310 IAC 6-1-18. Except where incorporated into a statute or rule, the "Outstanding Rivers List" is intended to provide guidance rather than to have regulatory application (NRC 1997). To help identify the rivers and streams which have particular environmental or aesthetic interest, a special listing has been prepared by IDNR's Division of Outdoor Recreation. This listing is a corrected and condensed version of a list compiled by American Rivers and dated October 1990. The NRC has adopted the IDNR listing as an official recognition of the resource values of these waters. A river included in the "Outstanding Rivers List" qualifies under one or more of 22 categories. Table 2-5 presents the rivers in the Whitewater watershed which are on the "Outstanding Rivers List" and their significance.

State Parks, Forests, Nature Preserves, and Recreation Areas

Table 2-6 lists a number of parks, forests, nature preserves and other recreational areas within the counties included in the Whitewater Watershed. Since all the special areas in these counties are listed, some of the areas may be located outside of the Whitewater Watershed.

2.5 Surface Water Use Designations and Classifications

The following uses are designated by the Indiana Water Pollution Control Board (327 IAC 2-1-3 [327 IAC 2-1.5-5 for the Great Lakes system]):

- Surface waters of the state are designated for full-body contact recreation.
- All waters, except limited use waters, will be capable of supporting a well-balanced, warm water aquatic community and, where natural temperatures will permit, will be capable of supporting put-and-take trout fishing. All waters capable of supporting the natural reproduction of trout as of February 17, 1977, shall be so maintained.
- All waters, which are used for public or industrial water supply, must meet the standards for those uses at the point where water is withdrawn.
- All waters, which are used for agricultural purposes, must meet minimum surface water quality standards.
- All waters in which naturally poor physical characteristics (including lack of sufficient flow), naturally poor or reversible man-induced conditions, which came into existence prior to January 1, 1983, and having been established by use attainability analysis, public comment period, and hearing may qualify to be classified for limited use and must be evaluated for restoration and upgrading at each triennial review of this rule.
- All waters, which provide unusual aquatic habitat, which are an integral feature of an area of exceptional natural beauty or character, or which support unique assemblages of aquatic organisms may be classified for exceptional use (or designated as outstanding state resource waters in the Great Lakes system).

All waters of the state, at all times and at all places, including the mixing zone, shall meet the minimum conditions of being free from substances, materials, floating debris, oil, or scum attributable to municipal, industrial, agricultural, and other land use practices, or other discharges (327 IAC 2-1-6 [327 IAC 2-1.5-8 for the Great Lakes system]):

- that will settle to form putrescent or otherwise objectionable deposits,

Whitewater Watershed Restoration Action Strategy

- that are in amounts sufficient to be unsightly or deleterious,
- that produce color, visible oil sheen, odor, or other conditions in such degree as to create a nuisance,
- which are in amounts sufficient to be acutely toxic to, or to otherwise severely injure or kill aquatic life, other animals, plants, or humans, or
- which are in concentrations or combinations that will cause or contribute to the growth of aquatic plants or algae to such degree as to create a nuisance, be unsightly, or otherwise impair designated uses.

2.5.1 Surface Water Classifications in the Whitewater Watershed

The statewide classifications discussed in Section 2.5 apply to all stream segments in the Whitewater Watershed with the exception of:

* The unnamed ditch receiving the Sperry Rubber Company discharge and Richland Creek in Franklin County from the confluence of the unnamed tributary downstream to the Whitewater River

which is designated for limited use by the Indiana Water Pollution Control Board in 327 IAC 2-1-11 (1997). There are no waters in the Whitewater Watershed that are currently designated for exceptional use in 327 IAC 2-1-11.

2.6 US Geological Survey Water Use Information for the Whitewater Watershed

The U.S. Geological Survey's (USGS) National Water-Use Information Program is responsible for compiling and disseminating the nation's water-use data. The USGS works in cooperation with local, State, and Federal environmental agencies to collect water-use information at a site-specific level. USGS also compiles the data from hundreds of thousands of sites to produce water-use information aggregated up to the county, state, and national levels. Every five years, data at the state and hydrologic region level are compiled into a national water-use data system. Table 2-7 shows the USGS Water-Use information for the Whitewater Watershed for 1995 (USGS 2001).

2.7 Superfund Sites in the Whitewater Watershed

Superfund is a program administered by the EPA to locate, investigate, and clean up the worst hazardous waste sites throughout the United States. Before the Superfund Program was established in 1980, hazardous wastes were often left in the open, where they seeped into the ground, flowed into rivers and lakes, and contaminated soil and groundwater. Consequently, where these practices were intensive or continuous, there were uncontrolled or abandoned hazardous waste sites. These sites include abandoned warehouses, manufacturing facilities, processing plants, and landfills (USEPA 2002b).

There are no Superfund (CERCLA) sites listed in the Whitewater Watershed in Indiana.

Part I, Chapter 3: Causes and Sources of Water Pollution

A number of substances including nutrients, bacteria, oxygen-demanding wastes, metals, and toxic substances, cause water pollution. Sources of these pollution-causing substances are divided into two broad categories: point sources and nonpoint sources. Point sources are typically piped discharges from wastewater treatment plants, large urban and industrial stormwater systems, and other facilities. Nonpoint sources can include atmospheric deposition, groundwater inputs, and runoff from urban areas, agricultural lands and others. Chapter 3 includes the following:

Section 3.1 Causes of Pollution

Section 3.2 Point Sources of Pollution

Section 3.3 Nonpoint Sources of Pollution

3.1 Causes of Pollution

'Causes of pollution' refers to the substances which enter surface waters from point and nonpoint sources and result in water quality degradation and impairment. Major causes of water quality impairment include biochemical oxygen demand (BOD), nutrients, pesticides, toxicants (such as heavy metals, polychlorinated biphenyls [PCBs], chlorine, pH, ammonia, and cyanide), and *E. coli* bacteria. Table 3-1 provides a general overview of causes of impairment and the activities that may lead to their introduction into surface waters. Each of these causes is discussed in the following sections.

3.1.1 *E. coli* Bacteria

E. coli bacteria are associated with the intestinal tract of warm-blooded animals. They are widely used as an indicator of the potential presence of waterborne disease-causing (pathogenic) bacteria, protozoa, and viruses because they are easier and less costly to detect than the actual pathogenic organisms. The presence of waterborne disease-causing organisms can lead to outbreaks of such diseases as typhoid fever, dysentery, cholera, and cryptosporidiosis. The detection and identification of specific bacteria, viruses, and protozoa (such as *Giardia*, *Cryptosporidium*, and *Shigella*), require special sampling protocols and very sophisticated laboratory techniques which are not commonly available.

E. coli water quality standards have been established in order to ensure safe use of waters for water supplies and recreation. 327 IAC 2-1-6 Section 6(d) (327 IAC 2-1.5-8(e)(2) for Great Lakes system) states that *E. coli* bacteria, using membrane filter count (MF), shall not exceed 125 per 100 milliliters as a geometric mean based on not less than five samples equally spaced over a 30 day period nor exceed 235 per 100 milliliters in any one sample in a 30 day period.

E. coli bacteria may enter surface waters from nonpoint source runoff, but they also come from improperly treated discharges of domestic wastewater. Common potential sources of *E. coli* bacteria include leaking or failing septic systems, direct septic discharge, leaking sewer lines or pump station overflows, runoff from livestock operations, urban stormwater and wildlife. *E. coli* bacteria in treatment plant effluent are controlled through disinfection methods including chlorination (often followed by dechlorination), ozonation or ultraviolet light radiation.

No waterbodies in the Whitewater watershed currently appear on Indiana's 303(d) list for impairment due to *E. coli* contamination.

3.1.2 Toxic Substances

327 IAC 2-1-9(45) (327 IAC 2-1.5-2(84) for Great Lakes system) defines toxic substances as substances which are or may become harmful to plant or animal life or to food chains when present in sufficient concentrations or combinations. Toxic

Whitewater Watershed Restoration Action Strategy

substances include, but are not limited to, those pollutants identified as toxic under Section 307 (a)(1) of the Clean Water Act. Standards for individual toxic substances are listed in 327 IAC 2-1-6 (327 IAC 2-1.5-8 for Great Lakes system). Toxic substances frequently encountered include chlorine, ammonia, organics (hydrocarbons and pesticides), heavy metals and pH. These materials are toxic to different organisms in varying amounts, and the effects may be evident immediately or may only be manifested after long-term exposure or accumulation in living tissue.

Whole effluent toxicity testing is required for major NPDES dischargers (discharge over 1 million gallons per day or population greater than 10,000). This test shows whether the effluent from a treatment plant is toxic, but it does not identify the specific cause of toxicity. If the effluent is found to be toxic, further testing is done to determine the specific cause. This follow-up testing is called a toxicity reduction evaluation. Other testing, or monitoring, done to detect aquatic toxicity problems include fish tissue analyses, chemical water quality sampling and assessment of fish community and bottom-dwelling organisms such as aquatic insect larvae. These monitoring programs are discussed in Chapter 4.

Each of the substances below can be toxic in sufficient quantity or concentration.

Metals

Municipal and industrial dischargers and urban runoff are the main sources of metal contamination in surface water. Indiana has stream standards for many heavy metals, but the most common ones in municipal permits are cadmium, chromium, copper, nickel, lead, mercury, and zinc. These standards are listed in 327 IAC 2-1-6 (327 IAC 2-1.5-8 for Great Lakes system). Point source discharges of metals are controlled through the National Pollution Discharge Elimination System (NPDES) permit process. Mass balance models are employed to determine allowable concentrations for a permit limit. Municipalities with significant industrial users discharging wastes to their treatment facilities limit the heavy metals from these industries through a pretreatment program. Source reduction and wastewater recycling at waste water treatment plants (WWTP) also reduces the amount of metals being discharged to a stream. Nonpoint sources of metal pollution are controlled through best management practices.

In Indiana, as well as many other areas of the country, mercury contamination in fish has caused the need to post widespread fish consumption advisories. The source of the mercury is unclear; however, atmospheric sources are suspected and are currently being studied.

There are five waterbodies in the Whitewater watershed, including both forks of the Whitewater River and Brookville Reservoir, that appear on Indiana's 303(d) list for impairment due to mercury contamination. They are currently scheduled for TMDL development from 2012 to 2014.

Polychlorinated biphenyls (PCBs)

Polychlorinated biphenyls (PCBs) were first created in 1881 and began to be commercially manufactured around 1929. Because of their fire-resistant and insulating properties, PCBs were widely used in transformers, capacitors, and in hydraulic and heat transfer systems. In addition, PCBs were used in products such as plasticizers, rubber, ink, and wax. In 1966, PCBs were first detected in wildlife, and were soon found to be ubiquitous in the environment (Bunce 1994). PCBs entered the environment through unregulated disposal of products such as waste oils, transformers, capacitors, sealants, paints, and carbonless copy paper. In 1977, production of PCBs in North America was halted. The PCB contamination present in our surface waters and environment today is the result of historical waste disposal practices.

There are four waterbodies in the Whitewater watershed, including both forks of the Whitewater River, that appear on Indiana's 303(d) list for impairment due to PCB contamination. They are currently scheduled for TMDL development from 2012 to 2014.

Ammonia (NH₃)

Point source dischargers are one of the major sources of ammonia. In addition, discharge of untreated septic effluent, decaying organisms which may come from nonpoint source runoff and bacterial decomposition of animal waste also contribute to the level of ammonia in a waterbody. Standards for ammonia are listed in 327 IAC 2-1-6 (327 IAC 2-1.5-8 for Great Lakes system).

No waterbodies in the Whitewater watershed currently appear on Indiana's 303(d) list for impairment due to ammonia

Whitewater Watershed Restoration Action Strategy

contamination.

Pesticides

Pesticides include a broad array of chemicals used to control plant growth (herbicides), insects (insecticides), fungi (fungicides), and other organisms. Pesticides enter surface waters primarily through nonpoint source runoff from agricultural lands and urban areas. While some pesticides undergo biological degradation by soil and water bacteria, others are very resistant to degradation. Such nonbiodegradable compounds may become "fixed" or bound to clay particles and organic matter in the soil, making them less available. However, many pesticides are not permanently fixed by the soil. Instead they collect on plant surfaces and enter the food chain, eventually accumulating in wildlife such as fish and birds. Many pesticides have been found to negatively affect both humans and wildlife by damaging the nervous, endocrine, and reproductive systems or causing cancer (Kormondy 1996).

Pesticide contamination is due not only to current nonpoint sources of pesticides, but also to legacy pesticides, or those pesticides that are no longer being used but are still persistent in the environment. Thus, measurements of pesticide pollution may not be accurate estimates of the amount of pesticides currently being discharged into surface waters, but rather reflections of both past and present pesticide use.

No waterbodies in the Whitewater watershed currently appear on Indiana's 303(d) list for impairment due to pesticide contamination.

Cyanide

Cyanide is used in several manufacturing processes, including metal finishing and glass manufacturing, and consequently it may enter surface waters through industrial runoff. Cyanide ties up the hemoglobin sites that bind oxygen to red blood cells, resulting in oxygen deprivation. This condition is known as cyanosis and is characterized by a blue skin color. Cyanide also causes chronic effects on the thyroid and central nervous system (Davis & Cornwell 1998). Most water quality monitoring programs measure total cyanide. This may overestimate the threat posed by cyanide contamination however, as total cyanide is a waste product of wastewater treatment plants. The parameter of concern to human health is free cyanide, which is included in measurements of total cyanide but different methods must be used to measure it separately.

No waterbodies in the Whitewater watershed currently appear on Indiana's 303(d) list for impairment due to cyanide contamination.

3.1.3 Oxygen-Consuming Wastes

Oxygen-consuming wastes include decomposing organic matter or chemicals, which reduce dissolved oxygen in water through chemical reactions, creating what is known as biochemical oxygen demand (BOD). Raw domestic wastewater contains high concentrations of oxygen-consuming wastes that need to be removed from the wastewater before it can be discharged into a waterway. Maintaining a sufficient level of dissolved oxygen in the water is critical to most forms of aquatic life.

The concentration of dissolved oxygen in a water body is one indicator of the general health of an aquatic ecosystem. 327 IAC 2-1 Section 6(b)(3) states that concentrations of dissolved oxygen shall average at least five milligrams per liter per calendar day and shall not be less than four milligrams per liter at any time. Salmonid waters which support cold water fish have a higher dissolved oxygen requirement. In these waters, dissolved oxygen concentrations shall not be less than six milligrams per liter at any time and shall not be less than seven milligrams per liter in areas where spawning and imprinting occur during the season in which they occur. Dissolved oxygen concentrations in the open waters of Lake Michigan shall not be less than seven milligrams per liter at any time (327 IAC 2-1.5-8(d)(1)).

Dissolved oxygen concentrations are affected by a number of factors. Higher dissolved oxygen is produced by turbulent actions, such as waves, which mix air and water. Lower water temperature also generally allows for retention of higher dissolved oxygen concentrations. Low dissolved oxygen levels tend to occur more often in warmer, slow-moving waters. In general, the lowest dissolved oxygen concentrations occur during the warmest summer months and particularly during low flow periods.

Sources of dissolved oxygen depletion include wastewater treatment plant effluent, the decomposition of organic matter (such as leaves, dead plants and animals) and organic waste matter that is washed or discharged into the water. Sewage from human and

Whitewater Watershed Restoration Action Strategy

household wastes is high in organic waste matter. Bacterial decomposition can rapidly deplete dissolved oxygen levels unless these wastes are adequately treated at a wastewater treatment plant. In addition, excess nutrients in a water body may lead to an over-abundance of algae and reduce dissolved oxygen in the water through algal respiration and decomposition of dead algae. Also, some chemicals may react with and bind up dissolved oxygen. Industrial discharges with oxygen-consuming wasteflow may be resilient instream and continue to use oxygen for a long distance downstream.

No portions of the Whitewater watershed currently appear on Indiana's 303(d) list for impairment due to contamination by oxygen-consuming wastes.

3.1.4 Nutrients

The term "nutrients" in this Strategy refers to two major plant nutrients: phosphorus and nitrogen. These are common components of fertilizers, animal and human wastes, vegetation, and some industrial processes. Nutrients in surface waters come from both point and nonpoint sources. Nutrients are beneficial to aquatic life in small amounts. However, in over-abundance and under favorable conditions, they can stimulate algal blooms and excessive plant growth in quiet waters or low flow conditions. The algal blooms and excessive plant growth often reduce the dissolved oxygen content of surface waters through plant respiration and decomposition of dead algae and other plants. This is accentuated in hot weather and low flow conditions because of the reduced capacity of the water to retain dissolved oxygen.

No waterbodies in the Whitewater watershed currently appear on Indiana's 303(d) list for impairment due to nutrient contamination.

3.2 Point Sources of Pollution

As discussed previously, sources of water pollution are divided into two broad categories: point sources and nonpoint sources. This section focuses on point sources. Section 3.2.1 defines point sources and Section 3.2.2 discusses point sources in the Whitewater Watershed.

3.2.1 Defining Point Sources

Point sources refer to discharges that enter surface waters through a pipe, ditch or other well-defined point of discharge. The term applies to wastewater and stormwater discharges from a variety of sources. Wastewater point source discharges include municipal (city and county) and industrial wastewater treatment plants and small domestic wastewater treatment systems that may serve schools, commercial offices, residential subdivisions and individual homes. Stormwater point source discharges include stormwater collection systems for medium and large municipalities which serve populations greater than 100,000 and stormwater discharges associated with industrial activity as defined in the Code of Federal Regulations (40 CFR 122.26(a)(14)). The primary pollutants associated with point source discharges are oxygen-demanding wastes, nutrients, sediment, color and toxic substances including chlorine, ammonia and metals.

Point source dischargers in Indiana must apply for and obtain a National Pollutant Discharge Elimination System (NPDES) permit from the state. Discharge permits are issued under the NPDES program, which is delegated to Indiana by the US Environmental Protection Agency (EPA). See Chapter 5 for a description of the NPDES program and permitting strategies.

3.2.2 Point Source Discharges in the Whitewater Watershed

As of June 1999, there were 153 active NPDES permits within the Whitewater watershed (Table 3-3, Figure 3-1). Of the 153 active NPDES permits, 3 are for major discharges (see Table 5-1 for a definition of a major discharge).

Another point source covered by NPDES permits is combined sewer overflows (CSO). A combined sewer system is a wastewater collection system that conveys sanitary wastewater (domestic, commercial and industrial wastewater) and stormwater through a single pipe system to a Publicly Owned Treatment Works. A CSO is the discharge from a combined sewer system at a point prior to the Publicly Owned Treatment Works. CSOs are point sources subject to NPDES permit requirements including both technology-based and water quality-based requirements of the Clean Water Act. Table 3-2 shows the CSOs in the Whitewater watershed.

In addition to the NPDES permitted dischargers in the watershed, there may be many unpermitted, illegal discharges to the Whitewater watershed system. Illegal discharges of residential wastewater (septic tank effluent) to streams and ditches from straight pipe discharges and old inadequate systems are a problem within the watershed.

3.3 Nonpoint Sources of Pollution

Nonpoint source pollution refers to runoff that enters surface waters through stormwater runoff, contaminated ground water, snowmelt or atmospheric deposition. There are many types of land use activities that can serve as sources of nonpoint source pollution including land development, construction, mining operations, crop production, animal feeding lots, timber harvesting, failing septic systems, landfills, roads and paved areas. Stormwater from large urban areas (greater than 100,000 people) and from certain industrial and construction sites is technically considered a point source since NPDES permits are required for discharges of stormwater from these areas.

Sediment and nutrients are major pollution-causing substances associated with nonpoint source pollution. Others include *E. coli* bacteria, heavy metals, pesticides, oil and grease, and any other substance that may be washed off the ground or removed from the atmosphere and carried into surface waters. Unlike point source pollution, nonpoint pollution sources are diffuse in nature and occur at random time intervals depending on rainfall events. Below is a brief description of major areas of nonpoint sources of pollution in the Whitewater watershed.

3.3.1 Agriculture

There are a number of activities associated with agriculture that can serve as potential sources of water pollution. Land clearing and tilling make soils susceptible to erosion, which can then cause stream sedimentation. Pesticides and fertilizers (including synthetic fertilizers and animal wastes) can be washed from fields or improperly designed storage or disposal sites. Construction of drainage ditches on poorly drained soils enhances the movement of oxygen-consuming wastes, sediment and soluble nutrients into groundwater and surface waters.

Concentrated animal operations can be a significant source of nutrients, biochemical oxygen demand and *E. coli* bacteria if wastes are not properly managed. Impacts can result from over-application of wastes to fields, from leaking lagoons and from flows of lagoon liquids to surface waters due to improper waste lagoon management. Also there are potential concerns associated with nitrate nitrogen movement through the soil from poorly constructed lagoons and from wastes applied to the soil surface.

Grassed waterways, conservation tillage, and no-till practices are several common practices used by many farmers to minimize soil loss. Maintaining a vegetated buffer between fields and streams is another excellent way to minimize sediment and nutrient loads to streams.

3.3.2 Urban/Residential

Runoff from urbanized areas, as a rule, is more localized and can often be more severe in magnitude than agricultural runoff. Any type of land-disturbing activity such as land clearing or excavation can result in soil loss and sedimentation. The rate and volume of runoff in urban areas is much greater due both to the high concentration of impervious surface areas and to storm drainage systems that rapidly transport stormwater to nearby surface waters. This increase in volume and rate of runoff can result in streambank erosion and sedimentation in surface waters.

Urban drainage systems, including curb and guttered roadways, also allow urban pollutants to reach surface waters quickly and with little or no filtering. Pollutants include lawn care pesticides and fertilizers, automobile fluids, lawn and household wastes, road salts, and *E. coli* bacteria (from animals and failing septic systems). Household hazardous wastes have the potential to severely contaminate the water if disposed of improperly by pouring down the drain or on the ground. The diversity of these pollutants makes it very challenging to attribute water quality degradation to any one pollutant.

Replacement of natural vegetation with pavement and removal of buffers reduces the ability of the watershed to filter pollutants before they enter surface waters. The chronic introduction of these pollutants and increased flow and velocity into streams results in degraded waters. Many waters adjacent to urban areas are rated as biologically poor. This degradation also exists in lakes, which have been heavily influenced by adjacent urban development.

Whitewater Watershed Restoration Action Strategy

The population figures discussed in Section 2.3.2 are good indicators of where urban development and potential urban water quality impacts are likely to occur. Concentrated areas where urban development is high may lead to further water quality problems associated with the addition of impervious surfaces next to surface waters.

3.3.3 Onsite Wastewater Disposal

Septic systems contain all of the wastewater from a household or business. A complete septic system consists of a septic tank and an absorption field to receive effluent from the septic tank. The septic tank removes some wastes, but the soil absorption field provides further absorption and treatment. Septic systems can be a safe and effective method for treating wastewater if they are sized, sited, and maintained properly. However, if the tank or absorption field malfunction or are improperly placed, constructed or maintained, nearby wells and surface waters may become contaminated.

Some of the potential problems from malfunctioning septic systems include:

- Polluted groundwater: Pollutants in septic effluent include bacteria, nutrients, toxic substances, and oxygen-consuming wastes. Nearby wells can become contaminated by failing septic systems.
- Polluted surface water: Groundwater often carries the pollutants mentioned above into surface waters, where they can cause serious harm to aquatic ecosystems. Leaking septic tanks can also leak into surface waters through or over the soil. In addition, some septic tanks may directly discharge to surface waters.
- Risks to human health: Septic system malfunctions can endanger human health when they contaminate nearby wells, drinking water supplies, and fishing and swimming areas.

Pollutants associated with onsite wastewater disposal may also be discharged directly to surface waters through direct pipe connections between the septic system and surface waters (straight pipe discharge). However, 327 IAC 5-1-1.5 specifically states that "point source discharge of sewage treated or untreated, from a dwelling or its associated residential sewage disposal system, to the waters of the state is prohibited".

3.3.4 Construction

Construction activities that involve excavation, grading or filling can result in significant erosion and, consequently, sedimentation in streams, if not properly controlled. Sedimentation from developing urban areas can be a major source of pollution due to the cumulative number of acres disturbed in a watershed. Construction of single family homes in rural areas can also be a source of sedimentation when homes are placed in or near stream corridors.

As a pollution source, construction activities are typically temporary, but the impacts on water quality can be severe and long-lasting. Construction activities tend to be concentrated in the more rapidly developing areas of the watershed.

3.3.5 Degraded Wetlands

Healthy wetlands and riparian areas perform valuable water quality-related functions by filtering water and trapping sediments and pollutants. The ability of wetland and riparian areas to remove NPS pollutants from surface water runoff is determined by plant species composition, geochemistry and hydrogeomorphic characteristics. Any changes to these characteristics can affect the filtering capacities of these areas. Activities such as channelization, which modify the hydrology of floodplain wetlands, can alter the ability of these areas to retain sediment when they are flooded and result in erosion and a net export of sediment from the wetland (Reinelt and Horner 1990).

Management measures have been developed for the control of NPS pollution through the protection and restoration of wetlands and riparian areas and the use of vegetated treatment systems. Information on degraded wetlands as potential contributors to nonpoint source pollution and the management measures for NPS pollution abatement is available in the USEPA Draft Guidance entitled "National Management Measures to Protect and Restore Wetlands and Riparian Areas for the Abatement of Nonpoint Source Pollution" (USEPA 2001).

Part I, Chapter 4: Water Quality and Use Support Ratings in the Whitewater Watershed

This section provides a detailed overview of water quality monitoring, water quality, and use support ratings in the Whitewater watershed and includes the following:

Section 4.1 Water Quality Monitoring Programs

Section 4.2 Summary of Ambient Monitoring Data for the Whitewater Watershed

Section 4.3 Fish Consumption Advisories

Section 4.4 Clean Water Act Section 305(b) Report

Section 4.5 Clean Water Act Section 305(b) Assessment and Use-Support: Methodology

4.1 Water Quality Monitoring Programs

This section discusses water quality monitoring programs. Specifically, Section 4.1.1 describes IDEM's Office of Water Quality monitoring programs and Section 4.1.2 discusses other monitoring efforts in the watershed.

4.1.1 Office of Water Quality Programs

The Water Quality Assessment Branch of the Office of Water Quality is responsible for assessing the quality of water in Indiana's lakes, rivers and streams. This assessment is performed by field staff from the Survey Section and the Biological Studies Section. Virtually every element of IDEM's surface water quality management program of IDEM is directly or indirectly related to activities currently carried out by this Branch. The biological and surface water monitoring activities identify stream reaches, watersheds or segments where physical, chemical and/or biological quality has been or would be impaired by either point or nonpoint sources. This information is used to help allocate waste loads equitably among various sources in a way that would ensure that water quality standards are met along stream reaches in each of the nearly 100 stream segments in Indiana.

The purpose of the Surveys Section is to provide the water quality and hydrological data required for the assessment of Indiana's waters by conducting Watershed/Basin Surveys and Stream Reach Surveys. In 1996, the Section began a five-year comprehensive study (Basin Monitoring Strategy) of the State's ten major watersheds. Information from these studies is being integrated with data from biological and nonpoint source studies as well as the Fixed Station Monitoring Program to make a major assessment of the State's waters. Such surveys determine the extent to which water quality standards are being met and whether the fishable, swimmable and water supply uses are being maintained.

Information derived from this strategy will contribute significantly to improved planning processes throughout the Office of Water Quality. This plan should initiate the development of interrelated action plans, which encompass the wide range of responsibilities, such as rule-making, permitting, compliance, nonpoint source issues, and wastewater treatment facility oversight.

The Biological Studies Section conducts studies of fish and macroinvertebrate communities as well as stream habitats to establish biological conditions to which other streams may be compared in order to identify impaired streams or watersheds. The Biological Studies Section also conducts fish tissue and sediment sampling to pinpoint sources of toxic and bioconcentrating substances. Fish tissue data serve as the basis for fish consumption advisories, which are issued, through the Indiana State Department of Health, to protect the health of Indiana citizens. This Section also participates in the development of site-specific water quality standards.

Whitewater Watershed Restoration Action Strategy

The Biological Studies Section relies on the Volunteer Water Quality Monitoring Programs to provide additional data on lakes and wetlands that may not be sampling sites in the Monitoring Strategy. Volunteer-collected data provides IDEM scientists with an overall view of water quality trends and early warning of problems that may be occurring in a lake or wetland. If volunteers detect that a lake or wetland is severely degraded, professional IDEM scientists will conduct follow-up investigation.

4.1.2 Local Volunteer Monitoring Programs

There are numerous local volunteer monitoring programs actively working throughout the Whitewater watershed. Almost all of these volunteer monitoring programs are conducted through schools and county Soil and Water Conservation Districts. The individual volunteer monitoring programs in the watershed receive support and guidance from Indiana WaterWatchers, IDNR's Hoosier Riverwatch, and various other groups. The main focus of the various watershed volunteer monitoring programs is education.

The following volunteer monitoring programs are involved in conservation and/or education activities in the Whitewater watershed:

Group Name: Benjamin Logan Schools

Contact: Barb Kuck, Spencer Reames

Contact Address: Logan Soil & Water Conservation District 324 CR 11
Bellefontaine, OHIO 43311

Contact Phone: 937 593-2946

Contact Email: barb.kuck@ohbellefon.fsc.usda.gov

Activity: Volunteer Monitoring

Description: Benjamin Logan Schools' elementary, middle, and high school students monitor physical, biological, and chemical aspects of the Mad River. Students also plan and present a River Festival, and a public symposium for state and county officials, parents, and concerned citizens. We take approximately 35 field trips a year to the stream.

Group Name: Bruckner Nature Center

Contact: Debra K. Brill

Contact Address: 5995 Horseshoe Bend Rd.
Troy, OHIO 45373

Contact Phone: 937-698-6493

Contact Email: bruckner@juno.com

URL: <http://www.tdn-net.com/bruckner>

Activity: Volunteer Monitoring

Description: Bruckner Nature Center is a volunteer monitoring site for the Ohio Department of Natural Resources for the scenic Stillwater River. A minimum of four macroinvertebrate sampling studies are conducted each year by staff in cooperation with visiting school groups participating in the Stream Quality environmental education program.

Group Name: Friends of the Darke County Parks

Contact: Trish Radford

Contact Address: P.O. Box 801
Greenville, OHIO 45331

Contact Phone: 937-548-0165

Contact Email: tradford@wabash.bright.net

Activity: Volunteer Monitoring

Description: The Friends of the Parks organization helps with stream monitoring, putting on public programs, and fundraising activities.

Group Name: Indian Lake

Contact: Project Administrator

Contact Address: 324 County Road 11
Bellefontaine, OHIO 43311

Contact Phone: 937-593-2946

Activity: Watershed Alliance/Council

Whitewater Watershed Restoration Action Strategy

Description: First and oldest HUA in Ohio, first watershed project in Ohio to develop a watershed "Long-Range Management Plan" using public input.

Group Name: Indian Lake Watershed Project

Contact: Gerald R. Tussing

Contact Address: 324 Co Rd 11

Bellefontaine, OHIO 43311

Contact Phone: 513-593-2946

Activity: Watershed Alliance/Council

Description: Promote actions that will improve water quality for the benefit of recreation, agriculture, wildlife, and other users of the Indian Lake Watershed aquatic resources.

Group Name: Loramie Valley Alliance

Contact: Greg Nageotte

Contact Address: 822 Fair Rd.

Sidney, OHIO 45365

Contact Email: greg.nageotte@oh.nrcs.usda.gov

URL: <http://loramievalleyalliance.org>

Activity: Watershed Alliance/Council

Description: The Loramie Valley Alliance is a partnership of public and private interests working to improve the water conveyance function and water quality of Loramie Creek and tributaries. The group developed a watershed action plan in 1999 and is implementing a variety of cost-share and incentive programs targeting local farmers to reduce nonpoint source pollution. Log-jam removal is also a major component of the group's activities.

Group Name: Mad River

Contact: Lisa Dooley

Contact Address: 1512 S. US Highway 68 Suite E100

Urbana, OHIO 43078

Contact Phone: 937-653-3318

Activity: Watershed Alliance/Council

Description: Ground water pollution potential map published. 39 acre tree and grass filterstrip.

Group Name: Miami County Environmental Education Youth Program

Contact: Cinda Hanbuch-Pinkerton, John Virgint

Contact Address: Miami County Park District, 2535 E. Ross Rd.

Tipp City, OHIO 45371

Contact Phone: 937-667-1086

Activity: Volunteer Monitoring

Description: Miami County Environmental Education Youth Program is part of the county's watershed monitoring system. We work to clean and protect Miami County's watersheds with local citizens.

Group Name: Ohio State University Extension Master Watershed Stewards

Contact: Gary L. Comer, Jr.

Contact Address: Ohio State University Extension, 117 E. Columbus Ave., Suite 100

Bellefontaine, OHIO 43311-2053

Contact Phone: 937-599-4227

Contact Email: Comer.29@osu.edu

Activity: Volunteer Monitoring

Description: OSU's Master Watershed Stewards is a holistic watershed approach to volunteer monitoring and water quality education. Program participants and volunteers receive instruction and experience with such watershed issues as monitoring techniques, basic wetland, stream, lake, and riparian ecology, geology, soils, and implementation of best management practices (BMPs).

Group Name: Stillwater River & Greenville Creek State Scenic & Recreational Rivers

Contact: Don Rostofer, SW OH Scenic River Coordinator

Contact Address: ODNR, Div. of Natural Areas & Preserves, 5349 Wilmington Road

Whitewater Watershed Restoration Action Strategy

Oregonia, OHIO 45054

Contact Phone: 513-934-0751

Contact Email: drostofer@go-concepts.com

URL: <http://www.dnr.state.oh.us/odnr/dnap>

Activity: Watershed Alliance/Council

Description: The Stillwater River and Greenville Creek, located between Greenville and Dayton, are components of the Ohio Scenic Rivers Program with Scenic and Recreational designation in Darke, Miami and Montgomery counties. The program's goal is to preserve and protect the natural qualities of Ohio's finest streams for future generations.

Group Name: Stillwater River Association

Contact: Susan Gray

Contact Address: 1676 Bickel Rd

Greenville, OHIO 45331

Contact Phone: 513-473-2363

Activity: Watershed Alliance/Council

Description: Local landowners involvement along a scenic river, Stillwater River and Greenville Creek providing dos and don'ts for streambank conservation.

Group Name: The Miami Conservancy District

Contact: Ned Pennock or Mark Bamberger

Contact Address: 38 East Monument Avenue

Dayton, OHIO 45402

Contact Phone: 937-223-1271

Contact Email: npennock@conservancy.com

URL: <http://www.conservancy.com>

Activity: Volunteer Monitoring

Group Name: Four Mile Creek and Acton Lake

Contact: Larry Ramsey

Contact Address: 1651 N Barron St

Eaton, OHIO 45320

Contact Phone: 513-456-4565

Contact Email: fpreble@oh.nrcs.usda.gov

Activity: Watershed Alliance/Council

Description: 155410 tons of soil prevented from entering Acton Lake. 53 tons of N, P & K prevented from entering Acton Lake.

Group Name: Greenacres Water Quality Monitoring Project

Contact: Anne Lyon

Contact Address: Greenacres Foundation, 8255 Spooky Hollow Rd.

Cincinnati, Ohio 45242-6518

Contact Phone: 513-891-4227

Contact Email: alyon@green-acres.org

URL: <http://www.littlemiami.com> (data reporting) OR <http://www.green-acres.org> (both in 9/2000)

Activity: Volunteer Monitoring

Description: Greenacres Water Quality Monitoring Project runs school-based monitoring using chemical, physical and biological indicators. Each school reports results to local government or other community based organization for monitored watersheds on an annual basis. Local governments, grants and donations provide financial support. We also work with citizen volunteers and local efforts to improve water quality.

Group Name: Hamilton County Park District

Contact: Bret Henninger

Contact Address: 10245 Winton Rd.

Cincinnati, Ohio 45231

Contact Phone: 513-521-7275

Contact Email: bhenninger@hamiltoncountyparks.org

Activity: Volunteer Monitoring

Whitewater Watershed Restoration Action Strategy

Description: Hamilton County Park District's Biological Stream Monitoring program concentrates on the biological integrity of lake watersheds and tributaries.

Group Name: Mill Creek Watershed Council (MCWC)

Contact: Nancy Ellwood

Contact Address: 801-B W. Eighth St., Suite 400

Cincinnati, OHIO 45203-1607

Contact Phone: 513-621-6300 x.147

URL: <http://www.millcreekwatershed.org>

Activity: Watershed Alliance/Council

Description: We represent the 37 political jurisdictions in the watershed. We promote wise management of the Mill Creek watershed done via actions to restore water quality, restore plants and wildlife, restore stream banks, preserve stream channel characteristics, restore and enhance scenic attributes, reduce flood potential, minimize harmful run-off, and numerous other actions. Publish "Voice of the Mill Creek" quarterly. Annual watershed conference. Currently involved in the development of Mill Creek TMDL.

Group Name: Trout Unlimited, Mad Men Chapter

Contact: Jeffrey S. Johnson

Contact Address: 3248 Koenig Ave.

Cincinnati, OHIO 45211

Contact Phone: 513-662-5355

Contact Email: JJJohnson@aol.com

Activity: Volunteer Monitoring

Description: The Mad Men Chapter of Trout Unlimited supports the Mad River watershed protection and management plans. The Mad River contains 30 miles of spring-fed water providing Ohio fishermen with a Brown Trout fishery. The Mad Men Chapter will include a stream monitoring program to supplement other activities, such as habitat improvement projects.

4.2 Summary of Ambient Monitoring Data for the Whitewater Watershed

The fixed station-monitoring program managed by IDEM's Office of Water Quality has been monitoring surface water chemistry throughout the state since 1957. The data set from 1986 to 1995 was analyzed using the Seasonal Kendall test. This test deduces if a statistical change in the surface water chemistry occurred over a certain time period. The results of the Seasonal Kendall analysis for stations located in the Whitewater watershed are provided in Table 4-1. The data collected from 1991 to 1997 from this monitoring program were also analyzed to determine benchmark characteristics. The results of the benchmark characteristic analysis for stations located in the Whitewater watershed are provided in Appendix A. For a more in-depth discussion of this analysis, please refer to the 1997 Indiana Fixed Station Statistical Analysis (IDEM 1998b).

4.3 Fish Consumption Advisories

Since 1972, the Indiana Department of Natural Resources, the IDEM, and the Indiana State Department of Health (ISDH) have worked together to create the Indiana Fish Consumption Advisory (ISDH, IDNR, and IDEM 2001). Each year members from these three agencies meet to discuss the findings of recent fish monitoring data and to develop the new statewide fish consumption advisory.

The 2001 advisory is based on levels of PCBs and mercury found in fish tissue. Fish are tested regularly only in areas where there is suspected contamination. In each area, samples were taken of bottom-feeding fish, top-feeding fish, and fish feeding in between. Over 1,600 fish tissue samples collected throughout the state were analyzed for PCBs, pesticides, and heavy metals. Of those samples, the majority contained at least some mercury. However, not all fish tissue samples had mercury at levels considered harmful to human health. If they did, they are listed in Table 4-3. Because of past, widespread agricultural and industrial use of these materials, their great stability and persistence in the environment, and the potential for bioaccumulation, it is not surprising that concentrations exceeding safe levels have been found in some species. Criteria for placing fish on the

Whitewater Watershed Restoration Action Strategy

Indiana Fish Consumption Advisory are developed from the Great Lakes Task Force risk-based approach.

Table 4-2 shows the ISDH definitions for each Advisory Group.

Table 4-3 shows the waterbodies in the Whitewater Watershed that are under the 2001 fish consumption advisory.

4.4 Clean Water Act Section 305(b) Report

Section 305(b) of the Clean Water Act requires states to prepare and submit to the EPA a water quality assessment report of state water resources. A new surface water monitoring strategy for the Office of Water Quality was implemented in 1996 with the goal of monitoring all waters of the state by 2001 and reporting the assessments by 2003. Each year approximately 20 percent of the waterbodies in the state will be assessed and reported the following year. To date, one five-year monitoring cycle to survey the surface water quality of the State has been completed. The second survey cycle was begun in 2001. Appendix B contains the listing of the Whitewater watershed waterbodies assessed, status of designated use support, probable causes of impairment, and stream miles affected (IDEM 1998a). The methodologies of the Clean Water Act Section 305(b) assessment and use support ratings are discussed in Section 4.5.

4.5 Clean Water Act Section 305(b) Assessment and Use-Support: Methodology

The Office of Water Quality determines use support status for each stream and waterbody in accordance with the assessment guidelines provided by EPA (USEPA 1997). Results from four monitoring programs are integrated to provide an assessment for each stream and waterbody:

- Physical/chemical water column results,
- Benthic aquatic macroinvertebrate community assessments,
- Fish tissue and surficial aquatic sediment contaminant results, and
- *E. coli* monitoring results.

The assessment process was applied to each data sampling program. The individual assessments were integrated into an overall assessment for each waterbody by use designation: aquatic life support, fish consumption, and recreational use. River miles in a watershed appear as one waterbody while each lake in a watershed is reported as a separate waterbody.

Physical/chemical data for toxicants (total recoverable metals), conventional water chemistry parameters (dissolved oxygen, pH, and temperature), and bacteria (*E. coli*) were evaluated for exceedance of the Indiana Water Quality Standards (327 IAC 2-1-6). U.S. EPA 305(b) Guidelines were applied to sample results as indicated in Table 4-4 (U.S. EPA 1997).

Part I, Chapter 5: State and Federal Water Programs

This Chapter summarizes the existing point and nonpoint source pollution control programs available for addressing water quality problems in the Whitewater watershed. Chapter 5 includes:

Section 5.1 Indiana Department of Environmental Management Water Quality Programs

Section 5.2 Indiana Department of Natural Resources Water Programs

Section 5.3 USDA/Natural Resources Conservation Service Water Programs

5.1 Indiana Department of Environmental Management Water Quality Programs

This Section describes the water quality programs managed by the Office of Water Quality within IDEM and includes:

Section 5.1.1 State and Federal Legislative Authorities for Indiana's Water Quality Program

Section 5.1.2 Indiana's Point Source Control Program

Section 5.1.3 Indiana's Nonpoint Source Control Programs

Section 5.1.4 Integrating Point and Nonpoint Source Pollution Control Strategies

Section 5.1.5 Potential Sources of Funding for Water Quality Projects

5.1.1 State and Federal Legislative Authorities for Indiana's Water Quality Program

Authorities for some of the programs and responsibilities carried out by the Office of Water Quality are derived from a number of federal and state legislative mandates outlined below. The major federal authorities for the state's water quality program are found in sections of the Clean Water Act. State authorities are from state statutes.

Federal Authorities for Indiana's Water Quality Program:

- The Clean Water Act Section 301 - Prohibits the discharge of pollutants into surface waters unless permitted by EPA.
- The Clean Water Act Section 303(c) - States are responsible for reviewing, establishing and revising water quality standards for all surface waters.
- The Clean Water Act Section 303(d) - Each state shall identify waters within its boundaries for which the effluent limits required by 301(b)(1)(A) and (B) are not stringent enough to protect any water quality standards applicable to such waters. Requires states to develop Total Maximum Daily Loads that set the maximum amount of pollution that a water body can receive without violating water quality standards.
- The Clean Water Act Section 305(b) - Each state is required to submit a biennial report to the EPA describing the status of surface waters in that state.

Whitewater Watershed Restoration Action Strategy

- The Clean Water Act Section 319 - Each state is required to develop and implement a nonpoint source pollution management program.
- The Clean Water Act Section 402 - Establishes the National Pollutant Discharge Elimination System (NPDES) permitting program. Allows for delegation of permitting authority to qualifying states (which Indiana has received).
- The Clean Water Act Section 404/401 - Section 404 regulates the discharge of dredge and fill materials into navigable waters and adjoining wetlands. Section 401 requires the U.S. Army Corps of Engineers to receive a state Water Quality Certification prior to issuance a 404 permit.

State Authority for Indiana's Water Quality Program:

IC 13-13-5 Designation of Department for Purposes of Federal Law: Designates the Indiana Department of Environmental Management as the water pollution agency for Indiana for all purposes of the Federal Water Pollution Control Act (33 U.S.C. 1251 et seq.) effective January 1, 1988, and the federal Safe Drinking Water Act (42 U.S.C. 300f through 300j) effective January 1, 1988. The state rulemaking authority for water is the Water Pollution Control Board. The board holds monthly meetings that are open to the public. Information on agendas, draft rules, and meeting notices can be obtained by contacting IDEM (see Appendix C).

5.1.2 Indiana's Point Source Control Program

The State of Indiana's efforts to control the direct discharge of pollutants to waters of the State were inaugurated by the passage of the Stream Pollution Control Law of 1943. The vehicle currently used to control direct discharges to waters of the State is the National Pollutant Discharge Elimination System (NPDES) permit program, authorized by the Federal Water Pollution Control Act Amendments of 1972 (also referred to as the Clean Water Act). The State of Indiana was granted primacy from U.S. EPA to issue NPDES permits on January 1, 1975 through a Memorandum of Agreement. These permits place limits on the amount of pollutants that may be discharged to waters of the State by each discharger. Limits are set at levels protective of both the aquatic life in the waters which receive the discharge and human health.

U.S. EPA, Region V, has oversight authority for Indiana's NPDES permits program. Under terms of the Memorandum of Agreement, Region V has the right to comment on all draft Major discharger permits. In addition to NPDES, the Office of Water Quality Permits Section has a pretreatment group which regulates municipalities in their development of municipal pretreatment programs and indirect discharges, or those discharges of process wastewater to municipal sewage treatment plants through Industrial Waste Pretreatment permits, and regulates Stormwater, Combined Sewer Overflow (CSO), and variance requests through a special projects group currently known as the Urban Wet Weather Group. Land Application of waste treatment plant sludge is no longer a part of the Office of Water Quality but is now a part of the Office of Land Quality (formerly Office of Solid and Hazardous Waste).

The purpose of the NPDES permit is to control the point source discharge of pollutants into the waters of the State such that the quality of the water of the State is maintained in accordance with the standards contained in 327 IAC 2. The NPDES permit requirements must ensure that the minimum amount of control is imposed upon any new or existing point source through the application of technology-based treatment requirements contained in 327 IAC 5-5-2. According to 327 IAC 5-2-2, "any discharge of pollutants into waters of the State as a point source discharge, except for exclusions made in 327 IAC 5-2-4, is prohibited unless in conformity with a valid NPDES permit obtained prior to discharge." This is the most basic principal of the NPDES permit program.

There are several different types of permits that are issued in the NPDES permitting program. Table 5-1 lists and describes the various permits. The majority of NPDES permits have existed since 1974. This means that most of the permit writing is for permit renewals. Approximately 10 percent of each year's workload is attributed to new permits, modifications and requests for estimated limits. NPDES permits are designed to be re-issued every five years but are administratively extended in full force and effect indefinitely if the permittee applies for a renewal before the current permit expires.

The federal Clean Water Act Section 104(b)(3) is the authority for NPDES-related State Program Grants. The Section 104(b)(3) program provides for developing, implementing and demonstrating new concepts or requirements that will improve the

Whitewater Watershed Restoration Action Strategy

effectiveness of the NPDES permit program. A project proposed for assistance by this program should deal predominantly with water pollution sources and activities regulated by the NPDES program and produce a strong, beneficial value for the statewide NPDES permit program. Organizations eligible for Section 104(b)(3) funding include State water pollution control agencies, interstate agencies, Tribes, colleges and universities, and other public or nonprofit organizations. For-profit entities, private associations and individuals are not eligible to receive this assistance. The Section 104(b)(3) grant program is administered by the Watershed Management Section within the Planning Branch of the IDEM Office of Water Quality.

5.1.3 Nonpoint Source Control Programs

Nonpoint source (NPS) pollution is so named because the pollutants do not originate at single point sources, such as industrial and municipal waste discharge pipes. Instead, NPS pollutants are carried over fields, lawns, and streets by rainwater, wind, or snowmelt. This runoff may carry with it such things as fertilizer, road salt, sediment, motor oil, or pesticides. These pollutants either enter lakes and streams or seep into groundwater. While some NPS pollution is naturally occurring, most of it is a result of human activities.

Reducing NPS pollution requires careful attention to land use management and local geographic and economic conditions. The state's NPS Program, administered by the IDEM Office of Water Quality's Watershed Management Section, focuses on the assessment and prevention of NPS water pollution. The program also provides for education and outreach in order to improve the way land is managed. Through the use of federal funding for the installation of best management practices (BMPs), the development of watershed management plans, and the implementation of watershed restoration pollution prevention activities, the NPS Program reaches out to citizens so that land is managed in such a way that less pollution is generated.

While a number of agencies and organizations currently have their own programs for addressing specific NPS issues, overall NPS coordination is being aided through the consolidated NPS Management Plan that was developed in the early stages of the Program's formation. The NPS Management Plan was prepared in 1989, partially based on findings from the NPS Assessment Report, which was also completed that year. The NPS Management Plan was updated and received EPA approval in 1999. Some of the objectives of the Management Plan include the education of land users and the reduction and remediation of NPS pollution caused by erosion and sedimentation of forested and agricultural lands and urban runoff. Other objectives address pesticide and fertilizer use, land application of sludge, animal waste practices, past and present mining practices, on-site sewage disposal, and atmospheric deposition.

The many nonpoint source projects funded through the Office of Water Quality are a combination of local, regional, and statewide efforts sponsored by various public and not-for-profit organizations. The emphasis of these projects has been on the local, voluntary implementation of NPS water pollution controls. Since the inception of the program in the late 1980s, it has utilized approximately \$23 million of federal funds for the development of over 299 projects.

The federal Clean Water Act contains nonpoint source provisions in several sections of the Act including the Section 319 Nonpoint Source Program, the Section 314 Clean Lakes Program (no longer funded), and the Section 205(j) Water Quality Planning Program. The Section 319 program provides for various voluntary projects throughout the state to prevent water pollution and also provides for assessment and management plans related to water bodies in Indiana impacted by NPS pollution. Section 314 has assessment provisions that assist in determining the nonpoint and point source water quality impacts on lakes and provides recommendations for improvements, but it is currently not funded by Congress. Section 205(j) provides for planning activities relating to the improvement of water quality from nonpoint and point sources by making funding available to municipal and county governments, regional planning commissions, and other public organizations. For-profit entities, non-profit organizations, private associations, and individuals are not eligible for funding through Section 205(j).

The Watershed Management Section within the Planning Branch of the Office of Water Quality provides for the administration of the Section 319 funding source for the NPS-related projects, as well as Section 205(j) grants. Clean Water Act Section 319(h) grant monies are made available to the states on an annual basis by EPA. Agencies and organizations in the state that deal with NPS problems submit proposals to the Office of Water Quality each year for use of these funds in various projects.

One of the most important aspects of all NPS pollution prevention programs is the emphasis on the watershed approach to these programs. This calls for users in the watershed to become involved in the planning and implementation of practices which are designed to prevent pollution. By looking at the watershed as a whole, all situations causing the degradation of water quality will be addressed, not just a few. Appendix C lists the conservation partners and local stakeholders located in the Whitewater watershed.

5.1.4 Integrating Point and Nonpoint Source Pollution Control Strategies

Two key long-term objectives of watershed management are integrating point and nonpoint source pollution controls and determining the amount and location of the remaining assimilative capacity in a watershed. The information is used for a number of purposes, including: determining if and where new or expanded municipal or industrial wastewater treatment facilities can be allowed; setting the recommended treatment level at these facilities; and identifying where point and nonpoint source pollution controls must be implemented to restore capacity and maintain water quality standards.

Total Maximum Daily Loads

The Clean Water Act mandates an integrated point and nonpoint source pollution control approach. This approach, called a total maximum daily load (TMDL), uses the concept of determining the total pollutant loading from point and nonpoint sources that a waterbody can assimilate while still maintaining its designated use (maintaining water quality standards). The U.S. EPA is responsible for ensuring that TMDLs are completed by States and for approving the completed TMDLs.

Under the TMDL approach, waterbodies that do not meet water quality standards are identified. States establish priorities for action, and then determine reductions in pollutant loads or other actions needed to meet water quality goals. The approach is flexible and promotes a watershed approach driven by local needs and directed by the State's list of priority waterbodies. The overall goal in developing the TMDL is to establish the management actions on point and nonpoint sources of pollution necessary for a waterbody to meet water quality standards.

The IDEM Office of Water Quality has reorganized its work activities around a five-year rotating basin schedule. The waters of the state have been grouped geographically into major river basins, and water quality data and other information will be collected and analyzed from each basin, or group of basins, once every five years. The schedule for implementing the TMDL Strategy is proposed to follow this rotating basin plan to the extent possible. Supplemental data collection (i.e. collection during a year other than the one prescribed in the Surface Water Quality Monitoring Strategy) may also be required to complete the TMDL process. The TMDL Strategy discusses activities to be accomplished in three phases. Phase One involves planning, sampling and data collection and will take place the first year. Phase Two involves TMDL development and will occur in the second year, and Phase Three is the TMDL implementation and will occur the third year. It is expected that some phases, especially implementation of TMDLs (Phase Three) in the basin(s), may take more than one year to fully accomplish.

In Phase Three, the TMDL scenario chosen in conjunction with watershed stakeholders during Phase Two will be used to develop a plan to implement the TMDL. During this process, stakeholder participation will be essential. The Basin Coordinator, in conjunction with the stakeholder groups, will develop a plan to implement the TMDL. Once the draft plan has been finalized through comments from stakeholder groups and IDEM, the plan becomes 'draft-final' and open to public review. Public meetings will be held in affected areas to solicit comments.

5.1.5 Potential Sources of Funding for Water Quality Projects

There are numerous sources of funding for all types of water quality projects. The sources of funding include federal and state agencies, nonprofits, and private funding. Funds may be loans, cost share projects, or grants. Section 319(h) grants and other funding sources are discussed below.

If a local government, environmental group, university researcher, or other individual or agency wants to find funding to address a local water quality problem, it is well worth the time to prepare a thorough but concise proposal and submit it to applicable funding agencies. Even if a project is not funded, follow-up should be done to determine what changes may be needed in order to make the application more competitive.

Section 319(h) Grants

EPA offers Clean Water Act Section 319(h) grant moneys to the state on an annual basis. These grants must be used to fund projects that address nonpoint source pollution issues. Some projects which the Office of Water Quality has funded with this money in the past include best management practice (BMP) demonstrations, watershed water quality improvements, data management, educational programs, modeling, stream restoration, and riparian buffer establishment. Projects are usually two to

Whitewater Watershed Restoration Action Strategy

three years in length. Section 319(h) grants are intended to be used for project start-up, not as a continuous funding source. Units of government, nonprofit groups, and universities in the state that have expertise in nonpoint source pollution problems are invited to submit Section 319(h) proposals to the Office of Water Quality

Office of Water Quality staff review proposals for minimum 319(h) eligibility criteria such as:

- Does it support the state NPS Management Program objectives?
- Does the project address targeted, high priority watersheds?
- Are there sufficient non-federal cost-share matching funds available (25% of project costs, either cash or in-kind services)?
- Are measurable outputs identified?
- Is monitoring required? Is there a Quality Assurance/Quality Control plan for monitoring?
- If a Geographical Information System/Global Positioning System is used, is it compatible with that of the state?
- Is there a commitment for educational activities and a final report?
- Are upstream sources of NPS pollution addressed?
- Are local stakeholders involved in the project?

Office of Water Quality staff separately review and rank each proposal which meets the minimum 319(h) eligibility criteria. In their review, members consider such factors as: technical soundness; likelihood of achieving water quality results; degree of balance lent to the statewide NPS Program in terms of project type; and competence/reliability of contracting agency. They then convene to discuss individual project merits, to pool all rankings and to arrive at final rankings for the projects. Comments are also sought from outside experts in other governmental agencies, nonprofit groups, and universities. The Office of Water Quality seeks a balance between geographic regions of the state and types of projects. All proposals that rank above the funding target are included in the annual grant application to EPA, with EPA reserving the right to make final changes to the list. Actual funding depends on approval from EPA and yearly congressional appropriations.

To obtain more information about applying for a Section 319(h) grant, contact:

IDEM Office of Water Quality
Watershed Management Section
100 N. Senate Avenue
P.O. Box 6015
Indianapolis, IN 46206-6015
(317) 233-8803

Other Sources of Funding

Besides Section 319(h) funding, there are numerous sources of funding for all types of water quality projects. The sources of funding include federal and state agencies, nonprofit, and private funding. Funds may be loans, cost shares, or grants. Appendix D provides a summary list of agencies and funding opportunities.

5.2 Indiana Department of Natural Resources Water Programs

5.2.1 Division of Soil Conservation

The Division of Soil Conservation's mission is to ensure the protection, wise use, and enhancement of Indiana's soil and water resources. The Division's employees are part of Indiana's Conservation Partnership, which includes the 92 soil and water conservation districts (SWCDs), the USDA Natural Resources Conservation Service, and the Purdue University Cooperative Extension Service. Working together, the partnership provides technical, educational, and financial assistance to citizens to solve erosion and sediment-related problems occurring on the land or impacting public waters.

The Division administers the Clean Water Indiana soil conservation and water quality protection program under guidelines established by the State Soil Conservation Board, primarily through the local SWCDs in direct service to landusers. The Division staff includes field-based resource specialists who work closely with landusers, assisting in the selection, design, and installation of practices to reduce soil erosion on agricultural land. The Stormwater and Sediment Control Program works primarily with developers, contractors, realtors, property holders and others to address erosion and sediment concerns on non-agricultural lands, especially those undergoing development.

The Lake and River Enhancement (LARE) program utilizes a watershed approach to reduce non-point source sediment and nutrient pollution of Indiana's and adjacent states' surface waters to a level that meets or surpasses state water quality standards. To accomplish this goal, LARE provides technical and financial assistance to local entities for qualifying projects that improve and maintain water quality in public access lakes, rivers, and streams.

Hoosier Riverwatch is a water quality monitoring initiative which aims to increase public awareness of water quality issues and concerns through hands-on training of volunteers in stream monitoring and cleanup activities. Hoosier Riverwatch collaborates with agencies and volunteers to educate local communities about the relationship between land use and water quality and to provide water quality information to citizens and governmental agencies working to protect Indiana's rivers and streams.

5.2.2 Division of Water

The IDNR Division of Water (DOW) is charged by the State of Indiana to maintain, regulate, collect data on, and evaluate Indiana's surface and ground water resources.

The Engineering Branch of the DOW includes Dam and Levee Safety, Project Development, Surveying, Drafting, and Computer Services. The Dam and Levee Safety Section performs geotechnical and hydraulic evaluation on existing and proposed dams and levees throughout the State. The Project Development Section provides technical support to locally funded water resource projects along with engineering leadership and construction management to State-funded water resource projects. The remaining sections provide support services to all Sections within the DOW such as reservoir depth mapping, topographic mapping, highwater marks, design of publications and brochures, and computer procurement and maintenance.

The Planning Branch of the DOW consists of Basin Studies, Coastal Coordination, Floodplain Management, Ground Water, Hydrology and Hydraulics, and Water Rights. Basin Studies are comprehensive reports on surface- and ground-water availability and use. Coastal Coordination is a communication vehicle to address Lake Michigan's diverse shoreline issues. Floodplain Management involves various floodplain management aspects including coordination with the National Flood Insurance Program and with State and Federal Emergency Management agencies during major flooding events. The Ground Water Section maintains the water-well record computer database and publishes reports and maps on the groundwater resource for the State. The Hydrology and Hydraulics Section develops and reviews floodplain mapping and performs hydrologic studies and modeling. The Water Rights Section investigates and mediates groundwater/surface water rights issues, licenses water-well drillers, and develops well construction and abandonment procedures.

The Regulations Branch of DOW is made up of Stream Permits, Lake Permits, Permit Administration, Public Assistance, and Legal Counsel. The Stream Permits Section is responsible for reviewing permit applications for construction activity in the 100 year regulatory floodway along Indiana's waterways. The Lake Permits Section reviews construction projects at or below the

legal lake level for all of Indiana's public freshwater lakes. Permit Administration Section provides administrative support to Branch staff, maintains the application database, and coordinates the application review process with other Divisions. The Public Assistance Section provides technical assistance on possible permit applications on proposed construction projects, investigates and mediates unpermitted construction activities and in some cases, with the support of Legal Counsel, pursues legal action for violation of State laws.

5.3 USDA/Natural Resources Conservation Service Water Quality Programs

While there are a variety of USDA programs available to assist people with their conservation needs, the following assistance programs are the principal programs available.

Conservation of Private Grazing Land Initiative (CPGL)

The Conservation of Private Grazing Land initiative will ensure that technical, educational, and related assistance is provided to those who own private grazing lands. It is not a cost-share program. This technical assistance will offer opportunities for: better grazing land management; protecting soil from erosive wind and water; using more energy efficient ways to produce food and fiber; conserving water; providing habitat for wildlife; sustaining forage and grazing plants; using plants to sequester greenhouse gases and increase soil organic matter; and using grazing lands as a source of biomass energy and raw materials for industrial products.

Conservation Reserve Program (CRP)

NRCS provides technical assistance to landowners interested in participating in the Conservation Reserve Program administered by the USDA Farm Service Agency. The Conservation Reserve Program reduces soil erosion, protects the Nation's ability to produce food and fiber, reduces sedimentation in streams and lakes, improves water quality, establishes wildlife habitat, and enhances forest and wetland resources. It encourages farmers to convert highly erodible cropland or other environmentally sensitive acreage to vegetative cover, such as tame or native grasses, wildlife plantings, trees, filterstrips, or riparian buffers. Farmers receive an annual rental payment for the term of the multi-year contract. Cost-share funding is provided to establish the vegetative cover practices.

Conservation Technical Assistance (CTA)

The purpose of the CTA program is to assist landusers, communities, units of state and local government, and other Federal agencies in planning and implementing conservation systems. The purpose of the conservation systems is to reduce erosion, improve soil and water quality, improve and conserve wetlands, enhance fish and wildlife habitat, improve air quality, improve pasture and range condition, reduce upstream flooding, and improve woodlands.

One objective of the program is to assist individual landusers, communities, conservation districts, and other units of State and local government and Federal agencies to meet their goals for resource stewardship and assist individuals in complying with State and local requirements. NRCS assistance to individuals is provided through conservation districts in accordance with the Memorandum of Understanding signed by the Secretary of Agriculture, the Governor of the State, and the conservation district. Assistance is provided to landusers voluntarily applying conservation practices and to those who must comply with local or State laws and regulations.

Another objective is to provide assistance to agricultural producers to comply with the highly erodible land (HEL) and wetland (Swampbuster) provisions of the 1985 Food Security Act as amended by the Food, Agriculture, Conservation and Trade Act of 1990 (16 U.S.C. 3801 et. seq.), the Federal Agriculture Improvement and Reform Act of 1996, and wetlands requirements of Section 404 of the Clean Water Act. NRCS makes HEL and wetland determinations and helps landusers develop and implement conservation plans to comply with the law. The program also provides technical assistance to participants in USDA cost-share and conservation incentive programs.

NRCS collects, analyzes, interprets, displays, and disseminates information about the condition and trends of the Nation's soil

Whitewater Watershed Restoration Action Strategy

and other natural resources so that people can make good decisions about resource use and about public policies for resource conservation. They also develop effective science-based technologies for natural resource assessment, management, and conservation.

Environmental Quality Incentives Program (EQIP)

The Environmental Quality Incentives Program provides technical, educational, and financial assistance to eligible farmers and ranchers to address soil, water, and related natural resource concerns on their lands in an environmentally beneficial and cost-effective manner. The program provides assistance to farmers and ranchers in complying with Federal, State, and tribal environmental laws, and encourages environmental enhancement. The program is funded through the Commodity Credit Corporation. The purposes of the program are achieved through the implementation of a conservation plan, which includes structural, vegetative, and land management practices on eligible land. Five to ten year contracts are made with eligible producers. Cost-share payments may be made to implement one or more eligible structural or vegetative practices, such as animal waste management facilities, terraces, filter strips, tree planting, and permanent wildlife habitat. Incentive payments can be made to implement one or more land management practices, such as nutrient management, pest management, and grazing land management.

Fifty percent of the funding available for the program is targeted at natural resource concerns relating to livestock production. The program is carried out primarily in priority areas that may be watersheds, regions, or multi-state areas, and for significant statewide natural resource concerns that are outside of geographic priority areas.

Small Watershed Program and Flood Prevention Program (WF 08 or FP 03)

The Small Watershed Program works through local government sponsors and helps participants solve natural resource and related economic problems on a watershed basis. Projects include watershed protection, flood prevention, erosion and sediment control, water supply, water quality, fish and wildlife habitat enhancement, wetlands creation and restoration, and public recreation in watersheds of 250,000 or fewer acres. Both technical and financial assistance are available.

Watershed Surveys and Planning

The Watershed and Flood Prevention Act, P.L. 83-566, August 4, 1954, (16 U.S.C. 1001-1008) authorized this program. Prior to fiscal year 1996, small watershed planning activities and the cooperative river basin surveys and investigations authorized by Section 6 of the Act were operated as separate programs. The 1996 appropriations act combined the activities into a single program entitled the Watershed Surveys and Planning program. Activities under both programs are continuing under this authority.

The purpose of the program is to assist Federal, State, and local agencies and tribal governments to protect watersheds from damage caused by erosion, floodwater, and sediment and to conserve and develop water and land resources. Resource concerns addressed by the program include water quality, opportunities for water conservation, wetland and water storage capacity, agricultural drought problems, rural development, municipal and industrial water needs, upstream flood damages, and water needs for fish, wildlife, and forest-based industries.

Types of surveys and plans include watershed plans, river basin surveys and studies, flood hazard analyses, and floodplain management assistance. The focus of these plans is to identify solutions that use land treatment and non-structural measures to solve resource problems.

Wetlands Reserve Program (WRP)

The Wetlands Reserve Program is a voluntary program to restore wetlands. Participating landowners can establish conservation easements of either permanent or 30 year duration, or can enter into restoration cost-share agreements where no easement is involved. In exchange for establishing a permanent easement, the landowner receives payment up to the agricultural value of the land and 100 percent of the restoration costs for restoring the wetlands. The 30 year easement payment is 75 percent of what would be provided for a permanent easement on the same site and 75 percent of the restoration cost. The voluntary agreements are for a minimum 10 year duration and provide for 75 percent of the cost of restoring the involved wetlands. Easements and restoration cost-share agreements establish wetland protection and restoration as the primary land use for the duration of the

Whitewater Watershed Restoration Action Strategy

easement or agreement. In all instances, landowners continue to control access to their land.

Wildlife Habitat Incentives Program (WHIP)

The Wildlife Habitat Incentives Program provides financial incentives to develop habitat for fish and wildlife on private lands. Participants agree to implement a wildlife habitat development plan and USDA agrees to provide cost-share assistance for the initial implementation of wildlife habitat development practices. USDA and program participants enter into a cost-share agreement for wildlife habitat development. This agreement generally lasts a minimum of 10 years from the date that the contract is signed.

REFERENCES

- Bunce, Nigel J. 1994. *Environmental Chemistry*. Second Edition. Wuerz Publishing Ltd., Winnipeg, Canada.
- Davis, Mackenzie L. and David A. Cornwell. 1998. *Introduction to Environmental Engineering*. Third Edition. WCB/McGraw-Hill, Boston, MA.
- Indiana Business Research Center (IBRC). 1999. *Indiana County Population Projections 1990-2020*. http://www.stats.indiana.edu/web/county/projections/99county_projections.html
- IBRC. 1997. *Indiana Cities and Towns Population*. <http://www.stats.indiana.edu/web/city/citytwne99.html>
- Indiana Community Action Association (ICAA). 2000. *Combined Sewer Overflows*. <http://www.incap.org/RCAPprojects.htm>
- Indiana Department of Environmental Management (IDEM). 2001. *NPDES Permit Compliance System Facility, Outfall and Discharge Data*. Office of Water Quality. <http://www.state.in.us/idem/owm/fasb/NPDESfacilitiesmap.html>
- IDEM. 1999a. *Confined Feeding Operations*. As presented on <http://www.stat.in.us/idem/oshwm/confined.html>
- IDEM. 1999b. *Watershed Action Guide for Indiana*. Office of Water Quality, Watershed Management Section. http://www.in.gov/idem/water/planbr/wsm/watershed_action.html
- IDEM. 1998. *Indiana's 1998 303(d) List of Impaired Waterbodies*. Office of Water Quality. <http://www.IN.gov/idem/water/planbr/wqs/303d.html>
- IDEM. 1998a. *Indiana 305(b) Report in Indiana Water Quality Report 1998*. Office of Water Quality, Water Quality Standards Section. <http://www.IN.gov/idem/water/planbr/wqs/quality.html>
- IDEM. 1998b. *Indiana Fixed Station Statistical Analysis 1997*. Office of Water Quality, Assessment Branch. IDEM 32/02/005/1998
- Indiana Department of Natural Resources (IDNR). 1999. *The Indiana Canoeing Guide*. Indiana Department of Natural Resources, Indianapolis, IN. <http://www.state.in.us/dnr/outdoor/canoeing/index.htm>
- IDNR. 1980. *The Indiana Water Resource*. Indiana Department of Natural Resources, Indianapolis, IN.
- Indiana State Department of Health (ISDH), IDNR, and IDEM. 2001. *Indiana Fish Consumption Advisory*. Indiana State Department of Health, Indiana Department of Natural Resources, and Indiana Department of Environmental Management. http://www.in.gov/isdh/dataandstats/fish/fish_2001/fish_cvr_2001.htm
- Indiana State University (ISU). 2001. *Indiana GAP Analysis*. <http://baby.indstate.edu/geo/rs/overgap.htm>
- Indiana Water Pollution Control Board. 1997. 327 IAC 2-1-11 Limited and exceptional use; designated waters. <http://www.in.gov/legislative/iac/title327.html>
- Kormondy, Edward J. 1996. *Concepts of Ecology*. Fourth Edition. Prentice Hall, Upper Saddle River, New Jersey.
- Natural Resources Commission (NRC). 1997. *Outstanding Rivers List for Indiana*. As presented on <http://www.ai.org/nrc/policy/outstand.htm> Last update: October.
- Natural Resources Conservation Service (NRCS) and Indiana Department of Environmental Management (IDEM). 2000. *Unified Watershed Assessment, 2000-2001*. NRCS, IDEM, and the Indiana W.A.T.E.R. Committee (Watershed Agency Team for Enhancing Resources). <http://www.in.gov/idem/water/planbr/wsm/WatershedManagementInformation.html>

Whitewater Watershed Restoration Action Strategy

Reinelt, L.E. and R.R. Horner. 1990. *Characterization of the Hydrology and Water Quality of Palustrine Wetlands Affected by Urban Stormwater*. Puget Sound Wetlands and Stormwater Management Research Program. King County Department of Natural Resources, King County, WA.

U.S. Department of Agriculture (USDA). 1997. *1997 Census of Agriculture Profiles: Indiana State and County Profiles, Ranked Items and Other County Summary Data*. <http://www.nass.usda.gov/census/census97/profiles/in/inb.htm>

U. S. Environmental Protection Agency (USEPA). 2002a. *Surf Your Watershed*. http://cfpub.epa.gov/surf/locate/hucperstate_search.cfm?statepostal=IN

USEPA. 2002b. *Envirofacts Warehouse: Hazardous Waste*. <http://www.epa.gov/enviro/html/hazard.html#Superfund>

USEPA. 2001. *National Management Measures to Protect and Restore Wetlands and Riparian Areas for the Abatement of Nonpoint Source Pollution*. Washington, DC: U. S. Environmental Protection Agency. EPA 841-B-01-001.

USEPA. 1999. *Level III Ecoregions of Indiana*. Washington, DC: U. S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory. Revised March 1999. <http://www.hort.purdue.edu/newcrop/cropmap/indiana/maps/INeco3.html>

USEPA. 1998. *Clean Water Action Plan: Restoring and Protecting America's Waters*. Washington, DC: U. S. Environmental Protection Agency, Office of Water, Office of Wetlands, Oceans, and Watersheds. EPA 840-R-98-001. <http://www.cleanwater.gov/action/toc.html>

USEPA. 1997. *Guidelines for Preparation of the State Water Quality Assessments (305[b] Reports) and Electronic Updates: Report Contents*. Washington, DC: U. S. Environmental Protection Agency. EPA-841-B-97-002A.

U.S. Geological Survey (USGS). 2001. *Indiana Water Use Reports - 1995*. <http://water.usgs.gov/watuse/spread95.html>

USGS and EPA. Undated. *Ecoregions Map of Indiana and Ohio*. USGS, P.O. Box 25286, Denver, Colorado 80225. ISBN 0-607-90528-x.

Part I Tables

TABLE 0-1: WATERS OF THE WHITEWATER ON INDIANA'S 1998 303(D) LIST

ID	Waterbody	Parameter of Concern	Priority for TMDL development
IN-0189FCMRC-1998	BROOKVILLE RESERVOIR	FCA - MERCURY	2012-2014
IN-0190FCPCB-1998	EAST FORK WHITEWATER RIVER	FCA - PCBS	2012-2014
IN-0192FCMRC-1998	WEST FORK WHITEWATER RIVER	FCA - MERCURY	2012-2014
IN-0192FCPCB-1998	WEST FORK WHITEWATER RIVER	FCA - PCBS	2012-2014
IN-0193FCMRC-1998	WHITEWATER RIVER	FCA - MERCURY	2012-2014
IN-0193FCPCB-1998	WHITEWATER RIVER	FCA - PCBS	2012-2014
IN-0194FCMRC-1998	MIDDLE FORK RESERVOIR	FCA - MERCURY	2012-2014
OH62 1-1998	GREAT MIAMI RIVER (TAYLOR CREEK TO OHIO RIVER)	METALS ORGANIC ENRICHMENT/LOW DISSOLVED OXYGEN	4
OH62 5.1-1998	KIATA CREEK	HABITAT ALTERATIONS	15
IN-0191FCMRC-1998	GREAT MIAMI RIVER	FCA - MERCURY	2012-2014
IN-0191FCPCB-1998	GREAT MIAMI RIVER	FCA - PCBS	2012-2014

FCA - Fish Consumption Advisory

PCB - Polychlorinated Biphenyls

Hg - Mercury

***Only waters for which fish tissue data support issuance of fish consumption advisories are individually cited above. The Indiana Department of Health has issued a general fish consumption advisory for all other waters of the state. This advisory was based on extrapolation of the fish tissue data that were available and generally recommends that if no site-specific advisory is in place for a waterbody, the public should eat no more than one meal (8 oz.) per week of fish caught in these waters. Women of child bearing age, women who are breast feeding, and children up to 15 years of age should eat no more than one meal per month. The basis for this general advisory is widespread occurrence of mercury or PCBs (or both) in most fish sampled throughout the state. Please refer to the most recent Fish Consumption Advisory booklet available through the Indiana Department of Health (317/233-7808). Sources of the mercury and PCBs are unknown for the most part, but it is suspected that they result from air deposition.

Whitewater Watershed Restoration Action Strategy

TABLE 2-1: WHITEWATER COUNTY POPULATION PROJECTIONS 1990-2020

County	1990	2000	2010	2020	Percent Change (1990 to 2020)
Dearborn	38835	46109	56665	60287	55
Decatur	23645	24555	28073	29047	22
Fayette	26015	25588	26568	26724	2
Franklin	19580	22151	24111	25019	27
Henry	48139	48508	50134	50589	5
Randolph	27148	27401	28360	28676	5
Ripley	24616	26523	29977	30983	25
Rush	18129	18261	19023	19306	6
Union	6976	7349	7314	7329	5
Wayne	71951	71097	73584	74224	3

(from IBRC 1999)

Whitewater Watershed Restoration Action Strategy

TABLE 2-2: WHITEWATER CITY AND TOWN POPULATION ESTIMATES

City/Town	Census 1990	Estimate 1996	Percent Change (1990 to 1996)
Boston	159	156	-1
Brookville	2681	2926	9
Bunker Hill	1003	1011	0
Cambridge City	2104	1942	-7
Cedar Grove	216	220	1
Centerville	2380	2307	-3
Connersville	15795	15488	-1
Dublin	809	827	2
East Germantown	372	362	-2
Economy	155	154	0
Fountain City	771	743	-3
Greens Fork	395	357	-9
Hagerstown	1828	1780	-2
Laurel	542	615	13
Liberty	2250	2298	2
Losantville	253	255	0
Lynn	1179	1200	1
Milton	634	672	5
Modoc	218	216	0
Mount Auburn	138	142	2
Mount Carmel	116	126	8
Oldenburg	690	724	4
Pennville	664	675	1

Whitewater Watershed Restoration Action Strategy

City/Town	Census 1990	Estimate 1996	Percent Change (1990 to 1996)
Richmond	39738	38282	-3
Spring Grove	449	493	9
Straughn	318	330	3
Waterloo	2062	2280	10
West College Corner	683	728	6
West Harrison	330	446	35
Whitewater	111	112	0

(from IBRC 1997)

Whitewater Watershed Restoration Action Strategy

TABLE 2-3: LIVESTOCK IN THE WHITEWATER WATERSHED

	1997 Livestock Inventory							
	Hogs and pigs		Cattle and calves		Sheep and lamb		Horse and pony	
County	Number	State Rank*	Number	State Rank*	Number	State Rank*	Number	State Rank*
Dearborn	1868	85	11046	31	394	52	604	23
Decatur	147844	4	16193	16	591	39	382	48
Fayette	24878	52	9201	41	460	49	212	77
Franklin	38620	35	16193	16	667	34	423	43
Henry	18097	61	11078	30	1076	13	507	35
Randolph	50936	29	7862	51	1039	14	@	@
Ripley	33316	42	15012	20	875	22	426	41
Rush	109134	8	14194	22	634	36	535	34
Union	28912	43	4259	76	180	77	144	84
Wayne	36397	38	16425	14	1015	15	839	14

* State Rank is out of a total of 92 counties in Indiana

@ - indicates species is not in the top 4 for this county

D - Numbers not disclosed by USDA-NASS
(from USDA 1997)

Whitewater Watershed Restoration Action Strategy

TABLE 2-4: CROPS PRODUCED IN THE WHITEWATER WATERSHED

	1997 Crops							
	Corn for grain		Soybeans for beans		Wheat		Hay crops	
County	Acres	State Rank*	Acres	State Rank*	Acres	State Rank*	Acres	State Rank*
Dearborn	7361	86	6785	86	1135	83	13380	8
Decatur	83777	22	62057	39	9023	13	5393	51
Fayette	38122	65	29014	71	4237	47	5517	48
Franklin	35220	67	22139	78	4382	46	11670	12
Henry	70172	34	70678	30	3091	69	6674	36
Randolph	78429	25	96447	10	9422	11	4631	59
Ripley	48345	62	45078	57	5292	33	8829	30
Rush	95585	14	88600	13	7884	17	6007	42
Union	33895	69	24261	76	2517	73	3223	77
Wayne	55693	58	51196	50	6044	27	10801	20

* State Rank is out of a total of 92 counties in Indiana
 @ - indicates species is not in the top 4 for this county
 D - Numbers not disclosed by USDA-NASS
 (from USDA 1997)

TABLE 2-5: OUTSTANDING RIVERS LIST FOR INDIANA

In 1993, the Natural Resources Commission adopted its "Outstanding Rivers List for Indiana." The listing was published in the Indiana Register on March 1 of that year as Information Bulletin #4 in Volume 16, Number 6, page 1677 through 1680 (sometimes cited as 16 IR 1677). The listing has also been specifically incorporated by reference into statutes and rules. Notably, the listing is referenced in the standards for utility line crossings within floodways, formerly governed by IC 14-28-2 and now controlled by 310 IAC 6-1-16 through 310 IAC 6-1-18. See, also, the general permit for logjam removals, implemented as an emergency rule and pending for adoption as a permanent rule at 310 IAC 6-1-20. Except where incorporated into a statute or rule, the listing is intended to provide guidance rather than to have regulatory application.

I. INTRODUCTION

To help identify the rivers and streams which have particular environmental or aesthetic interest, a special listing has been prepared by the division of outdoor recreation of the department of natural resources. The listing is a corrected and condensed version of a listing compiled by American Rivers and dated October 1990. There are about 2,000 river miles included on the listing, a figure which represents less than 9% of the estimated 24,000 total river miles in Indiana. The natural resources commission has adopted the listing as an official recognition of the resource values of these waters.

A river included in the listing qualifies under one or more of the following 22 categories. An asterisk indicates that all or part of the river segment was also included in the "Roster of Indiana Waterways Declared Navigable," 15 IR 2385 (July 1992). [Note: this listing is now included in the 1997 "Roster of Indiana Waterways Declared Navigable or Nonnavigable."] A river designated "EUW" is an exceptional use water. A river designated "HQW" is a high quality water, and a river designated "SS" is a salmonoid stream.

1. Designated National Wild and Scenic Rivers. Rivers that Congress has included in the National Wild and Scenic System pursuant to the National Wild and Scenic River Act, Public Law 90-452.
2. National Wild and Scenic Study Rivers. Rivers that Congress has determined should be studied for possible inclusion in the National Wild and Scenic Rivers System.
3. Federally Protected Rivers other than Wild and Scenic. Rivers subject to federal legal protection other than pursuant to the National Wild and Scenic Rivers Act, such as National Rivers and Waterways and National Recreation Areas.
4. State designated Scenic Rivers. Rivers included in state river conservation systems or otherwise protected pursuant to an act of the state legislature.
5. Nationwide Rivers Inventory Rivers. The 1,524 river segments identified by the National Park Service in its 1982 "Nationwide Rivers Inventory" as qualified for consideration for inclusion in the National Wild and Scenic Rivers System.
6. Hydro Ban Rivers. Rivers on which Congress has prohibited future hydropower development.
7. Rivers Identified in State Inventories or Assessments. Outstanding rivers from state inventories or assessments, i.e., rivers identified as having statewide or greater significance.
8. Atlantic Salmon Restoration Rivers. Rivers undergoing active Atlantic salmon restoration efforts and identified by the U.S. Fish and Wildlife Service for planned restoration.
9. Federal Public Lands Rivers. Rivers identified in U.S. Forest Service and Bureau of Land Management resource planning as potential additions to the National Wild and Scenic Rivers System.
10. State Fishing Rivers. Rivers identified by states as having outstanding fishing values, such as Blue Ribbon Trout Streams.
11. State Heritage Program Sites. Rivers identified by state natural heritage programs or similar state programs as having outstanding ecological importance.

Whitewater Watershed Restoration Action Strategy

12. Priority Aquatic Sites. Rivers identified in "Priority Aquatic Sites for Biological Diversity Conservation," published by the Nature Conservancy in 1985.
13. Canoe Trails. State-designated canoe/boating routes.
14. Outstanding Whitewater Streams. Rivers listed in the American Whitewater Affiliation's 1990 Inventory of American Whitewater.
15. Locally Protected Rivers. Rivers protected through local and private protection strategies.
16. State Park Rivers. Rivers protected by inclusion in a state park or state preserve.
17. Other Rivers. Miscellaneous rivers identified as having outstanding ecological, recreational, or scenic importance.
18. High Water Quality Rivers. "Outstanding Resources Waters" designated by states and other rivers identified by states as having outstanding water quality.
19. National Natural Landmark Rivers. Rivers designated as, or included within, National Natural Landmarks.
20. State Study Rivers. Rivers that have been formally proposed for state protection or designation.
21. BOR Western Rivers. Rivers listed in the Bureau of Outdoor Recreation's 1982 "Western U.S. Water Plan" proposal as exhibiting identified free-flowing values.
22. State legislated Wabash River Heritage Corridor.

II. LISTING OF OUTSTANDING RIVERS AND STREAMS IN THE WHITEWATER WATERSHED

River	Significance	County	Segment
Whitewater *	7,11,13,20	Dearborn, Fayette, Franklin	Cambridge City to Indiana/Ohio line Wayne (West Harrison, OH)

Whitewater Watershed Restoration Action Strategy

TABLE 2-6: SPECIAL AREAS IN THE WHITEWATER WATERSHED

County	Special Area	Manager	Access
DEARBORN	HOGAN CREEK PARK	LOCAL- AURORA PARK BOARD	OPEN-
DEARBORN	LAUGHERY CREEK PUBLIC ACCESS SITE	DNR FISH & WILDLIFE	OPEN-
DEARBORN	LUBBE (GILBERT AND ALMA NENTRUP) NATURE PRESERVE	DNR NATURE PRESERVES	OPEN-
DEARBORN	OXBOW WETLAND CONSERVATION AREA	DNR FISH & WILDLIFE	OPEN-
DEARBORN	RUSSELL (GLADYS) WILDLIFE TRUST AREA	DEARBORN COUNTY PARKS AND RECREATION	OPEN-
DECATUR	GREENSBURG CITY PARK	LOCAL- DECATUR COUNTY PARKS & RECREATION DEPT.	OPEN-
DECATUR	GREENSBURG RESERVOIR P.F.A.	DNR FISH & WILDLIFE	OPEN-
FAYETTE	SHRADER-WEAVER NATURE PRESERVE	DNR NATURE PRESERVES	OPEN-
FRANKLIN	BATESVILLE COMMUNITY PARK	LOCAL- BATESVILLE PARK BOARD	OPEN-
FRANKLIN	BROOKVILLE RESERVOIR	COE, LEASED TO DNR RESERVOIRS	OPEN-
FRANKLIN	FRANKLIN COUNTY PARK	LOCAL- FRANKLIN COUNTY PARK BOARD	OPEN-
FRANKLIN	WHITEWATER CANAL MEMORIAL	DNR STATE MUSEUM AND HISTORIC SITES	OPEN-
HENRY	DIETRECH PARK	LOCAL- MIDDLETOWN PARK BOARD	OPEN-
HENRY	PROVINCE POND WILDLIFE MANAGEMENT AREA	DNR FISH & WILDLIFE	OPEN-
HENRY	SALAMANDER SWALE	PRIV- THE NATURE CONSERVANCY	RESTRICTED- BY PERMISSION ONLY
HENRY	SUMMIT LAKE STATE PARK	DNR STATE PARKS	OPEN-

Whitewater Watershed Restoration Action Strategy

County	Special Area	Manager	Access
HENRY	SUNSET PARK	LOCAL- KNIGHTSTOWN PARK BOARD	OPEN-
HENRY	WILBUR WRIGHT FISH AND WILDLIFE AREA	DNR FISH & WILDLIFE	OPEN-
HENRY	ZEIGLER NATURE PRESERVE	DNR STATE PARKS	RESTRICTED-
RANDOLPH	DAVIS-PURDUE FOREST	UNIV- PURDUE UNIVERSITY	OPEN-
RANDOLPH	HARTER PARK	LOCAL- UNION CITY PARK BOARD	OPEN-
RANDOLPH	PHIPPS WOODS	UNIV- BALL STATE UNIVERSITY	OPEN-
RIPLEY	BATESVILLE MEMORIAL POOL	LOCAL- BATESVILLE PARK BOARD	OPEN-
RIPLEY	BISCHOFF RESERVOIR (BATESVILLE) PUBLIC ACCESS SITE	DNR FISH & WILDLIFE	OPEN-
RIPLEY	DOGWOOD NATURE PRESERVE	DNR STATE PARKS	OPEN-
RIPLEY	FALLING TIMBER NATURE PRESERVE (FALLING TIMBER)	DNR STATE PARKS	OPEN-
RIPLEY	FALLING TIMBER NATURE PRESERVE (HENDERSON BEND)	DNR STATE PARKS	RESTRICTED-
RIPLEY	FALLING TIMBER NATURE PRESERVE (HIGH BLUFF)	DNR STATE PARKS	RESTRICTED-
RIPLEY	JEFFERSON PROVING GROUNDS	U.S. DEPT. OF DEFENSE	CLOSED-
RIPLEY	LAUGHERY BLUFF NATURE PRESERVE	DNR STATE PARKS	OPEN-
RIPLEY	LIBERTY PARK	LOCAL- BATESVILLE PARK BOARD	OPEN-
RIPLEY	VERSAILLES FLATWOODS NATURE PRESERVE	DNR STATE PARKS	OPEN-
RIPLEY	VERSAILLES STATE PARK	DNR STATE PARKS	OPEN-

Whitewater Watershed Restoration Action Strategy

County	Special Area	Manager	Access
Y			
UNION	BROOKVILLE RESERVOIR	COE, LEASED TO DNR RESERVOIRS	OPEN-
UNION	HORNBEAM NATURE PRESERVE	DNR STATE PARKS	OPEN-
UNION	WHITEWATER STATE PARK	DNR STATE PARKS	OPEN-
WAYNE	CONSERVATION EASEMENTS	U.S. FISH & WILDLIFE SERVICE	OPEN-
WAYNE	GLEN MILLER PARK	LOCAL- RICHMAOND PARK BOARD	OPEN-
WAYNE	MARTINDALE P.F.A.	DNR FISH & WILDLIFE	OPEN-
WAYNE	SEDGEWICK'S ROCK	UNIV- EARLHAM COLLEGE	RESTRICTED-

Whitewater Watershed Restoration Action Strategy

TABLE 2-7: 1995 WATER USE INFORMATION FOR THE WHITEWATER WATERSHED

Population and Water Use totals	1995
Total population in the watershed (thousands)	146.42
Public Water Supply	1995
Population served by public groundwater supply (thousands)	72.21
Population served by surface water supply (thousands)	28.9
Total population served by public water supply (thousands)	101.11
Total groundwater withdrawals (mgd)	9.75
Total surface water withdrawals (mgd)	3.91
Total water withdrawals (mgd)	13.66
Total per capita withdrawal (gal/day)	535.32
Population self-supplied with water (thousands)	45.31
Commercial Water Use	1995
Groundwater withdrawal for commercial use (mgd)	0.56
Surface water withdrawal for commercial use (mgd)	0.1
Deliveries from public water supplies for commercial use (mgd)	1.82
Total commercial water use (mgd)	0.36
Industrial Water Use	1995
Groundwater withdrawal for industrial use (mgd)	0.46
Surface water withdrawals for industrial use (mgd)	3.2
Deliveries from public water suppliers for industrial use (mgd)	2.19

Whitewater Watershed Restoration Action Strategy

Total industrial water use (mgd)	0.35
Agricultural Water Use	1995
Groundwater withdrawals for livestock use (mgd)	1.3
Surface water withdrawals for livestock use (mgd)	1.0
Total livestock water use (mgd)	1.86
Groundwater withdrawals for irrigation (mgd)	0.05
Surface water withdrawals for irrigation (mgd)	0.01
Total irrigation water use (mgd)	0.05

Notes:

mgd: million gallons per day

gal/day: gallons per day

(from USGS 2001)

- The water-use information presented in this table was compiled from information provided in the U.S. Geological Survey's National Water-Use Information Program data system for 1990 and 1995. The National Water-Use Information Program is responsible for compiling and disseminating the nation's water-use data. The U.S. Geological Survey works in cooperation with local, State, and Federal environmental agencies to collect water-use information at a site-specific level. Every five years, the U.S. Geological Survey compiles data at the state and hydrologic region level into a national water-use data system and publishes a national circular.

Whitewater Watershed Restoration Action Strategy

TABLE 3-1: CAUSES OF WATER POLLUTION AND CONTRIBUTING ACTIVITIES

Cause	Activity associated with cause
<i>E. coli</i>	Failing septic systems, direct septic discharge, animal waste (including runoff from livestock operations and impacts from wildlife), improperly disinfected wastewater treatment plant effluent
Toxic Chemicals	Pesticide/herbicide applications, household hazardous waste, disinfectants, automobile fluids, accidental spills, illegal dumping, urban stormwater runoff, direct septic discharge, industrial effluent
Oxygen-Consuming Substances	Wastewater effluent, leaking sewers and septic tanks, direct septic discharge, animal waste
Nutrients	Fertilizer on agricultural crops and residential/commercial lawns, animal wastes, leaky sewers and septic tanks, direct septic discharge, atmospheric deposition, wastewater treatment plants

TABLE 3-2: COMBINED SEWER OVERFLOWS IN THE WHITEWATER WATERSHED

<u>Community</u>	<u>CSO Outfalls</u>
Connersville	5
Richmond	4
Waterloo	3

(from ICAA 2000)

TABLE 3-3: NPDES PERMITTED FACILITIES IN THE WHITEWATER WATERSHED

NPDES	Facility Name	Major/ Minor	City	County	Status
IN0001333	DANA CORP, PERFECT CIRCLE DIV.	MINOR	RICHMOND	WAYNE	INACTIVE
IN0001457	SPERRY RUBBER AND PLASTICS CO.	MINOR		FRANKLIN	INACTIVE
IN0001473	SPERRY RUBBER AND PLASTICS CO.	MINOR	BROOKVILLE	FRANKLIN	ACTIVE
IN0001503	JOHNS MANVILLE INTERNATIONAL,	MINOR	RICHMOND	WAYNE	ACTIVE
IN0001511	RICHMOND WATER WORKS CORP	MINOR	RICHMOND	WAYNE	ACTIVE
IN0001929	ENGINE PROD. DIV., DANA CORP.	MAJOR	HAGERSTOWN	WAYNE	INACTIVE
IN0002291	MOSEY MANUFACTURING CO., INC.	MINOR	RICHMOND	WAYNE	INACTIVE
IN0003336	SILGAN CONTAINERS CORPORATION	MINOR	RICHMOND	WAYNE	ACTIVE
IN0003841	RICHMOND GEAR	MINOR		WAYNE	INACTIVE
IN0003972	TAPPAN CO-KEMPER DIV	MINOR		WAYNE	INACTIVE
IN0020010	HAGERSTOWN MUNICIPAL STP	MINOR	HAGERSTOWN	WAYNE	ACTIVE
IN0020681	LIBERTY MUNICIPAL STP	MINOR	LIBERTY	UNION	ACTIVE
IN0020842	SAINT PAUL MUNICIPAL STP	MINOR	SAINT PAUL	DECATUR	ACTIVE
IN0021920	TEXACO BULK PLT	MINOR		FAYETTE	INACTIVE
IN0022446	BROOKVILLE, TOWN OF	MINOR	BROOKVILLE	FRANKLIN	ACTIVE
IN0022471	CAMBRIDGE CITY MUNICIPAL STP	MINOR		WAYNE	INACTIVE
IN0022535	CENTERVILLE MUNICIPAL STP	MINOR	CENTERVILLE	WAYNE	ACTIVE
IN0023973	OLDENBURG MUNICIPAL STP	MINOR	OLDENBURG	FRANKLIN	ACTIVE
IN0025615	RICHMOND MUNICIPAL STP	MAJOR	RICHMOND	WAYNE	ACTIVE
IN0029777	CAMBRIDGE CITY GRAVEL PLANT	MINOR		WAYNE	INACTIVE
IN0029858	MARATHON OIL CO. & L&K RESTAUR	MINOR		WAYNE	INACTIVE
IN0030082	RANDOLF SOUTHERN JR. SR. HIGH	MINOR	LYNN	RANDOLPH	INACTIVE

Whitewater Watershed Restoration Action Strategy

NPDES	Facility Name	Major/ Minor	City	County	Status
IN0030341	WHITEWATER MEMORIAL STATE PARK	MINOR	LIBERTY	UNION	ACTIVE
IN0030732	HIGHLAND HEIGHTS ELEMENTARY SC	MINOR		WAYNE	INACTIVE
IN0030759	NORTHEASTERN HIGH SCHOOL	MINOR	FOUNTAIN CITY	WAYNE	INACTIVE
IN0030775	PAUL C. GARRISON ELEM. SCHOOL	MINOR	RICHMOND	WAYNE	INACTIVE
IN0030988	BARRETT PAVING MATERIALS, INC.	MINOR	RICHMOND	WAYNE	ACTIVE
IN0031321	CENTERVILLE REST AREA I-70	MINOR	CENTERVILLE	WAYNE	ACTIVE
IN0032336	CONNERSVILLE MUNICIPAL STP	MAJOR	CONNERSVILLE	FAYETTE	ACTIVE
IN0032832	RICHMOND CONCRETE CORP.	MINOR		WAYNE	INACTIVE
IN0035416	JOSEPH H. HILL COMPANY PLANT C	MINOR		WAYNE	INACTIVE
IN0035424	JOSEPH H. HILL COMPANY PLANT A	MINOR		WAYNE	INACTIVE
IN0036021	PLESENT VIEW SUBDIVISION	MINOR		FAYETTE	INACTIVE
IN0036501	ALPINE HILLS LEISURE LANDS LTD	MINOR		FAYETTE	INACTIVE
IN0036536	SWAYNE ROBINSON & CO	MINOR		WAYNE	INACTIVE
IN0037125	WELLS MOBILE HOME PARK	MINOR		FAYETTE	INACTIVE
IN0037168	BIG CEDAR MOBILE HOME PARK	MINOR	BROOKVILLE	FRANKLIN	ACTIVE
IN0037656	NICKERSON FARMS INC.	MINOR		HENRY	INACTIVE
IN0038849	STOP-ONE TRUCK PLAZA	MINOR	CAMBRIDGE CITY	WAYNE	ACTIVE
IN0038911	INDIAN HILLS MOBILE HOME PARK	MINOR	WEST COLLEGE CORNER	UNION	ACTIVE
IN0039047	MATERIALS CORPORATION	MINOR		WAYNE	INACTIVE
IN0039411	WEST COLLEGE CORNER MUN. STP	MINOR	WEST COLLEGE CORNER	UNION	ACTIVE
IN0039560	WOODVIEW MOBILE HOME PARK	MINOR	CENTERVILLE	WAYNE	ACTIVE
IN0039942	DUBLIN MUNICIPAL STP	MINOR		WAYNE	INACTIVE
IN0040029	FOUNTAIN CITY MUNICIPAL STP	MINOR	FOUNTAIN CITY	WAYNE	ACTIVE

Whitewater Watershed Restoration Action Strategy

NPDES	Facility Name	Major/ Minor	City	County	Status
IN0040240	LAUREL MUNICIPAL STP	MINOR	LAUREL	FRANKLIN	ACTIVE
IN0040371	MILTON MUNICIPAL STP	MINOR		WAYNE	INACTIVE
IN0040967	LYNN MUNICIPAL STP	MINOR	LYNN	RANDOLPH	ACTIVE
IN0041998	NOBBES TRUCK STOP	MINOR	GREENSBURG	DECATUR	INACTIVE
IN0043371	STUCKEYS RESTAURANT	MINOR	CENTERVILLE	WAYNE	ACTIVE
IN0044776	PLEASANTVIEW SUBDIVISION	MINOR	CONNERSVILLE	FAYETTE	ACTIVE
IN0045012	SOUTHWEST OHIO NAZARENE CAMP	MINOR	WEST HARRISON	DEARBORN	INACTIVE
IN0045667	CLOVERLEAF MOBILE HOME PARK	MINOR	RICHMOND	WAYNE	ACTIVE
IN0045675	CITY VIEW MOTEL	MINOR	CENTERVILLE	WAYNE	INACTIVE
IN0045934	THORO SYSTEM PRODUCTS, INC.	MINOR	CENTERVILLE FACILITY	WAYNE	INACTIVE
IN0047171	BROOKVILLE LAKE RESORT	MINOR	LIBERTY	UNION	INACTIVE
IN0049913	RICHMOND ONE L. P.	MINOR	RICHMOND	WAYNE	INACTIVE
IN0049972	SANYO NORTH AMERICA CORP.	MINOR		WAYNE	INACTIVE
IN0051586	FRANKLIN COUNTY WATER ASSOCIAT	MINOR	BROOKVILLE	FRANKLIN	ACTIVE
IN0051870	LEN-DEL MOBILE HOME PARK	MINOR	CAMBRIDGE CITY	WAYNE	ACTIVE
IN0052850	HILLENBRAND IND, JAWACDAH FARM	MINOR		FRANKLIN	INACTIVE
IN0053244	LOSANTVILLE MUNICIPAL STP	MINOR		RANDOLPH	INACTIVE
IN0053279	MODOC MUNICIPAL STP	MINOR		RANDOLPH	INACTIVE
IN0053643	NEW LISBON IN TRAVEL PLAZA	MINOR	NEW LISBON	HENRY	ACTIVE
IN0053791	MCDONALDS RESTAURANTS OF IN	MINOR	CAMBRIDGE CITY	WAYNE	ACTIVE
IN0054305	DANA CORP. ENGINE PRODUCTS DIV	MINOR	RICHMOND	WAYNE	INACTIVE

Whitewater Watershed Restoration Action Strategy

NPDES	Facility Name	Major/ Minor	City	County	Status
IN0054402	WESTERN WAYNE RSD	MINOR	CAMBRIDGE CITY	WAYNE	ACTIVE
IN0054534	MOUNT CARMEL ELEMENTARY SCHOOL	MINOR	MOUNT CARMEL	FRANKLIN	ACTIVE
IN0054721	MERCHANDISING EQUIPMENT CROUP	MINOR	CAMBRIDGE CITY	WAYNE	INACTIVE
IN0055719	RICHMOND POWER & LIGHT	MINOR	RICHMOND	WAYNE	ACTIVE
IN0056251	MARATHON ASHLAND, RICHMOND TER	MINOR	RICHMOND	WAYNE	ACTIVE
IN0056413	STONEHENGE GRAVEL CO., INC.	MINOR	RICHMOND	WAYNE	INACTIVE
IN0058386	DANA CORP, PERFECT CIRCLE PROD	MINOR	HAGERSTOWN	WAYNE	ACTIVE
IN0058408	ST. LEON WWTP	MINOR	SAINT LEON	DEARBORN	ACTIVE
IN0058882	DANA CORP/ GIRL SCOUT CAMP	MINOR	RICHMOND	WAYNE	ACTIVE
IN0058947	ELROD WATER COMPANY	MINOR	BROOKVILLE	FRANKLIN	ACTIVE
IN0060488	WHITEWATER REG INTRST IND PARK	MINOR	CAMBRIDGE CITY	WAYNE	ACTIVE
IN0060909	HAWTHORN HILLS MOBILE HOME PRK	MINOR	RICHMOND	WAYNE	ACTIVE
IN0109711	IRVING MATERIALS, CONNERSVILLE	MINOR		FAYETTE	INACTIVE
ING080017	AMOCO OIL CO., STOP I TRUCK PL	MINOR	CAMBRIDGE CITU	WAYNE	INACTIVE
ING080098	CHECKER STORE #7173, HAGERSTWN	MINOR	HAGERSTOWN	WAYNE	ACTIVE
ING080135	NEW LISBON TRUCK PLAZA	MINOR	NEW LISBON,	HENRY	ACTIVE
ING250044	STEELWORKS, INC., MEG DIVISION	MINOR	CAMBRIDGE CITY	WAYNE	ACTIVE
ING490006	NEW POINT STONE, NEW POINT QUA	MINOR	GREENSBURG	DECATUR	ACTIVE
ING490014	STONEHENGE CONCRETE & GRAVEL	MINOR	RICHMOND,	WAYNE	ACTIVE
ING670005	TEXAS EASTERN TRANS, BATESVILL	MINOR	BATESVILLE	FRANKLIN	INACTIVE
ING670010	TETC BATESVILLE RETEST PROJECT	MINOR	FRANKLIN COUNTY	RIPLEY	INACTIVE
INL020010	HAGERSTOWN MUNICIPAL STP	MINOR		WAYNE	ACTIVE

Whitewater Watershed Restoration Action Strategy

NPDES	Facility Name	Major/ Minor	City	County	Status
INL020681	LIBERTY MUNICIPAL STP	MINOR		UNION	ACTIVE
INL022446	BROOKVILLE, TOWN OF	MINOR		FRANKLIN	ACTIVE
INL022535	CENTERVILLE MUNICIPAL STP	MINOR		WAYNE	ACTIVE
INL025615	RICHMOND MUNICIPAL STP	MINOR		WAYNE	ACTIVE
INL030775	PAUL C. GARRISON ELEM. SCHOOL	MINOR		WAYNE	ACTIVE
INL032336	CONNERSVILLE MUNICIPAL STP	MINOR		FAYETTE	ACTIVE
INL039411	WEST COLLEGE CORNER MUN. STP	MINOR		UNION	ACTIVE
INL040029	FOUNTAIN CITY MUNICIPAL STP	MINOR		WAYNE	ACTIVE
INL040967	LYNN MUNICIPAL STP	MINOR		RANDOLPH	ACTIVE
INL053279	MODOC MUNICIPAL STP	MINOR		RANDOLPH	ACTIVE
INL054402	WESTERN WAYNE RSD	MINOR		WAYNE	ACTIVE
INP000075	ENGINE PROD. DIV., DANA CORP.	MINOR		WAYNE	INACTIVE
INP000114	CAMBRIDGE FOODS, INC.	MINOR	CAMBRIDGE CITY	WAYNE	INACTIVE
INP000122	OWENS CORNING	MINOR	BROOKVILLE	FRANKLIN	ACTIVE
INP000136	MERCHANDISING EQUIPMENT GROUP	MINOR	CAMBRIDGE CITY	WAYNE	ACTIVE
INP000226	ASTRAL INDUSTRIES, INC.	MINOR	LYNN	RANDOLPH	ACTIVE
INU000289	ALLTEMP	MINOR		FRANKLIN	ACTIVE

(from IDEM 2001)

**TABLE 4.1: RESULTS OF SEASONAL KENDALL ANALYSIS FOR STATIONS LOCATED
IN THE WHITEWATER WATERSHED 1986 TO 1995**

Parameter	WHE-27 East Fork Whitewater River Abington Pike Road Bridge East of Abington	WHW-22 Wets Fork Whitewater River S.R. 1 Bridge Cedar Grove
Biological Oxygen Demand	↔	↘
Chemical Oxygen Demand	↘	?
Dissolved Oxygen	↔	↔
E. coli	↔	↔
Ammonia	↔	↔
Nitrite + Nitrate	↔	↔
Total phosphorus	↔	↔
Total Residue	↔	↔
Total Residue, Filterable	?	?
Total Residue, Nonfilterable	↔	↔

Notes

- ↔ = No Statistical Change; significance < 80% or reported slope = 0.00000
- ↘ = Statistically Decreasing; significance >95% with a negative slope
- ↗ = Potentially Decreasing; significance >80% with a negative slope
- ↖ = Potentially Increasing; significance >80% with a positive slope
- ↗ = Statistically Increasing; significance >95 % with a positive slope
- ? = Insufficient Data for analysis

Whitewater Watershed Restoration Action Strategy

TABLE 4-2: ISDH DEFINITIONS FOR FISH CONSUMPTION ADVISORY GROUPS

Group 1	Unrestricted consumption
Group 2	One meal per week (52 meals per year) for adult males and females. One meal per month for women who are pregnant or breastfeeding, women who plan to have children, and children under the age of 15.
Group 3	One meal per month (12 meals per year) for adult males and females. Women who are pregnant or breastfeeding, women who plan to have children, and children under the age of 15 do not eat.
Group 4	One meal every two months (six meals per year) for adult males and females. Women who are pregnant or breastfeeding, women who plan to have children, and children under the age of 15 do not eat.
Group 5	No consumption (DO NOT EAT)

Carp generally are contaminated with both PCBs and mercury. Except as otherwise noted, carp in all Indiana rivers and streams fall under the following risk groups:

Carp, 15-20 inches - Group 3

Carp, 20-25 inches - Group 4

Carp over 25 inches - Group 5

(from ISDH, IDNR, and IDEM 2001)

Whitewater Watershed Restoration Action Strategy

TABLE 4-3: 2001 INDIANA FISH CONSUMPTION ADVISORY

Location	Species	Fish Size (inches)	Contaminant	Group
Brookville Reservoir				
<i>Franklin County</i>	Largemouth Bass	13-18 18+	○ ○	2 3
East Fork of Whitewater River				
<i>Wayne County</i>	Channel Catfish	12-18 18+	■ ■	3 4
	Smallmouth Bass	8-11 11+	■ ■	4 5
<i>Union County</i>	Creek Chub	4-5 5+	○ ○	2 3
Greens Fork				
<i>Wayne County</i>	Creek Chub	7+	○	2
Middlefork Reservoir				
<i>Wayne County</i>	Largemouth Bass	12-18 18+	○ ○	2 3
Silver Creek				
<i>Union County</i>	Creek Chub	6-7 7+	○ ○	2 3
West Fork of the Whitewater River				
<i>Wayne County</i>	Creek Chub	5-7 7+	○ ○	2 3
<i>Fayette County</i>	Black Redhorse	11-14 14+	■○ ■○	2 3
	Largemouth Bass	15-17 17+	○ ○	3 4

Whitewater Watershed Restoration Action Strategy

	Quillback	15+	○	3
	Smallmouth Bass	7-9 9+	■○ ■○	2 3
Whitewater River				
<i>Dearborn County</i>	Black Redhorse	14-16 16+	■○ ■○	2 3
	Channel Catfish	15-23 23+	■○ ■○	3 4
	Freshwater Drum	14-15 15+	■○ ■○	2 3

*○ = Mercury, ■ = PCBs
(from ISDH, IDNR, and IDEM 2001)

Whitewater Watershed Restoration Action Strategy

TABLE 4-4: CRITERIA FOR USE SUPPORT ASSESSMENT (U.S. EPA 305(B) GUIDELINES)

Parameter	Fully Supporting	Partially Supporting	Not Supporting
Aquatic Life Use Support			
Toxicants	Metals were evaluated on a site by site basis and judged according to magnitude of exceedance and the number of times exceedances occurred.		
Conventional inorganics	There were very few water quality violations, almost all of which were due to natural conditions.		
Benthic aquatic macroinvertebrate Index of Biotic Integrity (mIBI)	mIBI ≥ 4.	mIBI < 4 and ≥ 2.	mIBI < 2.
Qualitative habitat use evaluation (QHEI)	QHEI ≥ 64.	QHEI < 64 and ≥ 51.	QHEI < 51.
Fish community (fIBI) (Lower White River only)	IBI ≥ 44.	IBI < 44 and ≥ 22	IBI < 22.
Sediment (PAHs = polynuclear aromatic hydrocarbons. AVS/SEM = acid volatile sulfide/ simultaneously extracted metals.)	All PAHs ≤ 75 th percentile. All AVS/SEMs ≤ 75 th percentile. All other parameters ≤ 95 th percentile.	PAHs or AVS/SEMs > 75 th percentile. (Includes Grand Calumet River and Indiana Harbor Canal sediment results, and so is a conservative number.)	Parameters > 95 th percentile as derived from IDEM Sediment Contaminants Database.
Indiana Trophic State Index (lakes only)	Nutrients, dissolved oxygen, turbidity, algal growth, and sometimes pH were evaluated on a lake-by-lake basis. Each parameter judged according to magnitude.		
Fish Consumption			
Fish tissue	No specific Advisory*	Limited Group 2 - 4 Advisory*	Group 5 Advisory*
* Indiana Fish Consumption Advisory, 1997, includes a statewide advisory for carp consumption. This was not included in individual waterbody reports because it obscures the magnitude of impairment caused by other parameters.			
Recreational Use Support (Swimmable)			
Bacteria (cfu = colony forming units.)	No more than one grab sample slightly > 235 cfu/100ml, and geometric mean not exceeded.	No samples in this classification.	One or more grab sample exceeded 235 cfu/100ml, and geometric mean exceeded.

(from Indiana Water Quality Report for 1998 (IDEM 1998))

TABLE 5-1: TYPES OF PERMITS ISSUED UNDER THE NPDES PROGRAM

Type of Permit	Subtype	Comment
Municipal, Semi-Public or State (sanitary discharger)	Major	A facility owned by a municipality with a design flow Municipal of 1 MGD or greater (Cities, Towns, Regional Sewer Districts)
	Minor	Any municipally owned facility with a design flow of less than 1 MGD (Cities, Towns, Regional Sewer Districts)
	Semi-public	Any facility not municipally, State or Federally owned (i.e. mobile home parks, schools, restaurants, etc.)
	State Owned	A facility owned or managed by a State agency (State parks, prisons, etc.)
	Federally Owned	A facility owned by a federal agency (military owned installation, national park, federal penitentiary, etc.)
Industrial (Wastewater generated in the process of producing a product)	Major	Any point source discharger designated annually by agreement between the commissioner and EPA. Classification of discharger as major involves consideration of factors relating to significance of impact on the environment, such as: nature and quantity of pollutants discharged; character and assimilative capacity of receiving waters; presence of toxic pollutants in discharge; compliance history of discharger.
	Minor	All dischargers which are not designated as major dischargers.
	General	General permit rule provides streamlined NPDES permitting process for certain categories of industrial point source discharges under requirements of the applicable general permit rule, rather than requirements of an individual permit specific to a single discharge. General permit rules: 327 IAC 15-7 Coal mining, coal processing, and reclamation activities; 327 IAC 15-8 Non-contact cooling water; 327 IAC 15-9 Petroleum product terminals; 327 IAC 15-10 Groundwater petroleum remediation systems; 327 IAC 15-11 Hydrostatic testing of commercial pipelines; 327 IAC 15-12 Sand, gravel, dimension stone or crushed stone operations.
	Cooling Water	Water which is used to remove heat from a product or process; the water may or may not come in contact with the product.
	Public Water Supply	Wastewater generated from the process of removing pollutants from ground or surface water for the purpose of producing drinking water.
Pretreatment Urban Wet Weather Group (Associated with NPDES but do not fall under same rule.)	Stormwater-related	Wastewater resulting from precipitation coming in contact with a substance which is dissolved or suspended in the water.
	Industrial Wastewater Pre-treatment	Processed wastewater generated by industries that contribute to the overall wastewater received by the wastewater treatment plant.
	Combined Sewer Overflow (CSO)	Wastewater discharged from combined storm and sanitary sewers due to precipitation events. Municipal and Industrial Urban Wet Weather Programs

Part II, FOREWORD

The Whitewater Watershed Restoration Action Strategy (WRAS) is intended to be a living document designed to assist restoration and protection efforts of stakeholders in their sub-watersheds. As a "living document" information contained within the WRAS will need to be revised and updated periodically.

The WRAS is divided into two parts: Part I, Characterization and Responsibilities and Part II, Concerns and Recommendations.

The first draft of the Whitewater WRAS was released for public review during the spring of 2002. A 60-day public comment period followed the public meetings at which this WRAS document was introduced. A final version of the WRAS includes public comments received during the 60-day comment period. For comments to be included in the final version, they were required to be written and submitted to WHPA, Inc. (the firm contracted to produce this WRAS) during the comment period.

Wittman Hydro Planning Associates, Inc.
320 West Eighth Street
Showers Plaza, Suite 201
Bloomington, IN 47404

812-333-9399

inquiry@wittmanhydro.com

Part II, Chapter 1: Concerns and Recommendations

Part II of the Watershed Restoration Action Strategy discusses the water quality concerns identified for the Whitewater Watershed and lists recommended management strategies to address these concerns.

Part II includes:

Section 1 - Water Quality Concerns and Priority Issues Identified by Stakeholder Groups

Section 2 - Water Quality Concerns and Priority Issues Identified by State and Federal Agencies

Section 3 - Identification of Impaired Waters

Section 4 - Priority Issues and Recommended Management Strategies

Section 5 - Future Actions and Expectations

1. Water Quality Concerns and Priority Issues Identified by Stakeholder Groups

The Whitewater watershed contains potential stakeholder groups that have different missions (contact information is included in Appendix C). Many of these groups have a long history of working in the Whitewater watershed. The following discussion briefly describes some of the watershed groups.

Natural Resources Conservation Service

The Natural Resources Conservation Service (NRCS), under the U.S. Department of Agriculture (USDA), provides leadership in a partnership effort to help people conserve, maintain, and improve our natural resources and environment. The NRCS offers landowners financial, technical, and educational assistance to implement conservation practices on privately owned land. Using this help, farmers, ranchers, and forest landowners apply practices that reduce soil erosion, improve water quality, and enhance crop land, forest land, wetlands, grazing lands, and wildlife habitat. Incentives offered by USDA promote sustainable agricultural and forestry practices, which protect and conserve valuable farm and forest land for future generations. USDA assistance also helps individuals and communities restore natural resources after floods, fires, or other natural disasters.

Soil and Water Conservation Districts

Local Soil and Water Conservation Districts (SWCD) assist land users and residents in the protection and improvement of the local environment. SWCDs can provide technical and financial assistance to local watershed conservation groups.

Central Indiana Land Trust, Inc.

The Central Indiana Land Trust (CILTI) is a nonprofit 501(c)(3) corporation formed in 1990. CILTI maintains that development must be balanced with adequate greenspace. It operates in a regional capacity throughout central Indiana, and actively seeks to protect a broad array of natural areas from small urban greenspaces to pristine nature preserves of high biological integrity.

Historic Hoosier Hills RC & D, Inc.

The vision of Historic Hoosier Hills Resource Conservation and Development is to serve as a catalyst to motivate local people to solve overall economic and natural resources problems of the area, and to properly develop, utilize, and conserve our natural and human resources. Projects have included implementing an EQIP Grant to provide alternative livestock watering systems as a tool to promote Management Intensive Grazing in southeastern Indiana, and educational activities such as development of a short video which encourages proper harvesting techniques for Southern Indiana hardwoods.

Hoosier River Watch

Hoosier Riverwatch is a state-sponsored water quality monitoring initiative. The program was started in 1994 to increase public awareness of water quality issues and concerns by training volunteers to monitor stream water quality. Hoosier Riverwatch collaborates with agencies and volunteers to:

- Increase public involvement in water quality issues through hands-on training of volunteers in stream monitoring and cleanup activities.
- Educate local communities about the relationship between land use and water quality.
- Provide water quality information to citizens and governmental agencies working to protect Indiana's rivers and streams.

Fayette County Watershed Initiative

A water quality initiative has been launched in Fayette County for two subwatersheds that drain to the Whitewater River. The effort, funded by a Section 319 Grant from the Indiana Department of Environmental Management (IDEM) and the United States Environmental Protection Agency (USEPA), will tap public input to develop two "Subwatershed Management Plans." The subwatersheds of focus are the Garrison Creek and Lick Creek Watersheds.

The Fayette County Soil and Water Conservation District (SWCD) received this grant to work with citizens, businesses, agriculture, and other "stakeholders" to identify causes and effects of water quality problems in the watershed and to develop recommendations to curb any problems that may exist. The intent is to identify concerns and remedies and apply for funding to implement those remedies.

Grant funding became effective in September of 2001 and a professional watershed coordination firm, Goode & Associates, Inc., was hired in January of 2002 to help the process move toward a long-term plan. The plans must be completed by September of 2003.

Fayette/Union County Soil and Water Conservation District

The Union County Soil and Water Conservation District has almost completed a watershed diagnostic study on the Silver Creek and Hanna's Creek watersheds. The study is being conducted through a grant from the Lake and River Enhancement Program, funded through the Department of Natural Resources. The final report is currently undergoing a review process by the Department of Natural Resources. Based on the final results, the SWCD plans to apply for funding to provide cost-share for land treatment practices and to implement other water quality practices that will benefit these areas.

Wayne County Soil and Water Conservation District

In 1997, Indiana Department of Natural Resources in conjunction with Wayne County Soil and Water Conservation District provided cost share funds in the watershed of the Middlefork of the Whitewater River. The funds come from the Lake and River Enhancement program to install conservation practices that help reduce sediment and nutrients entering the Middlefork Reservoir. In addition, the Natural Resource Conservation Service administers the Environmental Quality Incentives Program, which provides cost share funds to install conservation practices in the watershed.

Whitewater Watershed Restoration Action Strategy

At the present time, the Wayne County SWCD has been accepted for a 319 grant through the Indiana Department of Environmental Management. They will be hiring a watershed coordinator for the Middlefork Watershed who will be in charge of developing a watershed management plan. The grant starts July of 2002 and ends October 2004.

Part II, Chapter 2: Water Quality Concerns and Priority Issues Identified by State and Federal Agencies

This section presents the combined efforts of state and federal agencies, and universities (such as IDEM, IDNR, USDA-Natural Resources Conservation Service, Ohio River Valley Water Sanitation Commission, Purdue University, Indiana University, Indiana Geologic Survey, and US Geological Survey) to assess water quality concerns and priority issues in the Whitewater Watershed. This multi-organization effort formed the basis of the Unified Watershed Assessment for Indiana. At this time, the Unified Watershed Assessment has been completed for 1998 and updated for 2000-2001.

Indiana's Unified Watershed Assessment (UWA)

The UWA workgroup gathered a wide range of water quality data that could be used to characterize Indiana's water resources. These data were used in 'layers' in order to sort the 8-digit HUC watersheds according to the present condition of the water in lakes, rivers, and streams. The workgroup used only those data which concerned the water column, organisms living in the water, or the suitability of the water for supporting aquatic ecosystems. Each 'layer' of information/data was partitioned by percentiles into scores. The scores ranged between one and five, with a score of one indicative of good water quality or minimum impairment, and a score of five indicating heavily impacted or degraded water quality.

The data layers used in the 1998 and the 2000-2001 update include:

- Lake Fishery: Large-mouth bass community information for lakes
- Stream Fishery: Small-mouth bass community information for streams
- Aquatic Life Use Support: The "livability" of the water column for aquatic life, determined from evaluation of chemical and physical water data, and assessment of aquatic life
- Fish Consumption Advisories: Site specific advisories based on current data
- Fish Index of Biotic Integrity: Based on fish community diversity and fish health
- Qualitative Habitat Evaluation Index: Measure of whether the aquatic habitat is suitable for diverse communities, based on visual observations
- Lake Trophic Scores: Indicator for the rate at which a lake is 'aging' due to inputs of nutrients and other factors
- Sediment Potential: Indicator of potential sediment input to waterbodies in the watershed

The sources and additional information for these data layers include:

- Lake Fishery: From IDNR fisheries surveys of lakes and reservoirs from 1972 to 1994. Raw scores were averaged for all lakes in the watershed
- Stream Fishery: From IDNR fisheries surveys of streams from 1970 to 1994. Raw scores were averaged for all streams in the watershed

Whitewater Watershed Restoration Action Strategy

- Aquatic Life Use Support: IDEM, Office of Water Quality, Assessment Branch
- Fish Consumption Advisories: ISDH and IDEM, Office of Water Quality, Assessment Branch
- Fish Index of Biotic Integrity: IDEM, Office of Water Quality, Assessment Branch
- Qualitative Habitat Evaluation Index: IDEM, Office of Water Quality, Assessment Branch
- Lake Trophic Scores: Indiana Clean Lakes Program through IDEM, Office of Water Quality, Assessment Branch. This score was based on information gathered from sampling conducted in the 1970's and 1980's

During summer 1999 the UWA workgroup used additional layers of information to identify the resource concerns and stressors for each of the 361 11-digit watersheds in Indiana. Examination of the human activities that have the potential to impact the ecosystem will help planners to focus on those areas where restoration may be most critical. Organizations can identify opportunities to use their programs and resources to address those areas.

This focusing process will illuminate areas where the interests of two or more partner agencies may converge. It is intended that this will lead to more effective allocation of resources for restoration and protection activities. At the local level, this information can assist groups to prioritize watershed activities and provide some discussion points for planning.

This amended assessment has the following benefits:

- Provides a logical process for targeting funds, which may be expanded or updated without changing the basic framework.
- Provides information at a finer resolution (11-digit hydrologic units) to agencies and local groups interested in watershed assessment.
- Identifies data gaps.
- Can be used as a compliment to other assessments, such as the 305(b) Report and 303(d) List.

Table 2-1 and Figure 2-1 show the results of the 2000-2001 UWA for the Whitewater watershed (NRCS & IDEM 2000).

Part II, Chapter 3: Identification of Impaired Waters

Section 303(d) of the Clean Water Act requires states to identify waters that do not or are not expected to meet applicable water quality standards with federal technology-based standards alone. States are also required to develop a priority ranking for these waters taking into account the severity of the pollution and the designated uses of the waters. Indiana's 303(d) list was approved by EPA on February 16, 1999.

Once the Section 303(d) list and ranking of waters is completed, the states are required to develop Total Maximum Daily Loads (TMDLs) for these waters in order to achieve compliance with the water quality standards. The TMDL is an allocation that determines the point and nonpoint source (plus margin of safety) load reductions required in order for the waterbody to meet water quality standards. IDEM's Office of Water Quality has and continues to perform point source waste load allocations for receiving waters. Part I of the WRAS briefly outlines IDEM's strategy for developing TMDLs.

Table 0-1 shows the Whitewater Watershed waterbodies that are on Indiana's 1998 Clean Water Act Section 303(d) list submitted and approved by EPA (IDEM 1998, Figure 3-1). The 2002 draft 303(d) list has been completed and the final list will be released in October 2002. The draft 2002 list is not included in this document, but is available from IDEM's Office of Water Quality (<http://www.state.in.us/idem/water/planbr/wqs/303d.html>)

Part II, Chapter 4: Priority Issues and Recommended Management Strategies

Part I provided the existing water quality information for the Whitewater Watershed and Part II lists priority issues and concerns from local, state, and federal stakeholders in the watershed. This section pulls together the priority issues and concerns held by all stakeholders and recommends management strategies. Underlying all discussions of priority issues and concerns is the fact that improving water quality in the Whitewater Watershed will also enhance the natural and recreational values of the Whitewater River. Each subsection below focuses on a single priority issue.

4.1 Data/Information and Targeting

The success in restoring water quality in the Whitewater Watershed is fundamentally based on identifying the specific geographic problem areas; identifying all sources contributing to the impairment of the waterbody; and quantifying the contribution of a pollutant by each source.

Recommended Management Strategy 1: Numerous data collection efforts are ongoing in the Whitewater Watershed. This information should be used in prioritizing and targeting specific problems and geographic areas in the watershed. The scale at which targeting and prioritization should occur is the 14-digit HUC watershed area (Figure 2-2 of Part I). Targeting and prioritization will require input from stakeholders living in those geographic areas. The purpose of prioritization and targeting is to enhance allocation of resources in the effort of improving water quality.

Recommended Management Strategy 2: Through the development of Total Maximum Daily Loads (TMDLs) for impaired waterbodies in the Whitewater Watershed, all sources contributing to the impairment of a waterbody will be identified and quantified in terms of their contribution to the waterbody. This includes gathering more data and information on nonpoint sources of water pollution. Throughout the TMDL process, information and feedback from watershed stakeholders will be required in order to generate appropriate allocation scenarios. The result of developing TMDLs will be an understanding of the impact of nonpoint sources on water quality in the watershed.

4.2 Streambank Erosion and Stabilization

The cutting and erosion of streambanks within the Whitewater Watershed is a major concern. This cutting and erosion increases the sediment load in waterbodies and directly impacts the scenic and recreational values of waterbodies in the Whitewater Watershed. Streambank cutting and erosion is often a function of many factors that include stream energy and velocity, flooding, and land management. Increased drainage in headwater streams and ditches increases stream energy during rainfall events and often leads to increased streambank cutting and erosion downstream. Land clearing and urban development also impact volume and velocity of runoff. Hence, this problem is not easily solved.

Recommended Management Strategy 1: Structural stabilization of specific streambank areas in the Whitewater watershed may solve problems on a temporary basis. However, a comprehensive understanding of drainage, stream flows and energies, and land management practices is required to adequately approach this problem. Conservation partners (local, state, and federal) are actively working within their specific geographic areas (typically at the county level); however, this may not facilitate solving the streambank cutting and erosion problems because efforts may not be coordinated between headwater and downstream areas. For example, drainage should take into account the work and efforts of downstream partners to reduce flooding and streambank cutting. Conservation efforts should be in the context of watersheds and span county boundaries in order to account for downstream impacts. Local Drainage Boards, Planning and Zoning Boards, and County Commissioners could effectively address this issue by involving local stakeholders in the decision making process and approaching the issue on a watershed basis.

4.3 Failing Septic Systems and Straight Pipe Discharges

Local county health departments and other stakeholders have identified failing septic systems and straight pipe discharge from septic tanks as significant sources of water pollution in the Whitewater watershed. Straight pipe discharges from septic tanks and septic tanks connected to drainage tiles are illegal (327 IAC 5-1-1.5); however, these practices still exist in the Whitewater watershed.

Recommended Management Strategy 1: The direct impact of communities discharging their septic tank effluent to waterbodies needs to be adequately characterized. This will involve coordination between the Office of Water Quality, local health departments, Indiana State Department of Health, and other stakeholders. The choice to eliminate the illegal discharges will be a cooperative effort between homeowners and local, state, and federal stakeholders.

Recommended Management Strategy 2: Local planning, zoning, and health ordinances could be adopted or strengthened to address this problem during new development. Existing local ordinances could be enforced more vigorously to correct problems with existing systems. Both of these strategies will require input from local stakeholders.

Recommended Management Strategy 3: An education/outreach program on the health and environmental risks of septic system discharges, system maintenance, and system function would provide homeowners and others with basic information to better understand the impacts of inadequate systems. This kind of education effort would involve local health departments, Indiana State Department of Health, IDEM, and other stakeholders. For example, the Arrowhead Country RC&D in northwest Indiana is working on a project to demonstrate proper septic system installation.

4.4 Water Quality - General

The Clean Water Act Section 303(d) list presented in Chapter 3 lists impaired waterbodies for the Whitewater watershed.

Recommended Management Strategy: The Clean Water Act requires states to complete TMDLs for waterbodies listed on the Section 303(d) list. The Office of Water Quality is currently evaluating and exploring the modeling process and data needs required to complete TMDLs for the Section 303(d) listed waterbodies. Completion of a TMDL will involve loading allocations of a pollutant to both point and nonpoint sources. The development of TMDLs will involve meetings with stakeholder groups linked to the Section 303(d) waterbodies. As TMDLs are developed, this Watershed Restoration Action Strategy will be amended to incorporate the final TMDLs.

4.5 Fish Consumption Advisories

As noted in Part I and Part II, fish consumption advisories are concerns within the Whitewater watershed.

Recommended Management Strategy 1: In many cases, the source of the contamination is unknown and may be from atmospheric deposition or some unknown discharge. To address this concern, the cause or source must be identified. Until that is accomplished, the fish consumption advisories should be followed.

4.6 Nonpoint Source Pollution - General

Nonpoint source pollution contributions are often difficult to assess or quantify. They can include sediment deposition from soil erosion, nutrient runoff from animal wastes and commercial fertilizer, herbicide and insecticide runoff, and oil or fuel waste runoff. Degraded wetlands may also contribute to nonpoint source pollution, as their capacity for abatement of runoff and the associated pollutants is diminished or lost. Nonpoint pollution can emanate from agricultural as well as urban lands. Currently, loadings of nonpoint source pollutants to water are often inferred by examination of land use practices, without actual measurements. In addition, the actual water quality impairments related to nonpoint source pollutants have not been well characterized in the Whitewater watershed. Finally, very few regulatory control mechanisms exist to control nonpoint source pollution.

Whitewater Watershed Restoration Action Strategy

Recommended Management Strategy 1: Through the TMDL development process, the Office of Water Quality will identify, assess, and quantify nonpoint source pollutant loadings to impaired waterbodies. In order to accomplish this task, the Office of Water Quality will work closely with local, state, and federal stakeholders at the watershed and subwatershed level. Loading scenarios for nonpoint source pollutants will be developed by the Office of Water Quality and reviewed by local, state, and federal stakeholders. Implementation of nonpoint source controls will involve a blend of funding assistance and regulatory action, where applicable.

Recommended Management Strategy 2: Numerous funding mechanisms, such as Conservation Reserve Program, Environmental Quality Incentive Program, Lake and River Enhancement program, and 319(h) grants, exist to promote practices to reduce nonpoint source pollution in the watershed. To more efficiently and effectively address nonpoint source pollution in the watershed, the prioritization and targeting discussed previously in Part II should be used to allocate further application of resources.

Recommended Management Strategy 3: The management of urban nonpoint sources can be addressed through effective land use planning and site design. Designs that incorporate less impervious area and more natural infiltration areas have proven effective in reducing urban nonpoint pollution. Local stakeholders working with local planning and zoning authorities, and developers, should implement more stringent site design requirements to reduce nonpoint source contaminants. This effort would be supported by the state and federal stakeholders.

Recommended Management Strategy 4: Practicing the following management measures for NPS pollution abatement may significantly reduce the sediment, nutrient, pesticide and other pollutant contributions to surface waters:

- 1) Protection of Wetlands and Riparian Areas of those serving a significant NPS pollution abatement function
- 2) Restoration of Wetlands and Riparian Areas of preexisting functions in damaged and destroyed areas, esp. where the systems will serve significant NPS pollution abatement function
- 3) Vegetated Treatment Systems (VTS) to promote use of constructed wetlands and vegetated filter strips where these systems will serve significant NPS pollution abatement function

*The information on degraded wetlands as potential contributors to nonpoint source pollution and the management measures for NPS pollution abatement is compiled from the USEPA Draft Guidance entitled "National Management Measures to Protect and Restore Wetlands and Riparian Areas for the Abatement of Nonpoint Source Pollution" (EPA 841-B-01-001 June 2001).

4.6.1 Nonpoint Source Pollution- Education and Outreach

This Watershed Restoration Action Strategy is a beginning point for education and outreach efforts. It compiles existing knowledge about the water resources in this watershed and presents it to the stakeholders who live in the Whitewater watershed. It brings to a public forum the available information and local concerns. However, the education process does not stop with the publication of this document.

Recommended Management Strategy: Local stakeholders, in cooperation with state and federal agencies, need to seek additional information on water quality concerns and issues addressed in this document and make that information available to the public. Additionally, the problems associated with septic failures, soil erosion, land use issues, and riparian zones can be emphasized through meetings, training sessions, and stakeholder group discussions. Field days are excellent ways to present information and encourage discussion. Use of experts with strong background knowledge coupled with local sponsors is an effective method to convey solutions to these problems.

4.7 Point Sources - General

There are 153 active NPDES permitted dischargers, and 12 CSO discharge points in the Whitewater watershed. Additionally there are illegal point source discharges, such as tiles discharging septic tank effluent that exist in the watershed.

Recommended Management Strategy: The Permitting and Compliance Branch of the Office of Water Quality is responsible for issuing and monitoring compliance of NPDES permit holders. Clearly, more emphasis and resources are needed to identify and correct illegal point sources and noncomplying point sources. Improving compliance of NPDES dischargers and identifying illegal dischargers will involve fostering a working relationship with other local, state, and federal stakeholders to monitor compliance and report unusual discharges or stream appearance. In regards to illegal discharges, the Office of Water Quality will work with local, state, and federal stakeholders to identify and eliminate these sources of water pollution.

Part II, Chapter 5: Future Expectations and Actions

As discussed in Part I, this Watershed Restoration Action Strategy is intended to be a fluid document that will be revised or amended as new information becomes available. Section 5.1 discusses expectations derived from the Strategy and how progress will be measured. Specific revisions and amendments to the Watershed Restoration Action Strategy are discussed in Section 5.2. Finally, the Watershed Restoration Action Strategy will be reviewed by all stakeholders before it becomes final, as described in Section 5.3.

5.1 Expectations and Measuring Progress

The Whitewater Strategy provides a starting point to address water quality concerns held by local, state, and federal stakeholders. Part II provides recommended management strategies to address these concerns. Through cooperative efforts with stakeholders, all of the recommended management strategies listed will begin implementation by the summer of 2003.

Measurement of progress is critical to the success of any plan. Water quality improvements will not take place overnight. Measuring of progress in terms of water quality will be provided through the Office of Water Quality Assessment Branch's rotating basin monitoring strategy.

5.2 Expected Revisions and Amendments

This Watershed Restoration Action Strategy is intended to provide a starting point to improve water quality and measure the improvement. Hence, this document will require revisions and amendments as new information becomes available. The future revisions and amendments have been divided into those that are expected within the next year (Section 5.2.1) and those that will occur over a long-term basis (Section 5.2.2).

5.2.1 Short Term Revisions and Amendments

The most significant revisions and amendments will likely occur during 2002 and after, as a result of stakeholder review.

5.2.2 Long Term Revisions and Amendments

The Office of Water Quality is moving toward adopting a watershed management approach to solve water quality problems. Part of the watershed approach is the use of a rotating basin management cycle. The Assessment Branch of the Office of Water Quality has already adopted this rotating basin cycle in its intensive monitoring and assessment of Indiana waterbodies (this is in addition to the already established fixed station monitoring which occurs on a monthly basis). The Watershed Restoration Action Strategy may be revised or amended when sufficient information becomes available.

5.3 Review of the Watershed Restoration Action Strategy

Before this Watershed Restoration Action Strategy becomes final, it will undergo rigorous review. The first stage of review will be performed internally by the Office of Water Quality. Once the Watershed Restoration Action Strategy has been revised to address internal Office of Water Quality comments, it will be circulated to local, state, and federal stakeholders in the watershed. Written comments from local, state, and federal stakeholders will be addressed and the Watershed Restoration Action Strategy will again be revised to incorporate applicable comments. Once internal and external comments have been addressed, the final version of the Watershed Restoration Action Strategy will be released.

Part II Tables

TABLE 2-1: UNIFIED WATERSHED ASSESSMENT FOR THE WHITEWATER WATERSHED, 2000-2001

Hydrologic Unit Scores for Each Parameter Used in the Unified Watershed Assessment [2000-2001]															
	Measured Parameters														
11 Digit Hydrologic Unit	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
05080001110	nd	nd	nd	nd	nd	nd	nd	1	4	1	2	2	3	5	1
05080002070	nd	nd	nd	nd	nd	nd	nd	2	4	1	1	2	4	4	1
05080002080	nd	nd	nd	nd	nd	nd	nd	1	4	1	2	2	4	3	1
05080002090	nd	nd	nd	nd	nd	nd	nd	2	4	1	4	2	2	1	1
05080003010	nd	nd	nd	nd	nd	nd	nd	2	4	1	3	2	4	3	1
05080003020	nd	nd	nd	nd	nd	nd	nd	2	4	1	3	1	4	3	1
05080003030	nd	nd	nd	nd	nd	nd	nd	2	4	1	3	2	4	3	1
05080003040	nd	nd	nd	3	nd	nd	nd	3	4	1	3	2	4	3	1
05080003050	nd	nd	nd	nd	2	nd	3	2	4	2	2	2	4	3	2
05080003060	nd	nd	nd	3	nd	nd	nd	2	4	1	3	2	4	2	1
05080003070	nd	nd	nd	1	nd	nd	nd	4	4	3	3	2	4	3	1
05080003080	nd	nd	nd	3	nd	nd	nd	3	4	1	3	2	4	1	1

KEY

Parameters:

- 1 - Mussel Diversity and Occurrence
- 2 - Aquatic Life Use Support
- 3 - Recreational Use Attainment
- 4 - Stream Fishery
- 5 - Lake Fishery
- 6 - Eurasian Milfoil Infestation Status
- 7 - Lake Trophic Status
- 8 - Critical Biodiversity Resource
- 9 - Aquifer Vulnerability
- 10 - Population Using Surface Water for Drinking Water
- 11 - Residential Septic System Density
- 12 - Degree of Urbanization
- 13 - Density of Livestock
- 14 - % Cropland
- 15 - Mineral Extraction Activities

Score range:

- 1 = good water quality (minimum impairment)
- 5 = heavily impacted or degraded water quality
- nd = no data

(from NRCS & IDEM 2000)

Whitewater Watershed Restoration Action Strategy

TABLE 0-1: WATERS OF THE WHITEWATER ON INDIANA'S 1998 303(D) LIST

ID	Waterbody	Parameter of Concern	Priority for TMDL development
IN-0189FCMRC-1998	BROOKVILLE RESERVOIR	FCA - MERCURY	2012-2014
IN-0190FCPCB-1998	EAST FORK WHITEWATER RIVER	FCA - PCBS	2012-2014
IN-0192FCMRC-1998	WEST FORK WHITEWATER RIVER	FCA - MERCURY	2012-2014
IN-0192FCPCB-1998	WEST FORK WHITEWATER RIVER	FCA - PCBS	2012-2014
IN-0193FCMRC-1998	WHITEWATER RIVER	FCA - MERCURY	2012-2014
IN-0193FCPCB-1998	WHITEWATER RIVER	FCA - PCBS	2012-2014
IN-0194FCMRC-1998	MIDDLE FORK RESERVOIR	FCA - MERCURY	2012-2014
OH62 1-1998	GREAT MIAMI RIVER (TAYLOR CREEK TO OHIO RIVER)	METALS ORGANIC ENRICHMENT/LOW DISSOLVED OXYGEN	4
OH62 5.1-1998	KIATA CREEK	HABITAT ALTERATIONS	15
IN-0191FCMRC-1998	GREAT MIAMI RIVER	FCA - MERCURY	2012-2014
IN-0191FCPCB-1998	GREAT MIAMI RIVER	FCA - PCBS	2012-2014

FCA - Fish Consumption Advisory


PCB - Polychlorinated Biphenyls

Hg - Mercury


***Only waters for which fish tissue data support issuance of fish consumption advisories are individually cited above. The Indiana Department of Health has issued a general fish consumption advisory for all other waters of the state. This advisory was based on extrapolation of the fish tissue data that were available and generally recommends that if no site-specific advisory is in place for a waterbody, the public should eat no more than one meal (8 oz.) per week of fish caught in these waters. Women of child bearing age, women who are breast feeding, and children up to 15 years of age should eat no more than one meal per month. The basis for this general advisory is widespread occurrence of mercury or PCBs (or both) in most fish sampled throughout the state. Please refer to the most recent Fish Consumption Advisory booklet available through the Indiana Department of Health (317/233-7808). Sources of the mercury and PCBs are unknown for the most part, but it is suspected that they result from air deposition.

Figures


Part One, Figure 2-1: Watershed Area



Part One, Figure 2-2: 14 Digit HUCs




Part One, Figure 2-3 Erosion Potential




(from The Indiana Water Resource, IDNR 1980)


Part One, Figure 2-4: Land Cover




Part One, Figure 3-1: NPDES Facility Locations



Part Two, Figure 2-1: Unified Watershed Assessment



Part Two, Figure 3-1: 303d Streams



APPENDIX A

BENCHMARK CHARACTERISTIC ANALYSIS OF DATA FROM FIXED STATIONS
IN THE WHITEWATER WATERSHED

Station	WHW-22	Confid	Confid	Median	Sum	Minimum	Maximum	Lower Quartile	Upper Quartile	Range	Quartile Range	Variance	Std Dev	Standard Error	Skewness	Std Err.	Std Err.	Kurtosis	Std Err.
Yield N	Mean	-95.00%	+95.00%	Median	Sum	Minimum	Maximum	Lower Quartile	Upper Quartile	Range	Quartile Range	Variance <td>Std Dev</td> <td>Standard Error</td> <td>Skewness<td>Std Err.<td>Std Err.<td>Kurtosis<td>Std Err.</td></td></td></td></td>	Std Dev	Standard Error	Skewness <td>Std Err.<td>Std Err.<td>Kurtosis<td>Std Err.</td></td></td></td>	Std Err. <td>Std Err.<td>Kurtosis<td>Std Err.</td></td></td>	Std Err. <td>Kurtosis<td>Std Err.</td></td>	Kurtosis <td>Std Err.</td>	Std Err.
Alkalinity (mg/l)	224.087	212.2222	235.9468	222	5154	149	275	211	245	126	34	752.1737	27.42579	5.718672	-0.03379	0.481337	1.435403	0.934784	0.334784
Ammonia (mg/l as N)	0.078261	0.049375	0.106547	0.05	1.8	0.05	0.3	0.05	0.25	0.2	0	0.004279	0.065411	0.013619	2.517284	0.481337	5.904297	0.934784	0.334784
BOD (mg/l)	0.909091	0.574515	1.243667	0.5	20	0.5	3.4	0.5	1.1	2.9	0.6	0.59437	0.754611	0.160884	2.163468	0.490362	4.834479	0.95278	0.334784
COD (mg/l)	0			0.005	0.01	0.005	0.005	0.005	0.005	0	0	0	0	0	0	0	0	0	0
Cyanide (mg/l)	2	2.5913	2.1808	2.887461	2.7	59.4	1	4.4	2	3.4	1	0.54854	0.805515	0.167961	0.277739	0.481337	0.438032	0.934784	0.334784
Nitrate (mg/l as N)	23	0.050217	0.026482	0.073943	0.04	1.55	0.015	0.27	0.015	0.235	0.055	0.00701	0.054855	0.01144	3.164715	0.481337	12.1147	0.934784	0.334784
Total Phosphorus (mg/l as P)	23	371.6552	355.5222	387.7821	368	8548	309	472	351	395	163	1391.328	37.30051	7.777894	0.614783	0.481337	1.333918	0.934784	0.334784
Suspended Solids (mg/l)	23	20.2608	5.794072	34.7472	330	466	2	157	4	21	155	1719.202	33.45447	6.975739	3.428395	0.481337	13.38767	0.934784	0.334784
Sulfate (mg/l as S)	6	32.6687	28.9914	35.34219	32.5	196	29	39	30	10	0	12.28667	3.50238	1.429841	1.285703	0.845154	2.31581	1.740777	0.334784
TKN (mg/l as N)	6	0.38333	0.304333	0.462332	0.4	2.3	0.3	0.5	0.3	0.4	0.2	0.1	0.056667	0.07327	0.030732	0.33257	0.845154	-0.10381	1.740777
Urea (mg/l as N)	22	416.3636	-154.199	987.5258	30	9160	5	6000	10	190	5995	1655489	1288.214	2.745482	4.272906	0.490362	18.93308	0.95278	0.334784
Urea (mg/l as N)	6	2.05	1.759503	2.304607	2.04	12.3	1.8	2.3	1.8	2.3	0.5	0.039	0.242839	0.091053	2.1E-16	0.845154	-0.12307	0.934784	0.334784
TCC (mg/l)	23	277	261.7887	292.2113	284	6371	206	340	318	348	304	14327.364	35.17618	7.334141	-0.50466	0.845154	-0.00833	1.740777	0.334784
Hardness (mg/l)	6	21	17.36465	24.63335	21	126	16	26	19	23	10	4	1237.364	35.17618	7.334141	-0.50466	0.845154	-0.00833	1.740777
Chloride (mg/l)	20	10.81	10.02355	11.63245	10.5	216.6	8.4	13.88	9.42	11.995	5.48	2.97832	1.714584	0.383395	0.486328	0.512103	-0.78251	0.992384	0.334784
Dissolved Oxygen (mg/l)	20	8.1435	8.02537	8.261463	8.17	162.87	7.4	8.46	8.045	8.335	1.06	0.28	0.065329	0.25205	0.05636	-1.52473	0.512103	3.081189	0.992384
pH	6	2.81333	0.691182	4.975485	2	17	2	7	2	2	5	0	4.166867	2.041241	0.833333	2.46499	0.845154	6	1.740777
Copper (ug/l)	6	399.6687	81.33271	718.0106	425	2398	56	860	92	540	804	92015.87	303.3478	123.8412	0.341005	0.845154	-0.59863	1.740777	0.334784
Zinc (ug/l)	6	4.791867	0.620219	8.763114	3.475	28.75	2.25	12	2.25	5.3	9.75	14.32142	3.784385	1.584496	1.801231	0.845154	3.391685	1.740777	0.334784

Station	WHW-22	Confid	Confid	Median	Sum	Minimum	Maximum	Lower Quartile	Upper Quartile	Range	Quartile Range	Variance	Std Dev	Standard Error	Skewness	Std Err.	Std Err.	Kurtosis	Std Err.
Yield N	Mean	-95.00%	+95.00%	Median	Sum	Minimum	Maximum	Lower Quartile	Upper Quartile	Range	Quartile Range	Variance <td>Std Dev</td> <td>Standard Error</td> <td>Skewness<td>Std Err.</td><td>Std Err.</td><td>Kurtosis<td>Std Err.</td></td></td>	Std Dev	Standard Error	Skewness <td>Std Err.</td> <td>Std Err.</td> <td>Kurtosis<td>Std Err.</td></td>	Std Err.	Std Err.	Kurtosis <td>Std Err.</td>	Std Err.
Alkalinity (mg/l)	224.087	212.2222	235.9468	222	5154	149	275	211	245	126	34	752.1737	27.42579	5.718672	-0.03379	0.481337	1.435403	0.934784	0.334784
Ammonia (mg/l as N)	0.078261	0.049375	0.106547	0.05	1.8	0.05	0.3	0.05	0.25	0.2	0	0.004279	0.065411	0.013619	2.517284	0.481337	5.904297	0.934784	0.334784
BOD (mg/l)	0.909091	0.574515	1.243667	0.5	20	0.5	3.4	0.5	1.1	2.9	0.6	0.59437	0.754611	0.160884	2.163468	0.490362	4.834479	0.95278	0.334784
COD (mg/l)	0.005227	0.00442	0.005613	0.005	0.115	0.005	0.009	0.005	0.005	0.004	0	7.8E-07	0.000689	0.000185	4.302227	0.463384	-0.7717	0.901721	0.334784
Cyanide (mg/l)	25	3.544	3.20007	3.85793	3.5	89.6	2.2	4.9	2.9	4.1	2.7	1.2	0.5784	0.760326	0.152705	0.403311	0.463384	-0.7717	0.901721
Nitrate (mg/l as N)	25	0.0936	0.073567	0.113631	0.1	2.34	0.015	0.22	0.05	0.12	0.205	0.07	0.002355	0.046531	0.009706	0.547835	0.463384	0.546833	0.901721
Total Phosphorus (mg/l as P)	25	405.76	465.478	506.942	487	12144	393	597	451	519	192	68	2444.213	49.13528	9.827051	-0.73207	0.463384	-0.91743	0.901721
Suspended Solids (mg/l)	25	18.2	2.86853	34.03115	8	455	2	194	2	19	192	17	1470.917	38.35253	7.670506	4.351855	0.463384	20.28137	0.901721
Sulfate (mg/l as S)	4	445.5	340.6983	550.3117	447	1782	365	503	388.5	502.5	118	114	4340.333	65.88121	32.9406	-0.00957	1.014185	-5.94249	2.618615
TKN (mg/l as N)	4	43.25	13.18823	73.31177	41.5	173	22	68	31.5	55	46	23.5	356.9167	18.88234	9.446119	0.548396	1.014185	1.654822	2.618615
Urea (mg/l as N)	4	0.45	0.358131	0.541689	0.45	1.8	0.4	0.5	0.4	0.5	0.1	0.003333	0.057135	0.028868	3.7E-19	1.014185	-6	2.618615	
Urea (mg/l as N)	24	1003.333	358.8337	1637.773	420	24080	10	6200	105	950	5995	845	2257432	1502.475	306.5915	2.389527	0.472261	5.891695	0.917177
TCC (mg/l)	4	4.675	-3.81819	13.16819	2.55	18.7	1	12.6	1.65	7.7	11.6	6.05	28.48917	5.337521	2.689782	0.876588	1.014185	3.60584	2.618615
Hardness (mg/l)	25	33.48	317.8297	349.1303	340	8337	244	394	320	357	150	37	1437.51	37.91451	7.582902	-0.35973	0.463384	1.03515	0.901721
Chloride (mg/l)	5	42.402	5.191689	79.61233	38	212.01	0.01	75	3.2	67	74.99	35	898.088	29.96812	13.40215	-0.4316	0.917281	-0.65868	2
Dissolved Oxygen (mg/l)	21	8.048095	7.928322	8.167358	8.05	169.01	7.6	8.54	7.84	8.24	0.94	0.4	0.66646	0.262004	0.067174	0.202075	0.501195	-0.68801	0.917141
pH	7	5.657143	1.981807	9.326578	4.8	39.6	2	13	2	8.8	11	6.8	15.74286	3.967722	1.49366	1.017447	0.439228	1.014185	-1.98105
Copper (ug/l)	4	280.5	-67.3878	582.3878	240	1042	52	510	101	420	468	319	40921	202.2894	101.1447	0.439228	1.014185	-1.98105	2.618615
Zinc (ug/l)	7	15.47857	0.543103	30.41404	10	108.35	2.25	50	6.6	20	47.75	13.4	260.7949	16.14914	6.103803	2.08444	0.733725	4.625428	1.98151

APPENDIX B

WHITEWATER WATERS ASSESSED IN THE CLEAN WATER ACT SECTION 305(B) REPORT

Statewide data from the state's Clean Water Act Section 305(B) Report are available at the link below (IDEM's Office of Water Quality website) (<http://www.state.in.us/idem/water/planbr/wqs/quality.html>). Adobe Acrobat Reader(tm) is required to read these files.

- **Attachment A** - 1998 305 (B) Report (Upper White, Lower White, Patoka)
- **Attachment B** - 1999 & 2000 305 (B) Report (Eel-Wabash, Lower East Fork White, Middle Wabash-Deer, Muscatatuck, Salamonie, Upper East Fork White, Upper Wabash, Whitewater)
- **Attachment C** - 2001 305 (B) Report (Lower Wabash, Middle Wabash-Busseron, Middle Wabash-Little Vermilion, Sugar)
- **Attachment D** - 2002 305 (B) Report (Blue-Sinking, Little Calumet-Galien, Lower Ohio-Little Pigeon, Silver-Little Kentucky, St. Joseph-Maumee)

APPENDIX C
Potential Stakeholders
in the Whitewater Watershed

Central Indiana Land Trust, Inc.
324 West Morris St.
Indianapolis, IN 46225
317-631-5263

Cikana State Fish Hatchery
2650 State Road 44
Martinsville, IN 46151
765-342-5527

Driftwood State Fish Hatchery
4931 S. CR 250 W.
Vallonia, IN 47281
812-358-4110

Historic Hoosier Hills RC & D, Inc.
1981 S. Industrial Park Road
Suite 1
Versailles, IN 47042-0407
812-689-6410x5

Hoosier Environmental Council
PO Box 1145
Indianapolis, IN 46206
317-685-8800

Hoosier River Watch
5785 Glenn Rd.
Indianapolis, Indiana 46216-1066
317-541-0617

Indiana Lakes Management Society
207 S. Wayne St., Suite B
Angola, IN 46703

Indiana Waterways Association
301 Fort Harrison Road
Terre Haute, IN 47804
812-460-1567

Izaak Walton League of America
Indiana Division President
2173 Pennsylvania Street
Portage, IN 46368-2448
219-762-4876

Whitewater Watershed Restoration Action Strategy

Know Your Watershed
Conservation Technology Information Ctr
1220 Potter Drive, Room 170
West Lafayette, IN 47906-1383
765-494-9555

National Audubon Society
700 Broadway
New York, NY 10003
212-979-3000

Ohio River Conservancy
1020 N. Indiana
Bloomington, IN 47408-2041
812-331-8193

Oxbow, Inc.
P.O. Box 43391
Cincinnati, IN 45243

Red-tail Conservancy, Inc.
PO Box 8
Muncie, IN 47308-0008
765-288-2587

The Nature Conservancy
1505 N. Delaware St., Suite 200
Indianapolis, Indiana 46202
317-951-8818

Tri-Lakes Fisheries Station
5570 N. Fish Hatchery Road
Columbia City, IN 46725
219-691-3181

Whitewater Valley Land Trust, Inc.
4910 Shoemaker Road
Centerville, IN 47330-9751
765-962-2427

Dearborn County Farm Service Agency (Dearborn County)
10729 Randall Ave
Aurora, IN 47001
812-926-2406

Dearborn County Health Department (Dearborn County)
215 W. High St. #B
Lawrenceburg, IN 47025
812-537-8826

Dearborn County Purdue Univ. Co-op Extension Service (Dearborn County)
233 Main St.
Aurora, IN 47001
812-926-1189

Whitewater Watershed Restoration Action Strategy

Dearborn County USDA-NRCS (Dearborn County)

10729 Randall Ave
Aurora, IN 47001
812-926-2406

Decatur County Department of Health (Decatur County)

801 N. Lincoln Street
Greensburg, IN 47240
812-663-8301

Decatur County Drainage Board (Decatur County)

150 Courthouse Square
Suite 109
Greensburg, IN 47240
812-663-2546

Decatur County Farm Service Agency (Decatur County)

Greensburg Service Center
108 Smith Rd
Greensburg, IN 47240-8295
812-663-8676

Decatur County Government Offices (Decatur County)

314 N. Michigan
Greensburg, Indiana 47240
812-663-3344

Decatur County Purdue Univ. Co-op Extension Service (Decatur County)

545 S. 200 W.
Greensburg, IN 47240
812-663-8388

Decatur County SWCD (Decatur County)

108 Smith Rd
Greensburg, IN
812-663-8685

Decatur County Surveyor (Decatur County)

1672 N. County Rd. 80 NE
Greensburg, IN 47240
812-663-2615

Decatur County USDA-NRCS (Decatur County)

108 Smith Road
Greensburg, IN 47240-8217
812-663-8676

City of Connersville Mayors Office (Fayette County)

500 Central Ave.
Connersville, IN 47331
765-825-4211

Whitewater Watershed Restoration Action Strategy

Connersville Utilities (Fayette County)

412 Central Ave.
Connersville, IN 47331
765-825-8995

Everton Water Corp. (Fayette County)

5471 South State Road 1
Connersville, IN 47331
765-825-2158

Fayette County Commissioners (Fayette County)

c/o County Auditor
401 Central Ave
Connersville, IN 47331
765-825-8987

Fayette County Drainage Board (Fayette County)

c/o County Auditor
401 Central Ave
Connersville, IN 47331
765-825-8987

Fayette County Farm Service Agency (Fayette County)

2590 N. Park Road
Connersville, IN 47331
765-825-4311

Fayette County Health Department (Fayette County)

111 W. 4th St.
Connersville, IN 47331
765-825-4013

Fayette County Purdue Univ. Co-op Extension Service (Fayette County)

111 W. 4th St.
Connersville, IN 47331
765-825-8502

Fayette County Surveyor (Fayette County)

401 Central Ave.
Connersville, IN 47331
765-825-4412

Fayette County USDA-NRCS (Fayette County)

2590 North Park Road
Connersville, IN 47331
765-825-4311

Fayette County Watershed Initiative (Fayette County)

c/o Goode & Associates, Inc.
5335 N. Tacoma Ave., Suite 6
Indianapolis, Indiana 46220
317-254-8235

Whitewater Watershed Restoration Action Strategy

Fayette/Union County Soil and Water Conservation District (Fayette/Union County)

2590 North Park Road
Connersville, IN 47331
765-825-4311

Franklin County Commissioners (Franklin County)

459 Main St.
Brookville, IN 47012
765-647-4985

Franklin County Drainage Board (Franklin County)

459 Main St.
Brookville, IN 47012
765-647-4985

Franklin County Farm Service Agency (Franklin County)

10165 A Oxford Pike
Brookville, IN 47012
765-647-2651

Franklin County Health Department (Franklin County)

459 Main St.
Brookville, IN 47012
765-647-4322

Franklin County Landfill (Franklin County)

US Highway 52 W.
Brookville, IN 47012
765-647-6710

Franklin County Purdue Univ. Co-op Extension Service (Franklin County)

483 Main St.
Brookville, IN 47012
765-647-3511

Franklin County Soil and Water Conservation District (Franklin County)

10165 Oxford Pike
Box B
Brookville, IN 47012
765-647-2651

Franklin County Surveyor (Franklin County)

459 Main St.
Brookville, IN 47012
765-647-5651

Franklin County USDA-NRCS (Franklin County)

10165 Oxford Pike
Box B
Brookville, IN 47012
765-647-2651

Whitewater Watershed Restoration Action Strategy

Franklin County Water Assoc. (Franklin County)

559 Main St.
Brookville, IN 47012
765-647-6843

Henry County Farm Service Agency (Henry County)

146 E. County Road 200 N.
New Castle, IN 47362
765-529-1002

Henry County Health Department (Henry County)

208 S. 12th Street
2nd Floor
New Castle, IN 47362
765-521-7059

Henry County Purdue Univ. Co-op Extension Service (Henry County)

206 S. 12th St.
Newcastle, IN 47362
765-529-5002

Henry County USDA-NRCS (Henry County)

146 E. County Road 200 N.
Suite C
New Castle, IN 47362-9201
765-529-1002

Randolph County Farm Service Agency (Randolph County)

975 E. Washington St.
Winchester, IN 47394
765-584-4397

Randolph County Health Department (Randolph County)

211 S. Main St.
Winchester, IN 47394
765-584-1155

Randolph County Purdue Univ. Co-op Extension Service (Randolph County)

1885 S. US 27
Winchester, IN 47394
765-584-2271

Randolph County Soil & Water Conservation District (Randolph County)

975 E. Washington St.
Winchester, Indiana 47394
765-584-4397

Randolph County USDA-NRCS (Randolph County)

975 E. Washington St.
Winchester, IN 47394
765-584-4397

Whitewater Watershed Restoration Action Strategy

Ripley County Health Department (Ripley County)

102 W. 1st N. St.
Ste 106
Versailles, IN 47042-0423
812-689-5751

Ripley County Natural Resource Conservation Serv (Ripley County)

Historic Hoosier Hills RC&D
1981 S. Industrial Park Rd., Ste 1
Versailles, IN 47042-0407

Ripley County Planning Commission (Ripley County)

115 North Main Street
Versailles, Indiana 47042
812-689-6062

Ripley County Purdue Univ. Co-op Extension Service (Ripley County)

525 W. Beech St.
Osgood, IN 47037
812-689-6511

Ripley County SWCD (Ripley County)

1981 S. Industrial Park Rd.
Suite 2
Versailles, IN 47
812-689-6410

Ripley County Surveyor (Ripley County)

102 W. 1st N. St.
Versailles, Indiana
812-689-0504

Ripley County US Farm Service Agency (Ripley County)

Versailles Service Center
1981 S. Industrial Park
Versailles, IN 47042-9063
812-689-6410

Rush County Commissioner's Office (Rush County)

102 N. Main St.
Courthouse
Rushville, IN 46173
765-932-3791

Rush County Department of Health (Rush County)

Main Street
Courthouse, Room 5
Rushville, IN 46173-1854
765-932-3103

Rush County Purdue Univ. Co-op Extension Service (Rush County)

102 N. Main St.
Rushville, IN 46173
765-932-5974

Whitewater Watershed Restoration Action Strategy

Rush County SWCD (Rush County)

146 E. Highway 52
Rushville, IN
765-932-2813

Rush County Surveyor (Rush County)

102 N. Main St.
Rushville, IN 46173
765-932-3184

Rush County US Farm Service Agency (Rush County)

146 E. US Highway 52
Rushville, IN 46173-7911
765-932-2813

Rush County USDA-NRCS (Rush County)

146 E US Highway 52
Rushville, IN 46173-9801

Liberty Water Works (Union County)

1 South Fairground
Liberty, IN 47353
765-458-5823

Union County Commissioners (Union County)

26 W. Union St.
Liberty, IN 47353
765-458-5823

Union County Drainage Board (Union County)

26 W. Union St.
Liberty, IN 47353
765-458-5464

Union County Farm Service Agency (Union County)

2590 North Park Road
Connersville, IN 47331
765-825-4311

Union County Government Offices (Union County)

26 W. Union St.
Liberty, IN 47353

Union County Health Department (Union County)

26 W. Union St. Ste 11
Liberty, IN 47353
765-458-5393

Union County Purdue Univ. Co-op Extension Service (Union County)

26 W. Union St.
Liberty, IN 47353
765-458-5055

Whitewater Watershed Restoration Action Strategy

Union County SWCD (Union County)

2590 N. Park Rd.
Connersville, IN 47331
765-825-4311

Union County Surveyor (Union County)

26 W. Union St.
Liberty, IN 47353
765-458-7664

Union County USDA-NRCS (Union County)

2590 North Park Road
Connersville, IN 47331
765-825-4311

Indiana-American Water Co.-Richmond (Wayne County)

1730 Sylvan Nook Dr.
Richmond, IN 47374
765-962-0470

Richmond City Mayor (Wayne County)

50 N. 5th St.
Richmond, Indiana 47374
765-983-7208

Richmond Sanitary District (Wayne County)

2380 Liberty Ave.
Richmond, IN 47374
765-983-7450

Wayne County Commissioners (Wayne County)

401 E. Main St.
Richmond, IN 47374
765-973-9237

Wayne County Drainage Board (Wayne County)

c/o Wayne County Surveyor
401 E. Main St.
Richmond, IN 47374
765-973-9201

Wayne County Farm Service Agency (Wayne County)

823 S. Round Barn Rd.
Richmond, IN 47374
765-966-0191

Wayne County Health Department (Wayne County)

401 E. Main St.
Richmond, IN 47374
765-973-9233

Wayne County Purdue Univ. Co-op Extension Service (Wayne County)

401 E. Main St.
Richmond, IN 47374
765-973-9281

Whitewater Watershed Restoration Action Strategy

Wayne County Soil and Water Conservation District (Wayne County)

823 S. Round Barn Rd.

Suite 1

Richmond, IN 47374

765-966-0191

Wayne County Surveyor (Wayne County)

401 E. Main St.

Richmond, IN 47374

765-973-9201

Wayne County USDA-NRCS (Wayne County)

823 S. Round Barn Rd.

Suite 1

Richmond, IN 47374

765-966-0191

Whitewater Watershed Restoration Action Strategy

STATE STAKEHOLDERS

Indiana Farm Bureau Inc.
225 S East St
Indianapolis, IN 46202
(317) 692-7851

Indiana Department of Environmental Management
100 N. Senate Ave
P.O. Box 6015
Indianapolis, IN 46206-6015

IDEM Switchboard
(317) 232 8603 or (800) 451 6027

Agricultural Liaison
(317) 232 8587

Air Quality
(317) 233 0178

Community Relations
(317) 233 6648

Compliance and Technical Assistance
(317) 232 8172

Criminal Investigations
(317) 232 8128

Enforcement
(317) 233 5529

Environmental Response
(317) 308 3017

Legal Counsel
(317) 232 8493

Media and Communication Services
(317) 232 8560

Pollution Prevention and Technical Assistance
(317) 232 8172

Solid and Hazardous Waste Management
(317) 233 3656

Water Management
(317) 232 8670

Whitewater Watershed Restoration Action Strategy

Indiana Department of Natural Resources
402 West Washington Street
Indianapolis, IN 46204 2748

Division of Engineering
(317) 232 4150

Division of Entomology and Plant Pathology
(317) 232 4120

Division of Fish & Wildlife
(317) 232 4080

Division of Forestry
(317) 232 4105

Division of Historic Preservation & Archaeology
(317) 232 1646

Division of Law Enforcement
(317) 232 4010

Division of State Parks and Reservoirs
(317) 232 4124

Division of Water
(317) 232 4160

Division of Public Information and Education
(317) 232 4200

Division of Reclamation
(317) 232 1547

Division of Safety and Training
(317) 232 4145

Division of Soil Conservation
(317) 233 3870

Division of Oil and Gas
(317) 232 4055

Division of Outdoor Recreation
(317) 232 4070

Division of Nature Preserves
(317) 232 4052

Indiana State Department of Health
2 North Meridian St.
Indianapolis, IN 46204
(317) 233 1325

Whitewater Watershed Restoration Action Strategy

FEDERAL STAKEHOLDERS

Natural Resources Conservation Service

6013 Lakeside Blvd
Indianapolis, In 46278
(317) 290 3200

NRCS Field Representatives are generally located with the SWCD office in each county.

U.S. EPA Region 5
77 West Jackson Blvd
Chicago, IL 60604
(312) 353-2000
(800) 632-8431

U.S. Army Corps of Engineers

Chicago District
111 N. Canal
Chicago, IL 60606
(312) 353-6400

Detroit District
P.O. Box 1027
Detroit, MI 48231-1027
(888) 694-8313

Louisville District
600 Dr. Martin Luther King, Jr.
Louisville, KY 40202
(502) 315-6768

APPENDIX D

FUNDING SOURCES

This listing of funding sources was derived from the May 1999 *Watershed Action Guide for Indiana*, which is available from the Watershed Management Section of IDEM (IDEM 1999b).

FEDERAL CONSERVATION AND WATERSHED PROGRAMS

Environmental Protection Agency

Section 319, 205(j), and 104(b)(3) Grants

Grants for conservation practices, water body assessment, watershed planning, and watershed projects. Available to non-profit or governmental entities. These monies, enabled by the Clean Water Act, are funneled through the Indiana Department of Environmental Management. *For details see IDEM below.*

EPA Great Lakes Program

Numerous sources of funding are available for the area that drains into the Great Lakes. The complete grants guidance and application package for EPA Great Lakes grants is on the web, and additional funding sources are at the Great Lakes Information Network (<http://www.great-lakes.net/>). Grants are submitted in early spring for most of these sources.

U.S. Department of Agriculture/Natural Resources Conservation Service (NRCS) (See Appendix C for local federal agency contacts.)

CRP: Conservation Reserve Program.

Administered by the Farm Service Agency with technical assistance from NRCS. Conservation easements in certain critical areas on private property. CRP encourages farmers to convert highly erodible cropland or other environmentally sensitive acreage to vegetative cover, such as tame or native grasses, wildlife plantings, trees, filterstrips, or riparian buffers. Easements are for 10 or 15 years, depending on vegetative cover, and compensation payments are made yearly to replace income lost through not farming the land. Cost share is available for planting vegetative cover on restored areas. <http://www.fsa.usda.gov/dafp/cepd/crp.htm>

EQIP: Environmental Quality Incentive Program.

Administered by the NRCS. Provides technical, financial, and educational assistance. Conservation cost-share program for implementing Best Management Practices, available to agricultural producers who agree to implement a whole-farm plan that addresses major resource concerns. Up to \$50,000 over a 5- to 10- year period. Some parts of the state are designated Conservation Priority Areas and receive larger funding allotments. <http://www.nhq.nrcs.usda.gov/PROGRAMS/COD/cit/eqipsmry.htm>

FIP: Forestry Incentive Program.

Administered by the NRCS. Assists forest management on private lands of at least 10 acres and no more than 1,000 acres. Eligible practices are tree planting, timber stand improvement, site preparation for natural regeneration, and other related activities. Land must be suitable for conversion from nonforest to forest land, for reforestation, or for improved forest management and be capable of producing marketable timber crops. Cost share up to 65%, with a maximum of \$10,000 per person per year. <http://www.nhq.nrcs.usda.gov/CCS/FB96OPA/FIPfact.html>

Whitewater Watershed Restoration Action Strategy

Small Watershed Program.

The Small Watershed Program works through local government sponsors and helps participants solve natural resource and related economic problems on a watershed basis. Projects include watershed protection, flood prevention, erosion and sediment control, water supply, water quality, fish and wildlife habitat enhancement, wetlands creation and restoration, and public recreation in watersheds of 250,000 or fewer acres. Both technical and financial assistance are available. <http://www.ftw.nrcs.usda.gov/pl566/pl566.html>

WRP: Wetland Reserve Program.

Administered by the NRCS. Easement and restoration program to restore marginal agricultural land to wetland. Easements may be for 10 years, 30 years, or permanent. Longer easements are preferred. Partnerships with other acquisition programs are encouraged. Restoration and legal costs are paid by NRCS. Landowner retains ownership of the property and may use the land in ways that do not interfere with wetland function and habitat, such as hunting, recreational development, and timber harvesting. <http://www.nhq.nrcs.usda.gov/PROGRAMS/wrp/>

WHIP: Wildlife Habitat Incentive Program.

Administered by the NRCS. Cost share and technical assistance to develop and improve wildlife habitat on private land. Private landowners who are agricultural producers are eligible. A wildlife habitat plan is developed that describes landowner's goals for improving wildlife habitat, includes a list of practices and schedule for installing them, and details the steps necessary for maintenance. Cost share up to 75%, and contracts are for 10 years. <http://www.nhq.nrcs.usda.gov/PROGRAMS/whip/>

U.S. Fish & Wildlife Service

Partners for Wildlife Habitat Restoration Program

Provides technical and financial assistance to private landowners through voluntary cooperative agreements in order to restore formerly degraded wetlands, native grasslands, riparian areas, and other habitats to conditions as natural as feasible. Landowners agree to maintain restoration projects as specified in the agreement but otherwise retain full control of the land. Agreements are for fixed term of at least 10 years. No more than 60% of project cost is paid by Federal moneys (the program seeks remainder of cost share from landowners and nationally-based and local entities). <http://www.fws.gov/>

STATE CONSERVATION AND WATERSHED PROGRAMS

IDNR Division of Soil Conservation

LARE: Lake & River Enhancement Program

Funds diagnostic and feasibility studies in selected watersheds and cost-share programs through local Soil & Water Conservation Districts. Project oversight provided through county-based Resource Specialists and Lake & River Enhancement Watershed Coordinators. Funding requests for Watershed Land Treatment projects must come from Soil & Water Conservation Districts. If a proposed project area includes more than one district, the affected SWCDs should work together to develop an implementation plan. The SWCDs should then apply for the funding necessary to administer the watershed project. Before applying for funding, the SWCDs should contact the Lake & River Enhancement Coordinators to determine (1) the appropriate watershed to include in the project, (2) if the proposed project meets the eligibility criteria, and (3) if funding is available. <http://www.in.gov/dnr/soilcons/lare.htm>

IDNR Division of Fish & Wildlife

Whitewater Watershed Restoration Action Strategy

Classified Wildlife Habitat Program

Incentive program to foster private wildlife habitat management through tax reduction and technical assistance. Landowners need 15 or more acres of habitat to be eligible. IDNR provides management plans and assistance through District Wildlife Biologists (see county listings). <http://www.ai.org/dnr/fishwild/about/habitat.htm>

IDNR Division of Forestry

Classified Forest Program

Incentive program to foster private forest management through tax reduction and technical assistance. Landowners need 10 or more acres of woods to be eligible. IDNR provides management plans and assistance through District Foresters (see county listings). <http://www.state.in.us/dnr/forestry/landassist/clasfor.htm>

Classified Windbreak Act

Establishment of windbreaks at least 450 feet long adjacent to tillable land. Provides tax incentive, technical assistance through IDNR District Foresters.

Forest Stewardship Program & Stewardship Incentives Program

Cost share and technical assistance to encourage responsibly managed and productive private forests. <http://www.state.in.us/dnr/forestry/htmldocs/grants.htm>

IDNR Division of Reclamation

Appalachian Clean Streams Initiative

Funds for acid mine drainage abatement.

IDNR Division of Nature Preserves

State Nature Preserve Dedication

Acquisition and management of threatened habitat. <http://www.in.gov/dnr/naturepr/>

IDEM Office of Water Quality

State Revolving Fund

Available to municipalities and counties for a range of water quality infrastructure projects. Funds are available for a wide variety of projects including all types of nonpoint source management projects, as well as more traditional wastewater treatment projects. Funding is through very low-interest loans. <http://www.in.gov/idem/water/fasb/srflp.html>

Section 319 Grants - Nonpoint Source Program

Available to nonprofit groups, municipalities, counties, and universities for implementing water quality improvement projects that address nonpoint source pollution concerns. Twenty-five percent match is required, which may be cash or in-kind. Maximum grant amount for local watershed projects is \$112,500, but statewide or larger scale projects may be funded up to \$300,000. Projects are usually two to three years in length. Projects may be for land treatment through implementing Best Management Practices, for education, and for developing tools and applications for state-wide use. Proposals are due October 1, 2002 for FY2003 funds. See Section 5.1.5 for more details. <http://www.in.gov/idem/water/planbr/wsm/index.html>

Whitewater Watershed Restoration Action Strategy

Section 205(j) Grants - Water Quality Management Planning Program

Available to municipalities, counties, conservation districts, drainage districts, and other public organizations. For-profit entities, non-profit organizations, private associations, and individuals are not eligible for funding through Section 205(j). Grants are for water quality management projects such as studies of nonpoint pollution impacts, nonagricultural NPS mapping, and the development and implementation of watershed management projects. Funds can be requested for up to \$100,000 and no match is required. <http://www.in.gov/ideM/water/planbr/wsm/index.html>

Section 104(b)(3) Grants - NPDES Related State Grant Program

Provide for developing, implementing and demonstrating new concepts or requirements that will improve the effectiveness of the NPDES permit program. A project proposed for assistance by this program should deal predominantly with water pollution sources and activities regulated by the NPDES program. These may include innovative demonstration projects to promote statewide watershed approaches for permitted discharges, development of storm water management plans by small municipalities, projects involving a watershed approach to municipal separate sewer systems, and projects that directly promote community based environmental protection. Available to State water pollution control agencies, interstate agencies, Tribes, colleges and universities, and other public or nonprofit organizations. For-profit entities, private associations and individuals are not eligible to receive this assistance. Funds can be requested for up to \$100,000. Five percent match is required, either cash or in-kind. <http://www.in.gov/ideM/water/planbr/wsm/index.html>

NOTE: proposals are due to IDEM by January 31 annually for projects beginning the following December.

PRIVATE FUNDING SOURCES

National Fish and Wildlife Foundation

1120 Connecticut Avenue, NW Suite 900, Washington DC 20036. (http://www.nfwf.org/programs/grant_apply.htm)

Nonprofit, established by Congress 1984, awards challenge grants for natural resource conservation. Federally appropriated funds are used to match private sector funds. Six program areas include wetland conservation, conservation education, fisheries, migratory bird conservation, conservation policy, and wildlife habitat.

Individual Utilities

Check local utilities such as IPALCO, CINergy, REMC, NIPSCO. Many have grants for educational and environmental purposes (IPALCO Golden Eagle Program -

http://www.ipalco.com/ABOUTIPALCO/Environment/Golden_Eagle/2001_Winners.html; CINergy - <http://www.cinergy.com/Environment/default.asp>).

Indiana Hardwood Lumbermen's Association

Indiana Tree Farm Program. <http://www.ihla.org/leaders.htm>

Conservation Technology Information Center (CTIC)

'Know Your Watershed' educational materials are available. <http://www.ctic.purdue.edu/CTIC/CTIC.html>

Ducks Unlimited

Land acquisition and habitat restoration assistance. <http://www.ducks.org/>

National Wild Turkey Federation

Whitewater Watershed Restoration Action Strategy

Funds for turkey and wildlife habitat improvement projects. <http://www.nwtf.org/>

Quail Unlimited

Funds for quail and wildlife habitat improvement projects. <http://www.qu.org/>

Pheasants Forever

Land acquisition and funds for local habitat improvement projects. <http://www.pheasantsforever.org/>

Indiana Heritage Trust

Land acquisition programs. <http://www.state.in.us/dnr/heritage/>

The Nature Conservancy

Land acquisition and restoration. <http://nature.org/wherewework/northamerica/states/indiana/>

Southern Lake Michigan Conservation Initiative

Blue River Focus Area

Kankakee Sands Focus Area

Upper St. Joseph River Focus Area

Tippecanoe River Focus Area

Natural Areas Registry

Hoosier Landscapes Capitol Campaign

Local/Regional Land Trusts

Land acquisition, conservation easements, and restoration

Acres Inc. (Fort Wayne, IN)

- <http://www.acres-land-trust.org/>

Buffalo Trace Land Trust, LLC (Mount Saint Francis, IN)

Central Indiana Land Trust, Inc. (Indianapolis, IN)

- <http://www.cilti.org/>

Clark's Valley Land Trust (Charlestown, IN)

- <http://www.clarkswcd.org/LandTrust/LandTrusthome.htm>

Indiana Karst Conservancy (Indianapolis, IN)

- <http://www.caves.org/conservancy/ikc/>

Whitewater Watershed Restoration Action Strategy

Laporte County Conservation Trust Inc. (La Porte, IN)

Little River Wetlands Project (Ft. Wayne, IN)

- <http://www.lrw.org/>

Mud Creek Conservancy (Indianapolis, IN)

- <http://www.mudcreekconservancy.org/>

NICHES Land Trust (Lafayette, IN)

- <http://dcwi.com/~niches/>

Ohio River Conservancy (Bloomington, IN)

Oxbow, Inc. (Cincinnati, OH)

- <http://math.uc.edu/~pelikan/OXBOW/wm.html>

Red-tail Conservancy, Inc. (Muncie, IN)

- <http://ourworld.cs.com/rtconserv1/id18.htm>

River Fields, Inc. (Louisville, KY)

- <http://www.riverfields.org/>

Shirley Heinze Environmental Fund (Michigan City, IN)

- <http://www.heinzefund.org/>

Sycamore Land Trust (Bloomington, IN)

- <http://www.sycamorelandtrust.org/>

Wabash Heritage Land Trust (New Harmony, IN)

Wawasee Area Conservancy Foundation (Syracuse, IN)

- <http://www.wacf.com/>

Whitewater Valley Land Trust, Inc. (Centerville, IN)

Wood-Land-Lakes Resource Conservation & Development (Kendallville, IN)

- http://www.in.nrcs.usda.gov/conservation%20programs/rcd/woodland_lakes.htm

SOURCES OF ADDITIONAL FUNDING OPPORTUNITIES

Catalog of Federal Funding Sources for Watershed Protection

EPA Office of Water (EPA841-B-99-003) December 1999

Whitewater Watershed Restoration Action Strategy

(<http://www.epa.gov/owow/watershed/wacademy/fund.html>)

GrantsWeb:

<http://www.srainternational.org/cws/sra/resource.htm>

APPENDIX E

STAKEHOLDER COMMENTS

The following comments were received within the 60-day public comment period after the initial public meeting introducing the draft version of the Whitewater WRAS. This meeting was held on March 20, 2002, in Connersville, Indiana. The public comment period ended on May 20, 2002.

The Whitewater WRAS has been revised to incorporate stakeholder comments, where appropriate. The following is a reproduction of the stakeholder comments:

General Comments

None

Specific Comments

None