

July 7, 2022

VIA EMAIL

Confidential

Jennifer Reno, Section Chief (JRENO@idem.IN.gov) Enforcement Section Office of Land Quality Indiana Department of Environmental Management 100 North Senate Ave. Indianapolis, IN 46204-2251

Re: Violation Letter VL-2022-28612-H

Dear Ms. Reno:

This letter is being timely submitted by Covestro LLC ("Covestro") formerly known as Covestro Coating Resins, Inc. We are responding to the Violation Letter referenced above that followed your office's record review of the Self-Disclosure and Environmental Audit submitted by Covestro on January 27, 2022. The facility at issue is located at 3110 West State Road 28, Frankfort, Indiana.

USA

Penne Hout
re in Site Manager

Covestro LLC

46041

Frankfort Operations

3110 W St. Rd 28 Frankfort, IN

David Wagner and Erik Klinkhamer discussed the Violation Letter with the Enforcement Section's Christina Halloran on June 8, 2022. Our discussions were in line with the requirements set forth in the Violation Letter, specifically that:

1. Covestro shall submit copies of Manifest Tracking Numbers 021671770JJK and 021678728JJK with the signature of the designated facility.

2. Upon receipt of this Violation Letter, Covestro shall comply with 40 CFR 262.42(b).

3. Upon receipt of this Violation Letter, Covestro shall comply with 40 CFR 261.16(b)(2)(iv). Specifically, ensure in the future that weekly inspections are being conducted weekly in the hazardous waste container accumulation area.

Phone: 765-654-2672 Mobile: 317-459-5756 penne.hout@covestro.com

In response, please know that the facility has achieved compliance with each requirement as of June 8, 2022. This letter serves to document our compliance.

Jennifer Reno, Section Chief July 7, 2022 Page | 2

With respect to item 1, please find attached signed copies of Manifest Tracking Numbers 021671770JJK and 021678728JJK. As for item 2, we can confirm that the facility complies with the manifest requirements in 40 CFR 262.42(b). Finally, consistent with item 3, the facility as a small quantity generator inspects central accumulation areas and we have included a copy of a recent Hazardous Waste Storage Weekly Check. As part of this inspection, we look for leaking containers and for deterioration of containers caused by corrosion or other factors. See 40 CFR 262.16(b)(2)(iv).

Please contact me with any questions at (765) 654-2672 or penne.hout@covestro.com.

Sincerely,

Penne Hout

Penne Hout Site Manager

cc: via email only

Christina Halloran, IDEM's Enforcement Section (CHALLORA@idem.IN.gov)

Donna Bates, IDEM's Enforcement Section (DBATES@idem.IN.gov)

Dave Wagner, Covestro LLC Erik Klinkhamer, Covestro LLC

Attachments

Forms and Checklists

covestro

INTERNAL

Location: Frankfort					
FORM ID:	Revision Number	Last Review Date			
FRF-HSE-071A	. 1	3/16/2022			
Document Owner:		Erik Klinkhamer			
Reference Document:		FRF-HSE-071			

Title: Hazardous Waste Storage Weekly Check

Hazardous Waste Storage Area:

Location	Were Any Leaks Detected? (Y / N)	Are All Containers Labelled? (Y / N) If "N" explain	Are any Haz Waste containers Past 90 Days Old? (Y / N) If "Y" explain
West Shed Hazardous Waste Storage	N	Y	N
	* Majed Satel	ite Storage from	NTF. Replaced

Satellite Waste Area:

with new part

Location	Were Any Leaks Detected? (Y / N)	Are All Containers properly covered / sealed? (Y / N) If "N" explain	Are any containers full? (Y / N) If "Y" move to West Shed and Label	
North Tank Farm	N	Y	N * See above	
East Tank Farm	N	NA Y	· N	
QC Lab Fume Hood	N	Y	~	
QC Lab GC Waste	N	У	N	
Maintenance Shop	N	γ	N	
Monomer Header	N	Y	N	

Name of Inspector: Enk Klinkhamer Signature of Inspector: Supplied Date: 5/12/22

Revision History

Revision	Date	Summary
New	3/16/2022	Initial Release MOC 2022-011
1	05/09/2022	Changed verbiage for clarification / added QC Lab GC Waste