



# INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

*We make Indiana a cleaner, healthier place to live*

Frank O'Bannon  
Governor

Lori F. Kaplan  
Commissioner

100 North Senate Avenue  
P.O. Box 6015  
Indianapolis, Indiana 46206-6015  
(317) 232-8603  
(800) 451-6027  
[www.state.in.us/idem](http://www.state.in.us/idem)

August 24, 2001

Mr. Kendall G. Moore  
Environmental Sciences Division  
Region 5, SP-14J  
U. S. Environmental Protection Agency  
77 West Jackson Blvd.  
Chicago, Illinois 60604-3590

RE: PCB Inspection at Arvin Meritor

Dear Mr. Moore:

Enclosed please find the PCB Compliance Report for Arvin Meritor, 1001 North Hurricane, Franklin, Indiana. The inspection was conducted May 16, 2001, as authorized under the U.S. EPA Environmental Performance Partnership Agreement. This inspection is being referred to you for review and action, as you deem appropriate.

If you have any questions please contact me at (317) 308-3113.

Sincerely,

Bruce Kizer, Chief  
Industrial Waste Compliance Section  
Office of Land Quality

dbk  
Enclosure

REPORT ON INSPECTION TO DETERMINE  
COMPLIANCE WITH PCB REGULATIONS

ARVIN MERITOR  
1001 NORTH HURRICANE  
FRANKLIN, INDIANA 46131

PERFORMED BY:  
ROBERT MALONE  
INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF LAND QUALITY  
2525 NORTH SHADELAND AVENUE  
INDIANAPOLIS, INDIANA 46206-6015

AS AUTHORIZED UNDER THE U.S. EPA ENVIRONMENTAL PERFORMANCE  
PARTNERSHIP AGREEMENT

## PCB COMPLIANCE INSPECTION REPORT

### I. OBJECTIVES

The inspection was conducted to document the facility's handling, storage and disposal practices and to determine its compliance with the PCB Regulations, 40 CFR Part 761, as published in the Federal Register of May 31, 1979, and as amended.

### II. COMPANY IDENTIFICATION

Arvin Meritor  
1001 N. Hurricane Street  
Franklin, Indiana 46131

#### RESPONSIBLE OFFICIAL

Mike Alte, Site Manager

### III. DATE OF INSPECTION

May 16, 2001

### IV. PARTICIPANTS

#### Company

Dan Boucher, Environmental Coordinator  
Debra Chelf, Corporate Environmental Manager  
Bob Williams, Tools and Facility Maintenance Manager

#### Indiana Department of Environmental Management

Robert Malone  
Roger Wilson

### V. COMPANY BACKGROUND ☒ PCBs    ☐ No PCBs discovered

Arvin Meritor a.k.a. Arvin Automotive manufactures exhaust systems for the automotive industry for new vehicle installation. As part of this operation, the facility conducts various activities that utilize large amounts of electricity for industrial processes and lighting. Based on information provided by Mr. Boucher, Arvin has sales of approximately \$300,000,000.00 per year. The facility employs approximately 860 people. The Standard Industrial Classification Code for the site is 3714.

## VI.INSPECTION SUMMARY

### Opening Conference

- A. The inspectors met with company officials as indicated in Section II, presented TSCA Inspection Credentials, explained the purpose of the inspection, and presented for signature the TSCA Inspection Forms as indicated below:

☒ Notice of Inspection  
☒ TSCA Confidentiality Notice  
☒ Receipt of Samples and Documents

These documents are enclosed as Attachments and were signed by Messrs. Dan Boucher of Arvin Meritor and Mr. Robert Malone of the Indiana Department of Environmental Management.

### B. Circumstances Applicable to this inspection

<input checked="" type="checkbox"/> Disposal	<input type="checkbox"/> Processing
<input type="checkbox"/> Marking	<input type="checkbox"/> Distribution
<input type="checkbox"/> Storage	<input type="checkbox"/> Authorizations
<input type="checkbox"/> Manufacturing	<input checked="" type="checkbox"/> Recordkeeping
<input type="checkbox"/> None of the Above	

### C. CITATION

☒ Not Applicable  
☐ Citation issued on  
☐ Response received on

### D. Closing Conference

- ☒ The inspectors explained the two possible outcomes of the inspection and informed the company officials that a final determination and notification would be made by the Regional Office. The inspector also informed the company that, if no violations are found, they will not get a written acknowledgment from U.S. EPA. However, the company may telephone the U.S. EPA ninety (90) days after the inspection to confirm if an "in compliance" determination has been made.
- ☒ The inspectors provided a Receipt for Samples/Documents collected during the inspection.

## VII. SAMPLES/ PHOTOGRAPHS/ DOCUMENTS

☐ None Taken

☒ See Attachments as listed

## VIII. ATTACHMENTS

1. Notice of Inspection
2. TSCA Inspection Confidentiality Notice
3. Receipt for Samples/Documents
4. Facility Documents<sup>\*</sup>
  - (a) PCB Analytical Results
  - (b) PCB Annual Reports
  - (c) PCB Disposal Documentation
  - (d) 1990 EPA PCB Inspection Paperwork
  - (e) Facility Drawing
5. Photographs (1)

## IX. INSPECTOR'S COMMENTS

This site visit was conducted as the result of inspection scheme developed by the Indiana Department of Environmental Management and approved by the U.S. EPA, Region V. The inspection scheme included approximately 36 facilities in Indiana.

IDEM personnel arrived at the site on May 16, 2001 and met with facility representatives. Facility representatives escorted IDEM personnel on tour of the facility. IDEM personnel viewed eight (8) substations operated by Arvin Meritor. Information gathered regarding the substations during the site visit is as follows:

South Substation		
3-500 KVA RTE Transformers	Nameplates indicate less than 2 ppm PCBs	74 gallons each
1-167 KVA RTE Transformer	Could not read nameplate	
Substation – West Roof		
3-500 KVA RTE Transformers	Could not read nameplates	Liquid filled
1-167 KVA RTE Transformer	Could not read nameplate	Liquid filled

Substation – East Roof		
1-167 KVA RTE Transformer	Could not read nameplate	Liquid filled
3- 500 (?) KVA GE Transformers	One transformer labeled silicone filled Could not read nameplates	Liquid filled
Tool Room Substation		
1-167 KVA Transformer	Labeled Non-PCB	Liquid filled
3-500 KVA Transformers	No PCB information	Liquid filled
Southeast Substation		
3-500 KVA Transformers	No PCB information	Liquid filled
FPO Substation		
1-2,500 KVA Siemens	No PCB information	
Mezzanine Substation		
1-2,500 KVA	Non-PCB label	Liquid filled
Jeep Muffler Substation		
1-2,000 KVA Siemens	Less than 1 ppm PCBs	Liquid filled

Various dry transformers were noted throughout the plant. IDEM personnel viewed 5 of these transformers. Based on information provided by facility personnel, these transformers are utilized for facility lighting.

Arvin Meritor provided results of analytical testing conducted in 1998. The analytical results indicate 23 samples collected and analyzed were at non-detect levels with a detection level of 2.0 mg/kg. However, because it was not possible to view many of the transformer nameplates during the inspection due to safety considerations, the actual analytical results provided by Arvin Meritor cannot be correlated to specific transformers.

IDEM personnel inquired about electrical capacitors utilized by the facility. Facility personnel stated that a centralized capacitor bank was installed in September 1993. Facility personnel stated that all other known capacitors were removed at that time.

Arvin Meritor provided PCB disposal information for PCB equipment removed from the Arvin Meritor site. Based on the information provided by the facility all of the facility PCB containing transformers were removed by the end of 1990. In addition, all of the facility PCB capacitors were removed by the end of 1990 except for 70 pounds removed in 1998. Copies of the disposal information is attached to this report.

In response to an EPA TSCA inspection conducted in 1990, the facility prepared PCB annual reports for years 1978 to 1989. No other annual reports or PCB inspection records were provided during the inspection.

Inspector: Robert Malone  
Robert Malone

**FREEDOM OF INFORMATION ACT EXEMPT**

**NOT FOR PUBLIC VIEW  
FOR DELIBERATIVE PURPOSES ONLY**

FINDINGS AND CONCLUSIONS:

No PCB samples were collected at the time of the site visit. Facility personnel provided analytical information for samples collected for oil filled transformers located at the facility. None of the oil samples indicated the presence of PCBs. However, because of safety considerations it was not possible to view the serial numbers on the transformer nameplates and, therefore, correlate the analytical results to the specific transformers. No leaks or stains were noted from any of the transformers.

Inspector: Robert Malone  
Robert Malone



## ATTACHMENT 1





US ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

TOXIC SUBSTANCES CONTROL ACT

NOTICE OF INSPECTION

1. INVESTIGATION IDENTIFICATION			3. FACILITY NAME
DATE 5/16/2001	INSPECTION NO. INP49	DAILY SEQ. NO. 01	Arvin Automotive
2. INSPECTOR'S ADDRESS 2525 N. Shadeland Ave. Indianapolis, Indiana			4. FACILITY ADDRESS 1001 N. Hurricane Street Franklin, IN 46131

For Internal EPA Use. Copies may be provided to recipient as acknowledgment of this notice.

REASON FOR INSPECTION

Under the authority of Section 11 of the Toxic Substances Control Act:

- ☒ For the purpose of inspecting (including taking samples, photographs, statements, and other inspection activities) an establishment, facility, or other premises in which chemical substances or mixtures, articles containing same are manufactured, processed, stored or held before or after their distribution in commerce (including records, files, papers, processes, controls, and facilities) and any conveyances being used to transport chemical substances, mixtures, or articles containing same in connection with their distribution in commerce (including records, files, papers, processes, controls, and facilities) bearing on whether the requirements of the Act are applicable to the chemical substances, mixtures, or articles within, or associated with, such premise or conveyance have been complied with.

- ☐ In addition, this inspection extends to (check appropriate blocks):

- ☐ A. Financial data ☐ D. Personnel data  
☐ B. Sales data ☐ E. Research data  
☐ C. Pricing data RM

The nature and extent of inspection of such data specified in A through E above is as follows:

INSPECTOR'S SIGNATURE Robert Malone		RECIPIENT'S SIGNATURE D. Boucher	
NAME Robert Malone		NAME DAN Boucher	
TITLE Environmental Mgr. 2	DATE SIGNED 5/16/2001	TITLE Safety & Environmental Mgr. / Coordinator	DATE SIGNED 5-16-2001





U.S. ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

TOXIC SUBSTANCES CONTROL ACT

NOTICE OF INSPECTION

1. INVESTIGATION IDENTIFICATION		3. FACILITY NAME
DATE 5/16/2001	INSPECTION NO. 11944	Arrival Automotive
2. INSPECTOR'S ADDRESS Indycomp, Indiana 3535 N. Shadeland Ave.		4. FACILITY ADDRESS Franklin, IN 46131 1001 N. Hurricane Street

For Internal EPA Use: Copies may be provided to recipient as acknowledgment of this notice.

REASON FOR INSPECTION

Under the authority of Section 11 of the Toxic Substances Control Act:

☒ For the purpose of inspecting (including taking samples, photographs, statements, and other inspection activities) an establishment, facility, or other premises in which chemical substances or mixtures, articles containing same are manufactured, processed, stored or held before or after their distribution in commerce (including records, files, papers, processes, controls, and facilities) and any conveyances being used to transport chemical substances, mixtures, or articles containing same in connection with their distribution in commerce (including records, files, papers, processes, controls, and facilities) bearing on whether the requirements of the Act are applicable to the chemical substances, mixtures, or articles within, or associated with, such premises or conveyance have been complied with.

☐ In addition, this inspection extends to (check appropriate blocks):

- ☐ A. Financial data  
☐ B. Sales data  
☐ C. Pricing data  
☐ D. Personnel data  
☐ E. Research data

The nature and extent of inspection of such data specified in A through E above is as follows:

INSPECTOR'S SIGNATURE Robert Malone		RECIPIENT'S SIGNATURE [Signature]	
NAME Robert + Malone		NAME Dan Boucher	
TITLE Environmental Mgr.	DATE SIGNED 5/16/2001	TITLE Safety & Environmental Mgr.	DATE SIGNED 5-16-2001

## ATTACHMENT 2







United States Environmental Protection Agency  
Washington, D.C. 20460  
Toxic Substances Control Act

Form Approved  
OMB No. 2070-0007  
Approval Expires 10-31-92

TSCA INSPECTION CONFIDENTIALITY NOTICE

The public reporting burden for this collection of information is estimated to average 5 minutes per response. This estimate includes time for reviewing instructions, searching existing data sources, gathering and maintaining the needed data, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information to the Chief, Information Policy Branch (PM-223), US Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460, and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503, marked ATTENTION: Desk Officer for EPA.

1. Investigation Identification			2. Firm Name
Date 5/16/2001	Inspector No. INP49	Daily Seq. No. 01	Arvin Automotive
3. Inspector Name Robert Malone			4. Firm Address 1001 N. Hurricane Franklin, Indiana 46131
5. Inspector Address 2525 N. Shadeland Ave. Indianapolis, Indiana			6. Chief Executive Officer Name Mike Alte
			7. Title Site Manager

TO ASSERT A CONFIDENTIAL BUSINESS INFORMATION CLAIM

It is possible that EPA will receive public requests for release of the information obtained during inspection of the facility above. Such requests will be handled by EPA in accordance with provisions of the Freedom of Information Act (FOIA), 5 USC 552; EPA regulations issued thereunder, 40 CFR Part 2; and the Toxic Substances Control Act (TSCA), Section 14. EPA is required to make inspection data available in response to FOIA requests unless the Administrator of the Agency determines that the data contain information entitled to confidential treatment or may be withheld from release under other exceptions of FOIA.

Any or all the information collected by EPA during the inspection may be claimed confidential if it relates to trade secrets or commercial or financial matters that you consider to be confidential business information. If you assert a CBI claim, EPA will disclose the information only to the extent, and by means of the procedures set forth in the regulations (cited above) governing EPA's treatment of confidential business information. Among other things, the regulations require that EPA notify you in advance of publicly disclosing any information you have claimed as confidential business information.

A confidential business information (CBI) claim may be asserted at any time. You may assert a CBI claim prior to, during, or after the information is collected. The declaration form was developed by the Agency to assist you in asserting a CBI claim. If it is more convenient for you to assert a CBI claim on your own stationery or by marking the individual documents or samples "TSCA confidential business information," it is not necessary for you to use this form. The inspector will be glad to answer any questions you may have regarding the Agency's CBI procedures.

While you may claim any collected information or sample as confidential business information, such claims are unlikely to be upheld if they are challenged unless the information meets the following criteria:

1. Your company has taken measures to protect the confidentiality of the information, and it intends to continue to take such measures.

2. The information is not, and has not been, reasonably obtainable without your company's consent by other persons (other than governmental bodies) by use of legitimate means (other than discovery based on showing of special need in a judicial or quasi-judicial proceeding).
3. The information is not publicly available elsewhere.
4. Disclosure of the information would cause substantial harm to your company's competitive position.

At the completion of the inspection, you will be given a receipt for all documents, samples, and other materials collected. At that time, you may make claims that some or all of the information is confidential business information.

If you are not authorized by your company to assert a CBI claim, this notice will be sent by certified mail, along with the receipt for documents, samples, and other materials to the Chief Executive Officer of your firm within 2 days of this date. The Chief Executive Officer must return a statement specifying any information which should receive confidential treatment.

The statement from the Chief Executive Officer should be addressed to:

and mailed by registered, return-receipt requested mail within 7 calendar days of receipt of the Notice. Claims may be made any time after the inspection, but inspection data will not be entered into the special security system for TSCA confidential business information until an official confidentiality claim is made. The data will be handled under the agency's routine security system unless and until a claim is made.

TO BE COMPLETED BY FACILITY OFFICIAL RECEIVING THIS NOTICE:

I have received and read the notice.

If there is no one on the premises of the facility who is authorized to make business confidentiality claims for the firm, a copy of this Notice and other inspection materials will be sent to the company's chief executive officer. If there is another company official who should also receive this information, please designate below.

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate, and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

Signature D. Bouchen	Name
Name DAN BOUCHEN	Title
Title Environmental Coordinator	Address
Date Signed 5-16-01	





ATTACHMENT 3





US ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

TOXIC SUBSTANCES CONTROL ACT

RECEIPT FOR SAMPLES AND DOCUMENTS

1. INVESTIGATION IDENTIFICATION			2. COMPANY NAME
DATE 5-16-2001	INSPECTION NO. INP49	DAILY SEQ. NO. 01	Arvin Automotive
3. INSPECTOR ADDRESS 2525 N. Shadeland Avenue Indianapolis, Indiana			4. COMPANY ADDRESS 1001M. Hurricane Street Franklin, Indiana 46131 RBM

For internal EPA use. Copies of this form may be provided to recipient as acknowledgement of the documents and samples of chemical substances and/or mixtures described below collected in connection with the administration and enforcement of the Toxic Substances Control Act.

RECEIPT OF DOCUMENT(S) AND/OR SAMPLE(S) DESCRIBED IS HEREBY ACKNOWLEDGED:

NO.	DESCRIPTION
1	1 Photograph
2	Site Map
3	1978-1989 Annual Reports
4	1990 Inspection Notices
5	1990 Field Citation
6	1990 Disposal Documentation
7	1988 Disposal Documentation
8	1985 Disposal Manifest
9	1998 Disposal Manifest
10	1998 Disposal Information

OPTIONAL:

DUPLICATE OR SPLIT SAMPLES: REQUESTED AND PROVIDED ☐ NOT REQUESTED ☒ NA

INSPECTOR SIGNATURE Robert Malone		CLAIMANT SIGNATURE D. Boucher	
NAME Robert Malone		NAME DAN Boucher	
TITLE Environmental Mgr 2	DATE SIGNED 5/16/2001	TITLE Environmental Coord.	DATE SIGNED 5-16-01



## ATTACHMENT 4

Exhaust Systems

**ArvinMeritor**<sup>™</sup>

1001 Hurricane Street  
Franklin, Indiana 46131

arvinmeritorinc.com

May 23, 2001

Indiana Department of Environmental Management  
Office of Land Quality  
Industrial Waste Compliance Section  
% Robert Malone  
2525 North Shadeland Avenue  
P.O. Box 6015  
Indianapolis, Indiana 46206-6015

**RECEIVED**

**JUN 01 2001**

**DEPARTMENT OF  
ENVIRONMENTAL MANAGEMENT  
OFFICE OF LAND QUALITY**


Mr. Robert Malone

In accordance with inspection # INP49, dated May 16, 2001, conducted at ArvinMeritor Exhaust Plant located at 1001 North Hurricane Street Franklin, Indiana 46131. Roger Wilson and yourself conducted this PCB audit.

During the final conference you requested information on our current transformers status and their contents. I have enclosed a copy of latest analytical report dated January 30, 1998 detailing concentration levels and minimum detectable limits along with serial number of transformers tested. This list shows our current transformer status and testing condition.

If you have any questions regarding this analytical report please, feel free to contact me at (317) 346-2851.

Sincerely



Dan Boucher  
Safety & Environmental Coordinator  
ArvinMeritor  
Exhaust Division Franklin Plant

cc: Deb Chelf Division Environmental Manager

January 30, 1998

Page 1

Hoosier Industrial Electric  
P.O. Box 656  
North Vernon, IN 47265  
ATTN: Buck Blackburn

Job No.: 103718

**REPORT OF ANALYSIS**

Analysis: PCB in Fluid

Method: EPA 600/4-81-045

Date of Calibration: 11/29/97

Date Received: 1/02/98

M.D.L. = Minimum Detectable Limit

Lab Order	Serial No.	Sample ID.	Acceptor	Date Tested	Concentration	M.D.L.
9801020042	871120409	#1	N/A	1/15/98	<2.0 mg/kg	2.0 mg/kg
9801020043	871120412	#2	N/A	1/16/98	<2.0 mg/kg	2.0 mg/kg
9801020044	871120408	#3	N/A	1/16/98	<2.0 mg/kg	2.0 mg/kg
9801020046	M608681TKRA	#4	N/A	1/16/98	<2.0 mg/kg	2.0 mg/kg
9801020046	M605582TKRA	#5	N/A	1/16/98	<2.0 mg/kg	2.0 mg/kg
9801020047	M605580TKRA	#6	N/A	1/16/98	<2.0 mg/kg	2.0 mg/kg
9801020048	84V4810	#7	N/A	1/16/98	<2.0 mg/kg	2.0 mg/kg
9801020049	84V4908	#8	N/A	1/16/98	<2.0 mg/kg	2.0 mg/kg
9801020050	84V4909	#9	N/A	1/16/98	<2.0 mg/kg	2.0 mg/kg
9801020051	871107488	#10	N/A	1/16/98	<2.0 mg/kg	2.0 mg/kg
9801020052	871120410	#11	N/A	1/16/98	<2.0 mg/kg	2.0 mg/kg
9801020053	871131208	#12	N/A	1/20/98	<2.0 mg/kg	2.0 mg/kg
9801020054	871111379	#13	N/A	1/16/98	<2.0 mg/kg	2.0 mg/kg
9801020055	871108137	#14	N/A	1/16/98	<2.0 mg/kg	2.0 mg/kg
9801020056	871112877	#15	N/A	1/20/98	<2.0 mg/kg	2.0 mg/kg
9801020057	8711112041	#16	N/A	1/20/98	<2.0 mg/kg	2.0 mg/kg
9801020058	871120407	#17	N/A	1/20/98	<2.0 mg/kg	2.0 mg/kg
9801020059	200011	#18	N/A	1/20/98	<2.0 mg/kg	2.0 mg/kg
9801020060	M598238TERA	#19	N/A	1/20/98	<2.0 mg/kg	2.0 mg/kg
9801020061	M598805TERA	#20	N/A	1/20/98	<2.0 mg/kg	2.0 mg/kg
9801020062	M598236TERA	#21	N/A	1/20/98	<2.0 mg/kg	2.0 mg/kg
9801020063	No ID#	#22	N/A	1/20/98	<2.0 mg/kg	2.0 mg/kg
9801020064	43801	#23	N/A	1/20/98	40.8 mg/kg	2.0 mg/kg

  
Ron Jack  
QA/QC Manager

Results relate only to item(s) tested. Samples tested as received. This report may not be reproduced except in full without the approval of CasChem Laboratories, Inc.

Mark Adolzy

ANNUAL DOCUMENT - SUMMARY - FOR CALENDAR YEAR: 1978

	REMAINING IN SERVICE AT END OF PREVIOUS CALENDAR YEAR: 1977	REMOVED FROM SERVICE	STORED FOR DISPOSAL	TRANSPORTED FOR DISPOSAL	REMAINING IN SERVICE AT END OF CURRENT CALENDAR YEAR: 1978
PCB TRANSFORMERS:					
TOTAL NUMBER	23				23
TOTAL WEIGHT OF PCBS (KG)	12774				12774
LARGE PCB CAPACTORS:					
TOTAL NUMBER	91				91
TOTAL WEIGHT OF PCBS (KG)	531				531
PCBS AND PCB ITEMS:	114				114
TOTAL WEIGHT OF PCBS (KG)	13				13305

These are the annual  
PCB documents we  
reconstructed for Mr.  
Heinz Gerven from EPA.  
I sent the original to  
Doug Rogan to check it  
over on 12/5/90. I gave a copy  
to Jim S. I have a  
copy.

AMY  
HAS ALL OF  
THIS BEEN SENT  
TO EPA?



## CALENDAR YEAR 1978

ere were no  
ansformers  
capacitors  
ored, removed  
disposed in  
78.

ANNUAL DOCUMENT - SUMMARY - FOR CALENDAR YEAR: 19 79 .

	REMAINING IN SERVICE AT END OF PREVIOUS CALENDAR YEAR: 19 <u>78</u>	REMOVED FROM SERVICE	STORED FOR DISPOSAL	TRANSPORTED FOR DISPOSAL	REMAINING IN SERVICE AT END OF CURRENT CALENDAR YEAR: 19 <u>79</u>
PCB TRANSFORMERS:					
TOTAL NUMBER	23	4	4		19
TOTAL WEIGHT OF PCBS (KG)	12774	1640	1640		11134
LARGE PCB CAPACITORS:					
TOTAL NUMBER	91				91
TOTAL WEIGHT OF PCBS (KG)	531				531
PCBS AND PCB ITEMS:	114	4	4		531
TOTAL WEIGHT OF PCBS (KG)	13305	1640	1640		11665

# SECTION II: PCB REMOVAL, STORAGE, DISPOSAL

CALENDAR YEAR 1979

EPA Required Information					For Plant's Record		
ID NO.	KG PCB	DATE REMOVED FROM SERVICE	DATE STORED FOR DISPOSAL	STORAGE LOCATION	DATE TRANSP. FOR DISPOSAL	SHIP. DOC. OR MANIFEST NUMBER	CERT. OF DESTRUCT. RECV'D.
42483	498	6/79	6/79	northwest corner of plant			
42482	498	6/79	6/79	same			
42484	498	6/79	6/79	same			
2279239	146	6/79	6/79	same			

ANNUAL DOCUMENT - SUMMARY - FOR CALENDAR YEAR: 1980.

	REMAINING IN SERVICE AT END OF PREVIOUS CALENDAR YEAR: 19 <u>79</u>	REMOVED FROM SERVICE	STORED FOR DISPOSAL	TRANSPORTED FOR DISPOSAL	REMAINING IN SERVICE AT END OF CURRENT CALENDAR YEAR: 19 <u>80</u>
PCB TRANSFORMERS:					
TOTAL NUMBER	19		4		19
TOTAL WEIGHT OF PCBS (KG)	11134		1640		11134
LARGE PCB CAPACITORS:					
TOTAL NUMBER	91				91
TOTAL WEIGHT OF PCBS (KG)	531				531
PCBS AND PCB ITEMS:	110		4		110
TOTAL WEIGHT OF PCBS (KG)	11665		1640		11665

## SECTION II: PCB

## REMOVAL, STORAGE, DISPOSAL

CALENDAR YEAR 1980

EPA Required Information					For Plant's Record		
ID NO.	KG PCB	DATE REMOVED FROM SERVICE	DATE STORED FOR DISPOSAL	STORAGE LOCATION	DATE TRANSP. FOR DISPOSAL	SHIP. DOC. OR MANIFEST NUMBER	CERT. OF DESTRUCT. RECV'D.
42483	498	6/79	6/79	NW corner of plant			
42482	498	6/79	6/79	same			
42484	498	6/79	6/79	same			
2279239	146	6/79	6/79	same			

ANNUAL DOCUMENT - SUMMARY - FOR CALENDAR YEAR: 1981 .

	REMAINING IN SERICE AT END OF PREVIOUS CALENDAR YEAR: 19 <u>80</u>	REMOVED FROM SERVICE	STORED FOR DISPOSAL	TRANSPORTED FOR DISPOSAL	REMAINING IN SERVICE AT END OF CURRENT CALENDAR YEAR: 19 <u>81</u>
PCB TRANSFORMERS:					
TOTAL NUMBER	19		4		19
TOTAL WEIGHT OF PCBS (KG)	11134		1640		11134
LARGE PCB CAPACITORS:					
TOTAL NUMBER	91				91
TOTAL WEIGHT OF PCBS (KG)	531				531
PCBS AND PCB ITEMS:	110		4		110
TOTAL WEIGHT OF PCBS (KG)	11665		1640		11665

# SECTION II: PCB REMOVAL, STORAGE, DISPOSAL

CALENDAR YEAR 1981

EPA Required Information				For Plant's Record		
ID NO.	KG PCB	DATE REMOVED FROM SERVICE	DATE STORED FOR DISPOSAL	STORAGE LOCATION	DATE TRANSP. FOR DISPOSAL	CERT. OF DESTRUCT. RECV'D.
42483	498	6/79	6/79	NW corner of plant		
42482	"	"	"	"		
42484	"	"	"	"		
2279239	146	"	"	"		

ANNUAL DOCUMENT - SUMMARY - FOR CALENDAR YEAR: 19 82 .

	REMAINING IN SERICE AT END OF PREVIOUS CALENDAR YEAR: 19 <u>81</u>	REMOVED FROM SERVICE	STORED FOR DISPOSAL	TRANSPORTED FOR DISPOSAL	REMAINING IN SERVICE AT END OF CURRENT CALENDAR YEAR: 19 <u>82</u>
PCB TRANSFORMERS:					
TOTAL NUMBER	19			*4	19
TOTAL WEIGHT OF PCBS (KG)	11134			1640	11134
LARGE PCB CAPACITORS:					
TOTAL NUMBER	91	1		90	90
TOTAL WEIGHT OF PCBS (KG)	531	6			525
PCBS AND PCB ITEMS:	110	1		1640	109
TOTAL WEIGHT OF PCBS (KG)	11665	6		1640	11659

\*4 transformers transported for disposal  
had been in storage since 6/79.



# SECTION II: PCB REMOVAL, STORAGE, DISPOSAL

CALENDAR YEAR 1982

EPA Required Information						For Plant's Record		
ID NO.	KG PCB	DATE REMOVED FROM SERVICE	DATE STORED FOR DISPOSAL	STORAGE LOCATION	DATE TRANSP. FOR DISPOSAL	SHIP. DOC. OR MANIFEST NUMBER	DISPOSAL SITE	CERT. OF DESTRUCT. RECV'D.
42483	498	6/79	6/79	NW corner of plant	10/20/82	00001	ElDorado Arkansas	not on file
42484	"	"	"	"	"	"	"	"
42482	"	"	"	"	"	"	"	"
2279293	"	"	"	"	"	"	"	"
N/A	6	unknown	unknown	NW corner of plant	10/20/82	00001	ElDorado Arkansas	not on file

nsformers:

pacitors:

ANNUAL DOCUMENT - SUMMARY - FOR CALENDAR YEAR: 1983 .

	REMAINING IN SERICE AT END OF PREVIOUS CALENDAR YEAR: 19 <u>82</u>	REMOVED FROM SERVICE	STORED FOR DISPOSAL	TRANSPORTED FOR DISPOSAL	REMAINING IN SERVICE AT END OF CURRENT CALENDAR YEAR: 19 <u>83</u>
PCB TRANSFORMERS:					
TOTAL NUMBER	19				19
TOTAL WEIGHT OF PCBS (KG)	11134				11134
LARGE PCB CAPACITORS:					
TOTAL NUMBER	90				90
TOTAL WEIGHT OF PCBS (KG)	525				525
PCBS AND PCB ITEMS:	109				109
TOTAL WEIGHT OF PCBS (KG)	11659				11659

CALENDAR YEAR 1983

There were no transformers or capacitors stored, removed or disposed in 1983.

ANNUAL DOCUMENT - SUMMARY - FOR CALENDAR YEAR: 1984.

	REMAINING IN SERVICE AT END OF PREVIOUS CALENDAR YEAR: 19 <u>83</u>	REMOVED FROM SERVICE	STORED FOR DISPOSAL	TRANSPORTED FOR DISPOSAL	REMAINING IN SERVICE AT END OF CURRENT CALENDAR YEAR: 19 <u>84</u>
PCB TRANSFORMERS:					
TOTAL NUMBER	19	1	1		18
TOTAL WEIGHT OF PCBS (KG)	11134	299	299		10835
LARGE PCB CAPACITORS:					
TOTAL NUMBER	90				90
TOTAL WEIGHT OF PCBS (KG)	525				525
PCBS AND PCB ITEMS:	109	1	1		108
TOTAL WEIGHT OF PCBS (KG)	11659	299	299		111360

REGION: PCB  
CALENDAR YEAR 1984

EPA Required Information					For Plant's Record		
ID NO.	KG PCB	DATE REMOVED FROM SERVICE	DATE STORED FOR DISPOSAL	STORAGE LOCATION	DATE TRANSP. FOR DISPOSAL	SHIP. DOC. OR MANIFEST NUMBER	CERT. OF DESTRUCT. RECV'D.
3505646	299	4/23/84	4/23/84	NW corner of plant			

ANNUAL DOCUMENT - SUMMARY - FOR CALENDAR YEAR: 1985

	REMAINING IN SERICE AT END OF PREVIOUS CALENDAR YEAR: 19 <u>84</u>	REMOVED FROM SERVICE	STORED FOR DISPOSAL	TRANSPORTED FOR DISPOSAL	REMAINING IN SERVICE AT END OF CURRENT CALENDAR YEAR: 19 <u>85</u>
PCB TRANSFORMERS:					
TOTAL NUMBER	18	2		*1	16
TOTAL WEIGHT OF PCBS (KG)	10835	598		299	10237
LARGE PCB CAPACITORS:					
TOTAL NUMBER	90				90
TOTAL WEIGHT OF PCBS (KG)	525				525
PCBS AND PCB ITEMS:	108	2		1	106
TOTAL WEIGHT OF PCBS (KG)	11360	598		299	10762

\*1 transformer transported for disposal  
had been in storage the previous year.

SECTION II: PCB  
CALENDAR YEAR 1985

REMOVAL, STORAGE, DISPOSAL

EPA Required Information					For Plant's Record		
ID NO.	KG PCB	DATE REMOVED FROM SERVICE	DATE STORED FOR DISPOSAL	STORAGE LOCATION	DATE TRANSP. FOR DISPOSAL	SHIP. DOC. OR MANIFEST NUMBER	CERT. OF DESTRUCT. RECV'D.
*3505644	299	10/85		NW corner			
3505646	299	4/23/84	4/23/84	NW corner	10/4/85	IS3493	not on file Maintenance in Indianapolis, IN.
*3505645	299	10/85		NW corner			

\*stored as  
a spare

\*transferred  
to Fayette,  
AL plant  
11/85.

ANNUAL DOCUMENT - SUMMARY - FOR CALENDAR YEAR: 19 86 .

	REMAINING IN SERICE AT END OF PREVIOUS CALENDAR YEAR: 19 <u>85</u>	REMOVED FROM SERVICE	STORED FOR DISPOSAL	TRANSPORTED FOR DISPOSAL	REMAINING IN SERVICE AT END OF CURRENT CALENDAR YEAR: 19 <u>86</u>
PCB TRANSFORMERS:					
TOTAL NUMBER	16				16
TOTAL WEIGHT OF PCBS (KG)	10237				10237
LARGE PCB CAPACITORS:					
TOTAL NUMBER	90	12			78
TOTAL WEIGHT OF PCBS (KG)	525	64			461
PCBS AND PCB ITEMS:	106	12			94
TOTAL WEIGHT OF PCBS (KG)	10762	64			10698



## REMOVAL, STORAGE, DISPOSAL

CALENDAR YEAR 1986

EPA Required Information					For Plant's Record		
ID NO.	KG PCB	DATE REMOVED FROM SERVICE	DATE STORED FOR DISPOSAL	STORAGE LOCATION	DATE TRANSP. FOR DISPOSAL	SHIP. DOC. OR MANIFEST NUMBER	CERT. OF DESTRUCT. RECV'D.
*stored as 3505644	299	10/85					
*transferred 12 large capacitors 64 to Greenwood, IN plant		7/86					

ANNUAL DOCUMENT - SUMMARY - FOR CALENDAR YEAR: 1987

	REMAINING IN SERICE AT END OF PREVIOUS CALENDAR YEAR: 19 <u>86</u>	REMOVED FROM SERVICE	STORED FOR DISPOSAL	TRANSPORTED FOR DISPOSAL	REMAINING IN SERVICE AT END OF CURRENT CALENDAR YEAR: 19 <u>87</u>
PCB TRANSFORMERS:					
TOTAL NUMBER	16	15		16	1
TOTAL WEIGHT OF PCBS (KG)	10237	8538		8836	1699
LARGE PCB CAPACITORS:					
TOTAL NUMBER	78				78
TOTAL WEIGHT OF PCBS (KG)	461				461
PCBS AND PCB ITEMS:	94	15		16	79
TOTAL WEIGHT OF PCBS (KG)	10698	8538		8836	2160

SECTION II: PCB  
CALENDAR YEAR

11

ANNUAL DOCUMENT - SUMMARY - FOR CALENDAR YEAR: 19 88.

	REMAINING IN SERICE AT END OF PREVIOUS CALENDAR YEAR: 19 <u>87</u>	REMOVED FROM SERVICE	STORED FOR DISPOSAL	TRANSPORTED FOR DISPOSAL	REMAINING IN SERVICE AT END OF CURRENT CALENDAR YEAR: 19 <u>88</u>
PCB TRANSFORMERS:					
TOTAL NUMBER	1	1		1	0
TOTAL WEIGHT OF PCBS (KG)	1699	1699		1699	0
LARGE PCB CAPACITORS:					
TOTAL NUMBER	78				78
TOTAL WEIGHT OF PCBS (KG)	461				461
PCBS AND PCB ITEMS:	79	1		1	78
TOTAL WEIGHT OF PCBS (KG)	2160	1699		1699	461

# SECTION II: PCB REMOVAL, STORAGE, DISPOSAL

CALENDAR YEAR 1988

EPA Required Information					For Plant's Record			
ID NO.	KG PCB	DATE REMOVED FROM SERVICE	DATE STORED FOR DISPOSAL	STORAGE LOCATION	DATE TRANSP. FOR DISPOSAL	SHIP. DOC. OR MANIFEST NUMBER	DISPOSAL SITE	CERT. OF DESTRUCT. RECV'D.
43801	1699	12/29/88				43140	Henderson, Kentucky	9/14/88

his transf. 43801  
s being  
etrofilled  
t began on  
/2/87

ANNUAL DOCUMENT - SUMMARY - FOR CALENDAR YEAR: 1989.

	REMAINING IN SERICE AT END OF PREVIOUS CALENDAR YEAR: 19 <u>88</u>	REMOVED FROM SERVICE	STORED FOR DISPOSAL	TRANSPORTED FOR DISPOSAL	REMAINING IN SERVICE AT END OF CURRENT CALENDAR YEAR: 19 <u>89</u>
PCB TRANSFORMERS:					
TOTAL NUMBER	0				0
TOTAL WEIGHT OF PCBS (KG)					
LARGE PCB CAPACITORS:					
TOTAL NUMBER	78				78
TOTAL WEIGHT OF PCBS (KG)	461				461
PCBS AND PCB ITEMS:	78				78
TOTAL WEIGHT OF PCBS (KG)	461				461

ATION: PCB

REMOVAL, STORAGE, DISPOSAL

CALENDAR YEAR 1989[illegible]







WASTE MANIFEST  
(CONTINUATION SHEET)

ADDITIONAL INFORMATION

Generator's US EPA ID No. UN1000120		Manifest Doc. No. 11220		Pg. <u>2</u> of <u>2</u>	
Generator's Name HARVEY INTERNATIONAL		Job # 112		Cycle # 7	
Mailing Address 1001 HUNTERDALE		Job Location HIL 2, PL 20			
City, State, Zip FRANKLIN IN 46111		Transformer Serial # 11201			
Manifest # UN1000120	Trailer # 11207	Manufacturer HIL 2		Nameplate Gallons 461	

MATERIAL CODE	PCB WASTE CODE	ARTICLE/DRUM ID	ACTIVITY CODE	DATE DECLARED FOR DISPOSAL	GALLONS	NET WEIGHT IN POUNDS	NET WEIGHT IN KG	WHSE. POSITION
ILX	PCB2	112012-4				430	195	LQ
ILX	PCB2	112012-6				430	195	LQ
ILX	PCB2	112012-7				430	195	LQ
ILX	PCB2	112012-1				430	195	LQ
ILX	PCB2	112012-2				430	195	LQ
ILX	PCB2	112012-3				430	195	LQ
ILX	PCB2	112012-5				430	195	LQ
ILX	PCB2	112012-8				243	110	LQ
ILX	PCB2	112012-9				430	195	LQ
ILX	PCB2	112012-10				430	195	LQ
SOL	PCB2	112012-11			1	75	34	SOL

John

2500 KV/A Transformer

100 10-13-90

Gerald

10-15-90

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. 100006449782	Manifest Document No. 000001	2. Page 1 of 2	Information in the shaded areas is not required by Federal law.		
GENERATOR	3. Generator's Name and Mailing Address ARVIN AUTOMOTIVE 1001 HURRICANE ST. FRANKLIN, IN 46131			A. State Manifest Document Number UN10007212			
	4. Generator's Phone 219/226-1111			B. State Generator's ID			
	5. Transporter 1 Company Name UNISON PRIVATE TRUCK			6. US EPA ID Number 1040781760123		C. State Transporter ID	
	7. Transporter 2 Company Name			8. US EPA ID Number		D. Transporter's Phone 614/225-9100	
	9. Designated Facility Name and Site Address UNISON TRANSFORMER SERVICES INC. 4100 PROGRESS BLVD COLUMBUS, IN 47202			10. US EPA ID Number 1040781760123		E. State Transporter's ID	
						F. Transporter's Phone	
						G. State Facility's ID	
						H. Facility's Phone 614/225-9100	
	11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)			12. Containers	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
	a. <input checked="" type="checkbox"/> HM RQ HAZARDOUS SUBSTANCE, SOLID, N.O.S. ORN-F NA7188 (POLYCHLORINATED BIPHENYLS)			007 DM	01318	K	
b.							
c.							
d.							
J. Additional Description for Materials Listed Above A. CAPACITORS			K. Handling Codes for Wastes Listed Above				
15. Special Handling Instructions and Additional Information. All weights are estimated. All Invoices and Manifest Discrepancies should be referred to UNISON, P.O. Box 1076, Henderson, Kentucky 42420, Attn.: Distribution Manager, Telephone: (502) 827-0541. All Manifests and Certificates of Destruction should be sent to UNISON Transformer Services, Inc., P.O. Box 240368, Charlotte, North Carolina 28224. Emergency Response: 1-800-822-4357. Empty drums to be returned to UNISON-DO NOT LANDFILL DRUMS.							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name Garrett E. Jones			Signature Garrett E. Jones		Month Day Year 11/10/90		
TRANSPORTER	17. Transporter 1 Acknowledgement of Receipt of Materials						
	Printed/Typed Name UNISON TRANSFORMER SERVICES INC.			Signature		Month Day Year 11/10/90	
	18. Transporter 2 Acknowledgement of Receipt of Materials						
Printed/Typed Name			Signature		Month Day Year		
FACILITY	19. Discrepancy Indication Space						
	20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Y	Printed/Typed Name			Signature		Month Day Year	

Public reporting burden for this collection of information is estimated to average: 37 minutes for generators, 15 minutes for transporters, and 10 minutes for treatment, storage and disposal facilities. This includes time for reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding this burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M Street SW., Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

# UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

IN0006414783

Manifest Document No.

07272

2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address

ARVIN AUTOMOTIVE  
1001 HURRICANE ST.  
FRANKLIN, IN 46131  
4. Generator's Phone 317/736 7111

A. State Manifest Document Number

UN10007212

B. State Generator's ID

5. Transporter 1 Company Name

UNISON PRIVATE TRUCK FLT 104D-981960123

6. US EPA ID Number

104D-981960123

7. Transporter 2 Company Name

8. US EPA ID Number

C. State Transporter ID

D. Transporter's Phone 614/225-4100

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

UNISON TRANSFORMER SERVICES INC  
4160 PREMEYER DR  
COLUMBUS, OH 43223

10. US EPA ID Number

104D-981960123

G. State Facility's ID

H. Facility's Phone

614/225-4100

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)

HM  
a. RQ HAZARDOUS SUBSTANCE, SOLID,  
N.O.S. ORM-E NA9188  
(POLYCHLORINATED BIPHENYLS)

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt/Vol

15. Waste No.

007 DM

01318

K

J. Additional Description for Materials Listed Above

A. CAPACITORS

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information. All weights are estimated. All Invoices and Manifest Discrepancies should be referred to UNISON, P.O. Box 1076, Henderson, Kentucky 42420, Attn.: Distribution Manager, Telephone: (502) 827-0541. All Manifests and Certificates of Destruction should be sent to UNISON Transformer Services, Inc., P.O. Box 240368, Charlotte, North Carolina 28224. Emergency Response: 1-800-822-4357. Empty drums to be returned to UNISON-DO NOT LANDFILL DRUMS.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Gerald Ernest

Signature

Gerald Ernest

Month Day Year

11/10/98

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

WARREN HODGES

Signature

Warren Hodges

Month Day Year

11/10/98

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

Public reporting burden for this collection of information is estimated to average: 37 minutes for generators, 15 minutes for transporters, and 10 minutes for treatment, storage and disposal facilities. This includes time for reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding the burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M Street SW., Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

# WASTE MANIFEST

## (CONTINUATION SHEET)

### ADDITIONAL INFORMATION

Generator's US EPA ID No. <b>ND0006414783</b>		Manifest Doc. No. <b>07212</b>		Pg. <b>2</b> of <b>2</b>	
Generator's Name <b>Amgen Automotive</b>		Job #		Cycle # <b>DT</b>	
Mailing Address <b>1001 Harrison St.</b>		Job Location			
City, State, Zip <b>Franklin, IL 6131</b>		Transformer Serial # <b>Capacitor P/C</b>			
Manifest # <b>UNI0007212</b>		Trailer # <b>415758</b>		Nameplate Gallons	

[illegible]

4-17-89 gsk

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No. I. N. D. 0. 0. 6. 4. 1. 4. 7. 8. 3		Manifest Document No.		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address Arvin Automotive 1001 Hurricane Street Franklin, IN 46131						A. State Manifest Document Number UNI 0000266							
						B. State Generator's ID Same							
4. Generator's Phone ( 317 ) 736-7111													
5. Transporter 1 Company Name UNISON PRIVATE TRUCK FLEET				6. US EPA ID Number O. H. D. 9. 8. 1. 9. 6. 0. 1. 2. 3		C. State Transporter's ID							
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone 614/275-4100							
						E. State Transporter's ID							
						F. Transporter's Phone							
9. Designated Facility Name and Site Address UNISON Transformer Services, Inc. 4160 Perimeter Drive Columbus, OH 43228						10. US EPA ID Number O. H. D. 9. 8. 1. 9. 6. 0. 1. 2. 3		G. State Facility's ID					
						H. Facility's Phone 614/275-4100							
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
						No. Type							
a. RQ Hazardous Substance Liquid N.O.S. ORM-E NA9188 (Polychlorinated Biphenyls) DOT-E9749						✓ X-8		DM X-5.1.72		P			
b. RQ Hazardous Substance Liquid N.O.S. ORM-E NA9188 (Polychlorinated Biphenyls)						✓ X-2		DM X-9.60		P			
c. RQ Hazardous Substance Solid N.O.S. ORM-E NA9188 (Polychlorinated Biphenyls)						✓ X-1		DM X-7.5		P			
d.													
J. Additional Descriptions for Materials Listed Above a. Transformer Fluid TF-X b. Transformer Fluid SIL-X c. Debris						K. Handling Codes for Wastes Listed Above							
15. Special Handling Instructions and Additional Information Empty drums to be returned to UNISON. All weights are estimated. Invoices, certificates of disposal & manifest discrepancies are to be referred to: UNISON, P.O. Box 1076, Henderson, KY 42420 Attn: Distribution Manager Emergency Response 1-800-822-4357													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name Allan McKee						Signature Allan McKee				Month Day Year 10.3.24.89			
17. Transporter 1 Acknowledgement of Receipt of Materials													
Printed/Typed Name RALPH BLACK						Signature Ralph Black				Month Day Year 3.24.89			
18. Transporter 2 Acknowledgement of Receipt of Materials													
Printed/Typed Name						Signature				Month Day Year			
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.													
Printed/Typed Name JOHN TOTM						Signature John Totm				Month Day Year 10.4.10.89			

GENERATOR

TRANSPORTER

FACILITY



STATE OF ARKANSAS  
Department of Pollution Control and Ecology  
P. O. Box 9583 Little Rock, Arkansas 72219  
Telephone 501-562-7444

1

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 2	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Arvin Automotive - Franklin Plant 1001 Hurricane St.; Franklin, IN 46131				A. State Manifest Document Number <b>AR-454778</b>		
4. Generator's Phone (317) 736-7111				B. State Generator's ID		
5. Transporter 1 Company Name Tri-State Motor Transit Co.		6. US EPA ID Number MDPD 915038998		C. State Transporter's ID PC 0711H 011		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 417-624-3131		
9. Designated Facility Name and Site Address ENSCO, INC American Oil Rd. El Dorado, AR 71730		10. US EPA ID Number ARPD 69748192		E. State Transporter's ID PC H		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone 501-863-7173		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.	
a. Hazardous Waste, Liquid, NOS, ORM-E NA 9188(PCB) RQ 1 454		No. Type				
		3 D M	(1497 680)	lb)	PCB	
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above see attachment sheet		K. Handling Codes for Wastes Listed Above EMERGENCY RESPONSE INFORMATION:				
if no alternate TSDF, return to generator		11A. 699 Kg.				
15. Special Handling Instructions and Additional Information Dike and contain spills. Avoid contact with skin. Alternate TSDF. Return to Generator. TRI 341 - TRI 148484 - ENSCO 58544J - TSMI-351793						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and Arkansas state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name John McBeath		Signature John McBeath		Month Day Year 10/1/90		
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name MARSHALL D. ATKINSON		Signature Marshall D. Atkinson		Month Day Year 10/1/90		
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space added state transporters Id #						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Arvin Automotive						
		Signature Arvin Automotive		Month Day Year		





STATE OF ARKANSAS  
Department of Pollution Control and Ecology  
P. O. Box 9583 Little Rock, Arkansas 72219  
Telephone 501-562-7444

6

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-91

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. 14 00 0 1 0 0 0 1 0 0 0 1 0 0 0 1	Manifest Document No.	2. Page 1 of 3	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Arvin Automotive - Franklin Plant 1001 Hurricane St.; Franklin, IN 46131				A. State Manifest Document Number AR- 454778		
4. Generator's Phone ( 317 ) 235-7111				B. State Generator's ID		
5. Transporter 1 Company Name American Oil Co.		6. US EPA ID Number 14 00 0 1 0 0 0 1 0 0 0 1		C. State Transporter's ID PC ---- H --		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone 417-524-3131		
9. Designated Facility Name and Site Address ENSCO, INC American Oil Rd. El Dorado, AR 71730		10. US EPA ID Number 14 00 0 1 0 0 0 1 0 0 0 1		E. State Transporter's ID PC ---- H --		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone 501-853-7173		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)				12. Containers No. Type	13. Total Quantity	14. Unit Wt/Vol
a. Hazardous Waste, LI, Id, NOS, ORM-B NA 9188(PCB) RQ 1 454				3 0 5	1497 680	15 K
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above see attachment sheet				K. Handling Codes for Wastes Listed Above EMERGENCY RESPONSE INFORMATION: if no alternate TSDF, return to generator		
15. Special Handling Instructions and Additional Information Dike and contain spills. Avoid contact with skin. Alternate TSDF. Return to Generator.						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations and Arkansas state regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name Tom M. Leach		Signature Tom M. Leach		Month Day Year 1991/1/19		
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Marshall D. Anderson		Signature Marshall D. Anderson		Month Day Year 1991/1/19		
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name Signature Month Day Year						





COLUMBUS BUSINESS FORMS, INC.  
COLUMBUS, INDIANA 47201

40795



**ARVIN**  
**NORTH AMERICAN**  
**AUTOMOTIVE**

1531 13th Street, Columbus, Indiana 47201 812-379-3000



# RETURNED GOODS NOTICE

D-U-N-S 00-641-4361

HOLD FOR CREDIT ☐

N. C. FILE ☐

ISSUE D.M. ☐

BLANKET ☐

HIPTO: Ensco Inc.  
American Oil Rd.  
El Dorado, Ar. 71730

DATE June 12, 1990

NO. BOXES, KEYS, BAGS, ETC.       

PREPAID COLLECT

☐ ☐

HIPPED VIA: Tri-State Motor Transport Co.

GROSS WEIGHT       

YOUR ORDER No.	YOUR INVOICE No.	ARVIN P.O. No.	OUR DEBIT MEMO No.	
QUANTITY PCS., LBS., GALS., ETC.	PART NUMBER	DESCRIPTION		
1 drum		PCB Capacitor	293 lbs.	
1 drum		PCB Capacitor	203 lbs.	
1 drum		PCB Capacitor	184 lbs.	
		Hazardous Waste Liquid - State Manifest		
		#AR-454778 - State of Arkansas -		
		T.S.M.T.		
		Marshall Atkinson		

DISPOSITION: ☐ ISSUE P.O. ☐ HOLD FOR CREDIT ☐ NO CHARGE CHARGE ACCT.       

REASON FOR RETURNING Waste REFER TO REQ.       

AUTHORITY FOR RETURNING J. McBeath/D. Lusk PLANT MGR. APPROVAL       

HIPPED FROM **ARVIN NORTH AMERICAN AUTOMOTIVE**

No. RGN 04533

RETURN ADDRESS Franklin, Ind.  
STREET ADDRESS CITY STATE ZIP

10-031-01D

PURCHASING

to Lusk 6/14/90

JUN 22 1990

501-863-7173



American Oil Road  
P.O. Box 1957  
El Dorado, Arkansas 71731-1957

June 19, 1990

John McBeath  
Arvin Automotive-Franklin Plant  
1001 Hurricane Street  
Franklin, IN 46131

Dear Mr. McBeath:

This letter is to inform you that your shipment of PCB materials transported by Tri-State Motor Transit was received at our ENSCO, Inc. El Dorado, AR facility on 06/16/90. The materials were received on Manifest #AR-454778 and ENSCO Load # 58544.

This information is being provided to you to assist you in meeting the requirements of 40 CFR Part 761.208 (a) (4) which states in part "the generator shall confirm by telephone, or by other means of confirmation agreed to by both parties, that the commercial storer or disposer actually received the manifested waste."

Please contact me at (501) 864-3738 should you have any questions concerning this notice.

Sincerely,

Tony Williamson  
Data Center Manager

PLEASE PRINT OR TYPE (Form designed for use on elite (12-pitch) typewriter.) Form Approved. OMB No. 2050-0039. Expires 9-30-88

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No. <b>1-N-D-0-0-6-4-1-4-7-8-3</b>		Manifest Document No. <b>43-140</b>		2. Page 1 of 1		Information in the shaded areas is not required by Federal law, but items D, F, H and I are required by State law.	
3. Generator's Name and Mailing Address <b>Arvin Automotive</b> <b>1001 Hurrican St</b> <b>Franklin, Ind 46131</b>		4. Generator's Phone <b>(317) 736-7111</b>		5. Transporter 1 Company Name <b>UNISON Private Truck Fleet</b>		6. Use EPA ID Number <b>D-H-D-9-8-1-9-6-0-1-2-3</b>		A. State Manifest Document Number <b>INA 0143140</b>	
7. Transporter 2 Company Name		8. Use EPA ID Number		9. Designated Facility Name and Site Address <b>UNISON Transformer Services Inc</b> <b>4160 Perimeter Dr</b> <b>Columbus Ohio 43228</b>		10. Use EPA ID Number <b>D-H-D-9-8-1-9-6-0-1-2-3</b>		B. State Generator's ID <b>SAHE</b>	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. <b>RQ Hazardous Substance Liquid N.O.S.</b> <b>ORM-E HA9188 (Polychlorinated Biphenyls)</b> <b>DOT-E9749</b>		No. <b>014</b> Type <b>DM</b>		<b>087.60</b>		<b>P</b>			
b. <b>RQ Hazardous Substance Solid N.O.S.</b> <b>ORM-E HA9188 (Polychlorinated Biphenyls)</b>		No. <b>001</b> Type <b>DM</b>		<b>0007.5</b>		<b>P</b>			
c.									
d.									
J. Additional Descriptions for Materials Listed Above		K. Handling Codes for Wastes Listed Above							
a. <b>Transformer Fluid TF-X</b>									
b. <b>Debris</b>									
15. Special Handling Instructions and Additional Information <b>All invoices certificates of disposal and manifest discrepancies are to be referred to UNISON P.O. Box 241085 Charlotte N.C. 28224</b> <b>Attn: Distribution Manager Emergency Response 1-800-822-4357</b>									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable International and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name <b>Gerald A. Ernest</b>		Signature <i>Gerald A. Ernest</i>		Month <b>02</b> Day <b>13</b> Year <b>88</b>					
17. Transporter 1 Acknowledgment of Receipt of Materials		Printed/Typed Name <b>James C KING</b>		Signature <i>James C King</i>		Month <b>02</b> Day <b>13</b> Year <b>88</b>			
18. Transporter 2 Acknowledgment of Receipt of Materials		Printed/Typed Name		Signature		Month Day Year			
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted Item 19.									
Printed/Typed Name		Signature		Month Day Year					

PLEASE PRINT OR TYPE

(Form designed for use on 12-pitch typewriter)

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No. <b>IND-006414873</b>		Manifest Document No. <b>0-0-7-A-B</b>		2. Page 1 of 1		Information in the shaded areas is not required by Federal law, but items D, E, H and I are required by State law.	
3. Generator's Name and Mailing Address: <b>Arvin Industries 1001 N. Hurricane Street Frankfort, IN 46131</b>		A. State Manifest Document Number <b>INA-0196378</b>		B. State Generator's ID		C. State Transporter's ID		D. Transporter's Phone <b>612-469-3475</b>	
4. Generator's Phone <b>317-736-7111 FRANKLIN</b>		6. Use EPA ID Number <b>M-N-D-9-8-0-7-9-1-3-2-1</b>		8. Use EPA ID Number		E. State Transporter's ID		F. Transporter's Phone	
5. Transporter 1 Company Name <b>Aptus</b>		7. Transporter 2 Company Name		10. Use EPA ID Number <b>K-S-D-9-8-0-9-6-4-9-9-3</b>		G. State Facility's ID		H. Facility's Phone <b>316-251-6380</b>	
9. Designated Facility Name and Site Address: <b>Aptus P.O. Box 935 - Hwy. 169 N. Coffeyville, KS 67337</b>		11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol	
a. RQ WASTE HAZARDOUS SUBSTANCE, SOLID, N.O.S., ORM-E (POLYCHLORINATED BIPHEYNILS) NA 9188		001 C-M		EST 02250		P			
b. RQ WASTE HAZARDOUS SUBSTANCE, SOLID, N.O.S., ORM-E (POLYCHLORINATED BIPHEYNILS) NA 9188		001 C-M		EST 3038		P			
c. RQ WASTE HAZARDOUS SUBSTANCE, LIQUID, N.O.S., ORM-E (POLYCHLORINATED BIPHENYLS) NA 9188		D-M				G			
d. RQ WASTE HAZARDOUS SUBSTANCE, LIQUID, N.O.S., ORM-E (POLYCHLORINATED BIPHENYLS) NA 9188		D-M				G			
J. Additional Descriptions for Materials Listed Above: a. transformers drained of oil <500 ppm b. transformers drained of askarel c. drums of oil <500 ppm d. drums of askarel		K. Handling Codes for Wastes Listed Above							
15. Special Handling Instructions and Additional Information: <b>See Enclosed Contingency Plan Work Order #30106</b>									
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.									
Printed/Typed Name: <b>Tom Linneweber</b>				Signature: <i>Tom Linneweber</i>		Month: <b>03</b>		Date: Day: <b>02</b> Year: <b>88</b>	
17. Transporter 1 Acknowledgement of Receipt of Materials: Printed/Typed Name: <b>Willis Carcile</b>				Signature: <i>Willis Carcile</i>		Month: <b>03</b>		Date: Day: <b>02</b> Year: <b>88</b>	
18. Transporter 2 Acknowledgement of Receipt of Materials: Printed/Typed Name:				Signature:		Month:		Date: Day: Year:	
19. Discrepancy Indication Space									
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted Item 10. Printed/Typed Name: Signature: Month: Day: Year:									



PLEASE PRINT OR TYPE

(Form designed for use on elite (12-pitch) typewriter.)

Form Approved, OMB No. 2050-0039. Expires 9-30-88

# UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1 of 1

Information in the shaded areas is not required by Federal law, but items D, F, H and I are required by State law.

3. Generator's Name and Mailing Address

IND 006414783

Arvin Automotive  
1001 Hurricane Street  
Franklin, IN 46131

A. State Manifest Document Number

INA 0143135

4. Generator's Phone (317) 736-7111

5. Transporter 1 Company Name

UNISON Private Truck Fleet

7. Transporter 2 Company Name

9. Designated Facility Name and Site Address

UNISON Transformer Services, Inc.  
4160 Perimeter Drive  
Columbus, OH 43228

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers

13. Total Quantity

14. Unit Wt/Vol.

15. Waste No.

a. RQ Hazardous Substance Liquid N.O.S.  
ORM-E NA9188 (Polychlorinated Biphenyls)  
DOT-F9749

0-1-0

DM

0.64.0.0

P

b. RQ Hazardous Substance Solid N.O.S.  
ORM-E NA9188 (Polychlorinated Biphenyls)

0-0-1

DM

0.0.0.5.0

P

J. Additional Descriptions for Materials Listed Above

a. Transformer Fluid TF-X  
b. Debris

K. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

All invoices, certificates of disposal and manifest discrepancies are to be referred to: UNISON, P.O. Box 241085, Charlotte, NC 28224  
Attn: Distribution Manager Emergency Response 1-800-822-4357

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Gerald A Ernest

Signature

Gerald A Ernest

Month Day Year  
7 13 88

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Junior Nichols

Signature

Junior Nichols

Month Day Year  
0 7 13 0 8 8

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year  
7 13 88

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted Item 19.

Printed/Typed Name

DANIEL TORREY

Signature

Daniel Torrey

Month Day Year  
8 06 88

INA 0143135

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No.		Manifest Document No.		2. Page 1 of		Information in the shaded areas is not required by Federal law.					
3. Generator's Name and Mailing Address <b>Arvin Automotive Divn. Arvin Industries 1001 Hurricans St. Franklin, IN 46131</b>						A. State Manifest Document Number <b>IS-3493</b>							
4. Generator's Phone (317 ) <b>736-7111</b>						B. State Generator's ID							
5. Transporter 1 Company Name <b>High Voltage Maintenance Corp.</b>				6. US EPA ID Number <b>INDO 56101 769</b>		C. State Transporter's ID <b>IN 4937 9100 21</b>							
7. Transporter 2 Company Name				8. US EPA ID Number		D. Transporter's Phone <b>317:356-6411</b>							
9. Designated Facility Name and Site Address <b>High Voltage Maintenance Corp. 1416 Sadlier Circle E. Drive Indianapolis, IN 46239</b>				10. US EPA ID Number <b>INDO 56101 869</b>		E. State Transporter's ID							
						F. Transporter's Phone							
						G. State Facility's ID <b>IN 4937 9100 21</b>							
						H. Facility's Phone <b>317:356-6411</b>							
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
						No.		Type					
a. <b>RQ Polychlorinated Biphenyl liquid ORM-E UN-2315 Identified as IL- 900, IL-901</b>								<b>drum</b>		<b>8 /</b>		<b>gals.</b>	
b. <b>RQ Polychlorinated Biphenyl transformer carcass ORM-E UN-2315 Identified as IS- 923</b>						<b>/</b>		<b>ea.</b>				<b>lbs.</b>	
c. <b>RQ Polychlorinated Biphenyl solid waste ORM-B UN-2315 Identified as IS- 924</b>						<b>/</b>		<b>ea.</b>				<b>lbs.</b>	
d.													
J. Additional Descriptions for Materials Listed Above						K. Handling Codes for Wastes Listed Above							
15. Special Handling Instructions and Additional Information <b>Contain any spills - do not flush</b>  <b>HVM can be called 24 hrs per day (317)356-6411</b>													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.													
Printed/Typed Name						Signature				Date			
						<i>[Signature]</i>				Month Day Year <b>10 9 86</b>			
17. Transporter 1 Acknowledgement of Receipt of Materials										Date			
Printed/Typed Name						Signature				Month Day Year			
						<i>[Signature]</i>				Month Day Year <b>10 9 86</b>			
18. Transporter 2 Acknowledgement of Receipt of Materials										Date			
Printed/Typed Name						Signature				Month Day Year			
										Month Day Year			
19. Discrepancy Indication Space													
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.										Date			
Printed/Typed Name						Signature				Month Day Year			
										Month Day Year			

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. IND 0 6 6 4 1 4 7 8 3 0		Manifest Document No. 07830		2. Page 1 of 2		Information in the shaded areas is not required by Federal law.				
3. Generator's Name and Mailing Address Arvin Automotive 1001 Hurricane Street, Franklin, IN 46131						A. State Manifest Document Number <b>UNI 0007830</b>						
4. Generator's Phone 317/736-7111						B. State Generator's ID						
5. Transporter 1 Company Name UNISON Private Truck Fleet			6. US EPA ID Number IND 0 6 6 4 1 4 7 8 3 0			C. State Transporter ID						
7. Transporter 2 Company Name			8. US EPA ID Number			D. Transporter's Phone 614/275-4100						
9. Designated Facility Name and Site Address UNISON Transformer Services, Inc. 4160 Perimeter Drive Columbus, OH 43222			10. US EPA ID Number IND 0 6 6 4 1 4 7 8 3 0			E. State Transporter's ID						
						F. Transporter's Phone						
						G. State Facility's ID						
						H. Facility's Phone 614/275-4100						
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)					12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.	
a. RQ Hazardous Substance, Liquid, N.O.S. X ORM-E, NA9188 (Polychlorinated Biphenyls)					010		01865		K			
b. RQ Hazardous Substance, Solid, N.O.S. X ORM-E, NA9188 (Polychlorinated Biphenyls)					001		00034		K			
c.												
d.												
J. Additional Description for Materials Listed Above a. Transformer Fluid SIL-X b. Debris						K. Handling Codes for Wastes Listed Above						
15. Special Handling Instructions and Additional Information: All weights are estimated. All Invoices and Manifest Discrepancies should be referred to UNISON, P.O. Box 1076, Henderson, Kentucky 42420, Attn.: Distribution Manager, Telephone: (502) 827-0541. All Manifests and Certificates of Destruction should be sent to UNISON Transformer Services, Inc., P.O. Box 240368, Charlotte, North Carolina 28224. Emergency Response: 1-800-822-4357. Empty drums to be returned to UNISON-DO NOT LANDFILL DRUMS.												
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford. See Continuation Sheet												
Printed/Typed Name Julian J. Nichols						Signature Julian J. Nichols			Month Day Year 10 12 90			
17. Transporter 1 Acknowledgement of Receipt of Materials						Signature Junior Nichols			Month Day Year 10 13 90			
18. Transporter 2 Acknowledgement of Receipt of Materials						Signature			Month Day Year			
19. Discrepancy Indication Space												
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.												
Printed/Typed Name						Signature			Month Day Year			

Public reporting burden for this collection of information is estimated to average: 37 minutes for generators, 15 minutes for transporters, and 10 minutes for treatment, storage and disposal facilities. This includes time for reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding the burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, PM-223, S. Environmental Protection Agency, 401 M Street SW., Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF SOLID AND HAZARDOUS WASTE MANAGEMENT  
P.O. Box 7035  
Indianapolis, IN 46207-7035

3-30-98

PLEASE PRINT OR TYPE

(Form designed for use on elite (12-pitch) typewriter.)

Form Approved: OMB No. 2050-0039 Expires 9-30-98

# UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's U.S. EPA ID Number  
IND 0006414783

Manifest Document No.  
32051

2. Page 1 of 1  
Information in the shaded areas is not required by Federal Law, but items D, F, H, I and K are required by State Law.

3. Generator's Name and Mailing Address

ARVIN NORTH AMERICAN AUTOMOTIVE  
1001 NORTH HURRICANE DRIVE, FRANKLIN, IN 46131

A. State Manifest Document Number

INA 1332051

4. Generator's Telephone Number (317) 736-7111

B. State Generator's ID

1332051

5. Transporter 1 Company Name

LIQUID WASTE REMOVAL, INCORPORATED

6. U.S. EPA ID Number

IND 985046499

C. State Transporter's ID

IN 496100021

D. Transporter's Phone

317-881-9754

7. Transporter 2 Company Name

8. U.S. EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

ENVIRONMENTAL ENTERPRISES, INCORPORATED

4650 SPRING GROVE AVENUE

CINCINNATI, OH 45232

10. U.S. EPA ID Number

OH 0083377010

G. State Facility's ID

H. Facility's Phone

513-541-1822

11. U.S. DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

a. RQ, WASTE POLYCHLORINATED BIPHENYLS, 9, UN2315, PGII PCB2 (PCB2)

12. Containers

No. Type

001 24

00070P

13. Total Quantity

Unit: Wt/Vol.

Waste No.

PCB2

b. . . . .

c. . . . .

d. . . . .

e. . . . .

f. . . . .

g. . . . .

h. . . . .

i. . . . .

j. . . . .

k. . . . .

l. . . . .

m. . . . .

n. . . . .

o. . . . .

p. . . . .

q. . . . .

r. . . . .

s. . . . .

t. . . . .

u. . . . .

v. . . . .

w. . . . .

x. . . . .

y. . . . .

z. . . . .

aa. . . . .

ab. . . . .

ac. . . . .

ad. . . . .

ae. . . . .

af. . . . .

ag. . . . .

ah. . . . .

ai. . . . .

aj. . . . .

ak. . . . .

al. . . . .

am. . . . .

an. . . . .

ao. . . . .

ap. . . . .

aq. . . . .

ar. . . . .

as. . . . .

at. . . . .

au. . . . .

av. . . . .

aw. . . . .

ax. . . . .

ay. . . . .

az. . . . .

ba. . . . .

bb. . . . .

bc. . . . .

bd. . . . .

be. . . . .

bf. . . . .

bg. . . . .

bh. . . . .

bi. . . . .

bj. . . . .

bk. . . . .

bl. . . . .

bm. . . . .

bn. . . . .

bo. . . . .

bp. . . . .

bq. . . . .

br. . . . .

bs. . . . .

bt. . . . .

bu. . . . .

bv. . . . .

bw. . . . .

bx. . . . .

by. . . . .

bz. . . . .

ca. . . . .

cb. . . . .

cc. . . . .

cd. . . . .

ce. . . . .

cf. . . . .

cg. . . . .

ch. . . . .

ci. . . . .

cj. . . . .

ck. . . . .

cl. . . . .

cm. . . . .

cn. . . . .

co. . . . .

cp. . . . .

cq. . . . .

cr. . . . .

cs. . . . .

ct. . . . .

cu. . . . .

cv. . . . .

cw. . . . .

cx. . . . .

cy. . . . .

cz. . . . .

da. . . . .

db. . . . .

dc. . . . .

dd. . . . .

de. . . . .

df. . . . .

dg. . . . .

dh. . . . .

di. . . . .

dj. . . . .

dk. . . . .

dl. . . . .

dm. . . . .

dn. . . . .

do. . . . .

dp. . . . .

dq. . . . .

dr. . . . .

ds. . . . .

dt. . . . .

du. . . . .

dv. . . . .

dw. . . . .

dx. . . . .

dy. . . . .

dz. . . . .

ea. . . . .

eb. . . . .

ec. . . . .

ed. . . . .

ee. . . . .

ef. . . . .

eg. . . . .

eh. . . . .

ei. . . . .

ej. . . . .

ek. . . . .

el. . . . .

em. . . . .

en. . . . .

eo. . . . .

ep. . . . .

eq. . . . .

er. . . . .

es. . . . .

et. . . . .

eu. . . . .

ev. . . . .

ew. . . . .

ex. . . . .

ey. . . . .

ez. . . . .

fa. . . . .

fb. . . . .

fc. . . . .

fd. . . . .

fe. . . . .

ff. . . . .

fg. . . . .

fh. . . . .

fi. . . . .

fj. . . . .

fk. . . . .

fl. . . . .

fm. . . . .

fn. . . . .

fo. . . . .

fp. . . . .

fq. . . . .

fr. . . . .

fs. . . . .

ft. . . . .

fu. . . . .

fv. . . . .

fw. . . . .

fx. . . . .

fy. . . . .

fz. . . . .

ga. . . . .

gb. . . . .

gc. . . . .

gd. . . . .

ge. . . . .

gf. . . . .

gg. . . . .

gh. . . . .

gi. . . . .

gj. . . . .

gk. . . . .

gl. . . . .

gm. . . . .

gn. . . . .

go. . . . .

gp. . . . .

gq. . . . .

gr. . . . .

gs. . . . .

gt. . . . .

gu. . . . .

gv. . . . .

gw. . . . .

gx. . . . .

gy. . . . .

gz. . . . .

ha. . . . .

hb. . . . .

hc. . . . .

hd. . . . .

he. . . . .

hf. . . . .

hg. . . . .

hh. . . . .

hi. . . . .

hj. . . . .

hk. . . . .

hl. . . . .

hm. . . . .

hn. . . . .

ho. . . . .

hp. . . . .

hq. . . . .

hr. . . . .

hs. . . . .

ht. . . . .

hu. . . . .

hv. . . . .

hw. . . . .

hx. . . . .

hy. . . . .

hz. . . . .

ia. . . . .

ib. . . . .

ic. . . . .

id. . . . .

ie. . . . .

if. . . . .

ig. . . . .

ih. . . . .

ii. . . . .

ij. . . . .

ik. . . . .

il. . . . .

im. . . . .

in. . . . .

io. . . . .

ip. . . . .

iq. . . . .

ir. . . . .

is. . . . .

it. . . . .

iu. . . . .

iv. . . . .

iw. . . . .

ix. . . . .

iy. . . . .

iz. . . . .





INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT  
OFFICE OF SOLID AND HAZARDOUS WASTE MANAGEMENT  
P.O. Box 7035  
Indianapolis, IN 46207-7035

PLEASE PRINT OR TYPE

(Form designed for use on elite (12-pitch) typewriter.)

Form Approved: OMB No. 2050-0039. Expires 9-30-98

# UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's U.S. EPA ID Number

Manifest Document No.

2. Page 1

Information in the shaded areas is not required by Federal Law, but items D, F, H, I and K are required by State Law.

3. Generator's Name and Mailing Address

DAYTON NORTH AMERICAN AUTO MOTORS  
1001 NORTH HARRISBURG BLVD, INDIANAPOLIS, IN 46102

A. State Manifest Document Number

INA1332051

B. State Generator's ID

4. Generator's Telephone Number (317) 330-7111

6. U.S. EPA ID Number

1111111111111111

C. State Transporter's ID

IN4961000021

5. Transporter 1 Company Name

LIQUID WASTE REMOVAL, INC. PO BOX 201

D. Transporter's Phone

317-861-9754

7. Transporter 2 Company Name

8. U.S. EPA ID Number

1111111111111111

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address

ENVIRONMENTAL SERVICES, INCORPORATED  
4000 SPRING LAKE AVENUE  
CAMDEN, NJ 08105

10. U.S. EPA ID Number

1111111111111111

G. State Facility's ID

H. Facility's Phone

513-541-1023

11. U.S. DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt/Vol.

15. Waste No.

a. LIQUID WASTE CONTAINING ACID, PHOSPHORIC, 8, D001, 1111111111111111 (PCB)

DO1111111111111111

000700

PCB

b. . . . .

. . . . .

. . . . .

. . . . .

c. . . . .

. . . . .

. . . . .

. . . . .

d. . . . .

. . . . .

. . . . .

. . . . .

J. Additional Descriptions for Materials Listed Above

ACIDOVAC # PCB5977

K. Handling Codes for Wastes Listed Above

T50/T16

15. Special Handling Instructions and Additional Information

LIQUID WASTE REMOVAL, INC. PO BOX 201  
317-861-9754  
EPA ID # 1111111111111111

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed /Typed Name

Signature

Date  
Month Day Year  
12 25 98

17. Transporter 1 - Acknowledgement of Receipt of Materials

Printed /Typed Name

Signature

Date  
Month Day Year  
12 25 98

18. Transporter 2 - Acknowledgement of Receipt of Materials

Printed /Typed Name

Signature

Date  
Month Day Year  
12 25 98

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest (except as noted in Item 19).

Printed /Typed Name

Signature

Date  
Month Day Year  
12 25 98

In case of a spill, call the Indiana Office of Environmental Response at 800/424-8802 or 202/426-2675.  
and the National Response Center at 800/424-8802 or 202/426-2675.

GENERATOR

TRANSPORTER

FACILITY

ITY

INA1332051



**WASTE REMOVAL****LWR QUOTE**

February 12, 1998

Dan Boucher  
Arvin North American Automotive  
1001 N. Hurricane Street  
Franklin, IN. 46131  
317-736-7111

RE: Waste Disposal

Dear Dan:

Liquid Waste Removal (LWR) is pleased to quote the following to: Arvin North American Automotive

To supply them with the proper equipment and labor to pick-up, transport, and dispose of two (2) PCB capacitors.

Cost ..... \$580.00 per 55 gallon drum  
(Both capacitors to be packed into one (1) drum)

The aforementioned work will be completed according to all Federal, State, and local regulations. Our terms are...Net 10 Days.

**ACCEPTANCE OF PROPOSAL:** The above prices, specifications, and conditions are satisfactory and are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above. If this is acceptable, please sign & date this quote and return a copy to LWR.

Signature:  Date of Acceptance 2-13-98

The above prices are good for (30) thirty days from the date of this quote. If you have any questions or comments, please call Matthew Morris at (317) 881-9754. Thank you.

Sincerely,



Matthew Morris  
Environmental Coordinator  
Liquid Waste Removal, Inc.

DATE: 2-13-98

FRANKLIN PLANT PURCHASING REQUISITION

No 20206

SHIP TO:

ARVIN NORTH AMERICAN AUTOMOTIVE  
ARVIN ROAD  
FRANKLIN, IN 46131  
PHONE: (317)736-7111  
FAX: (317)346-2999

ATTENTION: D. Boucher  
(MUST BE STATED ON PACKING SLIP)

CIP PROJECT NO: \_\_\_\_\_

DATE ORDER FAXED: \_\_\_\_\_

ASSET NO: \_\_\_\_\_

BLANKET PO. #: \_\_\_\_\_ LINE ITEM # \_\_\_\_\_  
(IF APPLICABLE)

15/54 TOOLING: \_\_\_\_\_

ACCOUNT NO: 332494-345-0000

ASSEMBLY NO: \_\_\_\_\_

VENDOR: Liquid Waste Removal  
(ADDRESS/PHONE NO)

ARVIN NO: \_\_\_\_\_ P/R #: \_\_\_\_\_  
(PRODUCT RELEASE NO)

PAYMENT TERMS: \_\_\_\_\_  
(IF NEW VENDOR OR OTHER THAN STANDARD)

FOR USE ON: Disposal of PCB's

CONFIRMING PRICE PER WITH: Matt

DATE: 2-12-98

SHIPPING INSTRUCTIONS:

SPECIAL SHIPPING INSTRUCTIONS:

- ☐ UPS ☐ UPS RED ☐ 7 DAYS  
(PREMIUM FREIGHT)  
☐ OTHER  
☐ DATE NEEDED \_\_\_\_\_

QTY/UN	PART NUMBER	COMPLETE DESCRIPTION	COST/UN	EXTENDED COST
1		Removal Service of (2) two Capacitors Containing PCB's These Capacitors ARE To be INCINERATED AS per Quoted @ 580. <sup>00</sup> for Both		
TOTAL COST OF REQUISITION				580. <sup>00</sup>

REQUISITIONED BY: D. Boucher

DATE: 2-13-98 APPROVED BY UNIT MGR: \_\_\_\_\_

## Induction Heater Capacitors

1.) 6430 Line      Asset # 500158      No PCB's  
SN-D091166      Cat # 19L677RH3      230 KVAR

2.) 6420 Line      Asset # 29845      No PCB's  
SN-A141445      Cat # 19L497NH3      35 KVAR

3.) 6450 Line      Asset # 20292      No PCB's  
SN-X263079      Cat # 19L609RH1      450 KVAR

4.) Cravens      Asset # 26909      Contains PCB's  
SN-K346359      Cat # 19F609      450 KVAR

5.) 6280 Line      Asset # 29775      No PCB's  
SN-850177005      Cat # 3HF01a

6.) 6850 Line      Asset # 26370      No PCB's  
SN-R343290      Cat # 19L611KH1

7.) 6400 Line      Asset # 29531      No PCB's  
SN-84090057      Cat # 3HF01a

8.) Cravens      Asset # 21227      PCB's      450 KVAR  
SN-K128176      Cat# 19F609

*CONTAINS*  
*1-22-95*  
*DB*

**Boucher, Dan**

---

**From:** Williams, Bob  
**Sent:** Wednesday, January 21, 1998 3:47 PM  
**To:** Elliott, Bob  
**Cc:** Boucher, Dan  
**Subject:** FW: PCB INFO

Only 1 of the Induction heaters in the Chrysler Group has PCB's and it is located in Cravens. I will have Jay Longtin get with Danny on disposing of it properly.

-----  
**From:** Longtin, Jay  
**Sent:** Wednesday, January 21, 1998 11:11 AM  
**To:** Williams, Bob  
**Subject:** PCB INFO

Bob, Here is the information you requested on the Induction heaters capacitor PCB's.



PCB'S.DOC

**Jay A. Longtin**  
CHRYSLER BUSINESS GROUP  
Elect. Eng. Tech./Maint. Supervisor  
ph. (317) 736-7111 Ext. 2143  
fax (317) 346-2719  
e-mail: jalongti@arvin.com

**Boucher, Dan**

---

**From:** Longtin, Jay  
**Sent:** Thursday, January 22, 1998 5:48 AM  
**To:** Boucher, Dan  
**Subject:** PCB's

Dan, I have 2 induction heaters in cravens that have capacitors that contain PCB's. Please advise on how to proceed.

Thanks,

**Jay A. Longtin**

CHRYSLER BUSINESS GROUP  
Elect. Eng. Tech./Maint. Supervisor  
ph. (317) 736-7111 Ext. 2143  
fax (317) 346-2719  
e-mail: jalongti@arvin.com



US ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

Form Approved  
OMB No. 2070-0007  
Expires 3-31-88

TOXIC SUBSTANCES CONTROL ACT

NOTICE OF INSPECTION

1. INVESTIGATION IDENTIFICATION			2. TIME	3. FIRM NAME
DATE 11/7/90	INSPECTOR NO. RV-G06	DAILY SEQ. NO.		Oliver North American Automotive
4. INSPECTOR ADDRESS			5. FIRM ADDRESS	
U.S. EPA- Region V (5SPT-7) 230 S. Dearborn Street Chicago, IL 60604			1001 HURRICANE SEA, Franklin, IN 46131	

REASON FOR INSPECTION: (PCBs) (Cooling Towers)

Under the authority of Section 11 of the Toxic Substances Control Act :

- ☒ For the purpose of inspecting (including taking samples, photographs, statements, and other inspection activities) an establishment, facility, or other premises in which chemical substances or mixtures or articles containing same are manufactured, processed or stored, or held before or after their distribution in commerce (including records, files, papers, processes, controls, and facilities) and any conveyance being used to transport chemical substances, mixtures, or articles containing same in connection with their distribution in commerce (including records, files, papers, processes, controls, and facilities) bearing on whether the requirements of the Act applicable to the chemical substances, mixtures, or articles within or associated with such premises or conveyance have been complied with.

INSPECTOR SIGNATURE		RECIPIENT SIGNATURE	
NAME Heinz LEWIN		NAME DOUGLAS A. LOGAN	
TITLE PCB Compliance Inspector	DATE SIGNED 11/7/90	TITLE DIRECTOR OF ENVIRONMENTAL AFFAIRS	DATE SIGNED 11/7/90





US ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

TOXIC SUBSTANCES CONTROL ACT

TSCA INSPECTION CONFIDENTIALITY NOTICE

Form Approved  
OMB No. 2070-0007  
Expires 3-31-88

1. INVESTIGATION IDENTIFICATION

DATE *11/7/90* INSPECTOR NO. *RV-006* DAILY SEQ. NO.

3. INSPECTOR NAME

Heinz LEWIN

5. INSPECTOR ADDRESS

U.S. EPA - Region V  
MAIL: 5SPT-7  
230 S. Dearborn Street  
Chicago, IL 60604

2. FIRM NAME

*Arvin North American*

4. FIRM ADDRESS

*1001 Hurricane St.  
Franklin, IN. 46131*

6. CHIEF EXECUTIVE OFFICER NAME

7. TITLE

TO ASSERT A CONFIDENTIAL BUSINESS INFORMATION CLAIM

It is possible that EPA will receive public requests for release of the information obtained during inspection of the facility above. Such requests will be handled by EPA in accordance with provisions of the Freedom of Information Act (FOIA), 5 USC 552; EPA regulations issued thereunder, 40 CFR Part 2; and the Toxic Substances Control Act (TSCA), Section 14. EPA is required to make inspection data available in response to FOIA requests unless the Administrator of the Agency determines that the data contain information entitled to confidential treatment or may be withheld from release under other exceptions of FOIA.

Any or all the information collected by EPA during the inspection may be claimed confidential if it relates to trade secrets or commercial or financial matters that you consider to be confidential business information. If you assert a CBI claim, EPA will disclose the information only to the extent, and by means of the procedures set forth in the regulations (cited above) governing EPA's treatment of confidential business information. Among other things, the regulations require that EPA notify you in advance of publicly disclosing any information you have claimed as confidential business information.

A confidential business information (CBI) claim may be asserted at any time. You may assert a CBI claim prior to, during, or after the information is collected. The declaration form was developed by the Agency to assist you in asserting a CBI claim. If it is more convenient for you to assert a CBI claim on your own stationery or by marking the individual documents or samples "TSCA confidential business information," it is not necessary for you to use this form. The inspector will be glad to answer any questions you may have regarding the Agency's CBI procedures.

While you may claim any collected information or sample as confidential business information, such claims are unlikely to be upheld if they are challenged unless the information meets the following criteria:

1. Your company has taken measures to protect the confidentiality of the information, and it intends to continue to take such measures.

2. The information is not, and has not been, reasonably obtainable without your company's consent by other persons (other than governmental bodies) by use of legitimate means (other than discovery based on showing of special need in a judicial or quasi-judicial proceeding).

3. The information is not publicly available elsewhere.

4. Disclosure of the information would cause substantial harm to your company's competitive position.

At the completion of the inspection, you will be given a receipt for all documents, samples, and other materials collected. At that time, you may make claims that some or all of the information is confidential business information.

If you are not authorized by your company to assert a CBI claim, this notice will be sent by certified mail, along with the receipt for documents, samples, and other materials to the Chief Executive Officer of your firm within 2 days of this date. The Chief Executive Officer must return a statement specifying any information which should receive confidential treatment.

The statement from the Chief Executive Officer should be addressed to:

Ms. Marion Young, DCO  
U.S. EPA - Region V (5SPT-7)  
230 S. Dearborn Street  
Chicago, IL 60604

and mailed by registered, return-receipt requested mail within 7 calendar days of receipt of this Notice. Claims may be made any time after the inspection, but inspection data will not be entered into the special security system for TSCA confidential business information until an official confidentiality claim is made. The data will be handled under the agency's routine security system unless and until a claim is made.

TO BE COMPLETED BY FACILITY OFFICIAL RECEIVING THIS NOTICE:

I have received and read the notice

SIGNATURE

*[Signature]*

NAME

*Douglas A. Logan*

TITLE

*DIRECTOR OF  
ENVIRONMENTAL AFFAIRS*

DATE SIGNED

*11/7/90*

If there is no one on the premises of the facility who is authorized to make business confidentiality claims for the firm, a copy of this Notice and other inspection materials will be sent to the company's chief executive officer. If there is another company official who should also receive this information, please designate below.

NAME

TITLE

ADDRESS



US ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, DC 20460

TOXIC SUBSTANCES CONTROL ACT

RECEIPT FOR SAMPLES AND DOCUMENTS

Form Approved.  
OMB No. 2070-0007  
Approval expires 3-31-88

1. INVESTIGATION IDENTIFICATION

DATE *11/7/90* INSPECTOR NO. *RV-006* DAILY SEQ. NO.

2. FIRM NAME

*ARVIN North American Automob*

3. INSPECTOR ADDRESS

U.S. EPA - Region V  
MAIL: 5SPT-7  
230 S. Dearborn Str.  
Chicago, IL 60604

4. FIRM ADDRESS

*1001 Hurricane Str.  
FRANKLIN, IN. (46131)*

The documents and samples of chemical substances and/or mixtures described below were collected in connection with the administration and enforcement of the Toxic Substances Control Act.

RECEIPT OF THE DOCUMENT(S) AND/OR SAMPLE(S) DESCRIBED IS HEREBY ACKNOWLEDGED:

NO.	DESCRIPTION
<i>5</i>	<i>Lab Reports for rec classification of (1) Transformer</i>
<i>16</i>	<i>AWM - Disposal Data</i>
<i>19</i>	<i>Report - SPI 27 &amp; Cleanup by High Volt Maint.</i>

OPTIONAL:

DUPLICATE OR SPLIT SAMPLES: REQUESTED AND PROVIDED ☐ NOT REQUESTED ☐

INSPECTOR SIGNATURE

NAME

Heinz LEWIN

RECIPIENT SIGNATURE

NAME

DOUGLAS A. LOGAN

TITLE

PCB Compliance Inspector

DATE SIGNED

*11/7/90*

TITLE

DIRECTOR OF ENVIRONMENTAL AFFAIRS

DATE SIGNED

*11/7/90*



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5

230 SOUTH DEARBORN ST.

CHICAGO, ILLINOIS 60604

REPLY TO THE ATTENTION OF:

FIELD CITATION

ARVIN North American Automotive  
Facility Name

1001 Hurricane St.

Franklin, IN. 46131  
Facility Address City, State

\* \* \*

Compliance Inspection  
Date:

11/7/90

This is a formal notification concerning the compliance inspection conducted at the facility named above, pursuant to Section II of the Toxic Substances Control Act (TSCA), 15 U.S.C. Section 2601 et seq. The purpose of the inspection was to assess the facility's compliance with the requirements of the Polychlorinated Biphenyls (PCB) Final Rule, 40 C.F.R. Part 761, and amendments.

Issuance of this citation and receipt of any documentation does not preclude the U.S. EPA from proceeding under TSCA or any other applicable statute and assessing appropriate penalties. Any enforcement action taken by the U.S. EPA after a final evaluation of the inspection report would not be limited to the violations listed in this citation.

It appears that the above-named facility was not in compliance with the requirements of 40 C.F.R. Part 761. The inspection revealed the following violations:

1. ☐ AUTHORIZATIONS  
(Use 761.30)

2. ☐ MARKING  
(761.40)

3. ☐ STORAGE  
(761.65)

4. ☒ RECORDKEEPING  
(761.180)

5. OTHER \_\_\_\_\_

Comments On Violations Cited Above

PCB Regulation 761.180 requires annual PCB reports if the facil. owns one or more PCB transformers.

This facility operated PCC transformers and reclos. The last unit in 1989 to 4500 ppm PCBs, by test.

CITATION

DOCUMENTATION REQUIRED TO CORRECT THE ABOVE VIOLATION(S)

*Reconstruct the annual reports  
for all years 1978-to-date  
and send a copy to the  
undersigned within 30 days.*

Within thirty (30) days of receipt of this Field Citation this facility must submit the requested documentation to show that the violation(s) has/have been corrected. The documentation must be submitted to:

Inspector's Name HEINZ LEWIN

Address U.S. EPA - Region V; 230 S. Dearborn Street; 5SPT-7

City, State Chicago, IL 60604


If you have questions concerning this inspection or this Field Citation, please call the inspector at ( 312 ) 353-5833.



Issued To/Received By

*11/7/90*

Date






Inspector's Signature

*11/7/90*

Date







CCB

**ArvinMeritor.**

EXHAUST SYSTEMS  
1001 HURRICANE ST, FRANKLIN IN 46131, U.S.A.

SCALE	DRAWN BY:	DATE
1:600	D. POLSON	2-21-01

NAME  
Franklin Plant Layout

DRAWING NO.

PlantLayout\_Franklin



ATTACHMENT 5


# PHOTO LOG

FACILITY Arvin Meritor

PHOTOGRAPHER Robert Malone

DATE 5/16/2001

PHOTO #	LOCATION/SUBJECT
1	<u>Roof East Substation</u>
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	



①

Arvin Automotive  
Facility  
Robert Malone 5/16/2001 10:00 a.m.  
Photographer Date Time  
Others Present: Roger Wilson  
Dan Boucher  
Location: Roof East-Substation  
Subject (movement): Photo of transformer  
"Silicone Filled"

SF 39674

Dept. of Environmental Mgmt.