STATE OF INDIANA

STREAM POLLUTION CONTROL BOARD

INDIANAPOLIS 46206

1330 West Michigan Street
633-5467

STATE OF INDIANA)
) SS:
COUNTY OF MARION)

BEFORE THE STREAM POLLUTION CONTROL BOARD OF THE STATE OF INDIANA

IN THE MATTER OF THE PETITION, FILED BY THE GENEVA TOWNSHIP TRUSTEE AND THE CENTER TOWNSHIP TRUSTEE, JENNINGS COUNTY, STATE OF INDIANA, FOR THE ESTABLISHMENT OF A REGIONAL SEWER DISTRICT TO BE KNOWN AS "GENEVA TOWNSHIP REGIONAL WASTE DISTRICT," PURSUANT TO IC 1971, 19-3-1.1.

CAUSE NO. B-313

ORDER

Resolved: That the Stream Pollution Control Board of the State of Indiana accept the Findings of Fact and Recommendations of Robert G. Grant, Hearing Officer in the above-captioned cause, as its own, and issue an order creating the Geneva Township Regional Waste District.

NOW, THEREFORE, IT IS ORDERED by the Stream Pollution Control Board of the State of Indiana:

1. That the petition be accepted.

2. That a regional sewer district, to be known as the Geneva Township Regional Waste District, be organized as an independent political entity of the State of Indiana as a body corporate and political.

3. That the purpose to be accomplished by said sewer district is to provide for the collection and disposal of sewage.

4. That the territory to be included in the district will consist of all of Geneva Township and Section 29 of Center Township, Jennings County, Indiana. except the following: ext

5. That the district be governed by a Board of Trustees consisting of five (5) members to be appointed by the Geneva Township Trustee.

   a. Members of the Board of Trustees shall be appointed as follows:

      (1) One (1) appointed Trustee with an initial term of four (4) years.

(2) One (1) appointed Trustee with an initial term of three (3) years.

(3) One (1) appointed Trustee with an initial term of two (2) years.

(4) Two (2) appointed Trustees with an initial term of one (1) year.

b. Said initial terms shall expire on November 30 prior to the anniversary date of their appointment as set out hereinabove.

c. Thereafter, once the initial terms have expired, all terms shall be for four (4) years.

d. The Geneva Township Trustee shall have the power to appoint Trustees to fill any unexpired term.

e. Members may be appointed for more than one (1) term.

6. That the Board of Trustees shall provide sufficient bond for all officers, trustees or employees who have any power to dispense funds of the district. Said bond, as a minimum, shall be in an amount equal to, plus ten percent (10%) of, those funds anticipated to be received by the district, divided by six (6), which amount shall be determined annually by the Board of Trustees.

7. Six months from the date of this order the Geneva Township Regional Waste District shall file with the Stream Pollution Control Board of the State of Indiana, a detailed plan for the construction and operation of the district's facilities pursuant to the provisions of IC 1971, 19-3-1.1-5(a).

Dated at Indianapolis, Indiana, this 20th day of January, 1976.

Oral H. Hert
Technical Secretary

S 30° 43' 42" W a distance of 398.05 feet to an iron pin; thence with Jackson's west line

S 43° 39' 24" E a distance of 231.00 feet to an iron pin; thence with Jackson's south line

N 30° 43' 42" E a distance of 396.48 feet to a spike on the center line of State Route No. 7; thence with said center line on a curve to the left an arc distance of 108.43 feet (the radius of said curve being 34,308.86 feet, the chord bearing being S 43° 34' 02" E, and the chord being 108.43 feet) to a point;

thence S 43° 39' 24" E a distance of 724.80 feet to a point; thence on a curve to the right an arc distance of 363.18 feet (the radius of said curve being 1637.02 feet, the chord bearing being S 37° 18' 04" E, and the chord being 362.44 feet) to a point;

thence S 17° 02' 24" W a distance of 301.35 feet to an iron pin on the center line of a county road as recorded in Broadus Acres; thence N 81° 11' 36" W a distance of 308.65 feet to an iron pin; thence S 0° 14' 36" W a distance of 339.02 feet to an iron pin; thence S 57° 04' 24" E a distance of 278.35 feet to an iron pin; thence N 50° 30' 36" E a distance of 179.28 feet to an iron pin; thence S 41° 00' 24" E a distance of 125.00 feet to an iron pin; thence N 50° 30' 36" E a distance of 166.50 feet to an iron pin on the center line of said county road; thence with the center line S 41° 00' 24" E a distance of 28.51 feet to a spike; thence N 84° 27' 05" E with the center line a distance of 87.37 feet to the center line intersection of State Route No. 7; thence on a curve to the left an arc distance of 420.00 feet (the radius of said curve being 1273.24 feet, the chord bearing being S 40° 32' 24" E, and the chord being 418.10 feet) to a point;
thence S 49° 59' 24" E a distance of 207.70 feet to a point; thence on a curve to the right an arc distance of 226.19 feet (the radius of said curve being 5729.58 feet, the chord bearing being S 48° 51' 33" E, and the chord being 226.17 feet) to a point; thence leaving the center line:

S 60° 03' 35" W a distance of 198.39 feet to an iron pin; thence S 88° 02' 13" W a distance of 87.80 feet to an iron pin; thence S 7° 25' 09" E a distance of 111.06 feet to an iron pin; thence S 47° 25' 26" E a distance of 116.41 feet to an iron pin; thence S 10° 28' 41" E a distance of 1022.74 feet to an iron pin; thence N 59° 22' 47" E a distance of 897.27 feet to the center line of State Route No. 7; thence with the center line

S 42° 17' 24" E a distance of 653.73 feet to a point; thence on a curve to the left an arc distance of 85.96 feet (the radius of said curve being 57,294.33 feet, the chord bearing being S 42° 19' 59" E, and the chord being 85.95 feet) to a point; thence leaving the center line

S 47° 41' 14" W a distance of 183.84 feet to an iron pin; thence S 42° 18' 51" E a distance of 626.68 feet to an iron

pin; thence N 48° 16' 35" E a distance of 187.97 feet to an iron pin on the center line of said State Route No. 7; thence with the center line on a curve to the left an arc distance of 285.39 feet (the radius of said curve being 57,294.33 feet, the chord bearing being S 43° 08' 50" E, and the chord being 285.39 feet) to a point; thence

S 43° 17' 24" E a distance of 666.71 feet to a spike; thence leaving the center line

S 89° 07' 49" W a distance of 945.68 feet to a concrete monument; thence S 0° 39' 53" E a distance of 1350.27 feet to a stone; thence S 89° 28' 20" W a distance of 2699.49 feet to an iron pin on the center line of Old Township Road 350 W; thence with the center line

S 0° 27' 42" E a distance of 412.65 feet to an iron pin; thence leaving the center line

S 89° 44' 27" W a distance of 270.00 feet to an iron pin; thence S 0° 27' 42" E a distance of 500.00 feet to an iron pin; thence S 89° 44' 27" W a distance of 224.00 feet to an iron pin; thence S 0° 27' 42" E a distance of 441.00 feet to a spike on the center line of Township Road; thence with said center line

S 89° 44' 27" W a distance of 1608.43 feet to an iron pin on the Range line; thence

N 0° 38' 52" E with the Range Line a distance of 243.84 feet to an iron pin; thence leaving the Range line

S 88° 27' 15" W a distance of 189.75 feet to an iron pin; thence S 0° 38' 52" W a distance of 115.50 feet to an iron pin; thence S 88° 27' 15" W a distance of 8.25 feet to an iron pin; thence S 0° 38' 52" W a distance of 218.62 feet to an iron pin on the center line of Township Line Road; thence with said center line

S 88° 27' 15" W a distance of 4683.49 feet to an iron pin; thence leaving the center line

N 0° 07' 02" W a distance of 330.00 feet to an iron pin; thence S 88° 27' 15" W a distance of 561.00 feet to an iron pin on the center line of Township Road 500 W; thence with said center line

N 0° 07' 02" W a distance of 1130.17 feet to an iron pin; thence leaving the center line

N 88° 47' 39" E a distance of 480.50 feet to an iron pin; thence N 0° 07' 02" W a distance of 680.00 feet to an iron pin; thence S 88° 47' 39" W a distance of 480.50 feet to an iron pin on the center line of Township Road 500 W; thence with the center line

N 0° 07' 02" W a distance of 214.80 feet to an iron pin; thence leaving the center line

N 88° 47' 39" E a distance of 295.20 feet to an iron pin; thence N 0° 07' 02" W a distance of 295.20 feet to an iron pin; thence S 88° 47' 39" W a distance of 295.20 feet to an iron pin on the center line of Township Road 500 W and the northwest corner of the southwest quarter of Section 24; thence with the center line