

Indiana Brownfields Program

an Indiana Finance Authority Environmental Program

100 North Senate Avenue, Room 1275 Indianapolis, Indiana 46204 www.brownfields.in.gov

James P. McGoff

Director of Environmental Programs (317) 232-2972 jmcgoff@ifa.in.gov

June 26, 2024

Mr. Glen Howard Senior Project Manager SES Environmental 3807 Transportation Drive Fort Wayne, Indiana 46818

> Re: Environmental Assessment, UST Removal, and Remediation Star Sunoco 203 North Main Street Summitville, Madison County, Indiana Brownfield Site #4240407 SES – POSI Project Amendment #2

Dear Glen:

The Indiana Brownfields Program (Program) is in receipt of SES Environmental's (SES) proposal (*see* <u>Attachment A</u>) submitted in response to the Program's request for a cost estimate for the completion of environmental assessment, UST removal, and remediation activities at the Star Sunoco in Summitville, Indiana (Site). We have attached a Project Amendment to be attached as part of Exhibit A of your firm's Professional Services Contract with the Indiana Finance Authority (Authority) which acknowledges the Program's acceptance of your proposal and will serve as your authorization to proceed.

Scope of Work

As outlined in <u>Attachment A</u>, SES will perform the following tasks:

Task A:	Complete a geophysical survey
Task B:	Complete a Site-specific Remediation Work Plan (RWP), Health & Safety Plan
	(HASP), and Sampling and Analysis Plan (SAP)
Task C:	Conduct UST Removal and Remediation Activities
Task D:	Conduct Phase II Subsurface Investigation Activities
Task E:	Conduct Soil Gas and/or Vapor Sampling Activities (if required)
Task F:	Conduct Quarterly Groundwater Monitoring Events (if required)
Task G:	Complete and Submit All Necessary Reports

Site Access

SES will need to execute a site access agreement (Site Access Agreement) with the owner of the Site granting access to the Site for the environmental assessment and/or remediation activities. An executed copy of the Site Access Agreement will be attached hereto by the Program as <u>Attachment B</u> after it is received from your firm. If the Site owner refuses to sign the Site Access Agreement, the Program may determine to withdraw funding for the Site.

Schedule for Project Tasks

The schedule outlined below approximates the timeline for implementation of the work outlined in <u>Attachment A</u>:

- June 26, 2024: Project Amendment transmitted to consultant
- June 28, 2024: Signed Project Amendment and Site Access Agreement received by the Program
- July 22, 2024: Geophysical survey results submitted to the Program
- July 22, 2024: RWP, HASP, and SAP due
- July 31, 2024: UST removal and remediation field work initiated
- August 12, 2024: Subsurface investigation activities initiated
- September 30, 2024: UST Closure Report submitted to the Program
- November 1, 2024: Subsurface Investigation Report submitted to the Program
- December 16, 2024: Quarterly groundwater monitoring initiated (if required)
- December 31, 2026: Final quarterly report and invoice submitted to the Program

Total Estimated Project Expense Budget & Payment

The cost to complete the above-referenced Scope of Work will be based on the proposal contained in <u>Attachment A</u> and total project expense budget (Project Budget) outlined herein. SES will not change the Scope of Work or exceed the Project Budget for this project without prior written authorization from the Program. The Program has executed the Project Amendment attached hereto to authorize initiation of the activities under the Scope of Work. As soon as the Program receives SES's signed acknowledgment on the Project Amendment, invoicing can begin according to the following proposed payment schedule:

- Category I: Remediation Work Plan/HASP/SAP
- Category II: Subsurface Investigation, UST Removal & Remediation Activities
- Category III: Groundwater Monitoring and Soil Gas/Vapor Sampling
- Category IV: Reporting

Modifications to the above schedule shall be discussed with the Program's Project Manager for the Site, Mitchell Smith, and are subject to approval by the Program. Invoicing for this project will be in accordance with the above-listed payment milestones. The Program's *Financial Assistance Disbursement Guidelines – State Funding* (August 2018) (Disbursement Guidelines) will apply to invoicing for this project. The guidelines are attached to your firm's contract as Exhibit C and can also be found on the Program's web site at: <u>www.brownfields.in.gov</u>. Requests for payment should be submitted using the Disbursement Request Form attached hereto as <u>Attachment C</u> and should be accompanied by all required supporting documentation. As there is no grant recipient for this project, the form may be submitted directly to the Program's Project Manager for the Site. Following invoice approval by the Program's Project Manager, payment will be made directly by the Program to SES.

PROJECT AMENDMENT #2

Description of Services:	Environmental Assessment, UST Removal, and Remediation
Project Name:	Star Sunoco 203 North Main Street Summitville, Madison County, Indiana Brownfield Site #4240407

Proposed Budget: \$225,284

SES will perform the Scope of Work described above and in Attachment A for a total project cost of \$225,284. This form shall serve as an authorization by the Program to proceed with the Scope of Work. Invoicing may begin according to the above-referenced payment schedule in accordance with the Disbursement Guidelines upon the Program's receipt of SES's acknowledgment below.

PROPOSAL ACCEPTED BY:

I hereby acknowledge and agree to the proposal including the Scope of Work in Attachment A hereto and the conditions set forth in the letter to which this Project Amendment is attached.

James P. McGoff, Director Environmental Programs Indiana Finance Authority

6/26/2024

Date

ACKNOWLEDGED BY: SES Environmental

I hereby acknowledge and accept the conditions set forth in the enclosed letter and this Project Amendment.

CHERGE RYAN, VP of BUS. OPERATORIS Print Name & Title

Signature

For Approval of Charges, Send Invoice(s) to: Mitchell Smith Indiana Brownfields Program 100 N. Senate Avenue, Room 1275 Indianapolis, Indiana 46204 Email: mismith@ifa.in.gov Telephone: (317) 234-8833

Attachment A Approved Proposal & Scope of Work



Glen A. Howard, CHMM Senior Project Manager 3807 Transportation Drive Fort Wayne, IN 46818 Phone: 260/497-7645 Fax: 260/497-7645 g.howard@sesadvantage.com

May 20, 2024

Mitchell Smith Indiana Brownfields Program 100 North Senate Avenue, Room 1275 Indianapolis, IN 46204

> Ref: Proposal for Environmental Assessment and Remediation Services Former Star Sunoco 203 North Main Street Summitville, Madison County, Indiana 46070 BFD #4240407 FID #8692

M. Smith:

This letter serves as a proposal and our statement of interest to provide environmental services at the referenced site in accordance with your *Bid Proposal for Environmental Assessment And Remediation Services* dated May 6, 2024.

The subject property was occupied by a Sunoco filling station from at least 1975 until the 1990s. An underground storage tank (UST) basin is located at the paved area southeast of the site building. Several UST fill ports were observed in the pavement at this area and four UST vent pipes were observed along the south wall of the building. A piping run to a former dispensing island located east of the building was also apparent. Piping connections for three former fuel dispensers are present in the concrete dispensing island. Review of IDEM VFC records indicates that USTs at the subject property include one 550-gallon kerosene UST installed in 1976, one 1,000-gallon gasoline UST installed in 1976, one 2,000-gallon gasoline UST installed in 1976, and one 3,000-gallon gasoline UST installed in 1983.

SES recommends geophysical survey to identify the UST systems, followed by removal of any existing USTs and identified petroleum impacted soils. If necessary, subsurface investigation will be conducted to delineate soil, soil gas and/or groundwater impact and monitoring will be conducted to assess temporal changes. Additional scope details are provided in the following narratives.

Initial Assessment

Prior to initiating site work, SES will arrange for public and municipal underground utilities to be identified. In addition, a geophysical survey will be conducted via real time scanning for abandoned USTs at the property. Prism GeoImaging, Inc. recommends EM61 metal detection mapping followed by ground penetrating radar (GPR) scanning of any possible UST anomalies. EM61 is a time-domain electromagnetic pulse-induction metal detector manufactured by Geonics Ltd in Mississauga Ontario Canada. It is purpose built to detect USTs, buried drums, and similar ferrous metal objects. GeoImaging deliverables will be paint marks on the ground and a short letter report with figures summarizing the results and findings.



A representative soil sample and groundwater may be collected from the identified UST/excavation area(s) for waste characterization. The samples will be analyzed in accordance with criteria provided by the solid waste disposal facility chosen to receive the waste. However, SES anticipates only minimal waste analytical sampling and testing will be conducted, and we expect to claim the exemption of 40CFR 261.4(b)(10) – if petroleum impact is evident. Groundwater is expected to be at depths of approximately 3 to 8 feet.

• If field evidence of petroleum is evident during sampling, a *Leaking UST Initial Incident Report* will be issued to <u>LeakingUST@idem.in.gov</u>. Furthermore, if shallow groundwater impact is apparent, SES will recommend application of ORC following soil excavation and tank closure by removal.

UST Removal and Remediation

SES understands costs to remove one (1) 550-gallon UST (kerosene), one (1) 1,000 gallon UST (gasoline), one 2,000 gallon UST (gasoline), and one 3,000 gallon UST (gasoline), excavate up to 1,500 tons of contaminated soil, and to remove up to 2,000 gallons of petroleum liquid/sludge should be included; but actual to be subject to results of initial assessment.

Work Plan/Health and Safety Plan/Preparations

A Work Plan will be prepared detailing methods and procedures to be utilized during UST and soil/product removal. Temporary chain link fencing around the construction site will be specified. A site-specific Health and Safety Plan will also be prepared. Both plans will be submitted for agency review and approval.

Removals

Removals will generally be conducted as follows:

- 1. A *Notification for Underground Storage Tanks* form will be submitted to the IDEM UST Section indicating the intent to close the UST system. Also, at least 14 days before closure, IDEM-UST, the OSFM and the local fire department will be notified.
- 2. Indiana 811 will be notified to mark underground utilities at the jobsite.
- 3. The USTs and associated product piping will be removed from the site (if approved by Program).
- 4. Tanks will be purged and cleaned by a certified contractor.
- 5. Recovered petroleum liquid/sludge, not exceeding 2,000 gallons, will be contained, and disposed properly.
- 6. Soil sampling will be conducted in accordance with IDEM's UST Closure Assessment Guidelines and per IDEM's Risk-based Closure Guide (R2) analyzed for volatile organic compounds (VOCs) including 1,2-dibromoethane, and 1,2-dichloroethane), polycyclic aromatic hydrocarbons (PAHs), and/or total lead. Testing for heating oil and hydraulic oil is typically limited to PAHs analysis and testing for gasoline typically includes VOCs and lead. Testing may be expanded to include analysis for PCBs to further screen for contaminants associated with waste oils and high temperature hydraulic oils. Per the Program's *Bid Proposal* request, VOCs, PAHs and lead will be analyzed, and costs are reflected as such.
- 7. Petroleum impacted soil, not exceeding 1500 tons, will be removed, and transported off-site under manifest to an approved disposal site. As previously noted, SES anticipates claiming the exemption of 40CFR 261.4(b)(10).
- 8. SES will continually monitor soil during excavation, and collect samples as needed to ensure the project is completed in accordance with work plan specifications.
- 9. Excavated/removed soil will be transported to a licensed solid waste-disposal facility. Waste manifests will be maintained for all off-site shipments.



- 10. At least one sample per 50 cubic yards of segregated material will be collected and submitted for VOCs, PAHs and/or lead/lead scavenger analyses in accordance with SW 846 Method 8260, 8270, and 6010, respectively. Soils with release-related chemicals at concentrations exceeding relevant remediation objectives should not be returned to the excavation.
- 11. Excavation extents will be dependent on PID readings, visual, and olfactory screening results.
- 12. SES will collect soil samples from exposed tank excavation sidewalls and bottom, as well as along product piping. One soil sample will be collected for each sidewall or every 20 feet. These soil samples will be collected from the vertical midpoint of the sidewall. At least two bottom samples will be collected beneath each UST (3 samples if UST is > 10,000 gallons in capacity).
- 13. In-field sample preservation for volatiles will be consistent with Method 5035A and will include the use of Terra Core[®] sampling devices. To minimize VOC loss, SES will collect subsamples from the soil core as quickly as possible, taking special care to limit exposure and disaggregation of the soil.
- 14. Samples will be placed in laboratory provided sample containers. Containers will be properly labeled, entered into chain-of-custody documentation, and placed into an ice-filled cooler for shipment to the laboratory.
- 15. All retained soil samples will be promptly delivered to a sub-contract laboratory for VOCs, PAHs, and/or lead/lead scavengers. If requested by the Program, testing will be expanded to include analysis for SVOCs, RCRA 8 metals and/or PCBs to further assess RECs identified in SES's *Phase I ESA* dated May 15, 2024.
- 16. A groundwater sample required for a complete UST closure assessment will be manually obtained from the excavation. Or a sample will be obtained during subsurface investigation detailed in the next section of this proposal (VOCs 8260, PAHs 8270, lead– 6010).
- 17. QA/QC samples consisting of field duplicates and MS/MSD samples will be retained per 20 samples. A level IV analytical data package will be requested from the laboratory.
- 18. Up to 1500 pounds of Oxygen Releasing Compound (ORC) will either be applied at the base of the excavation area if initial assessment findings petroleum impacted groundwater. Please note that ORC for application at base of excavation must be ordered prior to initiating soil removal.
- 19. The excavations will be backfilled with granular soil/aggregate and topped with crushed stone (nominal 4 inches). The aggregate will not be density tested for compaction and screening for contaminants in the aggregates will not be conducted. SES understands that cohesive backfill material (e.g., clays, silty clays) will require confirmation sampling.
- 20. Level D personnel protective equipment will be required for all on-site work tasks.
- 21. Photos will be taken documenting the UST Closure and Removal activities and included in the UST Closure Report.

Following all removals and ORC application activities, an UST Closure Report will be prepared in general accordance with IDEM UST Closure Assessment Guidelines and Risk-based Closure Guide. The report will be provided to IDEM, Program and electronically to the owner. SES understands all data should be submitted electronically to olqdata@idem.in.gov.

Subsurface Assessment

A Sampling and Analysis Plan (SAP) will be prepared detailing methods and procedures to be utilized to assess soil and groundwater conditions. Sampling will generally be conducted as follows:

- 1. Indiana 811 will be notified to mark underground utilities at the jobsite. Utility locating at offsite areas may also be required.
- 2. Based on removals, <u>up to eight borings</u> will be advanced using direct-push probing methods.
- 3. Borings will extend to depths of approximately 20 feet, groundwater, or refusal.



- 4. All soil samples will be visually inspected in the field by a SES geologist and classified according to color, texture, and relative moisture content in accordance with ASTM Standard D 2488.
- 5. A portion of each sample interval will be equally divided and placed in a plastic container for headspace analysis using a PID instrument.
- 6. Two soil samples will be retained from each proposed boring for laboratory testing. By convention, the interval exhibiting the highest PID response will be retained for testing as well as a lower interval that does not exhibit field evidence of impact.
- 7. In-field sample preservation for volatiles will be consistent with Method 5035A and will include the use of Terra Core® sampling devices. To minimize VOC loss, SES will collect subsamples from the soil core as quickly as possible, taking special care to limit exposure and disaggregation of the soil.
- 8. Each sample interval will be labeled and placed in a cooler containing ice pending transport to the laboratory. Chainof-custody documentation will be maintained throughout sample collection and transport to the laboratory.
- 9. Following soil sampling, a temporary groundwater sampling point will be constructed at each location where groundwater is encountered, or a discrete groundwater sampler will be utilized at each location. Temporary sampling points will be constructed with small diameter PVC riser piping and screen.
- 10. Groundwater that accumulates in sampling points will be sampled and tested.
- 11. Samples (2 soil and 1 groundwater per location) will be analyzed for VOCs, including naphthalene and methylnaphthalenes (VOCs 8260). SES notes that testing parameters are subject to the results of the closure and removals. Quality assurance samples will include trip blanks, duplicates, and MS/MSDs. A level IV analytical data package will be requested from the laboratory if delineation or closure is anticipated.
- 12. Investigation derived materials will be contained within properly labeled, 55-gallon drums pending off-site disposal. Disposal will occur within 30 days after receipt of test results.
- 13. Mapping will be conducted to establish boring locations relative to a structure. The borings will also be located by GPS.

Following environmental field investigation, a written summary of the field activities and analytical results, along with maps will be submitted to the Program project manager. SES understands that analytical results should be compared to the IDEM R2 published levels for soil and groundwater.

Vapor Sampling

The following vapor sampling activities are to be conducted in conjunction with the subsurface investigation or groundwater monitoring.

- Up to three exterior soil gas and one (1) indoor air/subslab soil gas samples will be collected in accordance with the IDEM R2 to determine if a vapor plume exists on the Site and if it is migrating along preferential pathways in conduits such as a sewer line.
 - Stainless-steel points for exterior soil gas locations will be installed, then developed. Samples will be collected with laboratory-supplied, one-liter vacuum canisters ('Summa'-type), fitted with a flow controlling apparatus to limit canister filling to 200 cubic-centimeters per minute (cc/m). The sample canister and attachment apparatus ('sample train') will be verified as free of leaks using a shut-in test prior to sampling. A tracer gas will also be utilized during sample collection to verify the integrity of the sub-slab sample point installation.
- If preferential pathways are identified in conduit(s), collect up to two conduit vapor samples (suspected source, up gradient, and downgradient) biannually over the course of a year and collect those samples when baseline flow is relatively low typically, between 9:00 AM and 3:00 PM for sanitary sewers. For all other appropriate conditions, we will refer to the IDEM R2 section 2.2.6.4 Sampling Conduit Vapor.
 - Coordination with City/Town is anticipated along with a permit and/or notice of work.



- Conduit vapor samples will be collected using a pre-cleaned, evacuated, laboratory-supplied 1-L Summa canisters equipped with regulator valves preset for a 5-minute sampling period.
- Analytical results will be compared to the IDEM R2 published levels for soil and groundwater. Results and maps will be submitted to the Program Project Manager for review prior to final submittal of the concurrent Quarterly Groundwater Monitoring report. An initial vapor evaluation report is anticipated and subsequent will be included in quarterly monitoring reports.

Groundwater Monitoring

Groundwater monitoring, if applicable, will be initiated by installing up to six (6) monitor wells. Wells will be installed by advancing borings using conventional 4 ¼ inch inner diameter hollow-stem augers to a depth determined from previous investigation. Alternatively, to limit generation of soil cuttings, wells may be installed using geoprobe direct push technology and in this case, pre-pack well screens will be used. A permanent groundwater monitor well will be installed at each boring location. Wells will be constructed using conventional 2-inch, PVC casing, and a 10-foot 0.010-slotted screen (pre-pack screen for geoprobe install). Well screens will be positioned at the first aquifer. Washed, commercial, quartz sand pack will be placed around the screened interval to a level approximately one foot above the screen and capped with 2 feet of bentonite. Grout will then be placed from the top of the bentonite seal to the ground surface. The wells will be finished with a watertight expansion seal, and a protective steel cover set in concrete, flush with grade.

Soil cuttings generated from monitor well installation will be contained within properly labeled, 55-gallon drums pending off-site disposal. Disposal will occur within 30 days of well installation.

Following well construction, groundwater will be purged to remove fines and to improve connection with the water bearing formation. Relative elevations will then be established for the top of each point/well using standard level survey methods. Elevations will be established to an accuracy of 0.01 feet. A horizontal control survey will also be conducted to locate the position of each well relative to significant site features. The wells will also be located by GPS.

On a quarterly basis, for a period of two years, groundwater samples will be collected from the monitor well locations. Results will be used to confirm acceptable levels of contamination remain and/or to track the reduction in aqueous-phase contaminant mass over time.

Sampling will be initiated by removing the well caps, and then allowing sufficient time for groundwater levels to equalize with ambient pressure conditions. The depth to water will then be gauged at each monitor well. Gauging will be conducted using an electronic water level indicator with an accuracy of 0.01 feet. The water level indicator will be cleaned with a detergent solution and tap water rinse prior each measurement.

Following gauging, groundwater samples will be collected using low flow/low stress techniques. A small-diameter low-flow bladder pump will be used to purge and sample monitor wells. The purge rate will be set not to exceed 500 milliliters per minute (ml/min). During purging, regardless of the sample type or well recovery, field indicator parameters will be monitored and documented. These parameters are measured to document that the purging procedure is adequate, and that the stagnant water in the well has been removed. These parameters will begin to stabilize as purging continues and should completely stabilize at the end of well purging. Turbidity, dissolved oxygen, oxygen reduction potential (ORP), specific conductivity, pH, and temperature will be measured. After stable conditions are established, water samples will be collected using the bladder pump and discharged directly into the appropriate sample containers. The following sample collection sequence will be followed for consistency:



- 1. Measure water level.
- 2. Purging with mechanical bladder pump (low flow-low stress).
- 3. After stable field readings are attained, collect sample under low flow conditions.
- 4. Collect sample for volatile organics and then inorganics.
- 5. Quarterly groundwaters testing will include VOCs. Testing parameters are subject to change based on Program input and prior testing results.
- 6. Place samples into appropriate containers and follow sample preservation, packaging, and shipping procedures.

QA/QC samples will include a trip, equipment blank, and blind duplicate. A MS/MSD will be collected for the final sampling event. Upon completion of a groundwater quarterly sampling event, a written report of analytical results and field activities will be submitted to the Program's project manager for review. SES understands that analytical results should be compared to the IDEM R2 published levels.

Quarterly groundwater monitoring will continue for a period of two years. Well abandonment activities will be conducted after an NFA designation is obtained.

Budget and Schedule

SES will provide environmental field and contracting services on a time and materials basis and in accordance with the listed special conditions. SES's total estimate of probable costs for the overall project is **\$225,284.** A cost analysis worksheet is attached.

SES understands initial assessment results are due approximately one month after contract signing. Removals are to be initiated in approximately two months after contract signing, but subject to work plan approvals, weather, soil conditions, and holidays. A removal completion report is due within two months after removal is initiated. Subsurface investigation is to initiate one month after completion reporting and SAP approval; and quarterly monitoring, if necessary, will initiate thereafter. Final reports are due approximately 2.5 years after contract signing, but subject to actual site conditions.

Special Conditions

- 1. We will communicate with you, as needed, should our operational circumstances change materially.
- 2. We will request that equipment run on biodiesel fuel, contractors avoid idling, and have Tier 3 compliance emissions. Field equipment which runs on electricity will carry the EnergyStar rating, whenever possible, and written reports will be provided on recycled paper. Green technologies will include trucks mobilizing from local firms, where applicable. Based on cost estimate review, impacted soils will be transported to Waste Management Jay County Landfill located approximately 33 miles from the site.
- 3. Reports to be electronically provided (via email) in pdf to Program, and owner.
- 4. SES understands all data should be submitted electronically to olqdata@idem.in.gov.
- 5. Field personnel will have 40-Hour HAZWOPER supervision and up to date 8-hour refresher training.
- 6. Daily tailgate meetings will be held each morning prior to work commencing.
- 7. Level D PPE will apply for all tasks. Work requiring personnel to don any level of protective equipment above Level D or confined space entry will result in additional expense.
- 8. It is assumed that site security is not an issue at the site locations.
- 9. Access to sites will be provided without any special fees or permitting and tank owners will de-energize tank systems.
- 10. Owner must make the work areas accessible and move/remove all ancillary equipment, vehicles, and trailers so that areas are accessible for working.
- 11. Contacting Indiana 811 will be sufficient to locate underground utilities.
- 12. Hand digging will be conducted in areas where digging crosses a marked (or suspected) utility.
- 13. Costs associated with protecting, repairing, or replacing utilities that are necessary to be disturbed in order to accommodate the proposed scope of work, are not included but will be provided at a negotiated rate.



- 14. We will exercise care to minimize damage of the surrounding surfaces. However, we are not responsible for the surrounding paved areas that are in poor condition prior to work beginning.
- 15. Costs/services do not include pavement saw-cutting. If saw-cutting is necessary, we request a negotiated rate to be determined.
- 16. Costs/services do not include asbestos survey or demolition notices.
- 17. Cost assume sampling will not exceed a depth of 20 feet.
- 18. Excavation support system are included as sloping/benching will be the method of protecting employees from cave-ins. Sheeting and/or metal shoring are not included.
- 19. Costs/services assume no erosion control measures will be required, nor dust control.
- 20. Costs/services do not include excessive frost removal, dewatering soil, or excavations, and/or the use of ground thawing equipment.
- 21. SES notes that costs do not include the application of stone rip rap to stabilize excavations.
- 22. Costs/services do not include brine (interstice fluid) disposal.
- 23. Geophysical cannot be completed under wet soil conditions or with several inches of snow cover. GPR results can be limited by high-conductivity materials such as clay, rocky, and salt contaminated soils. It also needs an open and flat area to conduct the survey. How deep and what utilities, UST's, voids, etcetera are identified depends on these factors.
- 24. Waste disposal costs and methods are contingent upon the completion, submittal and approval of <u>a non-hazardous</u> <u>special waste</u> profile sheet and required analysis. SES anticipates only minimal waste analytical sampling and testing will be conducted, and we expect to claim the exemption of 40CFR 261.4(b)(10).
- 25. Site and/or UST owner must sign/date/approve profiles, and manifests without delay.
- 26. Liquid, sludge and/or soil waste will not leave the site until a waste profile has been signed by the Generator and approved by the disposal facility.
- 27. Bulk non-hazardous impacted liquid/sludge must be pump-able (less than 25% solid).
- 28. Concrete/asphalt will be applied at the surface upon request at a negotiated unit price.
- 29. Drilling and Probing fees will be invoiced at itemized, lump sum, or daily rate as invoiced by subcontractor.
- 30. ORC for application at base of excavation must be ordered prior to initiating soil removal; otherwise, a second mobilization fee will apply along with site security fees. A specific delivery date of ORC to the jobsite cannot be guaranteed by hauler. As noted above, ORC injection fees are included in this proposal.
- 31. Costs do not include seeking access to offsite properties.
- 32. Costs assume subsurface investigation and monitor well installation can be completed within one (1) mobilization, each.
- 33. Costs assume removals can be completed within one (1) mobilization.
- 34. Costs assume that the soil will be live loaded into trucks and not required to be stockpiled.
- 35. Pricing is based on all waste being profiled and approved prior to mobilization to the site.
- 36. The duration field work for low flow groundwater sampling is subject to groundwater conditions and when stable conditions are demonstrated.
- 37. Dissolved metals testing, if determined to be necessary, will be at cost plus markup.
- 38. Investigation derived material disposal is based on non-hazardous conditions with profiling based on testing results. Additional sampling/testing to determine profiling and disposal will be at cost plus markup, as SES labor and equipment.
- 39. Services will be conducted Monday through Friday only, excluding all holidays or travel advisories days.
- 40. All costs assume normal working conditions will be encountered and that any delays, obstructions, or other limitations may result in additional expense.
- 41. Invoices will be based on actual field measurements and quantities and the duration of actual field services provided, per the listed unit rates.
- 42. SES and SES's sub-contractor standard pay rates apply (non-union, non-prevailing wage).
- 43. SES will engage subcontractors; rent or purchase special equipment; purchase expendable supplies; and so forth. Such purchases and/or subcontracts shall be charged to Client at their direct cost plus 8%.
- 44. Landfills, contractors, drivers, operators, disposal facilities, etc. are consistently increasing rates due to increased expenses in overall operations, which could affect actual invoicing and fees.

Proposal for Environmental Assessment and Remediation Services Former Star Sunoco 203 North Main Street, Summitville, Madison County, Indiana 46070 BFD #4240407, FID #8692

Closing

Please contact the undersigned at g.howard@sesadvantage.com or 260.497.7645 with any questions regarding this proposal.

Sincerely, SES Environmental

-altert

Glen A. Howard, CHMM Senior Project Manager

Attachment A – Cost Analysis Spreadsheet

Proposal for Environmental Assessment and Remediation Services Former Star Sunoco 203 North Main Street, Summitville, Madison County, Indiana 46070 BFD #4240407, FID #8692

Attachment A

Cost Analysis Spreadsheet

ASES					Approved										
			Standard Unit	Approved	Category	Invoice #1	Invoice #2	Invoice #3	Invoice #4	Invoice #5	Invoice #6	Invoice #7	Invoice #8	Invoice #9	Amount
former Star Sunoco 203 N Main St., Summitville, Madison Co.	Quantity	Unit	Rate	SUBTOTAL	TOTAL	(Date)	Remaining								
I. Category - Phase I Site Assessment		÷ .								. ,					\$ -
II. Category - Geophysical and Profiling					\$ 10,327.32										
A. Staff Hours (list hours for each staff separately for this Category)				\$ 1,855.00											\$ 1,855.00
Field Tech - recordkeeping, sampling	15	hr	\$ 65.00												
CHMM - profiling and reporting (prescreening crushed concrete)	6	hr	\$ 125.00												
Drafting - Site Maps B. Materials and Equipment (list each separately for this Category)	2	hr	\$ 65.00				1	1						r	\$ 120.00
PID	1	day	\$ 75.00				1			II				II	\$ 120.00
Sampling Supplies (auger, gloves, baggies, ice, etc)	1	day													
C. Travel (reimbursed at state rates)		uuy	φ 40.00	\$ 64.40			I							I I	\$ 64.40
Mileage (140 round trip)	140	mi	\$ 0.46				1			L 1				1	• • • • • • •
Hotel		night	\$ 97.00	\$ -											
D. Subcontractors (list all subcontractors separately for this Category)				\$ 8,287.92											\$ 8,287.92
Envision - VOCs, lead, PAHs (groundwater)	5	Per	\$ 112.00	\$ 560.00											
Envision - 3 samples VOC, SVOC, 8 metals of crushed concrete for filling	3	ea		\$ 1,104.00											
Envision -TOX, PCB, flash, TCLP-metals, total VOCs, total SVOCs (soil and water)	2	Per		\$ 1,010.00											
Probe Unit - 3 borings to determine if petroleum is present and profiling for disposal	1	est		\$ 1,600.00											
Prism	1	est		\$ 3,400.00											
markup	0.08		\$ 7,674.00	\$ 613.92											
III. Category - Soil Removal & Remediation (Field Phase)					\$ 160,116.74		1								
A. Staff Hours (list hours for each staff separately for this Category)				\$ 6,750.00											\$ 6,750.00
Field Tech (10 days) + recordkeeping, ect	100	hr		\$ 6,500.00											
Senior PM - waste disposal arrangements	2	hr	\$ 125.00 \$ 70.00												
Field Geo - Injection Oversight (none - applied to excavation)		hr	\$ 70.00	\$ -											
B. Materials and Equipment (list each separately for this Category)				\$ 1,450.00			1	1		1				I 1	\$ 1,450.00
PID	10	day	\$ 75.00				1			L I				1	ş 1,430.00
Sampling Supplies (gloves, baggies, ice, etc)	10	day	\$ 45.00												
Mapping Equipment/Camera/General Supplies	10		\$ 25.00												
Other (office copies, expendables, field)		ea	\$ 50.00												
			\$-												
C. Travel (reimbursed at state rates)				\$ 644.00											\$ 644.00
Mileage (10 days @ 140 mi round trip)	1400	mi	\$ 0.46												
Hotel		night	\$ 97.00	\$ -											
D. Subcontractors (list all subcontractors separately for this Category)				\$151,272.74			1			- I		-		I I	\$ 151,272.74
Blue River			\$ 136,944.00	ψ101,272.7 4			1							1	φ 131,272.7 4
Mobilization/Demobilization	1	ls		\$ 1,500.00											
Site Safety & Security-Temporary Fencing	1	ls	\$ 500.00	\$ 500.00											
Permitting		ls		\$-											
Pavement debris disposal and hauling (recycling facility)	2														
LIST System removal		loads													
UST System removal	1	est	\$ 9,500.00	\$ 9,500.00											
Lift Removal (assumes accessible)	1	est est	\$ 9,500.00 \$ 1,500.00	\$ 9,500.00 \$ -											
Lift Removal (assumes accessible) Granular Fill for tank	1	est est ton	\$ 9,500.00 \$ 1,500.00 \$ 28.00	\$ 9,500.00 \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services -		est est ton hrs	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00	\$ 9,500.00 \$ - \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport	2000	est est ton hrs gal	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75	\$ 9,500.00 \$ - \$ - \$ - \$ 3 1,500.00											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services -		est est ton hrs	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00	\$ 9,500.00 \$ - \$ - \$ - \$ 1,500.00 \$ 800.00											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification	2000 2000	est est ton hrs gal gal	\$ 9,500.00 \$ 1,500.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00	\$ 9,500.00 \$ - \$ - \$ 1,500.00 \$ 800.00 \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil	2000 2000 1500	est ton hrs gal gal lump ton ton	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50	\$ 9,500.00 \$ - \$ - \$ 1,500.00 \$ 800.00 \$ - \$ - \$ 3,750.00											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill	2000 2000 1500 1500	est ton hrs gal gal lump ton ton	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00	\$ 9,500.00 \$ - \$ - \$ - \$ 1,500.00 \$ 800.00 \$ - \$ - \$ 3,750.00 \$ 27,000.00											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill	2000 2000 1500 1500 1500	est ton hrs gal gal lump ton ton ton	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 30.00	\$ 9,500.00 \$ - \$ - \$ 1,500.00 \$ 1,500.00 \$ - \$ - \$ 3,750.00 \$ 27,000.00 \$ 45,000.00											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to VM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation	2000 2000 1500 1500 1500 1300	est ton hrs gal lump ton ton ton ton	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 30.00 \$ 330.00 \$ 23.50	\$ 9,500.00 \$ - \$ - \$ 1,500.00 \$ 800.00 \$ - \$ 3,750.00 \$ 27,000.00 \$ 45,000.00 \$ 30,550.00											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation Grauhar Fill - excavation Grushed concrete Stone (4 inches at surface)	2000 2000 1500 1500 1500	est ton hrs gal gal lump ton ton ton ton	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 30.00 \$ 33.50 \$ 25.50	\$ 9,500.00 \$ - \$ - \$ 1,500.00 \$ 800.00 \$ - \$ - \$ 3,750.00 \$ 27,000.00 \$ 45,000.00 \$ 30,550.00 \$ 5,100.00											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging	2000 2000 1500 1500 1500 1300	est ton hrs gal gal lump ton ton ton ton ton ton	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 20.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 30.00 \$ 23.50 \$ 570.00	\$ 9,500.00 \$ - \$ 1,500.00 \$ 800.00 \$ 3,750.00 \$ 27,000.00 \$ 45,000.00 \$ 30,550.00 \$ 5,100.00											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal)	2000 2000 1500 1500 1500 1300	est ton hrs gal gal lump ton ton ton ton ton ton ton ton ton	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 30.00 \$ 23.50 \$ 25.50 \$ 570.00 \$ 870.00	\$ 9,500.00 \$ - \$ 1,500.00 \$ 800.00 \$ 27,000.00 \$ 27,000.00 \$ 45,000.00 \$ 30,550.00 \$ 5,100.00 \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging	2000 2000 1500 1500 1500 1300 200	est ton hrs gal gal lump ton ton ton ton ton ton ton ton ton ea ea	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 30.00 \$ 23.50 \$ 25.50 \$ 570.00 \$ 870.00	\$ 9,500.00 \$ - \$ 1,500.00 \$ 1,500.00 \$ 3,750.00 \$ 27,000.00 \$ 27,000.00 \$ 30,550.00 \$ 30,550.00 \$ 5,100.00 \$ - \$ 1,000.00											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to VM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste	2000 2000 1500 1500 1500 1300 200	est ton hrs gal gal lump ton ton ton ton ton ton ton ton ton ea ea	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 330.00 \$ 23.50 \$ 25.50 \$ 570.00 \$ 870.00 \$ 255.00	\$ 9,500.00 \$ - \$ 1,500.00 \$ 1,500.00 \$ 3,750.00 \$ 3,750.00 \$ 27,000.00 \$ 45,000.00 \$ 45,000.00 \$ 0,550.00 \$ 0,550.00 \$ 0,550.00 \$ 45,000.00 \$ 5,100.00 \$ 5,100.0											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to VM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste Residual Gas Sludge Drum Disposal Waste Oil Profiling Residual Heating Oil Drum Disposal	2000 2000 1500 1500 1500 1300 200	est ton gal gal lump ton ton ton ton ton nights ea ea ea ea	\$ 9,500.00 \$ 1,500.00 \$ 280.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 33.00 \$ 2.550 \$ 25.50 \$ 5770.00 \$ 870.00 \$ 575.00 \$ 575.00 \$ 840.00 \$ 225.00	\$ 9,500.00 \$ - \$ - \$ 1,500.00 \$ 800.00 \$ - \$ - \$ 37,50.00 \$ 45,000.00 \$ 45,000.00 \$ 30,550.00 \$ 5,10.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soll Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste Residual Gas Sludge Drum Disposal Waste Oil Profiling Residual Heating Oil Drum Disposal	2000 2000 1500 1500 1500 1300 200	est ton hrs gal gal lump ton ton ton ton ton ton ea ea ea ea ea ea ea ea ea	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 2.50 \$ 18.00 \$ 23.50 \$ 25.50 \$ 570.00 \$ 870.00 \$ 255.00 \$ 870.00 \$ 255.00 \$ 575.00 \$ 840.00 \$ 525.00	\$ 9,500.00 \$ - \$ - \$ 1,500.00 \$ 1,500.00 \$ 1,500.00 \$ 27,000.00 \$ 27,000.00 \$ 27,000.00 \$ 45,000.00 \$ 45,000.00 \$ 3,550.00 \$ 45,000.00 \$ 5,100.00 \$ - \$ 1,000.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste Residual Gas Sludge Drum Disposal Waste Oil Profiling Residual Ketosene Drum Disposal Residual Ketosene Drum Disposal Residual Keto Oil Sludge Drum Disposal	2000 2000 1500 1500 1500 1300 200	est ton hrs gal gal lump ton ton ton ton ton ton ton ea ea ea ea ea ea ea ea ea ea ea ea ea	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 20.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 2.50 \$ 18.00 \$ 23.50 \$ 570.00 \$ 8770.00 \$ 8770.00 \$ 575.00 \$ 575.00 \$ 575.00 \$ 525.00 \$ 525.00 \$ 525.00 \$ 525.00	\$ 9,500.00 \$ - \$ - \$ 1,500.00 \$ 1,500.00 \$ 3,750.00 \$ 27,000.00 \$ 45,000.00 \$ 45,000.00 \$ 30,550.00 \$ 5,100.00 \$ 5,100.00 \$ 5,100.00 \$ 5,100.00 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste Residual Gas Sludge Drum Disposal Residual Heating Oil Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal	2000 2000 1500 1500 1500 1300 200 4	est est ton gal gal lump ton ton ton ton ton ton ton ea ea ea ea ea ea ea ea ea ea	\$ 9,500.00 \$ 1,500.00 \$ 280.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 33.00 \$ 2.50 \$ 18.00 \$ 23.50 \$ 25.50 \$ 577.00 \$ 255.00 \$ 575.00 \$ 525.00 \$ 525.00 \$ 550.00	\$ 9,500.00 \$ - \$ - \$ - \$ 1,500.00 \$ 400.00 \$ - \$ 37,50.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 30,550.00 \$ 5,100.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydrolVac Services - Vacuum Truck / Transport Disposal of residual liquid/studge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste Residual Gas Sludge Drum Disposal Residual Kerosene Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal	2000 2000 1500 1500 1500 200 4 4	est est ton hrs gal lump ton ton ton ton ton ton ea ea ea ea ea ea ea ea ea ea ea ea	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 23.50 \$ 18.00 \$ 23.50 \$ 25.50 \$ 570.00 \$ 25.50 \$ 575.00 \$ 255.00 \$ 525.00 \$ 5	\$ 9,500.00 \$ - \$ 1,500.00 \$ 800.00 \$ 1,500.00 \$ - \$ 3,750.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 3,550.00 \$ 45,000.00 \$ 5,100.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste Residual Gas Sludge Drum Disposal Residual Resone Drum Disposal Residual Heating Oil Drum Disposal Residual Kerosene Drum Disposal Residual Heating Oil Sludge Drum Disposal Residual Heating Oil Sludge Drum Disposal Residual Heating Oil Sludge Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal Markup	2000 2000 1500 1500 1500 200 4 4	est ton hrs gal gal lump ton ton ton ton ton ton ton ea ea ea ea ea ea ea ea ea ea ea ea	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 23.50 \$ 23.50 \$ 570.00 \$ 870.00 \$ 8770.00 \$ 8770.00 \$ 255.00 \$ 575.00 \$ 840.00 \$ 525.00 \$ 550.00 \$ 550.00 \$ 126,800.00	\$ 9,500.00 \$ - \$ - \$ 1,500.00 \$ 40,000 \$ 27,000.00 \$ 45,000.00 \$ 45,000.00 \$ 30,550.00 \$ 0,550.00 \$ 5,100.00 \$ 0,550.00 \$ 0,550.00 \$ - \$ - \$ - \$ - \$ - \$ - \$ 1,000.00 \$ 27,000.00 \$ 27,000.00 \$ 27,000.00 \$ 27,000.00 \$ 27,000.00 \$ 27,000.00 \$ 27,000.00 \$ 27,000.00 \$ 27,000.00 \$ 30,550.00 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soli Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste Residual Gas Sludge Drum Disposal Waste Oil Profiling Residual Kerosene Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal Markup Fuel surcharge (variable and subject to current rate at time of) ORC -	2000 2000 1500 1500 1500 200 4 4 0.08 5.00%	est est ton hrs gal lump ton ton ton ton ton nights ea ea ea ea ea ea ea ea ea	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 2.50 \$ 23.50 \$ 25.00 \$ 575.00 \$ 870.00 \$ 525.00 \$ 5	\$ 9,500.00 \$ - \$ - \$ 1,500.00 \$ 4800.00 \$ 27,000.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste Residual Gas Sludge Drum Disposal Residual Heating Oil Drum Disposal Residual Heating Oil Drum Disposal Residual Heating Oil Sludge Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal Markup Fuel surcharge (variable and subject to current rate at time of) ORC - ORC purchase	2000 2000 1500 1500 1500 200 200 4 4 0.08 5.00%	est est ton hrs gal gal lump ton ton ton ton ton ton ton ea ea ea ea ea ea ea ea ea ea ea ea ea	\$ 9,500.00 \$ 1,500.00 \$ 280.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 330.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 30.00 \$ 25.50 \$ 577.00 \$ 870.00 \$ 255.00 \$ 575.00 \$ 575.00 \$ 555.00 \$ 555.00 \$ 555.00 \$ 555.00 \$ 555.00 \$ 525.00 \$ 525.000 \$ 525.00 \$ 525.00	\$ 9,500.00 \$ - \$ 1,500.00 \$ 800.00 \$ 40,000 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 5,100.00 \$ - \$ 1,000.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste Residual Gas Sludge Drum Disposal Waste Oil Profiling Residual Resoneen Drum Disposal Residual Heating Oil Drum Disposal Residual Heating Oil Sludge Drum Disposal Residual Heating Oil Sludge Drum Disposal Residual Hydraulic Oil Sludg	2000 2000 1500 1500 1300 200 4 4 0.08 5.00%	est est ton hrs gal gal lump ton ton ton ton ton ton ton ea ea ea ea ea ea ea ea ea ea ea ea ea	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 33.00 \$ 2.50 \$ 125.50 \$ 575.00 \$ 870.00 \$ 255.00 \$ 575.00 \$ 877.00 \$ 255.00 \$ 575.00 \$ 255.00 \$ 525.00 \$ 126,800.00 \$ 525.00 \$ 525.00 \$ 126,800.00 \$ 126,800.00 \$ 525.00 \$ 525.0	\$ 9,500.00 \$ - \$ - \$ 1,500.00 \$ 1,500.00 \$ 1,500.00 \$ 27,000.00 \$ 27,000.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 0,550.00 \$ 0,550.00 \$ 0,550.00 \$ 0,550.00 \$ 0,550.00 \$ 0,550.00 \$ 0,550.00 \$ 1,100.25 \$ 1,980.00 \$ 1,108.25 \$ 1,980.00 \$ 1,108.25 \$ 1,980.00 \$ 1											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste Residual Gas Sludge Drum Disposal Residual Heating Oil Drum Disposal Residual Heating Oil Drum Disposal Residual Heating Oil Drum Disposal Residual Heating Oil Sludge Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal Markup Fuel surcharge (variable and subject to current rate at time of) ORC - ORC purchase	2000 2000 1500 1500 1500 200 200 4 4 0.08 5.00%	est est ton hrs gal gal lump ton ton ton ton ton ton ton ea ea ea ea ea ea ea ea ea ea ea ea ea	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 33.00 \$ 2.50 \$ 125.50 \$ 575.00 \$ 870.00 \$ 255.00 \$ 575.00 \$ 877.00 \$ 255.00 \$ 575.00 \$ 255.00 \$ 525.00 \$ 126,800.00 \$ 525.00 \$ 525.00 \$ 126,800.00 \$ 126,800.00 \$ 525.00 \$ 525.0	\$ 9,500.00 \$ - \$ 1,500.00 \$ 800.00 \$ 40,000 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 45,000.00 \$ 5,100.00 \$ - \$ 1,000.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste Residual Gas Sludge Drum Disposal Waste Oil Profiling Residual Kerosene Drum Disposal Residual Kerosene Drum Disposal Residual Kerosene Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal Residual Surge (variable and subject to current rate at time of) ORC - ORC Shipment/Tax/Handling (at least 2 days shipping) Markup	2000 2000 1500 1500 1300 200 4 4 0.08 5.00%	est est ton hrs gal lump ton ton ton ton ton nights ea ea ea ea ea ea ea ea ea ea ea ea ea	\$ 9,500.00 \$ 1,500.00 \$ 280.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 2.50 \$ 330.00 \$ 2.50 \$ 18.00 \$ 23.50 \$ 23.50 \$ 570.00 \$ 870.00 \$ 870.00 \$ 255.00 \$ 575.00 \$ 525.00 \$ 526.00 \$ 5	\$ 9,500.00 \$ - \$ 1,500.00 \$ 1,500.00 \$ 27,00.00 \$ 27,00.00 \$ 27,00.00 \$ 45,000.00 \$ 45,000.00 \$ 0,550.00 \$ 3,750.00 \$ 1,000.00 \$ - \$ - \$ - \$ 1,000.00 \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ - \$ 1,000.00 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -											
Lift Removal (assumes accessible) Granular Fill for tank HydroVac Services - Vacuum Truck / Transport Disposal of residual liquid/sludge Profiling - liquid Solidification Excavate Impacted Soil Hauling - to WM Jay Co. Landfill Disposal at Landfill Granular Fill - excavation crushed concrete Stone (4 inches at surface) Per Diem and Lodging 30-cy yard Dumpster (tank shell disposal) Drummed Waste Residual Gas Sludge Drum Disposal Residual Gas Sludge Drum Disposal Residual Heating Oil Drum Disposal Residual VeroSene Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal Residual Hydraulic Oil Sludge Drum Disposal Markup ORC Disposting (at least 2 days shipping) Markup ORC Injection (none - applied to excavation)	2000 2000 1500 1500 1300 200 4 4 0.08 5.00%	est est ton hrs gal lump ton ton ton ton ton nights ea ea ea ea ea ea ea ea ea ea ea ea ea	\$ 9,500.00 \$ 1,500.00 \$ 28.00 \$ 240.00 \$ 0.75 \$ 0.40 \$ 200.00 \$ 330.00 \$ 330.00 \$ 330.00 \$ 2.50 \$ 18.00 \$ 30.00 \$ 23.50 \$ 570.00 \$ 870.00 \$ 255.00 \$ 575.00 \$ 575.00 \$ 525.00 \$	\$ 9,500.00 \$ - \$ - \$ 1,500.00 \$ 1,500.00 \$ 3,750.00 \$ 27,000.00 \$ 27,000.00 \$ 27,000.00 \$ 45,000.00 \$ 3,750.00 \$ 3,750.00 \$ 3,750.00 \$ 3,750.00 \$ 3,750.00 \$ 3,750.00 \$ 3,750.00 \$ 45,000.00 \$ 45,000.00 \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -											

		1						1					1	r	1
ASES				Approved	Approved	Invoice #1	Invoice #2	Invoice #3	Invoice #4	Invoice #5	Invoice #6	Invoice #7	Invoice #8	Invoice #9	Amount
	Quantity	1.1.4.14	Standard Unit Rate	Approved SUBTOTAL	Category TOTAL	(Date)	Remaining								
former Star Sunoco_203 N Main St., Summitville, Madison Co.	Quantity	Unit			TOTAL	(Date)	Remaining								
crumbles/concrete		ea	\$ 16.50												
surface patch	<u> </u>	bag	\$ 14.00	\$ -											
expendable points and sheath		ea	\$ 9.00	\$ -											
hotel/per diem	<u> </u>	ea	\$ 160.00	\$ -											
markup (of a subcontractor)	<u> </u>		\$ -	5 - ¢											
Envision (8 bottom, 6 sidewall, 3 dispenser, 2 piping, 5 extra for excavation, 2 water, 3 dup, 1 tr			\$ 4,513.43	\$ -											
Envision - VOC	33	per		\$ 1,782.00 \$ 1,782.00											
Envision - PAHs	32	per	\$ 54.00	\$ 1,728.00											
Envision - RCRA 8 metals	32	per	\$ 70.00	¢ 444.70											
Envision - Lead	32	per	\$ 12.96												
Envision - PCBs	15%	per	\$ 97.20 \$ 3,924.72												
Level IV data package	15%		\$ 3,924.72	φ 000.71 ¢											
			_	φ -											
IV. Category - Subsurface Investigation (Field Phase)					\$ 10,012.77										
A. Staff Hours (list hours for each staff separately for this Category)				\$ 1,735.00											\$ 10,012.77
Field Tech - Soil sampling, probe oversight, and recordkeeping	20	hr		\$ 1,300.00											
Field Tech - prep, chains, boring log forms	5	hr	\$ 65.00	\$ 325.00											
Probe Operator	<u> </u>	hr		\$ -											
PM - coordinate field work and management	1	hr	\$ 110.00												
B. Materials and Equipment (list each separately for this Category)		1 .		\$ 480.00			I	I				l		I	\$ 480.00
PID	2	day													
Water Level	2	day	\$ 20.00												
Sampling Supplies (gloves, baggies, ice, etc)	2	day	\$ 45.00												
SES Probe Unit		est	\$ 2,688.00												
Meters, Equipment, Field Expendables	2	day	\$ 75.00												
Other (office copies, document publication)	1	ea	\$ 50.00	\$ 50.00											
	_						1	1				1		1	
C. Travel (reimbursed at state rates)				\$ 128.80											\$ 128.80
Mileage	280	mi													
Hotel	<u> </u>	night	\$ 97.00	\$-											
	1						1	1				1	1		
D. Subcontractors (list all subcontractors separately for this Category)	-			\$ 7,668.97				I							\$ 7,668.97
Envision - VOC 24 + 2 dups+2 msmsd + 1 trip	29			\$ 1,566.00											
Envision - PAH		Per	\$ 54.00	\$ -											
Envision - RCRA 8 metals		Per	\$ 70.00												
Envision - dissolved RCRA 8 metals, lab filtering		Per	\$ 75.00												
Envision - Lead		Per	\$ 12.96	\$ -											
Level IV for final event	15%	ls	\$ 1,691.28												
Locating (american or gprs)	1	est	\$ 975.00												
GPS (american or MLS)	1	est	\$ 775.00	\$ 775.00											
SCS Probing	1	ls	\$ 3,246.00				1	1				1	1		
LWR - pickup, transport and disposal non-haz	2	ea	\$ 210.00	\$ 420.00				I							\$ 420.00
markup (probing/disposal)	0.08		\$ 5,416.00	\$ 433.28											
V. Category - Monitoring Well Install/Quarterly Monitoring (Field															
Phase)					\$ 33,146.71										
A. Staff Hours (list hours for each staff separately for this Category)				\$ 7,100.00											\$ 7,100.00
Field Tech -Contractor Oversight	12	hr	\$ 65.00												
Operator - one time soil gas point oversight	6	hr	\$ 70.00												
Field Tech - monitor well construct logs/forms	2	hr	\$ 65.00												
Field Tech - Quarterly Groundwater Sampling (10 hr per event)	80	hr	\$ 65.00												
Field Tech - Vapor Sampling (1 hr in conjunction with gw sampling)	2	hr	\$ 65.00												
PM - management + arrangements with City/Sewer	4	hr	\$ 110.00				1	1				1	1	1	
B. Materials and Equipment (list each separately for this Category)	-	1 .		\$ 3,888.00			I	I				l	I	I	\$ 3,888.00
PID	<u> </u>	day													
Survey Equipment	1	day													
Water Level	8	day	\$ 26.00												
YSI multi parameter meter	8	day	\$ 105.00												
Bladder pump	8	day	\$ 150.00	1 1											
Poly tubing for pump	2000	ft	\$ 0.25												
Meters, Equipment, Field Expendables (gw one day and vapor one day)	9		\$ 65.00												
Vapor Pins/Stainless Points/Vapor Equipment	3	est													
Sampling Supplies (gloves, baggies, ice, etc)	9	day		\$ 135.00											
	4	I	\$-				1	1				1	1	1	
C. Travel (reimbursed at state rates)	4 100	1	1	\$ 644.00			I	I				I	I	I	\$ 644.00
Mileage (10 round trip x 140 miles)	1400	mi													
Hotel	1	night		\$-			1	1				1	1	1	
D. Subcontractors (list all subcontractors separately for this Category)		1		\$ 21,514.71			I	I				I	I	I	\$ 21,514.71
SCS Bid -Blank Drilled	1		\$ 7,953.10												
Well Permit/Permits			\$ 60.00												
Soil Gas Installs - three probes to 5 feet (at time of MW installs)	1	est		\$ 1,645.00											
Locating (american or gprs)	1			\$ 975.00											
GPS and elevation survey (american or MLS)	1	est	\$ 775.00												
markup	0.08		\$ 11,348.10	\$ 907.85											
continuous sampling	0	ea	\$ 500.00												

ACEC					Appro	oved										
∧ SES			Standard Unit	Approved	Categ	jory	Invoice #1	Invoice #2	Invoice #3	Invoice #4	Invoice #5	Invoice #6	Invoice #7	Invoice #8	Invoice #9	Amount
former Star Sunoco_203 N Main St., Summitville, Madison Co.	Quantity	Unit	Rate	SUBTOTAL	TOT	AL	(Date)	(Date)	(Date)	(Date)	(Date)	(Date)	(Date)	(Date)	(Date)	Remaining
Envision (6 well, trip, dup) VOCs with naphthalenes and methylnaph	64	Per	\$ 54.00	\$ 3.456.00				•	*	•	•	•		•	•	
Envision - PAH			\$ 54.00													
Envision - Lead			\$ 12.96													
Envision AIR - VOCs TO-15 (3 exterior + 2 from a sewer (twice)	10	Per		\$ 1,566.00												
Level IV for final event	15%		\$ 1,045.09	\$ 156.76												
LWR - pickup, transport and disposal non-haz	8			\$ 1,680.00												
Well Abandonment - inhouse or subcontracted	6			\$ 2,400.00												
VI. Category - Other					\$											
A. Asbestos and Lead Paint Surveys	-			\$ -	, v			1	1	1	1	1	1	1	I I	\$ -
B. Property Acquisition	-			\$-	-		-			-						\$ -
C. Demolition	-			\$-												\$ -
D. Bond Counsel	-			\$-												\$ -
E. Professional Services (Maximum 5% of loan amount)	-			\$												\$ -
	-			Ψ -				1	1	1	1	1	1	1	II	Ψ -
	-															
VII. Category - Reporting					\$ 11.	680.00										
A.HASP/UST Form	_			\$ 500.00	· · · ,			1	1	1	I	1	1	I		\$ 500.00
B. SAP for investigation	-			\$ 300.00												\$ 300.00
C. Work Plan Removals	-			\$ 400.00												\$ 400.00
D. UST Closure - Completion Report	-			\$ 2.000.00												\$ 2.000.00
E. Subsurface Investigation	-			\$ 2,000.00	•											\$ 2,000.00
F. Initial Vapor Evaluation/Report	-			\$ 800.00	-											\$ 800.00
G. Quarterly Groundwater Reports (\$710 per guarter)	-			\$ 5,680.00	-											\$ 5,680.00
H. Final Conditions/NFA Report	-			\$ 0,000.00	-											\$ -
	-															\$ -
TOTAL					\$ 225,	283.54	\$ -	\$ -	\$ -	\$ -	\$-	\$ -	\$ -	\$-	\$-	\$ 225,283.54
Change Order #1					\$	-										\$ -
Change Order #2					\$	-										\$ -
Change Order #3					\$	-										\$ -
Change Order #4					\$	-				1						\$ -
Change Order #5					\$	-				1				1		\$ -
Revised TOTAL					\$ 225,	283.54	\$ -	\$ -	\$ -	\$ -	\$-	\$ -	\$-	\$ -	\$-	\$ 225,283.54
ADDITIONAL INFORMATION																
1. Category V items are lump sum estimates	1 1						1			1	1		1	1		
 A, B, C, D, E, F, G and H in Category VI are maximum, not-to-e 	xceed estimat	tes. All re	eporting costs sl	hould be includ	ed in the re	eport est	mate, including s	aff time to pre	pare the report	t, mailing expe	nses, copvinc	costs, etc.				
 Payment for the reports listed in Category VI will be issued after 													some form of c	ompletion doc	umentation	
regarding the work completed.				,												
 Requests for payment must be submitted on this form and be a 	ccompanied h	v the Dis	sbursement Rea	uest Form and	all approp	riate sup	porting document	ation.								
5. Following Program approval of the scope of work/budget, Progr										1	1			1		

Attachment B

Copy of Executed Site Access Agreement

SITE ACCESS AGREEMENT PERMISSION TO ENTER PROPERTY INDIANA BROWNFIELDS PROGRAM PETROLEUM ORPHAN SITES INITIATIVE

This Site Access Agreement ("Agreement") is made by and between the Town of Summitville ("Owner"), the Indiana Brownfields Program ("Program"), and <u>SES Environmental</u> ("Consultant") regarding the Owner's property located at 203 N Main Street, Madison County, Indiana ("Site"), Site Identification Number 4240407. The Program requests permission for the Consultant to enter the Site for the exclusive purposes of conducting environmental investigation and/or remediation activities associated with petroleum and/or hazardous substances contamination.

1. Owner hereby gives permission to the Consultant or other authorized environmental contractors, Indiana Department of Environmental Management ("IDEM") employees, Indiana Finance Authority ("IFA") employees, or other designees authorized by the Program and/or the Consultant (collectively, "Authorized Parties") to enter upon the Site to perform investigation and/or remediation activities at the Site. This permission is effective immediately upon the execution of this Agreement by Owner and the Consultant and acceptance of the Agreement by the Program.

2. The permission granted by Owner under this Agreement is contemplated to be used for the following activities that may be performed by Authorized Parties:

- Having access to areas where contamination may exist, including areas where underground storage tanks ("USTs"), aboveground storage tanks ("ASTs") or petroleum and/or hazardous substances releases are, or are suspected to be, located;
- b. Investigation and/or remediation of soil and groundwater, including, but not limited to, the installation of soil borings, test pits and/or groundwater monitoring wells, the use of geophysical equipment, the use of drilling equipment for collection of soil and sediment samples, the logging, gauging and sampling of existing wells, video taping, preparation of site sketches, taking photographs, any testing or sampling of groundwater, soil, surface water, sediments, air, soil vapor or other material deemed appropriate by the Program and the like.
- c. Removal, treatment and/or disposal of contaminated soil, water and solid and/or hazardous waste, which may include the installation of contaminant recovery wells or other treatment systems.
- d. Excavation and disposal of USTs, associated piping and system components, including tank contents.
- e. On-Site observation and oversight of environmental investigation and/or remediation activities.
- f. Disclosure of environmental information as required by law.

3. Upon completion of the investigation and/or remediation, Authorized Parties will restore the property as near as practicable to its condition immediately prior to the commencement of such activities, but not including paving or concrete replacement at ground surface.

4. In the event there is residual contamination after completion of investigation and/or remediation activities, one or more land use restrictions (e.g., prohibiting ground water use) may be necessary to ensure safe use of the Site. Such restriction(s) will be required to be implemented through recordation of an environmental restrictive covenant (ERC) on the deed for the Site. By executing this Agreement, the Owner is agreeing to record such an ERC on the deed for the Site in the County Recorder's Office if it is required by the Program to achieve closure under the IDEM *Remediation Closure Guide* (March 22, 2012 and applicable revisions). The Owner is responsible for the costs of recording such an ERC.

5. The granting of this permission by the Owner is not intended, nor should it be construed, as an admission of liability on the part of the Owner or the Owner's successors and assigns for any contamination discovered on the Site.

6. Authorized Parties may enter the Site during normal business hours and may also make special arrangements to enter the Site at other times after agreement from the Owner.

7. Authorized Parties shall enter upon the Site at their own risk, and Owner shall not be held responsible or liable for injury, damage, or loss incurred by any Authorized Party arising out of or in connection with activities under this Agreement, except to the extent that any injury is caused due to the acts or omissions of Owner, any lessee of the Site, or any employee or agent of the Owner.

8. Neither the State nor the IFA is providing any indemnification, either jointly or severally, to the Owner, the Consultant or its agents, assigns or designees.

9. The Program will supply to Owner all information derived from the environmental investigation or remedial activities conducted at the Site. The Program may use such information for any purpose at the Program's sole discretion. The Consultant will hold in confidence all such information except as instructed by the Program and the Owner or as required to be disclosed by law.

10. In exercising its access privileges, Authorized Parties will take reasonable steps not to interfere with the Owner's operations on the Site.

11. Authorized Parties will give notice to the Owner at least one (1) week in advance of the start of field activities on the Site.

12. Owner ensures that Owner and any/all Site operators will give Authorized Parties access to the entire Site for the purposes set forth in this Agreement.

13. Any party to this Agreement may terminate this Agreement by giving two (2) months advanced written notice, or all parties may terminate the Agreement at any time by written agreement.

14. This Agreement shall expire upon the Program's issuance of a No Further Action letter to the Owner indicating completion of project activities under the POSI grant award.

15. Copies of this Agreement may be executed separately by the parties, and once executed by the parties to this Agreement, all such copies taken together shall constitute a single contract. This Agreement may be executed in one opmore counterparts, each of which shall be deemed to be an original for all purposes.

6-12.24

Site Owner's Telephone Number: 536 2800

Site Owner's Mailing Address (if other than Site address):

For the benefit of (Insert consulting firm's name): SES Environmental

ling firm's signature

Accepted by the Indiana Brownfields Program by:

Mitchell Smith

Mitchell Smith, LPG · Project Manager, Indiana Brownfields Program

1/2024

6/28/24

Date

Attachment C Disbursement Request Form

INDIANA BROWNFIELDS PROGRAM - DISBURSEMENT REQUEST FORM

Instructions: This Disbursement Request Form is to be typed and completed by the Financial Assistance Agreement Recipient for each payment request.

 The Disbursement Request Form is to be used for all eligible costs associated with the Financial Assistance Agreement Recipient's brownfields redevelopment project.

• Attach a copy of the claim (a bill, invoice or a statement) supporting this Request.

· Requested amounts must be rounded to the nearest whole dollar.

• Attach the Program change order approval if any part of the current claim is a result of a change order.

1a. 2.	Brownfield Program Site#: Project Name:	1.b. Fu	Inding Type:							
3.	Financial Assistance Recipie	nt:								
4.	Contact Person:									
5.	Phone#:	()								
6.	Email:									
7.	Recipient's Authorized Repre	esentative:		······································						
8. Authorized Representative's Phone# ()										
9.	Consultant:									
	Contact Deveen									
11.										
12.	Email:									
12	Invoice#:									
		h claim is being made (service,	food time of ato);							
	Beschphen of work for which	r claim is being made (service,	iees, type of, etc.).							
15.	Amount of this Request:		\$							
	Original Financial Assistance		\$							
	Total Amount of Approved C	Change Orders:	\$							
	Revised Project Budget:		\$							
19.	Total Amount of Previous D	isbursements:	\$							
20.	Balance Available after this	Disbursement:	\$							
21.	Is any part of this claim a rea *If yes, please attach the Program cl		YES	NO						
22.	Do you want payment maile 'If yes, payment will be sent directly	d directly to the consultant? y to the consultant listed in #9 above	YES	NO						
23 23	a. Bank Name: b. Bank Contact, Phone#:	(for the entity receiving paymen								
	 Account Number: d. Routing Number: 									
20	a. Routing Number.									

The undersigned hereby certifies that this Request is true and correct, that the claim underlying this Request is due in accordance with the Recipient's Financial Assistance Agreement with the Authority, and that the services contained in such claim were procured in accordance with Indiana's public bidding laws and federal cross-cutting requirements (e.g., Davis-Bacon), if applicable.

AUTHORIZED REPRESENTATIVE SIGNATURE

Date

Revised August 2018